

* Waterwell

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

6-27-56

COMPLETION DATA:

Date Well Completed 11-24-56

Location Inspected

OV _____ VW _____ TA _____

Bond released

CA _____ CS PA _____

State of Fee Land

7-22-57

LOGS FILED

Diller's Log

Electric Logs (No. 1) *None Run*

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

June 26, 19 56

OIL AND GAS CONSERVATION COMMISSION

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 2, which is located 660 ft from ^(N)(S) line and 660 ft from ^(E)(W) line of Sec 27, Twp 14 N, R 19 W, Salt Lake (Meridian), (Field or Unit)

Boxelder (County) on or about 28th day of June, 1956

LAND: Fee and Patented (x) State () Lease No _____ Name of Owner of patent or lease Randle Carsen, et al Address Ogden, Utah
Public Domain () Lease No _____

Is location a regular or exception to spacing rule? Regular Has a surety bond been filed? Yes With whom? State Area in drilling unit --
(State of Federal)
Elevation of ground above sea level is 6400 ft. All depth measurements taken from top of Kelley Bushing which is _____ ft above ground
(Derrick Floor, Rotary Table or Kelley Bushing)
Type of tools to be used Cable. Proposed drilling depth 1000 ft. Objective formation is unknown

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft. In.	Top	Bottom	Cementing Depths
8"	32.75	Standard	Unknown		Unknown	

AFFIDAVIT


I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

Approved for Regular Spacing
Date June 27 1956
By Alan B. Fugitt
Title Secretary

By David Carlisle V. Pires
George E. Hess Secretary-Treasurer
(Title or Position)
Eagle Gas & Oil Co.
(Company or Operator)
Address 720 Newhouse Building
Salt Lake City, Utah

INSTRUCTIONS:

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Rm 105, Capitol Bldg, Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
4. Use back of form for remarks.



Map Showing Proposed Well Site
 Located in the NW⁴ SE⁴, Sec. 27, T.14N., R.19W.
 S.L.B.M., Box Elder County, Utah.
 1" = 1000'

I hereby certify that this map correctly shows
 the location of proposed well site, in the NW⁴ SE⁴
 Sec. 27, T.14N., R.19W., S.L.B.M. from field
 survey made by me. *J.S. Harned, C.E.*
 6-21-56.

Spout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended 8-25-56

Pin changed on location map

Avit and Record of A & P

Water Shut Off Test

Oil Ratio Test

Well Log Filed

David Lawrence McKay
720 Newhouse
SAC = RM 37685

Notify: Clark when well
is plugged Cement Bond
DA 2-0421 EXR 6

water sand.

~~Place Mud to 25' of surface~~

14" ~~to~~ at 105' Not Cured

~~to 115'~~

T.D. 265'



UNITED STATES FIDELITY AND GUARANTY COMPANY
SALT LAKE CITY OFFICE
221 KEARNS BUILDING, SALT LAKE CITY 10, UTAH

ROBERT R. SONNTAG
MANAGER

TELEPHONE 22-0421

June 27, 1956

Utah Oil & Gas Commission,
State Capitol
Salt Lake City, Utah

Gentlemen;

Please be advised that the U. S. F. & G. has issued and executed a \$5,000.00 Oil & Gas Well Plugging bond in favor of Eagle Gas & Oil Company. This bond has been sent to Twin Falls, Idaho for signing, and it only remains for Eagle Gas & Oil to deliver this bond to your department.

Very truly yours,

JOHN F. CLARKE
Attorney-in-fact

JFC:gm

July 31, 1956

David Laurence McKay, Atty at Law
720 Newhouse Building
Salt Lake City, Utah

Re: Eagle Oil & Gas Co.
Well No. 2

Dear Sir:

With reference to our telephone conversation of July 25, 1956, it would be greatly appreciated if the plugging bond covering the above mentioned well could be forwarded to this office as soon as possible.

Yours very truly,

GLENN B. FREIGHT
SECRETARY

CBF: cc

August 2, 1956

David L. McKay
Newhouse Bldg.
Salt Lake City, Utah

Dear Sir:

This is to acknowledge receipt of your letter of
August 1, 1956, and the attached bond.

Thank you very much for your prompt action in this
matter.

Yours very truly,

CLEON B. FEIGHT
SECRETARY

CRF:co

McKAY, BURTON, McMILLAN AND RICHARDS

ATTORNEYS AND COUNSELORS AT LAW

NEWHOUSE BUILDING

SALT LAKE CITY II, UTAH

DAVID L. MCKAY
WILFORD M. BURTON
GEORGE M. McMILLAN
REED H. RICHARDS
PAUL E. REIMANN
WILLIAM T. THURMAN
MACOY McMURRAY

August 1, 1956

Mr. Cleon B. Feight, Secretary
The State of Utah
Oil & Gas Conservation Commission
Salt Lake City 14, Utah


Dear Mr. Feight:

Re: Eagle Gas and Oil Company
Well No. 2

Enclosed is United States Fidelity and Guaranty Company bond for plugging oil or gas well No. 69118-13-1303-56, which is sent to you pursuant to our telephone conversation of July 25th.

I have just returned from an extended trip out of town.

Very truly yours,


David L. McKay

DLM:h

Enc

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
Salt Lake City 14, Utah

February 5, 1957

Eagle Oil & Gas Company
720 Newhouse Bldg.
Salt Lake City, Utah

Gentlemen:

It has come to the attention of this office that Well No. 2,
which was drilled by you on Section 27,
Twp. 14 N., Range 19 W., Box Elder County, has been
completed, plugged and abandoned, or shut down as of about 8-25-56,
1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and
Procedure, Utah Oil and Gas Conservation Commission, provides that with-
in 90 days after the suspension of operations, abandonment of, or the
completion of any well drilled for the production of oil or gas and
within 90 days after the completion of any further operations on it,
if such operations involved drilling deeper or drilling or re-drilling
any formation, the well log shall be filed with the Commission, as well
as a copy of the electric and radioactivity logs, if run.

If our information is correct, will you please forward the well log or
logs to this office as required by the above mentioned rule. If our
information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON D. PEIGHT

CBF:ro

10

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION

FORM OCOO-3

LOG OF OIL OR GAS WELL

Well No. 2, which is located 660 ft. from S (N/S) line and 660 ft. from E (E/W) line of Section 27, Twp. 14, R. 19, S.L. S.L., Box Elder (Meridian) (Field or Unit) (County)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records as of Nov. 24, 1956, and is to be kept confidential until , 19 . (See Rule 6-5).

Drilling operations were ~~(completed)~~ (suspended) ~~(abandoned)~~ on Nov. 24, 1956.

Date: February 18, 1957. Signed: Russ Collins Title: Pres
Company: Eagle Gas and Oil Company

OIL OR GAS SANDS OR ZONES

No. 1, from to No. 3, from to
No. 2, from surface to 265 Ft. No. 4, from to

IMPORTANT WATER SANDS OR ZONES

No. 1, from to No. 3, from to
No. 2, from Same to No. 4, from to

CASING RECORD

Size of Hole	Size Casing	Weight per ft.	Threads per Inch	Make	Amount	Kind of Shoe	Set & Ralled from	Perforated from to	Purpose
20 in.	14 in.	44 lb.	Welded Casing	Steel	105 ft.	None	New	None	

MUDLOGGING AND CEMENTING RECORD

Size Casing	Where Set	Number of Sacks of Cement	Method Used	Mud Gravity	Amount of Mud Used
14 in.	Surface	81 Sacks			None

TOOLS USED

Cable Tools were used from Surface to 265 feet and from to Nov. 24
Rotary Tools were used from None to and from to

PRODUCTION

Put to producing: Not yet, 1957.
OIL WELLS: The production during the first 24 hours was None barrels of liquid of which % was oil; % was emulsion; % was water; and % was sediment. Gravity:

GAS WELLS: The production during the first 24 hours was None MCF plus lbs. Shut in Pressure lbs. Length of time shut in .

FORMATION RECORD

From	To	Thickness in feet	Formation	From	To	Thickness in feet	Formation
See attached letter of February 18, 1957							

HISTORY OF WELL

See attached letter of February 18, 1957

(if additional space is needed use back of page or attach separate sheet)

EAGLE GAS AND OIL COMPANY

February 18, 1957

State of Utah
Oil and Gas Conservation Commission
Salt Lake City 14, Utah

Gentlemen:


West: Well location, Section 27, Township 14, Range 19

1 to 20 feet	Soil and gravel
20 to 55 "	Conglomerate
55 to 105 "	Sandstone, light in color
105 to 255 "	Dark sandstone
255 to 265 "	Dark green shale

Our operations were suspended on November 24, 1956 due to weather conditions. It is our intention to continue drilling as soon as weather permits.

Very truly yours,

EAGLE GAS AND OIL COMPANY

By 
R. W. McCullough

RWM:h

May 13, 1957

David L. McKay
Eagle Oil & Gas Company
720 Newhouse Building
Salt Lake City, Utah

Re: Well No. 2, Sec. 27, T. 14 N,
R. 19 W, Box Elder County

Dear Sir:

Unofficially, it has come to the attention of this office that the above mentioned well has been abandoned.

If this information is correct, we wish to advise you that you are still liable under Bond No. 69118-13-1303-56, issued by the United States Fidelity and Guaranty Company, until the plugging of said well has been approved by Mr. C. A. Hauptman of this office.

Mr. Hauptman should be notified prior to commencement of plugging operations. See our letter of June 27, 1957.

Yours very truly,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:en

cc: United States Fidelity & Guaranty Co.
221 Kearns Building
Salt Lake City, Utah

*To be covered
11-10-57 / 16-29-57*



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
 State
 Lease No.
 Public Domain
 Lease No.
 Indian
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off	<input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 2 is located 600 ft. from N line and 1900 ft. from E line of Sec. 27
NW 1/4 of SE 1/4 14N 19W S.L.M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
BOXELDER UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5650 feet.

A drilling and plugging bond has been filed with your office.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Total depth 265 ft on privately owned land. Owners accepted well for domestic use as a water well. all land leveled and 105 ft. of new 14" casing left in well. your office has a plat showing location of well.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Eagle Gas & Oil Co.
 Address 363 - 4th ave. West By R W Mc Cullough
Twin Falls, Ida. Title president

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.


to whom it may
concern -

This is to certify
that the undersigned,
owner of fee land
on which Well No 2
located on $NW^{4} SE^{4}$
Sec 27, T14N, R19W,
accept this well
in its present status
as a potential water
well.

Carson Bros.

By S. L. Carson

July 17, 1957



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State.....
Lease No.
Public Domain.....
Lease No.
Indian.....
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....
Notice of Intention to Abandon Well.....	<i>Subsequent report of abandonment</i>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 2 is located 610 ft. from S line and 1910 ft. from E line of Sec. 27
N.W. 1/4 of SE 1/4 14N R 19W SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
BOXELDER UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5650 feet.

A drilling and plugging bond has been filed with your office

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Well accepted by landowners for domestic water well and approved by Mr. Hauptman, an employee of your office.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Eagle Gas & Oil Co
Address 36B - 4th ave West By R. W. Cullough
Twin Falls, Ida Title President

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Memo for O & S Cons Comm. File —

Re: Eagle Oil & Co Well #2

Sec 27, T14N, R19W
Box Elder Co. Utah

On July 16 & 17 I visited this area, and this particular operation, conferring with Mr. McCullough of Eagle Oil and John Savage, contr & operator in this area.

Since the well is located on hay land and fee simple title the land owner wishes to save the well for a water supply — water level stands 20' from surface in 14" casing, which is the sand source of this water. Since the 105' of 14" casing was not cemented and no shows of oil or gas was encountered while drilling with cable tools (T.D. 265'), it is recommended that the well be allowed to remain as a water well, responsibility of which is accepted by attached memo, and liability of plugging bond be released.

July 18, 1957.

C. Hauptman
Petroleum Engineer



COMMISSIONERS

C. R. HENDERSON
CHAIRMAN
M. V. HATCH
C. S. THOMSON
E. W. CLYDE
W. G. MANN

EXECUTIVE SECRETARY
C. B. FEIGHT

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

310 NEWHOUSE BUILDING
10 EXCHANGE PLACE
SALT LAKE CITY 11

November 9, 1961

PETROLEUM ENGINEERS

ROBERT L. SCHMIDT
CHIEF ENGINEER
SALT LAKE CITY

H. L. COONTS
BOX 266
MOAB, UTAH

Eagle Gas & Oil Company
363 4th Ave. West
Twin Falls, Idaho

Attn: R. W. McCullough, President

Re: Well No. Fee 2
Sec. 27, T. 14 N., R. 19 W.
Box Elder County, Utah

Gentlemen:

In reviewing the file for the above mentioned well, we find a discrepancy in the footage location. The corrected Notice Of Intention To Drill stated the footage to be 660' from the south line and 660' from the east line however, your Notice Of Intention To Abandon and Subsequent Report Of Abandonment stated it to be 610' from the south line and 1910' from the east line.

Would you please advise us which of these two locations is correct so that there will not be any conflicting information in our file.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION


ANN W. GLINES
RECORDS CLERK

AWG:kpB

AFTER TEN DAYS RETURN TO
OIL & GAS CONSERVATION COMMISSION


310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Returned
NOV 24 1961

Attn: R. W. McCullough, President

Eagle Gas & Oil Company
363 4th Ave. West
Twin Falls, Idaho

McCullough



Will no address
and office in Utah

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: *2000-11-17-57* *11-17-57*

well log - 2000-11-17-57

DATE FILED **6-27-56**

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. INDIAN

DRILLING APPROVED: **6-27-56**

SPUDED IN: **6-30-56**

COMPLETED:

INITIAL PRODUCTION:

GRAVITY A. P. I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH: **265**

WELL ELEVATION: **5650**

DATE ABANDONED: *OS* **11-24-56** *+*

FIELD OR DISTRICT: **Grouse Creek** *wildcat 3/26*

COUNTY: **BOX ELDER**

WELL NO. **CARBON #2**

LOCATION: FT. FROM (N) (S) LINE, FT. FROM (E) (W) LINE. *1/4* SE QUARTER - QUARTER SEC. **27**

APR 43-003-16534

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				14N	19W	27	EAGLE OIL & GAS COMPANY