


# Subsequent Report of Abandonment

<b>FILE NOTATIONS</b>	
Entered in N I D File _____	Checked by Chief _____
Entered On S R Sheet _____	Copy N I D to Field Office _____
Location Map Pinned _____	Approval Letter _____
Card Indexed <input checked="" type="checkbox"/>	Disapproval Letter _____
I W R for State or Fee Land _____	
<b>COMPLETION DATA:</b>	
Date Well Completed <u>10-3-53</u>	Location Inspected _____
OW _____ WW _____ TA _____	Bond released _____
GW _____ OS _____ PA <input checked="" type="checkbox"/>	State of Fee Land _____
<b>LOGS FILED</b>	
Driller's Log <input checked="" type="checkbox"/>	
Electric Logs (No. ) <u>ND</u>	
E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____	
Lat _____ Mi-L _____ Sonic _____ Others _____	




(SUBMIT IN TRIPLICATE)

Land Office Salt Lake

Lease No. 071593

Unit Jack Canyon Unit

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 12, 1953

Well No. 2 is located 990 ft. from S line and 990 ft. from E line of sec. 7

SE Section 7      13S      16E      S.L.B. & M.  
(1/4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

Wildcat      Carbon      Utah  
(Field)      (County or Subdivision)      (State or Territory)

Kelly Bushing

The elevation of the ~~driller floor~~ above sea level is 6942 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

October 7, 1953, total depth 2865.

Ran 66 joints of 9-5/8", 40#, casing (2,646.14') and 7 joints of 9-5/8", 36# casing (223.43') for a total of 73 joints of 9-5/8" casing (2855') set at 2865' with 96 sacks of Ideal regular cement.

Top of cement at 2340' by temperature survey.

Held 1200# for 30 minutes.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company EL PASO NATURAL GAS COMPANY

Address BOX 997


FARMINGTON, NEW MEXICO

Approved OCT 15 1953

By S. Schulerman

Title Petroleum Engineer.


George J. Ruppel  
District Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. 071593  
Unit Jack Canyon Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	Subsequent report of D, S, T.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 25, 1953

Well No. 2 is located 990 ft. from S line and 990 ft. from E line of sec. 7

SE Section 7  
(1/4 Sec. and Sec. No.)

13 S 16 E  
(Twp.) (Range)

S.L.M.  
(Meridian)

Wildcat  
(Field)

Carbon  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

November 14, 1953 Total Depth: 5090'

Drill Stem Test No. 1

5038' - 5090' Tool open 3 hrs, shut in 30 mins. Recovered 60' drilling mud. Weak blow of air, died 20 mins. IF 0, FF 0, SIP 0, HYDRO 2600'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address 303 Tribune Bldg.


Salt Lake City, Utah

By D. E. Soderst

Approved 11-27-53

Title Petroleum Engineer

J. C. Seville  
District Engineer



LOCATE WELL CORRECTLY

Salt Lake  
U. S. LAND OFFICE  
SERIAL NUMBER 071593  
LEASE OR PERMIT TO PROSPECT

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company El Paso Natural Gas Address Salt Lake City, Utah  
Lessor or Tract Jack Canyon Unit Field Wildcat State Utah  
Well No. 2 Sec. 7 T. 13 SR. 16 E Meridian S.L.M. County Carbon  
Location 990 ft. N. of S Line and 990 ft. W. of E Line of Sec. 7 Elevation 6949  
(Derive floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.  
Signed J. E. Sochet

Date December 16, 1953 Title Petroleum Engineer

The summary on this page is for the condition of the well at above date.

Commenced drilling September 9, 19 53 Finished drilling December 1, 19 53

OIL OR GAS SANDS OR ZONES  
*(Denote gas by G)*

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8	54	8 round	Spang	152	Howco				Surface
9 5/8	40	8 round	Spang	2,616	Howco				Interm.
9 5/8	36	8 round	Spang	223					
9 5/8	36 & 40	8 round	Spang	1200		1210			Abandoned

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8	162	125 sks	Circulated		
9 5/8	2065	96 sks	Sk. Stage		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

FOLD MARK

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from 0 feet to 6201 feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Plugged and abandoned

**DATES**

December 3, 1953

Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment.

Gravity: <sup>68</sup>B6 \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_

Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

**EMPLOYEES**

\_\_\_\_\_, Driller

\_\_\_\_\_, Driller


\_\_\_\_\_, Driller

\_\_\_\_\_, Driller

**PLUGS**

XXXXXXXXXXXXXXXXXXXXX  
**FORMATION RECORD**


FROM-	TO-	TOTAL FEET	No. sks. Cement FORMATION
5085	4981		40 sks
4400	4335		25 sks
3345	3200		25 sks
2875	2810		25 sks
1200	1135		25 sks
860	810		50 sks
175	150		25 sks



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. 071593  
Unit Jack Canyon Unit



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of D.S.T.</u>	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 1, 1953

Well No. 2 is located 990 ft. from XY line and 990 ft. from E line of sec. 7

SE Section 7 (1/4 Sec. and Sec. No.)      13 South (Twp.)      16 East (Range)      S.L.M. (Meridian)  
Wildcat (Field)      Carbon (County or Subdivision)      Utah (State or Territory)

Kelly Bushing

The elevation of the ~~center floor~~ above sea level is 6019 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

November 28, 1953, T.D. 6024

D.S.T. No. 2 5924 - 6024

Tool open 3 hours, shut in 30 mins., med. blow air died in 2 hours.

Recovered 10' Drilling mud IFF - 0%, FFP - 0%, SIP - 300%

HYDRO - 3100%

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address 303 Tribune Bldg.

Salt Lake City


By D. E. Sobett

Approved DEC 3 - 1953

Title Petroleum Engineer

(Orig. Sgd.) H. G. Seoville


District Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. 071593  
Unit Jack Canyon



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 9, 1953

Well No. 2 is located 990 ft. from XXXX line and 990 ft. from [E] line of sec. 7  
[S] [W]

SE Section 7 13 South 16 East S.L.M.  
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Willcat Carbon Utah  
(Field) (County or Subdivision) (State or Territory)

Kelly Pushing  
The elevation of the ~~ground~~ floor above sea level is 6049 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

December 2, 1953: Total Depth of 6201 was reached without encountering any productive zones, and therefore it is intended to plug and abandon the above described well as follows:

1. 5085-4981 with 40 sks cement
2. 4100-4375 with 25 sks cement
3. 3315-3200 with 25 sks cement
4. 2875-2810 with 25 sks cement

Then cut and pull the 9 5/8" Intermediate casing, which is set at 2864.

5. 25 sk plug of cement on top of stub
6. 860-810 with 50 sks cement
7. 25 sk in bottom of 13 3/8" surface casing.
8. Cement in regulation marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Co.

Address 303 Tribune Bldg.

Salt Lake City, Utah


By D. E. Sackett

Approved 12-10-53, 12-2-53 only  
H. C. Scoville  
District Engineer

Title Petroleum Engineer








(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake**  
Lease No. **071993**  
Unit **Jack Canyon**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 8, 1953

Well No. 2 is located 990 ft. from XXXX line and 990 ft. from W line of sec. 7

SE Section 7      13 South 16 East      S.L.M.  
(4 Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)  
Wilcat      Carbon      Utah  
(Field)      (County or Subdivision)      (State or Territory)

The elevation of the ~~center floor~~ Kelly Bushing above sea level is 6949 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

December 3, 1953

Set the following cement plugs:

1. 5085-4981 with 40 sks cement
2. 4400-4335 with 25 sks cement
3. 3345-3280 with 25 sks cement
4. 2875-2810 with 25 sks cement

December 6, 1953

Set the following cement plugs:

5. 1200-1166 with 25 sks cement
6. 860-810 with 50 sks cement
7. 165-145 with 25 sks cement

December 5, 1953

Cut and pulled 9 5/8" casing at 1200'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Co.

Address 303 Tribune Bldg.

Salt Lake City, Utah

By D. E. Lockett

Approved J. S. 54

Title Petroleum Engineer

J. S. 54  
J. S. 54  
District Engineer