

FILE NO. & STATUS

Entered in NID File _____
Entered on 1 Sheet _____
Location Map Pinned _____
Card Indexed _____
W R for State or Fee Land _____

Checked by Chief _____
Copy NID to Field Office _____
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 4-23-55 Location Inspected _____
OW _____ WW _____ TA _____ Bond released _____
GW _____ OS _____ PA State of Fee Land _____


LOGS FILED

D Log _____
E Logs (No.) MD
E L _____ E-I _____ GR _____ GR-N _____ Micro _____
Mi-L _____ Sonic _____ Others _____

REC'D FEB 10 1955

Form 9-331a
(Feb 1951)

Budget Hrogram 42-R458.3
Approval expires 12-31-55



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. 069551

Unit Jack Canyon

1955

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|--|--|---|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT OFF | X |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 2, 1955

Well No. 4 is located 1980 ft. from ~~XXX~~ line and 1980 ft. from ~~XXX~~ line of sec. 33

NW 1/4 Sec. 33
(or Sec. and T. & R. No.)

12 South
(Twp.)

16 East
(Range)

S.L. B. & A.
(Meridian)

Wildcat
(Field)

Carbon
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 7233 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud Date: January 1, 1955
January 10, 1955 - Total Depth 168 feet.
Ran 167' of 16" 62.5# surface casing set at 168 with 95 sks of reg. cement circulated.

(Well being drilled with cable tools)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address 303 Tribune Building

Salt Lake City, Utah

By D. E. Lockett


Title Petroleum Engineer

Approved FEB 10 1955
D. R. Russell
District Engineer

U. S. LAND OFFICE Salt Lake City

SERIAL NUMBER 069551

LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company EI Paso Natural Gas Company Address 303 Tribune Building

Lessor or Tract Jack Canyon Field Wildcat State Utah

Well No. 4 Sec. 33 T. 12S R. 16E Meridian S.L.B. & M. County Carbon

Location 1980 ft. N. of S. Line and 1980 ft. W. of E. Line of Sec. 33 Elevation 7240
(Derivat. from relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed R. E. Johnson

Date May 6, 1955 Title Pet. & Gas Engineer

The summary on this page is for the condition of the well at above date.

Commenced drilling January 1, 1955 Finished drilling April 21, 1955

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from None to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

| Size casing | Weight per foot | Threads per inch | Make | Amount | Kind of shoe | Cut and pulled from | Perforated | | Purpose |
|-------------|-----------------|------------------|------|--------|--------------|---------------------|------------|-----|-----------|
| | | | | | | | From— | To— | |
| 16"OD | 62.25 | Line pipe | - | 160 | - | - | - | - | conductor |

MUDDING AND CEMENTING RECORD

| Size casing | Where set | Number sacks of cement | Method used | Mud gravity | Amount of mud used |
|-------------|-----------|------------------------|----------------|-------------|--------------------|
| 16"OD | 167' | 95 | Circ. to surf. | | |

MARK



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. 069551
Unit Jack Canyon

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|---|---|--|
| NOTICE OF INTENTION TO DRILL..... | | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | X | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 22, 1955

Well No. 4 is located 1980 ft. from DECK line and 1980 ft. from E line of sec. 33

NW 1/4 SE 1/4 Sec. 33 12 South 16 East S.L.B.&M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Carbon Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7233 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud date; 1-1-55

It is intended to abandon this hole at a total depth of 1880'. A 25 sax cement plug will be set at bottom of 16" surface casing at 167'. A suitable cement plug will be set in top of the surface casing with a suitable identification marker in it. Mud pits and location will be cleaned up, according to U.S.G.S. standards.

Two whipstocks were set in order to by-pass junk in the hole at 1880'. Mechanical difficulties were encountered on both whipstocks. It was then decided to abandon this hole and skid the rig 100' west and spud a new hole.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company

Address 303 Tribune Building

Salt Lake City, Utah

Original Signed
R. E. JOHNSON

By R. E. Johnson

Title Gas Engineer

APR 25 1955

R. A. Russell

District Engineer