

UTAH DIVISION OF OIL AND GAS CONSERVATION

REMARKS: WELL LOG \_\_\_\_\_ ELECTRIC LOGS \_\_\_\_\_ FILE  WATER SANDS \_\_\_\_\_ LOCATION INSPECTED \_\_\_\_\_ SUB. REPORT/abd. \_\_\_\_\_

9-9-74 Location abandoned  
Well 5' not drilled

DATE FILED 12-18-72

LAND: FEE & PATENTED  STATE LEASE NO. \_\_\_\_\_ PUBLIC LEASE NO. \_\_\_\_\_ INDIAN \_\_\_\_\_

DRILLING APPROVED: 12-18-72

SPUDDED IN: \_\_\_\_\_

COMPLETED: \_\_\_\_\_ PUT TO PRODUCING: \_\_\_\_\_

INITIAL PRODUCTION: \_\_\_\_\_

GRAVITY A.P.I. \_\_\_\_\_

GOR: \_\_\_\_\_

PRODUCING ZONES: \_\_\_\_\_

TOTAL DEPTH: \_\_\_\_\_

WELL ELEVATION: \_\_\_\_\_

DATE ABANDONED: 9-9-74 L.A.

FIELD: ~~Wildcat~~ 3/86 Undesignated

UNIT: \_\_\_\_\_

COUNTY: Carbon

WELL NO. KAISER STEEL #1 APT. NO: 43-007-30016

LOCATION 1980' FT. FROM ~~XX~~(S) LINE, 1980' FT. FROM (E) ~~XX~~LINE. C NW SE 1/4-1/4 SEC. 16

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
13 S	7 E	16	ENERGETICS INC,				

D

9-9-74 Abandoned Location

**FILE NOTATIONS**

Entered in NID File ..... ✓  
Location Map Pinned ..... ✓  
Card Indexed ..... ✓

Checked by Chief *JMD* .....  
Approval Letter 12-19-72 .....  
Disapproval Letter .....

**COMPLETION DATA:**

Date Well Completed .....  
NW..... WW..... TA.....  
GW..... OS..... PA.....

Location Inspected .....  
Bond released .....  
State or Fee Land .....

**LOGS FILED**

Driller's Log.....  
Electric Logs (No.) .....  
E..... I..... Dual I Lat..... GR-N..... Micro.....  
BHC Sonic GR..... Lat..... Mi-L..... Sonic.....  
CBLog..... CCLog..... Others.....



December 14, 1972

Oil and Gas Commission of the  
State of Utah  
1588 West North Temple  
Salt Lake City, Utah 84116

Gentlemen:

Accompanying this letter is an application for permit to drill  
and survey plats for the following well:

Energetics, Inc. #1 Kaiser Steel  
NW SE Section 16, T-13-S, R-7-E  
Carbon County, Utah.

Yours very truly,

Patrick D. Maher  
Executive Vice President

PDM/jm  
Encl.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER Wildcat SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Energetics, Inc.

3. ADDRESS OF OPERATOR  
 333 W. Hampden Ave., Englewood, Colo. 80110

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface NW SE Sec. 16, 13S-7E, Carbon Co., Utah (1980' FSL & 1980' FEL)  
 At proposed prod. zone Same *CNWSE*

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 3 miles south of Scofield, Utah

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drg. unit line, if any)

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 40+

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH  
 6800'

20. ROTARY OR CABLE TOOLS  
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
 8830' GR.

22. APPROX. DATE WORK WILL START\*  
 12-26-72

5. LEASE DESIGNATION AND SERIAL NO.  
 Fee

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
 Kaiser Steel

9. WELL NO.  
 #1 Kaiser Steel

10. FIELD AND POOL, OR WELDCAT  
 Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
 Sec. 16, 13S-7E

12. COUNTY OR PARISH  
 Carbon

13. STATE  
 Utah

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17"	13-3/8"	48#	200'	To Surface
12-1/4"	8-5/8"	24#	3800+	250 sacks
7-7/8"	5-1/2"	15.5#	6800	250 sacks

Operator proposes to drill the above described well to a depth of approximately 6800' to test the DAKota Formation. Potential pay zones will be properly evaluated using geological data, Induction Electric logs and DSTs (if warranted). If economical oil or gas production is encountered, a properly designed string of production casing will be run and cemented through all pay zones. It is planned to drill out from under the intermediate casing to T.D. with air. After setting surface casing, BOPE will be installed and tested. Daily tests of the BOPE will be conducted and recorded. ✓

*Handwritten signature*

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *P. Smaker* TITLE Executive Vice President DATE 12-15-72

(This space for Federal or State office use)

PERMIT NO. 43 007-30016 APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_


CONDITIONS OF APPROVAL, IF ANY:

T13S, R7E, S.L.B. & M.

PROJECT

ENERGETICS INC.

WELL LOCATION AS SHOWN  
IN THE NW 1/4 SE 1/4 SEC.  
16, T13S, R7E, S.L.B. & M.,  
CARBON COUNTY, UTAH.



CORNER FOUND



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

*Lawrence C. Kay*

REGISTERED LAND SURVEYOR  
REGISTRATION NO 3137  
STATE OF UTAH

ORIGINAL TOWNSHIP SURVEY 1876  
EAST LINE RESURVEYED 1915

UINTAH ENGINEERING & LAND SURVEYING  
P.O. BOX Q - 110 EAST - FIRST SOUTH  
VERNAL, UTAH - 84078

SCALE 1" = 100 0'	DATE 9 DEC 1972
PARTY LCK	REFERENCES GLO Plat
WEATHER COLD, SNOW, BLOWING	FILE ENERGETICS

December 20, 1972

Energetics Inc.  
333 W. Hampden Avenue  
Englewood, Colorado 80110

Re: Well No. Kaiser Steel #1  
Sec. 16, T. 13 S, R. 7 E,  
Carbon County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted; however, said approval is conditional upon this office receiving a drilling and plugging bond prior to spudding operations.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer  
HOME: 277-2890  
OFFICE: 328-5771

This approval terminates within 90 days if the well has not been spudded-in within said period; however, the termination date may be extended upon written request.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

The API number assigned to this well is 43-007-30016.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT  
DIRECTOR

CBF:sd

March 28, 1973

Energetics Inc.  
333 W. Hampden Avenue  
Englewood, Colorado 80110

Re: Well No. Kaiser Steel #1  
Sec. 16, T. 13 S, R. 7 E,  
Carbon County, Utah

Gentlemen:

Our records indicate that you have not filed a monthly report of operations for the months of December, 1972, thru' February, 1973, for the subject well.

Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b (U.S. Geological Survey Form 9-331), Sundry Notices and Reports on Wells, or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your cooperation with regard to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE DeROSE  
SUPERVISING STENOGRAPHER

:sd



May 4, 1973

Ms. Scheree DeRose  
Supervising Stenographer  
Department of Natural Resources  
Division of Oil and Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah 84116

Re: Kaiser Steel No. 1  
Section 16, T-13-S, R-7-E  
Carbon County, Utah

Dear Ms. DeRose:

The above referenced well has not yet been commenced. We do plan to drill the well later this year but I do not have, at this time, any specific starting date.

Yours very truly,

A handwritten signature in cursive script, appearing to read 'P. Maher'.

Patrick D. Maher  
Executive Vice President

PDM/jm

July 23, 1974

Energetics Inc.  
333 W. Hampden Avenue  
Englewood, Colorado 80110

Re: Well No's:  
Kaiser Steel #1  
Sec. 16, T. 13 S, R. 7 E,  
Carbon County  
Kaiser Steel #1  
Sec. 21, T. 13 S, R. 7 E,  
Carbon County  
Federal 41X-11  
Sec. 11, T. 26 S, R. 6 E,  
Federal 23X-7  
Sec. 7, T. 26 S, R. 7 E,  
Emery County, Utah

Gentlemen:

Upon checking our records, it is noted that you have not filed a "Monthly Report of Operations" for the months of October '73 thru' June '74, for the subject wells.


Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b (U.S. Geological Survey 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

SCHEREE WILCOX  
EXECUTIVE SECRETARY

MB  
RI



September 9, 1974

Sheree Wilcox  
Executive Secretary  
State of Utah, D.N.R.  
Division of Oil & Gas Conservation  
1588 W. N. Temple  
Salt Lake City, Utah 84116

Dear Ms. Wilcox:

With reference to your letter July 23, 1974, enclosed please find form OGCC-1b for Energetics Fed. 41X-11 and 23X-7 as requested. These give data of work to date with present status.

The well Kaiser Steel #1, S16, T13S, R7E is now an abandoned location at the request of the landowner. The other Kaiser Steel #1 S21, T13S, R7E was spudded 6:00 p.m. September 8, 1974, and the well will now be drilled as applied for. The delay was due to not being able to get a contractor until very recently and this required moving drilling equipment in from Canada.

Please note that we really have no excuse for not filing reports except that (1) I thought the preliminary reports had been filed and (2) we were inactive until September 1, 1974.

Sincerely,

*R. C. Turtle*  
R. C. Turtle  
Operations Manager

RCT:slp  
Enclosures