

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

5. LEASE DESIGNATION AND SERIAL NO.

UT ML-48232

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

1a TYPE OF WORK

DRILL DEEPEN PLUG BACK

7. UNIT AGREEMENT NAME

B TYPE OF WELL

Oil Well Gas Well OTHER
Single Zone Multiple Zone

8. FARM OR LEASE NAME

2. Name of Operator

Marathon Oil Company

9. WELL NO.

SITLA #22-22

3. Address of Operator

1501 Stampede Avenue, Cody, WY 82414

10. FIELD OR LEASE NAME

4. Location of Well (Report location clearly and in accordance with any State requirement)

At surface **1,717' FWL, 1,371' FNL SE/NW**
At proposed prod. Zone

4373122 N
508312 E

11. Sec., T., R., M., OR BLK AND SURVEY OR AREA

Sec. 22, T15S, R9E

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

12. COUNTY OR PARISH 13. STATE

Carbon Utah

15. Distance from proposed location to nearest Property or lease line ft.

900'

16. NO. OF ACRES IN LEASE

880

17. NO. OF ACRES ASSIGNED TO THIS WELL

160

(Also to nearest drlg. Unit line, if any)

18. DISTANCE FROM PROPOSED LOCATION * TO NEAREST WELL, DRILLING COMPLETED.

1,873'

19. PROPOSED DEPTH

2,752'

20. ROTARY OR CABLE TOOLS

Rotary

OR APPLIED FOR, ON THIS LEASE, FT.

21. ELEVATION (SHOW WHETHER DF. RT, GR, etc.)

5,971'

22. APPROX. DATE WORK WILL START

April 15, 2000

23

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11'	8-5/8"	24	300	To Surface
7-7/8"	5-1/2"	17	T.D.	1,383'

Operator requests permission to drill the subject well.

Please see the attached 10 Point and 13 Point Surface Use Plane.

If you require additional information please contact:

William Ryan
350 S., 800 E.
Vernal, Utah
435-789-0968

RECEIVED

FEB 07 2000

DIVISION OF OIL, GAS AND MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed in to deepen or plug back, give data on proposed productive zone and proposed new productive zone. If proposal is to drill or deepen directional, give pertinent data on subsurface location and measure and true vertical depths. Give blowout preventer program, if any.

24

SIGNATURE

William Ryan

TITLE

Agent

DATE

Jan 15, 2000

(This space for Federal or State Office use)

PERMIT NO.

43-007-30655

APPROVAL DATE

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY

TITLE

BRADLEY G. HILL
RECLAMATION SPECIALIST III

DATE


4/20/00

***See Instructions on Reverse Side**

T15S, R9E, S.L.B.&M.


MARATHON OIL CO.

Well location, SITLA #22-22, located as shown in the SE 1/4 NW 1/4 of Section 22, T15S, R9E, S.L.B.&M. Carbon County, Utah.



BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 22, T15S, R9E, S.L.B.&M. TAKEN FROM THE PINNACLE PEAK QUADRANGLE, UTAH, CARBON COUNTY 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5978 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

Latitude = 39°30'35"
Longitude = 110°54'10"

SCALE 1" = 1000'	DATE SURVEYED: 10-5-99	DATE DRAWN: 1-4-00
PARTY D.K. L.J. C.B.T.	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE MARATHON OIL CO.	

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

SELF-CERTIFICATION STATEMENT


The following self-certification statement is provided per Federal and State of Utah requirements dated June 15, 1988.

Please be advised that Marathon Oil Company is considered to be the operator of the following well.

**SITLA #22-22
SE 1/4, NW 1/4, Section 22, T. 15 S., R. 9 E.
Lease ML-48232
Carbon County, Utah**

Marathon Oil Company is responsible under the terms and conditions of the lease for the operations conducted upon the lease lands.

State of Utah Blanket O&G Bond 5217029 and SITLA Bond 5922542 provide state wide bond coverage on State of Utah lands.



**William A. Ryan
Agent
Rocky Mountain Consulting
350 S. 800 E.
Vernal UT 84078
435-789-0968 Office
435-828-0968 Cell
435-789-0970 Fax**

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING



Office (801) 789-0968
Cellular (801) 823-6152

350 S. 800 E.
Vernal, UT 84078

January 15, 2000

Re: Well SITLA #22-22
SE/NW, Sec. 22, T15S, R9E
Lease No. ML-48232

Utah Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, UT 84114-5801

*Applicable to
Cause No. 243-1.
Op. No. 1/15/00
JC*


Dear Sirs:

Marathon Oil Company (Marathon) respectfully requests a spacing exception for the subject well. The well was originally requested for the center of the **SE ¼ of the NW ¼ of Sec. 22, T15S, R9E**. The location was moved due to topographic considerations, erosion potential, major and minor drainage's, access conditions and deer winter range. Please see the attached map for details.

The well is located **1,371' FNL, 1,717' FWL in Sec. 22, T15S, R9E**.

A 460' radius around the proposed location is within the lease **ML-48232**. Please see the attached plat for details.

If you have additional questions please contact:


William (Bill) Ryan
Rocky Mountain Consulting
Agent

435-789-0968 Office
435-828-0968 Cellular
435-789-0970 Fax

Ten Point Plan

Marathon Oil Company

SITLA #22-22

Surface Location SE ¼, NW ¼, Section 22, T15S, R9E

1. Surface Formation:

Mancos

2. Estimated Formation Tops and Datum:

<u>Formation</u>	<u>Depth</u>	<u>Datum</u>
Mancos	Surface	+5,978' KB
Ferron	2,382'	+3,595'
#1 Coal	2,420'	+3,558'
#1 Coal	2,496'	+3,482'
Tunnunk	2,653'	+3,320'
T.D.	2,752'	+3,226'

3. Producing Formation Depth:

Formation objective includes both the #1 and #2 Coal.

4. Proposed Casing:

<u>Hole</u>	<u>Casing Grade</u>		<u>Setting</u>	<u>Casing</u>	<u>New/Used</u>
<u>Size</u>	<u>Size</u>	<u>Weight/Ft.</u>	<u>& Tread</u>	<u>Depth</u>	
11	8 5/8	24	J-55/STC/8rd	300	New
7 7/8	5 1/2	17	L-80/STC/8rd	T.D.	New

Cement Program:

<u>Casing Size</u>	<u>Cement Type</u>	<u>Cement Amount</u>	<u>Cement Yield</u>	<u>Cement Weight</u>
8 5/8	Premium Plus 2% Calcium Chloride .25 lb/sk. Cello Flake	135 sks. +/-	1.19 cu. ft./sk.	15.6 lbs./gal.
5 1/2 Lead. (1,883-1,383')	50/50 Pozmix 10% Cal Seal 2% Calcium Chloride .25 lb/sk. Cello Flake 8%	60 sks. +/-	1.89 cu. ft./sk.	12.7 lbs./gal.
Tail (T.D.-1,883')	Thixotropic 10% Cal Seal 1% Calcium Chloride	120 sks. +/-	1.6 cu. ft./sk.	14.2 lbs./gal.

5. BOP and Pressure Containment Data:

The anticipated bottom hole pressure will be less than 3000 psi.

A 2000-psi WP BOP system as described in the BOP and Pressure Containment Data (attached) will be installed and maintained from the 8 5/8" surface casing. The BOP system including the casing will be pressure tested to the minimum standards set forth in "On Shore Order #2". The BOP will be mechanically checked daily during the drilling operation.

6. Mud Program:

<u>Interval</u>	<u>Mud weight lbs./gal.</u>	<u>Viscosity Sec./Qt.</u>	<u>Fluid Loss MI/30 Mins.</u>	<u>Mud Type</u>
0-300	Clear Water	----	No Control	Water/Gel
300-T.D.	8.4-8.6	30	8-10	Water/Gel

7. Auxiliary Equipment:

Upper Kelly cock, full opening stabbing valve, 2 1/2" choke manifold and pit level indicator.

8. Testing, Coring, Sampling and Logging:

- a) Test: None are anticipated.
- b) Coring: There is the possibility of sidewall coring.
- c) Sampling: Every 10' from 1,800' to T.D.
- d) Logging:

Type	Interval
Array Induction-Gamma Ray-SP-Caliper	T.D. to Surf. Csg
High Resolution Spectral Density-PEF	T.D. to Surf. Csg
Compensated Neutron, Microlog	T.D. to Surf. Csg


9. Abnormalities (including sour gas):


No abnormal pressures, temperatures or other hazards are anticipated. Oil and gas shows are anticipated. Other wells drilled in the area have not encountered over pressured zones or H2S.

10. Drilling Schedule:

The anticipated starting date is April 15, 2000. Duration of operations expected to be 3 days.

MARATHON OIL COMPANY 2000 PSI BOPE





MARATHON OIL COMPANY
 ROCKY MOUNTAIN REGION
DRUNKARD'S WASH
 CARBON COUNTY, UTAH

TYPICAL FACILITY

NOT TO SCALE

01/00

MARATHON OIL CO. - OPERATOR
 SUBJECT TO MARATHON'S SITE
 SECURITY PLAN LOCATED AT THE
 SUPERINTENDENT'S OFFICE

Approvals:

_____ *Production Foreman*
 _____ *Operations Superintendent*

LEGEND

- OIL/CONDENSATE
- - - EMULSION
- · - · RECYCLE/REJECT
- · - · WATER OFF & DRAIN
- · - · GAS FUEL
- · - · GAS OFF
- · - · RUPTURE
- · - · POP OFF
- ⊗ VALVE
- A, B, C, etc. SEALED VALVES
- M METER

 SPCC DIKES

PUT typical.fac

MARATHON OIL COMPANY.

13 POINT SURFACE USE PLAN

FOR WELL

SITLA 22-22

LOCATED IN

SE 1/4, NW 1/4

SECTION 22, T. 15 S., R. 9 E., S.L.B.&M.

CARBON COUNTY, UTAH

LEASE NUMBER: ML-48232

SURFACE OWNERSHIP:

STATE OF UTAH

SCHOOL AND INSTATUTIONAL TRUST LANDS ADMINISTRATION

1. Existing Roads

To reach the **Marathon Oil Co. SITLA #22-22, in Section 22, T15S, R15E, from Price, Utah:**

Starting in Price, Utah proceed south on State Highway 10. Proceed 7.8 miles and turn right (west) on County Road 122. Proceed 2.8 miles, turn right (north) on an existing paved road. Proceed 1.4 miles. Turn right on a two track and proceed 1 mile to the proposed location SITLA 32-22 in section 22, T15S, R9E. The proposed access road will start at this point.

All existing roads except the last one mile are State or County Class D roads.

Upgrading and new construction will start at this point.

Please see the attached map B for additional details.

2. Planned access road

The proposed location will require approximately **.4 miles +/- (2,112 feet) of new road construction.**

The road will be built to the following standards:

- A) Approximate length **2,112 Ft.**
- B) Right of Way width **30 Ft.**
- C) Running surface **18 Ft.**
- D) Surfacing material **Native soil & crushed gravel**

- E) Maximum grade **8-10%**
- F) Fence crossing **None**
- G) Culvert **1**
- H) Turnouts **None**
- I) Major cuts and fills **None**
- J) Road flagged **Yes**
- K) Access road surface ownership

State of Utah, SITLA

- L) All new construction on lease **Yes**
- M) Pipe line crossing **None**
- O) Stream crossings **None**
- P) Low water crossings **3**

Please see the attached location Map B for additional details.

The attached map has indicated where the one culverts and three low water crossings will be located.

A right of way will not be required for the proposed location.

3. Location of existing wells

The following wells are located within a one mile radius of the location site.

- A) Producing well **Two**
 Sec. 21, T15S, R9E
- B) Water well **None**
- C) Abandoned well **None**
- D) Temp. abandoned well **None**
- E) Disposal well **None**
- F) Drilling/Permitted well **Four**
 Sec. 15, 22 & 27
 T15S, R9E
- G) Shut in well **Two**
 General American 1-15
 Sec. 15, T15S, R9E
 Sun State 1-16
 Sec. 16, T15S, R9E

Sand bedding may be required in rocky areas. The sand will come from an off sight location.

The gas and water lines will be buried. A track hoe or backhoe will be used to dig a trench approximately as wide as the bucket used to dig the trench and as deep as 4 feet. Trees will be removed as required for the trenches. The topsoil will be removed from the road and pipeline and wind rowed along the side of the road and pipeline. A motor grader will be used to remove the topsoil. Topsoil will be replaced as soon as the trench has been back filled. Seed will be spread when the topsoil is replaced.

C. Electrical Power Cable.

The operator proposes installation of a power line at some time in the future. Currently Utah Power is not able to install or supply power for this well. Power should be available in the next year or two. The power cable will be installed in a trench on the opposite side of the road from the gas gathering line and the produced water line. Please see the attached power cable map. The line will be installed in a trench dug with a backhoe. The width will be the width of a bucket and 4' deep. The trench will be back filled as soon as the line has been installed. The disturbed area will be reseeded as soon as the trench is back filled. The seed mix will be as specified by the Utah Division of Oil Gas and Mining. Erosion controls will be the same as listed for the water and gas gathering trench.

5. Location and type of water supply

Water for drilling and cementing the subject well will be trucked from **Price Cities water tank on Highway 10.**

6. Source of construction materials

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. Additional road gravels or pit lining material will be obtained from private sources.

7. Methods for handling waste disposal

A) Pit construction and liners:

The reserve pit will be approximately 8 ft. deep and most of the depth shall be below the surface of the existing ground. Please see the attached plat for details.

The reserve pit will be lined.

The reserve pit will be used to hold non-flammable materials such as cuttings, salt, drilling fluids, chemicals, produced fluids, etc.

B) Produced fluids:

Produced water will be confined to the reserve pit, or if deemed necessary, a storage tank, for a period not to exceed 90 days after initial production. Produced water after the initial production will be piped to a proposed water injection well in Section 23, T15S, R9E.

C) Garbage:

A trash cage fabricated from expanded metal will be used to hold trash on location and will be removed to an authorized land fill location.

D) Sewage:

A portable chemical toilet will be supplied for human waste.

E) Site clean-up:

After the drilling and work over rig is moved off the location the well site area will be cleaned and all refuse removed.

8. Ancillary facilities

There are no ancillary facilities planned at this time and none are foreseen for the future.

9. Well-site layout and location.

The proposed location has been staked at 1,371' FNL, 1,717' FWL. The location has been moved out side the normal drilling window spacing due to topographic considerations.

Well-site layout

Location dimensions are as follow:

- A) Pad length 275 ft.
- B) Pad width 190 ft.
- C) Pit depth 8 ft.
- D) Pit length 80 ft.
- E) Pit width 50 ft.
- F) Max cut 17.8 ft.
- G) Max fill 4.6 ft.
- H) Total cut yds. 6,280 cu. yds.
- I) Pit location south side
- J) Top soil location west end
- K) Access road location east end
- L) Flare pit corner C

Please see the attached location diagram for additional details.

All pits will be fenced according to the following minimum standards:

- a) Thirty nine inch net wire shall be used with at least one strand of wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.
- b) The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- c) Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 ft.
- e) All wire shall be stretched by using a stretching device before it is attached to the corner posts.

10. Plans for restoration of the surface

Prior to construction of the location, the top 6 inches of soil material will be stripped off the location, road and pipeline and the pit area. The topsoil removed and piled will amount to approximately 1,000 cubic yards of material on the location. **Topsoil will be stockpiled in one distinct pile for the location and wind rowed along side the pipeline for soil from the road and pipeline.** Placement of the topsoil is noted on the attached location plat. **The topsoil pile from the location will be seeded as soon as the soil is stock piled** with the seed mix provided by the Utah Division of Oil Gas and Mining. When all drilling and

completion activities have been completed and the pit and pipeline trench back-filled the topsoil will be spread. **The disturbed area will be seeded when the topsoil has been spread.** The unused portion of the location (the area outside the dead men) will be recontoured.

The dirt contractor will be provided with an approved copy of the surface use plan prior to construction activities.

Changes to the drainage during the construction activities shall be restored to its original line of flow or as near as possible when the pit is back-filled.

All disturbed areas will be recontoured to the approximate natural contours. Prior to back filling the pit the fences around the reserve pit will be removed.

The reserve pit will be reclaimed within 90 days of well completion. If the reserve pit has not dried sufficiently to allow back filling, an extension on the time requirement for back filling the pit will be requested. Once reclamation activities have begun, they shall be completed within 30 days.

After the reserve pit has been reclaimed, no depressions in the soil covering the reserve pit will be allowed. The objective is to keep seasonal rainfall and run off from seeping into the soil used to cover the reserve pit. Diversion ditches and water bars will be used to divert run off as needed.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeded, all disturbed areas will be scarified and left with a rough surface.

A) Seeding dates:

Seed will be spread when the topsoil is stock piled and when reclamation work is performed.

B) Seed Mix

At such time as the well is plugged and abandoned the operator will submit a surface reclamation plan to the surface management agency for prescribed seed mixture and reseeding requirements.

The seed mix and quantity required will be provided by the State of Utah Division of Oil Gas and Mining

11. Surface ownership:

Access road	State of Utah, SITLA
Location	State of Utah, SITLA
Pipeline	State of Utah, SITLA

12. Other information

A) Vegetation:

The vegetation coverage is slight. The majority of the existing vegetation consists of sagebrush, Rabbit brush, Bitter brush and Indian rice grass are also found on the location.

B) Dwellings:

There are no dwellings or other facilities within a one mile radius of the location.

C) Archeology:

The location has not been surveyed. The surveys have been scheduled and copy of the surveys will be forwarded to your office.

If, during operations, any archaeological or historical sites, or any objects of antiquity (subject to the antiquities act of

June 8, 1906) are discovered, all operations which would effect such sites will be suspended and the discovery reported promptly to the surface management agency.

D) Water:

The nearest water is Serviceberry Creek 2,000 feet north of the location.

E) Chemicals:

No pesticides, herbicides or other possible hazardous chemicals will be used without the Division of Wildlife Resources approval.

F) Notification:

The Division of Wildlife Resources and the Division of Oil and Gas will be notified as follows.

a) **Location construction**

At least forty eight (48) hours prior to construction of location and access roads

b) **Location completion**

Notification will be given 24 hr prior to moving the drilling rig on location.

c) **Spud notice**

At least twenty-four (24) hours prior to spudding the well.

d) **Casing string and cementing**

At least twenty-four (24) hours prior to running casing and cementing all casing strings.

e) **BOP and related equipment tests**

At least twenty-four (24) hours prior to initial pressure tests.

f) **First production notice**

Within five (5) business days after the new well begins, or production resumes after well has been off

production for more than ninety 90 days.

g) **Completion and work over**

At least twenty-four (24) hours prior to moving the rig on location.

Division of Wildlife Resource
434-636-0260

Division of Oil, Gas, and Mining.
801-538-5340

H) Flare pit:

The flare pit will be located in corner C of the reserve pit out side the pit fence and 100 feet from the bore hole on the **south side of the location**. All fluids will be removed from the pit within 48 hours of occurrence.

13. Lessees or Operator's representative and certification

A) Representative

William A. Ryan

Rocky Mountain Consulting
350 South 800 East
Vernal, Utah 84078

Office 435-789-0968
Fax 435-789-0970
Cellular 435-828-0968

All lease operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

This drilling permit will be valid for a period of one year from the date of

approval. After permit termination, a new application will be filed for approval for any future operations.

B) Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill-site and access route, that I am familiar with the conditions which presently exist, that the statements made in this plan are, to the best of my knowledge and belief, true and correct, and that the work associated with the operation proposed herein will be performed by **Marathon Oil CO.** and its contractors and subcontractors in conformity with this plan and terms and conditions with this plan and the terms and conditions under which it is approved.

Date _____

William A. Ryan, Agent
Rocky Mountain Consulting

Onsite Date:

Statement of use of Hazardous Material

No chemical(s) from the EPA's Consolidated list of Chemicals subject to Reporting under Title III of the Superfund Amendments and Reauthorization, Act (SARA) of 1986.

Will be used, produced, transported, stored, disposed, or associated with the proposed action, No extremely hazardous substances, as defined in 40 cfr 355, will be used, produced, stored, transported, disposed, or associated with the proposed action.

If you require additional information please contact:

William A Ryan
Agent
Rocky Mountain Consulting
350 S. 800 E.
Vernal Utah, 84078

Telephone
(435) 789-0968 office
(435) 828-0968 cellular
(435) 789-0970 fax


MARATHON OIL CO.

TYPICAL CROSS SECTIONS FOR






SITLA #22-22

SECTION 22, T15S, R9E, S.L.B.&M.

1371' FNL 1717' FWL




DATE: 1-4-00
Drawn By: C.B.T.



NOTE:
Topsoil should not be Stripped Below Finished Grade on Substructure Area.

APPROXIMATE YARDAGES

(6") Topsoil Stripping	= 1,220 Cu. Yds.	EXCESS MATERIAL AFTER 5% COMPACTION	= 4,540 Cu. Yds.
Remaining Location	= 5,060 Cu. Yds.	Topsoil & Pit Backfill (1/2 Pit Vol.)	= 1,610 Cu. Yds.
TOTAL CUT	= 6,280 CU.YDS.	EXCESS UNBALANCE (After Rehabilitation)	= 2,930 Cu. Yds.
FILL	= 1,650 CU.YDS.		



PROPOSED LOCATION:
SITLA #22-22

SEE TOPO "B"

CARBON CO
EMERY CO

T15S

T16S

LEGEND:

⊙ PROPOSED LOCATION

N

MARATHON OIL CO.

SITLA #22-22
SECTION 22, T15S, R9E, S.L.B.&M.
1371' FNL 1717' FWL

U E I S
 Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP
 SCALE: 1:100,000 DRAWN BY: J.L.G. REVISED: 00-00-00

12	29	99
MONTH	DAY	YEAR



R
9
E

PROPOSED LOCATION:
SITLA #22-22

PROPOSED ACCESS 0.4 MI. +/-

PROPOSED ACCESS
FOR #32-22 0.3 MI. +/-

EXISTING TRAIL NEEDS
UPGRADED 0.7 MI. +/-

1.4 MI. +/-

PRICE 10.6 MI. +/-

T15S

LEGEND
1 LOW WATER CROSSING REQUIRED
2 18" CMP REQUIRED

LEGEND:

--- PROPOSED ACCESS ROAD
— EXISTING ROAD


MARATHON OIL CO.

SITLA #22-22
SECTION 22, T15S, R9E, S.L.B.&M.
1371' FNL 1717' FWL

UEIS
Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC 12 29 99
MAP MONTH DAY YEAR
SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00 **B**
TOPO



APPROXIMATE TOTAL PIPELINE DISTANCE = 1500' +/-

LEGEND:

- EXISTING PIPELINE
- PROPOSED PIPELINE
- PROPOSED ACCESS

MARATHON OIL CO.

SITLA #22-22
 SECTION 22, T15S, R9E, S.L.B.&M.
 1371' FNL 1717' FWL




Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC MAP 12 29 99
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00



T15S



MARATHON OIL CO.
 PROPOSED SITLA WELLS
 SECTIONS 14, 15, 16, 21, 22, 23, & 27
 T15S, R9E, S.L.B.&M.

TOPOGRAPHIC MAP	1	13	00	GAS GATHERING TOPO
	MONTH	DAY	YEAR	
SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00				

- LEGEND:**
- PROPOSED LOCATION
 - EXISTING LOCATION
 - PROPOSED GAS GATHERING PIPELINE
 - PROPOSED ROAD
 - EXISTING ROAD


U&L S **Utah Engineering & Land Surveying**
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



R
9
E

R
10
E

T15S




MARATHON OIL CO.
 PROPOSED SITLA WELLS
 SECTIONS 14, 15, 16, 21, 22, 23, & 27
 T15S, R9E, S.L.B.&M.

TOPOGRAPHIC MAP	1	13	00	WATER GATHERING TOPO
	MONTH	DAY	YEAR	
SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00				

- LEGEND:**
- PROPOSED LOCATION
 - EXISTING LOCATION
 - PROPOSED WATER GATHERING PIPELINE
 - PROPOSED ROAD
 - EXISTING ROAD

U&L Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

R 9 E R 10 E



T15S

MARATHON OIL CO.
 PROPOSED SITLA WELLS
 SECTIONS 14, 15, 16, 21, 22, 23, & 27
 T15S, R9E, S.L.B.&M.

TOPOGRAPHIC MAP 1 13 00
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00
 GAS SALES TOPO

LEGEND:
 [Yellow Square] PROPOSED LOCATION
 [Black Circle] EXISTING LOCATION
 [Green Dashed Line] PROPOSED GAS SALES PIPELINE
 [Blue Line] PROPOSED ROAD
 [Black Line] EXISTING ROAD

U&L S Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

R 9 E R 10 E

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 02/07/2000

API NO. ASSIGNED: 43-007-30655

WELL NAME: SITLA 22-22
 OPERATOR: MARATHON OIL COMPANY (N3490)
 CONTACT: BILL RYAN, AGENT

PHONE NUMBER: 435-789-0968

PROPOSED LOCATION:

SENW 22 150S 090E
 SURFACE: 1371 FNL 1717 FWL
 BOTTOM: 1371 FNL 1717 FWL
 CARBON
 UNDESIGNATED (2)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	<i>FRK</i>	4-18-00
Geology		
Surface		

LEASE TYPE: 3-State
 LEASE NUMBER: ML-48209
 SURFACE OWNER: 3-State

PROPOSED FORMATION: FRSD

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[3] Fee[]
(No. 5922542)
- Potash (Y/N)
- Oil Shale (Y/N) *190 - 5 (B)
- Water Permit
(No. PRWID)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:

- R649-2-3. Unit _____
- R649-3-2. General
Siting: _____
- R649-3-3. Exception
- Drilling Unit
Board Cause No: 243-1 (1160')
Eff Date: 10-13-98
Siting: along Dr. Unit boundary & 1320' between wells.
- R649-3-11. Directional Drill

COMMENTS: Need Preside. (Conducted 3-9-00)


STIPULATIONS: ① STATEMENT OF BASIS OF UTAH ER



Utah Oil Gas and Mining

Serving the Industry, Protecting the Environment

OPERATOR: MARATHON OIL COMPANY (N3490)
 FIELD: UNDESIGNATED (002)
 SEC. 22, T 15 S, R 9 E
 COUNTY: CARBON CAUSE No: 243-1 160 ACTES




PREPARED
 DATE: 14-Feb-2000


UTAH DIVISION OF WATER RIGHTS
WATER RIGHT POINT OF DIVERSION PLOT CREATED FRI, MAR 3, 2000, 3:19 PM
PLOT SHOWS LOCATION OF 8 POINTS OF DIVERSION .

PLOT OF AN AREA WITH A RADIUS OF 5280 FEET FROM A POINT
S 1371 FEET, E 1717 FEET OF THE NW CORNER,
SECTION 22 TOWNSHIP 15S RANGE 9E SL BASE AND MERIDIAN

PLOT SCALE IS APPROXIMATELY 1 INCH = 2000 FEET

N O R T H





UTAH DIVISION OF WATER RIGHTS
 NWPLAT POINT OF DIVERSION LOCATION PROGRAM

MAP CHAR	WATER RIGHT	QUANTITY CFS	AND/OR AC-FT	SOURCE DESCRIPTION or WELL INFO	POINT OF DIVERSION DESCRIPTION
				DIAMETER DEPTH YEAR LOG	NORTH EAST CNR SEC TWN RNG B&M
0	91 4980	.0000	4.73	Unnamed Washes	N 2100 W 1500 SW 15 15S 9E SL WATER USE(S): STOCKWATERING State of Utah School & Institutional Tru 675 East 500 South, 5th Floor PRIORITY DATE: 01/26/19 Salt Lake City
1	91 4296	.0000	3.00	Serviceberry Creek	N 600 E 2400 SW 15 15S 9E SL WATER USE(S): OTHER Driscoll, Colleen P. 1933 East Tartan Avenue PRIORITY DATE: 11/02/19 Salt Lake City
2	91 4980	.0000	4.73	Unnamed Washes	S 2300 E 200 SW 15 15S 9E SL WATER USE(S): STOCKWATERING State of Utah School & Institutional Tru 675 East 500 South, 5th Floor PRIORITY DATE: 01/26/19 Salt Lake City
3	91 4	3.5000	.00	Miller Creek	N 20 W 390 S4 22 15S 9E SL WATER USE(S): IRRIGATION STOCKWATERING Feichko, Frank H. (Sr) and Carol L. 871 East 6370 South PRIORITY DATE: 01/30/19 Price

3	<u>91 56</u>	2.2000	.00 Miller Creek	N	20	W	390	S4	22	15S	9E	SL
		WATER USE(S): IRRIGATION										PRIORITY DATE: 04/10/19
		Feichko, Frank H. (Sr) and Carol L. 871 East 6370 South										Price
3	<u>91 784</u>	.3000	.00 Miller Creek	N	20	W	380	S4	22	15S	9E	SL
		WATER USE(S): IRRIGATION STOCKWATERING										PRIORITY DATE: 00/00/19
		Marsing, Orson Route #1										Price
3	<u>91 4814</u>	.2000	.00 Miller Creek	N	20	W	380	S4	22	15S	9E	SL
		WATER USE(S): IRRIGATION										PRIORITY DATE: 00/00/19
		Feichko, Frank H. and Carol L. P.O. Box 458										Price
4	<u>91 4812</u>	.0000	1000.00 Miller Creek	S	300	E	1885	NW	27	15S	9E	SL
		WATER USE(S): IRRIGATION DOMESTIC STOCKWATERING										PRIORITY DATE: 03/07/19
		Feichko, Frank H. Sr. & Carol L. P.O. Box 1436										Price



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WILDLIFE RESOURCES

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

John Kimball
Division Director

Southeastern Region
475 West Price River Drive, Suite C
Price, Utah 84501-2860
435-636-0260
435-637-7361 (Fax)

Marathon Oil Presite Inspections Cont. 3/9-10/00 (v. 2)

SITLA 32-22: This area is within the big game winter range, therefore seasonal restrictions for construction and mitigation requirements should be followed. There are 5 ferruginous hawk nests within ½ mile of this location, however, all of these nests were old and dilapidated.

SITLA 14-23: UDWR does not have any wildlife concerns with this well.

SITLA 34-23: UDWR does not have any wildlife concerns with this well.

* (SITLA 22-22: This area is within the big game winter range, therefore seasonal restrictions for construction and mitigation requirements should be followed. There are 3 raptor nests within ½ mile of this location (99-673, 99-672, 99-722, 99-721, 99-723, 99-724), however, all of these nests were either dilapidated or have been inactive for more than 3 years.)

SITLA 34-22: We did not look at this well site. It is our understanding that this site has already been onsite reviewed and permitted by Fleet Energy. Marathon Oil, as the successor operator, now requests that the permit be rescinded and a new permit be issued in their name for this location. This area is within the big game winter range, therefore seasonal restrictions for construction and mitigation requirements should be followed. There are 6 raptor nests within ½ mile of this location (99-720, 99-721, 99-725), however, all of these nests were either dilapidated or have been inactive for more than 3 years.

SITLA 32-27: We did not look at this well site. It is our understanding that this site has already been onsite reviewed and permitted by Fleet Energy. Marathon Oil, as the successor operator, now requests that the permit be rescinded and a new permit be issued in their name for this location. This site is within the Big Game Winter Range. Additionally, there are 2 raptor nests within ½ mile (99-720 & 99-725), however, these nests were dilapidated and have been inactive for > 3 years.

SITLA 13-22: We did not look at this well site. It is our understanding that this site has already been onsite reviewed and permitted by Fleet Energy. Marathon Oil, as the successor operator, now requests that the permit be rescinded and a new permit be issued in their name for this location. This site is within the Big Game Winter Range. Additionally, there are 2 raptor nests within ½ mile (99-720 & 99-722), however, both of these nests were dilapidated.

People present:

Chris Colt - UDWR

Chris Kierst - UDOGM

Randy Meabon - Marathon Oil

Charlie Arterbery - Marathon Oil

David Kay - UELS

Bill Ryan - Rocky Mtn Consulting

Kimball Rassmuson - Nielson Const.

David Wilcox - Nielson Const.

ON-SITE PREDRILL EVALUATION

Division of Oil, Gas and Mining

OPERATOR: Marathon Oil Company

WELL NAME & NUMBER: SITLA 22-22

API NUMBER: 43-007-30655

LEASE: State FIELD/UNIT: UNDESIGNATED

LOCATION: 1/4, 1/4 SE/NW Sec: 22 TWP: 15 S RNG: 9 E 1371 FNL 1717 FWL

LEGAL WELL SITING: 660 F SEC. LINE; 660 F 1/4, 1/4 LINE; 1320F ANOTHER WELL.

GPS COORD (UTM): X = 508312; Y = 4373122 SURFACE OWNER: SITLA

PARTICIPANTS

C. Kierst (DOGM), C. Colt (DWR), B. Ryan (Rocky Mtn. Consulting), D. Kay (U.E.L.S.), Randy Meabon (Marathon), D. Wilcox (Nielson Construction), C. Arterbery (drilling consultant)

REGIONAL/LOCAL SETTING & TOPOGRAPHY

Western margin of Colorado Plateau/~5.5 miles east of foot of Wasatch Plateau. The location is on the westward-dipping the Blue Gate Member of the Mancos Shale (just below the Garley Canyon Beds). The pad is at the foot of a low bluff in a minor enclosed drainage basin which slopes northeast into a secondary drainage feeding into Serviceberry Creek. It is ~1/2 mile northeast of the Wattis Highway. ~ 1/2 mile southeast of Quaternary / Tertiary Pediment Mantle-capped erosional remnants.

SURFACE USE PLAN

CURRENT SURFACE USE: Grazing and wildlife habitat.

PROPOSED SURFACE DISTURBANCE: 275' X 250' pad with 50' X 80' X 8' inboard pit and ~2112' of new access.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: 1 PGW status well, 5 NEW status locations, 2 SGW status wells and 1 active SWD well (RGC D-10). In addition, there are 2 APDs approved in the name of Fleet Energy but these will probably be superceded by identical Marathon approved APDs which are included within the above cited enumeration of NEW status locations. Marathon acquired the operations from Fleet Energy lately.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: ~1 2/3 miles east of pad (Questar pipeline runs north-south).

SOURCE OF CONSTRUCTION MATERIAL: Material will be borrowed from the pad at the time of construction. Water turnouts and berms will be placed as needed and the road and pad will be graveled as needed. Ancillary gravel needs will be satisfied by the dirt contractor from legally permitted sources. Water will be from the City of Price.

ANCILLARY FACILITIES: none

WASTE MANAGEMENT PLAN:

Portable chemical toilets which will be emptied into the municipal

waste treatment system; garbage cans on location will be emptied into centralized dumpsters which will be emptied into an approved landfill. No crude oil is expected to be produced. Drilling fluid, completion / frac fluid and cuttings will be buried in the pit after evaporation and slashing the pit liner. Produced water will be gathered to the evaporation pit and eventually injected into the Navajo Sandstone via a Marathon-operated salt water disposal well. Used oil from drilling operations and support is hauled to a used oil re-cycler and reused.

AFFECTED FLOODPLAINS AND/OR WETLANDS: None

FLORA/FAUNA: sagebrush, grasses / birds, lizards, coyotes, rodents, raptors, elk, deer, reptiles. Nesting raptors are not an issue here because of dilapidation and unoccupancy this year. Critical elk and deer winter range; operational restriction until 4/15/2000.

SOIL TYPE AND CHARACTERISTICS: Poorly-permeable clayey, silty soil on the Blue Gate Member of the Mancos Shale.

SURFACE FORMATION & CHARACTERISTICS: Blue Gate Member (just below the Garley Canyon Beds) of Mancos Shale. Garley Canyon Sandstone Beds are relatively thin in the area. Some surface expression of igneous dikes may be seen in this area.

EROSION/SEDIMENTATION/STABILITY: Stable

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: Dugout, earthen pit, as above.

LINER REQUIREMENTS (Site Ranking Form attached): Synthetic liner

SURFACE RESTORATION/RECLAMATION PLAN

As per State surface agreement.

SURFACE AGREEMENT: Agreement filed with State.

CULTURAL RESOURCES/ARCHAEOLOGY: Cleared but not yet filed with state.

OTHER OBSERVATIONS/COMMENTS

No DWR concerns are noted at this location beyond season restrictions.

ATTACHMENTS:

4 Photos were taken of this location. (22-25)

Chris Kierst
DOG M Representative

9-Mar-2000 2:20 PM
Date & Time

**Evaluation Ranking Criteria and Ranking Scores
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>0</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>10</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	<u>0</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>5</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>

Final Score 15 (Level II Sensitivity)

DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL STATEMENT OF BASIS

Operator Name: Marathon Oil Company

Name & Number: SITLA 22-22

API Number: 43-007-30655

Location: 1/4, 1/4 SENW Sec. 22 T. 15 S R. 9 E County: Carbon

Geology/Ground Water:

Location is on relatively impermeable soil developed on the Blue Gate Member of the Mancos Shale. No high quality ground water is expected to be encountered. The proposed casing and cement program will adequately isolate any zones of water penetrated. One underground water well diversion is recorded (a River Gas CBM well) within a mile of the location.

Reviewer: Chris Kierst Date: 4/13/2000

Surface:

At the location a clayey, silty, poorly-permeable soil is developed on the Blue Gate Member of the Mancos Shale. It is situated between ephemeral Serviceberry Creek, into which the location drains via a secondary wash to east northeastward, and flowing Miller Creek. Pit integrity will be maintained by the use of a synthetic liner. There are no nearby culinary or irrigation water supply wells. The site was photographed and characterized on 3/9/2000. Provision was made to ensure site rehabilitation, litter and waste control, preservation of drainage patterns and the integrity of local infrastructure, groundwater and other resources. The well utilities and gas gathering system will follow the approach roadway. A spur to the water gathering system crosses Serviceberry Creek, northeastward, to approach SWD #1.

Reviewer: Chris Kierst Date: 4/13/2000

Conditions of Approval/Application for Permit to Drill:

- 1) Culverts sufficient to manage expected runoff, standing and surface water shall be installed in crossed drainages.
- 2) Berm location and pit.
- 3) Minimum 12 mil synthetically lined pit and blooie pit.
- 4) Dust abatement will be used while drilling and on access roads.
- 5) Culverts will be used where necessary on the access road.
- 6) 404 Dredge and Fill Permits must be obtained when required or waived by the U.S. Army Corp. of Engineers or their authorized agents for crossings of any watercourses by pipelines or access roads, or prior to any bank or streambed modifications.
- 7) Compliance with terms of the governing EIS.

Well name:	4-00 Marathon SITLA #22-22	
Operator:	Marathon	Project ID:
String type:	Surface	43-007-30655
Location:	Carbon County	

Design parameters:

Collapse

Mud weight: 8.330 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 79 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 160 ft

Cement top: Surface

Burst

Max anticipated surface pressure: 0 psi
 Internal gradient: 0.433 psi/ft
 Calculated BHP 130 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on buoyed weight.
 Neutral point: 262 ft

Non-directional string.

Re subsequent strings:

Next setting depth: 1,850 ft
 Next mud weight: 8.330 ppg
 Next setting BHP: 801 psi
 Fracture mud wt: 19.250 ppg
 Fracture depth: 1,850 ft
 Injection pressure: 1,850 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	300	8.625	24.00	J-55	ST&C	300	300	7.972	14.4
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	130	1370	10.56	130	2950	22.73	6	244	38.74 J

Prepared RJK
 by: Utah Dept. of Natural Resources

Date: April 18,2000
 Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE

Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
 Collapse is based on a vertical depth of 300 ft, a mud weight of 8.33 ppg The casing is considered to be evacuated for collapse purposes.
 Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	4-00 Marathon SITLA #22-22		
Operator:	Marathon	Project ID:	43-007-30655
String type:	Production		
Location:	Carbon County		

Design parameters:

Collapse

Mud weight: 8.330 ppg
 Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 0 psi
 Internal gradient: 0.433 psi/ft
 Calculated BHP: 1,191 psi

 No backup mud specified.

Minimum design factors:

Collapse:

Design factor: 1.125

Burst:

Design factor: 1.00

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on buoyed weight.
 Neutral point: 2,404 ft

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 114 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 368 ft

Cement top: 1,675 ft

Non-directional string.

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	2752	5.5	17.00	L-80	LT&C	2752	2752	4.767	94.8
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	1191	6290	5.28	1191	7740	6.50	41	338	8.27 J


Prepared by: RJK
 Utah Dept. of Natural Resources

Date: April 18,2000
 Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE
 Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
 Collapse is based on a vertical depth of 2752 ft, a mud weight of 8.33 ppg The casing is considered to be evacuated for collapse purposes.
 Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

4-00 Marathon SITLA #22-2
Casing Schematic





State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

April 20, 2000

Marathon Oil Company
1501 Stampede Avenue
Cody WY 82414


Re: SITLA 22-22 Well, 1371' FNL, 1717' FWL, SE NW, Sec. 22, T. 15S, R. 9E,
Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the enclosed Conditions of Approval, approval to drill the referenced well is granted.

This approval will expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30655.

Sincerely,



John R. Baza
Associate Director

er

Enclosures

cc: Carbon County Assessor
SITLA

Operator: Marathon Oil Company

Well Name & Number: SITLA 22-22

API Number: 43-007-30655

Lease: ML-48232

Location: SE NW **Sec.** 22 **T.** 15S **R.** 9E

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division of the following actions during drilling of this well:

- . 24 hours prior to cementing or testing casing
- . 24 hours prior to testing blowout prevention equipment
- . 24 hours prior to spudding the well
- . within 24 hours of any emergency changes made to the approved drilling program
- . prior to commencing operations to plug and abandon the well

Division contacts (please leave a voice mail message if the person is not available to take the call):

- . Dan Jarvis at (801)538-5338
- . Robert Krueger at (801)538-5274 (plugging)
- . Carol Daniels at (801)538-5284 (spud)

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT – for such proposals		6. Lease Designation and Serial Number <i>ML-48232</i>
		7. Indian Allottee or Tribe Name <i>NA</i>
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) <i>2</i>		8. Unit or Communitization Agreement <i>NA</i>
		9. Well Name and Number <i>SITLA #22-22</i>
2. Name of Operator <i>MARATHON OIL COMPANY</i>		10. API Well Number <i>43-007-30655</i>
3. Address of Operator <i>1501 STAMPEDE AVENUE, CODY, WY 82414</i>	4. Telephone Number <i>307-527-2211</i>	11. Field and Pool, or Wildcat <i>DRUNKARD'S WASH</i>
5. Location of Well Footage : <i>1717' FWL, 1371' FNL</i> County : <i>CARBON</i> QQ, Sec, T., R., M : <i>SENW SEC. 22, T15S, R9E</i> State : <i>UTAH</i>		

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

<p align="center">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input type="checkbox"/> Other _____</td> <td></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> Other _____		<p align="center">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width:100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <i>SPUD</i></td> <td></td> </tr> </table> <p>Date of Work Completion <i>5/21/00</i></p> <p><small>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</small></p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <i>SPUD</i>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input type="checkbox"/> Other _____																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <i>SPUD</i>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

*The above named well was spudded by Elenburg Rig #15 on 5/21/00.
 The surface casing was pre-set to a depth of 325'.*

cc: *WRF,RPM,DRILLING,T&C(HOU)*

14. I hereby certify that the foregoing is true and correct.

Name & Signature *R.P. MEABON* Title *REG. COORD.* Date *05/24/00*

(State Use Only)

RECEIVED

MAY 30 2000

DIVISION OF
OIL, GAS AND MINING

Form 9

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p>Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT -- for such proposals</p>		6. Lease Designation and Serial Number <i>ML-48232</i>
		7. Indian Allottee or Tribe Name <i>NA</i>
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) <i>2</i>		8. Unit or Communitization Agreement <i>NA</i>
2. Name of Operator <i>MARATHON OIL COMPANY</i>		9. Well Name and Number <i>SITLA #22-32 22-22</i>
3. Address of Operator <i>1501 STAMPEDE AVENUE, CODY, WY 82414</i>	4. Telephone Number <i>307-527-2211</i>	10. API Well Number <i>43-007-30655</i>
5. Location of Well Footage : <i>1717' FWL, 1371' FNL</i> County : <i>CARBON</i> QQ, Sec, T., R., M : <i>SENW SEC. 22, T15S, R9E</i> State : <i>UTAH</i>		11. Field and Pool, or Wildcat <i>DRUNKARD'S WASH</i>
12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other _____	<i>SPUD</i>

Date of Work Completion *5/21/00*

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

*The above named well was spudded by Elenburg Rig #15 on 5/21/00.
 The surface casing was pre-set to a depth of 325'.*

cc: *WRF,RPM,DRILLING,T&C(HOU)*

14. I hereby certify that the foregoing is true and correct.

Name & Signature *R.P. MEABON* Title *REG. COORD.* Date *05/24/00*

(State Use Only)

(8/90)

See Instructions on Reverse Side

RECEIVED

JUL 03 2000

DIVISION OF
 OIL, GAS AND MINING

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator: Marathon Oil Company
 Address: Attn: Michael L. Meyer
539 South Main St.
Findlay, OH 45840

Operator Account Number: N 3490
 Phone Number: (419) 421-3217

Well 1

API Number	Well Number		QQ	Sec	Twp	Rng	County
43-007-30563	Sitla 12-16		SW NW	16	15S	9E	Carbon
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	12780	5-26-00			7-6-00	
Comments: <i>000706 entity added</i>							

Well 2

API Number	Well Number		QQ	Sec	Twp	Rng	County
43-007-30670	Sitla 14-23		SW SW	23	15S	9E	Carbon
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	12781	5-29-00			7-6-00	
Comments: <i>000706 entity added.</i> Communization Agreement In Progress.							

Well 3

API Number	Well Number		QQ	Sec	Twp	Rng	County
43-007-30655	Sitla 22-22		SE NW	22	15S	9E	Carbon
Action Code	Current Entity Number	New Entity Number	Spud Date			Entity Assignment Effective Date	
A	99999	12782	5-21-00			7-6-00	
Comments: <i>000706 entity added.</i>							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Michael L. Meyer
 Name (Please Print)
Michael L Meyer
 Signature
 Supervisor (RMS) _____ Date 6-29-00
 Title _____

(6/2000)

RECEIVED
 JUL 03 2000
 DIVISION OF
 OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number ML-48232
7. Indian Allottee or Tribe Name NA
8. Unit or Communitization Agreement NA
9. Well Name and Number SITLA # 22-22
10. API Well Number 43-007-30655
11. Field and Pool, or Wildcat DRUNKARD'S WASH

SUNDRY NOTICES AND REPORTS ON WELLS
 Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT -- for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) ?	
2. Name of Operator <p align="center">Marathon Oil Company</p>	
3. Address of Operator <p align="center">1501 Stampede Ave., Cody, Wyoming 82414</p>	4. Telephone Number <p align="center">307-527-2211</p>
5. Location of Well Footage : 1371' FNL, 1717' FWL County : CARBON QQ. Sec. T., R., M : SENW 22-15S-9E State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input checked="" type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start August 2000

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

THE ABOVE NAMED WELL WAS SPUDDED ON 5/21/00 AND MARATHON PLANS TO PROCEED WITH THE COMPLETION WORK BY AUGUST 1, 2000. DUE TO THE SENSITIVITY OF THE FERRON FORMATION DURING COMPLETION, AND TESTING PHASE AND TO ESTABLISH A STABILIZED WATER AND GAS RATE FOR THE PURPOSE OF ECONOMIC VIABILITY, MARATHON REQUESTS APPROVAL, IN ACCORDANCE WITH R649-3-20.3, APPROVAL TO VENT OR FLARE GAS FROM THE ABOVE NAMED WELL FOR A PERIOD OF 30 DAYS OR 50 MMCF, WHICHEVER IS LESS.

RECEIVED
 JUL 21 2000
 DIVISION OF
 OIL, GAS AND MINING

CC: WRF,RPM,DTJ,T&C(HOU),MEW,DRUNKARD'S WASH OFFICE

14. I hereby certify that the foregoing is true and correct.

Name & Signature R.P. Meabon *R.P. Meabon* Title _____ Reg. Coord. _____ Date 07/20/00

APPROVED

(State Use Only)

COPY SENT TO OPERATOR
 Date: 7-27-00
 Initials: CHD

The Utah Division of Oil, Gas and Mining
 Robert J. Krueger, PE, Petroleum Engineer

 Date: 7-27-00

(8/90) See Instructions on Reverse Side

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number	ML-48232
7. Indian Allottee or Tribe Name	NA
8. Unit or Communitization Agreement	NA
9. Well Name and Number	SITLA # 22-22
10. API Well Number	43-007-30655
11. Field and Pool, or Wildcat	DRUNKARD'S WASH

SUNDRY NOTICES AND REPORTS ON WELLS
 Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
 Use APPLICATION FOR PERMIT -- for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) <u>2</u>	
2. Name of Operator <p align="center">Marathon Oil Company</p>	
3. Address of Operator <p align="center">1501 Stampede Ave., Cody, Wyoming 82414</p>	4. Telephone Number <p align="center">307-527-2211</p>
5. Location of Well Footage : 1371' FNL, 1717' FWL County : CARBON QQ, Sec, T., R., M : SENW 22-15S-9E State : UTAH	

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Other _____	<u>FIRST PRODUCTION</u>

Date of Work Completion 08/20/2000


Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The above named well was placed on production to the sales line at 11:10am on 8/20/2000 at a rate of 240 MCFD.


RECEIVED
 AUG 28 2000
 DIVISION OF
 OIL, GAS AND MINING

CC: WRF,RPM,DTJ,T&C(HOU),MEW

14. I hereby certify that the foregoing is true and correct.
 Name & Signature R.P. Meabon  Title Reg. Coord. Date 08/23/00

(State Use Only)

**STATE OF UTAH
DIVISION OF OIL, GAS AND MINING**

WELL COMPLETION OR RECOMPLETION REPORT AND LOG										5. LEASE DESIGNATION AND SERIAL NO. <p align="center">ML-48232</p>					
										6. IF INDIAN, ALLOTTEE OR TRIBE NAME <p align="center">NA</p>					
1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other _____										7. UNIT AGREEMENT NAME <p align="center">NA</p>					
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other _____										8. FARM OR LEASE NAME <p align="center">SITLA</p>					
2. NAME OF OPERATOR <p align="center">MARATHON OIL COMPANY</p>										9. WELL NO. <p align="center">22-22</p>					
3. ADDRESS OF OPERATOR <p align="center">1501 STAMPEDE AVENUE, CODY, WYOMING 82414</p>										10. FIELD AND POOL, OR WILDCAT <p align="center">DRUNKARD'S WASH</p>					
4. LOCATION OF WELL (Report locations clearly and in accordance with any State requirements.)* At surface <p align="center">1371' FNL, 1717' FWL SENW</p> At top prod. interval reported below At total depth <p align="center">SAME</p>										11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA <p align="center">22-15S-9E</p>					
14. API NO. <p align="center">43-007-30655</p>			DATE ISSUED <p align="center">4/20/2000</p>			12. COUNTY <p align="center">CARBON</p>		13. STATE <p align="center">UTAH</p>							
15. DATE SPUNNED <p align="center">5/21/2000</p>		16. DATE T.D. REACHED <p align="center">5/24/2000</p>		17. DATE COMPL. (Ready to prod. or (Plug & Abd.) <p align="center">8/20/00</p>		18. ELEVATIONS (DF, RKB, RT, GR, ETC.) <p align="center">5971' GR 5983' RKB</p>		19. ELEV. CASINGHEAD <p align="center">NA</p>							
20. TOTAL DEPTH, MD & TVD <p>2775 MD 2775 TVD</p>		21. PLUG BACK T.D., MD & TVD <p>2710 MD 2710 TVD</p>		22. IF MULTIPLE COMPL., HOW MANY* <p align="center">-----></p>		23. INTERVALS DRILLED BY <p align="center">O-TD</p>		ROTARY TOOLS <p align="center">NA</p>							
24. PRODUCING INTERVAL(S), OF THIS COMPLETION---TOP, BOTTOM, NAME (MD AND TVD) <p align="center">Ferron Coal 2400' to 2496'</p>										25. WAS DIRECTIONAL SURVEY MADE <p align="center">no</p>					
26. TYPE ELECTRIC AND OTHER LOGS RUN <p>1-6-00 IAT-GR, CNL-LTD-MLT-GR, CBL-CCL-GR</p>							27. WAS WELL CORED? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> DRILL STEM TEST? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		(Submit analysis) (See reverse side)						
23. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED					
8-5/8"		24		349' KB		11"		140 sxs of Prem AG 300 to surface		0					
5-1/2"		17		2775' KB		7-7/8"		Lead - 80 sxs 50/50 POZ & Tailed w/ 180 sxs of Thixo		0					
29. LINER RECORD															
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT		SCREEN (MD)		30. TUBING RECORD					
none										SIZE 2-7/8"					
										DEPTH SET (MD) 2640' KB					
										PACKER SET (MD) none					
31. PERFORATION RECORD (Interval, size and number)						32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.									
INTERVAL		SIZE		NUMBER		DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED							
2459' - 66'; 2482' - 86'; & 2489' - 91'; 2494' - 96'		22.7 gm		64		2459' - 2496'		99,700# 16-30 sd in 38,996 gals 20# gel							
2400' - 02' & 2419' - 28'		22.7 gm		46		2400' - 2428'		70,300# 16-30 sd in 31,193 gals 20# gel							
33.* PRODUCTION															
DATE FIRST PRODUCTION <p align="center">8/20/00</p>			PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) <p align="center">Pumping -- 2-1/2" x 2" x 16' Insert Pump</p>						WELL STATUS (Producing or shut-in) <p align="center">Producing</p>						
DATE OF TEST <p align="center">8/31/00</p>		HOURS TESTED <p align="center">24</p>		CHOKE SIZE		PROD'N. FOR TEST PERIOD <p align="center">-----></p>		OIL--BBL. <p align="center">0</p>		GAS--MCF. <p align="center">205</p>		WATER--BBL. <p align="center">85</p>		GAS-OIL RATIO <p align="center">na</p>	
FLOW. TUBING PRESS. <p align="center">40</p>		CASING PRESSURE <p align="center">40</p>		CALCULATED 24-HOUR RATE <p align="center">-----></p>		OIL--BBL. <p align="center">0</p>		GAS--MCF. <p align="center">205</p>		WATER--BBL. <p align="center">85</p>		OIL GRAVITY-API (CORR.) <p align="center">na</p>			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) <p align="center">Sold</p>										TEST WITNESSED BY <p align="center">Field Supervisor</p>					
35. LIST OF ATTACHMENTS															
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.															
SIGNED 		TITLE <p align="center">REGULATORY COORDINATOR</p>						DATE <p align="center">9/20/00</p>							

See Spaces for Additional Data on Reverse Side

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments.

ITEMS: 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.


ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Ferron	2375	2375
				Tununk	2655	2655

Sitla 22-22

API	43-007-30655	Field Name	Drunkards Wash	Area		Operator	Marathon Oil Company	County	CARBON	State/Province	UTAH
KB Elev (ft)	5983.00	Ground Elev (ft)	5971.00	Casing Flange Elev (ft)		KB-Ground (ft)	12.00	KB-Casing Flange (ft)	12.00	Spud Date	5/3/00

Wellbore: 7/28/22 (KB-Grd: 12.0ft)



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

<p>SUNDRY NOTICES AND REPORTS ON WELLS</p> <p><small>Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT -- for such proposals</small></p>		6. Lease Designation and Serial Number ML-48232
		7. Indian Allottee or Tribe Name NA
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify) <u>2</u>		8. Unit or Communitization Agreement NA
2. Name of Operator Marathon Oil Company		9. Well Name and Number SITLA # 22-22
3. Address of Operator 1501 Stampede Ave., Cody, Wyoming 82414	4. Telephone Number 307-527-2203	10. API Well Number 43-007-30655
5. Location of Well Footage : 1371' FNL, 1717' FWL County : CARBON QQ, Sec, T., R., M : SENW 22-15S-9E State : UTAH		11. Field and Pool, or Wildcat DRUNKARD'S WASH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input checked="" type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Other _____	

Date of Work Completion 11/15/2002

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.


13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

The above named well was acidized with 250 gal. HCL and returned to production.

CC: WRF,RPM,T&C(HOU),MEW

RECEIVED
AUG 06 2003
 DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name & Signature R.P. Meabon  Title Reg. Coord. Date 07/30/03

(State Use Only)