

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

5. Lease Designation and Serial Number: PRIVATE

6. If Indian, Allottee or Tribe Name: N/A

7. Unit Agreement Name: N/A

8. Farm or Lease Name: HUBER-SHIMMIN TRUST

9. Well Number: 4-14

10. Field and Pool, or Wildcat: CASTLEGATE

11. Qtr/Qtr, Section, Township, Range, Meridian: SENW 14-12S-10E SLBM

12. County: CARBON 13. State: UTAH

14. Distance in miles and direction from nearest town or post office: 6 AIR MILES NE OF HELPER

15. Distance to nearest property or lease line (feet): 1075'

16. Number of acres in lease: 800

17. Number of acres assigned to this well: 160

18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 2513'

19. Proposed Depth: 4,550'

20. Rotary or cable tools: ROTARY

21. Elevations (show whether DF, RT, GR, etc.): 7,535' UNGRADED

22. Approximate date work will start: APR. 30, 2001

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" K-55	24#	500'	365 sx Class G
7-7/8"	5-1/2" J-55	17#	4,550'	660 sx (DV @ 3,675')

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.


RECEIVED
NOV 01 2000
DIVISION OF
OIL, GAS AND MINING

24. Name & Signature: Brian Wood (505) 466-8120 Title: CONSULTANT Date: 10-28-00

(This space for State use only)
API Number Assigned: 43-007-30662

Approval: [Signature]
Approved by the Utah Division of Oil, Gas and Mining
cc: Scott

Well Location Plat



Well Location Description

J.M. HUBER CORPORATION
 Huber Shimmin Trust 4-14
 1565' FNL & 1600' FWL
 Section 14, T.12 S., R.10 E., SLM
 Carbon County, UT
 7535' grd. el. (from GPS)

RECEIVED

NOV 01 2000

DIVISION OF
 OIL, GAS AND MINING



11 July 2000

Gerald G. Huddleston
 Gerald G. Huddleston, LS

The above is true and correct to my knowledge and belief.



ENERGY

A FAMILY OF SOLUTIONS

J.M. Huber Corporation

January 4, 2001

1050-17th Street
Suite 1850
Denver, CO 80265
phone: (303) 825-7900
fax: (303) 825-8300
e-mail: dv_cptrs@huber.com
www.huber.com

Ms. Lisha Cordova
Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114-5801

Dear Lisha:

Enclosed is the original signed affidavit of completion of surface use agreement between J. M. Huber Corporation and Dean Shimmin for the Huber-Shimmin 2-11, Huber-Shimmin 3-14 and Huber-Shimmin 4-14 wells located in Carbon County, Utah.

Thank you for your assistance in this matter. If you have any questions, please call me at (303) 825-7900.

Sincerely,

T. Reed Scott
Consulting Engineer

Attachment

RECEIVED
DIVISION OF OIL, GAS AND MINING

JAN 08 2001

DIVISION OF
OIL, GAS AND MINING



A FAMILY OF SOLUTIONS

ENERGY

J.M. Huber Corporation


1050-17th Street
Suite 1850
Denver, CO 80265
phone: (303) 825-7900
fax: (303) 825-8300
e-mail: dvjsz@huber.com
www.huber.com

January 2, 2001

Affidavit of Completion of Surface Use Agreement

On April 17, 2000 a written surface use agreement was entered into between J. M. Huber Corporation and Dean Shimmin for the use of land connected with the Huber-Shimmin 2-11, Huber-Shimmin 3-14 and Huber-Shimmin 4-14 wells in Carbon County, Utah.

We will abide by the conditions as stated in the Surface Use Agreement.

On behalf of J. M. Huber Corporation: 
A. J. Lydyard
Vice President – Coalbed Methane Business Unit


Date: 01/02/01


State of Colorado)
ss
County of Denver)

Subscribed and sworn to before me this 2nd day of January 2001 by A. J. Lydyard.

Witness my hand and notarial seal.

My commission expires: 1-2-02


Notary Public



J. M. Huber Corporation
 Huber-Shimmin Trust 4-14
 1565' FNL & 1600' FWL
 Sec. 14, T. 12 S., R. 10 E.
 Carbon County, Utah

Drilling Program

<u>1. Formation Name</u>	<u>Depth from GL</u>	<u>Depth from KB</u>	<u>Subsea Depth</u>
Flagstaff Ls	0'	12'	+7,535'
North Horn Fm	200'	212'	+7,335'
Price River Ss	2,635'	2,647'	+4,900'
Castlegate Ss	3,085'	3,097'	+4,450'
Blackhawk Coal	3,435'	3,447'	+4,100'
Castlegate Coal	3,875'	3,887'	+3,700'
Kenilworth Ss & Coal	4,135'	4,147'	+3,400'
Aberdeen Ss	4,335'	4,347'	+3,200'
Total Depth	4,550'	4,562'	+2,985'

(All depths are based on an ungraded ground level of 7,535')

2. NOTABLE ZONES

Blackhawk, Kenilworth, and Castlegate coals are the goals. No other oil or gas zones are expected. Flagstaff, North Horn, and coal zones are anticipated water zones.

3. PRESSURE CONTROL (Also see "5." on PAGE 2)

A ≈10" x 2,000 psi double ram BOP with 2,000 psi choke manifold will be used from bottom of surface casing to TD. (A typical 2,000 psi BOP is on Page 4. Actual model will not be known until the bid is let.) BOP system will be tested to 70% of the minimum internal yield before drilling the surface casing shoe. System will be tested at least once every 30 days. Tests will be recorded in the driller's log. BOPs will be inspected and assure good mechanical working order.

RECEIVED

NOV 01 2000

DIVISION OF
 OIL, GAS AND MINING

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah

6. DATA GATHERING

First deviation survey will be run $\approx 250'$ below BSC. Additional surveys will be run every 500' to TD. Deviation limit will be $1^\circ/100'$ and a maximum of 5° at TD. If deviation exceeds 4° , will decrease WOB, increase RPM, and survey at 250' intervals until corrected. If deviation becomes severe ($>5^\circ$), may use a fourth stabilizer and convert to a full packed BHA.

Mud loggers will be on site from $\approx 1,500'$ to TD and will have full chromatograph. Will collect samples every 30' from $\approx 1,500'$ to $\approx 2,500'$. Will collect samples every 10' from $\approx 2,500'$ to TD.

Will run following log suites:

HRI/DSN/SDL/GR (EVR Mode): 4000' to TD
HRI/DSN/SDL/GR: BSC TO TD

7. MISCELLANEOUS

Expect to spud April 30, 2001. It will take ≈ 2 weeks to drill and ≈ 3 weeks to complete the well. BHP: $\leq 1,820$ psi. No abnormal temperature. No H₂S.

RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING

Surface Use Plan

1. EXISTING ROADS & DIRECTIONS (See PAGES 8 & 9)

From the junction of US 6 and US 191 north of Helper, Utah ...
Go NE 8.3 miles on US 191 to the equivalent of Milepost 165.75
Then turn right and go SE 0.8 mi. on the Emma Park/Nine Mile Cutoff Road
Then turn right and go SE 0.5 mi. on a field road
Then turn right and go S 1.0 mi. on a field road past the CPF and substation
Then turn right and go W 90' on a flagged route to the pad

2. ROAD TO BE BUILT

An 18' x 50' CP culvert will be installed in the west borrow ditch. The 90' of new road will be crowned, ditched, and graveled. Travel surface will be 16'. Maximum disturbed width will not exceed 50'.

3. EXISTING WELLS

There are 12 P&A wells, 3 gas wells, and 1 water well within a mile radius. There are no existing oil, injection, or disposal wells within a mile.

4. PROPOSED PRODUCTION FACILITIES

Equipment may include a dehydrator-separator, meter run, pump, and ~60' of pipelines and a powerline buried in one trench beside the new road.

5. WATER SUPPLY

RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING
PERMITS WEST .INC.
PROVIDING PERMITS for LAND USERS

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah

PAGE 6

Water will be trucked from existing water well (right #91-4983) at Huber's central production facility in Section 11 or from town for the first 1500' of well bore. Produced water from Huber's wells will be used below 1500'.

6. CONSTRUCTION MATERIALS & METHODS

Topsoil and brush will be stripped and stockpiled north and south of the pad. A silt fence will be placed north of the north pile. Diversion ditch will be built south of the pad. The reserve pit will be lined with minimum 12 mil plastic.

Gravel will be bought from the landowner or town.

7. WASTE DISPOSAL

The reserve pit will be fenced 4' high on 3 sides with 4 strands of barbed wire or woven wire topped with barbed wire. The 4th side will be fenced once the rig moves off hole. The fence will be kept in good repair while the pit dries. No fluids will be discharged into the flare pit.

All trash will be placed in a trash cage. When full, it will be hauled to a state approved landfill. There will be no trash burning or disposal of trash in the reserve pit. Chemical toilets will be used for human waste. Their contents will be disposed of in state approved facilities.

No oil will be allowed on the reserve pit. Any oil which accumulates on the pit will be pumped or skimmed off and hauled to a state approved recycle facility. Once dry, the reserve pit contents will be buried in place. The pit will be backfilled sufficiently deep so that no liner is exposed.

Produced water will be disposed of in Huber's state approved evaporation pond in Section 15.

RECEIVED

NOV 01 2000

DIVISION OF **PERMITS WEST** .INC.
OIL, GAS AND MINING PROVIDING PERMITS for LAND USERS

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah

PAGE 7

RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING

8. ANCILLARY FACILITIES

There will be no airstrip or formal camp. Camper trailers will be on site for the company man, roughnecks, mud logger, tool pusher, etc.

9. WELL SITE LAYOUT

See PAGES 10 & 11 for depictions of the well pad, cross sections, cut and fill diagrams, reserve pit, burn pit, access road onto the pad, parking, living facilities, and rig orientation.

10. RECLAMATION

After completing drilling, the well site and immediate area will be cleared of all debris and material not needed for production.

Reclamation will start when the reserve pit is dry. At least 2' of cover will be placed on the reserve pit. All areas not needed for production will be backfilled, recontoured to match natural contours, and reserved topsoil and brush evenly spread. If the well is a producer, then enough topsoil will be kept aside to reclaim the rest of the pad. Disturbed areas will be ripped, harrowed, or scarified before seeding. All reclaimed areas will be broadcast seeded in late fall or winter with seed mixes specified by the state. Seeded areas will be left rough and lightly harrowed or drug with a chain after seeding. The new road will be similarly reclaimed and water barred.

11. SURFACE OWNER

The well site, pipeline route, and new road are all on private land owned by John Marshall, Trustee in Trust for the Dean Shimmin Trust. Contact is Dean Shimmin @ (801) 375-2002.

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah

PAGE 8

12. REPRESENTATION

Anyone having questions concerning the APD should contact:

Brian Wood
Permits West, Inc.
37 Verano Loop
Santa Fe, NM 87505
(505) 466-8120 FAX: (505) 466-9682 Mobile: (505) 699-2276

The field representative during drilling will be:

Larry Sessions
J. M. Huber Corporation
c/o Holiday Inn - Room 140
838 Westwood Blvd., Price, Ut. 84501
(435) 637-8880 FAX (435) 637-7707
(temporary address & phones until office established)


or


Tom Erwin
J. M. Huber corporation
3587 US Highway 160 East
Durango, Co. 80301
(970) 247-7708 FAX: (970) 247-7745

RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING





DUGESNE CO
CARBON CO

33

Gravel Pit X

Little Boulder Dam

Summit

Existing Road

Lease

SITE

PART

Gaging Station

Mathis

Deep

TRAIL

Creek

SEEP

SEEP

TRAIL

7240

7235

7400

7400

7643 X

16

8000

7400

7400

7400

7200

7200

7320

7400

7400

7800

7400

7400

7400

7200

7200

7200

7400

7400

7200

7400

7400

7400

7200

7200

7200

7400

7400

7600

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

7400

7200

7200

7200

7400

7600

7800

7400

7400

X 7367

7377

4

3

2

9

10

16

15

X 775

X 7705

X 7555

X 7272

X 7858

X 8154

7181

7133

7282

X 7272

X 775

X 7705


X 7555

X 7272

X 7858

X 8154

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah



1" = 50'  NORTH

RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING


Huber - Shimmin # 4 - 14
well pad



0' 50'
Scale 1" = 50'

cut
1150 cy topsoil (0.5')
1758 cy reserve pit
6151 cy pad &
above reserve pit
806 excess

till
4114 cy
assumed H slopes
20% shrink factor



RECEIVED

NOV 01 2000

DIVISION OF
OIL, GAS AND MINING

J. M. Huber Corporation
Huber-Shimmin Trust 4-14
1565' FNL & 1600' FWL
Sec. 14, T. 12 S., R. 10 E.
Carbon County, Utah

4. CASING & CEMENTING

<u>Hole Size</u>	<u>O.D.</u>	<u>Weight</u>	<u>Grade</u>	<u>Type</u>	<u>Age</u>	<u>≈Setting Depth</u>
12-1/4"	8-5/8"	24	J-55	ST&C	New	500'
7-7/8"	5-1/2"	17	J-55	LT&C	New	4,550'

Surface casing will be circulated to surface with 365 sx Class G Premium + 2% CaCl₂ + Cello Flake. Weight = 15.6 ppg. Yield = 1.20 cu ft/sk. Excess = 100%

Long string will be cemented to surface with DV tool set at ≈3,675' (i.e., ≈200' above top of Castlegate coal). Actual volumes will be determined by caliper log.

First stage (≈3675' {=DV} to TD) of long string will be cemented with 170 sx Class G Premium + 1% Microbond + 0.3% CFR-3 + 3% Halad. Weight = 15.6 ppg. Yield = 1.20 cu ft/sk. Excess = 30%

Second stage lead (≈3625' {=50' above DV} to surface) of long string will be cemented with ≈440 sx Halliburton Lite w/ 65/35 poz mix + 2% CaCl₂. Weight = 12.7 ppg. Yield = 1.87 cu ft/sk. Excess = 30%

Second stage tail (≈3625' {=50' above DV} to ≈3875' {200' below DV}) of long string will be cemented with 50 sx Class G Premium + 2% CaCl₂ + Flocele. Weight = 15.6 ppg. Yield = 1.19 cu ft/sk. Excess = 30%

5. MUD PROGRAM

Fresh water gel (weight = 8.3 to 8.7 ppg, viscosity = 40-55, fluid loss = NC) will be used from surface to ≈500. Fresh water gel with caustic (weight = 8.7 to 9.1 ppg, viscosity = 38-45, fluid loss = 10-20 cc) may be used from surface casing shoe to TD. Will also drill with air.

RECEIVED

NOV 01 2000

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 11/01/2000

API NO. ASSIGNED: 43-007-30662

WELL NAME: HUBER-SHIMMIN TRUST 4-14
 OPERATOR: J M HUBER CORPORATION (N2380)
 CONTACT: BRIAN WOOD, AGENT

PHONE NUMBER: 505-466-8120

PROPOSED LOCATION:
 SENW 14 120S 100E
 SURFACE: 1565 FNL 1600 FWL
 BOTTOM: 1565 FNL 1600 FWL
 CARBON
 CASTLEGATE (13)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	<i>PAW</i>	12/19/00
Geology		
Surface		

LEASE TYPE: 4-*Fee*
 LEASE NUMBER: FEE
 SURFACE OWNER: 4-*Fee*

PROPOSED FORMATION: CSLGT

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[] Fee[4]
(No. 929103265)
- Potash (Y/N)
- Oil Shale (Y/N) *190 - 5 (B)
- Water Permit
(No. 91-4983)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N) **Rec'd 1-8-2001.*

LOCATION AND SITING:

- R649-2-3. Unit _____
- R649-3-2. General
- Siting: _____
- R649-3-3. Exception
- Drilling Unit
 Board Cause No: 220-2 (160')
 Eff Date: 7-9-93
 Siting: ** Not listed under order. (Gen. St.)
 460' fr. Dr. Unit Boundary & 920' between wells.*
- R649-3-11. Directional Drill wells.

COMMENTS: Need Prosite. (Conducted 12-15-2000)

STIPULATIONS: ① STATEMENT OF BASIS




Utah Oil Gas and Mining

OPERATOR: JM HUBER CORP (N2380)

FIELD: CASTLEGATE (013)

SEC. 11 & 14, T12S, R10E,

COUNTY: CARBON CAUSE: 220-2 / 160'







UTAH DIVISION OF WATER RIGHTS
WATER RIGHT POINT OF DIVERSION PLOT CREATED TUE, DEC 12, 2000, 10:03 AM
PLOT SHOWS LOCATION OF 75 POINTS OF DIVERSION

PLOT OF AN AREA WITH A RADIUS OF 5280 FEET FROM A POINT
S 1565 FEET, E 1600 FEET OF THE NW CORNER,
SECTION 14 TOWNSHIP 12S RANGE 10E SL BASE AND MERIDIAN

PLOT SCALE IS APPROXIMATELY 1 INCH = 2000 FEET





UTAH DIVISION OF WATER RIGHTS
 NWPLAT POINT OF DIVERSION LOCATION PROGRAM

MAP CHAR	WATER RIGHT	QUANTITY CFS	AND/OR AC-FT	SOURCE DESCRIPTION or WELL INFO DIAMETER DEPTH YEAR LOG	POINT OF DIVERSION DESCRIPTION NORTH EAST CNR SEC TWN RNG B&M
0	91 1192	.0000	.00	Unnamed Trib.to Summit Creek	
		WATER USE(S): Shimmin, Dean C.		2002 North 1450 East	PRIORITY DATE: 00/00/18 Provo
0	91 1189	.0000	.00	Summit Creek	
		WATER USE(S): Shimmin, Dean C.		2002 North 1450 East	PRIORITY DATE: 00/00/18 Provo
1	91 1189	.0000	.00	Summit Creek	
		WATER USE(S): Shimmin, Dean C.		2002 North 1450 East	PRIORITY DATE: 00/00/18 Provo
2	91 4823	10.0000	.00	Underground Wells	S 2000 E 2100 NW 11 12S 10E SL
		WATER USE(S): MUNICIPAL Price River Water Improvement District		P.O. Box 903	PRIORITY DATE: 04/23/19 Price

3	t22324	.0000	3.00	Summit Creek	S	2650	W	1420	NE	11	12S	10E	SL	
													PRIORITY DATE: 06/19/19	
													Price	
													Price	
4	a18109	.0000	.45	Spring	S	20	W	2290	E4	11	12S	10E	SL	
													PRIORITY DATE: 08/30/19	
													Price	
													Provo	
5	91 4830	2.0000	.00	6	3800 - 5000	N	2559	W	909	SE	10	12S	10E	SL
														PRIORITY DATE: 08/26/19
														Dallas
5	91 4983	.1600	.00	7	4840	N	2559	W	909	SE	10	12S	10E	SL
														PRIORITY DATE: 04/30/19
														Oklahoma City
6	91 4830	2.0000	.00	6	3800 - 5000	N	2313	E	1501	SW	11	12S	10E	SL
														PRIORITY DATE: 08/26/19
														Dallas
6	91 4983	.1600	.00	7	4905	N	2313	E	1501	SW	11	12S	10E	SL
														PRIORITY DATE: 04/30/19
														Oklahoma City
7	a17613	.0000	2.00	6	100 - 500	N	2143	E	2362	SW	11	12S	10E	SL
														PRIORITY DATE: 08/30/19
														Price
														6688 North Central Expressway Suite 1000 Dallas
7	a24220	.0000	2.00	6	365	N	2143	E	2362	SW	11	12S	10E	SL
														PRIORITY DATE: 03/02/20
														Price
														Provo
8	91 4830	2.0000	.00	6	3800 - 5000	N	1999	W	2006	SE	11	12S	10E	SL
														PRIORITY DATE: 08/26/19
														Dallas
8	91 4983	.1600	.00	7	4990	N	1999	W	2066	SE	11	12S	10E	SL
														PRIORITY DATE: 04/30/19
														Oklahoma City
9	91 1190	.0000	.00	Summit Creek										PRIORITY DATE: 00/00/18
														Provo
														Shimmin, Dean C. 2002 North 1450 East

H	<u>91 4819</u>	.0000	3.00	5	4631	N	540	E	1900	SW 11 12S 10E SL	PRIORITY DATE: 10/21/19	Houston
		WATER USE(S): OTHER Cockrell Oil Corporation 1600 Smith, Suite 4600										
H	<u>91 4830</u>	2.0000	.00	6	3800 - 5000	N	540	E	1900	SW 11 12S 10E SL	PRIORITY DATE: 08/26/19	Dallas
		WATER USE(S): IRRIGATION STOCKWATERING MUNICIPAL POWER OTHER PG&E Resources Company 6688 No. Central Expressway										
H	<u>91 4983</u>	.1600	.00	5	4363	N	540	E	1900	SW 11 12S 10E SL	PRIORITY DATE: 04/30/19	Oklahoma City
		WATER USE(S): IRRIGATION OTHER Anadarko Petroleum Corporation 9400 North Broadway										
H	<u>t92-91-12</u>	.0000	13.00	1) Willow Creek 2) Wells		N	540	E	1900	SW 11 12S 10E SL	PRIORITY DATE: 07/31/19	Roosevelt
		WATER USE(S): OTHER West Hazmat Oil Field Services Inc. East Highway 40										
I	<u>91 4823</u>	10.0000	.00	Underground Wells		N	450	W	800	SE 11 12S 10E SL	PRIORITY DATE: 04/23/19	Price
		WATER USE(S): MUNICIPAL Price River Water Improvement District P.O. Box 903										
J	<u>91 4830</u>	2.0000	.00	6	3800 - 5000	N	330	W	330	SE 10 12S 10E SL	PRIORITY DATE: 08/26/19	Dallas
		WATER USE(S): IRRIGATION STOCKWATERING MUNICIPAL POWER OTHER PG&E Resources Company 6688 No. Central Expressway										
J	<u>91 4983</u>	.1600	.00	7	4652	N	330	W	330	SE 10 12S 10E SL	PRIORITY DATE: 04/30/19	Oklahoma City
		WATER USE(S): IRRIGATION OTHER Anadarko Petroleum Corporation 9400 North Broadway										
K	<u>91 4819</u>	.0000	3.00	5	4485	S	660	W	2340	NE 14 12S 10E SL	PRIORITY DATE: 10/21/19	Houston
		WATER USE(S): OTHER Cockrell Oil Corporation 1600 Smith, Suite 4600										
K	<u>91 4830</u>	2.0000	.00	6	3800 - 5000	S	660	W	2340	NE 14 12S 10E SL	PRIORITY DATE: 08/26/19	Dallas
		WATER USE(S): IRRIGATION STOCKWATERING MUNICIPAL POWER OTHER PG&E Resources Company 6688 No. Central Expressway										
K	<u>91 4983</u>	.1600	.00	5	4427	S	660	W	2340	NE 14 12S 10E SL	PRIORITY DATE: 04/30/19	Oklahoma City
		WATER USE(S): IRRIGATION OTHER Anadarko Petroleum Corporation 9400 North Broadway										
L	<u>91 1193</u>	.0000	.00	Unnamed Trib to Summit Creek							PRIORITY DATE: 00/00/19	Provo
		WATER USE(S): Shimmin, Dean C. 2002 North 1450 East										
L	<u>91 350</u>	.0110	.00	Unnamed Spring							PRIORITY DATE: 00/00/18	Provo
		WATER USE(S): Shimmin, Dean C. 2002 N. 1450 E.										

S	<u>t92-91-12</u>	.0000	13.00	1) Willow Creek 2) Wells	S	1980	W	800	NE 14 12S 10E SL	PRIORITY DATE: 07/31/19
				West Hazmat Oil Field Services Inc. East Highway 40						Roosevelt
T	<u>91 4819</u>	.0000	3.00	5 4425	S	1980	E	1780	NW 14 12S 10E SL	PRIORITY DATE: 10/21/19
				Cockrell Oil Corporation 1600 Smith, Suite 4600						Houston
T	<u>91 4830</u>	2.0000	.00	6 3800 - 5000	S	1980	E	1780	NW 14 12S 10E SL	PRIORITY DATE: 08/26/19
				PG&E Resources Company 6688 No. Central Expressway						Dallas
T	<u>91 4983</u>	.1600	.00	5 4000	S	1980	E	1780	NW 14 12S 10E SL	PRIORITY DATE: 04/30/19
				Anadarko Petroleum Corporation 9400 North Broadway						Oklahoma City
T	<u>t92-91-12</u>	.0000	13.00	1) Willow Creek 2) Wells	S	1980	E	1780	NW 14 12S 10E SL	PRIORITY DATE: 07/31/19
				West Hazmat Oil Field Services Inc. East Highway 40						Roosevelt
U	<u>91 1192</u>	.0000	.00	Unnamed Trib.to Summit Creek						PRIORITY DATE: 00/00/18
				Shimmin, Dean C. 2002 North 1450 East						Provo
V	<u>91 3181</u>	.0000	.00	Willow Creek						PRIORITY DATE: 00/00/18
				Security Title Company						Salt Lake City
V	<u>91 3182</u>	.0000	.00	Willow Creek						PRIORITY DATE: 00/00/18
				Security Title Company						Salt Lake City
W	<u>91 4823</u>	10.0000	.00	Underground Wells	N	2050	W	2000	SE 14 12S 10E SL	PRIORITY DATE: 04/23/19
				Price River Water Improvement District P.O. Box 903						Price
X	<u>91 4823</u>	10.0000	.00	Underground Wells	N	2000	E	700	SW 13 12S 10E SL	PRIORITY DATE: 04/23/19
				Price River Water Improvement District P.O. Box 903						Price
Y	<u>91 1244</u>	.0000	.00	Spring Stream						PRIORITY DATE: 00/00/18
				Mathis, Rex Sunnyside Star Route						Price
Y	<u>91 1244</u>	.0000	.00	Spring Stream						PRIORITY DATE: 00/00/18
				Mathis, Rex Sunnyside Star Route						Price

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: J.M. Huber
WELL NAME & NUMBER: Huber-Shimmin #4-14
API NUMBER: 43-007-30662
LEASE: FEE PRIVATE FIELD/UNIT: Castlegate Field (013)
LOCATION: 1/4,1/4 SE NW Sec:14 TWP: 12S RNG: 10E 1565 FNL 1600 FWL
LEGAL WELL SITING: 460 F SEC. LINE; 460 F 1/4,1/4 LINE; 920 F ANOTHER WELL.
GPS COORD (UTM): X =519,493 E ; Y = 4,403,882 N SURFACE OWNER: Dean Shimmin

PARTICIPANTS

Mike Hebertson (DOGM) Dean Shimmin(Surface Owner) Larry Sessions
Jerry Jensen(Huber) Brian Wood (Permits West)

REGIONAL/LOCAL SETTING & TOPOGRAPHY

This well is located on the second bench of the Wasatch Plateau about 3 miles south of the Roan Cliffs, in the area known as Emma Park. Mathis Canyon is to the south of the location about 2 miles and Willow Creek is a major active flowing stream to the west about ¼ mile which flows to the south down Price Canyon. Other drainages intersect the major secondary and primary system flowing generally north and then west until they meet Willow Creek, thence to the Price River. The whole of Emma Park is open Sage Brush meadow with interspersed grass lands. The surface is of Tertiary & Cretaceous age rocks from the Flagstaff Limestone and the North Horn Conglomerate. The Flagstaff is of lacustrine origin and the North Horn is of a fluvial origin. There is no distinct contact between the two since they have many complex overlapping facies in this area.

SURFACE USE PLAN

CURRENT SURFACE USE: Open range wildlife and livestock use.

PROPOSED SURFACE DISTURBANCE: A location 300 X 200 including an inboard pit 50 X 140 X 10. The access road will enter the pad on the northeast corner.150 feet of new access road is required.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: There are 10 P&A wells within one mile, all of which were drilled to the Blackhawk. Two new wells completed to the Blackhawk Coal and four new proposed locations.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: Will follow the roads and already established corridors in the abandoned field area. Pipelines and power lines are still in place from previous work.

SOURCE OF CONSTRUCTION MATERIAL: Borrowed from the construction of the location. A commercial supplier will be used for the gravel pad.

ANCILLARY FACILITIES: These are already in place.

WASTE MANAGEMENT PLAN:

Portable chemical toilets which will be emptied into the municipal waste treatment system; garbage cans on location will be emptied into centralized dumpsters which will be emptied into an approved landfill. No crude oil is expected to be produced. Drilling fluid, completion / frac fluid and cuttings will be buried in the pit after evaporation and slashing the pit liner. Used oil from drilling operations and

support is hauled to a used oil re-cycler and re-used. Produced water will be disposed of at an approved facility.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: The location is on a tributary drainage that supplies Willow Creek about 1 mile east. This area will be protected with berms ditches and silt fences.

FLORA/FAUNA: Deer, Elk, Moose, Cougar, Eagles, Hawks, Other indigenous bird species, Aspen, varieties of grasses, Sage Brush, Rabbit Brush.

SOIL TYPE AND CHARACTERISTICS: Clay derived from the limestone weathers to a dark tan or red-brown color. Locally with sandstone inclusions and fossil trash or remains.

SURFACE FORMATION & CHARACTERISTICS: Flagstaff Limestone interbedded with the North Horn Formation which varies from a conglomerate to thinly bedded sandstone with numerous facies changes make the North Horn and the Flagstaff a very complex unit in this area.

EROSION/SEDIMENTATION/STABILITY: No stability, problems, and only minor erosion problems exist on the location these will be mitigated by planting with grasses on the margins of the pad.

PALEONTOLOGICAL POTENTIAL: Not required.

RESERVE PIT

CHARACTERISTICS: The pit will be 140 X 50 X 10 or 12,500 BBLs

LINER REQUIREMENTS (Site Ranking Form attached): A synthetic liner will be required.

SURFACE RESTORATION/RECLAMATION PLAN

Already signed and executed. Not on file.

SURFACE AGREEMENT: Has been executed, but is not on file

CULTURAL RESOURCES/ARCHAEOLOGY: Not required

OTHER OBSERVATIONS/COMMENTS

The location is a replacement of a field well that was previously plugged and abandoned. The size of the reserve pit was reviewed as to its function. These wells are not air drilled and therefore require a larger pit. A disposal pond of about 20 acres was discussed as part of the water disposal plan, a deeper disposal well was also discussed. Clean up of the water for discharge or agricultural use was brought up by the landowner. The concerns about containment in the Price River were discussed as well as the methods of fracturing and well completion practices currently being used.

ATTACHMENTS:

Photos of the location were supplied by Permits West.

K. Michael Hebertson
DOGM REPRESENTATIVE

15/December/2000/ 10:45 AM
DATE/TIME

**Evaluation Ranking Criteria and Ranking Scale
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>10</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>15</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>15</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	<u>5</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>5</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>10</u>

Final Score 60 (Level I Sensitivity)

Well name:	12-00 JM Huber HS 4-14		
Operator:	JM Huber Corp.	Project ID:	43-007-30662
String type:	Surface		
Location:	Carbon Co.		

Design parameters:

Collapse
Mud weight: 8.700 ppg
Design is based on evacuated pipe.

Minimum design factors:

Collapse:
Design factor 1.125

Burst:
Design factor 1.00

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 72 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 300 ft

Cement top: 0 ft

Burst

Max anticipated surface pressure: 0 psi
Internal gradient: 0.473 psi/ft
Calculated BHP 236 psi

No backup mud specified.

Tension:
8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on air weight.
Neutral point: 435 ft

Non-directional string.

Re subsequent strings:
Next setting depth: 4,550 ft
Next mud weight: 9.100 ppg
Next setting BHP: 2,151 psi
Fracture mud wt: 19.250 ppg
Fracture depth: 500 ft
Injection pressure 500 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	500	8.625	24.00	K-55	ST&C	500	500	7.972	24.1
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	226	1370	6.06	236	2950	12.48	12	263	21.92 J

Prepared R.A.McKEE
by: Utah Dept. of Natural Resources

Date: December 19,2000
Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE
Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
Collapse is based on a vertical depth of 500 ft, a mud weight of 8.7 ppg The casing is considered to be evacuated for collapse purposes.
Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	12-00 JM Huber HS 4-14		
Operator:	JM Huber Corp.		
String type:	Production	Project ID:	43-007-30662
Location:	Carbon Co.		

Design parameters:

Collapse

Mud weight: 9.100 ppg
Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
Surface temperature: 65 °F
Bottom hole temperature: 129 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 368 ft

Cement top: Surface

Burst

Max anticipated surface pressure: 0 psi
Internal gradient: 0.473 psi/ft
Calculated BHP 2,151 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on air weight.
Neutral point: 3,922 ft

Non-directional string.

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	4550	5.5	17.00	J-55	LT&C	4550	4550	4.767	156.8
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	2151	4910	2.28	2151	5320	2.47	77	247	3.19 J

Prepared R.A.McKEE
by: Utah Dept. of Natural Resources

Date: December 19,2000
Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE

Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
Collapse is based on a vertical depth of 4550 ft, a mud weight of 9.1 ppg The casing is considered to be evacuated for collapse purposes.
Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

12-00 JM Huber HS 4-14

Casing Schematic

Surface

8-5/8"
MW 8.7
Frac 19.3

TOC @
0.

TOC @
0.

Surface
500. MD

BOP

$$.052(9.1) 2450 = 2153$$

$$2153 - (.11)(4550) = 1653$$

2M OKAY

STAGE 2 -

TAIL 20 FT COMBINED

CALL TO STL

du @ 36.75'

5-1/2"
MW 9.1

Production
4550. MD

DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL STATEMENT OF BASIS

Operator Name: J. M. Huber
Name & Number: Huber-Shimmin Federal 4-14
API Number: 43-007-30662
Location: 1/4, 1/4 SE NW Sec. 14 T. 12 S R. 10 E County Carbon

Geology/Ground Water:

The setting depth of the surface casing in this well is proposed for 500' cemented back to surface with about 365 sx of pemium class G cement. There are 78 points of diversion within 1 mile of this location, which were developed by parties drilling in the area, some have priority dates back to 1860, most of these are municipal and the majority are wells that are completed in the Blackhawk coal. The intended production zone in this well is the Blackhawk Coal. A search made of the records at water rights showed that no water from active water wells is being produced from below 385', and that the proposed 500' of surface casing will cover these zones. The several springs and diversions along Willow Creek will not be impacted, by new work on this well, and are protected by the surface casing and the cement at the bottom of the long string. Produced water will be disposed of at an approved disposal facility.

Reviewer: K. Michael Hebertson Date: 12/December/2000

Surface:

The surface owner was has been contacted and expressed no concerns about the use of this location. Overall he was happy with the operators proposal. The surface owner was also made aware of the winter range and habitat concerns expressed by DWR and the active Sage Grouse strutting area that has been identified by DWR. He was not sympathetic to their request and has no interest in holding up work for the time frames requested. This is a previously drilled well site and no new surface disturbance will be required to reenter this well.

Reviewer: K. Michael Hebertson Date: 12/Decembert /2000

Conditions of Approval/Application for Permit to Drill:

1. Berms at the toe of all cut and fill slopes will be cleaned and maintained, and silt fences as per the APD.
2. The pit fenced when the drill rig moves off, as requested by the landowner.
3. Existing culverts will be cleaned and maintained and new culverts of sufficient size and length will be installed and maintained so as not to inhibit natural water flow, where necessary.
4. A synthetic liner is required for the pit, it will be at least 12 Mills thick.
5. Water samples from the Price River Formation will be required from this well.
6. Spoil and top soil piles will be stored in low windrows rather than tall cone shaped piles.



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

January 9, 2001

J. M. Huber Corporation
1050 Seventeenth St, Suite 1850
Denver, CO 80265

Re: Huber-Shimmin Trust 4-14 Well, 1565' FNL, 1600' FWL, SE NW, Sec. 14, T. 12 South, R. 10 East, Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30662.

Sincerely,

A handwritten signature in cursive script that reads "John R. Baza".

John R. Baza
Associate Director

er
Enclosures

cc: Carbon County Assessor

Operator: J. M. Huber Corporation
Well Name & Number Huber-Shimmin Trust 4-14
API Number: 43-007-30662
Lease: Fee

Location: SE NW **Sec.** 14 **T.** 12 South **R.** 10 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: J. M. Huber Corporation
Address: 1050 17th St., Suite 700
City: Denver
State: CO zip 80265

Operator Account Number: N 2380

Phone Number: (303) 825-7900

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
43-007-30662	Huber-Shimmin Trust 4-14		SE NW	14	12S	10E	Carbon
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
A	99999	13071	23-Feb-01		2-23-01		
Comments: 3-27-01							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							


Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

RECEIVED

T. Reed Scott
Name (Please Print)

Signature
Consulting Petroleum Engineer
Title
3/15/01
Date

(5/2000)

MAR 13 2001
xc: UDOGM, Permits West, Field Office
DIVISION OF Well file - 3, Patina Oil & Gas
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: Private
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
1. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>		7. UNIT or CA AGREEMENT NAME: N/A
2. NAME OF OPERATOR J. M. Huber Corporation		8. WELL NAME and NUMBER: Huber-Shimmin Trust 4-14
3. ADDRESS OF OPERATOR 1050 17th St., Suite #1850, Denver, CO 80265		9. API NUMBER: 43-007-30662
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1565' FNL & 160' FWL COUNTY: Carbon		10. FIELD AND POOL, OR WILDCAT: Castlegate
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENW Sec 14-T12S-R10E-S1B1M STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER Casing <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TO TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLED PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input checked="" type="checkbox"/> OTHER Conditions of Approval

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depth, volumes, etc.

J. M. Huber respectfully requests approval to eliminate the requirement of obtaining a Price River Formation water sample while drilling as outlined in the conditions of approval on the APD dated January 9, 2001. A water sample from the Price River Formation will be obtained from the Shimmin Trust 14-12 well upon re-entry.

APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND MINING
DATE: 2-8-01
BY: [Signature]

COPY SENT TO OPERATOR
DATE: 2-8-01
BY: CHD

cc: UDOGM, Permits West, Field Office
Well file-3

NAME (PLEASE PRINT) <u>T. Reed Scot</u>	TITLE <u>Consulting Petroleum Engineer</u>
SIGNATURE <u>[Signature]</u>	DATE <u>5-Feb-01</u>

(This space for State use only)

Monitor wells may be required for this 14-12 UIC permit.



A FAMILY OF SOLUTIONS

RECEIVED

DEC 21 2001

DIVISION OF
OIL, GAS AND MINING

ENERGY

J.M. Huber Corporation

1050 17th St., Ste. 700
Denver, CO 80265

phone: (303) 825-7900
fax: (303) 825-8300
e-mail: dv_cpjaw@huber.cc
www.huber.com

December 20, 2001

Utah Division of Oil, Gas and Mining
Carol Daniels
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114

RE: Form 8, Completion Report –
Huber-Jensen 2-9, NENW Sec. 9, T12S, R10E, API # 43-007-30735
Huber-Shimmin Trust 4-14, SWNW Sec. 14, T12S, R10E, API# 43-007-30662
Huber-Jensen 1-8, NESE Sec. 8, T12S, R10E, API # 43-007-30768
Huber-Jensen 1-4, SWSE Sec. 4, T12S, R10E, API # 43-007-30733

Dear Carol,

Enclosed you will find the Form 8's for the above-mentioned wells. We understand that the logging company will be forwarding copies of the logs to you for your well files. If you do not get them please let me know.

If you have any other questions or concerns please do not hesitate to call me at 303-825-7900.

Respectfully yours,

Judith A. Walter
Regulatory Compliance – Contract Agent

Cc: J.M. Huber Field Office – Larry Sessions, 212 East 100 North, PO Box 551, Price, UT 84501
Patina Oil & Gas Corp., 1625 Broadway, Suite 2000, Denver, CO 80202
Correspondence
Well File – 3 (Tom Erwin, Gary Johnson, WF)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL GAS WELL DRY OTHER _____
b. TYPE OF WORK
NEW HORIZ DEEP- RE- DIFF.

2. NAME OF OPERATOR
J. M. Huber Corporation

3. ADDRESS OF OPERATOR **1050 17th Street, Ste 700 Denver, CO 80265** PHONE NUMBER **303-625-7900**

4. LOCATION OF WELL (FOOTAGES)
1535' ENL 3:1600' FWL

AT TOP PRODUCING INTERVAL REPORTED BELOW: **Same**

AT TOTAL DEPTH: **Same**

14. DATE SPUNDED: **2/24/01** 15. DATE T.D. REACHED: **3/16/01** 16. DATE COMPLETED: **11/29/01**
ABANDONED READY TO PRODUCE

5. LEASE DESIGNATION AND SERIAL NUMBER:
Fee

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
NA

7. UNIT or CA AGREEMENT NAME:
N/A

8. WELL NAME and NUMBER:
Huber-Shimmin Trust 4-14

9. API NUMBER:
43-007-30662

10. FIELD AND POOL, OR WILDCAT:
Castlegate

11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:
SWNW 14 T12S R10E
SL

12. COUNTY: **Carbon** 13. STATE: **UTAH**

17. ELEVATIONS (DF, RKB, RT, GL):
7535' GR, 7547' KB

18. TOTAL DEPTH: MD **4370' KB** 19. PLUG BACK T.D.: MD **4330' KB** 20. IF MULTIPLE COMPLETIONS, HOW MANY? _____
TVD **4370' KB** TVD **4330' KB**

21. DEPTH BRIDGE MD _____ PLUG SET: _____
TVD _____

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)
RST-GR, CBL-GR

23. WAS WELL CORED? NO YES (Submit analysis)
WAS DST RUN? NO YES (Submit report)
DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/FT.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP**	AMOUNT PULLED
17-1/2"	3-3/8"		Surf.	11'					
12-1/4"	8-5/8" J-55	24	Surf.	503' KB	503' KB	365	78	Surf	
7-7/8"	5-1/2" J-55	17	Surf.	4335' KB	4335' KB	AG-300 295	117	4335' KB	
					3507' KB				

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	4142' KB							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)
(A) Kenilworth Coal	4208' KB	4306' KB		
(B) Castlegate Coals	3790' KB	4124' KB		
(C)				
(D)				

27. PERFORATION RECORD

INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
4214' KB		72	OPEN X SQUEEZED
4264-4268' KB			OPEN X SQUEEZED
4298' KB			OPEN X SQUEEZED
			OPEN SQUEEZED

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
4298' - 4306' KB	150 gal 15% HCl
	933 bbl Delta Frac 140 with 64000 lbs 16/30 sand
4208' - 4268' KB	350 gal 15% HCl
	1108 bbl Delta Frac 140 with 102000 lbs 16/30 sand

29. ENCLOSED ATTACHMENTS:

ELECTRICAL/MECHANICAL LOGS GEOLOGIC REPORT DST REPORT DIRECTIONAL SURVEY
 SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION CORE ANALYSIS OTHER: _____

30. WELL STATUS:
PRODUCING

RECEIVED

(CONTINUED ON BACK)

04 2001
DIVISION OF
OIL, GAS AND MINING

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #26)

DATE FIRST PRODUCED: 11/29/01		TEST DATE 11/30/01		HOURS TESTED: 24		TEST PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 14	WATER - BBL: 743	PROD. METHOD: Rod Pump
CHOKE SIZE:	TBG. PRESS. 70	CSG. PRESS. 100	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 14	WATER - BBL: 743	INTERVAL STATUS: Producing

INTERVAL B (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL C (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL D (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

SOLD

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open flowing and shut-in pressures and recoveries.

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
Price River	1767	2902	Water		
Castlegate	2902	3500	Water		
Blackhawk	3500	4120	Water and Gas in Coals		
Kennilworth S	4120	4304	Water		
Aberdeen SS	4304	TD	Water		

34. FORMATION (Log) MARKERS:

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Gary J. Johnson TITLE Consulting Petroleum Engineer
 SIGNATURE *Gary J. Johnson* DATE 12/18/01

This report must be submitted within 30 days of

- completing or plugging a new well
- reentering a previously plugged and abandoned well
- drilling horizontal laterals from an existing well bore
- significantly deepening an existing well bore below the previous bottom-hole depth
- recompleting to a different producing formation
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* Item 20: Show the number of completions if production is measured separately from two or more formations.

** Item 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining Phone: 801-538-5340
 1594 West North Temple, Suite 1210
 Box 145801 Fax: 801-359-3940
 Salt Lake City, Utah 84114-5801



A FAMILY OF SOLUTIONS

RECEIVED

JAN 14 2002

DIVISION OF
OIL, GAS AND MINING

ENERGY

J.M. Huber Corporation

1050 17th St., Ste. 700
Denver, CO 80265

phone: (303) 825-7900
fax: (303) 825-8300
e-mail: dv_cpjaw@huber.cc
www.huber.com

January 9, 2002

Utah Division of Oil, Gas and Mining
Carol Daniels
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114

RE: **Form 8, Completion Report – Corrected**
Huber-Jensen 2-9, NENW Sec. 9,T12S, R10E, API # 43-007-30735 – Corrected Completion Date
Huber-Shimmin Trust 4-14, SWNW Sec. 14,T12S, R10E, API# 43-007-30662 – Corrected Spud & Completion Date
Huber-Jensen 1-8, NESE Sec. 8,T12S, R10E, API # 43-007-30768 – Corrected Spud Date
Huber-Jensen 1-4, SWSE Sec. 4, T12S, R10E, API # 43-007-30733 – Corrected Spud date & Completion Date

Dear Carol,

Enclosed you will find the CORRECTED Form 8's for the above-mentioned wells. If you have any other questions or concerns please do not hesitate to call me at 303-825-7900.

Respectfully yours,

Judith A. Walter
Regulatory Compliance – Contract Agent

Cc: J.M. Huber Field Office – Larry Sessions, 212 East 100 North, PO Box 551, Price, UT 84501
Patina Oil & Gas Corp., 1625 Broadway, Suite 2000, Denver, CO 80202
Correspondence
Well File – 3 (Tom Erwin, Gary Johnson, WF)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		12/1/2003
FROM: (Old Operator): N2380-J.M. Huber Corp 1050 17th St, Ste. 700 Denver, CO 80265 Phone: 1-(303) 825-7900	TO: (New Operator): N2545-Evergreen Operating Corp. 1401 17th Street, Suite 1200 Denver, CO 80202 Phone: 1-(303) 298-8100	

WELL(S) NAME	CA No.			Unit:				
	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
HUBER-JENSEN 1-4	04	120S	100E	4300730733	13068	Fee	GW	P
HUBER-JENSEN 2-8	08	120S	100E	4300730734	13275	Fee	GW	P
HUBER-JENSEN 1-8	08	120S	100E	4300730768	13359	Fee	GW	P
HUBER-JENSEN 16-9	09	120S	100E	4300730163	12904	Fee	GW	P
HUBER-JENSEN 1-9	09	120S	100E	4300730717	12903	Fee	GW	P
HUBER-JENSEN 2-9	09	120S	100E	4300730735	13317	Fee	GW	P
HUBER-JENSEN 9-10	10	120S	100E	4300730159	12906	Fee	GW	P
HUBER-JENSEN 5-10	10	120S	100E	4300730162	12905	Fee	GW	P
HUBER-JENSEN 1-10	10	120S	100E	4300730596	12611	Fee	GW	P
HUBER-SHIMMIN TRUST 2-11	11	120S	100E	4300730659	13070	Fee	GW	P
HUBER-SHIMMIN TRUST 1-11	11	120S	100E	4300730673	12901	Fee	GW	P
HUBER-SHIMMIN TRUST 1-12	12	120S	100E	4300730674	12902	Fee	GW	P
HUBER-SHIMMIN TRUST 3-14	14	120S	100E	4300730640	13069	Fee	GW	P
HUBER-SHIMMIN TRUST 4-14	14	120S	100E	4300730662	13071	Fee	GW	P
HUBER-JENSEN 1-15	15	120S	100E	4300730736	13072	Fee	GW	P
HUBER-STATE 1-16	16	120S	100E	4300730589	12610	State	GW	P
HUBER-ST 4-16	16	120S	100E	4300730785	13318	State	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 1/22/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 1/22/2004
- The new company was checked on the Department of Commerce, Division of Corporations Database on: 12/29/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5531527-0143
- If NO, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

In Place

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 1/28/2004

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 1/28/2004

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

5. Injection Projects to new operator in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB0006732

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: n/a

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB0006706

2. The FORMER operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

Private-Fee

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

NA

7. UNIT or CA AGREEMENT NAME:

NA

1. TYPE OF WELL

OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

Huber Shimmin Trust 4-14

2. NAME OF OPERATOR:

J. M. Huber Corp.

9. API NUMBER:

43-7-30662

3. ADDRESS OF OPERATOR:

1050 17th St, Ste. 700 CITY Denver STATE CO ZIP 80265

PHONE NUMBER:

(303) 825-7900

10. FIELD AND POOL, OR WILDCAT:

Castlegate

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 1565' FNL, 1600' FWL

COUNTY: Carbon

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENW 14 12S 10E S

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

See Attached Sheet.

NAME (PLEASE PRINT) Robert F. Unger

TITLE V. P.-Northern Business Unit of J. M. Huber Corp.

SIGNATURE *Robert F. Unger*

DATE 11/20/03

(This space for State use only)

RECEIVED

JAN 22 2004

DIV. OF OIL, GAS & MINING

Attachment for the State of Utah, Department of Natural Resources, Division of Oil, Gas and Mining, Form 9, Sundry Notices and Reports on Wells:

Huber Shimmin Trust 4-14

J. M. Huber Corporation has sold its interests in this well and property. The new owner will be taking on the responsibility of operator.

Name (please print) Robert F. Unger

Title: V. P.-Northern Business Unit

Signature: Robert F. Unger *boy*

Date: 11/20/03

New owner information:

Company Name: Evergreen Operatin Corp., 1401 17th Street, Ste. 1200
Denver, CO 80202

Name (please print) Kevin D. Davis

Title: Director - Mergers & Acquisitions

Signature: Kevin D. Davis

Date: 1/15/2004

New owner bond number: RLB0006706

OPERATOR CHANGE WORKSHEET

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: 9/28/2004	
FROM: (Old Operator): N2545-Evergreen Operating Corp. 1401 17th St, Suite 1200 Denver, CO 80202 Phone: 1-(303) 298-8100	TO: (New Operator): N5155-Pioneer Natural Resources USA, Inc. 5205 N O'Connor Blvd Irving, TX 75039 Phone: 1-(972) 444-9001

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BONANZA FED 15-27-10-25	27	100S	250E	4304734941	13840	Federal	GW	P K
HUBER-JENSEN 16-9	09	120S	100E	4300730163	12904	Fee	GW	P
HUBER-JENSEN 1-9	09	120S	100E	4300730717	12903	Fee	GW	P
HUBER-JENSEN 9-10	10	120S	100E	4300730159	12906	Fee	GW	P
HUBER-JENSEN 5-10	10	120S	100E	4300730162	12905	Fee	GW	P
HUBER-JENSEN 11-10	10	120S	100E	4300730164	11405	Fee	GW	P
HUBER-JENSEN 1-10	10	120S	100E	4300730596	12611	Fee	GW	P
HUBER-JENSEN 2-10	10	120S	100E	4300730675	14225	Fee	GW	DRL
SHIMMIN TRUST 11-11	11	120S	100E	4300730166	11410	Fee	GW	DRL
HUBER-SHIMMIN TRUST 2-11	11	120S	100E	4300730659	13070	Fee	GW	P
HUBER-SHIMMIN TRUST 1-11	11	120S	100E	4300730673	12901	Fee	GW	P
HUBER-SHIMMIN TRUST 1-12	12	120S	100E	4300730674	12902	Fee	GW	P
SHIMMIN TRUST 5	14	120S	100E	4300730122	14175	Fee	GW	P
HUBER-SHIMMIN TRUST 3-14	14	120S	100E	4300730640	13069	Fee	GW	P
HUBER-SHIMMIN TRUST 4-14	14	120S	100E	4300730662	13071	Fee	GW	P
FED ENI 7-1	07	130S	260E	4304731134	2840	Federal	GW	P
PINE SPRINGS 13-26-14-22	26	140S	220E	4304731074	13615	Federal	GW	P
FEDERAL 5-13-15-21	13	150S	210E	4304731137	8071	Federal	GW	S
FEDERAL 2-18-15-22	18	150S	220E	4304731091	8077	Federal	GW	S
MAIN CYN 16-4-15-23	04	150S	230E	4304731111	11608	Federal	GW	S
MAIN CYN 6-8-15-23	08	150S	230E	4304731073	11606	Federal	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 10/21/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 10/21/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 10/21/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5738462-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: _____
- Inspections of LA PA state/fee well sites complete on: ***

21

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: _____

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: _____

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 10/28/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 10/28/2004
3. Bond information entered in RBDMS on: 10/28/2004
4. Fee/State wells attached to bond in RBDMS on: 10/28/2004
5. Injection Projects to new operator in RBDMS on: 10/28/2004
6. Receipt of Acceptance of Drilling Procedures for APD/New on: ***

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 104091293

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 104319462

2. The **FORMER** operator has requested a release of liability from their bond on: 10/21/2004
The Division sent response by letter on: 10/28/2004

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 11/1/2004

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Pioneer Natural Resources USA, Inc. <i>N5155</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 5205 N. O'Connor Blvd CITY Irving STATE TX ZIP 75039		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: See Attached List
PHONE NUMBER: (972) 444-9001		9. API NUMBER:
COUNTY: _____		10. FIELD AND POOL, OR WILDCAT:
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

- Operator change due to the merger between Pioneer Natural Resources USA, Inc and Evergreen Resources Inc., effective September 28, 2004.
- See list attached for all wells currently operated under the name of Evergreen Operating (subsidiary of Evergreen Resources) as listed on the DOGM database on October 15, 2004.
- Operator will now be Pioneer Natural Resources USA, Inc. Local operation address info and contacts under separate cover.
- Surety Bond #104319462 (replaces RLB 0006706) attached
- Copy of Oil & Gas Geothermal Lease Bond - BLM #104091293 attached

Name: Dennis R. Carlton Title: Executive Vice President, Evergreen Operating Corp. *N2545*

Signature: *DR Carlton* Date: *10/18/04*

NAME (PLEASE PRINT) Jay Still TITLE Vice President, Western Division, Pioneer Natural Resources USA Inc.

SIGNATURE *Jay Still* DATE *10/19/04*

(This space for State use only)

APPROVED *10/28/04*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instructions on Reverse Side)

RECEIVED
OCT 21 2004
DIV. OF OIL, GAS & MINING

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/15/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twprn	Twprd	RngN	RngD	Qtr/Qtr
43-007-30122-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 5	Gas Well	Producing									
43-007-30137-00-00	EVERGREEN OPERATING CORP	HUBER-FEDERAL 7-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NWNE
43-007-30138-00-00	EVERGREEN OPERATING CORP	HUBER-FRANSDEN 4-15	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	SWNE
43-007-30140-00-00	EVERGREEN OPERATING CORP	HUBER-FED 6-8	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	NWNW
43-007-30159-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 9-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	SENE
43-007-30162-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 5-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESE
43-007-30163-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 16-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	SWNW
43-007-30164-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 11-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	SESE
								10	12	S	10	E	NESW
43-007-30166-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 11-11	Gas Well	Spudded (Drilling commenced; Not yet completed)									
43-007-30169-00-00	EVERGREEN OPERATING CORP	SHIMMIN TRUST 14-12	Gas Well	Plugged and Abandoned	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	NESW
43-007-30589-00-00	EVERGREEN OPERATING CORP	HUBER-STATE 1-16	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	12	12	S	10	E	SESW
43-007-30598-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-10	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWNE
43-007-30640-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 3-14	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NWSW
43-007-30659-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 2-11	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	SENE
43-007-30662-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 4-14	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SESE
43-007-30663-00-00	EVERGREEN OPERATING CORP	HUBER-ST 4-11	Gas Well	Location Abandoned	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	SENE
43-007-30673-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 1-11	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SE
43-007-30674-00-00	EVERGREEN OPERATING CORP	HUBER-SHIMMIN TRUST 1-12	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	11	12	S	10	E	SE
								12	12	S	10	E	NW...
43-007-30675-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-10	Gas Well	Spudded (Drilling commenced; Not yet completed)									
43-007-30676-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 3-10	Gas Well	Location Abandoned	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESE
43-007-30717-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	NESE
								10	12	S	10	E	SWNE
								9	12	S	10	E	NWSW
43-007-30718-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-18	Gas Well	Spudded (Drilling commenced; Not yet completed)									
43-007-30733-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-4	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	18	12	S	10	E	NESE
43-007-30734-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-8	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	4	12	S	10	E	SWSE
43-007-30735-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-9	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	NENE
43-007-30736-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-15	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	NENW
43-007-30764-00-00	EVERGREEN OPERATING CORP	HUBER-J/F 2-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	SWNE
43-007-30768-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-8	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NENW
43-007-30769-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 1-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	8	12	S	10	E	NESE
43-007-30783-00-00	EVERGREEN OPERATING CORP	HUBER-ST 2-16	Gas Well	Approved permit (APD); not yet spudded	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NENE
43-007-30784-00-00	EVERGREEN OPERATING CORP	HUBER-ST 3-16	Gas Well	Approved permit (APD); not yet spudded	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWSE
43-007-30785-00-00	EVERGREEN OPERATING CORP	HUBER-ST 4-16	Gas Well	Producing	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	SESW
43-007-30787-00-00	EVERGREEN OPERATING CORP	H-M FED 2-14	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	SE
43-007-30810-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-5	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NES
43-007-30858-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 4-17	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	5	12	S	10	E	NESW
43-007-30859-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 2-18	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	17	12	S	10	E	NESE
43-007-30860-00-00	EVERGREEN OPERATING CORP	HUBER-JENSEN 4-8	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	18	12	S	10	E	NENE
								8	12	S	10	E	NWSW

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/15/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twpr	Twpd	RngN	RngD	Qtr/Qtr
43-007-30947-00-00	EVERGREEN OPERATING CORP	HUBER-FRANSDEN/FED 4-15	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	15	12	S	10	E	NWNW
43-007-30981-00-00	EVERGREEN OPERATING CORP	STATE 11-16	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	16	12	S	10	E	NWNW
43-007-30962-00-00	EVERGREEN OPERATING CORP	SHIMMIN 11-14	Gas Well	Spudded (Drilling commenced: Not yet completed)	CASTLEGATE	CARBON	12S-10E	14	12	S	10	E	NWNW
43-007-30788	EVERGREEN OPERATING CORP	Jensen 7-15 Deep	Gas Well	Active	WILDCAT	CARBON	12S-10E	15	12	S	10	E	SWNE
43-007-30977-00-00	EVERGREEN OPERATING CORP	JENSEN 24-4	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	4	12	S	10	E	SESW
43-007-30978-00-00	EVERGREEN OPERATING CORP	JENSEN 34-5	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	5	12	S	10	E	SWSE
43-007-30980-00-00	EVERGREEN OPERATING CORP	JENSEN 41-9	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	9	12	S	10	E	NENE
43-007-30981-00-00	EVERGREEN OPERATING CORP	JENSEN 34-10	Gas Well	New Permit (Not yet approved or drilled)	CASTLEGATE	CARBON	12S-10E	10	12	S	10	E	SWSF
43-013-32308-00-00	EVERGREEN OPERATING CORP	HUBER-ST 1-35	Water Disposal Well	Active	CASTLEGATE	DUCHESNE	11S-10E	35	11	S	10	E	SV
43-013-32317-00-00	EVERGREEN OPERATING CORP	HUBER-STATE 1-27	Gas Well	New Permit (Not yet approved or drilled)	WILDCAT	DUCHESNE	11S-10E	27	11	S	10	E	SWSE
43-017-99494-00-00	EVERGREEN OIL CORP	POISON SPRINGS U 1 USA	Oil Well	Plugged and Abandoned	WILDCAT	GARFIELD	04S-12E	24	01	6	12	E	NESE
43-017-99102-00-00	EVERGREEN OIL CORP	POISON SPRINGS U 2 USA	Oil Well	Plugged and Abandoned	WILDCAT	GARFIELD	04S-12E	4	01	6	12	E	NENE
43-019-30136-00-00	EVERGREEN OPERATING CORP	ANDERSON FED 2	Gas Well	Producing	EAST CANYON	GRAND	16S-24E	12	16	S	24	E	SWSW
43-019-30955-00-00	EVERGREEN OPERATING CORP	FEDERAL 24-1	Gas Well	Shut-In	EAST CANYON	GRAND	16S-24E	24	16	S	24	E	NWNE
43-019-31077-00-00	EVERGREEN OPERATING CORP	FEDERAL 1-34	Gas Well	Producing	BRYSON CANYON	GRAND	16S-24E	34	16	S	24	E	NESE
43-019-31078-00-00	EVERGREEN OPERATING CORP	FEDERAL 2-34	Gas Well	Producing	BRYSON CANYON	GRAND	16S-24E	34	16	S	24	E	SESW
43-047-30248-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 2	Gas Well	Shut-In	BLACK HORSE CYN	UINTAH	15S-24E	29	15	S	24	E	SESE
43-047-30284-00-00	EVERGREEN OPERATING CORP	PINE SPRING U 1	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	15	14	S	22	E	NESW
43-047-30325-00-00	EVERGREEN OPERATING CORP	RAT HOLE CYN 1	Gas Well	Shut-In	RAT HOLE CANYON	UINTAH	14S-25E	8	14	S	25	E	NWSE
43-047-30331-00-00	EVERGREEN OPERATING CORP	DRY BURN U 1	Gas Well	Shut-In	DRY BURN	UINTAH	13S-25E	29	13	S	25	E	NWSE
43-047-30332-00-00	EVERGREEN OPERATING CORP	1-L-23	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	23	14	S	24	E	SWNE
43-047-30480-00-00	EVERGREEN OPERATING CORP	SWEETWATER CYN 1	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	14	14	S	24	E	SWNW
43-047-30582-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 4-25-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	SWSW
43-047-30619-00-00	EVERGREEN OPERATING CORP	CROOKED CYN 13-17-14-23	Gas Well	Producing	CROOKED CANYON	UINTAH	14S-23E	17	14	S	23	E	NWNW
43-047-30622-00-00	EVERGREEN OPERATING CORP	WOLF UNIT 3-11-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	11	15	S	21	E	SESW
43-047-30639-00-00	EVERGREEN OPERATING CORP	MAIN CYN 11-10-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	10	15	S	23	E	SENW
43-047-30674-00-00	EVERGREEN OPERATING CORP	MAIN CYN 2-8-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	NWNE
43-047-30735-00-00	EVERGREEN OPERATING CORP	MAIN CYN 7-17-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	SWSE
43-047-30736-00-00	EVERGREEN OPERATING CORP	STATE 11-2-15-22	Gas Well	Plugged and Abandoned	MAIN CANYON	UINTAH	15S-23E	17	15	S	23	E	NWSE
43-047-30746-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 6-35-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-22E	2	15	S	22	E	SENW
43-047-30944-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 8-36-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	35	14	S	23	E	NEE
43-047-30975-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 1-25-14-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	36	14	S	23	E	NEE
43-047-30977-00-00	EVERGREEN OPERATING CORP	MAIN CYN 8-7-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	SESE
43-047-31003-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 3-26-14-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-23E	7	15	S	23	E	NESE
43-047-31027-00-00	EVERGREEN OPERATING CORP	FEDERAL 6-14-15-21	Gas Well	Shut-In	MAIN CANYON	UINTAH	14S-23E	26	14	S	23	E	SESW
43-047-31040-00-00	EVERGREEN OPERATING CORP	SWEETWATER 6-13-14-24	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	14	15	S	21	E	NESW
43-047-31041-00-00	EVERGREEN OPERATING CORP	TRAPP SPRINGS 16-25-14-23	Gas Well	Shut-In	SWEETWATER CYN	UINTAH	14S-24E	13	14	S	24	E	NESW
43-047-31042-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 7-21-14-22	Gas Well	Producing	MAIN CANYON	UINTAH	14S-23E	25	14	S	23	E	NENE
43-047-31043-00-00	EVERGREEN OPERATING CORP	MAIN CYN 4-4-15-23	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	21	14	S	22	E	NWSE
43-047-31045-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 14-15-15-24	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	4	15	S	23	E	SWSW
43-047-31063-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 8-20-14-22	Gas Well	Shut-In	SOUTH CANYON	UINTAH	15S-24E	15	15	S	24	E	NENW
			Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	20	14	S	22	E	NESE

**EVERGREEN TO PIONEER NATURAL RESOURCES USA, INC. MERGER
WELL LIST 10/15/04**

API Well Number	Operator	Well Name	Well Type	Well Status	Field Name	County Name	Location (Twn-Rng)	Sect	Twpr	Twpd	RngN	RngD	Qtr/Qtr
43-047-31071-00-00	EVERGREEN OPERATING CORP	FEDERAL 7-15-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	15	15	S	21	E	NWSE
43-047-31072-00-00	EVERGREEN OPERATING CORP	MAIN CYN 6-3-15-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-23E	3	15	S	23	E	NESW
43-047-31073-00-00	EVERGREEN OPERATING CORP	MAIN CYN 6-8-15-23	Gas Well	Producing	MAIN CANYON	UINTAH	15S-23E	8	15	S	23	E	NESW
43-047-31074-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 13-28-14-22	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	26	14	S	22	E	NWNW
43-047-31091-00-00	EVERGREEN OPERATING CORP	FEDERAL 2-18-15-22	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-22E	18	15	S	22	E	SWSE
43-047-31098-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS 9-12-14-21	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-21E	12	14	S	21	E	SENE
43-047-31104-00-00	EVERGREEN OPERATING CORP	BLACK HORSE 12-8-15-24	Gas Well	Shut-In	SOUTH CANYON	UINTAH	15S-24E	8	15	S	24	E	SWNW
43-047-31111-00-00	EVERGREEN OPERATING CORP	MAIN CYN 16-4-15-23	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-23E	4	15	S	23	E	NENE
43-047-31134-00-00	EVERGREEN OPERATING CORP	FED ENI 7-1	Gas Well	Producing	DAVIS CANYON	UINTAH	13S-26E	7	13	S	26	E	NENE
43-047-31135-00-00	EVERGREEN OPERATING CORP	STATE 8-2-15-22	Gas Well	Shut-In	MAIN CANYON	UINTAH	15S-22E	2	15	S	22	E	NESE
43-047-31137-00-00	EVERGREEN OPERATING CORP	FEDERAL 5-13-15-21	Gas Well	Shut-In	WOLF POINT	UINTAH	15S-21E	13	15	S	21	E	NWSW
43-047-31348-00-00	EVERGREEN OPERATING CORP	FEDERAL 12-18-14-22	Gas Well	Shut-In	PINE SPRINGS	UINTAH	14S-22E	18	14	S	22	E	SWNW
43-047-34674-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 9-23-14S-22E	Gas Well	Location Abandoned	PINE SPRINGS	UINTAH	14S-22E	20	14	S	22	E	SENE
43-047-34675-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 3-23-14S-22E	Gas Well	Producing	PINE SPRINGS	UINTAH	14S-22E	23	14	S	22	E	SESW
43-047-34676-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 12-23-14S-22E	Gas Well	Temporarily-Abandoned	PINE SPRINGS	UINTAH	14S-22E	23	14	S	22	E	SWNW
43-047-34941-00-00	EVERGREEN OPERATING CORP	BONANZA FED 15-27-10-25	Gas Well	Producing	UNDESIGNATED	UINTAH	10S-25E	27	10	S	25	E	NWNE
43-047-35555-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS ST 6-36-14-22	Gas Well	Spudded (Drilling commenced: Not yet completed)	UNDESIGNATED	UINTAH	14S-22E	36	14	S	22	E	NE
43-047-35556-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 4-22-14-22	Gas Well	Approved permit (APD); not yet spudded	PINE SPRINGS	UINTAH	14S-22E	22	14	S	22	E	SWSW
43-047-35566-00-00	EVERGREEN OPERATING CORP	PINE SPRINGS FED 15-21-14-22	Gas Well	Approved permit (APD); not yet spudded	PINE SPRINGS	UINTAH	14S-22E	21	14	S	22	E	NWNE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Pioneer Natural Resources		8. WELL NAME and NUMBER: See attached list
3. ADDRESS OF OPERATOR: 1401 17th St., Suite 1200 CITY Denver STATE CO ZIP 80202		9. API NUMBER: 43-007-30662
		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY:		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/13/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input checked="" type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Change well name from "State Well Name" (Column 1) to "Well Name" (Column 2). See attached list for wells.

NAME (PLEASE PRINT) <u>Kallasandra M. Boulay</u>	TITLE <u>Engineering Analyst</u>
SIGNATURE	DATE <u>1/3/2006</u>

(This space for State use only)

RECEIVED

JAN 06 2006

DIV. OF OIL, GAS & MINING

Pioneer Natural Resources
 1401 17th Street, Suite 1200
 Denver, Colorado 80202
 Contact: Kallasandra Boulay
 Phone: (303) 675-2719

RECEIVED
 JAN 06 2006
 DIV. OF OIL, GAS & MINING

State Well Name	Well Name	Q	S	T	R	State	County	Field	Status (State)	API #	Operator	Well Type
✓ Huber-Federal 7-9	Huber Federal 7-9-12-10	SWNE	9	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30137	PNR	Gas Well
✓ Huber-Jensen 1-10	Huber Jensen 1-10-12-10	NWSW	10	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30596	PNR	Gas Well
✓ Huber-Jensen 11-10	Huber Jensen 11-10-12-10	NESW	10	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30164	PNR	Gas Well
✓ Huber-Jensen 1-15	Huber Jensen 1-15-12-10	SWNE	15	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30736	PNR	Gas Well
✓ Huber-Jensen 1-4	Huber Jensen 1-4-12-10	SWSE	4	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30733	PNR	Gas Well
✓ Huber-Jensen 16-9	Huber Jensen 16-9-12-10	SESE	9	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30163	PNR	Gas Well
✓ Huber-Jensen 1-8	Huber Jensen 1-8-12-10	NESE	8	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30768	PNR	Gas Well
✓ Huber-Jensen 1-9	Huber Jensen 1-9-12-10	NWSW	9	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30717	PNR	Gas Well
✓ Huber-Jensen 2-8	Huber Jensen 2-8-12-10	NENE	8	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30734	PNR	Gas Well
✓ Huber-Jensen 2-9	Huber Jensen 2-9-12-10	NENW	9	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30735	PNR	Gas Well
✓ Huber-Jensen 5-10	Huber Jensen 5-10-12-10	SWNW	10	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30162	PNR	Gas Well
✓ Huber-Jensen 9-10	Huber Jensen 9-10-12-10	NESE	10	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30159	PNR	Gas Well
✓ Huber-Shimmin Trust 1-11	Huber Shimmin Trust 1-11-12-10	SWSW	11	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30673	PNR	Gas Well
✓ Huber-Shimmin Trust 1-12	Huber Shimmin Trust 1-12-12-10	NWSW	12	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30674	PNR	Gas Well
✓ Huber-Shimmin Trust 2-11	Huber Shimmin Trust 2-11-12-10	SESE	11	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30659	PNR	Gas Well
✓ Huber-Shimmin Trust 3-14	Huber Shimmin Trust 3-14-12-10	SENE	14	12S	10E	Utah	Carbon	Castlegate	SI	43-007-30640	PNR	Gas Well
✓ Huber-Shimmin Trust 4-14	Huber Shimmin Trust 4-14-12-10	SENE	14	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30662	PNR	Gas Well
✓ Huber-State 1-16	Huber State 1-16-12-10	NWNE	16	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30589	PNR	Gas Well
✓ Huber -St 4-16	Huber State 4-16-12-10	SENE	16	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30785	PNR	Gas Well
✓ Jensen 7-15 Deep	Jensen Deep 7-15-12-10	SWNE	15	12S	10E	Utah	Carbon	Castlegate	TA	43-007-30786	PNR	Gas Well
✓ Shimmin Trust 11-11	Shimmin Trust 11-11-12-10	NESW	11	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30166	PNR	Gas Well
✓ Shimmin Trust 14-12	Shimmin Trust 14-12-12-10	SESW	12	12S	10E	Utah	Carbon	Castlegate	XX	43-007-30169	PNR	Gas Well
✓ Shimmin Trust 5	Shimmin Trust 5-14-12-10	NWNE	14	12S	10E	Utah	Carbon	Castlegate	PR	43-007-30122	PNR	Gas Well
✓ Huber-St 1-35	Huber State 1-35-12-10 WDW	SWSW	35	12S	10E	Utah	Duchesne	Castlegate	Active	43-013-32308	PNR	WDW
✓ Anderson Fed 2	Anderson Federal 2-12-16S-24E	SWSW	12	16S	24E	Utah	Grand	East Canyon	PR	43-019-30136	PNR	Gas Well
✓ Federal 1-34	Bryson Canyon Federal 1-34-16S-24E	NESE	34	16S	24E	Utah	Grand	Bryson Canyon	PR	43-019-31077	PNR	Gas Well
✓ Federal 2-34	Bryson Canyon Federal 2-34-16S-24E	SESW	34	16S	24E	Utah	Grand	Bryson Canyon	PR	43-019-31078	PNR	Gas Well
✓ Federal 24-1	East Canyon Federal 24-1-16S-24E	NWNE	1	16S	24E	Utah	Grand	East Canyon	PA	43-019-30955	PNR	Gas Well
✓ Black Horse 2	Black Horse 2 1-29-15S-24E	SESE	29	15S	24E	Utah	Uintah	Black Horse Canyon	SI	43-047-30248	PNR	Gas Well
✓ Fed ENI 7-1	Davis Canyon Federal ENI 7-1-13S-26E	NENE	1	13S	26E	Utah	Uintah	Davis Canyon	SI	43-047-31134	PNR	Gas Well

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER: Private
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: Huber Shimmin Trust 4-14-12-10
2. NAME OF OPERATOR: Pioneer Natural Resources		9. API NUMBER: 4300730662
3. ADDRESS OF OPERATOR: 1401 17th St., Suite 1200 CITY Denver STATE CO ZIP 80202		10. FIELD AND POOL, OR WILDCAT: Castlegate
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1565' FNL & 1600' FWL		COUNTY: Carbon
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENW 14 12S 10E		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input checked="" type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 6/28/2004	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On June 28, 2004 Pioneer Natural Resources (formerly Evergreen Operating Corp. and operator at time of work) fracture treated this well.

Stage 4 - 3866' to 3870' - 16 total shots, 22,000 lbs. sand, 283,600 SCF N2, 70 Q foam
 Stage 3 - 3926' - 3930' - 16 total shots, 25,000 lbs. sand, 317,000 SCF N2, 70 Q foam
 Stage 2 - 3987' to 3990' - 12 total shots, 25,000 lbs. sand, 431,500 SCF N2, 70 Q foam
 Stage 1 - 4035' to 4089' - 96 total shots, 100,000 lbs. sand, 663,500 SCF N2, 70 Q foam

NAME (PLEASE PRINT) <u>Kallasandra M. Boulay</u>	TITLE <u>Engineering Analyst</u>
SIGNATURE	DATE <u>2/13/2006</u>

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

- | |
|--------|
| 1. DJJ |
| 2. CDW |

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

4/1/2010

FROM: (Old Operator): N5155-Pioneer Natural Resources USA, Inc. 1401 17th St, Suite 1200 Denver, CO 80202 Phone: 1 (303) 675-2610	TO: (New Operator): N3680-Blue Tip Castlegate, Inc. 15810 Park Ten Place, Suite 160 Houston, TX 77084 Phone: 1 (303) 979-6023
--	---

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/3/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/3/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 5/10/2010
- a. Is the new operator registered in the State of Utah: Business Number: 7624076-0142
- a. (R649-9-2)Waste Management Plan has been received on: Requested 9/13/2010
- b. Inspections of LA PA state/fee well sites complete on: n/a
- c. Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: * Being held

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: *
- Receipt of Acceptance of Drilling Procedures for APD/New on: 6/30/2010

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: B005638
- Indian well(s) covered by Bond Number: n/a
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number B005639 and B005650
- b. The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 6/30/2010

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Blue Tip Castlegate, Inc. <i>N 3680</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 15810 Park Ten Place - Ste 160 CITY Houston STATE TX ZIP 77084		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (303) 979-6023		8. WELL NAME and NUMBER: See Attached List
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: Carbon		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>4/1/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Blue Tip Castlegate, Inc. has acquired all of Pioneer Natural Resources USA, Inc's interest in the Castlegate Field - see attached well list. The effective date of change of operator is April 1, 2010.

Betty Brown 5/13/10
Betty Brown Date
Attorney-In-Fact
Pioneer Natural Resources USA, Inc. *N 5155*
1401 17th Street - Suite 1200
Denver, CO 80202
Phone: 303-675-2610

Bruce L Taylor 5/13/10
Bruce L. Taylor Date
Manager Vice President *BLT*
Blue Tip Castlegate, Inc.
15810 Park Ten Place - Suite 160
Houston, TX 77084
Telephone: 303-979-6023
State Bond No.: B005639
BLM Bond No.: B005638

NAME (PLEASE PRINT) <u>Bruce L. Taylor</u>	TITLE <u>Manager Vice President <i>BLT</i></u>
SIGNATURE <i>Bruce L Taylor</i>	DATE <u>5/13/10</u>

(This space for State use only)

APPROVED 6/30/2010
Earlene Russell
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
JUN 03 2010
DIV. OF OIL, GAS & MINING

PIONEER NATURAL RESOURCES (N5155) to BLUE TIP CASTLEGATE (N3680)

well_name	sec	twp	rng	api	entity	lease	type	stat	C
SHIMMIN TRUST 5-14-12-10	14	120S	100E	4300730122	14175	Fee	GW	P	
CASTLEGATE FED 7-9-12-10	09	120S	100E	4300730137	12991	Federal	GW	P	
JENSEN 9-10-12-10	10	120S	100E	4300730159	12906	Fee	GW	P	
JENSEN 5-10-12-10	10	120S	100E	4300730162	12905	Fee	GW	S	
JENSEN 16-9-12-10	09	120S	100E	4300730163	12904	Fee	GW	P	
JENSEN 11-10-12-10	10	120S	100E	4300730164	11405	Fee	GW	P	
SHIMMIN TRUST 11-11-12-10	11	120S	100E	4300730166	11410	Fee	GW	P	
CASTLEGATE ST 1-16-12-10	16	120S	100E	4300730589	12610	State	GW	P	
JENSEN 1-10-12-10	10	120S	100E	4300730596	12611	Fee	GW	P	
SHIMMIN TRUST 2-11-12-10	11	120S	100E	4300730659	13070	Fee	GW	P	
SHIMMIN TRUST 4-14-12-10	14	120S	100E	4300730662	13071	Fee	GW	P	
SHIMMIN TRUST 1-11-12-10	11	120S	100E	4300730673	12901	Fee	GW	P	
JENSEN 2-10-12-10	10	120S	100E	4300730675	14225	Fee	GW	OPS	
JENSEN 1-9-12-10	09	120S	100E	4300730717	12903	Fee	GW	P	
JENSEN 1-18-12-10	18	120S	100E	4300730718	14226	Fee	GW	P	
JENSEN 1-4-12-10	04	120S	100E	4300730733	13068	Fee	GW	P	
JENSEN 2-8-12-10	08	120S	100E	4300730734	13275	Fee	GW	P	
JENSEN 2-9-12-10	09	120S	100E	4300730735	13317	Fee	GW	P	
JENSEN 1-15-12-10	15	120S	100E	4300730736	13072	Fee	GW	P	
JENSEN 1-8-12-10	08	120S	100E	4300730768	13359	Fee	GW	P	
CASTLEGATE ST 4-16-12-10	16	120S	100E	4300730785	13318	State	GW	P	
JENSEN DEEP 7-15-12-10	15	120S	100E	4300730786	13247	Fee	GW	S	
CASTLEGATE ST 11-16H-12-10	16	120S	100E	4300730961	14224	State	GW	S	
SHIMMIN 11-14-12-10	14	120S	100E	4300730962	14223	Fee	GW	OPS	
JENSEN 23C-9-12-10	09	120S	100E	4300731211	15770	Fee	GW	P	
JENSEN 33C-9-12-10	09	120S	100E	4300731212	15769	Fee	GW	P	
JENSEN 42C-9-12-10	09	120S	100E	4300731213	15766	Fee	GW	P	
JENSEN 43C-9-12-10	09	120S	100E	4300731214	15768	Fee	GW	P	C
CASTLEGATE FED 22C-9-12-10	09	120S	100E	4300731225	15767	Federal	GW	P	
JENSEN 41C-9-12-10	09	120S	100E	4300731452	17246	Fee	GW	OPS	C
JENSEN 14C-10-12-10	10	120S	100E	4300731453	17235	Fee	GW	P	
JENSEN FED 14C-3-12-10	03	120S	100E	4300731495		Federal	GW	APD	C
JENSEN FED 22C-10-12-10	10	120S	100E	4300731498		Federal	GW	APD	C
JENSEN FED 11C-10-12-10	10	120S	100E	4300731499		Federal	GW	APD	C
JENSEN 14C-4-12-10	04	120S	100E	4300731500		Fee	GW	APD	C
JENSEN 44C-4-12-10	04	120S	100E	4300731501		Fee	GW	APD	C
JENSEN 44C-5-12-10	05	120S	100E	4300731502		Fee	GW	APD	C
JENSEN 34C-9-12-10	09	120S	100E	4300731503		Fee	GW	APD	C
JENSEN 31C-9-12-10	09	120S	100E	4300731504		Fee	GW	APD	C
JENSEN 14C-9-12-10	09	120S	100E	4300731505		Fee	GW	APD	C
JENSEN 11C-9-12-10	09	120S	100E	4300731506		Fee	GW	APD	C
JENSEN 24C-9-12-10	09	120S	100E	4300731507		Fee	GW	APD	C
JENSEN ST 11C-34-11-9	34	110S	090E	4304930024	17071	State	GW	S	C

Division of Oil, Gas and Mining
 Operator Change/Name Change Worksheet-for State use only

Effective Date: 7/1/2016

FORMER OPERATOR:	NEW OPERATOR:
Blue Tip Castlegate, Inc. 15810 Park Ten Place, Suite 160 Houston TX 77084	Liberty Pioneer Energy Sources, Inc. 1411 East 840 North Orem UT 84097
CA Number(s):	Unit(s): N/A

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 7/21/2016
2. Sundry or legal documentation was received from the **NEW** operator on: 7/21/2016
3. New operator Division of Corporations Business Number: 6353640-0143

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD on: N/A
3. Reports current for Production/Disposition & Sundries: 8/26/2016
4. OPS/SI/TA well(s) reviewed for full cost bonding: 8/26/2016
5. UIC5 on all disposal/injection/storage well(s) approved on: 8/26/2016
6. Surface Facility(s) included in operator change: N/A
7. Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ~~N/A~~ UTB000334
2. Indian well(s) covered by Bond Number: N/A
3. State/fee well(s) covered by Bond Number(s): RLB0012097

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 8/26/2016
2. Entity Number(s) updated in **OGIS** on: 8/26/2016
3. Unit(s) operator number update in **OGIS** on: N/A
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: 8/26/2016
6. Surface Facilities update in **RBDMS** on: N/A

COMMENTS:

From: Blue Tip Castlegate, Inc.
 To: Liberty Pioneer Energy Source, Inc.
 Effective: 7/1/2016

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral	Surface	Type	Status
CASTLEGATE ST 1-35-12-10 WD	35	110S	100E	4301332308	13472	State	State	WD	A
JENSEN 9-10-12-10	10	120S	100E	4300730159	12906	Fee	Fee	GW	P
JENSEN 5-10-12-10	10	120S	100E	4300730162	12905	Fee	Fee	GW	P
JENSEN 16-9-12-10	9	120S	100E	4300730163	12904	Fee	Fee	GW	P
JENSEN 11-10-12-10	10	120S	100E	4300730164	11405	Fee	Fee	GW	P
CASTLEGATE ST 1-16-12-10	16	120S	100E	4300730589	12610	State	State	GW	P
JENSEN 1-10-12-10	10	120S	100E	4300730596	12611	Fee	Fee	GW	P
JENSEN 1-9-12-10	9	120S	100E	4300730717	12903	Fee	Fee	GW	P
JENSEN 2-9-12-10	9	120S	100E	4300730735	13317	Fee	Fee	GW	P
JENSEN 1-15-12-10	15	120S	100E	4300730736	13072	Fee	Fee	GW	P
JENSEN 1-8-12-10	8	120S	100E	4300730768	13359	Fee	Fee	GW	P
JENSEN DEEP 7-15-12-10	15	120S	100E	4300730786	13247	Fee	Fee	GW	P
JENSEN 23C-9-12-10	9	120S	100E	4300731211	15770	Fee	Fee	GW	P
JENSEN 33C-9-12-10	9	120S	100E	4300731212	15769	Fee	Fee	GW	P
JENSEN 43C-9-12-10	9	120S	100E	4300731214	15768	Fee	Fee	GW	P
CASTLEGATE FED 22C-9-12-10	9	120S	100E	4300731225	15767	Federal	Federal	GW	P
JENSEN 41C-9-12-10	9	120S	100E	4300731452	17246	Fee	Fee	GW	P
JENSEN 14C-10-12-10	10	120S	100E	4300731453	17235	Fee	Fee	GW	P
JENSEN FED 6-10-12-10	10	120S	100E	4300750177	18209	Federal	Fee	GW	P
SHIMMIN TRUST 5-14-12-10	14	120S	100E	4300730122	14175	Fee	Fee	GW	S
CASTLEGATE FED 7-9-12-10	9	120S	100E	4300730137	12991	Federal	Federal	GW	S
SHIMMIN TRUST 11-11-12-10	11	120S	100E	4300730166	11410	Fee	Fee	GW	S
SHIMMIN TRUST 2-11-12-10	11	120S	100E	4300730659	13070	Fee	Fee	GW	S
SHIMMIN TRUST 4-14-12-10	14	120S	100E	4300730662	13071	Fee	Fee	GW	S
SHIMMIN TRUST 1-11-12-10	11	120S	100E	4300730673	12901	Fee	Fee	GW	S
JENSEN 1-18-12-10	18	120S	100E	4300730718	14226	Fee	Fee	GW	S
JENSEN 1-4-12-10	4	120S	100E	4300730733	13068	Fee	Fee	GW	S
JENSEN 2-8-12-10	8	120S	100E	4300730734	13275	Fee	Fee	GW	S
CASTLEGATE ST 4-16-12-10	16	120S	100E	4300730785	13318	State	State	GW	S
CASTLEGATE ST 11-16H-12-10	16	120S	100E	4300730961	14224	State	State	GW	S
JENSEN 42C-9-12-10	9	120S	100E	4300731213	15766	Fee	Fee	GW	S
JENSEN 2C-9	9	120S	100E	4300750179	18242	Fee	Fee	GW	S
JENSEN ST 11C-34-11-9	34	110S	090E	4304930024	17071	State	Fee	GW	S

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Liberty Pioneer Energy Source, Inc.		8. WELL NAME and NUMBER: SEE ATTACHED LIST
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		9. API NUMBER: SEE ATTACHED LIST
PHONE NUMBER: (801)224-4771		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED LIST COUNTY:		STATE: UTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Blue Tip Castlegate, Inc. **N3680**
15810 Park Ten Place - Suite 160
Houston, TX 77084
Phone (281) 994-3800

NEW OPERATOR:
Liberty Pioneer Energy Source, Inc. **N2855**
1411 East 840 North
Orem, UT 84097
Phone (801) 224-4771

Operator Number N3680

Operator Number N2855


By: 
Bruce L. Taylor, Vice President

RECEIVED

JUL 21 2016

DIV. OF OIL, GAS & MINING


Be advised that Liberty Pioneer Energy Source, Inc. is responsible under the terms and conditions of the related leases for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. RLB0012097.

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Vice President of Liberty Pioneer Energy Source, Inc.</u>
SIGNATURE 	DATE <u>7/18/16</u>

(This space for State use only)

APPROVED

AUG 26 2016

DIV. OIL GAS & MINING
BY: 

ATTACHED LIST to Change of Operator Sundry Notice

BTC WELL NUMBER	WELL NAME AND NUMBER	LEGAL DESCRIPTION	OPERATOR	API	COUNTY	STATE
2080001	JENSEN 1-4-12-10	Salt Lake Meridian T12S R10E Sec 04: SWSE	BLUE TIP CASTLEGATE INC.	43-007-30733-0000	CARBON	UTAH
2080002	JENSEN 1-8-12-10	Salt Lake Meridian T12S R10E Sec 08: NESE	BLUE TIP CASTLEGATE INC.	43-007-30768-0000	CARBON	UTAH
2080003	JENSEN 2-8-12-10	Salt Lake Meridian T12S R10E Sec 08: NENE	BLUE TIP CASTLEGATE INC.	43-007-30734-0000	CARBON	UTAH
2080004	CASTLEGATE FED 22C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: SENW	BLUE TIP CASTLEGATE INC.	43-007-31225-0000	CARBON	UTAH
2080005	CASTLEGATE FED 7-9-12-10	Salt Lake Meridian T12S R10E Sec 09: SWNE	BLUE TIP CASTLEGATE INC.	43-007-30137-0000	CARBON	UTAH
2080006	JENSEN 1-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NWSW	BLUE TIP CASTLEGATE INC.	43-007-30717-0000	CARBON	UTAH
2080007	JENSEN 2-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NENW	BLUE TIP CASTLEGATE INC.	43-007-30735-0000	CARBON	UTAH
2080008	JENSEN 16-9-12-10	Salt Lake Meridian T12S R10E Sec 09: SESE	BLUE TIP CASTLEGATE INC.	43-007-30163-0000	CARBON	UTAH
2080009	JENSEN 23C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NESW	BLUE TIP CASTLEGATE INC.	43-007-31211-0000	CARBON	UTAH
2080010	JENSEN 33C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NWSE	BLUE TIP CASTLEGATE INC.	43-007-31212-0000	CARBON	UTAH
2080011	JENSEN 42C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: SENE	BLUE TIP CASTLEGATE INC.	43-007-31213-0000	CARBON	UTAH
2080012	JENSEN 43C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NESE	BLUE TIP CASTLEGATE INC.	43-007-31214-0000	CARBON	UTAH
2080013	JENSEN 1-10-12-10	Salt Lake Meridian T12S R10E Sec 10: NWSW	BLUE TIP CASTLEGATE INC.	43-007-30596-0000	CARBON	UTAH
2080014	JENSEN 5-10-12-10	Salt Lake Meridian T12S R10E Sec 10: SWNW	BLUE TIP CASTLEGATE INC.	43-007-30162-0000	CARBON	UTAH
2080015	JENSEN 11-10-12-10	Salt Lake Meridian T12S R10E Sec 10: NESW	BLUE TIP CASTLEGATE INC.	43-007-30164-0000	CARBON	UTAH

ATTACHED LIST to Change of Operator Sundry Notice

BTC WELL NUMBER	WELL NAME AND NUMBER	LEGAL DESCRIPTION	OPERATOR	API	COUNTY	STATE
2080016	JENSEN 14C-10-12-10	Salt Lake Meridian T12S R10E Sec 10: SWSW	BLUE TIP CASTLEGATE INC.	43-007-31453-0000	CARBON	UTAH
2080017	SHIMMIN TRUST 1-11-12-10	Salt Lake Meridian T12S R10E Sec 11: SWSW	BLUE TIP CASTLEGATE INC.	43-007-30673-0000	CARBON	UTAH
2080018	SHIMMIN TRUST 2-11-12-10	Salt Lake Meridian T12S R10E Sec 11: SFSW	BLUE TIP CASTLEGATE INC.	43-007-30659-0000	CARBON	UTAH
2080019	SHIMMIN TRUST 4-14-12-10	Salt Lake Meridian T12S R10E Sec 14: SENW	BLUE TIP CASTLEGATE INC.	43-007-30662-0000	CARBON	UTAH
2080020	SHIMMIN TRUST 5-14-12-10	Salt Lake Meridian T12S R10E Sec 14: NWNE	BLUE TIP CASTLEGATE INC.	43-007-30122-0000	CARBON	UTAH
2080021	JENSEN 1-15-12-10	Salt Lake Meridian T12S R10E Sec 15: SWNE	BLUE TIP CASTLEGATE INC.	43-007-30736-0000	CARBON	UTAH
2080022	JENSEN DEEP 7-15-12-10	Salt Lake Meridian T12S R10E Sec 15: SWNE	BLUE TIP CASTLEGATE INC.	43-007-30786-0000	CARBON	UTAH
2080023	CASTLEGATE ST 1-16-12-10	Salt Lake Meridian T12S R10E Sec 16: NWNE	BLUE TIP CASTLEGATE INC.	43-007-30589-0000	CARBON	UTAH
2080024	CASTLEGATE ST 4-16-12-10	Salt Lake Meridian T12S R10E Sec 16: SENW	BLUE TIP CASTLEGATE INC.	43-007-30785-0000	CARBON	UTAH
2080025	JENSEN 1-18-12-10	Salt Lake Meridian T12S R10E Sec 18: NESE	BLUE TIP CASTLEGATE INC.	43-007-30718-0000	CARBON	UTAH
2080026	CASTLEGATE ST 1-35-12-10 WD	Salt Lake Meridian T11S R10E Sec 35: SWSW	BLUE TIP CASTLEGATE INC.	43-013-32308-0000	DUCHESNE	UTAH
2080027	CASTLEGATE ST 11-16H-12-10	Salt Lake Meridian T12S R10E Sec 16: NWNW	BLUE TIP CASTLEGATE INC.	43-007-30961-0000	CARBON	UTAH
2080028	JENSEN STATE 11C-34-11-9	Salt Lake Meridian T11S R9E Sec 34: NWNW	BLUE TIP CASTLEGATE INC.	43-049-30024-0000	UTAH	UTAH
2080030	JENSEN 41C-9-12-10	Salt Lake Meridian T12S R10E Sec 09: NENE	BLUE TIP CASTLEGATE INC.	43-007-31452-0000	CARBON	UTAH

29

ATTACHED LIST to Change of Operator Sundry Notice

BTC WELL NUMBER	WELL NAME AND NUMBER	LEGAL DESCRIPTION	OPERATOR	API	COUNTY	STATE
2080032	JENSEN 9-10-12-10	Salt Lake Meridian T12S R10E Sec 10: NESE	BLUE TIP CASTLEGATE INC.	43-007-30159-0000	CARBON	UTAH
2080033	SHIMMIN TRUST 11-11-12-10	Salt Lake Meridian T12S R10E Sec 11: NESW	BLUE TIP CASTLEGATE INC.	43-007-30166-0000	CARBON	UTAH
2080042	JENSEN 2C-9-12-10	Salt Lake Meridian T12S R10E Sec 9: NW4NE4	BLUE TIP CASTLEGATE INC.	43-007-01790-0000 50179	CARBON	UTAH
2080043	JENSEN FED 6-10-12-10	Salt Lake Meridian T12S R10E Sec 6: SE4NW4	BLUE TIP CASTLEGATE INC.	43-007-50177-0000	CARBON	UTAH

33

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number Castlegate St 1-35-12-10	API Number 4301332308
Location of Well Footage : 540' FSL, 1135' FWL County : Duchesne QQ, Section, Township, Range: SWSW 35 11S 10E State : UTAH	Field or Unit Name Castlegate Lease Designation and Number ML-48822

EFFECTIVE DATE OF TRANSFER: 7/1/2016

CURRENT OPERATOR

Company: <u>Blue Tip Castlegate, Inc.</u>	Name: <u>Bruce L. Taylor</u>
Address: <u>P. O. Box 842317</u>	Signature: <u><i>Bruce L. Taylor</i></u>
<u>city Houston state TX zip 77284</u>	Title: <u>Secretary</u>
Phone: <u>(281) 944-3800</u>	Date: <u>7/1/2016</u>
Comments:	

NEW OPERATOR

Company: <u>WEM Castlegate, LLC</u>	Name: <u>Cory Kusen</u>
Address: <u>1411 East 840 North</u>	Signature: <u><i>Cory Kusen</i></u>
<u>city Orem state UT zip 84097</u>	Title: <u>Manager</u>
Phone: _____	Date: <u>7/1/16</u>
Comments:	

(This space for State use only)

Transfer approved by: *Don Juan*
Title: UIC Geologist

Approval Date: 8/3/16

Comments:

RECEIVED
JUL 21 2016



Dustin K. Doucet
Petroleum Engineer
Division of Oil, Gas and Mining
1594 West North Temple, Ste 1210
Salt Lake City, Utah 84116

RE: Bonding for Castlegate Field Wells

August 15, 2016

Dustin:

Blue Tip Energy Management, LLC was the previous operator and bondholder of the Castle Gate Field and associated wells listed below. Liberty Pioneer Energy Source, Inc. ("LPES") has submitted the necessary paperwork to take over as the new operator of these wells. Per our recent communications we would like to make the following proposal pertaining to the bonding of the wells listed below so that all of the wells in the field will be covered by LPES blanket bond #RLB0012097.

1) LPES plans to P&A the following wells prior to November 1, 2016:

13318 CASTLEGATE ST 4-16-12-10
14224 CASTLEGATE ST 11-16H-12-10

2) LPES is currently getting pricing to build a pipeline to the following well which is believed to be capable of production. If pricing is reasonable, LPES will propose production testing and flaring. We will notify you of our decision to either run a pipeline or plug and abandon this well before the end of 2016. If the decision is to produce, LPES will commence the pipeline permitting process before the end of 2016:

17071 JENSEN STATE 11C-34-11-9

3) Wells that are currently producing or will be returned to producing status by October 1, 2016:

13070 SHIMMIN TRUST 2-11-12-10
13275 JENSEN 2-8-12-10
13071 SHIMMIN TRUST 4-14-12-10
13068 JENSEN 1-4-12-10
18242 JENSEN 2C-9-12-10
12991 CASTLEGATE FED 7-9-12-10
11405 JENSEN 11-10-12-10
12610 CASTLEGATE ST 1-16-12-10
12611 JENSEN 1-10-12-10
12903 JENSEN 1-9-12-10
12904 JENSEN 16-9-12-10
12905 JENSEN 5-10-12-10
12906 JENSEN 9-10-12-10
13072 JENSEN 1-15-12-10
13247 JENSEN DEEP 7-15-12-10
13317 JENSEN 2-9-12-10
13359 JENSEN 1-8-12-10
15766 JENSEN 42C-9-12-10
15767 CASTLEGATE FED 22C-9-12-10
15768 JENSEN 43C-9-12-10
15769 JENSEN 33C-9-12-10
15770 JENSEN 23C-9-12-10
17235 JENSEN 14C-10-12-10
17246 JENSEN 41C-9-12-10
14226 JENSEN 1-18-12-10
11410 SHIMMIN TRUST 11-11-12-10
12901 SHIMMIN TRUST 1-11-12-10
14175 SHIMMIN TRUST 5-14-12-10
18209 JENSEN 6-10-12-10

Thanks for your help. Please let us know if you have any questions.

Sincerely,



Daniel R. Gunnell
President
Liberty Pioneer Energy Source, Inc.
1411 East 840 North
Orem, UT 84097



Rachel Medina <rachelmedina@utah.gov>

Fwd: LPES plans for the Castlegate field wells/Bonding

2 messages

Dayne Doucet <daynedoucet@utah.gov>

Wed, Aug 17, 2016 at 11:46 AM

To: Rachel Medina <rachelmedina@utah.gov>, Randy Thackeray <randythackeray@utah.gov>

FYI

----- Forwarded message -----

From: **Daniel Gunnell** <dgunnell@rockiesstandard.com>

Date: Wed, Aug 17, 2016 at 9:40 AM

Subject: Re: LPES plans for the Castlegate field wells/Bonding

To: Dustin Doucet <dustindoucet@utah.gov>

Cc: Brad Gunnell <bgunnell@rockiesstandard.com>, Cory Jensen <cjensen@rockiesstandard.com>, Kimball Hodges <khodges@rockiesstandard.com>, Dayne Doucet <daynedoucet@utah.gov>, Joshua Payne <joshuapayne@utah.gov>

Dustin:

Thanks for your help with this! Please find Bond Proposal Letter attached.

If there is anything else you need please let me know. The Blue Tip guys are anxious to get their bond released.

Let me know if I need to send a hard copy of the letter.

Best,

Danny

On Mon, Aug 8, 2016 at 9:24 AM, Dustin Doucet <dustindoucet@utah.gov> wrote:

Danny,

Yes if you would just edit your previous plan and resubmit so there is no confusion. I think that would make it cleaner. If you decide to put a well online and have it online by the plugging deadline, then that should be fine.

Dustin

On Tue, Aug 2, 2016 at 4:31 PM, Daniel Gunnell <dgunnell@rockiesstandard.com> wrote:

Dustin:

Sorry for not getting back to you on this until now. There maybe a couple of wells that we may come back to you specifically on, but I think that we have now got a pretty good go forward plan that will meet and exceed your end of the year time frame for getting the wells in categories 2 and 3 in production.

There is one material change to my previous email that we want to make you aware of - instead of plugging the 11C-34 we are seriously considering running a pipeline to it and bringing online... not a final decision yet, but we are have got and are getting additional bids, and designing a test plan to better understand what production would look like.

Do I need to submit a formal letter with dates of Nov 1 for plugging and end of year to get wells on production under our existing bonds or are these emails sufficient?

Thanks for your help!

Best,

Danny

What time do you think you need? I would think by the end of the year max. If you can line out more justification, I'm open to listening to the reasoning.

Dustin

On Thu, Jun 30, 2016 at 12:21 PM, Daniel Gunnell <dgunnell@rockiesstandard.com> wrote:
Dustin:

Sounds good. Thanks for your help.

Can we push back just a little to get as much time as possible for shut in wells that we need to come up with a plan for or plug (#2 in my original email?) - how much beyond Oct 2016 could you give us? We are going to be really busy so as much extra time as you can give really helps... we are reclaiming those evaporation ponds immediately, taking over operations, retrofitting the plant, plugging the identified wells, and ramping up production by reworking multiple shut-in wells that are we have already reviewed.

Let me know and thanks again.

Best,

Danny

On Thu, Jun 30, 2016 at 10:30 AM, Dustin Doucet <dustindoucet@utah.gov> wrote:
Danny,

I would be o.k. with the timing and plan on part 1. The timing on part 2 does not work. Those have been SI/TA anywhere from 2.5 to 5 years. Did you mean October 2016? Our discussions were if you had a plan to produce or plug within a short period (meaning a few months), then we could forego increased bonding but increased bonding would be necessary if that wasn't accomplished. Part 3 would be similar to part 2 on the wells that have been SI/TA. The producing ones would probably be fine as you have 1 year allowed by rule (see below).

Production data through Jan 2016

13070	SHIMMIN TRUST 2-11-12-10 <u>SI since Sep 2014</u>
13275	JENSEN 2-8-12-10 <u>SI since Nov 2015</u>
13071	SHIMMIN TRUST 4-14-12-10 <u>SI since Dec 2015</u>
13068	JENSEN 1-4-12-10 <u>Produced 1 day in Jan 2016</u>
18242	JENSEN 2C-9-12-10 <u>Producing</u>
12991	CASTLEGATE FED 7-9-12-10 <u>Producing</u>
11405	JENSEN 11-10-12-10 <u>Producing</u>
12610	CASTLEGATE ST 1-16-12-10 <u>Producing</u>
12611	JENSEN 1-10-12-10 <u>Producing</u>
12903	JENSEN 1-9-12-10 <u>Producing</u>
12904	JENSEN 16-9-12-10 <u>Producing</u>
12905	JENSEN 5-10-12-10 <u>Producing</u>
12906	JENSEN 9-10-12-10 <u>Producing</u>
13072	JENSEN 1-15-12-10 <u>Produced 1 day in Jan 2016</u>
13247	JENSEN DEEP 7-15-12-10 <u>Produced 1 day in Jan 2016</u>

13359 JENSEN 1-8-12-10 Producing
15766 JENSEN 42C-9-12-10 Producing
15767 CASTLEGATE FED 22C-9-12-10 Producing
15768 JENSEN 43C-9-12-10 Producing
15769 JENSEN 33C-9-12-10 Producing
15770 JENSEN 23C-9-12-10 SI since Nov 2015
17235 JENSEN 14C-10-12-10 Producing
17246 JENSEN 41C-9-12-10 Producing
18209 JENSEN 6-10-12-10 Producing

On Fri, Jun 24, 2016 at 11:28 AM, Daniel Gunnell <dgunnell@rockiesstandard.com> wrote:

Dustin:

Per our recent conversation, I wanted to informally run our plans/bonding proposal for the Castle Gate Field by you for your comment prior to submitting a final proposal. Here is what we are considering:

Blue Tip Energy Management, LLC ("Blue Tip"), is the current operator and bondholder, of the Castle Gate Field and associated wells listed below ("Wells"). LPES should take over as the new operator effective July 1 2016. In anticipation of the transfer of operations and per our recent phone conversation we would like to make the following proposal pertaining to the LPES bonding of the wells listed below so that all of the wells in the field will be covered by LPES blanket bond #RLB0012097.

1) LPES will P&A the following wells prior to November 1, 2016:

17071 JENSEN STATE 11C-34-11-9
14224 CASTLEGATE ST 11-16H-12-10

2) LPES will evaluate and propose a go forward plan after evaluation on the following shut-in wells prior to October 1 2017:

13318 CASTLEGATE ST 4-16-12-10
14226 JENSEN 1-18-12-10
11410 SHIMMIN TRUST 11-11-12-10
12901 SHIMMIN TRUST 1-11-12-10
14175 SHIMMIN TRUST 5-14-12-10

13070 SHIMMIN TRUST 2-11-12-10

13275 JENSEN 2-8-12-10

13071 SHIMMIN TRUST 4-14-12-10

13068 JENSEN 1-4-12-10

18242 JENSEN 2C-9-12-10

12991 CASTLEGATE FED 7-9-12-10

11405 JENSEN 11-10-12-10

12610 CASTLEGATE ST 1-16-12-10

12611 JENSEN 1-10-12-10

12903 JENSEN 1-9-12-10

12904 JENSEN 16-9-12-10

12905 JENSEN 5-10-12-10

12906 JENSEN 9-10-12-10

13072 JENSEN 1-15-12-10

13247 JENSEN DEEP 7-15-12-10

13317 JENSEN 2-9-12-10

13359 JENSEN 1-8-12-10

15766 JENSEN 42C-9-12-10

15767 CASTLEGATE FED 22C-9-12-10

15768 JENSEN 43C-9-12-10

15769 JENSEN 33C-9-12-10

15770 JENSEN 23C-9-12-10

17235 JENSEN 14C-10-12-10

17246 JENSEN 41C-9-12-10

18209 JENSEN 6-10-12-10

If this proposal is acceptable please let me know and I will submit a formal letter for approval. Thanks for your help.

Best,

Danny

—

Daniel R. Gunnell
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Confidentiality Notice—This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited. If you have received this communication in error, please consider the communication and any attachments as confidential and immediately notify sender by return e-mail and destroy the communication and any and all attachments.

—

Dustin K. Doucet
Petroleum Engineer
Division of Oil, Gas and Mining
1594 West North Temple, Ste 1210
Salt Lake City, Utah 84116
801.538.5281 (ofc)
801.359.3940 (fax)

web: www.ogm.utah.gov

—

Daniel R. Gunnell
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Confidentiality Notice—This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited. If you have received this communication in error, please consider the communication and any attachments as confidential and immediately notify sender by return e-mail and destroy the communication and any and all attachments.

—

Dustin K. Doucet
Petroleum Engineer
Division of Oil, Gas and Mining
1594 West North Temple, Ste 1210
Salt Lake City, Utah 84116
801.538.5281 (ofc)
801.359.3940 (fax)

web: www.ogm.utah.gov

--
Daniel R. Gunnell
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Confidentiality Notice—This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited. If you have received this communication in error, please consider the communication and any attachments as confidential and immediately notify sender by return e-mail and destroy the communication and any and all attachments.

--
Dustin K. Doucet
Petroleum Engineer
Division of Oil, Gas and Mining
1594 West North Temple, Ste 1210
Salt Lake City, Utah 84116
801.538.5281 (ofc)
801.359.3940 (fax)

web: www.ogm.utah.gov

--
Daniel R. Gunnell
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Confidentiality Notice—This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited. If you have received this communication in error, please consider the communication and any attachments as confidential and immediately notify sender by return e-mail and destroy the communication and any and all attachments.

--
Dayne Doucet
Petroleum Engineer
UDOGM
801-538-5303

 **Statewide Bond Proposal.pdf**
421K

Dustin Doucet <dustindoucet@utah.gov>

Wed, Aug 17, 2016 at 2:01 PM

To: Daniel Gunnell <dgunnell@rockiesstandard.com>, Rachel Medina <rachelmedina@utah.gov>

Cc: Brad Gunnell <bgunnell@rockiesstandard.com>, Cory Jensen <cjensen@rockiesstandard.com>, Kimball Hodges <khodges@rockiesstandard.com>, Dayne Doucet <daynedoucet@utah.gov>, Joshua Payne <joshuapayne@utah.gov>

Danny,

I think that looks fine. If the deadlines aren't met we will be looking for full cost bonding in addition to getting the wells back into compliance. I have copied Rachel Medina on this email so she can proceed with the operator change with this plan and conditions. thanks.