



PHILLIPS PETROLEUM COMPANY

6825 South 5300 West
P.O. Box 851
Price, UT 84501
TEL: (435) 613-9777 FAX: (435) 613-9782

September 13, 2001

Ms Lisha Cordova
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
SLC, Utah 84114-5801

RE: Application for Permit to Drill-
Utah 25-618, NW/4 SW/4 Sec.25
T13S, R09E, SLB & M, Emery County, Utah

Dear Ms. Cordova:

Enclosed is the original of the *Application for Permit to Drill* (APD), ~~which replaces the APD currently on file with your office.~~ Included with the APD is the following information:

- Exhibit "A"- Survey Plat of the Proposed Well Site;
- Exhibit "B" - Proposed Location Map with Pipeline, Power, and Road Access;
- Exhibit "C" - Drilling Site Layout;
- Exhibit "D" - Drilling Information
- Exhibit "E" - Multipoint Surface Use Plan
- Exhibit "F" - Typical Road Cross-section;
- Exhibit "G" - BOP Diagram;
- Exhibit "H" - Typical Wellhead Manifold;
- Exhibit "I" - Evidence of Bond;

ORIGINAL

CONFIDENTIAL

RECEIVED

SEP 20 2001

DIVISION OF
OIL, GAS AND MINING

This proposed well is located more than 460' from the boundary of the Unit Area and from the boundary of any uncommitted tract within the Unit Area and will not require the administrative approval in accordance with Utah Administrative Code Rule R649-3-3.

Please accept this letter as Phillips Petroleum Company's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

Thank you very much for your timely consideration of this application. Please feel free to contact me if you have any questions.

Sincerely,



Jean Semborski
Permitting Analyst

cc: Mr. Eric Jones, BLM, Moab, Utah
Mr. Chuck Snure, Texaco
Ms. Robin Adams, Dominion Resources
Mr. Don Stephens, BLM, Price, Utah
Ms. Jeanette Borges, Phillips Petroleum Company
Mr. Dave Levanger, Carbon County Planning and Zoning
Mrs. Deanna Walker, Phillips Petroleum Company
PPCo Well File

RECEIVED

SEP 20 2001

DIVISION OF
OIL, GAS AND MINING

001

5. Lease Designation and Serial Number:
ML-46633

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

6. If Indian, Allottee or Tribe Name:
N/A

1A. Type of Work: DRILL DEEPEN

7. Unit Agreement Name:
N/A Drunkards Wash

B. Type of Well: OIL GAS OTHER: SINGLE ZONE MULTIPLE ZONE

8. Farm or Lease Name:
Utah

2. Name of Operator:
Phillips Petroleum Company

9. Well Number:
25-618

3. Address and Telephone Number:
6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (435) 613-9777

10. Field or Pool, or Wildcat:
Wildcat

4. Location of Well (Footages)
At Surface: 2160' FSL, 646' FWL
At Proposed Producing Zone: 4390396 N
511195 E

11. Qtr/Qtr, Section, Township, Range, Meridian:
NW/4 SW/4 Section 25, T13S,
R09E, SLB&M

14. Distance in miles and direction from nearest town or post office:
5.5 Miles northwest of Price, Utah

12. County: Carbon 13. State: UTAH

15. Distance to nearest property or lease line (feet): 2000'

16. Number of acres in lease: 821.75

17. Number of acres assigned to this well: 160 acres

18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 1850'

19. Proposed Depth: 3700'

20. Rotary or cable tools: Rotary

21. Elevations (show whether DF, RT, GR, etc.): 5999' GR

22. Approximate date work will start: May 2002

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
14"	12 3/4"	Conductor	40'	
11"	J-55 8 5/8"	24#/ft	370'	143sks G+2%CaCl+1/4#/sk flocel
7 7/8"	N-80 5 1/2"	17#/ft	3690'	343sks 50/50poz 8%gel+2%CaCl+10%extender 77 sks "G" thixotropic

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

RECEIVED

SEP 20 2001

DIVISION OF OIL, GAS AND MINING

ORIGINAL

CONFIDENTIAL

24. Name & Signature: Jean Semborski [Signature] Title: Permitting Analyst Date: 9/13/01

(This space for state use only) API Number Assigned: 43-007-30817

Approval:


Approved by the Utah Division of Oil, Gas and Mining Date: 01-07-02 [Signature]

Range 9 East

(WEST 2628.12')

(WEST 2642.84')

Township 13 South



(N89°32'W - 2643.3')

(N89°51'W - 2646.6')

Legend

- Drill Hole Location
- ⊙ Brass Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Rock Pile
- () GLO
- GPS Measured

NOTES:

1. UTM AND LATITUDE / LONGITUDE COORDINATES ARE DERIVED USING A GPS PATHFINDER AND ARE SHOWN IN NAD 27 DATUM.

LAT / LONG
39°39'55"N
110°52'10"W

Location:

THE WELL LOCATION WAS DETERMINED USING A TRIMBLE 4700 GPS SURVEY GRADE UNIT.

Basis of Bearing:

THE BASIS OF BEARING IS GPS MEASURED.

GLO Bearing:

THE BEARINGS INDICATED ARE PER THE RECORDED PLAT OBTAINED FROM THE U.S. LAND OFFICE.

Basis of Elevation:

BASIS OF ELEVATION OF 5875' BEING AT THE SOUTHWEST SECTION CORNER OF SECTION 35, TOWNSHIP 13 SOUTH, RANGE 9 EAST, SALT LAKE BASE AND MERIDIAN, AS SHOWN ON THE HELPER QUADRANGLE 7.5 MINUTE SERIES MAP.

Description of Location:

PROPOSED DRILL HOLE LOCATED IN THE NW1/4, SW1/4 OF SECTION 25, T13S, R9E, S.L.B.&M., BEING 469.39' SOUTH AND 645.79' EAST FROM THE WEST QUARTER CORNER OF SECTION 25, T13S, R9E, SALT LAKE BASE & MERIDIAN.

Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



GRAPHIC SCALE

0 800' 1000'
(IN FEET)
1 inch = 1000 ft.




Talon Resources, Inc.
375 South Carbon Avenue, Suite 101
Price, Utah 84501
Ph: 435-637-8781
Fax: 435-636-8603



PHILLIPS PETROLEUM
WELL #25-618
Section 25, T13S, R9E, S.L.B.&M.
Carbon County, Utah

Drawn By M. MOON	Checked By L.W.J./A.J.S.
Drawing No. A-1	Date: 08/27/01
Sheet 1 of 1	Scale: 1" = 1000'



Utah 25-618 Section 25, T13S, R9E

UTM
12 North
NAD 1927 (Western US)




Scale 1:75,000
0 8,000
Feet

25618.SSF
9/8/2001

GPS Pathfinder® Office




ELEVATION OF UNGRADED GROUND AT LOCATION STAKE = 5998.5'
 ELEVATION OF GRADED GROUND AT LOCATION STAKE = 5995.0'



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 101
 Price, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603

PHILLIPS PETROLEUM
LOCATION LAYOUT
 Section 25, T13S, R9E, S.L.B.&M.
WELL #25-618

Drawn By: M. MOON	Checked By: L.W.J.
Drawing No. A-2	Date: 08/27/01
	Scale: 1" = 50'
Sheet 2 of 4	Job No. 435



1"=10'
 X-Section
 Scale
 1"=40'

SLOPE = 1 1/2 : 1
 (EXCEPT PIT)
 PIT SLOPE = 1 : 1




Talon Resources, Inc.
 375 South Carbon Avenue, Suite 101
 Pricos, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603

 **PHILLIPS PETROLEUM**
TYPICAL CROSS SECTION
 Section 25, T13S, R9E, S.L.B.&M.
 WELL #25-618

Drawn By: J. STANSFIELD	Checked By: L.W.J.
Drawing No. C-1	Date: 08/27/01
	Scale: 1" = 40'
Sheet 3 of 4	Job No. 435

APPROXIMATE YARDAGES
CUT
 (6") TOPSOIL STRIPPING = 750 CU. YDS.
 REMAINING LOCATION = 4,636.5 CU, YDS.
TOTAL CUT = 5,286.5 CU. YDS.
TOTAL FILL = 4,867.2 CU. YDS.



LEGEND

- Proposed Well Location: ★
- Other Proposed Well Locations: ○
- Proposed Powerline: - - - - -
- Proposed Pipeline: ————
- Proposed Roads: ————
- Lease Boundary: ————
- Existing Wells: ★







Scale - 1" = 2000'

PHILLIPS PETROLEUM COMPANY
 6825 South 5300 West
 P.O. Box 851
 Price, Utah 84501
 Phone: (435) 613-9777
 Fax: (435) 613-9782





WELL # 25-618
 Section 25, T13S, R9E, S.L.B.&M.
 Exhibit B 1 of 2

APPROXIMATE LAYOUT OF RIG & EQUIPMENT




○ ANCHOR (TYP. 4 PL.)




RIVER GAS CORP.
WELL SITE LAYOUT
215' X 175'

Exhibit "B"

TYPICAL ROAD CROSS-SECTION




DIVERTER HEAD



- (1) 2" 5M FLANGED CHOKE
- (2) 2" 5M GATE VALVE (FLANGED)
- (3) 2" 5M STUDDED CROSS
- (4) 2" 5M GATE VALVE (FLANGED)
- (5) 2" 5M FLANGED CHOKE
- (6) 2" 5M GATE VALVE (FLANGED)
- (7) 2" LINE
- (8) 2" 5M GATE VALVE (FLANGED)
- (9) 3000# GAUGE

NOTE:
NUMBER 8 GATE VALVE
SITS ON TOP OF MANIFOLD
BETWEEN STUDDED CROSS
AND 3000# GAUGE.



TO BOP

AND A NEW 2" BALL VALVE
FULL OPEN 5000PSI

MANIFOLD

STATE OF UTAH
BOND OF LESSEE

KNOW ALL MEN BY THESE PRESENTS, that we Phillips Petroleum Company
of Bartlesville, Oklahoma as principal and
Safeco Insurance Company of America as surety, are held and firmly bound
unto the State of Utah in the sum of Two Hundred Thousand Dollars (\$200,000.00) lawful money of the United States
to be paid to the School & Institutional Trust Lands Administration, as agent for the State of Utah, for the use and benefit
of the State of Utah, and of any patentee or purchaser of any portion of the land covered by the hereinafter described
lease heretofore sold or which may hereafter be sold with a reservation to the State of Utah, on the surface or of other
mineral deposits of any portion of such lands, for which payment, well and truly to be made, we bind ourselves, and each
of us, and each of our heirs, executors, administrators, successors, sublessees, and assignees, jointly and severally by
these presents.

Signed with our hands and seals this 31st day of January, 2001

The condition of the foregoing obligation is such that,

WHEREAS: The State of Utah, as Lessor, issued a(n) _____
lease, Lease Number _____ and dated _____, to _____
as lessee (and said lease has been duly assigned under date of _____
to _____) to drill for, mine, extract, and remove all of the _____
deposits in and under the following described lands, to wit:

Statewide Blanket Bond to cover all operations on state of Utah lands.

NOW, THEREFORE, the principal and surety shall be obligated to pay all monies, rentals, royalties, costs of
reclamation, damages to the surface and improvements thereon and any other damages, costs, expenses, penalties, interest
or liabilities which arise by operation of or in connection with the above described lease(s) accruing to the Lessor and
shall fully comply with all other terms and conditions of said lease, the rules, regulations, and policies relating thereto
of the School & Institutional Trust Lands Administration, the Board of Oil, Gas and Mining, and the Division of Oil,
Gas and Mining as they may now exist or may from time to time be modified or amended. This obligation is in effect
even if the principal has conveyed part of its interest to a successor in interest. If the principal fully satisfies the above
described obligations, then the surety's obligation to make payment to the State of Utah is void and of no effect.
otherwise, it shall remain in full force and effect until released by the School & Institutional Trust Lands Administration.

Signed, sealed and delivered
in the presence of

Jerry L. Hicks
Witness

PHILLIPS PETROLEUM COMPANY

R. B. Gisi (SEAL)
R. B. Gisi Principal Asst. Treasurer

Jerry L. Hicks
Witness

BONDING COMPANY SAFECO INSURANCE COMPANY OF AMERICA

BY Betty Miller
Betty Miller, Attorney-in-Fact

Attest: Al B. Rattan
Secretary

Resident Agent: N/A

APPROVED AS TO FORM:
JAN GRAHAM
ATTORNEY GENERAL

By [Signature]

Bonding Co. Address: Millenium Corp. Park, Bldg. C, 18400 NE Union Hill Rd

Redmond, WA 98052
Corporate Seal of Bonding Company Must be Affixed.



POWER OF ATTORNEY

SAFECO INSURANCE COMPANY OF AMERICA
GENERAL INSURANCE COMPANY OF AMERICA
HOME OFFICE: SAFECO PLAZA
SEATTLE, WASHINGTON 98105

No. 8718

KNOW ALL BY THESE PRESENTS:

That SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA, each a Washington corporation, does each hereby appoint SANDRA L. HABERLY; BETTY J. MILLER, Bartlesville, Oklahoma

Its true and lawful attorney(s)-in-fact, with full authority to execute on its behalf fidelity and surety bonds or undertakings and other documents of a similar character issued in the course of its business, and to bind the respective company thereby.

IN WITNESS WHEREOF, SAFECO INSURANCE COMPANY OF AMERICA and GENERAL INSURANCE COMPANY OF AMERICA have each executed and attested these presents

this 27th day of September, 1993

R.A. Pierson
R.A. PIERSON, SECRETARY

W. Randall Stoddard
W. RANDALL STODDARD, PRESIDENT

CERTIFICATE

Extract from the By-Laws of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA:

Article V, Section 13. - FIDELITY AND SURETY BONDS . . . the President, any Vice President, the Secretary, and any Assistant Vice President appointed for that purpose by the officer in charge of surety operations, shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business . . . On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking.

Extract from a Resolution of the Board of Directors of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA adopted July 28, 1970.

On any certificate executed by the Secretary or an assistant secretary of the Company setting out:
(i) The provisions of Article V, Section 13 of the By-Laws, and
(ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and
(iii) Certifying that said power-of-attorney appointment is in full force and effect,
the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof.

I, R. A. Pierson, Secretary of SAFECO INSURANCE COMPANY OF AMERICA and of GENERAL INSURANCE COMPANY OF AMERICA, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of these corporations, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation

this 31st day of January, 2001



R.A. Pierson
R.A. PIERSON, SECRETARY

Registered trademark of SAFECO Corporation.

EXHIBIT "D"
DRILLING PROGRAM

Attached to Form 3
Phillips Petroleum Company
Utah 25-618
NW/4, SW/4, Sec. 25, T13S, R09E, SLB & M
2160' FSL, 646' FWL
Carbon County, Utah

1. The Surface Geologic Formation

Mancos Shale

2. Estimated Tops of Important Geologic Markers

Blue Gate/Ferron 3209'

3. Projected Gas & H2O zones (Ferron Formation)

Coals and sandstones 3269' - 3399'

No groundwater is expected to be encountered.

Casing & cementing will be done to protect potentially productive hydrocarbons, lost circulation zones, abnormal pressure zones, and prospectively valuable mineral deposits. All indications of usable water will be reported.

Surface casing will be tested to 1400 psi.

4. The Proposed Casing and Cementing Programs

<u>HOLE SIZE</u>	<u>SETTING DEPTH (INTERVAL)</u>	<u>SIZE (OD)</u>	<u>WEIGHT, GRADE & JOINT</u>	<u>NEW, USED</u>
14"	40'	12-3/4"	Conductor	New
11"	370'	8-5/8"	24#ST&C	New
7-7/8"	3690'	5-1/2	17#LT&C	New

Cement Program -Every attempt will be made to bring cement back to surface.

Surface Casing: 143 sks G+2%CaCl+1/4#per sack flocel;15.8#/gal,density, 1.15 cu.ft/sk yield.

Production Casing: 343 sks 50/50 poz 8%gel +2%CaCl+10%extender;12.5#/gal, density, 1.92 cu.ft/sk yield.

77 sks "G" thixotropic, 14.2#/gal density, 1.61 cu.ft/sk yield

The following shall be entered in the driller's log:

- 1) Blowout preventer pressure tests, including test pressures and results;
- 2) Blowout preventer tests for proper functioning;
- 3) Blowout prevention drills conducted;
- 4) Casing run, including size, grade, weight, and depth set;
- 5) How the pipe was cemented, including amount of cement, type, whether cement circulated, location of the cementing tools, etc.;
- 6) Waiting on cement time for each casing string;
- 7) Casing pressure tests after cementing, including test pressures and results.

5. The Operator's Minimum Specifications for Pressure Control

Exhibit "G" is a schematic diagram of the blowout preventer equipment. A double gate 3000 psi BOPE will be used with a rotating head. This equipment will be tested to 2000 psi. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip.

6. The Type and Characteristics of the Proposed Circulating Muds

0-300	11" hole	Drill with air, will mud-up if necessary.
300-TD	7 7/8" hole	Drill with air. 400 psi @ 1500-1800 Scf.

7. The Testing, Logging and Coring Programs are as followed

300-TD Gamma Ray, Density, Neutron Porosity, Induction, Caliper

Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is 1493 psi max. No hydrogen sulfide or other hazardous gases or fluids have been found, reported or are known to exist at these depths in the area.

8. Anticipated Starting Date and Duration of the Operations.

The well will be drilled around May 2002.

Verbal and/or written notifications listed below shall be submitted in accordance with instructions from the Division of Oil, Gas & Mining:

- (a) prior to beginning construction;
- (b) prior to spudding;
- (c) prior to running any casing or BOP tests;
- (d) prior to plugging the well, for verbal plugging instructions.

Spills, blowouts, fires, leaks, accidents or other unusual occurrences shall be reported to the Division of Oil, Gas & Mining immediately.

EXHIBIT "E"
MULTIPOINT SURFACE USE PLAN

Attached to Form 3
Phillips Petroleum Company
Utah 25-618
NW/4, SW/4, Sec. 25, T13S, R09E, SLB & M
2160' FSL, 646' FWL
Carbon County, Utah

1. Existing Roads

- a. We do not plan to change, alter or improve upon any existing state or county roads.
- b. Existing roads will be maintained in the same or better condition. See Exhibit "B".

2. Planned Access

Approximately 2100' of new access is required (See Exhibit "B")

- a. Maximum Width: 24' travel surface with 27' base
- b. Maximum grade: 6%
- c. Turnouts: None
- d. Drainage design: 5-6 culverts may be required. Water will be diverted around well pad as necessary.
- e. If the well is productive, the road will be surfaced and maintained as necessary to prevent soil erosion and accommodate year-round traffic.
- f. Pipe and Power lines will follow the proposed access road.

3. Location of Existing Wells

- a. See Exhibit "B". There are 4 proposed and 0 existing wells within a one-mile radius of the proposed location.

4. Location of Existing and/or Proposed Facilities

- a. If the well is a producer, installation of production facilities will be as shown on Exhibit "H". Buried powerlines run along access on the east and north, gathering lines on the south or west.
- b. Rehabilitation of all pad areas not used for production facilities will be made in accordance with landowner stipulations.

5. Location and Type of Water Supply

- a. Water to be used for drilling will be purchased from the Price River Water Improvement District (a local source of municipal water) (tel. 435-637-6350).
- b. Water will be transported by truck over approved access roads.
- c. No water well is to be drilled for this location.

6. Source of Construction Materials

- a. Any necessary construction materials needed will be obtained locally and hauled to the location on existing roads.
- b. No construction or surfacing materials will be taken from Federal/Indian land.

7. Methods for handling waste disposal

- a. As the well will be air drilled, a small reserve pit will be constructed with a minimum of one-half the total depth below the original ground surface on the lowest point within the pit. The pit will not be lined unless conditions encountered during construction warrant it or if deemed necessary by the DOGM representative during the pre-site inspection. Three sides of the reserve pit will be fenced within 24 hours after completion of construction and the fourth side within 24 hours after drilling operation cease with woven wire topped with barbed wire to a height of not less than four feet. The fence will be kept in good repair while the pit is drying.
- b. Following drilling, the liquid waste will be evaporated from the pit and the pit back-filled and returned to natural grade. No liquid hydrocarbons will be discharged to the reserve pit or location.
- c. In the event fluids are produced, any oil will be retained in tankage until sold and any water produced will be retained until its quality can be determined. The quality and quantity of the water will determine the method of disposal.
- d. Trash will be contained in a portable metal container and will be hauled from location periodically and disposed of at an approved disposal site. Chemical toilets will be placed on location and sewage will be disposed of at an appropriate disposal site.

8. Ancillary Facilities

- a. We anticipate no need for ancillary facilities with the exception of one trailer to be located on the drill site.

9. Wellsite Layout

- a. Available topsoil will be removed from the location and stockpiled. Location of mud tanks, reserve and berm pits, and soil stockpiles will be located as shown on the attachments.
- b. A blooie pit will be located 100' from the drill hole. A line will be placed on the surface from the center hole to the pit. The pit will not be lined, but will be fenced on four sides to protect livestock/wildlife.
- c. Access to the well pad will be as shown on Exhibit "B".
- d. Natural runoff will be diverted around the well pad.

10. Plans for Restoration of Surface

- a. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum.
- b. Available topsoil will be stockpiled and will be evenly distributed over the disturbed areas and the area will be reseeded as prescribed by the landowner.
- c. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.

11. Surface Ownership:

- a. The wellsite and access road will be constructed on lands owned by State of Utah, Schools and Institutional Lands Administration. The operator shall contact the landowner representative and the Division of Oil, Gas and mining 48 hours prior to beginning construction activities.

12. **Other Information:**

- a. The primary surface use is farming and grazing. The nearest dwelling is approximately 6500 feet north.
- b. Nearest live water is Price River, located 2600' east.
- c. If there is snow on the ground when construction begins, it will be removed before the soil is disturbed and piled downhill from the topsoil stockpile location.
- d. The backslope and foreslope will be constructed no steeper than 4:1.
- e. All equipment and vehicles will be confined to the access road and well pad.
- f. A complete copy of the approved Application for Permit to Drill (APD) including conditions and stipulations, shall be on the wellsite during construction and drilling operations

There will be no deviation from the proposed drilling and/or workover program without prior approval from the Division of Oil, Gas & Mining.

13. Company Representative

Jean Semborski
Permitting Analyst
Phillips Petroleum Company
6825 S. 5300 W. P.O. Box 851
Price, Utah 84501
(435) 613-9777
(435) 820-9807

Mail Approved A.P.D. To:
Company Representative

Excavation Contractor

Nelco Contractors Inc.
Larry Jensen
(435) 637-3495
(435) 636-5268

14. Certification

I hereby certify that I, or persons under my direct supervision have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct, and that the work associated with the operations proposed herein will be performed by Phillips Petroleum Company and its subcontractors in conformity with this plan and the terms and conditions under which it is approved.

9/13/01
Date



Jean Semborski
Permitting Analyst
Phillips Petroleum Company

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

5. Lease Designation and Serial Number: ML-46633

6. If Indian, Allottee or Tribe Name: N/A

7. Unit Agreement Name: N/A Drunkerds Wash

8. Farm or Lease Name: Utah

9. Well Number: 25-618

10. Field or Pool, or Wildcat: Wildcat

11. Qtr/Qtr, Section, Township, Range, Meridian: NW/4 SW/4 Section 25, T13S, R09E, SLB&M

12. County: Carbon 13. State: UTAH

14. Distance in miles and direction from nearest town or post office: 5.5 Miles northwest of Price, Utah

15. Distance to nearest property or lease line (feet): 2000'

16. Number of acres in lease: 821.75

17. Number of acres assigned to this well: 160 acres

18. Distance to nearest well, drilling, completed, or applied for, on this lease (feet): 1850'

19. Proposed Depth: 3700'

20. Rotary or cable tools: Rotary

21. Elevations (show whether DF, RT, GR, etc.): 5999' GR

22. Approximate date work will start: May 2002

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
14"	12 3/4"	Conductor	40'	
11"	J-55 8 5/8"	24#/ft	370'	143sks G+2%CaCl+1/4#/sk floccel
7 7/8"	N-80 5 1/2"	17#/ft	3690'	343sks 50/50poz 8% gel+2%CaCl+10%extender 77 sks "G" thixotropic

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

RECEIVED
SEP 10 2001
DIVISION OF
OIL, GAS AND MINING

ORIGINAL

CONFIDENTIAL

24. Name & Signature: Jean Semborski Title: Permitting Analyst Date: 9/13/01


(This space for state use only)

API Number Assigned: 43-007-30817

Approval:

Range 9 East

Township 13 South



Legend

- Drill Hole Location
- ⊙ Brass Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Rock Pile
- () GLO
- GPS Measured

NOTES:
1. UTM AND LATITUDE / LONGITUDE COORDINATES ARE DERIVED USING A GPS PATHFINDER AND ARE SHOWN IN NAD 27 DATUM.

LAT / LONG
39°39'55"N
110°52'10"W

Location:

THE WELL LOCATION WAS DETERMINED USING A TRIMBLE 4700 GPS SURVEY GRADE UNIT.

Basis of Bearing:

THE BASIS OF BEARING IS GPS MEASURED.

GLO Bearing:

THE BEARINGS INDICATED ARE PER THE RECORDED PLAT OBTAINED FROM THE U.S. LAND OFFICE.

Basis of Elevation:

BASIS OF ELEVATION OF 5875' BEING AT THE SOUTHWEST SECTION CORNER OF SECTION 35, TOWNSHIP 13 SOUTH, RANGE 9 EAST, SALT LAKE BASE AND MERIDIAN, AS SHOWN ON THE HELPER QUADRANGLE 7.5 MINUTE SERIES MAP.

Description of Location:

PROPOSED DRILL HOLE LOCATED IN THE NW1/4, SW1/4 OF SECTION 25, T13S, R9E, S.L.B.&M., BEING 469.39' SOUTH AND 645.79' EAST FROM THE WEST QUARTER CORNER OF SECTION 25, T13S, R9E, SALT LAKE BASE & MERIDIAN.

Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



Talon Resources, Inc.
375 South Carbon Avenue, Suite 101
Price, Utah 84501
Ph: 435-637-8781
Fax: 435-636-8603



PHILLIPS PETROLEUM
WELL #25-618
Section 25, T13S, R9E, S.L.B.&M.
Carbon County, Utah

Drawn By:
M. MOON

Checked By:
L.W.J./A.J.S.

Drawing No.
A-1

Date:
08/27/01

Sheet 1 of 4


Scale:
1" = 1000'

GRAPHIC SCALE



(IN FEET)

1 inch = 1000 ft.



Utah 25-618 Section 25, T13S, R9E

UTM
12 North
NAD 1927 (Western US)



Scale 1:75,000
0 8,000
Feet

25618.SSF
9/8/2001
GPS Pathfinder[®] Office


002

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 09/20/2001

API NO. ASSIGNED: 43-007-30817

WELL NAME: UTAH 25-618
OPERATOR: PHILLIPS PETROLEUM (N1475)
CONTACT: JEAN SEMBORSKI

PHONE NUMBER: 435-613-9777

PROPOSED LOCATION:

NWSW 25 130S 090E
SURFACE: 2160 FSL 0646 FWL
BOTTOM: 2160 FSL 0646 FWL
CARBON
WILDCAT (1)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	DKD	12/16/01
Geology		
Surface		

LEASE TYPE: 3 - State
LEASE NUMBER: ML-46633
SURFACE OWNER: 3 - State

PROPOSED FORMATION: FRSD

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[] Ind[] Sta[3] Fee[]
(No. 5952189)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. PRWID)
- RDCC Review (Y/N)
(Date: 12-21-01)
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:


- R649-2-3. Unit DRUNKARDS WASH
- R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
Board Cause No: 243-6
Eff Date: 2-14-2001
Siting: 400' fr. Unit Boundary E. Uncomm. Tract.
- R649-3-11. Directional Drill

COMMENTS: Need presite. (11-28-01)

STIPULATIONS: ① Surface Casing Cement Step
② Statement of basis



OPERATOR: PHILLIPS PETRO CO (N1475)
 SEC. 25, T13S, R9E
 FIELD: WILDCAT (001)
 COUNTY: CARBON UNIT: DRUNKARDS WASH
 CAUSE: 243-6



12-01 Phillips Utah 25-61

Casing Schematic

Surface

Mud gas
swale

8-5/8"
MW 8.3
Frac 19.

TOC @
0.

w/ 138 washout

TOC @
291.

Surface
370. MD

BOP

BHP

$$(0.052)(84)(3700) = 1616 \text{ psi}$$

Anticipated = 1493 psi

Gas

$$(0.12)(3700) = 444 \text{ psi}$$

MASP = 1172 psi

3MBCPE proposed

Adequate

DKD 07/10/01

3209'

Blue Gate/Ferron

5-1/2"
MW 8.4

w/ 89 washout

7249'

coals & SS's

3399'

Production
3700. MD

Well name:	12-01 Phillips Utah 25-618	
Operator:	Phillips Petroleum Company	Project ID:
String type:	Surface	43-007-30817
Location:	Carbon County	

Design parameters:	Minimum design factors:	Environment:
<u>Collapse</u>	<u>Collapse:</u>	H2S considered? No
Mud weight: 8.330 ppg	Design factor 1.125	Surface temperature: 65 °F
Design is based on evacuated pipe.		Bottom hole temperature: 70 °F
		Temperature gradient: 1.40 °F/100ft
		Minimum section length: 250 ft
	<u>Burst:</u>	Cement top: <u>Surface</u>
<u>Burst</u>	Design factor 1.00	
Max anticipated surface pressure: 0 psi		Non-directional string.
Internal gradient: 0.436 psi/ft	<u>Tension:</u>	
Calculated BHP 161 psi	8 Round STC: 1.80 (J)	
No backup mud specified.	8 Round LTC: 1.80 (J)	
	Buttress: 1.60 (J)	
	Premium: 1.50 (J)	Re subsequent strings:
	Body yield: 1.50 (B)	Next setting depth: 3,700 ft
	Tension is based on air weight.	Next mud weight: 8.400 ppg
	Neutral point: 324 ft	Next setting BHP: 1,615 psi
		Fracture mud wt: 19.000 ppg
		Fracture depth: 370 ft
		Injection pressure 365 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Est. Cost ()
1	370	8.625	24.00	J-55	ST&C	370	370	7.972	2424

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	160	1370	8.56	161	2950	18.27	9	244	27.48 J

Prepared by: Dustin Doucet
Utah Dept. of Natural Resources

Phone: 801-538-5281
FAX: 801-359-3940

Date: December 10, 2001
Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE
Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
Collapse is based on a vertical depth of 370 ft, a mud weight of 8.33 ppg. The casing is considered to be evacuated for collapse purposes.
Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	12-01 Phillips Utah 25-618	
Operator:	Phillips Petroleum Company	Project ID:
String type:	Production	43-007-30817
Location:	Carbon County	

Design parameters:	Minimum design factors:	Environment:
Collapse	Collapse:	H2S considered? No
Mud weight: 8.400 ppg	Design factor 1.125	Surface temperature: 65 °F
Design is based on evacuated pipe.		Bottom hole temperature: 117 °F
		Temperature gradient: 1.40 °F/100ft
		Minimum section length: 250 ft
	Burst:	Cement top: 291 ft
	Design factor 1.00	
Burst		Non-directional string.
Max anticipated surface pressure: 0 psi	Tension:	
Internal gradient: 0.436 psi/ft	8 Round STC: 1.80 (J)	
Calculated BHP 1,615 psi	8 Round LTC: 1.80 (J)	
No backup mud specified.	Buttress: 1.60 (J)	
	Premium: 1.50 (J)	
	Body yield: 1.50 (B)	
	Tension is based on air weight.	
	Neutral point: 3,229 ft	

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Est. Cost ()
1	3700	5.5	17.00	N-80	LT&C	3700	3700	4.767	26542

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	1615	6290	3.90	1615	7740	4.79	63	348	5.53 J

Prepared by: Dustin Doucet
Utah Dept. of Natural Resources

Phone: 801-538-5281
FAX: 801-359-3940

Date: December 10, 2001
Salt Lake City, Utah

ENGINEERING STIPULATIONS: NONE
Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
Collapse is based on a vertical depth of 3700 ft, a mud weight of 8.4 ppg. The casing is considered to be evacuated for collapse purposes.
Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS

OPERATOR: Phillips Petroleum Company
WELL NAME & NUMBER: Utah 25-618
API NUMBER: 43-007-30817
LOCATION: 1/4,1/4 NWSW Sec: 25 TWP: 13S RNG: 9E 2160' FSL 646' FWL

Geology/Ground Water:

The sandy, silty, moderately permeable soil is developed on the Blue Gate Member of the Mancos Shale. The Garley Canyon Sandstone Beds of the Blue Gate Member of the Mancos Shale are likely to be present at this location. If the Garley Canyon Sandstone Beds are present (probable) and wet (possible - standing water was found in upper Garley Canyon Beds in Pinnacle Canyon ~ 5 miles southwest), these strata should be included within the interval protected by the surface casing string. The operator is informed of the potential for wet Garley Canyon Beds and will respond to protect the zones by extending the surface casing string as needed. The water rights applications, which have been filed within a mile of this location, are legion. Most are on the nearby Price River, but included are 2 water wells, one of which is a Helper City municipal water well of unrecorded depth. Extending the proposed casing and cement will adequately isolate any shallow zones containing water.

Reviewer: Christopher J. Kierst **Date:** 12/6/2001

Surface:

The area drains to the south towards Consumers Wash and then into the Price River ~ 1.0 mile south of proposed location. SITLA and Carbon County were notified but chose not to attend. Precipitation will be deflected around the location with berms and culverts. There are no nearby culinary or irrigation water supply wells. The site was photographed and characterized on 11/28/2001. Provision was made to ensure site rehabilitation, litter and waste control, preservation of drainage patterns and the integrity of local infrastructure, groundwater and other resources. The well utilities and gas gathering system will follow the approach roadway.

Reviewer: Mark L. Jones **Date:** November 29, 2001

Conditions of Approval/Application for Permit to Drill:

1. Culverts sufficient to manage expected runoff, standing and surface water in crossed drainages.
2. Berm location and pit.
3. Amended location plat showing the pad rotated 80' counter-clockwise to pull corners out of drainages.

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: Phillips
WELL NAME & NUMBER: Utah 25-618
API NUMBER: 43-007-30817
LEASE: State **FIELD/UNIT:** _____
LOCATION: 1/4, 1/4 NWSW Sec: 25 TWP: 13S RNG: 9E 2160' FSL 646' FWL
LEGAL WELL SITING: 460 F Unit boundary and uncommitted tracts.
GPS COORD (UTM): X = 511206 E; Y = 4390411 N SURFACE OWNER: SITLA

PARTICIPANTS

M. Jones (DOGM), J. Semborski (PPCO), L. Jensen (NELCO), SITLA and Carbon County were notified but chose not to attend.

REGIONAL/LOCAL SETTING & TOPOGRAPHY

The proposed location is ~5.6 miles north west of Price, Utah and 2.0 miles S of Helper, Utah. Price River lies to the East ~.60 miles. The area drains towards the South into the Consumers drainage and then into the Price River near the golf Course. The terrain is quite hilly with several small drainages running throughout.

SURFACE USE PLAN

CURRENT SURFACE USE: Grazing and Wildlife habitat.

PROPOSED SURFACE DISTURBANCE: 175' X 235' and a 50 X 50 X 10 pit. 2100' of new access will also be needed.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: 2 proposed wells are within a 1 mile radius of the above proposed well.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: Along the roadway.

SOURCE OF CONSTRUCTION MATERIAL: Obtained locally and transported in.

ANCILLARY FACILITIES: N/A

WASTE MANAGEMENT PLAN:

Portable chemical toilets which will be emptied into the municipal waste treatment system; garbage cans on location will be emptied into centralized dumpsters which will be emptied into an approved landfill. Crude oil production is unlikely. Drilling fluid, completion / frac fluid and cuttings will be buried in the pit after evaporation and slashing the pit liner. Produced water will be gathered to the evaporation pit and eventually injected into the Navajo Sandstone via a RGC-operated salt water disposal well. Used oil from drilling operations and support is hauled to a used oil recycler and reused.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: Dry washes cut through the area eventually draining into Consumers Wash.

FLORA/FAUNA: PJ, Sagebrush, native grasses, deer, elk, coyote, various fowl and small game.

SOIL TYPE AND CHARACTERISTICS: Clay.

EROSION/SEDIMENTATION/STABILITY: erosive.

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: Dugout earthen pit. (As per APD.)

LINER REQUIREMENTS (Site Ranking Form attached): None req.

SURFACE RESTORATION/RECLAMATION PLAN

As per surface use agreement.

SURFACE AGREEMENT: On file with State.

CULTURAL RESOURCES/ARCHAEOLOGY: On file with State.

OTHER OBSERVATIONS/COMMENTS

ATTACHMENTS

Photos of this location were taken and placed on file.

Mark L. Jones
DOGM REPRESENTATIVE

11/28/01 / 10:30 am
DATE/TIME

**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>0</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>10</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	<u>0</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>0</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>

Final Score 10 (Level III Sensitivity)

Sensitivity Level I = 20 or more; total containment is required.
Sensitivity Level II = 15-19; lining is discretionary.
Sensitivity Level III = below 15; no specific lining is required.






UTAH DIVISION OF WATER RIGHTS
 WATER RIGHT POINT OF DIVERSION PLOT CREATED THU, DEC 6, 2001, 12:13 PM
 PLOT SHOWS LOCATION OF 132 POINTS OF DIVERSION

PLOT OF AN AREA WITH A RADIUS OF 5280 FEET FROM A POINT
 N 2160 FEET, E 646 FEET OF THE SW CORNER,
 SECTION 24 TOWNSHIP 13S RANGE 9E SL BASE AND MERIDIAN

PLOT SCALE IS APPROXIMATELY 1 INCH = 2000 FEET

N O R T H



```

*
*
*
***
***
**
***
* **
*****
*****
*****
PQ
R
S
U T**
***
**

```

UTAH DIVISION OF WATER RIGHTS
 NWPLAT POINT OF DIVERSION LOCATION PROGRAM

MAP CHAR	WATER RIGHT	QUANTITY CFS	AND/OR AC-FT	SOURCE DESCRIPTION or WELL INFO DIAMETER DEPTH YEAR LOG	POINT OF DIVERSION DESCRIPTION NORTH EAST CNR SEC TWN RNG B&M	U A P T : N P E E L N P R R J
0	91 12	.1670	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION			PRIORITY DATE: 12/22/1909	
		Mangone, Gabriel			Helper	UT 84526
0	91 359	.0830	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION STOCKWATERING			PRIORITY DATE: 00/00/1874	
		O'Berto, John Steve and Diane		370 South O'Berto Lane	Helper	UT 84526
0	91 633	1.1167	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION			PRIORITY DATE: 00/00/1874	
		Migilore, Eugene E. & Enid		248 Uintah Street	Helper	UT 84526
0	91 634	1.1167	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION STOCKWATERING			PRIORITY DATE: 00/00/1874	
		O'Berto, John Steve and Diane		370 South O'Berto Lane	Helper	UT 84526
0	91 635	1.1167	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION			PRIORITY DATE: 00/00/1874	
		O'Berto, John Tony			Helper	UT 84526
0	91 636	1.1167	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :
		WATER USE(S): IRRIGATION			PRIORITY DATE: 00/00/1874	
		Mangone, Gabriel			Helper	UT 84526
0	91 639	1.1167	.00	Price River (O'Berto Ditch)	W 730 NE 24 13S 9E SL	X :

	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	Karr, Charlotte P. & Jerome D.						Helper	UT 84526
	Christensen, Bruce B. & Sherry L.						Helper	UT
	Zamantakis, Steve G.						Helper	UT
0	91 641	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	Branson, William W. and Faye F.		15 South Third Ave.				Helper	UT 84526
0	91 642	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	Marchello, Jerry J. & Judy M.						Price	UT
0	91 643	.0000	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	Leader, Randy D.		Box 103				Kenilworth	UT 84526
0	91 644	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	Sherman, William & Armida						Helper	UT 84526
0	91 645	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	Cormani, Richard B.		75 D				Helper	UT 84526
0	91 2150	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	O'Berto, John Steve and Diane		370 South O'Berto Lane				Helper	UT 84526
0	91 2118	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	O'Berto, Martha						Helper	UT 84526
0	91 2148	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	Aperges, Tony						Helper	UT 84526
0	91 2153	.1670	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 12/22/1909	
	Aperges, Tony						Helper	UT 84526
0	91 2149	1.1167	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	Loomis, Lillyan O.		1944 East 3375 South				Salt Lake City	UT 84106
0	91 2407	.0830	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1874	
	Loomis, Lillyan O.		1944 East 3375 South				Salt Lake City	UT 84106
0	91 2408	.0830	.00 Price River (O'Berto Ditch)		W	730 NE 24 13S 9E SL	X :	
	WATER USE(S): IRRIGATION STOCKWATERING						PRIORITY DATE: 00/00/1874	
	O'Berto, John							UT

5	91 77	1.0000	.00	Spring Canyon Creek	S	780	W	130	N4 23 13S	9E SL	X	:	
		WATER USE(S): IRRIGATION							PRIORITY DATE: 05/06/1921				
		McCullough Oil Corporation		10880 Wilshire Blvd					Los Angeles		CA	90024	
5	91 621	1.0000	.00	Spring Canyon Creek	S	780	W	130	N4 23 13S	9E SL	X	:	
		WATER USE(S): IRRIGATION							PRIORITY DATE: 09/06/1921				
		Kowbyl, JaLane and Madelene							Helper		UT	84526	
6	91 2399	.0000	.00	Spring Canyon Creek								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		McCulloch Oil Corporation		10880 Wilshire Blvd.					Los Angeles		CA		
6	91 2401	.0000	.00	Spring Canyon Creek								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		Kowbyl, JaLane and Madelene							Helper		UT	84526	
7	a16402	1.1167	.00	1)Price River 2)Helper Storage	S	1125	W	1875	NE 24 13S	9E SL	X	:	
		WATER USE(S): IRRIGATION STOCKWATERING							PRIORITY DATE: 05/10/1996				
		O'Berto, John Steve and Diane		370 South O'Berto Lane					Helper		UT	84526	
8	E2829	.0000	1.00	Price River	S	1225	W	725	NE 24 13S	9E SL	X	:	
		WATER USE(S): IRRIGATION							PRIORITY DATE: 03/27/1991				
		Miller, Jim D. and Angela K.		130 South 100 West					Helper		UT	84526	
9	91 2147	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		O'Berto, Martha							Helper		UT	84526	
A	91 2147	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		O'Berto, Martha							Helper		UT	84526	
B	91 2155	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		O'Berto, John B. & Mary P.							Helper		UT	84526	
C	91 2158	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		Ruggeri, C.							Helper		UT	84526	
C	91 2156	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		O'Berto, John							Helper		UT	84526	
C	91 2155	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		O'Berto, John B. & Mary P.							Helper		UT	84526	
D	91 2157	.0000	.00	Price River								X	:
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869				
		Loomis, Lillyan O.		1944 East 3375 South					Salt Lake City		UT	84106	

E	91	2157	.0000	.00	Price River	S	1010	W	1440	E4 24 13S	9E SL	X	:	
WATER USE(S): STOCKWATERING														
Loomis, Lillyan O. 1944 East 3375 South														
											PRIORITY DATE: 00/00/1869	:		
											Salt Lake City	UT 84106		
E	91	2156	.0000	.00	Price River								X	:
WATER USE(S): STOCKWATERING														
O'Berto, John														
											PRIORITY DATE: 00/00/1869	:		
											Helper	UT 84526		
E	91	2157	.0000	.00	Price River	S	1010	W	1440	E4 24 13S	9E SL	X	:	
WATER USE(S): STOCKWATERING														
Loomis, Lillyan O. 1944 East 3375 South														
											PRIORITY DATE: 00/00/1869	:		
											Salt Lake City	UT 84106		
F	91	754	11.0000	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S):														
Stowell Mutual Water and Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1907	:		
											Helper	UT 84526		
F	91	755	2.4100	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S):														
Stowell Mutual Water and Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 08/30/1906	:		
											Helper	UT 84526		
F	91	756	.1000	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION														
Stowell Mutual Water and Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1886	:		
											Helper	UT 84526		
F	91	757	.1000	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION														
Stowell Mutual Water and Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1884	:		
											Helper	UT 84526		
F	91	758	.0670	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION														
Stowell Mutual Water & Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1878	:		
											Helper	UT 84526		
F	91	718	2.1330	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION STOCKWATERING														
Stowell Mutual Water & Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1874	:		
											Helper	UT 84526		
F	91	759	.1170	.00	Price River	S	1190	W	1490	E4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION														
Stowell Mutual Water & Canal Company 3995 North Spring Glen Road														
											PRIORITY DATE: 00/00/1876	:		
											Helper	UT 84526		
F	91	8	.1700	.00	Price River	N	1450	W	1490	SE 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION														
Erramouspe, Mary														
											PRIORITY DATE: 02/24/1910	:		
											Helper	UT 84526		
G	91	719	1.5340	.00	Price River (Gay Ditch)	N	1310	E	1000	S4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION STOCKWATERING														
Marchello, Mark														
											PRIORITY DATE: 00/00/1874	:		
												UT		
G	91	720	1.5340	.00	Price River (Gay Ditch)	N	1310	E	1000	S4 24 13S	9E SL	X	:	
WATER USE(S): IRRIGATION STOCKWATERING														
Taylor, Guy L. & Naomi P.														
											PRIORITY DATE: 00/00/1874	:		
											Duchesne	UT 84021		

Sacco, Ross Jr.			RFD #1	Helper			UT 84526
G	91 1775	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Marchello, Mark						UT
G	91 1776	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Marchello, Mark						UT
G	91 1777	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Marchello, Kenneth & Curtis		841 North 600 East				Price UT 84501
G	91 1778	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Marchello, Kenneth & Curtis		841 North 600 East				Price UT 84501
G	91 1779	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Taylor, Guy L. & Naomi P.						Duchesne UT 100
G	91 1780	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Taylor, Guy L. & Naomi P.						Duchesne UT 84021
G	91 1781	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Kosec, James E. & Lavena S.		R. F. D. 1				Helper UT 84526
G	91 1782	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Kosec, James E. & Lavena S.		R. F. D. 1				Helper UT 84526
G	91 1784	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Radakovich, Robert & Ellen R.		340 North 600 East				Price UT 84501
	C & J Enterprises Inc.						UT
G	91 1787	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Skerl, John		Spring Glen via Helper				UT 84526
G	91 1788	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 00/00/1907
	Skerl, John						UT
G	91 1789	1.4200	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :
	WATER USE(S): IRRIGATION						PRIORITY DATE: 08/30/1906
	Elbert Lowdermilk Inc.		P. O. Box 509				Helper UT 84526
G	91 1790	7.0000	.00 Price River (Gay Ditch)	N	1310	E 1000	S4 24 13S 9E SL X :

Account	Water Use (S)	Priority	Date	Location	Diversion	Priority	Date	Location	Diversion
	WATER USE(S): IRRIGATION Elbert Lowdermilk Inc.		00/00/1907	P. O. Box 509		Helper	UT 84526		
G 91 1791	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Bruno, Thomas E. and Judith L.		08/30/1906	3555 North Spring Glen Road		Helper	UT 84526		
G 91 1792	7.0000	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Bruno, Thomas E. and Judith L.		00/00/1907	3555 North Spring Glen Road		Helper	UT 84526		
G 91 1795	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Sacco, Victor		08/30/1906			Spring Glen	UT		
G 91 1796	7.0000	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Sacco, Victor		00/00/1907			Spring Glen	UT		
G 91 1797	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Sacco, Ross Jr.		08/30/1906	RFD #1		Helper	UT 84526		
G 91 1798	7.0000	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Sacco, Ross Jr.		00/00/1907				UT		
G 91 1799	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): IRRIGATION Mitchell, Richard T. & Mila (Trustees, M		08/30/1906			Monte Sereno	CA		
G 91 1801	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): Sacco, Albert		08/30/1906	RFD #1		Helper	UT 84526		
G 91 1803	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): Sacco, Louie		08/30/1906	RFD #1		Helper	UT 84526		
G 91 1805	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): Sacco, Rudy		08/30/1906	RFD #1		Helper	UT 84526		
G 91 1807	1.4200	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): Sacco, Ross Jr.		08/30/1906	RFD #1		Helper	UT 84526		
G 91 1800	7.0000	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		
	WATER USE(S): Mitchell, Richard T. & Mila (Trustees, M		00/00/1907			Monte Sereno	CA		
G 91 1802	7.0000	.00	Price River (Gay Ditch)	N 1310	E 1000	S4 24 13S 9E SL	X :		

Code	Account #	Water Use (S)	Volume	Source	Priority	Date	Priority Date	UT
		WATER USE(S): Sacco, Albert		RFD #1		PRIORITY DATE: 00/00/1907	Helper	UT 84526
G	91 1804	7.0000	.00	Price River (Gay Ditch)	N 1310 E 1000	S4 24 13S 9E SL	X	:
		WATER USE(S): Sacco, Louie		RFD #1		PRIORITY DATE: 00/00/1907	Helper	UT 84526
G	91 1806	7.0000	.00	Price River (Gay Ditch)	N 1310 E 1000	S4 24 13S 9E SL	X	:
		WATER USE(S): Sacco, Rudy				PRIORITY DATE: 00/00/1907	UT	
G	91 1808	7.0000	.00	Price River (Gay Ditch)	N 1310 E 1000	S4 24 13S 9E SL	X	:
		WATER USE(S): Sacco, Ross Jr.		RFD #1		PRIORITY DATE: 00/00/1907	Helper	UT 84526
H	91 208	.0470	.00	UGW Well	N 843 W 10	S4 24 13S 9E SL	X	:
		WATER USE(S): IRRIGATION Mangone, Gabriel		General Delivery		PRIORITY DATE: 06/08/1959	Helper	UT 84526
I	91 2158	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Ruggeri, C.				PRIORITY DATE: 00/00/1869	Helper	UT 84526
I	91 2159	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Aperges, Tony				PRIORITY DATE: 00/00/1869	Helper	UT 84526
I	91 2159	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Aperges, Tony				PRIORITY DATE: 00/00/1869	Helper	UT 84526
I	91 2160	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Branson, William W. and Faye F.				PRIORITY DATE: 00/00/1869	Helper	UT 84526
I	91 2162	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Franco, Juan				PRIORITY DATE: 00/00/1869	Helper	UT 84526
I	91 2161	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Lopez, Joe D.		Route #1, Box 1A		PRIORITY DATE: 00/00/1869	Helpr	UT 84526
J	91 2259	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Seevers, James E. & Roberta				PRIORITY DATE: 00/00/1869	Spring Glen	UT
K	91 2160	.0000	.00	Price River			X	:
		WATER USE(S): STOCKWATERING Branson, William W. and Faye F.				PRIORITY DATE: 00/00/1869	Helper	UT 84526
K	91 2164	.0000	.00	Price River			X	:

		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Cormani, Richard							Helper		UT 84526	
L	91 2161	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Lopez, Joe D.		Route #1, Box 1A					Helper		UT 84526	
L	91 2162	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Franco, Juan							Helper		UT 84526	
M	91 731	1.5340	.00	Price River(Gay Ditch)	N	310	E	1000	S4 24 13S 9E SL			X :
		WATER USE(S): IRRIGATION STOCKWATERING							PRIORITY DATE: 00/00/1874			
		Bruno, Rudolph A. & Constance J.		3865 North Spring Glen Road					Spring Glen		UT 84526	
M	91 1785	1.4200	.00	Price River (Gay Ditch)	N	310	E	1000	S4 24 13S 9E SL			X :
		WATER USE(S): IRRIGATION							PRIORITY DATE: 08/30/1906			
		Elizabeth Prichard Estate		P.O. Box 453					Salt Lake City		UT	
M	91 1786	7.0000	.00	Price River (Gay Ditch)	N	310	E	1000	S4 24 13S 9E SL			X :
		WATER USE(S): IRRIGATION							PRIORITY DATE: 00/00/1907			
		Elizabeth Prichard Estate		P.O. Box 453					Salt Lake City		UT	
N	91 2165	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Sherman, William & Armida							Helper		UT 84526	
N	91 2163	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Erramouspe, Mary		RFD #1					Helper		UT 84526	
O	91 4119	.0150	.00	4 30	S	480	E	80	N4 25 13S 9E SL			X
		WATER USE(S): DOMESTIC STOCKWATERING							PRIORITY DATE: 00/00/1900			
		Sherman, William R.		Route #1					Helper		UT 84526	
P	91 2163	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Erramouspe, Mary		RFD #1					Helper		UT 84526	
Q	91 2165	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Sherman, William & Armida							Helper		UT 84526	
R	91 2259	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Seevers, James E. & Roberta							Spring Glen		UT	
S	91 2172	.0000	.00	Price River								X :
		WATER USE(S): STOCKWATERING							PRIORITY DATE: 00/00/1869			
		Taylor, Guy L. and Naomi P.							Duchesne		UT 84021	
S	91 2173	.0000	.00	Price River								X :

	WATER USE(S): Kosec, James E. and Lavena S.	RFD 1	PRIORITY DATE: 00/00/1869 Helper	UT 84526	
T	91 2167 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Howard, Clinton & Birdalee	Route #1	PRIORITY DATE: 00/00/1869 Helper	UT 84526	
T	91 2167 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Howard, Clinton & Birdalee	Route #1	PRIORITY DATE: 00/00/1869 Helper	UT 84526	
T	91 2168 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Nielson, William P. & Anna M.	Route #1, Box #6a	PRIORITY DATE: 00/00/1869 Helpr	UT 84526	
T	91 2173 .0000 .00	Price River			X :
	WATER USE(S): Kosec, James E. and Lavena S.	RFD 1	PRIORITY DATE: 00/00/1869 Helper	UT 84526	
T	91 2252 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Radakovich, Robert & Ellen R. C & J Enterprises Inc.	340 North 600 East	PRIORITY DATE: 00/00/1869 Price	UT 84501 UT	
U	91 2172 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Taylor, Guy L. and Naomi P.		PRIORITY DATE: 00/00/1869 Duchesne	UT 84021	
U	91 2166 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Roundy, Selma A.	Route #1	PRIORITY DATE: 00/00/1869 Helper	UT 84526	
U	91 2252 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Radakovich, Robert & Ellen R. C & J Enterprises Inc.	340 North 600 East	PRIORITY DATE: 00/00/1869 Price	UT 84501 UT	
U	91 2171 .0000 .00	Price River			X :
	WATER USE(S): STOCKWATERING Auphand, Joseph	Route #1, Box #10	PRIORITY DATE: 00/00/1869 Helper	UT 84526	

STATE ACTIONS
State Clearinghouse Coordinator
116 State Capitol, SLC, UT 84114
538-1535

1. Administering State Agency Oil, Gas and Mining 1594 West North Temple, Suite 1210 Salt Lake City, UT 84114-5801	2. State Application Identifier Number: (assigned by State Clearinghouse)
3. Approximate date project will start: May 2002	
4. Areawide clearinghouse(s) receiving state action: (to be sent out by agency in block 1) Southeastern Utah Association of Governments	
5. Type of action: // Lease <input checked="" type="checkbox"/> // Permit // License // Land Acquisition // Land Sale // Land Exchange // Other _____	
6. Title of proposed action: Application for Permit to Drill	
7. Description: Phillips Petroleum Company proposes to drill the Utah 25-618 well (wildcat) on State lease ML 46633, Carbon County, Utah. This action is being presented to the RDCC for consideration of resource issues affecting state interests. The Division of Oil, Gas and Mining is the primary administrative agency in this action and must issue approval before operations commence.	
8. Land affected (site location map required) (indicate county) NW/4, SW/4, Section 25, Township 13 South, Range 9 East, Carbon County, Utah	
9. Has the local government(s) been contacted? No	
10. Possible significant impacts likely to occur: Degree of impact is based on the discovery of oil or gas in commercial quantities.	
11. Name and phone of district representative from your agency near project site, if applicable: 	
12. For further information, contact: Lisha Cordova Phone: (301) 538-5296	13. Signature and title of authorized officer  for John R. Baza, Associate Director Date: December 6, 2001

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:
3160
(UT-922)

December 7, 2001

Memorandum

To: Assistant District Manager Minerals, Moab District
From: Michael Coulthard, Petroleum Engineer
Subject: 2001 Plan of Development Drunkards Wash Unit,
Carbon County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following well is planned for calendar year 2001 within the Drunkards Wash, Carbon County, Utah.


Api Number	Well	Location
(Proposed PZ Ferron)		
63-007-30817	Utah 25-618	Sec. 25, T13S, R9E 2160 F6L 0646 FML

This office has no objection to permitting the well at this time.

/s/ Michael L. Coulthard

bcc: File - Drunkards Wash Unit
Division of Oil Gas and Mining
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:12-7-01



003



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Kathleen Clarke
Executive Director
Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

January 7, 2002

Phillips Petroleum Company
PO Box 851
Price, UT 84501


Re: Utah 25-618 Well, 2160' FSL, 646' FWL, NW SW, Sec. 25, T. 13 South, R. 9 East,
Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30817.

Sincerely,


John R. Baza
Associate Director

er

Enclosures

cc: Carbon County Assessor
SITLA

Operator: Phillips Petroleum Company
Well Name & Number Utah 25-618
API Number: 43-007-30817
Lease: ML 46633

Location: NW SW **Sec.** 25 **T.** 13 South **R.** 9 East

Conditions of Approval

1. **General**

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. **Notification Requirements**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. **Reporting Requirements**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

6. Operator shall comply with applicable recommendations resulting from Resource Development Coordinating Committee review. Statements attached.

7. Surface casing shall be cemented to the surface.



State of Utah
GOVERNOR'S OFFICE OF PLANNING AND BUDGET
1549 West North Temple, P.O. Box 145610
Salt Lake City, Utah 84114-5610
Phone (801) 538-5535 Fax (801) 538-5544


Facsimile Cover Sheet

DATE:

1/7/02

NUMBER OF PAGES TO FOLLOW:

2



TO:

Lisha Cardona

AGENCY/COMPANY:

FAX#:

TELEPHONE #:

FROM:

Carolyn Wright

GOVERNOR'S OFFICE OF PLANNING AND BUDGET

FAX# (801) 538-5544 TELEPHONE # (801) 538-5535

ADDITIONAL COMMENTS:

IF YOU DO NOT RECEIVE ALL PAGES OR HAVE ANY PROBLEMS WITH RECEIVING,
PLEASE CALL CAROLYN WRIGHT AT (801) 538-5535




State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WILDLIFE RESOURCES

Michael O. Leavitt
Governor
Kathleen Clarke
Executive Director
John Kimball
Division Director

1594 West North Temple, Suite 2110
PO Box 146301
Salt Lake City, Utah 84114-6301
801-588-4700
801-588-4709 (Fax)
801-338-7458 (TTY)

21 December 2001

Ms. Carolyn Wright
Governor's Office of Planning and Budget
1594 W. North Temple, P.O. Box 145610
Salt Lake City, UT 84114-5610



Subject: RDCC Project #1440, Application for Permit to Drill Wildcat Well Utah 25-618 ML 46633

Dear Ms. Wright:

The Utah Division of Wildlife Resources has reviewed the APD for the Utah ²⁵⁻⁶¹⁸256-618 and have the following comments. This well is classified as a wildcat well, however, it is part of Phillips Petroleum's development of the Drunkard's Wash Field. Therefore, we request that the wildlife protection stipulations and mitigation measures for the Drunkard's Wash Field be placed on this well.

Thank you for the opportunity to review this proposed action and provide comment. If you have any questions please call Chris Colt, Wildlife Biologist, at our Price Office (435-636-0279).

Sincerely,

Kevin Christopherson
Regional Supervisor

c: Administration
Habitat Section - Mike Canning
UGS - Glade Sowards



Re: Notice of Address Change, Merger and Name Change
Address Change effective **December 2, 2002**
Merger and Name Change effective **December 31, 2002**

Divisions of Oil, Gas, and Mining
Attn: Mr. John Baza
1594 West North Temple,
Suite 1210, P. O. Box 145801
Salt Lake City, UT 84114-5801

Gentlemen:

1. Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.
2. On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

U.S. Mail Address:

ConocoPhillips Company
P.O. Box 2197
Houston, Texas 77252
Attn: Chief Landman,
San Juan/Rockies

Physical Address & Overnight Delivery:

ConocoPhillips Company
550 Westlake Park Blvd.
Three Westlake Park
3WL, Room WL 9000
Houston, Texas 77079
Attn: Chief Landman,
San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

**Attn: Chief Landman,
San Juan/Rockies**

**Fax No.: 832-486-2688 or
832-486-2687**

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters

Sincerely,

RECEIVED

DEC 02 2002

**DIVISION OF
OIL, GAS AND MINING**




SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:

1. As Assistant Secretary I am authorized to execute this certificate on behalf of the Corporation.
2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.
3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.



 Assistant Secretary
 ConocoPhillips Company

STATE OF TEXAS §
 §
 COUNTY OF HARRIS §

This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said Corporation.



RECEIVED
 JAN 08 2003


 Notary Public

Delaware

PAGE 1

The First State


I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



Harriet Smith Windsor

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183360

0064324 8100

030002793

DATE: 01-02-03

CERTIFICATE OF AMENDMENT
to the
RESTATED CERTIFICATE OF INCORPORATION
of
PHILLIPS PETROLEUM COMPANY
(to be renamed ConocoPhillips Company)

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.

2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:


"Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."

4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this 12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

WJ

By: 
Name: Rick A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

RECEIVED
JAN 08 2003
DIV. OF OIL, GAS & MINING

Delaware

PAGE 1

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,


WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILLIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING



Harriet Smith Windsor

Harriet Smith Windsor, Secretary of State

AUTHENTICATION: 2183370

0064324 8100M

030002793

DATE: 01-02-03

CERTIFICATE OF MERGER

of

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company
(a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

<u>NAME</u>	<u>STATE OF INCORPORATION</u>
PHILLIPS PETROLEUM COMPANY	Delaware
CONOCO INC.	Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079;

RECEIVED

JAN 0 8 2003

DIV. OF OIL, GAS & MINING


Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY
(a Delaware corporation)

W

By: 
Name: Kirk A. Harrington
Title: Senior Vice President, Legal,
and General Counsel

RECEIVED
JAN 08 2003
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF COMMERCE
REGISTRATION

REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

Corporation - Foreign - Profit
562960-0143

CONOCOPHILLIPS COMPANY

EFFECTIVE
06/14/1946

EXPIRATION
*RENEWAL

UNITED STATES CORP CO
CONOCOPHILLIPS COMPANY
GATEWAY TOWER EAST STE 900
10 EAST SOUTH TEMPLE
SLC UT 84133

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF COMMERCE
DIVISION OF CORPORATIONS & COMMERCIAL CODE
REGISTRATION

EFFECTIVE DATE: 06/14/1946
EXPIRATION DATE: *RENEWAL
ISSUED TO: CONOCOPHILLIPS COMPANY



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143 Corporation - Foreign - Profit

*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30887-00-00	ANDREEN 32-529	Gas Well	APD	32	14	S	10	E
43-007-30865-00-00	COTNER 29-549	Gas Well	APD	29	14	S	10	E
43-007-30837-00-00	DALLIN 32-615	Gas Well	APD	32	13	S	9	E
43-047-34551-00-00	FED 43-24-3 #1	Gas Well	APD	24	10	S	17	E
43-047-33982-00-00	FEDERAL 12-17 #1	Gas Well	APD	17	10	S	18	E
43-047-34471-00-00	FEDERAL 12-29-7 1	Gas Well	APD	29	9	S	19	E
43-047-34472-00-00	FEDERAL 31-31-6 1	Gas Well	APD	31	9	S	19	E
43-007-30864-00-00	MCKENDRICK 29-548	Gas Well	APD	29	14	S	10	E
43-015-30512-00-00	PPCO 19-379	Gas Well	APD	19	16	S	9	E
43-015-30515-00-00	PPCO 24-562	Gas Well	APD	24	16	S	8	E
43-015-30548-00-00	PPCO 30-605	Gas Well	APD	30	16	S	9	E
43-007-30888-00-00	PRICE 32-438	Gas Well	APD	32	14	S	10	E
43-007-30813-00-00	RITZAKIS 33-514	Gas Well	APD	33	13	S	9	E
43-007-30766-00-00	RITZAKIS 33-516	Gas Well	APD	33	13	S	9	E
43-007-30838-00-00	ROWLEY 32-616	Gas Well	APD	32	13	S	9	E
43-007-30863-00-00	SCHMIDT 29-531	Gas Well	APD	29	14	S	10	E
43-007-30797-00-00	SEELY 15-498	Gas Well	APD	15	14	S	8	E
43-007-30798-00-00	SEELY 15-499	Gas Well	APD	15	14	S	8	E
43-007-30799-00-00	SEELY 15-500	Gas Well	APD	15	14	S	8	E
43-007-30796-00-00	SEELY 22-492	Gas Well	APD	22	14	S	8	E
43-007-30801-00-00	SEELY 22-502	Gas Well	APD	22	14	S	8	E
43-007-30802-00-00	SEELY 22-503	Gas Well	APD	22	14	S	8	E
43-007-30711-00-00	USA 09-452	Gas Well	APD	9	15	S	8	E
43-015-30351-00-00	USA 11-313	Gas Well	APD	11	16	S	9	E
43-015-30398-00-00	USA 12-385	Gas Well	APD	12	16	S	9	E
43-015-30409-00-00	USA 12-426	Gas Well	APD	12	16	S	9	E
43-007-30805-00-00	USA 14-490	Gas Well	APD	14	14	S	8	E
43-007-30806-00-00	USA 14-491	Gas Well	APD	14	14	S	8	E
43-007-30676-00-00	USA 15-421	Gas Well	APD	15	15	S	8	E
43-015-30417-00-00	USA 21-427	Gas Well	APD	21	16	S	9	E
43-015-30416-00-00	USA 21-428	Gas Well	APD	21	16	S	9	E
43-015-30415-00-00	USA 21-429	Gas Well	APD	21	16	S	9	E
43-007-30515-00-00	USA 31-309	Gas Well	APD	31	15	S	10	E
43-007-30835-00-00	USA 33-515	Gas Well	APD	33	13	S	9	E
43-007-30836-00-00	USA 33-624	Gas Well	APD	33	13	S	9	E
43-007-30803-00-00	USA 34-518	Gas Well	APD	34	14	S	8	E
43-007-30478-00-00	UTAH 05-224	Gas Well	APD	5	15	S	9	E
43-015-30411-00-00	UTAH 16-365	Gas Well	APD	16	16	S	9	E
43-015-30412-00-00	UTAH 16-366	Gas Well	APD	16	16	S	9	E
43-015-30413-00-00	UTAH 16-430	Gas Well	APD	16	16	S	9	E
43-015-30299-00-00	UTAH 18-374	Gas Well	APD	18	16	S	9	E
43-015-30420-00-00	UTAH 19-377	Gas Well	APD	19	16	S	9	E
43-015-30492-00-00	UTAH 19-378	Gas Well	APD	19	16	S	9	E
43-007-30891-00-00	UTAH 19-533	Gas Well	APD	19	14	S	10	E
43-015-30414-00-00	UTAH 20-381	Gas Well	APD	20	16	S	9	E
43-015-30421-00-00	UTAH 20-382	Gas Well	APD	20	16	S	9	E
43-015-30518-00-00	UTAH 25-576	Gas Well	APD	25	16	S	8	E
43-015-30539-00-00	UTAH 25-578	Gas Well	APD	25	16	S	8	E
43-015-30540-00-00	UTAH 25-579	Gas Well	APD	25	16	S	8	E
43-007-30817-00-00	UTAH 25-618	Gas Well	APD	25	13	S	9	E
43-015-30543-00-00	UTAH 26-582	Gas Well	APD	26	16	S	8	E
43-015-30547-00-00	UTAH 29-608	Gas Well	APD	29	16	S	9	E
43-007-30889-00-00	UTAH 32-128	Gas Well	APD	32	14	S	10	E
43-007-30814-00-00	UTAH 35-506	Gas Well	APD	35	13	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-047-33750-00-00	FEDERAL 34-29	Gas Well	P	29	9	S	19	E
43-007-30782-00-00	GAROFOLA 26-482	Gas Well	P	26	15	S	8	E
43-007-30335-00-00	GIACOLETTO 11-113	Gas Well	P	11	14	S	9	E
43-007-30407-00-00	GIACOLETTO 13-120	Gas Well	P	13	14	S	9	E
43-007-30345-00-00	GIACOLETTO 14-121	Gas Well	P	14	14	S	9	E
43-007-30487-00-00	HELPER & ASSOC 07-307	Gas Well	P	7	15	S	9	E
43-007-30459-00-00	HELPER & ASSOC 18-236	Gas Well	P	18	15	S	9	E
43-007-30720-00-00	HELPER & ASSOC 18-308	Gas Well	P	18	15	S	9	E
43-007-30412-00-00	HELPER & ASSOC 8-232	Gas Well	P	8	15	S	9	E
43-007-30258-00-00	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15	S	9	E
43-007-30588-00-00	JENSEN 16-132	Gas Well	P	16	15	S	10	E
43-007-30420-00-00	KAKATSIDES 31-197	Gas Well	P	31	14	S	9	E
43-007-30296-00-00	LDS 17-133	Gas Well	P	17	15	S	10	E
43-007-30323-00-00	PAAR 16-146	Gas Well	P	16	14	S	9	E
43-047-34286-00-00	PETES WASH 23-12 #1	Gas Well	P	12	10	S	17	E
43-007-30748-00-00	PIERUCCI 25-461	Gas Well	P	25	15	S	8	E
43-007-30749-00-00	PIERUCCI 25-462	Gas Well	P	25	15	S	8	E
43-007-30754-00-00	PIERUCCI 26-463	Gas Well	P	26	15	S	8	E
43-007-30755-00-00	PIERUCCI 26-464	Gas Well	P	26	15	S	8	E
43-007-30745-00-00	PIERUCCI 26-481	Gas Well	P	26	15	S	8	E
43-007-30117-00-00	PINNACLE PEAK 19-171	Gas Well	P	19	14	S	9	E
43-007-30845-00-00	PMC 10-526	Gas Well	P	10	15	S	8	E
43-007-30282-00-00	POWELL 19-104	Gas Well	P	19	15	S	10	E
43-007-30283-00-00	POWELL 19-105	Gas Well	P	19	15	S	10	E
43-007-30346-00-00	POWELL 30-173	Gas Well	P	30	15	S	10	E
43-015-30279-00-00	PPCO 10-557	Gas Well	P	10	16	S	8	E
43-015-30494-00-00	PPCO 15-555	Gas Well	P	15	16	S	8	E
43-007-30211-00-00	PRETTYMAN 10-15-34	Gas Well	P	10	14	S	9	E
43-007-30340-00-00	PRETTYMAN 11-114	Gas Well	P	11	14	S	9	E
43-007-30653-00-00	RGC 21-331	Gas Well	P	21	15	S	9	E
43-007-30743-00-00	RGC 21-332	Gas Well	P	21	15	S	9	E
43-007-30747-00-00	RGC 25-460	Gas Well	P	25	15	S	8	E
43-007-30559-00-00	RGC 28-318	Gas Well	P	28	15	S	9	E
43-007-30518-00-00	RGC 28-319	Gas Well	P	28	15	S	9	E
43-007-30509-00-00	RITZAKIS 03-408	Gas Well	P	3	14	S	9	E
43-007-30473-00-00	RITZAKIS 5-304	Gas Well	P	5	14	S	9	E
43-007-30474-00-00	RITZAKIS 5-305	Gas Well	P	5	14	S	9	E
43-007-30475-00-00	RITZAKIS 8-298	Gas Well	P	8	14	S	9	E
43-007-30479-00-00	RITZAKIS 8-299	Gas Well	P	8	14	S	9	E
43-007-30476-00-00	RITZAKIS 8-300	Gas Well	P	8	14	S	9	E
43-007-30374-00-00	ROBERTSON 32-127	Gas Well	P	32	14	S	10	E
43-007-30610-00-00	SAMPINOS 16-131	Gas Well	P	16	15	S	10	E
43-007-30723-00-00	SAMPINOS 16-454	Gas Well	P	16	15	S	10	E
43-007-30765-00-00	SAMPINOS 16-521	Gas Well	P	16	15	S	10	E
43-007-30800-00-00	SEELY 22-501	Gas Well	P	22	14	S	8	E
43-007-30130-00-00	ST OF UT 25-9-1	Gas Well	P	25	14	S	9	E
43-007-30142-00-00	ST OF UT 36-3-4	Gas Well	P	36	14	S	9	E
43-007-30116-00-00	STELLA-HAMAKER 10-174	Gas Well	P	10	15	S	8	E
43-007-30746-00-00	TABOR 23-468	Gas Well	P	23	15	S	8	E
43-007-30319-00-00	TELONIS 15-142	Gas Well	P	15	14	S	9	E
43-007-30322-00-00	TELONIS 16-145	Gas Well	P	16	14	S	9	E
43-007-30300-00-00	TELONIS 19-150	Gas Well	P	19	14	S	9	E
43-007-30299-00-00	TELONIS 19-151	Gas Well	P	19	14	S	9	E
43-007-30327-00-00	TELONIS 20-152	Gas Well	P	20	14	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30631-00-00	USA 13-419	Gas Well	P	13	15	S	8	E
43-007-30707-00-00	USA 13-447	Gas Well	P	13	14	S	8	E
43-007-30706-00-00	USA 13-470	Gas Well	P	13	14	S	8	E
43-007-30789-00-00	USA 13-474	Gas Well	P	13	14	S	8	E
43-007-30790-00-00	USA 13-475	Gas Well	P	13	14	S	8	E
43-007-30568-00-00	USA 13-91	Gas Well	P	13	14	S	9	E
43-007-30404-00-00	USA 14-122	Gas Well	P	14	14	S	9	E
43-015-30418-00-00	USA 1-425	Gas Well	P	1	16	S	9	E
43-007-30579-00-00	USA 14-325	Gas Well	P	14	15	S	8	E
43-007-30634-00-00	USA 14-386	Gas Well	P	14	15	S	8	E
43-007-30646-00-00	USA 14-416	Gas Well	P	14	15	S	8	E
43-007-30647-00-00	USA 14-417	Gas Well	P	14	15	S	8	E
43-007-30791-00-00	USA 14-476	Gas Well	P	14	14	S	8	E
43-007-30792-00-00	USA 14-477	Gas Well	P	14	14	S	8	E
43-007-30529-00-00	USA 14-74	Gas Well	P	14	14	S	9	E
43-007-30263-00-00	USA 14-75	Gas Well	P	14	14	S	9	E
43-007-30450-00-00	USA 15-176	Gas Well	P	15	14	S	9	E
43-007-30423-00-00	USA 15-177	Gas Well	P	15	14	S	9	E
43-007-30690-00-00	USA 15-420	Gas Well	P	15	15	S	8	E
43-007-30691-00-00	USA 15-422	Gas Well	P	15	15	S	8	E
43-007-30264-00-00	USA 15-88	Gas Well	P	15	14	S	9	E
43-007-30422-00-00	USA 17-179	Gas Well	P	17	14	S	9	E
43-007-30622-00-00	USA 17-180A	Gas Well	P	17	14	S	9	E
43-007-30618-00-00	USA 18-181	Gas Well	P	18	14	S	9	E
43-007-30417-00-00	USA 18-182	Gas Well	P	18	14	S	9	E
43-007-30619-00-00	USA 18-435	Gas Well	P	18	14	S	9	E
43-007-30393-00-00	USA 19-222	Gas Well	P	19	15	S	10	E
43-007-30392-00-00	USA 19-73	Gas Well	P	19	15	S	10	E
43-007-30448-00-00	USA 20-287	Gas Well	P	20	15	S	10	E
43-007-30451-00-00	USA 20-288	Gas Well	P	20	15	S	10	E
43-007-30590-00-00	USA 20-398	Gas Well	P	20	15	S	10	E
43-007-30591-00-00	USA 20-399	Gas Well	P	20	15	S	10	E
43-007-30424-00-00	USA 21-184	Gas Well	P	21	14	S	9	E
43-007-30425-00-00	USA 21-35	Gas Well	P	21	14	S	9	E
43-007-30426-00-00	USA 22-185	Gas Well	P	22	14	S	9	E
43-007-30477-00-00	USA 22-186	Gas Well	P	22	14	S	9	E
43-007-30700-00-00	USA 22-466	Gas Well	P	22	15	S	8	E
43-007-30611-00-00	USA 23-423	Gas Well	P	23	14	S	8	E
43-007-30650-00-00	USA 23-445	Gas Well	P	23	15	S	8	E
43-007-30704-00-00	USA 23-451	Gas Well	P	23	15	S	8	E
43-007-30503-00-00	USA 23-467	Gas Well	P	23	15	S	8	E
43-007-30793-00-00	USA 23-478	Gas Well	P	23	14	S	8	E
43-007-30794-00-00	USA 23-479	Gas Well	P	23	14	S	8	E
43-007-30795-00-00	USA 23-480	Gas Well	P	23	14	S	8	E
43-007-30469-00-00	USA 24-183	Gas Well	P	24	14	S	8	E
43-007-30612-00-00	USA 24-387	Gas Well	P	24	14	S	8	E
43-007-30613-00-00	USA 24-388	Gas Well	P	24	14	S	8	E
43-007-30651-00-00	USA 24-443	Gas Well	P	24	15	S	8	E
43-007-30648-00-00	USA 24-444	Gas Well	P	24	15	S	8	E
43-007-30708-00-00	USA 24-446	Gas Well	P	24	14	S	8	E
43-007-30652-00-00	USA 24-448	Gas Well	P	24	15	S	8	E
43-007-30705-00-00	USA 24-449	Gas Well	P	24	15	S	8	E
43-007-30505-00-00	USA 25-459	Gas Well	P	25	15	S	8	E
43-007-30614-00-00	USA 26-393	Gas Well	P	26	14	S	8	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30430-00-00	UTAH 06-223	Gas Well	P	6	15	S	9	E
43-007-30562-00-00	UTAH 06-330	Gas Well	P	6	15	S	9	E
43-007-30716-00-00	UTAH 06-483	Gas Well	P	6	15	S	9	E
43-007-30409-00-00	UTAH 07-234	Gas Well	P	7	15	S	9	E
43-007-30421-00-00	UTAH 07-235	Gas Well	P	7	15	S	9	E
43-007-30411-00-00	UTAH 08-231	Gas Well	P	8	15	S	9	E
43-007-30488-00-00	UTAH 08-233	Gas Well	P	8	15	S	9	E
43-015-30464-00-00	UTAH 08-354	Gas Well	P	8	16	S	9	E
43-015-30378-00-00	UTAH 08-355	Gas Well	P	8	16	S	9	E
43-015-30379-00-00	UTAH 08-356	Gas Well	P	8	16	S	9	E
43-015-30380-00-00	UTAH 08-357	Gas Well	P	8	16	S	9	E
43-007-30449-00-00	UTAH 09-227	Gas Well	P	9	15	S	9	E
43-007-30561-00-00	UTAH 09-329	Gas Well	P	9	15	S	9	E
43-015-30300-00-00	UTAH 09-358	Gas Well	P	9	16	S	9	E
43-015-30407-00-00	UTAH 09-359	Gas Well	P	9	16	S	9	E
43-015-30397-00-00	UTAH 09-360	Gas Well	P	9	16	S	9	E
43-015-30408-00-00	UTAH 09-361	Gas Well	P	9	16	S	9	E
43-007-30580-00-00	UTAH 09-412	Gas Well	P	9	15	S	10	E
43-007-30605-00-00	UTAH 09-413	Gas Well	P	9	15	S	10	E
43-007-30657-00-00	UTAH 09-450	Gas Well	P	9	15	S	10	E
43-007-30722-00-00	UTAH 09-453	Gas Well	P	9	15	S	10	E
43-007-30302-00-00	UTAH 10-01-36	Gas Well	P	10	15	S	9	E
43-007-30298-00-00	UTAH 10-219	Gas Well	P	10	15	S	9	E
43-007-30432-00-00	UTAH 10-220	Gas Well	P	10	15	S	9	E
43-007-30303-00-00	UTAH 10-221	Gas Well	P	10	15	S	9	E
43-007-30228-00-00	UTAH 11-50	Gas Well	P	11	15	S	9	E
43-007-30229-00-00	UTAH 11-51	Gas Well	P	11	15	S	9	E
43-007-30230-00-00	UTAH 11-52	Gas Well	P	11	15	S	9	E
43-007-30231-00-00	UTAH 11-53	Gas Well	P	11	15	S	9	E
43-007-30467-00-00	UTAH 1-209	Gas Well	P	1	15	S	8	E
43-007-30210-00-00	UTAH 12-15-37	Gas Well	P	12	15	S	9	E
43-007-30232-00-00	UTAH 12-54	Gas Well	P	12	15	S	9	E
43-007-30233-00-00	UTAH 12-55	Gas Well	P	12	15	S	9	E
43-007-30234-00-00	UTAH 12-56	Gas Well	P	12	15	S	9	E
43-015-30493-00-00	UTAH 13-376	Gas Well	P	13	16	S	8	E
43-015-30301-00-00	UTAH 13-550	Gas Well	P	13	16	S	8	E
43-007-30243-00-00	UTAH 13-65	Gas Well	P	13	15	S	9	E
43-007-30244-00-00	UTAH 13-66	Gas Well	P	13	15	S	9	E
43-007-30245-00-00	UTAH 13-67	Gas Well	P	13	15	S	9	E
43-007-30246-00-00	UTAH 13-68	Gas Well	P	13	15	S	9	E
43-007-30439-00-00	UTAH 13-92	Gas Well	P	13	14	S	9	E
43-007-30220-00-00	UTAH 1-42	Gas Well	P	1	15	S	9	E
43-007-30221-00-00	UTAH 1-43	Gas Well	P	1	15	S	9	E
43-007-30222-00-00	UTAH 1-44	Gas Well	P	1	15	S	9	E
43-007-30223-00-00	UTAH 1-45	Gas Well	P	1	15	S	9	E
43-015-30330-00-00	UTAH 14-551	Gas Well	P	14	16	S	8	E
43-015-30331-00-00	UTAH 14-552	Gas Well	P	14	16	S	8	E
43-007-30239-00-00	UTAH 14-61	Gas Well	P	14	15	S	9	E
43-007-30240-00-00	UTAH 14-62	Gas Well	P	14	15	S	9	E
43-007-30241-00-00	UTAH 14-63	Gas Well	P	14	15	S	9	E
43-007-30242-00-00	UTAH 14-64	Gas Well	P	14	15	S	9	E
43-015-30334-00-00	UTAH 15-553	Gas Well	P	15	16	S	8	E
43-007-30416-00-00	UTAH 17-101	Gas Well	P	17	15	S	10	E
43-007-30277-00-00	UTAH 17-102	Gas Well	P	17	15	S	10	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30255-00-00	UTAH 24-80	Gas Well	P	24	15	S	9	E
43-007-30256-00-00	UTAH 24-81	Gas Well	P	24	15	S	9	E
43-007-30267-00-00	UTAH 24-86	Gas Well	P	24	15	S	9	E
43-007-30375-00-00	UTAH 24-87	Gas Well	P	24	15	S	9	E
43-007-30227-00-00	UTAH 2-49	Gas Well	P	2	15	S	9	E
43-007-30157-00-00	UTAH 25-11-7	Gas Well	P	25	14	S	9	E
43-007-30399-00-00	UTAH 25-134	Gas Well	P	25	15	S	9	E
43-007-30400-00-00	UTAH 25-252	Gas Well	P	25	15	S	9	E
43-007-30401-00-00	UTAH 25-253	Gas Well	P	25	15	S	9	E
43-007-30402-00-00	UTAH 25-254	Gas Well	P	25	15	S	9	E
43-007-30600-00-00	UTAH 25-389	Gas Well	P	25	14	S	8	E
43-007-30599-00-00	UTAH 25-390	Gas Well	P	25	14	S	8	E
43-007-30658-00-00	UTAH 25-391	Gas Well	P	25	14	S	8	E
43-007-30602-00-00	UTAH 25-392	Gas Well	P	25	14	S	8	E
43-007-30206-00-00	UTAH 25-4-33	Gas Well	P	25	14	S	9	E
43-015-30519-00-00	UTAH 25-577	Gas Well	P	25	16	S	8	E
43-007-30156-00-00	UTAH 25-7-6	Gas Well	P	25	14	S	9	E
43-007-30204-00-00	UTAH 26-11-25	Gas Well	P	26	14	S	9	E
43-007-30205-00-00	UTAH 26-1-23	Gas Well	P	26	14	S	9	E
43-007-30181-00-00	UTAH 26-16-8	Gas Well	P	26	14	S	9	E
43-007-30446-00-00	UTAH 26-255	Gas Well	P	26	15	S	9	E
43-007-30445-00-00	UTAH 26-256	Gas Well	P	26	15	S	9	E
43-007-30444-00-00	UTAH 26-257	Gas Well	P	26	15	S	9	E
43-007-30514-00-00	UTAH 26-267	Gas Well	P	26	15	S	9	E
43-015-30541-00-00	UTAH 26-580	Gas Well	P	26	16	S	8	E
43-015-30542-00-00	UTAH 26-581	Gas Well	P	26	16	S	8	E
43-015-30544-00-00	UTAH 26-583	Gas Well	P	26	16	S	8	E
43-007-30202-00-00	UTAH 26-6-24	Gas Well	P	26	14	S	9	E
43-007-30395-00-00	UTAH 27-187	Gas Well	P	27	14	S	9	E
43-007-30292-00-00	UTAH 27-188	Gas Well	P	27	14	S	9	E
43-007-30457-00-00	UTAH 27-268	Gas Well	P	27	15	S	9	E
43-007-30458-00-00	UTAH 27-269	Gas Well	P	27	15	S	9	E
43-007-30712-00-00	UTAH 27-457	Gas Well	P	27	14	S	8	E
43-007-30714-00-00	UTAH 27-458	Gas Well	P	27	14	S	8	E
43-007-30777-00-00	UTAH 27-520	Gas Well	P	27	14	S	8	E
43-015-30545-00-00	UTAH 27-584	Gas Well	P	27	16	S	8	E
43-007-30193-00-00	UTAH 27-8-29	Gas Well	P	27	14	S	9	E
43-007-30186-00-00	UTAH 27-9-30	Gas Well	P	27	14	S	9	E
43-007-30396-00-00	UTAH 28-189	Gas Well	P	28	14	S	9	E
43-007-30397-00-00	UTAH 28-190	Gas Well	P	28	14	S	9	E
43-007-30293-00-00	UTAH 28-191	Gas Well	P	28	14	S	9	E
43-007-30294-00-00	UTAH 28-192	Gas Well	P	28	14	S	9	E
43-007-30551-00-00	UTAH 28-320	Gas Well	P	28	15	S	9	E
43-007-30560-00-00	UTAH 28-321	Gas Well	P	28	15	S	9	E
43-007-30405-00-00	UTAH 29-193	Gas Well	P	29	14	S	9	E
43-007-30427-00-00	UTAH 29-194	Gas Well	P	29	14	S	9	E
43-007-30739-00-00	UTAH 29-339	Gas Well	P	29	15	S	9	E
43-007-30740-00-00	UTAH 29-340	Gas Well	P	29	15	S	9	E
43-007-30741-00-00	UTAH 29-341	Gas Well	P	29	15	S	9	E
43-007-30742-00-00	UTAH 29-342	Gas Well	P	29	15	S	9	E
43-007-30262-00-00	UTAH 30-125	Gas Well	P	30	14	S	10	E
43-007-30185-00-00	UTAH 30-13-14	Gas Well	P	30	14	S	10	E
43-007-30265-00-00	UTAH 30-195	Gas Well	P	30	14	S	9	E
43-007-30344-00-00	UTAH 30-196	Gas Well	P	30	14	S	9	E

Utah Well List as of 12/26/02

API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	P	36	14	S	9	E
43-007-30341-00-00	UTAH 36-135	Gas Well	P	36	15	S	9	E
43-007-30343-00-00	UTAH 36-136	Gas Well	P	36	15	S	9	E
43-007-30342-00-00	UTAH 36-137	Gas Well	P	36	15	S	9	E
43-007-30315-00-00	UTAH 36-162	Gas Well	P	36	14	S	8	E
43-007-30316-00-00	UTAH 36-163	Gas Well	P	36	14	S	8	E
43-007-30317-00-00	UTAH 36-164	Gas Well	P	36	14	S	8	E
43-007-30318-00-00	UTAH 36-165	Gas Well	P	36	14	S	8	E
43-007-30144-00-00	UTAH 36-9-5	Gas Well	P	36	14	S	9	E
43-015-30341-00-00	UTAH 4-280	Gas Well	P	4	16	S	9	E
43-015-30342-00-00	UTAH 4-282	Gas Well	P	4	16	S	9	E
43-007-30384-00-00	UTAH 5-205	Gas Well	P	5	15	S	9	E
43-007-30269-00-00	UTAH 5-94	Gas Well	P	5	15	S	10	E
43-007-30270-00-00	UTAH 5-95	Gas Well	P	5	15	S	10	E
43-007-30271-00-00	UTAH 5-96	Gas Well	P	5	15	S	10	E
43-007-30217-00-00	UTAH 6-38	Gas Well	P	6	15	S	10	E
43-007-30218-00-00	UTAH 6-39	Gas Well	P	6	15	S	10	E
43-007-30219-00-00	UTAH 6-40	Gas Well	P	6	15	S	10	E
43-007-30254-00-00	UTAH 6-41	Gas Well	P	6	15	S	10	E
43-007-30235-00-00	UTAH 7-57	Gas Well	P	7	15	S	10	E
43-007-30236-00-00	UTAH 7-58	Gas Well	P	7	15	S	10	E
43-007-30237-00-00	UTAH 7-59	Gas Well	P	7	15	S	10	E
43-007-30238-00-00	UTAH 7-60	Gas Well	P	7	15	S	10	E
43-007-30275-00-00	UTAH 8-100	Gas Well	P	8	15	S	10	E
43-007-30410-00-00	UTAH 8-230	Gas Well	P	8	15	S	9	E
43-007-30272-00-00	UTAH 8-97	Gas Well	P	8	15	S	10	E
43-007-30285-00-00	UTAH 8-98X	Gas Well	P	8	15	S	10	E
43-007-30274-00-00	UTAH 8-99	Gas Well	P	8	15	S	10	E
43-007-30413-00-00	UTAH 9-228	Gas Well	P	9	15	S	9	E
43-007-30414-00-00	UTAH 9-229	Gas Well	P	9	15	S	9	E
43-007-30279-00-00	WILLIAMS 30-78	Gas Well	P	30	14	S	10	E
43-007-30481-00-00	WOOLSTENHULME 05-266	Gas Well	P	5	15	S	10	E
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut In	16	16	S	9	E

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>All</u>		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 980 Plaza Office CITY Bartlesville STATE OK ZIP 74004		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (918) 661-4415		8. WELL NAME and NUMBER: See Attached List
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List		9. API NUMBER: See List
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Conoco Inc. was merged into Phillips Petroleum Company, the surviving corporation, on December 31, 2002. In connection with this merger and effective on the same date, the name of the surviving corporation was changed to "ConocoPhillips Company". We are requesting that a new Operator Number be assigned to ConocoPhillips Company.

Please send production reporting forms to Herb Henderson at ConocoPhillips Company, 315 S. Johnstone, 980 Plaza Office, Bartlesville, OK 74004. Herb's phone number is 918-661-4415.

Current Operator
Phillips Petroleum Company


Steve de Albuquerque


New Operator
ConocoPhillips Company


Yolanda Perez

RECEIVED

JAN 08 2003

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Yolanda Perez</u>	TITLE <u>Sr. Regulatory Analyst</u>
SIGNATURE 	DATE <u>12/30/2002</u>

(This space for State use only)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Eastern States Office
7450 Boston Boulevard
Springfield, Virginia 22153

IN REPLY REFER TO
3106.8(932.34)WF

January 16, 2003

NOTICE

ConocoPhillips Company	:	Oil & Gas Leases
P.O. Box 7500	:	
Bartlesville, Oklahoma 74005	:	

Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to **ConocoPhillips Company** and the merger of **Conoco Incorporated** into **ConocoPhillips Company** on Federal oil and gas leases, with **ConocoPhillips Company** being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

bc: JFO, BLM State Offices, MMS, ES RF, 930 RF, ES-932:
Bforbes:wbf:01/16/03:440-1536/ConocoPhillips Co

005

5. Lease Designation and Serial Number:
ML-46633

6. If Indian, Allottee or Tribe Name:
N/A

7. Unit Agreement Name:
N/A

8. Well Name and Number:
Utah 25-618

9. API Well Number:
43-007-30817

10. Field or Pool, or Wildcat:
Drunkards Wash

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

1. Type of Well: OIL GAS OTHER:

2. Name of Operator: ConocoPhillips

3. Address and Telephone Number: 6825 S. 5300 W. P.O. Box 851 Price, Utah 84501 (435) 613-9777

4. Location of Well Footages: 2160' FSL, 646' FWL
County: Carbon County
QQ, Sec., T., R., M.: NW/4 SW/4 SEC. 25, T13S, R09E, SLB & M
State: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandon <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input type="checkbox"/> Multiple Completion <input type="checkbox"/> Other _____ Approximate date work will start _____	<input type="checkbox"/> Abandon * <input type="checkbox"/> Repair Casing <input type="checkbox"/> Change of Plans <input type="checkbox"/> Convert to Injection <input type="checkbox"/> Fracture Treat or Acidize <input checked="" type="checkbox"/> Other <u>APD Extension Request</u> Date of work completion _____
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recomplete <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Reperforate <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that Phillips Petroleum Company is requesting a one year extension on the permit expiration date for the Utah 25-618 well location. This well is located more than 460' from the boundary of the Drunkards Wash Federal Unit and from the boundary of any uncommitted tract within the unit and will not require administrative approval in accordance with Utah Administrative Code Rule R649-3-3.

ORIGINAL

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 01-29-03

By: *[Signature]*

RECEIVED
JAN 23 2003

CONFIDENTIAL

COPY SENT TO OPERATOR
Date: 02-03-03
Initials: *[Signature]*

13. Name & Signature: Jean Semborski *[Signature]* Title: Permitting Supervisor Date: 1/10/03

(This space for state use only)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

004

Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: 12-31-02	
FROM: (Old Operator):	TO: (New Operator):
PHILLIPS PETROLEUM COMPANY	CONOCOPHILLIPS COMPANY
Address: 980 PLAZA OFFICE	Address: P O BOX 2197, WL3 4066
BARTLESVILLE, OK 74004	HOUSTON, TX 77252
Phone: 1-(918)-661-4415	Phone: 1-(832)-486-2329
Account No. N1475	Account No. N2335

CA No.

Unit:

WELL(S) NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
UTAH 24-636	24-13S-09E	43-007-30855	13563	STATE	GW	DRL
UTAH 25-618	25-13S-09E	43-007-30817	99999	STATE	GW	APD
DALLIN 32-615	32-13S-09E	43-007-30837	99999	FEE	GW	APD
ROWLEY 32-616	32-13S-09E	43-007-30838	99999	FEE	GW	APD
PRICE 32-625	32-13S-09E	43-007-30839	99999	FEE	GW	NEW
RITZAKIS 33-516	33-13S-09E	43-007-30766	99999	FEE	GW	APD
USA 33-515	33-13S-09E	43-007-30835	99999	FEDERAL	GW	APD
USA 33-624	33-13S-09E	43-007-30836	99999	FEDERAL	GW	APD
RITZAKIS 33-514	33-13S-09E	43-007-30813	99999	FEE	GW	APD
UTAH 34-511	34-13S-09E	43-007-30816	13516	STATE	GW	P
UTAH 34-513	34-13S-09E	43-007-30820	13511	STATE	GW	P
UTAH 34-512	34-13S-09E	43-007-30767	13510	STATE	GW	P
UTAH 34-510	34-13S-09E	43-007-30506	13168	STATE	GW	P
UTAH 35-506	35-13S-09E	43-007-30814	99999	STATE	GW	APD
UTAH 35-507	35-13S-09E	43-007-30815	99999	STATE	GW	APD
UTAH 35-508	35-13S-09E	43-007-30821	99999	STATE	GW	NEW
UTAH 35-509	35-13S-09E	43-007-30822	99999	STATE	GW	NEW
USA 01-519	01-14S-08E	43-007-30830	99999	FEDERAL	GW	NEW
USA 14-490	14-14S-08E	43-007-30805	99999	FEDERAL	GW	APD
USA 14-491	14-14S-08E	43-007-30806	99999	FEDERAL	GW	APD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/08/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/08/2003
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 02/03/2003
- Is the new operator registered in the State of Utah: YES Business Number: 562960-0143
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/14/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 01/14/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/14/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 02/12/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 02/12/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 8140-60-24

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 8015-16-69

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 6196922

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:



State of Utah

Department of
Natural Resources

Division of
Oil, Gas & Mining

ROBERT L. MORGAN
Executive Director

LOWELL P. BRAXTON
Division Director

MICHAEL O. LEAVITT
Governor

OLENE S. WALKER
Lieutenant Governor

January 23, 2004

Jean Semborski
ConocoPhillips Company
P O Box 851
Price, UT 84501

Re: APD Rescinded – Utah 25-618 Sec. 25, T. 13S, R. 9E
Carbon County, Utah API No. 43-007-30817


Dear Ms. Semborski:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on January 7, 2002. On January 29, 2003 the Division granted a one-year APD extension. On January 30, 2004, you requested that the division rescind the state approved APD. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective January 30, 2004.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,


Diana Whitney
Engineering Technician

cc: Well File
SITLA, Ed Bonner