

Bond No. B001617R04-05-05

RECEIVED

SURETY RIDER

APR 06 2005

DIV. OF OIL, GAS & MINING

To be attached to and form a part of Bond No. B001617 on behalf of Marion Energy Inc., as principal and executed by U.S. Specialty Insurance Company, as surety.

Effective date of bond: March 31, 2005

Effective date of change: March 31, 2005

In consideration of the mutual agreement herein contained, the principal and the surety hereby consent to the following changes:

The penalty amount of the bond has changed from:

\$150,000.00

TO:

\$120,000.00

Nothing herein contained shall vary, alter, or extend any provision or condition of this bond except as herein expressly stated.

SIGNED, SEALED AND DATED THIS: April 5, 2005

State of Utah
Dept. of Natural Resources
Division of Oil, Gas and Mining
Name of Obligee

Earlene Russell
Signature

EARLENE RUSSELL
ENGINEERING TECHNICIAN, BONDING
Name and title of person
executing for Principal

U.S. Specialty Insurance Company
Name of Surety

W. Russell Brown, Jr.
Signature

W. Russell Brown, Jr. Attorney-in-Fact
Name and title of person
executing for Surety

Bond No. B001617R04-05-05

RECEIVED

APR 06 2005

DIV. OF OIL, GAS & MINING

SURETY RIDER

To be attached to and form a part of Bond No. B001617 on behalf of Marion Energy Inc., as principal and executed by U.S. Specialty Insurance Company, as surety.

Effective date of bond: March 31, 2005

Effective date of change: March 31, 2005

In consideration of the mutual agreement herein contained, the principal and the surety hereby consent to the following changes:

The penalty amount of the bond has changed from:

\$150,000.00

TO:

\$120,000.00

Nothing herein contained shall vary, alter, or extend any provision or condition of this bond except as herein expressly stated.

SIGNED, SEALED AND DATED THIS: April 5, 2005

State of Utah
Dept. of Natural Resources
Division of Oil, Gas and Mining
Name of Obligee

Earlene Russell
Signature

EARLENE RUSSELL
ENGINEERING TECHNICIAN, BONDING
Name and title of person
executing for Principal

U.S. Specialty Insurance Company
Name of Surety

W. Russell Brown, Jr.
Signature

W. Russell Brown, Jr. Attorney-in-Fact
Name and title of person
executing for Surety

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Bond Number
B001632

OIL AND GAS OR GEOTHERMAL LEASE BOND

Act of February 25, 1920 (30 U.S.C. 181 et seq.)
Act of August 7, 1947 (30 U.S.C. 351-359)
Department of the Interior Appropriations Act, FY 1981 (42 U.S.C. 6508)
Act of December 24, 1970 (30 U.S.C. 1001-1025)
Other Oil and Gas and Geothermal Leasing Authorities as Applicable

Lease Serial Number (For Individual Bond Only)

CHECK ONE: OIL AND GAS GEOTHERMAL RESOURCES

CHECK ONE:
 SURETY BOND

KNOW ALL BY THESE PRESENTS, THAT Marion Energy Inc. (name)

of 119 S. Tennessee, Suite 200, McKinney, Texas 75069 (address)

as principal, and U.S. Specialty Insurance Company (name)

of 13403 Northwest Freeway, Houston, Texas 77040 (address), as surety,

are held and firmly bound unto the United States of America in the sum of Twenty-five Thousand and no/100 dollars (\$ 25,000.00),

lawful money of the United States, which may be increased or decreased by a rider hereto executed in the same manner as this bond.

PERSONAL BOND

KNOW ALL BY THESE PRESENTS, That _____ (name)

of _____ (address), as principal, is held and firmly

bound unto the United States of America in the sum of _____

_____ dollars (\$ _____), lawful money of the United States which sum may be increased or decreased by a rider hereto executed in the same manner as this bond.

The principal, in order to more fully secure the United States in the payment of the aforesaid sum, hereby pledges as security therefore United States negotiable securities of a par value equal to the amount specified. The principal, pursuant to the authority conferred by Section 1 of the Act of September 13, 1982 (31 U.S.C. 9303), does hereby constitute and appoint the Secretary of the Interior to act as his attorney. The interest accruing on the United States securities deposited, in the absence of any default in the performance of any of the conditions, or stipulations set forth in this bond and the instrument(s) granting rights and interests in Federal lands, must be paid to the principal. The principal hereby for himself/herself, any heirs, executors, administrators, successors, and assigns, joint and severally, ratifies and confirms whatever the Secretary shall do by virtue of these presents.

The principal/surety shall apply this bond or the Secretary shall transfer this deposit as security for the faithful performance of any and all of the conditions and stipulations as set forth in this bond and the instruments granting rights and interests in Federal lands. In the case of any default in the performance of the conditions and stipulations of such undertaking, it is agreed that: (1) for a Surety Bond, the surety/principal shall apply the bond or any portion thereof; (2) for a Personal Bond, the Secretary shall have full power to assign, appropriate, apply or transfer the deposit or any portion thereof, to the satisfaction of any damages, assessments, late payment charges, penalties, or deficiencies arising by reason of such default.

This bond is required for the use and benefit of (1) the United States, (2) the owner of any of the land subject to the coverage of this bond, who has a statutory right to compensation in connection with a reservation of the oil and gas and geothermal deposits to the United States; (3) any lessee, permittee, or contractor, under a lease, permit, or resource sale contract issued, or to be issued, by the United States covering the same land subject to this bond, covering the use of the surface or the prospecting for, or the development of other mineral deposits in any portion of such land, to be paid to the United States. For such payment, well and truly to be made, we bind ourselves and each of our heirs, executors, administrators, successors, and assigns, jointly and severally.

This bond shall cover all surface disturbing activities related to drilling operations on a Federal leasehold(s) in accordance with authorization(s) granted under the Acts cited above for:

CHECK ONE:

NATIONWIDE BOND — Operations conducted by or on behalf of the principal(s) or on the leasehold(s) of the principal(s) in the United States including the National Petroleum Reserve in Alaska (NPR-A) when a rider sufficient to bring the amount in conformance with 43 CFR 3134 is provided, and provided a rider is obtained, also coverage of multiple exploration operations

STATEWIDE BOND — Operations conducted by or on behalf of the principal(s) or on the leasehold(s) of the principal(s), except the NPR-A, and, provided a rider is obtained, also coverage of multiple exploration operations within the single state of Utah

INDIVIDUAL BOND — Operations conducted by or on behalf of the principal or on the leasehold of the principal on the single lease identified by the serial number above.

NATIONAL PETROLEUM RESERVE IN ALASKA (NPR-A) BOND — This bond shall cover

NPR-A LEASE BOND — The terms and conditions of a single lease

NPR-A WIDE BOND — The terms and conditions of all leases, and provided a rider is obtained, coverage of multiple exploration operations

(Continued on reverse)

BOND CONDITIONS

The conditions of the foregoing obligations are such that

1. WHEREAS the principal has an interest in a lease(s) and/or responsibility for operations on a lease(s) issued under the Acts cited in this bond, and

2. WHEREAS the principal and surety agree(s) that with notice to the surety the coverage of this bond, in addition to the present holding(s) of and/or authorization(s) granted to the principal, shall extend to and include

a Any lease(s) hereafter issued to or acquired by the obligor/principal, except under individual lease bonds, the coverage is to be confined to the principal's holding(s) and/or authorization(s) granted under the Acts cited in this bond, and to become effective immediately upon such authorization, approval or issuance of a transfer in favor of the principal; and

b Any transfer(s) of operating rights hereafter entered into or acquired by the principal affecting lease(s), and

c Any activity subsequent hereto of the principal as operator under a lease(s) issued pursuant to the Acts cited in this bond, and

Provided, That the surety may elect to terminate the additional coverage authorized under this paragraph. Such termination will become effective 30 days after the BLM receives notice of the election to terminate. After the termination becomes effective, the additional interest(s) identified in this paragraph will not be covered by this bond, and

3. WHEREAS the principal and surety agree(s) that with notice to the surety that this bond shall remain in full force and effect notwithstanding. Any assignment(s) of an undivided interest in any part or all of the lands in the lease(s) in which event the assignee(s) shall be considered to be coprincipal(s) on an individual or NPR-A bond as fully and to the same extent as though his/her or their duly, authenticated signatures appeared thereon, and

4. WHEREAS the obligor/surety hereby waives any right to notice of, and agrees that this bond shall remain in full force and effect notwithstanding.

a Any assignment(s) of 100% of some of the lands described in the lease(s), the bond to remain in full force and effect only as to the lands retained in the lease(s), and

b Any transfer(s) either in whole or in part, of any or all of the operating rights and further agrees to remain bound under this bond as to the interests in the operating rights retained by the principal, and

c Any modification of a lease or operating right, or obligation thereunder, whether made or effected by commitment of lease or operating right to unit, cooperative, communitization or storage agreements, or development contracts, suspensions of oper-

ations or production, waivers, suspensions or changes in rental, minimum royalty and royalties, compensatory royalty payments, or otherwise, and

d. Any extension of a lease(s) covered by this bond, such coverage to continue without any interruption due to the expiration of the term set forth in the lease(s); and

5. WHEREAS the principal and surety hereby agree(s) that notwithstanding the termination, expiration, cancellation or relinquishment of any lease(s), whether by operation of law or otherwise, the bond shall remain in full force and effect as to the terms and conditions of all remaining leases and obligations covered by the bond, and

6. WHEREAS the principal, as to any lease or part of a lease for land on which he/she is the operator, in consideration of being permitted to furnish this bond in lieu of the lessee(s) or operating rights owner(s), agrees and by these presents does hereby bind himself/herself to fulfill on behalf of each lessee or operating rights owner all obligations of such for the entire leasehold in the same manner and to the same extent as though he/she were lessee or operating rights owner, and

7. WHEREAS the obligor/principal and surety agree(s) that the neglect or forbearance of said lessor in enforcing, as against any responsible party, the payment of rentals or royalties or the performance of any other term or condition of the lease(s) shall not, in any way, release the principal and surety, or either of them from any liability under this bond; and

8. WHEREAS the principal and surety agree(s) that in the event of any default under the lease(s) the lessor may commence and prosecute any claim, suit, or other proceeding against the principal and surety or either of them, without the necessity of joining the lessee(s), and

9. WHEREAS if the principal fails to comply with any provisions of an oil and gas lease, and the noncompliance continues for thirty (30) days after written notice thereof, such lease shall be subject to cancellation and the principal shall also be subject to applicable provisions and penalties of the Federal Oil and Gas Royalty Management Act (30 U S C 1701 et seq) or the Federal Onshore Oil and Gas Leasing Reform Act. This provision shall not be construed to prevent the exercise by the United States of any other legal and equitable remedy, including waiver of the default.

10. NOW, THEREFORE If said principal, his/her heirs, executors, administrators, successors, or assigns shall in all respects faithfully comply with all of the provisions of the instrument(s) granting rights and interests in Federal lands referred to above, then the obligations are to be void, otherwise to remain in full force and effect.

Signed this 7th day of April, 2005, in the presence of

NAMES AND ADDRESSES OF WITNESSES

BJE (MARION ENERGY)
RC (MARION ENERGY)
Molly Battenfield
Diane E. Carey

Marion Energy Inc.
(Principal)
119 S. Tennessee, Suite 200, McKinney, Texas 75069
(Business Address)
W. Russell Brown, Jr., Attorney-in-Fact/Surety U.S. Specialty Insurance Company
13403 Northwest Freeway, Houston, Texas 77040
(Business Address)

If this bond is executed by a corporation, it must bear the seal of that corporation

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT
(highlight changes)

| | | | | |
|---|---|--|--|---------------------------|
| APPLICATION FOR PERMIT TO DRILL | | | 5. MINERAL LEASE NO: FEE-BH-61504 | 6. SURFACE: Fee |
| 1A. TYPE OF WORK: DRILL <input checked="" type="checkbox"/> REENTER <input type="checkbox"/> DEEPEN <input type="checkbox"/> | | | 7. IF INDIAN, ALLOTTEE OR TRIBE NAME: | |
| B. TYPE OF WELL: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER <u>CBM</u> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/> | | | 8. UNIT or CA AGREEMENT NAME: | |
| 2. NAME OF OPERATOR: Marion Energy Inc. | | | 9. WELL NAME and NUMBER: Cordingly Canyon #10-1 | |
| 3. ADDRESS OF OPERATOR: 119 S. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | PHONE NUMBER: (972) 540-2967 | 10. FIELD AND POOL, OR WLD CAT: Helper Field | |
| 4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 2222.37ft FNL 1183.66ft FEL SENE Section 15 13S-10E AT PROPOSED PRODUCING ZONE: 488ft FSL 1113ft FEL SENE Section 10 13S-10E | | | 11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | |
| 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE: Approx 2 miles North East of the town of Kenilworth | | | 12. COUNTY: Carbon | 13. STATE: UTAH |
| 15. DISTANCE TO NEAREST PROPERTY OR LEASE LINE (FEET) 1183.6 feet | 16. NUMBER OF ACRES IN LEASE: 3000 | 17. NUMBER OF ACRES ASSIGNED TO THIS WELL: 160 | | |
| 18. DISTANCE TO NEAREST WELL (DRILLING, COMPLETED, OR APPLIED FOR) ON THIS LEASE (FEET) 20' from vertical well drilled in NE4 S16 13S-10E | 19. PROPOSED DEPTH: 6,643 | 20. BOND DESCRIPTION: See Attached Bond Document | | |
| 21. ELEVATIONS (SHOW WHETHER DF, RT, GR, ETC.): 6823.6' GR | 22. APPROXIMATE DATE WORK WILL START: 6/18/2006 | 23. ESTIMATED DURATION: 2 1/2 weeks | | |

PROPOSED CASING AND CEMENTING PROGRAM

| SIZE OF HOLE | CASING SIZE, GRADE, AND WEIGHT PER FOOT | SETTING DEPTH | CEMENT TYPE, QUANTITY, YIELD, AND SLURRY WEIGHT | | |
|--------------|---|---------------|---|---------------------|----------|
| 16 3/4" | 13 3/8" J-55 61# | 500 | Premium "G" | 384 sx 1.25 cuft/sk | 14.2 ppg |
| 12 1/4" | 8 5/8" J-55 26.4 # | 3,000 | Lead: Prem. Lite | 272 sx 3.82 cuft/sk | 11 ppg |
| | | | Tail: 50/50 Poz | 88 sx 1.25 cuft/sk | 14.2 ppg |
| 7 7/8" | 5 1/2" J-55 17# | 6,643 | Lead: Prem. Lite | 79 sx 3.82 cuft/sk | 11 ppg |
| | | | Tail: 50/50 Poz | 888 sx 1.25 cuft/sk | 14.2 ppg |

ATTACHMENTS

VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES:

- | | |
|--|--|
| <input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER | <input checked="" type="checkbox"/> COMPLETE DRILLING PLAN |
| <input type="checkbox"/> EVIDENCE OF DIVISION OF WATER RIGHTS APPROVAL FOR USE OF WATER | <input type="checkbox"/> FORM 5, IF OPERATOR IS PERSON OR COMPANY OTHER THAN THE LEASE OWNER |

NAME (PLEASE PRINT) Benjamin Evans TITLE Landman
SIGNATURE *Benjamin Evans* DATE 4/6/06

(This space for State use only)

API NUMBER ASSIGNED: 43-007-31173


**Approved by the
Utah Division of
Oil, Gas and Mining**
APPROVAL
Date: 05-30-06
By: *[Signature]*

**RECEIVED
APR 07 2006**

DIV. OF OIL, GAS & MINING

Range 10 East

Township 13 South



Location:

The well location was determined using a Trimble 5700 GPS survey grade unit.

Basis of Bearing:

The Basis of Bearing is GPS Measured.

GLO Bearing:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office.

Basis of Elevation:

Basis of Elevation of 6682' being at the Southeast Section Corner of Section 14, Township 13 South, Range 10 East, Salt Lake Base and Meridian, as shown on the Helper Quadrangle 7.5 minute series map.

Description of Location:

Surface Location


Proposed Drill Hole located in the SE/4 NE/4 of Section 15, T13S, R10E, S.L.B.&M., being 2222.37' South and 1183.60' West from the Northeast Section Corner of Section 15, T13S, R10E, Salt Lake Base & Meridian.

Target Location

Proposed Target located in the SE/4 SE/4 of Section 10, T13S, R10E, S.L.B.&M., being 488.00' North and 1113.00' West from the Southeast Section Corner of Section 10, T13S, R10E, Salt Lake Base & Meridian.

Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.




TALON RESOURCES, INC.

195 North 100 West P.O. Box 1230

Huntington, Utah 84528

Phone (435)687-5310 Fax (435)687-5311

E-Mail talonactv.net



Cordingly Canyon #10-1
Section 15, T13S, R10E, S.L.B.&M.
Carbon County, Utah

| | |
|---------------------------|------------------------------|
| Drawn By: N. BUTKOVICH | Checked By: L.W.J./A.J.S. |
| Drawing No. A-1 | Date: 3/28/06 |
| | Scale: 1" = 1000' |
| Sheet 1 of 3 | Job No. 2346 |

Legend

- Drill Hole Location
- ⊕ Metal Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Calculated Corner
- () GLO
- GPS Measured


NOTES:

1. UTM and Latitude / Longitude Coordinates are derived using a GPS Pathfinder and are shown in NAD 27 Datum.

| SURFACE |
|-----------------|
| LAT / LONG |
| 39°41'47.437"N |
| 110°46'55.075"W |

| TARGET |
|-----------------|
| LAT / LONG |
| 39°42'14.229"N |
| 110°46'54.067"W |

GRAPHIC SCALE



(IN FEET)

1 inch = 1000 ft.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | | |
|--|--|---|---|
| SUNDRY NOTICES AND REPORTS ON WELLS | | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee -BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: Cordingly Canyon #10-1 | |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 9. API NUMBER: | |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | PHONE NUMBER: (972) 540-2967 | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL & 1183.6ft FEL | | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input checked="" type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Marion proposes to modify the casing program to better accommodate the directional tools we will be using. The proposed changes are as follows:

Surface pipe will be changed from 13 3/8" to 9 5/8". Surface hole will be changed from 16 3/4" to 12 1/4". The casing will be cemented with 219 sx. Premium "G" cement at a yield of 1.25 cuft/sk and slurry weight of 14.2 ppg. This calculation includes 75% excess. Additionally, we propose to eliminate the intermediate string of casing. We do not anticipate any abnormal water flows from shallow sections that would require an intermediate string be set. We propose to drill a 7 7/8" hole to TD and run 5 1/2", 17# casing as described on the APD form 3.

| | |
|---------------------------|-------------|
| NAME (PLEASE PRINT) _____ | TITLE _____ |
| SIGNATURE _____ | DATE _____ |

(This space for State use only)

MARION ENERGY
Cordingly Canyon 10-1
Carbon County, Utah



SECTION DETAILS

| Sec | MD | Inc | Azi | TVD | +N/-S | +E/-W | DLeg | TFace | VSec | Target |
|-----|---------|-------|------|---------|---------|-------|------|-------|---------|--------------|
| 1 | 0.00 | 0.00 | 1.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 2 | 1345.00 | 0.00 | 1.53 | 1345.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | KOP |
| 3 | 3847.59 | 50.00 | 1.53 | 3541.83 | 1024.03 | 27.27 | 2.00 | 1.53 | 1024.40 | End Build |
| 4 | 6049.21 | 50.00 | 1.53 | 4957.00 | 2709.97 | 72.18 | 0.00 | 0.00 | 2710.93 | #10-1 Target |
| 5 | 6671.50 | 50.00 | 1.53 | 5357.00 | 3186.51 | 84.87 | 0.00 | 0.00 | 3187.64 | TD |

FIELD DETAILS

Carbon, Utah (UTM meters)

Geodetic System: Universal Transverse Mercator
 Ellipsoid: NAD27 (Clarke 1866)
 Zone: UTM Zone 12, North 114W to 108W
 Magnetic Model: bgmm2005

System Datum: Mean Sea Level
 Local North: Grid North

SITE DETAILS

Cordingly Canyon #10-1
 Carbon County, Utah
 SE/NE Sec. 15, T13S, R10E

Site Centre Northing: 4393887.00
 Easting: 518694.00

Ground Level: 6823.60
 Positional Uncertainty: 0.00
 Convergence: 0.14

WELL DETAILS

| Name | +N/-S | +E/-W | Northing | Easting | Latitude | Longitude | Slot |
|------------------------|-------|-------|------------|-----------|---------------|----------------|------|
| Cordingly Canyon #10-1 | 0.00 | 0.00 | 4393887.00 | 518694.00 | 39°41'47.437N | 110°46'55.075W | N/A |

TARGET DETAILS



| Name | TVD | +N/-S | +E/-W | Shape |
|--------------|---------|---------|-------|-------|
| #10-1 Target | 4957.00 | 2709.97 | 72.18 | Point |

CASING DETAILS

| No. | TVD | MD | Name | Size |
|------------------------------|-----|----|------|------|
| No casings on this wellpath. | | | | |

FORMATION TOP DETAILS

| No. | TVDPath | MDPath | Formation |
|-----|---------|---------|-----------|
| 1 | 2800.00 | 2871.00 | Blue Gate |
| 2 | 4957.00 | 6049.21 | Ferron |



Weatherford International Planning Report

| | | | |
|---|--|-----------------------|----------------|
| Company: Marion Energy | Date: 5/17/2006 | Time: 09:22:57 | Page: 1 |
| Field: Carbon, Utah (UTM meters) | Co-ordinate(NE) Reference: Site: Cordingly Canyon #10-1, Grid North | | |
| Site: Cordingly Canyon #10-1 | Vertical (TVD) Reference: SITE 0.0 | | |
| Well: Cordingly Canyon #10-1 | Section (VS) Reference: Well (0.00N,0.00E,1.53Azi) | | |
| Wellpath: 1 | Plan: Plan #1 | | |

| | | |
|--|---------------------------|---------------------------------|
| Field: Carbon, Utah (UTM meters) | | |
| Map System: Universal Transverse Mercator | Map Zone: | UTM Zone 12, North 114W to 108W |
| Geo Datum: NAD27 (Clarke 1866) | Coordinate System: | Site Centre |
| Sys Datum: Mean Sea Level | Geomagnetic Model: | bggm2005 |

| | | |
|---|-------------------------------|-----------------------------------|
| Site: Cordingly Canyon #10-1 Carbon County, Utah SE/NE Sec. 15, T13S, R10E | | |
| Site Position: | Northing: 4393887.00 m | Latitude: 39 41 47.437 N |
| From: Map | Easting: 518694.00 m | Longitude: 110 46 55.075 W |
| Position Uncertainty: 0.00 ft | | North Reference: Grid |
| Ground Level: 6823.60 ft | | Grid Convergence: 0.14 deg |

| | | | | | |
|--------------------------------------|----------------------|-------------------------------|-----------------------------------|----------------------|-----------------------------|
| Well: Cordingly Canyon #10-1 | | | Slot Name: | | |
| Well Position: | +N/-S 0.00 ft | Northing: 4393887.00 m | Latitude: 39 41 47.437 N | +E/-W 0.00 ft | Easting: 518694.00 m |
| Position Uncertainty: 0.00 ft | | | Longitude: 110 46 55.075 W | | |

| | | | | | |
|---|-----------------------|--------------|---|------------------|--|
| Wellpath: 1 | | | Drilled From: Surface | | |
| Current Datum: SITE | Height 0.00 ft | | Tie-on Depth: 0.00 ft | | |
| Magnetic Data: 5/17/2006 | | | Above System Datum: Mean Sea Level | | |
| Field Strength: 52525 nT | | | Declination: 12.19 deg | | |
| Vertical Section: Depth From (TVD) | +N/-S | +E/-W | Mag Dip Angle: 65.51 deg | Direction | |
| ft | ft | ft | deg | deg | |
| 0.00 | 0.00 | 0.00 | 0.00 | 1.53 | |

| | |
|-----------------------|---------------------------------|
| Plan: Plan #1 | Date Composed: 5/17/2006 |
| Principal: Yes | Version: 1 |
| | Tied-to: From Surface |

Plan Section Information

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg | Target |
|----------|-------------|-------------|-----------|-------------|-------------|------------------|--------------------|-------------------|------------|--------------|
| 0.00 | 0.00 | 1.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1345.00 | 0.00 | 1.53 | 1345.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 3847.59 | 50.00 | 1.53 | 3541.83 | 1024.03 | 27.27 | 2.00 | 2.00 | 0.00 | 1.53 | |
| 6049.21 | 50.00 | 1.53 | 4957.00 | 2709.97 | 72.18 | 0.00 | 0.00 | 0.00 | 0.00 | #10-1 Target |
| 6671.50 | 50.00 | 1.53 | 5357.00 | 3186.51 | 84.87 | 0.00 | 0.00 | 0.00 | 0.00 | |

Section 1 : Start Hold

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|------------|
| 0.00 | 0.00 | 1.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 1300.00 | 0.00 | 1.53 | 1300.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.53 |
| 1345.00 | 0.00 | 1.53 | 1345.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.53 |

Section 2 : Start Build 2.00

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|------------|
| 1400.00 | 1.10 | 1.53 | 1400.00 | 0.53 | 0.01 | 0.53 | 2.00 | 2.00 | 0.00 | 0.00 |
| 1500.00 | 3.10 | 1.53 | 1499.92 | 4.19 | 0.11 | 4.19 | 2.00 | 2.00 | 0.00 | 0.00 |
| 1600.00 | 5.09 | 1.53 | 1599.66 | 11.33 | 0.30 | 11.33 | 2.00 | 2.00 | 0.00 | 0.00 |
| 1700.00 | 7.09 | 1.53 | 1699.09 | 21.94 | 0.58 | 21.94 | 2.00 | 2.00 | 0.00 | 0.00 |
| 1800.00 | 9.09 | 1.53 | 1798.09 | 36.01 | 0.96 | 36.02 | 2.00 | 2.00 | 0.00 | 0.00 |
| 1900.00 | 11.09 | 1.53 | 1896.54 | 53.52 | 1.43 | 53.54 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2000.00 | 13.09 | 1.53 | 1994.32 | 74.45 | 1.98 | 74.48 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2100.00 | 15.08 | 1.53 | 2091.31 | 98.78 | 2.63 | 98.81 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2200.00 | 17.08 | 1.53 | 2187.39 | 126.47 | 3.37 | 126.51 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2300.00 | 19.08 | 1.53 | 2282.45 | 157.49 | 4.19 | 157.55 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2400.00 | 21.08 | 1.53 | 2376.36 | 191.81 | 5.11 | 191.88 | 2.00 | 2.00 | 0.00 | 0.00 |

Weatherford International Planning Report

| | | | |
|---|--|-----------------------|----------------|
| Company: Marion Energy | Date: 5/17/2006 | Time: 09:22:57 | Page: 2 |
| Field: Carbon, Utah (UTM meters) | Co-ordinate(NE) Reference: Site: Cordingly Canyon #10-1, Grid North | | |
| Site: Cordingly Canyon #10-1 | Vertical (TVD) Reference: SITE 0.0 | | |
| Well: Cordingly Canyon #10-1 | Section (VS) Reference: Well (0.00N,0.00E,1.53Azi) | | |
| Wellpath: 1 | Plan: Plan #1 | | |

Section 2 : Start Build 2.00

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|------------|
| 2500.00 | 23.08 | 1.53 | 2469.03 | 229.38 | 6.11 | 229.46 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2600.00 | 25.07 | 1.53 | 2560.32 | 270.16 | 7.20 | 270.25 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2700.00 | 27.07 | 1.53 | 2650.14 | 314.09 | 8.37 | 314.20 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2800.00 | 29.07 | 1.53 | 2738.37 | 361.13 | 9.62 | 361.26 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2871.00 | 30.49 | 1.53 | 2800.00 | 396.38 | 10.56 | 396.52 | 2.00 | 2.00 | 0.00 | 0.00 |
| 2900.00 | 31.07 | 1.53 | 2824.91 | 411.21 | 10.95 | 411.36 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3000.00 | 33.07 | 1.53 | 2909.65 | 464.28 | 12.37 | 464.45 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3100.00 | 35.06 | 1.53 | 2992.49 | 520.27 | 13.86 | 520.46 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3200.00 | 37.06 | 1.53 | 3073.32 | 579.12 | 15.42 | 579.32 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3300.00 | 39.06 | 1.53 | 3152.05 | 640.74 | 17.07 | 640.97 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3400.00 | 41.06 | 1.53 | 3228.59 | 705.07 | 18.78 | 705.32 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3500.00 | 43.06 | 1.53 | 3302.83 | 772.03 | 20.56 | 772.30 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3600.00 | 45.05 | 1.53 | 3374.70 | 841.54 | 22.41 | 841.84 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3700.00 | 47.05 | 1.53 | 3444.09 | 913.51 | 24.33 | 913.83 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3800.00 | 49.05 | 1.53 | 3510.94 | 987.85 | 26.31 | 988.20 | 2.00 | 2.00 | 0.00 | 0.00 |
| 3847.59 | 50.00 | 1.53 | 3541.83 | 1024.03 | 27.27 | 1024.40 | 2.00 | 2.00 | 0.00 | 0.00 |

Section 3 : Start Hold

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|------------|
| 3900.00 | 50.00 | 1.53 | 3575.52 | 1064.17 | 28.34 | 1064.55 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4000.00 | 50.00 | 1.53 | 3639.80 | 1140.75 | 30.38 | 1141.15 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4100.00 | 50.00 | 1.53 | 3704.07 | 1217.32 | 32.42 | 1217.76 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4200.00 | 50.00 | 1.53 | 3768.35 | 1293.90 | 34.46 | 1294.36 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4300.00 | 50.00 | 1.53 | 3832.63 | 1370.48 | 36.50 | 1370.97 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4400.00 | 50.00 | 1.53 | 3896.91 | 1447.06 | 38.54 | 1447.57 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4500.00 | 50.00 | 1.53 | 3961.19 | 1523.63 | 40.58 | 1524.17 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4600.00 | 50.00 | 1.53 | 4025.47 | 1600.21 | 42.62 | 1600.78 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4700.00 | 50.00 | 1.53 | 4089.75 | 1676.79 | 44.66 | 1677.38 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4800.00 | 50.00 | 1.53 | 4154.03 | 1753.37 | 46.70 | 1753.99 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4900.00 | 50.00 | 1.53 | 4218.30 | 1829.94 | 48.74 | 1830.59 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5000.00 | 50.00 | 1.53 | 4282.58 | 1906.52 | 50.78 | 1907.20 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5100.00 | 50.00 | 1.53 | 4346.86 | 1983.10 | 52.82 | 1983.80 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5200.00 | 50.00 | 1.53 | 4411.14 | 2059.67 | 54.86 | 2060.41 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5300.00 | 50.00 | 1.53 | 4475.42 | 2136.25 | 56.90 | 2137.01 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5400.00 | 50.00 | 1.53 | 4539.70 | 2212.83 | 58.94 | 2213.61 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5500.00 | 50.00 | 1.53 | 4603.98 | 2289.41 | 60.98 | 2290.22 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5600.00 | 50.00 | 1.53 | 4668.26 | 2365.98 | 63.02 | 2366.82 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5700.00 | 50.00 | 1.53 | 4732.53 | 2442.56 | 65.06 | 2443.43 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5800.00 | 50.00 | 1.53 | 4796.81 | 2519.14 | 67.10 | 2520.03 | 0.00 | 0.00 | 0.00 | 0.00 |
| 5900.00 | 50.00 | 1.53 | 4861.09 | 2595.72 | 69.14 | 2596.64 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6000.00 | 50.00 | 1.53 | 4925.37 | 2672.29 | 71.17 | 2673.24 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6049.21 | 50.00 | 1.53 | 4957.00 | 2709.97 | 72.18 | 2710.93 | 0.00 | 0.00 | 0.00 | 0.00 |

Section 4 : Start Hold

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | TFO deg |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|------------|
| 6100.00 | 50.00 | 1.53 | 4989.65 | 2748.87 | 73.21 | 2749.85 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6200.00 | 50.00 | 1.53 | 5053.93 | 2825.45 | 75.25 | 2826.45 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6300.00 | 50.00 | 1.53 | 5118.21 | 2902.03 | 77.29 | 2903.05 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6400.00 | 50.00 | 1.53 | 5182.49 | 2978.60 | 79.33 | 2979.66 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6500.00 | 50.00 | 1.53 | 5246.76 | 3055.18 | 81.37 | 3056.26 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6600.00 | 50.00 | 1.53 | 5311.04 | 3131.76 | 83.41 | 3132.87 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6671.50 | 50.00 | 1.53 | 5357.00 | 3186.51 | 84.87 | 3187.64 | 0.00 | 0.00 | 0.00 | 0.00 |

Survey

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | Tool/Comment |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|--------------|
| 1300.00 | 0.00 | 1.53 | 1300.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1345.00 | 0.00 | 1.53 | 1345.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | KOP |
| 1400.00 | 1.10 | 1.53 | 1400.00 | 0.53 | 0.01 | 0.53 | 2.00 | 2.00 | 0.00 | |

Weatherford International Planning Report

| | | | |
|---|--|-----------------------|----------------|
| Company: Marion Energy | Date: 5/17/2006 | Time: 09:22:57 | Page: 3 |
| Field: Carbon, Utah (UTM meters) | Co-ordinate(NE) Reference: Site: Cordingly Canyon #10-1, Grid North | | |
| Site: Cordingly Canyon #10-1 | Vertical (TVD) Reference: SITE 0.0 | | |
| Well: Cordingly Canyon #10-1 | Section (VS) Reference: Well (0.00N,0.00E,1.53Azi) | | |
| Wellpath: 1 | Plan: | Plan #1 | |

Survey

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | Tool/Comment |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|--------------|
| 1500.00 | 3.10 | 1.53 | 1499.92 | 4.19 | 0.11 | 4.19 | 2.00 | 2.00 | 0.00 | |
| 1600.00 | 5.09 | 1.53 | 1599.66 | 11.33 | 0.30 | 11.33 | 2.00 | 2.00 | 0.00 | |
| 1700.00 | 7.09 | 1.53 | 1699.09 | 21.94 | 0.58 | 21.94 | 2.00 | 2.00 | 0.00 | |
| 1800.00 | 9.09 | 1.53 | 1798.09 | 36.01 | 0.96 | 36.02 | 2.00 | 2.00 | 0.00 | |
| 1900.00 | 11.09 | 1.53 | 1896.54 | 53.52 | 1.43 | 53.54 | 2.00 | 2.00 | 0.00 | |
| 2000.00 | 13.09 | 1.53 | 1994.32 | 74.45 | 1.98 | 74.48 | 2.00 | 2.00 | 0.00 | |
| 2100.00 | 15.08 | 1.53 | 2091.31 | 98.78 | 2.63 | 98.81 | 2.00 | 2.00 | 0.00 | |
| 2200.00 | 17.08 | 1.53 | 2187.39 | 126.47 | 3.37 | 126.51 | 2.00 | 2.00 | 0.00 | |
| 2300.00 | 19.08 | 1.53 | 2282.45 | 157.49 | 4.19 | 157.55 | 2.00 | 2.00 | 0.00 | |
| 2400.00 | 21.08 | 1.53 | 2376.36 | 191.81 | 5.11 | 191.88 | 2.00 | 2.00 | 0.00 | |
| 2500.00 | 23.08 | 1.53 | 2469.03 | 229.38 | 6.11 | 229.46 | 2.00 | 2.00 | 0.00 | |
| 2600.00 | 25.07 | 1.53 | 2560.32 | 270.16 | 7.20 | 270.25 | 2.00 | 2.00 | 0.00 | |
| 2700.00 | 27.07 | 1.53 | 2650.14 | 314.09 | 8.37 | 314.20 | 2.00 | 2.00 | 0.00 | |
| 2800.00 | 29.07 | 1.53 | 2738.37 | 361.13 | 9.62 | 361.26 | 2.00 | 2.00 | 0.00 | |
| 2871.00 | 30.49 | 1.53 | 2800.00 | 396.38 | 10.56 | 396.52 | 2.00 | 2.00 | 0.00 | Blue Gate |
| 2900.00 | 31.07 | 1.53 | 2824.91 | 411.21 | 10.95 | 411.36 | 2.00 | 2.00 | 0.00 | |
| 3000.00 | 33.07 | 1.53 | 2909.65 | 464.28 | 12.37 | 464.45 | 2.00 | 2.00 | 0.00 | |
| 3100.00 | 35.06 | 1.53 | 2992.49 | 520.27 | 13.86 | 520.46 | 2.00 | 2.00 | 0.00 | |
| 3200.00 | 37.06 | 1.53 | 3073.32 | 579.12 | 15.42 | 579.32 | 2.00 | 2.00 | 0.00 | |
| 3300.00 | 39.06 | 1.53 | 3152.05 | 640.74 | 17.07 | 640.97 | 2.00 | 2.00 | 0.00 | |
| 3400.00 | 41.06 | 1.53 | 3228.59 | 705.07 | 18.78 | 705.32 | 2.00 | 2.00 | 0.00 | |
| 3500.00 | 43.06 | 1.53 | 3302.83 | 772.03 | 20.56 | 772.30 | 2.00 | 2.00 | 0.00 | |
| 3600.00 | 45.05 | 1.53 | 3374.70 | 841.54 | 22.41 | 841.84 | 2.00 | 2.00 | 0.00 | |
| 3700.00 | 47.05 | 1.53 | 3444.09 | 913.51 | 24.33 | 913.83 | 2.00 | 2.00 | 0.00 | |
| 3800.00 | 49.05 | 1.53 | 3510.94 | 987.85 | 26.31 | 988.20 | 2.00 | 2.00 | 0.00 | |
| 3847.59 | 50.00 | 1.53 | 3541.83 | 1024.03 | 27.27 | 1024.40 | 2.00 | 2.00 | 0.00 | End Build |
| 3900.00 | 50.00 | 1.53 | 3575.52 | 1064.17 | 28.34 | 1064.55 | 0.00 | 0.00 | 0.00 | |
| 4000.00 | 50.00 | 1.53 | 3639.80 | 1140.75 | 30.38 | 1141.15 | 0.00 | 0.00 | 0.00 | |
| 4100.00 | 50.00 | 1.53 | 3704.07 | 1217.32 | 32.42 | 1217.76 | 0.00 | 0.00 | 0.00 | |
| 4200.00 | 50.00 | 1.53 | 3768.35 | 1293.90 | 34.46 | 1294.36 | 0.00 | 0.00 | 0.00 | |
| 4300.00 | 50.00 | 1.53 | 3832.63 | 1370.48 | 36.50 | 1370.97 | 0.00 | 0.00 | 0.00 | |
| 4400.00 | 50.00 | 1.53 | 3896.91 | 1447.06 | 38.54 | 1447.57 | 0.00 | 0.00 | 0.00 | |
| 4500.00 | 50.00 | 1.53 | 3961.19 | 1523.63 | 40.58 | 1524.17 | 0.00 | 0.00 | 0.00 | |
| 4600.00 | 50.00 | 1.53 | 4025.47 | 1600.21 | 42.62 | 1600.78 | 0.00 | 0.00 | 0.00 | |
| 4700.00 | 50.00 | 1.53 | 4089.75 | 1676.79 | 44.66 | 1677.38 | 0.00 | 0.00 | 0.00 | |
| 4800.00 | 50.00 | 1.53 | 4154.03 | 1753.37 | 46.70 | 1753.99 | 0.00 | 0.00 | 0.00 | |
| 4900.00 | 50.00 | 1.53 | 4218.30 | 1829.94 | 48.74 | 1830.59 | 0.00 | 0.00 | 0.00 | |
| 5000.00 | 50.00 | 1.53 | 4282.58 | 1906.52 | 50.78 | 1907.20 | 0.00 | 0.00 | 0.00 | |
| 5100.00 | 50.00 | 1.53 | 4346.86 | 1983.10 | 52.82 | 1983.80 | 0.00 | 0.00 | 0.00 | |
| 5200.00 | 50.00 | 1.53 | 4411.14 | 2059.67 | 54.86 | 2060.41 | 0.00 | 0.00 | 0.00 | |
| 5300.00 | 50.00 | 1.53 | 4475.42 | 2136.25 | 56.90 | 2137.01 | 0.00 | 0.00 | 0.00 | |
| 5400.00 | 50.00 | 1.53 | 4539.70 | 2212.83 | 58.94 | 2213.61 | 0.00 | 0.00 | 0.00 | |
| 5500.00 | 50.00 | 1.53 | 4603.98 | 2289.41 | 60.98 | 2290.22 | 0.00 | 0.00 | 0.00 | |
| 5600.00 | 50.00 | 1.53 | 4668.26 | 2365.98 | 63.02 | 2366.82 | 0.00 | 0.00 | 0.00 | |
| 5700.00 | 50.00 | 1.53 | 4732.53 | 2442.56 | 65.06 | 2443.43 | 0.00 | 0.00 | 0.00 | |
| 5800.00 | 50.00 | 1.53 | 4796.81 | 2519.14 | 67.10 | 2520.03 | 0.00 | 0.00 | 0.00 | |
| 5900.00 | 50.00 | 1.53 | 4861.09 | 2595.72 | 69.14 | 2596.64 | 0.00 | 0.00 | 0.00 | |
| 6000.00 | 50.00 | 1.53 | 4925.37 | 2672.29 | 71.17 | 2673.24 | 0.00 | 0.00 | 0.00 | |
| 6049.21 | 50.00 | 1.53 | 4957.00 | 2709.97 | 72.18 | 2710.93 | 0.00 | 0.00 | 0.00 | #10-1 Target |
| 6100.00 | 50.00 | 1.53 | 4989.65 | 2748.87 | 73.21 | 2749.85 | 0.00 | 0.00 | 0.00 | |
| 6200.00 | 50.00 | 1.53 | 5053.93 | 2825.45 | 75.25 | 2826.45 | 0.00 | 0.00 | 0.00 | |
| 6300.00 | 50.00 | 1.53 | 5118.21 | 2902.03 | 77.29 | 2903.05 | 0.00 | 0.00 | 0.00 | |
| 6400.00 | 50.00 | 1.53 | 5182.49 | 2978.60 | 79.33 | 2979.66 | 0.00 | 0.00 | 0.00 | |

Weatherford International Planning Report

| | | | |
|--|---|--|----------------|
| Company: Marion Energy Field: Carbon, Utah (UTM meters) Site: Cordingly Canyon #10-1 Well: Cordingly Canyon #10-1 Wellpath: 1 | Date: 5/17/2006 Co-ordinate(NE) Reference: Vertical (TVD) Reference: Section (VS) Reference: Plan: | Time: 09:22:57 Site: Cordingly Canyon #10-1, Grid North SITE 0.0 Well (0.00N,0.00E,1.53Azi) Plan #1 | Page: 4 |
|--|---|--|----------------|

Survey

| MD ft | Incl deg | Azim deg | TVD ft | +N/-S ft | +E/-W ft | VS ft | DLS deg/100ft | Build deg/100ft | Turn deg/100ft | Tool/Comment |
|----------|-------------|-------------|-----------|-------------|-------------|----------|------------------|--------------------|-------------------|--------------|
| 6500.00 | 50.00 | 1.53 | 5246.76 | 3055.18 | 81.37 | 3056.26 | 0.00 | 0.00 | 0.00 | |
| 6600.00 | 50.00 | 1.53 | 5311.04 | 3131.76 | 83.41 | 3132.87 | 0.00 | 0.00 | 0.00 | |
| 6671.50 | 50.00 | 1.53 | 5357.00 | 3186.51 | 84.87 | 3187.64 | 0.00 | 0.00 | 0.00 | TD |

Targets

| Name | Description Dip. Dir. | TVD ft | +N/-S ft | +E/-W ft | Map Northing m | Map Easting m | ← Latitude → | | | ← Longitude → | | | | |
|----------------------------------|--------------------------|-----------|-------------|-------------|----------------------|---------------------|--------------|-----|--------|---------------|-----|-----|--------|---|
| | | | | | | | Deg | Min | Sec | Deg | Min | Sec | | |
| #10-1 Target -Plan hit target | | 4957.00 | 2709.97 | 72.18 | 4394713.00 | 518716.00 | 39 | 42 | 14.228 | N | 110 | 46 | 54.067 | W |

Formations

| MD ft | TVD ft | Formations | Lithology | Dip Angle deg | Dip Direction deg |
|----------|-----------|------------|-----------|------------------|----------------------|
| 2871.00 | 2800.00 | Blue Gate | | 0.00 | 0.00 |
| 6049.21 | 4957.00 | Ferron | | 0.00 | 0.00 |

Annotation

| MD ft | TVD ft | |
|----------|-----------|-----------|
| 1345.00 | 1345.00 | SHL |
| 3847.59 | 3541.83 | KOP |
| 6671.50 | 5357.00 | End Build |
| | | TD |

Drilling Plan
Marion Energy Inc.
Cordingly Canyon #10-1

1. Geologic Surface Formation
 - a. Quaternary

2. Estimated Tops

| Name | TVD | MD | Production Phase |
|-----------|--------|--------|------------------|
| Blue Gate | 2800ft | 3864ft | Gas |
| Ferron | 4957ft | 6021ft | Gas |
| TD | 5357ft | 6643ft | Gas |

3. Casing Program

- a. See Form #3 Section 24.

4. Operators Specifications for Pressure Control Equipment

- a. 2000 psi WP Double Gate BOP or Single Gate BOP (Schematic Attached).
 - b. Functional test daily.
 - c. All casing strings shall be pressure tested (0.2psi/foot or 1500 psi, whichever is greater) prior to drilling the plug after cementing; test pressure shall not exceed the internal yield pressure of the casing.
 - d. All ram-type preventers and related control equipment shall be tested at the rated working pressure of the stack assembly or at 70 percent of the minimum internal yield pressure of the casing, whichever is less. Tests shall be done at the time of installation, prior to drilling out, and weekly. All testes shall be for a period of 15 minutes.

5. Auxiliary Equipment

- a. Kelly Cock – Yes
 - b. Float at the bit – No
 - c. Monitoring Equipment on the mud system – visually
 - d. Full opening safety valve on rig floor – Yes
 - e. Rotating head – Yes
 - f. The blooie line shall be at least 6 inches in diameter and extend at least 100 feet from the well bore into the reserve/blooie pit.

- g. Blooie line ignition shall be provided by a continuous pilot (ignited when drilling below 500 feet).
- h. Compressor shall be tied directly to the blooie line through a manifold.
- i. A mistor with a continuous stream of water shall be installed near the end of the blooie lines for dust suppression.

6. Proposed Circulating Medium

| <u>Depth</u> | <u>Mud Type</u> |
|--------------|-----------------|
| 0 to TD | Air / Mist |

7. Testing, Logging, and Coring Program

- a. Cores – Possible core of Ferron Sand
- b. DST – None anticipated
- c. Logging – DIL-GR (TD to base of surface casing).
 - a. FDC-CNL-GR-Cal (TD to base of surface casing).
- d. Formation and Completion Interval: Ferron interval, final determination of completion will be made by analysis of logs.
Simulation: Simulation will be designed for the particular area of interest as encountered.
- e. Frac gradient: Approximately 0.80 psi/ft.

8. Anticipated Cementing Program:

- a. See Form #3, Section 24.

Final cement volumes to be calculated from caliper log with an attempt to be made to circulate cement to the surface. A bond log will be run across the zone of interest and across zones as required by the authorized officer to insure protection of natural resources.

9. Anticipated Abnormal Pressures and Temperatures, Other Potential Hazards:

No abnormal temperatures or pressures are anticipated. No H₂S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 1500 psi (calculated 0.517 psi/ft) and maximum anticipated surface pressure equals approximately 862 psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/ft).

Surface Use Plan
Marion Energy Inc.
Cordingly Canyon #10-1

1. Existing Road:

- a. Topo Map 'A' is the vicinity map showing the field wide area.
- b. Topo Map 'B' shows the proposed access road to each well. It also shows existing roads in the immediate area.
- c. The existing and proposed access road, unless otherwise stated, shall be crowned, ditched, and dipped from the nearest improved road.
- d. Occasional maintenance blading and storm repairs will keep roads in good condition.
- e. There shall be no mud blading on the access road. Vehicles may be towed through the mud provided they stay on the roadway.

2. Planned Access Roads:

- a. Maximum grade will be 8% or less.
- b. No turnouts are required.
- c. Low water crossings to be placed in the proposed access road during drilling process and culverts may be installed at a later date.
- d. Road surface material will be that native to the area.
- e. No cattleguards are required.
- f. The proposed access road was flagged at the time the location was staked.
- g. The back slopes of the proposed access road will be no steeper than vertical or $\frac{1}{4}$:1 in rock and 2:1 elsewhere.

3. Location of Existing Wells:

- a. See Topo Map 'B'

4. Location of Existing and/or Proposed Facilities:

- a. All Petroleum Production Facilities are to be contained within the proposed location sites.
- b. In the event that production of these wells is established, the following will be shown:
 - i. Proposed location and attendant lines, by flagging, if off well pad.
 - ii. Dimensions of facilities.
 - iii. Construction methods and materials.
- c. The area used to contain the proposed production facilities will be built using native materials. If these materials are not acceptable, then other arrangements will be made to acquire them from private sources. These facilities will be constructed using bulldozers, graders, and workman crews to construct and place the proposed facilities.
- d. All permanent facilities placed on the locations shall be painted a non-reflective color, which will blend with the natural environment.
- e. A dike shall be constructed around the tank battery, of sufficient capacity to adequately contain at least 110 percent of the storage capacity of the largest tank within the dike.
- f. All buried pipelines shall be covered to a depth of 3 feet except at road crossings where they shall be covered to a depth of 4 feet.

- g. Construction width of the right-of-way/pipeline route shall be restricted to 50 feet of disturbance.
- h. Pipeline location warning signs shall be installed within 90 days upon completion of construction.

5. Location and Water Supply:

- a. Any water to be used for the drilling of this well will be from the Price River Water Improvement District (an adjudicated industrial water source) and transported by a local trucking company (Nielson Construction).
- b. No water wells are to be drilled.

6. Source of Construction Materials:

- a. No construction materials are needed for drilling operations. In the event of production, the small amount of gravel needed for facilities will be hauled in by truck from a local gravel pit over existing access roads from the area. No special access other than for drilling operations and pipeline construction is needed.
- b. All access roads crossing BLM land is shown on Topo Map 'B'.
- c. All well pad surface disturbance areas are on fee lands.

7. Methods for Handling Waste Disposal:

- a. Drill cuttings will be buried in the reserve pit when covered.
- b. Drilling fluids will be contained in the reserve pit.
- c. Any hydrocarbon liquids produced while production testing will be contained in a test tank. Any unavoidable spills of oil or other adverse substances or materials will be removed immediately during drilling progress or during completion operations.
- d. Portable chemical toilets will be provided and services by a local commercial sanitary service.
- e. Garbage and trash will be collected in a trash cage and its contents hauled to a sanitary landfill. All wastes caused by the construction activities shall be promptly removed and disposed of in a sanitary landfill or as directed by the company representative.
- f. Prior to commencement of drilling, the reserve pit will be fenced on three sides using 39-inch net wire with at least one (1) strand of barbed wire. All wire is to be stretched before attaching to corner posts. When drilling activities are completed it will be fenced on the fourth side and allowed to dry (if liquids are present). After drying, the fences will be removed and the pits shall be buried. Reclamation will be undertaken no later than the fall of the year after all drilling activity has ceased.

8. Ancillary Facilities:

- a. No airstrips, camps, or other living facilities will be built off the locations. Housing and office trailers will be on the location as seen on the location layout.

9. Well Site Layout:

- a. See attached cut sheet.
- b. Company representatives will determine if the pit is to be lined, and if so, the type of material to be used.

- c. Topsoil shall be stripped to a depth of 4 to 6 inches and stockpiled as shown on the location layout plat.
- d. The back slopes of the locations will be no steeper than vertical or $\frac{1}{2}$:1 in rock and 2:1 elsewhere.
- e. The upper edges of all cut banks on the access roads and well pads will be rounded.
- f. Catchment ponds to be placed as required to intercept drainage re-routes.

10. Plans for Restoration:

- a. Immediately upon completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.
- b. Before any dirt work to restore the location takes place, the reserve pit must be completely dry. The reserve pit will be reclaimed within one (1) year from the date of well completion.
- c. All disturbed areas will be seeded with the mixture, which is found suitable by the Utah Division of Wildlife Resources and the landowner.
- d. The seedbed will be prepared by disking, following the natural contour. Drill seed on contour at a depth no greater than $\frac{1}{2}$ inch. In areas that cannot be drilled, the seed will be broadcast at double the seeding rate and harrowed into soils. Certified seed is recommended.
- e. Fall seeding will be completed after September, and prior to prolonged ground frost.
- f. If the well is a producer, access roads will be upgraded and maintained as necessary to prevent soil erosion, and accommodate year round traffic. Areas unnecessary to operations will be reshaped, topsoil distributed, and seed distributed according to the above mixtures. Perennial vegetation would be established. Additional work may be required in case of seeding failures, etc.
- g. If the well is abandoned or is a dry hole, the access road and location will be restored to approximate the original contours. During reclamation of the site, the fill material will be pushed into cuts and up over the back slope. No depressions will be left that would trap water or form ponds. Topsoil will be distributed evenly over the location and seeded according to the above mixture. The access road and the location shall be ripped or disked prior to seeding. Perennial vegetation must be established. Additional work shall be required in case of seeding failures, etc.
- h. Annual or noxious weeds shall be controlled on all disturbed areas. Method of control shall be by an approved mechanical method or an Environmental Protection Agency (EPA) registered herbicide. All herbicide application will be in cooperation with Carbon County Weed Control personnel.

11. Other Information:

- a. Man uses the area for the primary purpose of grazing domestic livestock.
 - i. All activity shall cease when soils or road surfaces become saturated to a depth of three inches, unless otherwise approved by the company representative.
 - ii. If any fossils are discovered during construction, the operator shall cease construction immediately and notify the company representative so as to determine the significance of the discovery.
- b. A Class III cultural resource inventory was completed prior to disturbance by a qualified professional archaeologist.
- c. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are

uncovered during construction, the operator is to immediately stop work that might further disturb such materials and contact the State Historic Preservation Office (SHPO). The SHPO Officer will outline (if any) what mitigation is appropriate.

- i. If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or delays associate with this process, the SHPO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The SHPO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the State that the required mitigation has been completed, the operator will be allowed to resume construction.
- d. Less than 10,000 pounds of any chemical(s) from the EPA's Consolidated list of Chemicals Subject to Reporting Under Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986, and less then threshold planning quantity (TPQ) of any extremely hazardous substance(s), as defined in 40 CFR, would be used, produced, transported, stored, disposed, or associated with the proposed action.

12. Lessee's or Operator's Representative:

Marion Energy, Inc.
Keri Clarke
119 South Tennessee, Suite 200
McKinney, TX 75069
(972)540-2967

13. Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site(s) and access route(s); that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Marion Energy, Inc. and its contractors and subcontractors in conformity with the plan and the terms and conditions under which it is approved.

This statement is subject to the provision of 18 U.S.C. 1001 for the filing of a false statement.



Keri Clarke
Company Representative

3-31-06
Date

OIL, GAS AND COALBED METHANE LEASE

This agreement ("Lease") is effective this 15th day of JUNE, 2004, by and between **BLACKHAWK COAL COMPANY**, a Utah corporation with an address at 700 Morrison Road, Gahanna, Ohio 43230 ("Lessor") and **UTE OIL COMPANY**, a Texas corporation, dba A.C.T. OPERATING COMPANY, whose address is 201 W. Wall Street, Suite 806, Midland, TX 79701 ("Lessee");

1. **GRANTING CLAUSE:** Lessor, for and in consideration of Ten Dollars (\$10.00) per net mineral acre and other valuable consideration, the receipt of which is hereby acknowledged, and for and in consideration of the covenants and agreements hereinafter contained on the part of Lessee, has granted, demised, leased and let and by these presents does grant, demise, lease and let exclusively unto Lessee all of Lessor's right, title and interest in the lands located in the Utah County of Carbon described in EXHIBIT A attached hereto and made a part hereof, consisting of 3,000 mineral acres and 480 surface acres, more or less, including any interests therein which Lessor may hereafter acquire in Township 13 South 10 East, Carbon County, Utah, by reversion, prescription or otherwise, and also including any accretions and any small strips or parcels of land now or hereafter owned by Lessor which are contiguous or adjacent to the subject lands, (the "Leased Premises") for the purpose of exploring (including the right to conduct geophysical surveys), drilling, operating, producing, saving, taking care of, treating, processing, storing on the surface and transporting and marketing coalbed methane, oil, liquid hydrocarbons, gas, or any of their constituent products, including injecting gas, waters, other fluids and air into all subsurface, coal strata horizons and formations

without liability to Lessor for migration; and laying pipelines, storing hydrocarbons above ground in a manner that will not interfere with Lessor's use of the surface, building tanks, setting up pumping units, and constructing all improvements necessary in the production and transportation of coalbed methane, oil, liquid hydrocarbons, gas, or any of their constituent products (collectively the "Minerals"); together with water rights necessary for Lessee's activities and, on a non-exclusive basis, all the rights of ingress or egress, and all other appurtenant easements and right-of-way Lessor may hold to the surface, subject to all terms and conditions of this Lease. For the purposes of this Lease, "coalbed methane" means methane gas from coal formations, coal seams or abandoned coal mine workings and all zones in communication therewith.

2. LEASE TERM: Subject to the other provisions of this Lease and specifically but not limited to the provisions of paragraph 3, this Lease shall commence on the date hereof and remain in full force and effect for a primary term expiring at 11:59 p.m. on the date that is five (5) years from the date hereof (the "Primary Term"), during which time the Lessee shall use its best efforts to explore for Minerals on the Leased land, and produce and sell Minerals underlying the Leased Premises. The Primary Term may not be extended by payment of shut-in royalty.

3. EXTENDED TERM:

(a) Provided the Lessee has, during the Primary Term, diligently and in good faith explored the Leased Premises for Minerals and, where warranted, drilled and, where appropriate, completed a well or wells to commercially produce Minerals from the Leased Premises, Lessee

EXHIBIT "A"

Listing of lands owned by Blackhawk Coal Company as related to the Mineral
Exploration & Development Agreement

Dated JUNE 15, 2004

Between

Blackhawk Coal Company

&

Ute Oil Company (A.C.T. Operating Company)

All Lands are in Carbon County, Utah.

Township 13 South, Range 10East 100% Surface, 100% Coal, 100% Oil & Gas

| | <u>Comments</u> | <u>Acres</u> |
|------------|------------------|--------------|
| Section 2 | All | 640 |
| Section 4 | S/2SW, SWSE | 120 |
| Section 8 | S/2S/2 | 160 |
| Section 9 | All less SWNW | 600 |
| Section 10 | SE, E/2SW | 240 |
| Section 11 | SW | 160 |
| Section 16 | NW, SW, SE, SENE | 520 |
| Section 17 | NE, N/2NW | 240 |
| Section 18 | N/2NE | 80 |

Total Acres of 100% Surface, 100% Coal, 100% Oil & Gas **2,760**

Township 13 South, Range 10East 100% Surface, 100% Coal, 50% Oil & Gas

| | <u>Comments</u> | <u>Acres</u> |
|-----------|------------------|--------------|
| Section 5 | N/2N/2 | 160 |
| Section 6 | N/2NE, NW, S/2SE | <u>320</u> |
| | | 480 * 50% |

Net Oil & Gas Acres @ 50% **240**

Township 13 South, Range 10East 100% Surface Only-No Minerals

| | <u>Comments</u> | <u>Acres</u> |
|------------|-----------------|--------------|
| Section 14 | NWNW | 40 |
| Section 15 | E/2NE, SE | 240 |
| Section 20 | SESE | 40 |
| Section 22 | N/2NE | 80 |
| Section 28 | NWNW | 40 |
| Section 29 | NENE | 40 |

Total Acres of 100% Surface Only-No Minerals **480**

LESSORS

BLACKHAWK COAL COMPANY

By: Gerald M. Dimmerling

Name: Gerald M. Dimmerling

Title: President, Blackhawk Coal Company

LESSEE

A.C.T. Operating Company

By: Donald W. Raymond

Name: DONALD W. RAYMOND

Title: President



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
www.ut.blm.gov

MAY 04 2005

IN REPLY REFER TO:
3104
(UT-924)

DECISION

| | | |
|-----------------------------------|---|--------------------------|
| Principal: | : | |
| Marion Energy Inc. | : | Bond Amount: \$25,000 |
| 119 S. Tennessee, Suite 200 | : | |
| McKinney, TX 75069 | : | Bond Type: Statewide |
| | : | |
| Surety: | : | Bond Surety No.: B001632 |
| U. S. Specialty Insurance Company | : | |
| 13403 Northwest Freeway | : | BLM Bond No.: UTB000179 |
| Houston, TX 77040 | : | |

Statewide Oil and Gas Surety Bond Accepted

On April 12, 2005, this office received a \$25,000 statewide oil and gas bond for the principal named above. The bond has been examined, found satisfactory, and is accepted effective the date of filing.

The bond constitutes coverage of all operations conducted by the principal on Federal leases in Utah. The bond provides coverage for the principal where that principal has interest, and or responsibility for operations on, leases issued under the authority of any of the Acts cited on the bond form. Please note that Federal leases do not include Indian leases.

The bond will be maintained by this office. Termination of liability under the bond will be permitted only after this office is satisfied that there are no outstanding liabilities against the bond or until a satisfactory replacement bond is furnished.

Terry Catlin
Acting Chief, Branch of
Fluid Minerals

**Important Notice Regarding
Terrorism Risk Insurance Act of 2002**

In accordance with the Terrorism Risk Insurance Act of 2002 (the "Act"), this disclosure notice is provided for surety bonds on which U.S. Specialty Insurance Company is the issuing surety.

The premium attributable to any bond coverage for "acts of terrorism" as defined in Section 102(1) of the Act is Zero Dollars (\$0.00).

The United States will reimburse the Issuing Sureties for ninety percent (90%) of any covered losses from terrorist acts certified under the Act exceeding the applicable surety deductible.

The actual coverage provided by your bond for acts of terrorism, as is true for all coverages, is limited by the terms, conditions, exclusions, penalties, limits, other provisions of your bond and the underlying contract, any endorsements to the bond and generally applicable rules of law. This Important Notice Regarding Terrorism Insurance Risk Act of 2002 is for informational purposes only and does not create coverage nor become a part or condition of the attached document.

YOU SHOULD KNOW THAT COVERAGE PROVIDED BY THIS POLICY, IF WRITTEN, FOR LOSSES CAUSED BY CERTIFIED ACTS OF TERRORISM, WILL BE EXCLUDED IF THE U.S. GOVERNMENT FAILS TO ENACT AN EXTENSION TO TRIA OR ENACTS CHANGES TO TRIA THAT SUBSTANTIALLY CHANGE THE RISK OF LOSS THAT AN INSURER OR POLICYHOLDER HAS ASSUMED.

The rest of this page is intentionally left blank.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 4A

Bond No. B001617

SURETY BOND

KNOW ALL MEN BY THESE PRESENTS:

That we (operator name) Marion Energy Inc. as Principal,
and

(surety name) U.S. Specialty Insurance Company as Surety, duly authorized
and qualified to do business in the State of Utah, are held and firmly bound unto the State of Utah in the sum of:

One Hundred Fifty Thousand and no/100 dollars (\$ \$150,000.00)
lawful money of the United States, payable to the Director of the Division of Oil, Gas and Mining, as agent of the State of Utah, for the use and
benefit of the State of Utah for the faithful payment of which we bind ourselves, our heirs, executors, administrators and successors, jointly and
severally by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH THAT, WHEREAS the Principal is or will be engaged in the drilling, redrilling, deepening,
repairing, operating, and plugging and abandonment of a well or wells and restoring the well site or sites in the State of Utah for the purposes of
oil or gas production and/or the injection and disposal of fluids in connection therewith for the following described land or well:

- Blanket Bond: To cover all wells drilled in the State of Utah
- Individual Bond: Well No: _____
Section: _____ Township: _____ Range: _____
County: _____, Utah

NOW, THEREFORE, if the above bounden Principal shall comply with all the provisions of the laws of the State of Utah and the rules, orders and
requirements of the Board of Oil, Gas and Mining of the State of Utah, including, but not limited to the proper plugging and abandonment of wells
and well site restoration, then this obligation is void; otherwise, the same shall be and remain in full force and effect.

IN TESTIMONY WHEREOF, said Principal has hereunto subscribed its name and has caused this instrument to be signed by its duly authorized
officers and its corporate or notary seal to be affixed this

31 day of March, 2005.

(Corporate or Notary Seal here)




Attestee: Mary Lou Holder Date: 4/5/05

Marion Energy Inc.
Principal (company name)
By KERI CLARKE VICE PRESIDENT LAND
Name (print) Title
[Signature]
Signature

IN TESTIMONY WHEREOF, said Surety has caused this instrument to be signed by its duly authorized officers and its corporate or notary seal
to be affixed this

31 day of March, 2005.

(Corporate or Notary Seal here)



Attestee: [Signature] Date: 3/31/05

U.S. Specialty Insurance Company
Surety Company (Attach Power of Attorney)
By Edwin H. Frank, III Attorney-in-Fact
Name (print) Title
[Signature]
Signature
13403 Northwest Freeway
Surety Mailing Address
Houston Texas 77040
City State Zip

POWER OF ATTORNEY

PA001632

(To be used with bonds issued on behalf of U. S. SPECIALTY INSURANCE COMPANY)

Know All Men by These Presents That, **U. S. SPECIALTY INSURANCE COMPANY** (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint

Edwin H. Frank III, W. Russell Brown, Jr.

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver **any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include riders, amendments, and consents of surety, providing the bond penalty does not exceed Three Million Dollars (\$3,000,000)** and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the Executive Vice President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the U. S. Specialty Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.

Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. (Adopted by unanimous written consent in lieu of meeting on July 7, 2003.)

In Witness Whereof, **U. S. SPECIALTY INSURANCE COMPANY** has caused these presents to be signed by its **Executive Vice President**, and its corporate seal to be hereto affixed this 15th day of March, 2005.

Corporate Seal

U. S. SPECIALTY INSURANCE COMPANY

By




Edward H. Ellis, Jr., Executive Vice President

State of Texas

County of Harris ss:

On this 15th day of March, 2005 before me personally came Edward H. Ellis, Jr., to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is Executive Vice President of U. S. SPECIALTY INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

Notary Seal



, Notary Public

My commission expires 10-17-05

I, Christopher L. Martin, Secretary of U. S. SPECIALTY INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said Company at Houston, Texas this 7th day of April, 2005.

Corporate Seal



Christopher L. Martin, Secretary

**Important Notice Regarding
Terrorism Risk Insurance Act of 2002**

In accordance with the Terrorism Risk Insurance Act of 2002 (the "Act"), this disclosure notice is provided for surety bonds on which U.S. Specialty Insurance Company is the issuing surety.

The premium attributable to any bond coverage for "acts of terrorism" as defined in Section 102(1) of the Act is Zero Dollars (\$0.00).

The United States will reimburse the Issuing Sureties for ninety percent (90%) of any covered losses from terrorist acts certified under the Act exceeding the applicable surety deductible.

The actual coverage provided by your bond for acts of terrorism, as is true for all coverages, is limited by the terms, conditions, exclusions, penalties, limits, other provisions of your bond and the underlying contract, any endorsements to the bond and generally applicable rules of law. This Important Notice Regarding Terrorism Insurance Risk Act of 2002 is for informational purposes only and does not create coverage nor become a part or condition of the attached document.

YOU SHOULD KNOW THAT COVERAGE PROVIDED BY THIS POLICY, IF WRITTEN, FOR LOSSES CAUSED BY CERTIFIED ACTS OF TERRORISM, WILL BE EXCLUDED IF THE U.S. GOVERNMENT FAILS TO ENACT AN EXTENSION TO TRIA OR ENACTS CHANGES TO TRIA THAT SUBSTANTIALLY CHANGE THE RISK OF LOSS THAT AN INSURER OR POLICYHOLDER HAS ASSUMED.

The rest of this page is intentionally left blank.

POWER OF ATTORNEY

PA001617

(To be used with bonds issued on behalf of U. S. SPECIALTY INSURANCE COMPANY)

Know All Men by These Presents That, U. S. SPECIALTY INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint

Edwin H. Frank III, W. Russell Brown, Jr.

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include riders, amendments, and consents of surety, providing the bond penalty does not exceed Three Million Dollars (\$3,000,000) and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the Executive Vice President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the U. S. Specialty Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.


Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. (Adopted by unanimous written consent in lieu of meeting on July 7, 2003.)

In Witness Whereof, U. S. SPECIALTY INSURANCE COMPANY has caused these presents to be signed by its Executive Vice President, and its corporate seal to be hereto affixed this 15th day of March, 2005.

Corporate Seal

U. S. SPECIALTY INSURANCE COMPANY

By



Edward H. Ellis, Jr., Executive Vice President

State of Texas

County of Harris ss:

On this 15th day of March, 2005 before me personally came Edward H. Ellis, Jr., to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is Executive Vice President of U. S. SPECIALTY INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

Notary Seal




, Notary Public

My commission expires 10-17-05

I, Christopher L. Martin, Secretary of U. S. SPECIALTY INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said Company at Houston, Texas this 31st day of March, 20 05.

Corporate Seal



Christopher L. Martin, Secretary

POWER OF ATTORNEY

PA001617

(To be used with bonds issued on behalf of U. S. SPECIALTY INSURANCE COMPANY)

Know All Men by These Presents That, U. S. SPECIALTY INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Texas, and having its principal office in Houston, Harris County, Texas, does by these presents make, constitute and appoint

Edwin H. Frank III, W. Russell Brown, Jr.

its true and lawful Attorney-in-fact, with full power and authority hereby conferred in its name, place and stead, to execute, acknowledge and deliver any and all bonds, recognizances, undertakings or other instruments or contracts of suretyship to include riders, amendments, and consents of surety, providing the bond penalty does not exceed Three Million Dollars (\$3,000,000) and to bind the Company thereby as fully and to the same extent as if such bonds were signed by the Executive Vice President, sealed with the corporate seal of the Company and duly attested by its Secretary, hereby ratifying and confirming that the said Attorney-in-Fact may do in the premises. Said appointment is made under and by authority of the following resolutions of the Board of Directors of the U. S. Specialty Insurance Company:

Be it Resolved, that the President, any Vice-President, any Assistant Vice-President, any Secretary or any Assistant Secretary shall be and is hereby vested with full power and authority to appoint any one or more suitable persons as Attorney(s)-in-Fact to represent and act for and on behalf of the Company subject to the following provisions:

Attorney-in-Fact may be given full power and authority for and in the name of and of behalf of the Company, to execute, acknowledge and deliver, any and all bonds, recognizances, contracts, agreements or indemnity and other conditional or obligatory undertakings and any and all notices and documents canceling or terminating the Company's liability thereunder, and any such instruments so executed by any such Attorney-in-Fact shall be binding upon the Company as if signed by the President and sealed and effected by the Corporate Secretary.

Be it Resolved, that the signature of any authorized officer and seal of the Company heretofore or hereafter affixed to any power of attorney or any certificate relating thereto by facsimile, and any power of attorney or certificate bearing facsimile signature or facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached. (Adopted by unanimous written consent in lieu of meeting on July 7, 2003.)

In Witness Whereof, U. S. SPECIALTY INSURANCE COMPANY has caused these presents to be signed by its Executive Vice President, and its corporate seal to be hereto affixed this 15th day of March, 2005.

Corporate Seal

U. S. SPECIALTY INSURANCE COMPANY

By



Edward H. Ellis, Jr., Executive Vice President


State of Texas

County of Harris

ss:

On this 15th day of March, 2005 before me personally came Edward H. Ellis, Jr., to me known, who, being by me duly sworn, did depose and say, that he resides in Houston, Texas, that he is Executive Vice President of U. S. SPECIALTY INSURANCE COMPANY, the company described in and which executed the above instrument; that he knows the seal of said Company; that the seal affixed to said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said Company; and that he signed his name thereto by like order.

Notary Seal



Notary Public

My commission expires 10-17-05


I, Christopher L. Martin, Secretary of U. S. SPECIALTY INSURANCE COMPANY, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney, executed by said Company, which is still in full force and effect; furthermore, the resolutions of the Board of Directors, set out in the Power of Attorney are in full force and effect.

In Witness Whereof, I have hereunto set my hand and affixed the seal of said Company at Houston, Texas this 31st day of March, 2005.

Corporate Seal



Christopher L. Martin, Secretary



LEGEND

- Proposed Target Location
- Proposed Pad Location
- Proposed Vertical Location
- ★ Existing Pad
- ★ Existing Directional Target Location



Marion Energy Inc.

Directional Well - Cordingly Canyon #10-1
 SE Section 10 T. 13S., R 10 E., S.L.B.
 Surface Location: 2,222.37' FNL, 1,183.60' FEL / NE/4
 Target Location: 488' FSL 1,113' FEL / SE/4




Marion Energy Inc.
 119. S. Tennessee Suite 200
 McKinney, TX. 75069
 Tel: (972) 540-2967
 Fax: (972) 547-0442

Topographic Map

Created on March 23rd 2006

Created by John Pinkerton

Revised: MM-DD-YY



Proposed Target Location:
Cordingly Canyon #10-1

Proposed Pad Location:
Cordingly Canyon #10-1

LEGEND

-  Proposed Target Location
-  Proposed Pad Location
-  Proposed Vertical Location
-  Existing Pad
-  Existing Directional Target Location



Marion Energy Inc.
 Directional Well - Cordingly Canyon #10-1
 SE Section 10 T. 13S., R 10 E., S.L.B.
 Surface Location: 2,222.37' FNL, 1,183.60' FEL / NE/4
 Target Location: 488' FSL 1,113' FEL / SE/4


119. S. Tennessee Suite 200
 McKinney, TX. 75069
 Tel: (972) 540-2967
 Fax: (972) 547-0442



Marion Energy Inc.

Topographic Map
 Created on March 23rd 2006

Created by John Pinkerton Revised: MM-DD-YY



TALON RESOURCES, INC.
 195 N. 100 W., P.O. Box 1230
 Huntington, Utah 84528
 Phone (435)687-5310 Fax (435)687-5311
 E-Mail talon etv.net




Cordingly Canyon #10-1
 Section 15, T13S, R10E, S.L.B.&M.
 Carbon County, Utah

LEGEND:
 SURVEYED WELL
 TARGET LOCATION
 EXISTING ACCESS


| | |
|---------------------------|-----------------------|
| Drawn By: N. BUTKOVICH | Checked By: L.W.J. |
| Drawing No. <i>L-1</i> | Date: 3/30/06 |
| | Scale: 1" = 2000' |
| Sheet 3 of 3 | Job No. 2346 |

509000mE, 511000mE, 513000mE, 515000mE, 517000mE, 519000mE, 521000mE, NAD27 Zone 12S 526000mE



Talon Resources, Inc.
 195 North 100 West
 P.O. Box 1230
 Huntington, Utah 84528
 (435) 687-5310

TN MN
 12 1/4"




| REVISIONS | | |
|-----------|------|----|
| # | DATE | BY |
| | | |
| | | |
| | | |
| | | |
| | | |



Environmental Industrial Services
Environmental & Engineering Consulting
 31 NORTH MAIN STREET
 (435) 472-3814 HELPER, UTAH 84526

MARION ENERGY, INC.
 119 SOUTH TENNESSEE #200
 MCKINNEY, TEXAS

| | | | |
|---------------|-----|-------------|----------|
| DRAWING NAME: | | TYPICAL RIG | |
| DRAWN BY: | PJJ | SCALE: | NONE |
| APPROVED BY: | EIS | DATE: | 10/17/05 |
| | | SHEET: | FIGURE 2 |



| REVISIONS | | |
|-----------|------|----|
| # | DATE | BY |
| | | |
| | | |
| | | |
| | | |

Environmental Industrial Services

Environmental & Engineering Consulting

31 NORTH MAIN STREET
HELPER, UTAH 84526

(435) 472-3814

MARION ENERGY, INC.
119 SOUTH TENNESSEE #200
MCKINNEY, TEXAS

| | | |
|---------------|-----|----------------|
| DRAWING NAME: | | TYPICAL RIG |
| DRAWN BY: | PJJ | SCALE: NONE |
| APPROVED BY: | EIS | DATE: 10/17/05 |
| SHEET: | | FIGURE 1 |

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 04/07/2006

| |
|--------------------------------|
| API NO. ASSIGNED: 43-007-31173 |
|--------------------------------|

WELL NAME: CORDINGLY CYN 10-1
 OPERATOR: MARION ENERGY INC (N2740)
 CONTACT: BENJAMIN EVANS

PHONE NUMBER: 972-540-2967

PROPOSED LOCATION:

SENE 15 130S 100E
 SURFACE: 2222 FNL 1183 FEL
 BOTTOM: 0488 FSL 1113 FEL
 COUNTY: CARBON
 LATITUDE: 39.69646 LONGITUDE: -110.7821
 UTM SURF EASTINGS: 518680 NORTHINGS: 4393881
 FIELD NAME: HELPER (18)

LEASE

| INSPECT LOCATN BY: / / | | |
|------------------------|------------|---------|
| Tech Review | Initials | Date |
| Engineering | DKD | 5/30/06 |
| Geology | | |
| Surface | | |

LEASE TYPE: 4 - Fee
 LEASE NUMBER: FEE
 SURFACE OWNER: 4 - Fee

PROPOSED FORMATION: FRSD
 COALBED METHANE WELL? YES

RECEIVED AND/OR REVIEWED:


- Plat
- Bond: Fed[] Ind[] Sta[] Fee[]
(No. B001617)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. PRRV)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement **(Y/N)**
- Intent to Commingle (Y/N)

LOCATION AND SITING:

- R649-2-3.
Unit: _____
- R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- R649-3-11. Directional Drill

COMMENTS: Needs Permit (04-25-06)

STIPULATIONS: 1- Spacing Unit
2- STATEMENT OF BASIS



OPERATOR: MARION ENERGY INC (N2740)

SEC: 15,16 T. 135 R. 10E

FIELD: HELPER FIELD (18)


COUNTY: CARBON

SPACING: R649-3-11 / DIRECTIONAL DRILLING

- Field Status**
- ABANDONED
 - ACTIVE
 - COMBINED
 - INACTIVE
 - PROPOSED
 - STORAGE
 - TERMINATED

- Unit Status**
- EXPLORATORY
 - GAS STORAGE
 - NF PP OIL
 - NF SECONDARY
 - PENDING
 - PI OIL
 - PP GAS
 - PP GEOTHERML
 - PP OIL
 - SECONDARY
 - TERMINATED

- Wells Status**
- ✂ GAS INJECTION
 - ✂ GAS STORAGE
 - ✂ LOCATION ABANDONED
 - ⊙ NEW LOCATION
 - ⊙ PLUGGED & ABANDONED
 - PRODUCING GAS
 - PRODUCING OIL
 - ⊙ SHUT-IN GAS
 - ⊙ SHUT-IN OIL
 - ⊙ TEMP. ABANDONED
 - ⊙ TEST WELL
 - ⊙ WATER INJECTION
 - ⊙ WATER SUPPLY
 - ⊙ WATER DISPOSAL
 - ⊙ DRILLING



Utah Oil Gas and Mining



PREPARED BY: DIANA WHITNEY
DATE: 13-APRIL-2006

**DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS**

OPERATOR: Marion Energy, Inc.
WELL NAME & NUMBER: Cordingly Canyon 10-1
API NUMBER: 43-007-31173
LOCATION: 1/4,1/4 SENE Sec:15 TWP:13 S RNG:10 E 2222 FNL 1183 FEL

Geology/Ground Water:

It is unlikely that significant volumes of high quality ground water will be encountered at this location. A poorly permeable soil is most likely to be developed on the Upper part of the Blue Gate Member of the Mancos Shale. The proposed casing and cementing program should adequately isolate any zones of fresh water that may be penetrated. No underground water right has been filed within a mile of the location.

Reviewer: Christopher J. Kierst

Date: 5/11/2006

Surface:

Proposed well is located in Cordingly Canyon ~1.3 miles northeast of Kenilworth, Carbon County, Utah. The topography is steep and rocky. The immediate area surrounding the proposed well is old mining activities, grazing, and wildlife habitat. Location is staked on an existing well pad on property owned by American Electric Power. Access to this well will be along existing County maintained roads and upgraded two-track roads. The direct area drains to the south into dry wash drainages, eventually making its way into the Price River, a year-round live water source, ~7 miles south. Dry washes are common throughout the area. The proposed well is staked on an existing well pad for the Cordingly Cyn 15-2, a vertical hole into the Ferron coals. The proposed well, Cordingly Cyn 10-1 is proposed as a directional hole to the north, into section 10. A third well, Cordingly Cyn 15-5 is also proposed off of this pad. The proposed well will not require any additional dirt work. All drilling will be done on the existing well pad, utilizing the existing reserve pit. Other issues talked about were; location layout, lining the reserve pit, access and right-of-ways, as well as concerns and potential concerns of nearby residents. M. Jones (DOGGM), Doug Endsley, Erik Norton, Scott Jacoby, Ben Evans (Marion), Gayla Williams (Carbon County), Nelson Kidder and Tonya Hammond (AEP) were in attendance during the pre-site inspection.

Reviewer: Mark L. Jones

Date: May 5, 2006

Conditions of Approval/Application for Permit to Drill:

1. Maintain integrity of existing reserve pit.

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: Marion Energy, Inc.
WELL NAME & NUMBER: Cordingly Canyon 10-1
API NUMBER: 43-007-31173
LEASE: Fee **FIELD/UNIT:** _____
LOCATION: 1/4,1/4 SENE **Sec:** 15 **TWP:** 13S **RNG:** 10E 2222 **FNL** 1183 **FEL**
LEGAL WELL SITING: 460 F **SEC. LINE;** 460 F **1/4,1/4 LINE;** 920 F **ANOTHER WELL.**
GPS COORD (UTM): X= 518694 E; Y= 4393887 N **SURFACE OWNER:** American Electric Power.

PARTICIPANTS

M. Jones (DOGM), Doug Endsley, Erik Norton, Scott Jacoby, Ben Evans (Marion), Gayla Williams (Carbon County), Nelson Kidder and Tonya Hammond (AEP).

REGIONAL/LOCAL SETTING & TOPOGRAPHY

Proposed well is located in Cordingly Canyon ~1.3 miles northeast of Kenilworth, Carbon County, Utah. The topography is steep and rocky. The immediate area surrounding the proposed well is old mining activities, grazing, and wildlife habitat. Location is staked on an existing well pad on property owned by American Electric Power. Access to this well will be along existing County maintained roads and upgraded two-track roads. The direct area drains to the south into dry wash drainages, eventually making its way into the Price River, a year-round live water source, ~7 miles south. Dry washes are common throughout the area.

SURFACE USE PLAN

CURRENT SURFACE USE: Mining, grazing, and wildlife habitat.

PROPOSED SURFACE DISTURBANCE: 220' x 140' w/ 100' x 30' x 10' included pit.

LOCATION OF EXISTING WELLS WITHIN A 1-MILE RADIUS: 7 producing, proposed, shut-in, injection, and/or PA wells are within a 1 mile radius of the above proposed well.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: On location and along roadway.

SOURCE OF CONSTRUCTION MATERIAL: Obtained locally and trucked to site.

ANCILLARY FACILITIES: None anticipated.

WILL DRILLING AT THIS LOCATION GENERATE PUBLIC INTEREST OR CONCERNS? (EXPLAIN): No.

WASTE MANAGEMENT PLAN:

Garbage - All garbage will be removed from site and disposed at the

appropriate disposal facility.

Reserve pit contents - ECDC Environmental of Carbon County. Will haul and test as necessary all contents of reserve pit.

Produced Water - Will be hauled from site and disposed of in the appropriate disposal facility, unless agreements with other operators can be made to dispose produced water in existing disposal well.

Sanitation Facilities - Will be supplied and cleaned as necessary during drilling operations.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: Dry washes are prominent throughout the immediate area of the proposed well location.

FLORA/FAUNA: Sagebrush, pinion-juniper community, deer, rodents, fowl.

SOIL TYPE AND CHARACTERISTICS: Mancos clay.

SURFACE FORMATION & CHARACTERISTICS:

EROSION/SEDIMENTATION/STABILITY: Erosive upon disturbance.

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: Dugout earthen, 100'x30'x10', included w/in location.

LINER REQUIREMENTS (Site Ranking Form attached): None required.
The old reserve pit is still open and in excellent condition and will be utilized with no additional excavation work necessary.

SURFACE RESTORATION/RECLAMATION PLAN

As per surface use agreement.

SURFACE AGREEMENT: Signed.

CULTURAL RESOURCES/ARCHAEOLOGY: None requested by landowner.

OTHER OBSERVATIONS/COMMENTS

The proposed well is staked on an existing well pad for the Cordingly Cyn 15-2, a vertical hole into the Ferron coals. The proposed well, Cordingly Cyn 10-1 is proposed as a directional hole to the north, into section 10. A third well, Cordingly Cyn 15-5 is also proposed off of this pad.

The proposed well will not require any additional dirt work. All drilling will be done on the existing well pad, utilizing the existing reserve pit.

ATTACHMENTS

Photos of this location were taken and placed on file. Note: See
Cordingly Cyn 15-2_____

Mark L. Jones
DOGM REPRESENTATIVE

April 25 / 1:35 pm
DATE/TIME

**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

| <u>Site-Specific Factors</u> | <u>Ranking</u> | <u>Site Ranking</u> |
|---|----------------|---------------------|
| Distance to Groundwater (feet) | | |
| >200 | 0 | |
| 100 to 200 | 5 | |
| 75 to 100 | 10 | |
| 25 to 75 | 15 | |
| <25 or recharge area | 20 | 0 |
| Distance to Surf. Water (feet) | | |
| >1000 | 0 | |
| 300 to 1000 | 2 | |
| 200 to 300 | 10 | |
| 100 to 200 | 15 | |
| < 100 | 20 | 0 |
| Distance to Nearest Municipal Well (feet) | | |
| >5280 | 0 | |
| 1320 to 5280 | 5 | |
| 500 to 1320 | 10 | |
| <500 | 20 | 0 |
| Distance to Other Wells (feet) | | |
| >1320 | 0 | |
| 300 to 1320 | 10 | |
| <300 | 20 | 0 |
| Native Soil Type | | |
| Low permeability | 0 | |
| Mod. permeability | 10 | |
| High permeability | 20 | 0 |
| Fluid Type | | |
| Air/mist | 0 | |
| Fresh Water | 5 | |
| TDS >5000 and <10000 | 10 | |
| TDS >10000 or Oil Base Mud Fluid | 15 | |
| containing significant levels of hazardous constituents | 20 | 0 |
| Drill Cuttings | | |
| Normal Rock | 0 | |
| Salt or detrimental | 10 | 0 |
| Annual Precipitation (inches) | | |
| <10 | 0 | |
| 10 to 20 | 5 | |
| >20 | 10 | 5 |
| Affected Populations | | |
| <10 | 0 | |
| 10 to 30 | 6 | |
| 30 to 50 | 8 | |
| >50 | 10 | 0 |
| Presence of Nearby Utility Conduits | | |
| Not Present | 0 | |
| Unknown | 10 | |
| Present | 15 | 0 |

Final Score 5 (Level III Sensitivity)

Sensitivity Level I = 20 or more; total containment is required, consider criteria for excluding pit use.

Sensitivity Level II = 15-19; lining is discretionary.

Sensitivity Level III = below 15; no specific lining is required.



State Online Services

Agency List

Business.utah.gov

Search Utah.gov



UTAH DIVISION OF WATER RIGHTS

Sorry. No diversion points. Try browsing!

[Natural Resources](#) | [Contact](#) | [Disclaimer](#) | [Privacy Policy](#) | [Accessibility Policy](#)

05-06 Marion Cordingly Cy. 10-1 Casing Schematic

Surface

9-5/8"
MW 8.4
Frac 19.3

TOC @
0.
TOC @
0.
Surface
500. MD
500. TVD

✓ 10 1/8" air shaft

BHW

$(.082)(5357)(86) = 2395$

Anticipate 1500

1333
TOC Tail

✓ 10 5/8" air shaft

G12

$(.12)(5357) = 642$

1753

Bore = 3000 ✓

Surf csg = 2270

1589

1144 pressure @ Surf Csg shoe 1327

Test to 1500# as proposed ✓

✓ Adequate DWD
5/20/06

5-1/2"
MW 8.6

Production
6671. MD
5357. TVD

| | | | |
|--------------|--|--|--------------|
| Well name: | 05-06 Marion Cordingly Cyn 10-1 | | |
| Operator: | Marion Energy Inc | | Project ID: |
| String type: | Surface | | 43-007-31173 |
| Location: | Carbon County | | |

Design parameters:

Collapse

Mud weight: 8.400 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 82 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 500 ft

Cement top: Surface

Burst

Max anticipated surface pressure: 440 psi
 Internal gradient: 0.120 psi/ft
 Calculated BHP 500 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on buoyed weight.
 Neutral point: 438 ft

Non-directional string.

Re subsequent strings:

Next setting depth: 5,357 ft
 Next mud weight: 8.600 ppg
 Next setting BHP: 2,393 psi
 Fracture mud wt: 19.250 ppg
 Fracture depth: 500 ft
 Injection pressure 500 psi

| Run Seq | Segment Length (ft) | Size (in) | Nominal Weight (lbs/ft) | Grade | End Finish | True Vert Depth (ft) | Measured Depth (ft) | Drift Diameter (in) | Internal Capacity (ft³) |
|---------|---------------------|-------------------------|-------------------------|------------------|----------------------|----------------------|---------------------|-------------------------|-------------------------|
| 1 | 500 | 9.625 | 32.30 | H-40 | ST&C | 500 | 500 | 8.876 | 31.7 |
| Run Seq | Collapse Load (psi) | Collapse Strength (psi) | Collapse Design Factor | Burst Load (psi) | Burst Strength (psi) | Burst Design Factor | Tension Load (Kips) | Tension Strength (Kips) | Tension Design Factor |
| 1 | 218 | 1370 | 6.280 | 500 | 2270 | 4.54 | 14 | 254 | 17.94 J |

Prepared by: Clinton Dworshak
 Utah Div. of Oil & Mining

Phone: 801-538-5280
 FAX: 801-359-3940

Date: May 18, 2006
 Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 500 ft, a mud weight of 8.4 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

| | | |
|--------------|--|--------------|
| Well name: | 05-06 Marion Cordingly Cyn 10-1 | |
| Operator: | Marion Energy Inc | Project ID: |
| String type: | Production | 43-007-31173 |
| Location: | Carbon County | |

Design parameters:

Collapse

Mud weight: 8.600 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 150 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 1,500 ft

Cement top: Surface

Burst

Max anticipated surface pressure: 538 psi
 Internal gradient: 0.346 psi/ft
 Calculated BHP 2,393 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Directional well information:

Kick-off point 0 ft
 Departure at shoe: 3187 ft
 Maximum dogleg: 2 °/100ft
 Inclination at shoe: 50 °

Tension is based on buoyed weight.

Neutral point: 5,584 ft

| Run Seq | Segment Length (ft) | Size (in) | Nominal Weight (lbs/ft) | Grade | End Finish | True Vert Depth (ft) | Measured Depth (ft) | Drift Diameter (in) | Internal Capacity (ft³) |
|---------|---------------------|-------------------------|-------------------------|------------------|----------------------|----------------------|---------------------|-------------------------|-------------------------|
| 1 | 6671 | 5.5 | 17.00 | J-55 | LT&C | 5357 | 6671 | 4.767 | 229.9 |
| Run Seq | Collapse Load (psi) | Collapse Strength (psi) | Collapse Design Factor | Burst Load (psi) | Burst Strength (psi) | Burst Design Factor | Tension Load (Kips) | Tension Strength (Kips) | Tension Design Factor |
| 1 | 2393 | 4910 | 2.052 | 2393 | 5320 | 2.22 | 79 | 247 | 3.12 J |

Prepared by: Clinton Dworshak
 Utah Div. of Oil & Mining

Phone: 801-538-5280
 FAX: 801-359-3940

Date: May 18, 2006
 Salt Lake City, Utah

Remarks:

Collapse is based on a vertical depth of 5357 ft, a mud weight of 8.6 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Collapse strength is (biaxially) derated for doglegs in directional wells by multiplying the tensile stress by the cross section area to calculate a

Engineering responsibility for use of this design will be that of the purchaser.



April 13, 2006

1594 W. North Temple
Suite 1201
Salt lake City, UT
84116

RE: Sundry Form 9

Dear Ms. Whitney

Please find enclosed the original executed copies of our Sundry Form 9's that Mark Jones has requested we submit for our recently submitted APD's. Mr. Jones felt that we needed further contact information regarding the surface owners at our well locations and suggested I fill out a Form 9 for each well outlining the contact information for American Electric Power.

If you require any further information, please do not hesitate to contact me at (972) 540-2967 ext. 3004 or email bevans@marionenergy.com

Sincerely,

A handwritten signature in black ink, appearing to read "B J Evans", with a stylized flourish at the end.

Benjamin Evans
Landman

119 South Tennessee, Suite 200, McKinney, TX, 75069
Telephone: (972) 540-2967
Fax: (972) 547-0442

RECEIVED

APR 14 2006

DIV. OF OIL, GAS & MINING



Marion Energy Inc.

March 30, 2006

Diana Whitney
State of Utah
Division of Oil, Gas and Mining
P.O. Box 145801
Salt Lake City, UT 84114-5801

Re: Directional Drilling R649-3-11

Cordingly Canyon #10-1: 2,222.37ft FNL 1,183.60ft FEL NE/4 13S-10E (Surface)
488ft FSL 1,113ft FEL SE/4 13S-10E (bottom hole)
Carbon County, UT.


Dear Ms. Whitney

Pursuant to the filing of Marion Energy Inc. application for Permit to Drill the above referenced well on March 30th 2006, we are hereby submitting this letter in accordance with Oil and Gas Conservation Rule R649-3-11 pertaining to the exception to location and Sitting of wells.

- The Cordingly Canyon #10-1 well is located within the North Helper Prospect area.
- Marion Energy Inc. is permitting this well as a directional well in order to maximize drainage of the reservoir in a topographically challenging area.
- The concept of drilling Multiple directional wells from a single pad site will allow Marion Energy Inc. to minimize surface disturbance that would be otherwise cause by two or more separate pad sites. The Plan is to drill two directional and one vertical well from this pad location.
- Mid-Power Resource Corporation hereby certifies that it is the sole working interest owner within 460 feet of the entire directional well bore.

Therefore, based upon the above information Mid-Power Resource Corporation requests the permit be granted pursuant to R649-3-11.

Sincerely,



Scott Jacoby
Associate Landman
Marion Energy Inc.



Marion Energy Inc.

March 31, 2006

Mr. Nelson L. Kidder
American Electric Power
248 South Lake Drive
Prestonsburg, KY, 41653

RE: Ballpark Canyon #16-2 (SW/4 Section 16 13S-10E, Carbon County, Utah)
Ballpark Canyon #17-2 (SW/4 Section 16 13S-10E, Carbon County, Utah)
Kenilworth Railroad #9-1 (NE/4 Section 16 13S-10E, Carbon County, Utah)
Kenilworth Railroad #15-4 (NE/4 Section 16 13S-10E, Carbon County, Utah)
Cordingly Canyon #10-1 (NE/4 Section 15 13S-10E, Carbon County, Utah)
Kenilworth Railroad #15-3 (SE/4 Section 16 13S-10E, Carbon County, Utah)
Blackhawk Coal Lease Dated June 15th 2004

Dear Mr. Kidder

This letter is intended to seek your permission to commence drilling operations on the wells referenced above. AEP is the surface owner at these locations, and Marion Energy, Inc. as operator of the properties underlying the Blackhawk Lease, seeks your permission as soon as possible to begin the construction of these locations so that Marion may commence drilling operations. The wells referenced above are to be drilled directionally from pads that are currently in place, these pads being the Ballpark Canyon #1, Kenilworth Railroad #1, Kenilworth Railroad #2, and the Cordingly Canyon #15-2, meaning any modification involved at these locations would be limited in scope due to the existence of our current pad sites.

Should you concur with our request to commence the modification of above referenced well locations, please signify your acceptance in the space provided below.

If you require any further information, please do not hesitate to contact me at (972) 540-2967 ext. 3004 or email bevans@marionenergy.com

Sincerely,

Benjamin Evans
Landman
Marion Energy Inc.

Blackhawk Coal Company, as Lessor under the above referenced lease, hereby consents to allow Marion Energy Inc. to commence the modification of the Ballpark Canyon #16-2, Ballpark Canyon #17-2, Kenilworth Railroad #9-1, Kenilworth Railroad #15-4, Cordingly Canyon #10-1 and Kenilworth Railroad #15-3 well locations.

By: Nelson L. Kidder

Date: Mar, 31, 2006

Name: Nelson Kidder

Title: Vice President
AEP Coal, Inc.

119 South Tennessee, Suite 200, McKinney, TX, 75069
Telephone: (972) 540-2967
Fax: (972) 547-0442

RECEIVED

APR 14 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|--|--|--|
| | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: Cordingly Canyon #10-1 |
| 2. NAME OF OPERATOR: Marion Energy Inc. (N2740) | | 9. API NUMBER: 4300731173 |
| 3. ADDRESS OF OPERATOR: 119 S. Tennessee Ste 200 CITY McKinney STATE TX ZIP 75069 | | 10. FIELD AND POOL, OR WILDCAT: Helper Field |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.66ft FEL NE/4 Section 15 13S-10E | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Additional APD Information |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Surface Owner Contact Information:


Company Name: American Electric Power

Address: 248 South Lake Drive
Prestonsburg, KY, 41653

Telephone Number: (606) 889-3328

Contact Name: Mr. Nelson Kidder (President)

E-mail address: nlkidder@aep.com

| | |
|---|----------------------|
| NAME (PLEASE PRINT) Benjamin Evans | TITLE Landman |
| SIGNATURE  | DATE 4/13/06 |

(This space for State use only)

RECEIVED

APR 14 2006

DIV. OF OIL, GAS & MINING



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

May 30, 2006

Marion Energy Inc.
119 S Tennessee, Ste. 200
McKinney, TX 75069

Re: Cordingly Canyon 10-1 Well, 2222' FNL, 1183' FEL, SE NE, Sec. 15,
T. 13 South, R. 10 East, Bottom Location 488' FSL, 1113' FEL, SE SE,
Sec. 10, T. 13 South, R. 10 East, Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-31173.

Sincerely,

Gil Hunt
Associate Director

pab
Enclosures

cc: Carbon County Assessor

Operator: Marion Energy Inc.
Well Name & Number Cordingly Canyon 10-1
API Number: 43-007-31173
Lease: Fee

Location: SE NE **Sec.** 15 **T.** 13 South **R.** 10 East
Bottom Location: SE SE **Sec.** 10 **T.** 13 South **R.** 10 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

5. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

6. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

7. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 9. API NUMBER: 43-007-31123 |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 McKinney TX 75069 | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 5/19/2006 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Set surface casing</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As per verbal approval from DOGM, Marion Energy moved Beeman Bros. drilling onto the Cordingly Canyon 10-1 and spudded the well at 1:00 a.m. 5/19/06. A 12 1/4" surface hole was drilled to 495' and 10 jts. 8 5/8", J-55, 24#/ft, ST & C casing was run on 5/20/06. Casing was cemented with 300sx of Class "G" cement. Casing was set at 488'. Cement was circulated to surface. Plug was down at 5:00 p.m. 5/20/06. No further activity is anticipated on this well until final approval of the APD is granted.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>5/19/2006</u> |

(This space for State use only)

RECEIVED

MAY 26 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: Marion Energy Inc. Operator Account Number: N 2740
 Address: 119 S. Tennessee, Ste. 200
city McKinney
state TX zip 75069 Phone Number: (972) 540-2967

Well 1

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|--|------------------------|-------------------|-----------|-----|----------------------------------|-----|--------|
| 4300731173 | Cordingly Canyon #10-1 | | SENE | 15 | 13S | 10E | Carbon |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | Entity Assignment Effective Date | | |
| A | 99999 | 15435 | 5/19/2006 | | 6/15/06 | | |
| Comments: <u>PRRV = MVRD</u> <u>- R</u> | | | | | | | |

Well 2

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|-------------|-----------------------|-------------------|-----------|-----|----------------------------------|-----|--------|
| | | | | | | | |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | Entity Assignment Effective Date | | |
| | | | | | | | |
| Comments: | | | | | | | |

Well 3

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|-------------|-----------------------|-------------------|-----------|-----|----------------------------------|-----|--------|
| | | | | | | | |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | Entity Assignment Effective Date | | |
| | | | | | | | |
| Comments: | | | | | | | |

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Benjamin Evans

Name (Please Print)

B J Evans

Signature

Landman

Title

RECEIVED
7/13/2006
JUN 15 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: Cordingly Canyon #10-1 |
| 2. NAME OF OPERATOR: Marion Energy Inc. (N2740) | | 9. API NUMBER: 4300731173 |
| 3. ADDRESS OF OPERATOR: 119 S. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 10. FIELD AND POOL, OR WILDCAT: Helper Field |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.66ft FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | COUNTY: Carbon STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|---|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Bottom Hole Location Change |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Please find included in this packet, information regarding the change in bottom hole location for the Cordingly Canyon #10-1 well. The bottom hole location had to be moved in order to avoid an existing well bore that impeded the path of the original directional hole. Although the bottom hole has changed, the lease in which this well will produce from remains the same (as referenced above) The new bottom hole location footage calls are referenced below.

505ft FSL 650ft FEL SE/4 Section 10 13S-10E

518848 X
4374713 Y
39.703053
-110.780145

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 07-13-06
By: 

| | |
|---|-----------------------|
| NAME (PLEASE PRINT) Benjamin Evans | TITLE Landman |
| SIGNATURE  | DATE 7/12/2006 |


(This space for State use only)

COPY SENT TO OPERATOR
Date: 8-16-06
Initials: CHD

RECEIVED
JUL 13 2006

Range 10 East

Township 13 South



Location:

The well location was determined using a Trimble 5700 GPS survey grade unit.

Basis of Bearing:

The Basis of Bearing is GPS Measured.

GLO Bearing:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office.

Basis of Elevation:

Basis of Elevation of 6682' being at the Southeast Section Corner of Section 14, Township 13 South, Range 10 East, Salt Lake Base and Meridian, as shown on the Helper Quadrangle 7.5 minute series map.

Description of Location:

Surface Location


Proposed Drill Hole located in the SE/4 NE/4 of Section 15, T13S, R10E, S.L.B.&M., being 2222.37' South and 1183.60' West from the Northeast Section Corner of Section 15, T13S, R10E, Salt Lake Base & Meridian.

Target Location

Proposed Target located in the SE/4 SE/4 of Section 10, T13S, R10E, S.L.B.&M., being 505.00' North and 650.00' West from the Southeast Section Corner of Section 10, T13S, R10E, Salt Lake Base & Meridian.

Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



Legend

- Drill Hole Location
- ⊙ Metal Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Calculated Corner
- () GLO
- GPS Measured


NOTES:

1. UTM and Latitude / Longitude Coordinates are derived using a GPS Pathfinder and are shown in NAD 27 Datum.

| SURFACE |
|-----------------|
| LAT / LONG |
| 39°41'47.437"N |
| 110°46'55.075"W |

| TARGET |
|-----------------|
| LAT / LONG |
| 39°42'14.801"N |
| 110°46'48.144"W |

GRAPHIC SCALE



(IN FEET)
1 inch = 1000 ft.

Revision: 7/10/06





TALON RESOURCES, INC.
195 North 100 West P.O. Box 1230
Huntington, Utah 84528
Phone (435)687-5310 Fax (435)687-5311
E-Mail talonwetr.net



Marion Energy Inc.

Cordingly Canyon #10-1
Section 15, T13S, R10E, S.L.B.&M.
Carbon County, Utah

| | |
|---------------------------|------------------------------|
| Drawn By: N. BUTKOVICH | Checked By: L.W.J./A.J.S. |
| Drawing No. A-1 | Date: 3/28/06 |
| | Scale: 1" = 1000' |
| Sheet 1 of 3 | Job No. 2346 |



TALON RESOURCES, INC.
 195 N. 100 W., P.O. Box 1230
 Huntington, Utah 84528
 Phone (435)687-5310 Fax (435)687-5311
 E-Mail talon etv.net




Cordingly Canyon #10-1
 Section 15, T13S, R10E, S.L.B.&M.
 Carbon County, Utah

Revision: 7/10/06

LEGEND:
 SURVEYED WELL
 TARGET LOCATION
 EXISTING ACCESS


| | |
|----------------------------------|------------------------------|
| Drawn By: N. BUTKOVICH | Checked By: L.W.J. |
| Drawing No. L-1 | Date: 3/30/06 |
| | Scale: 1" = 2000' |
| Sheet 3 of 3 | Job No. 2346 |

510000mE, 512000mE, 514000mE, 516000mE, 518000mE, 520000mE, 522000mE, NAD27 Zone 12S 526000mE



Talon Resources, Inc.
 195 North 100 West
 P.O. Box 1230
 Huntington, Utah 84528
 (435) 687-5310

TN * MN / 12%



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | | |
|--|--|--|---|
| | | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee -BH-61504 |
| | | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | | 8. WELL NAME and NUMBER: Cordingly Canyon #10-1 |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | | 9. API NUMBER: 43-007-31173 |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | PHONE NUMBER: (972) 540-2967 | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL & 1183.6ft FEL | | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 5/5/2006 | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input checked="" type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Marion proposes to modify the casing program to better accommodate the directional tools we will be using. The proposed changes are as follows:

Surface pipe will be changed from 13 3/8" to 9 5/8". Surface hole will be changed from 16 3/4" to 12 1/4". The casing will be cemented with 219 sx. Premium "G" cement at a yield of 1.25 cuft/sk and slurry weight of 14.2 ppg. This calculation includes 75 % excess. Additionally, we propose to eliminate the intermediate string of casing. We do not anticipate any abnormal water flows from shallow sections that would require an intermediate string be set. We propose to drill a 7 7/8" hole to TD and run 5 1/2", 17# casing as described on the APD form 3.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>5/5/2006</u> |

(This space for State use only)

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|--|--|--|
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 7. UNIT or CA AGREEMENT NAME: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| PHONE NUMBER: (972) 540-2967 | | 9. API NUMBER: 4300731173 |
| COUNTY: Carbon | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| STATE: UTAH | | |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|---|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 7/28/2006 | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Drilling Update</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This well was drilled to 6435' MD. While conditioning hole for casing the driller could not get drill string back through a thigh spot at 4800'. Tried to ream back to bottom but could not find free hole. Hole appears to have collapsed below 4800'.

Drill back through thigh spot to 5006'. Pulled up to condition hole. Drill string stuck. Could not jar out. Had to shoot pipe off @ 4800'. TIH to fish pipe but could not fish. Decided to run 5 1/2" csg to top of fish and possibly complete as a Mancos well.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>7/28/2006</u> |

(This space for State use only)

(5/22/00)

(See Instructions on Reverse Side)

RECEIVED
MAR 28 2007
 DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 7. UNIT or CA AGREEMENT NAME: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE¼ QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| | | 9. API NUMBER: 4300731173 |
| | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| | | COUNTY: Carbon |
| | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 7/30/2006 | <input checked="" type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Due to inability to fish stuck drill pipe, 110 jts, of 5 1/2", J-55, 17#. Had to circulate pipe all the way in. Tagged top of fish @ 4800'. Pulled up to 4779' MD and cemented w/ 680sx Premium "G" cement. Did not circulate. Pressure during cement job indicated good lift. Will run CBL and determine TOC.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>8/3/2006</u> |

(This space for State use only)

RECEIVED

MAR 28 2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|--|--|--|
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 7. UNIT or CA AGREEMENT NAME: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 10. FIELD AND POOL, OR WILDCAT: Helper | | 9. API NUMBER: 4300731173 |
| 11. COUNTY: Carbon | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 12. STATE: UTAH | | |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 3/25/2007 | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Update</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This well is waiting on completion. We are currently evaluating the Cordingly Canyon 15-5 for Mancos potential. If economics warrant, we will complete this well as a Mancos producer. Our land department is currently reviewing the BHL for spacing dedication.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>3/25/2007</u> |

(This space for State use only)

RECEIVED

MAR 28 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | |
|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME: |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | PHONE NUMBER: (972) 540-2967 | 9. API NUMBER: 4300731173 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| QTR/CTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | COUNTY: Carbon |
| | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|---|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 6/6/2007 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update Sundry |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 This well is waiting on completion. We are currently evaluating the Cordingly Canyon 15-5 for Mancos potential. If economics warrent, we will complete this well as a Mancos producer. Our land department is currently reviewing the BHL for spacing dedication.

| | |
|---|------------------------|
| NAME (PLEASE PRINT) <u>Charlotte Parker</u> | TITLE <u>Secretary</u> |
| SIGNATURE <u><i>Charlotte Parker</i></u> | DATE <u>6/6/2007</u> |

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - A copy of electric and radioactivity logs, if run
 - A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator: Marion Energy, INC Today's Date: 09/18/2007

| Well: | API Number: | Drilling Commenced: |
|------------------------------------|-------------|---------------------|
| Cordingly Cyn 10-1 drlg/wcr | 4300731173 | 05/19/2006 |
| Ballpark Cyn 11-2 drlg/wcr | 4300731169 | 05/30/2006 |
| Ballpark Cyn 16-2X drlg/wcr | 4300731207 | 06/05/2006 |
| Alpine School Dist 6-17 drlg/wcr | 4300731181 | 06/26/2006 |
| Alpine School Dist 3-17 drlg/wcr | 4300731182 | 06/26/2006 |
| Kenilworth Rail Road 15-4 drlg/wcr | 4300731170 | 07/05/2006 |
| Kenilworth Rail Road 9-1 drlg/wcr | 4300731172 | 07/06/2006 |
| Ridge Runner 2-18 drlg/wcr | 4301530683 | 08/12/2006 |

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

cc: Well File
Compliance File

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | |
|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME: |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 9. API NUMBER: 4300731173 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | COUNTY: Carbon |
| | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 11/21/2007 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Update</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

We are still analyzing the results of the Cordingly Canyon 15-5 Mancos test. If test results continue to improve we will submit plans to test the Mancos as a 40 acre off set.

| | |
|---|----------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>VP Operations</u> |
| SIGNATURE | DATE <u>11/21/2007</u> |

(This space for State use only)

RECEIVED
NOV 30 2007
DIV. OF OIL, GAS & MINING

NOTICE

Utah Oil and Gas Conservation General Rule R649-3-21 states that,

- A well is considered completed when the well has been adequately worked to be capable of producing oil or gas or when well testing as required by the division is concluded.
- Within 30 days after the completion or plugging of a well, the following shall be filed:
 - Form 8, Well Completion or Recompletion Report and Log
 - A copy of electric and radioactivity logs, if run
 - A copy of drillstem test reports,
 - A copy of formation water analyses, porosity, permeability or fluid saturation determinations
 - A copy of core analyses, and lithologic logs or sample descriptions if compiled
 - A copy of directional, deviation, and/or measurement-while-drilling survey for each horizontal well

Failure to submit reports in a timely manner will result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

As of the mailing of this notice, the division has not received the required reports for

Operator: Marion Energy, Inc Today's Date: 02/14/2008

Well: API Number: Drilling Commenced:

See Attachment

43 007 31173
CORDINGLY CYN 10-1
135 IDE 15

To avoid compliance action, required reports should be mailed within 7 business days to:

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

If you have questions or concerns regarding this matter, please call (801) 538-5284.

cc: Well File
Compliance File

| Well: | | API Number: | Commenced: |
|-------------------------|---------------|-------------|------------|
| Cordingly Cyn 10-1 | drlg rpts/wcr | 4300731173 | 05/19/2006 |
| Ballpark Cyn 17-2 | drlg rpts/wcr | 4300731169 | 05/30/2006 |
| Alpine School Dist 6-17 | drlg rpts/wcr | 4300731181 | 06/26/2006 |
| Alpine School Dist 3-17 | drlg rpts/wcr | 4300731182 | 06/26/2006 |
| Kenilworth RR 15-4 | drlg rpts/wcr | 4300731170 | 07/05/2006 |
| Kenilworth RR 9-1 | drlg rpts/wcr | 4300731172 | 07/06/2006 |
| Ridge Runner 2-19 | wcr | 4301530684 | 08/10/2006 |
| Ridge Runner 2-18 | drlg rpts/wcr | 4301530683 | 08/12/2006 |
| Ridge Runner 8-19 | drlg rpts/wcr | 4301530682 | 08/13/2007 |
| Ridge Runner 1-30 | drlg rpts/wcr | 4301530680 | 09/11/2007 |

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
Fee-BH-61504

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL: OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Cordingly Canyon 10-1

2. NAME OF OPERATOR:
Marion Energy, Inc

9. API NUMBER:
4300731173

3. ADDRESS OF OPERATOR: **119 So. Tennessee #200** CITY **McKinney** STATE **TX** ZIP **75069** PHONE NUMBER: **(972) 540-2967**

10. FIELD AND POOL, OR WILDCAT:
Helper

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **2222.37ft FNL 1183.6ft FEL NE/4**
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SENE 15 13S 10E**

COUNTY: **Carbon**
STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 3/7/2008 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well is currently waiting on completion.

NAME (PLEASE PRINT) Charlotte Parker TITLE Secretary
SIGNATURE Charlotte Parker DATE 3/7/2008

(This space for State use only)

RECEIVED
MAR 07 2008

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | |
|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | 5. LEASE DESIGNATION AND SERIAL NUMBER: Fee-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME: |
| 2. NAME OF OPERATOR: Marion Energy, Inc | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 3. ADDRESS OF OPERATOR: 119 So. Tennessee #200 CITY McKinney STATE TX ZIP 75069 | | 9. API NUMBER: 4300731173 |
| | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37ft FNL 1183.6ft FEL NE/4 | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 4/4/2008 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well is currently waiting on completion.

| | |
|---|------------------------|
| NAME (PLEASE PRINT) <u>Charlotte Parker</u> | TITLE <u>Secretary</u> |
| SIGNATURE <u><i>Charlotte Parker</i></u> | DATE <u>4/4/2008</u> |

(This space for State use only)

RECEIVED
APR 14 2008
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:
Fee-BH-61504

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Cordingly Canyon 10-1

2. NAME OF OPERATOR:
Marion Energy, Inc

9. API NUMBER:
4300731173

3. ADDRESS OF OPERATOR:
119 So. Tennessee #200 CITY **McKinney** STATE **TX** ZIP **75069**

PHONE NUMBER:
(972) 540-2967

10. FIELD AND POOL, OR WILDCAT:
Helper

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **2222.37ft FNL 1183.6ft FEL NE/4**
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SENE 15 13S 10E**

COUNTY: **Carbon**
STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 5/5/2008 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well is currently waiting on completion.

NAME (PLEASE PRINT) **Charlotte Parker**

TITLE **Secretary**

SIGNATURE *Charlotte Parker*

DATE **5/5/2008**

(This space for State use only)

RECEIVED

MAY 08 2008

DIV. OF OIL, GAS & MINING

UTAH DIVISION OF OIL, GAS AND MINING

NOTICE OF REPORTING PROBLEMS

Operator: Marion Energy, Inc Account: N2740 Today's Date: 10/23/2008

Problems:

- Late Report(s)
- Inaccurate Report(s)
- Incomplete Report(s)
- Other: _____

Failure to submit reports in a timely, accurate, and complete manner may result in the issuance of a Notice of Violation by the Division of Oil, Gas and Mining, and may result in the Division pursuing enforcement action as outlined in Rule R649-10, Administrative Procedures, and Section 40-6-11 of the Utah Code.

To avoid compliance action, these reporting problems should be resolved within 7 days.

Send reports to:

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Fax to:

(801) 359-3940

43-007-31173
15 BS 10e
Cordingly Cyn 10-1

| Type of Report | Month(s) of Problem Report | | |
|---|---|---------------|--------------------|
| <input type="checkbox"/> Production – Form 10 <input type="checkbox"/> Disposition – Form 11 <input type="checkbox"/> Gas Plant – Form 13 <input type="checkbox"/> Enhanced Recovery – UIC Form 2 <input type="checkbox"/> Injection – UIC Form 3 <input type="checkbox"/> Other _____ | | | |
| Type of Report | Well Name(s) | API Number(s) | Drilling Commenced |
| <input type="checkbox"/> Spud Notice – Form 9 <input checked="" type="checkbox"/> Drilling Reports – Form 9 <input type="checkbox"/> Well Completion Report – Form 8 <input type="checkbox"/> Other _____ | <input checked="" type="checkbox"/> List Attached | | |

Description of Problem:

Per R649-3-6 2.4 The operator shall submit a monthly status report for each drilling well on Form 9, Sundry Notice and Reports on Wells. The report should include the well depth and a description of the operations conducted on the well during the month.

If you have questions or concerns regarding this matter, please contact Rachel Medina at (801) 538-5260 .

cc: Compliance File
RAM
Well File
CHD

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

Fee-BH-61504

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

Cordingly Canyon 10-1

2. NAME OF OPERATOR:

Marion Energy, Inc

9. API NUMBER:

4300731173

3. ADDRESS OF OPERATOR:

119 So. Tennessee #200 CITY **McKinney** STATE **TX** ZIP **75069**

PHONE NUMBER:

(972) 540-2967

10. FIELD AND POOL, OR WILDCAT:

Helper

4. LOCATION OF WELL

FOOTAGES AT SURFACE: **2222.37ft FNL 1183.6ft FEL NE/4**

COUNTY: **Carbon**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SENE 15 13S 10E**

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 11/5/2008 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well is currently waiting on completion.

RECEIVED
NOV 10 2008
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) **Charlotte Parker**

TITLE **Secretary**

SIGNATURE

Charlotte Parker

DATE **11/5/2008**

(This space for State use only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | |
|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME: |
| 2. NAME OF OPERATOR: Marion Energy, Inc. | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 3. ADDRESS OF OPERATOR: 119 S. Tennessee CITY McKinney STATE TX ZIP 75069 | | 9. API NUMBER: 4300731173 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37 ft FNL 1183.6 ft FEL NE/4 | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | COUNTY: Carbon |
| | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Update</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Unable to complete well in Ferron Formation. Will attempt to re-complete well in Mancos Formation.

| | |
|---|--------------------------------|
| NAME (PLEASE PRINT) <u>Scott Jacoby</u> | TITLE <u>Associate Landman</u> |
| SIGNATURE | DATE <u>7/22/2009</u> |

(This space for State use only)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | |
|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME: |
| 2. NAME OF OPERATOR: Marion Energy, Inc. | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 3. ADDRESS OF OPERATOR: 119 S. Tennessee CITY McKinney STATE TX ZIP 75069 | | 9. API NUMBER: 4300731173 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.37 ft FNL 1183.6 ft FEL NE/4 | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | COUNTY: Carbon |
| | | STATE: UTAH |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
|---|---|---|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Update</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Unable to complete well in Ferron Formation. Will attempt to re-complete well in Mancos Formation.

| | |
|---|--------------------------------|
| NAME (PLEASE PRINT) <u>Scott Jacoby</u> | TITLE <u>Associate Landman</u> |
| SIGNATURE <u><i>Scott Jacoby</i></u> | DATE <u>7/22/2009</u> |

(This space for State use only)

RECEIVED
JUL 22 2009
DIV. OF OIL, GAS & MINING



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

December 9, 2010

Certified Mail No.: 7004 1160 0003 0190 4789

DIVISION ORDER

Marion Energy, Inc.
119 South Tennessee, Suite 200
McKinney, Texas 75069
Attn: Mr. Keri Clark

43 007 31173
Cordingly Cyn 10-1
13S 10E 15

Subject: Bonding for Individual Wells

Dear Mr. Clark:

As of the date of this Order Marion Energy Inc. (Marion) has not satisfactorily demonstrated Marion's financial ability to meet Utah Code §40-6-5(f) and Oil and Gas Conservation General Rule (R649-3-6) requirements for state-wide bonding as requested in the Division of Oil, Gas and Mining (Division) certified letter dated October 25, 2010.

The Division is hereby ordering individual well bonds (R649-3-1.5) for all wells (see Attachment A) currently covered under Marion's \$120,000 blanket bond. The total individual well bond obligation will be \$421,500.

Therefore, Marion has 30 days from the date of this Order to post the additional bonding or enter into an agreement with the Division to satisfy this Order.

Marion has the right to appeal the Division Order by filing to the Board of Oil, Gas and Mining a request for review, according to procedures set forth in Utah Administrative Code R649-10-6. A request for review of a Division Order must be filed with the secretary to the Board, Julie Ann Carter (801) 538-5277, within 30 days of issuance of the Order.

In the event Marion does not comply with this Division Order for Individual Well Bonding the Division will file for a formal hearing before the Board of Oil, Gas and Mining pursuant to Utah §40-6-11(3) & (4).

Page 2

Subject: Division Order – Bonding for Individual Wells.

December 9, 2010

For bonding assistance please contact Randy Thackeray, Lead Auditor at (801) 538-5316. General questions regarding this Order may be directed to Clinton Dworshak, Compliance Manager at (801) 538-5280, or John Rogers, Oil and Gas Associate Director at (801) 538-5349.

Sincerely,



Clinton Dworshak
Compliance Manager

CLD/js

Exhibits

cc: John Rogers, Associate Director
Steve Alder, Assistant Attorney General
Dustin Doucet, Petroleum Engineer
Randy Thackeray, Lead Auditor
Compliance File
Well Files

N:\O&G Reviewed Docs\ChronFile\Enforcement

Attachment A


| <u>Well Name</u> | <u>Well API</u> | <u>Well Depth</u> | <u>Bond</u> |
|-----------------------------|-----------------|-------------------|------------------|
| Cordingly Cyn 15-2 | 43-007-30102 | 4890 | \$30,000 |
| Cordingly Cyn 15-1 | 43-007-31065 | 4735 | \$30,000 |
| Cordingly Cyn 15-5 | 43-007-31167 | 4500 | \$30,000 |
| Alpine School District 6-17 | 43-007-31181 | 5825 | \$30,000 |
| Alpine School District 3-17 | 43-007-31182 | 5300 | \$30,000 |
| Oman 10-29 | 43-007-31210 | 5500 | \$30,000 |
| Utah Fuel 8 | 43-007-16015 | 4390 | \$30,000 |
| Kenilworth RR 1 | 43-007-31006 | 4445 | \$30,000 |
| Kenilworth RR 2 | 43-007-31007 | 5007 | \$30,000 |
| Ballpark Cyn 1 | 43-007-31015 | 4468 | \$30,000 |
| Cordingly Cyn 11-1 | 43-007-31070 | 5520 | \$30,000 |
| Ballpark Cyn 17-2 | 43-007-31169 | not reported | \$30,000 |
| Cordingly Cyn 10-1 | 43-007-31173 | 6435 | \$30,000 |
| Ballpark Cyn 16-2X | 43-007-31207 | 489 | \$1,500 |
| Kennilworth RR 1-A | 43-007-31229 | 8045 | <u>\$30,000</u> |
| | | TOTAL | \$421,500 |

7004 1160 0003 0190 4789

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com®

OFFICIAL USE

| | | |
|---|----|---|
| Postage | \$ | 12/9/2010  Postmark Here |
| Certified Fee | | |
| Return Receipt Fee (Endorsement Required) | | |
| Restricted Delivery Fee (Endorsement Required) | | |
| Total Post: | | |

Sent To **MR KERI CLARKE**
MARION ENERGY INC
 Street, Apt. or PO Box: **119 SOUTH TENNESSEE SUITE 200**
 City, State: **MCKINNEY TX 75069**

PS Form 3800, June 2002 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MR KERI CLARKE
MARION ENERGY INC
119 SOUTH TENNESSEE SUITE 200
MCKINNEY TX 75069

2. Article Number
 (Transfer from service label) **7004 1160 0003 0190 4789**

COMPLETE THIS SECTION ON DELIVERY

A. Signature
 BCDati Agent
 Addressee

B. Received by (Printed Name) **Betu Danti** C. Date of Delivery **12/13/10**

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

3. Service Type
 Certified Mail Express Mail
 Registered Return Receipt for Merchandise
 Insured Mail C.O.D.

4. Restricted Delivery? (Extra Fee) Yes



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

April 14, 2011

CERTIFIED MAIL NO.: 7005 1820 0001 5562 9023

Mr. Keri Clarke
Marion Energy Inc.
119 South Tennessee, Ste 200
McKinney, TX 75069

43,007 31173
Cordingly Cyn 10-1
13S 10E 15

Subject: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Clarke:

As of January 2011, Marion Energy Inc. (Marion) has four (4) Fee Lease Wells and two (2) State Lease Wells (see Attachment A) that have been added to Marion's non-compliance list concerning the requirements for extended shut-in or temporarily abandoned (SI/TA) status. These wells are in addition to those currently under the stipulated order in Clear Creek. Wells SI/TA beyond twelve (12) consecutive months requires the filing of a Sundry Notice in accordance with R649-3-36-1 for Utah Division of Oil, Gas & Mining (Division) approval. Wells with five (5) years non-activity or non-productivity shall be plugged, unless the Division grants approval for extended shut-in time upon a showing of good cause by the operator (R649-3-36-1.3.3).

This is also a **reissuance of a SECOND NOTICE** for the Ballpark CYN 16-2X well (Attachment A). This well had a first notice sent via certified mail on August 26, 2008, and a second notice sent certified mail on May 04, 2009. To date the Division has not received any of the required information to bring said well into compliance with aforementioned rules. Please submit the required information for extended SI/TA status within 30 days of this notice or further actions will be initiated.

For extended SI/TA consideration the operator shall provide the Utah Division of Oil, Gas & Mining with the following:

1. Reasons for SI/TA of the well (R649-3-36-1.1).
2. The length of time the well is expected to be SI/TA (R649-3-36-1.2), and
3. An explanation and supporting data if necessary, for showing the well has integrity, meaning that the casing, cement, equipment condition, static fluid level, pressure, existence or absence of Underground Sources of Drinking Water and other factors do not make the well a risk to public health and safety or the environment (R649-3-36-1.3).

Please note that the Divisions preferred method for showing well integrity is by MIT



Page 2
Marion Energy Inc.
April 14, 2011

Submitting the information suggested below may help show well integrity and may help qualify your well for extended SI/TA. **Note: As of July 1, 2003, wells in violation of the SI/TA rule R649-3-36 may be subject to full cost bonding (R649-3-1-4.2, 4.3).**

1. Wellbore diagram, and
2. Copy of recent casing pressure test, and
3. Current pressures on the wellbore (tubing pressure, casing pressure, and casing/casing annuli pressure) showing wellbore has integrity, and
4. Fluid level in the wellbore, and
5. An explanation of how the submitted information proves integrity.

If the required information is not received within 30 days of the date of this notice, further actions may be initiated. If you have any questions concerning this matter, please contact me at (801) 538-5281.

Sincerely,



Dustin K. Doucet
Petroleum Engineer

DKD/JP/js
Enclosure
cc: Compliance File
Well File
LaVonne Garrison, SITLA

N:\O&G Reviewed Docs\ChronFile\PetroleumEngineer\SITA

ATTACHMENT A

| | Well Name | API | LEASE | Years Inactive |
|--|-------------------------|--------------|---------|------------------|
| Reissuance of 2ND NOTICE | | | | |
| 1 | BALLPARK CYN 16-2X | 43-007-31207 | FEE | 4 Years 7 Months |
| 1ST NOTICE | | | | |
| → 2 | CORDINGLY CYN 10-1 | 43-007-31173 | FEE | 4 Years 6 Months |
| 3 | ALPINE SCHOOL DIST 6-17 | 43-007-31181 | ML-1257 | 2 Years 1 Month |
| 4 | OMAN 10-29 | 43-007-31210 | ML-1256 | 2 Years 5 Months |
| 5 | BALLPARK CYN 17-2 | 43-007-31169 | FEE | 4 Years 8 Months |
| 6 | KENILWORTH RR 1-A | 43-007-31229 | FEE | 1 Year 2 Months |

MARION ENERGY

May 5, 2011

State of Utah
Department of Natural Resources
1594 West North Temple
Suite 1210
Salt Lake City, Utah 84114

Attention: Dustin Doucet

Re: Notice – Extended SI/TA Well Leases

Dear Dustin

In response to your certified letter of April 14, 2011, we are providing you with information for wells that are currently structured as shut in or temporarily abandoned wells (SI/TA) by DOGM. Each well has individual information and is listed below.

Ballpark Canyon 16-2X 43 007 31207 13S 10E 14

This well is currently only drilled to 500 feet on the Ballpark site, with surface casing set. This well is planned to be drilled in the future to develop the Helper field. The casing is 18" above the ground and it has a cap welded on the casing. This well was a replacement for the Ballpark Canyon well 16-2 where the drilling was lost on the well while drilling surface pipe. As far as DOGM is concerned this well has not been sufficiently drilled but will be this year.

Cordingly Canyon 10-1 43 007 31173 13S 10E 15

This well was drilled to the Ferron but the Ferron portion of the hole collapsed and the well was cased through the lower Mancos. We have provided a wellbore diagram for your use. There is currently no pressure on the casing with no tubing in the hole. We currently plan to develop this into a Mancos well in the near future. We do not have a casing pressure and fluid level on this well.

Ballpark Canyon 17-2 43 007 31169 13S 10E 14

This well is the same as the 16-2X well, and has been only drilled to 500 feet with surface casing set. It is currently capped on the surface.

Kenilworth RR 1-A 43 007 31229 13S 10E 16

There is a wellbore diagram attached for this well. We had drilled this well to be a SWD well for Kenilworth. However we had positive response from the Cedar Mountain formation in the Buckhorn Conglomerate. Because of this we decided not to make it a SWD well at that time. We are currently waiting for a third party engineering report to advise us how to sidetrack the well to make it productive. We do not have a casing pressure test and fluid level on this well.

RECEIVED
MAY 09 2011
DIV. OF OIL, GAS & MINING

MARION ENERGY

Alpine School District 6-17 43 007 31181 13S 7E 17

In February of this year we met with the Oil and Gas board to present a SWD proposal to convert the wells 3-17 and 6-17 on the Alpine School District site. This was approved. We have performed an MIT on the 3-17 and have converted it into a SWD well. We have not done the MIT on the 6-17 well, though we will probably do it this summer. There is a wellbore diagram attached for your perusal.

Oman 10-29 43 007 31210 13S 7E 29

This well was drilled two years ago in Clear Creek to the Ferron formation. The well was perforated but has never been stimulated for production. There is a plan to complete this well this summer as part of our plan to bring Clear Creek onto full production. There is a wellbore diagram attached for your perusal. We do not have a casing pressure test and fluid level on this well.

We respectfully request that DOGM extend the SI/TA status on these wells. We hope this answers some of your concerns regarding the wells in your notice. Please contact me should you need anything further,

Yours Sincerely



Keri Clarke
Vice President Land
Marion Energy Inc.

Cc: Jim Hansen
LaVonne Garrison - SITLA

REQUEST DENIED
Utah Division of
Oil, Gas and Mining

Date: 8/3/2011
By: [Signature]

* insufficient information provided - see requirements of rule R649-3-36.
Note: No attachments were provided in package

UTAH DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining
Oil and Gas Program
1594 West North Temple, Suite 1210, Box 145801
Salt Lake City, Utah 84114-5801
(801) 538-5340 Phone
(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: MARION ENERGY INC.

13S 10E 15

| | |
|---|----------------------------|
| Well(s) or Site(s): 1.) <u>BALLPARK CYN 16-2X</u> | API #: <u>43-007-31207</u> |
| 2.) <u>CORDINGLY CYN 10-1</u> | <u>43-007-31173</u> ← |
| 3.) <u>BALLPARK CYN 17-2</u> | <u>43-007-31169</u> |
| 4.) <u>KENILWORTH RR 1-A</u> | <u>43-007-31229</u> |
| 5.) <u>ALPINE SCHOOL DISTRICT 6-17</u> | <u>43-007-31181</u> |
| 6.) <u>OMAN 10-29</u> | <u>43-007-31210</u> |

Date and Time of Inspection/Violation: August 24, 2011

Mailing Address: Attn: Keri Clarke
901 N McDonald St, Ste 601
McKinney, TX 75069-2157

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells – According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

The Division has initiated several contacts with Marion Energy Inc. (Marion) requesting required documents and action per R649-3-36. A first notice of non-compliance was sent out via certified mail on April 26, 2011 to Marion concerning these wells. This notice also served as a re-issuance of a second notice for well #1 listed above. Marion responded with a letter dated May 5, 2011, and received by the Division on May 9, 2011. All requests were denied by the Division on August 3, 2011, due to insufficient information provided by Marion. In this letter Marion addressed the above wells as follows: Well #1 was stated as being drilled to 500' with surface casing set and a cap welded on the casing. Well #2 was said to have future plans of being developed into the Mancos, and lacked any information supporting integrity. Well #3 was stated to be the same as well #1 also being capped at surface. Well #4 was planned for sidetrack, also lacking any information showing integrity. Well #5 stated the plan to do an MIT this summer. Well #6 was planned to complete this summer. The Division recently conducted inspections on each well listed above and found the claims of wells 1 and 3 to be inaccurate as far as being capped at surface. Wells 1 and 3 were found with only plastic thread protectors at surface. Well #4 shows signs of wellhead leaking and also fluid tank leaking outside of containment.

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

These findings cause concern that the casing or equipment condition may make the well a risk to public health and safety or the environment (R649-3-36-1.3). To date our records indicate that no further work has been done as planned or requests submitted by Marion to move these wells into compliance. These wells need to be secured properly.

Action: For the wells subject to this notice, Marion Energy Inc. shall secure these wells properly and either submit the information required by R649-3-36, plug and abandon or place the wells on production.

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: October 15, 2011

Date of Service Mailing: August 25, 2011

CERTIFIED MAIL NO: 7011 0110 0001 3568 1212



Division's Representative

Operator or Representative

(If presented in person)

cc: Compliance File
Well Files

6/2005

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | | |
|--|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| | | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 2. NAME OF OPERATOR: Marion Energy | | | 9. API NUMBER: 4300731173 |
| 3. ADDRESS OF OPERATOR: P.O. Box 1518 CITY Allen STATE TX ZIP 75013 | | PHONE NUMBER: (972) 540-2967 | 10. FIELD AND POOL, OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222.3 ft FNL & 1183.6 ft FEL NE/4 | | | COUNTY: Carbon |
| QTR/CTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 10/2/2012 | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: Update |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Well is currently waiting on a Mancos shale completion.

| | |
|---|-----------------------|
| NAME (PLEASE PRINT) Keri Clarke | TITLE _____ |
| SIGNATURE  | DATE 10/2/2012 |

(This space for State use only)

RECEIVED
3 OCT 2012
DIV. OF OIL, GAS AND MINING

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: MARION ENERGY INC.

Table with 3 columns: Well(s) or Site(s), API #, and handwritten notes. Rows include BALLPARK CYN 16-2X, CORDINGLY CYN 10-1, BALLPARK CYN 17-2, KENILWORTH RR 1-A, ALPINE SCHOOL DISTRICT 6-17, OMAN 10-29, BALLPARK CANYON #1, CORDINGLY CYN 15-5, KENILWORTH RR #1, KENILWORTH RR#2, CORDINGLY CYN 15-2, CORDINGLY CYN 15-1, and CORDINGLY CYN 11-1.

Date and Time of Inspection/Violation: December 10, 2012

Mailing Address: Attn: Keri Clarke

3580 Orr Road

Allen, TX 75002

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells - According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

Rule R649-3-4.3, Bonding - If the division finds that a well subject to this bonding rule is in violation of Rule R649-3-36., Shut-in and Temporarily Abandoned Wells, the division shall require a bond amount for the applicable well in the amount of actual plugging and site restoration costs.

Rule R649-3-4.4.1. Bonding - Within 30 days of notification by the division, the operator shall submit to the division an estimate of plugging and site restoration costs for division review and approval.

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

The Division has initiated several contacts with Marion Energy Inc. (Marion) requesting required documents and action per R649-3-36. Wells 1 - 6 have previously been issued SI/TA Notices and Notices of Violation without anything being accomplished to move these wells out of violation. Wells 7 and 8 have also been issued a SI/TA Notice without having met the requirements of R649-3-36. Wells 9 - 13 are also in violation of R649-3-36 having been added to Marion's SI/TA violation list. All wells listed above are currently under a Division Order for individual well bonding.

There has not been any evidence of effort being made to bring these wells into compliance. These wells are in violation of R-649-3-36 as listed above. The Division requires Marion to put up full cost bonding for all wells in violation above per R649-3-4. It is also mandatory that Marion submit all documentation as required by R649-3-36 concerning shut-in and temporarily abandoned wells.

Immediate Action: For the wells subject to this notice, Marion shall fulfill full cost bonding requirements for each well. Marion shall also submit all information as required by R649-3-36 or plug and abandon or place the wells on production.


- * **Fines may be levied up to \$10,000.00 per day for every well in violation given the authority provided under U.C.A. 40-6-11, part 4.**

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: February 8, 2013

Date of Service Mailing: January 3, 2013

Certified Mail No: 7010 1670 0001 4810 3645



Division's Representative



Operator or Representative

(If presented in person)

cc: Compliance File
Well Files
SITLA

6/2005



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

DIVISION ORDER

February 22, 2013

Certified Mail #7010 1670 0001 4810 3898

Marion Energy
Attn: Keri Clarke
3580 Orr Road
Allen, TX 75002

135 10E 15

RE: Division Order to Comply with the Notice of Violation Issued to Marion Energy on January 3, 2013

The Division of Oil, Gas and Mining (Division) memorializes the actions Marion Energy (Marion) is required to perform in order to return the wells listed below to compliance under Utah Admin. Code R649-3-36.

- | | |
|--------------------------------|--------------------|
| 1) BALLPARK CYN 16-2X | API # 43-007-31207 |
| 2) CORDINGLY CYN 10-1 | API # 43-007-31173 |
| 3) BALLPARK CYN 17-2 | API # 43-007-31169 |
| 4) KENILWORTH RR 1-A | API # 43-007-31229 |
| 5) ALPINE SCHOOL DISTRICT 6-17 | API # 43-007-31181 |
| 6) OMAN 10-29 | API # 43-007-31210 |
| 7) BALLPARK CYN #1 | API # 43-007-31015 |
| 8) CORDINGLY CYN 15-5 | API # 43-007-31167 |
| 9) KENILWORTH RR #1 | API # 43-007-31006 |
| 10) KENILWORTH RR #2 | API # 43-007-31007 |
| 11) CORDINGLY CYN 15-2 | API # 43-007-31064 |
| 12) CORDINGLY CYN 15-1 | API # 43-007-31065 |
| 13) CORDINGLY CYN 11-1 | API # 43-007-31070 |

The Division requires the following actions to be completed by Marion Energy by the prescribed dates listed below:

- 1) Provide the following monthly readings for each well listed above on the first of every month beginning on April 1, 2013.
 - a. Surface Pressure
 - b. Casing Pressure
 - c. Fluid Levels

Page 2

February 22, 2013

Subject: Division Order to Comply with Notice of Violation

2) Plug and abandon the following wells by:

- | | |
|-----------------------|--------------|
| a. BALLPARK CYN 16-2X | July 1, 2013 |
| b. BALLPARK CYN 17-2 | July 1, 2013 |
| c. CORDINGLY CYN 10-1 | July 1, 2013 |

3) Return the remaining wells not listed in Paragraph 2 to compliance by production, a MIT and plan in accordance with U.A.C. R649-3-36, or plug and abandon by July 1, 2013.

Marion has the right to appeal the Division Order by filing to the Board of Oil, Gas and Mining a request for review according to procedures set forth in R649-10-6. A request for review of a Division Order must be filed with the secretary to the Board, Julie Ann Carter (801) 538-5277, within 30 days of issuance of the order.

In the event Marion does not comply with the Division Order by the dates listed above, the Division will file for a formal hearing before the Board of Oil, Gas and Mining, as described in the U.A.C. R641, requesting a Board Order to plug and restore the well sites. Should this matter be brought before the Board, the Division will seek bond forfeiture (R649-3-36), liability for plugging costs in excess of bond forfeiture amounts (R649-3-1-4) and civil penalties of up to \$10,000 per day for each day of violation (Utah Code Ann. § 40-6-11).

Questions regarding this order may be directed to Clinton Dworshak, Compliance Manager at (801)-538-5280 or Dustin Doucet, Engineer, at (801) 538-5281.

Sincerely,


Clinton Dworshak
Compliance Manager

CLD/js

Exhibit

cc: John Rogers, Associate Director
Cameron Johnson, Assistant Attorney General
Dustin Doucet, Engineer
Compliance File
Well Files

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: MARION ENERGY INC.

| | |
|---|----------------------------|
| Well(s) or Site(s): 1.) <u>BALLPARK CYN 16-2X</u> | API #: <u>43-007-31207</u> |
| 2.) <u>CORDINGLY CYN 10-1</u> | <u>43-007-31173</u> |
| 3.) <u>BALLPARK CYN 17-2</u> | <u>43-007-31169</u> |
| 4.) <u>KENILWORTH RR 1-A</u> | <u>43-007-31229</u> |
| 5.) <u>ALPINE SCHOOL DISTRICT 6-17</u> | <u>43-007-31181</u> |
| 6.) <u>OMAN 10-29</u> | <u>43-007-31210</u> |
| 7.) <u>BALLPARK CANYON #1</u> | <u>43-007-31015</u> |
| 8.) <u>CORDINGLY CYN 15-5</u> | <u>43-007-31167</u> |
| 9.) <u>KENILWORTH RR #1</u> | <u>43-007-31006</u> |
| 10.) <u>KENILWORTH RR#2</u> | <u>43-007-31007</u> |
| 11.) <u>CORDINGLY CYN 15-2</u> | <u>43-007-31064</u> |
| 12.) <u>CORDINGLY CYN 15-1</u> | <u>43-007-31065</u> |
| 13.) <u>CORDINGLY CYN 11-1</u> | <u>43-007-31070</u> |

Date and Time of Inspection/Violation: December 10, 2012

Mailing Address: Attn: Keri Clarke

3580 Orr Road

Allen, TX 75002

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells – According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

Rule R649-3-4.3, Bonding - If the division finds that a well subject to this bonding rule is in violation of Rule R649-3-36, Shut-in and Temporarily Abandoned Wells, the division shall require a bond amount for the applicable well in the amount of actual plugging and site restoration costs.

Rule R649-3-4.4.1. Bonding - Within 30 days of notification by the division, the operator shall submit to the division an estimate of plugging and site restoration costs for division review and approval.

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

The Division has initiated several contacts with Marion Energy Inc. (Marion) requesting required documents and action per R649-3-36. Wells 1 - 6 have previously been issued SITTA Notices and Notices of Violation without anything being accomplished to move these wells out of violation. Wells 7 and 8 have also been issued a SITTA Notice without having met the requirements of R649-3-36. Wells 9 - 13 are also in violation of R649-3-36 having been added to Marion's SITTA violation list. All wells listed above are currently under a Division Order for individual well bonding.

There has not been any evidence of effort being made to bring these wells into compliance. These wells are in violation of R-649-3-36 as listed above. The Division requires Marion to put up full cost bonding for all wells in violation above per R649-3-4. It is also mandatory that Marion submit all documentation as required by R649-3-36 concerning shut-in and temporarily abandoned wells.

Immediate Action: For the wells subject to this notice, Marion shall fulfill full cost bonding requirements for each well. Marion shall also submit all information as required by R649-3-36 or plug and abandon or place the wells on production.

- * Fines may be levied up to \$10,000.00 per day for every well in violation given the authority provided under U.C.A. 40-6-11, part 4.

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: February 8, 2013

Date of Service Mailing: January 8, 2013

Certified Mail No: 7010 1670 0001 4810 3645



Division's Representative

Operator or Representative
(If presented in person)

cc: Compliance File
Well Files
SITTA

6/2005



February 5, 2013

Department of Natural Resources
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
Price, Utah 84114

Attention: Dustin Doucet
Petroleum Engineer

43 007 31173
Cordingly Cyn 10-1
13S 10E 15

Re: Notification of Violation January 3, 2013
Operation Plan

Dear Dustin,

Following up on our earlier (Jan. 18, 2013) letter to the Division, and subsequent discussions between Marion, Michael Malmquist of Parsons Behle, and Cameron Johnson, attorney for the Division of Oil Gas and Mining, Marion has been asked to put together a plan of operation for the wells mentioned on the referenced violation. As the Division is aware Marion is currently improving its financial situation. This will allow Marion to operate the fields in Utah fully, as it has done so in the past. From this situation Marion will plan to do the following;

Helper

Currently all the wells in Helper are connected to the Anadarko gas and water disposal system. Each of the wells on the Kenilworth and Cordingly sides of the field are connected by a closed gas and water pipeline system to the Anadarko connection point, through a Marion right of way. This system is currently shut down. Marion will have to contact Anadarko to set the system operational again. Marion currently has a gas purchase and water disposal agreement in place with Anadarko. Prior to resuming operations Marion will need to inspect each well to determine whether equipment is missing (due to scavenging) or otherwise in need of replacement or rehabilitation before the wells can be turned back on.

Ballpark Canyon 16-2X

This well is currently drilled to 500' with surface casing set in the shallow hole. This well will need a rig set to allow Marion to set cement in the hole, reduce the surface casing, cap the well and abandon the well. This well will be abandoned by the date of the June Board hearing being June 26, 2013.

Ballpark Canyon 17-2

This well is currently drilled to 500' with surface casing set in the shallow hole. This well will need a rig set to allow Marion to set cement in the hole, reduce the surface casing, cap the well and abandon the well. This well will be abandoned by the date of the June Board hearing being June 26, 2013.



Cordingly Canyon 10-1

This well has not been completed in the Mancos section of the well. Because of downhole well problems Marion plans to set a rig, plug the well with cement and abandon the well. This well will be abandoned by the date August 8, 2013.

Kenilworth Railroad #1A

This well was last produced in February 2009. It is a Buckhorn Conglomerate well and is capable of production. This well currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Ballpark Canyon #1

This well was last produced in July 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Kenilworth Railroad #1

This well was last produced in September 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Kenilworth Railroad #2

This well was last produced in September 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-5

This well was last produced in April 2010. It is a Mancos well, though it does not currently have a pumping unit on the well. Marion will replace the equipment needed and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-1

This well was last produced in September 2010. This is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-2

This well was last produced in September 2010. This is a Ferron well, though it does not have a hydraulic pumping unit on the well. Marion will replace the equipment needed, and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.



Cordingly Canyon 11-1

This well was last produced in September 2010. This is a Ferron well, though it does not have a hydraulic pumping unit on the well. Marion will replace the equipment needed, and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Clear Creek

Oman 10-29.

This well was drilled to the Ferron formation but was not completed. Recent operations in the last month have seen a production pump placed on the well. As weather improves in the area Marion will attempt to produce the well.

Alpine School District 6-17

This well was drilled as a Ferron well and was completed. Marion submitted applications to convert this well and the ASD 3-17 well into water disposal wells. After the ASD 3017 was approved, it was determined that one well was needed, and another WD well was not needed at that time. The well currently has a rotaflex pumping unit on it. Marion plans to attempt production from the well by the end of 2013. If the well is not producing an MIT will be done.

Marion is proposing this plan to address the January 3, 2013 Notice of Violation. Given the constraints of Marion's financial situation, we believe the plan contains reasonable time frames for conducting work either to abandon or put back on production the wells listed in the NOV. We look forward to hearing from you regarding this matter.

Yours Sincerely

A handwritten signature in black ink, appearing to read "Keri Clarke", with a stylized flourish at the end.

Keri Clarke



February 13, 2013

Department of Natural Resources
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114

Attention: Cameron Johnson, Assistant Attorney General

Re: Notification of Violation January 3, 2013
Operation Plan

Dear Cameron,

This responds to the email you sent to Mike Malmquist on behalf of the Division on February 8, 2013.

Anadarko Gas Purchase and Water Disposal Agreements

Marion has in place a Gas Purchase Agreement with Anadarko to purchase all gas produced in the field. Anadarko has historically purchased gas from the field and will continue to do so in the future. Marion also has a Water Disposal System Agreement with Anadarko for all water produced in the Helper field. Currently, Marion owes Anadarko of \$47,500 for water disposal fees from historical production. As its financial situation improves Marion will settle the account. Beyond settling its account, Marion does not anticipate any commercial issues with Anadarko that could interfere with gas sales or water disposal.

Water Disposal and Gas Gathering System

Once Marion completed its initial drilling program in the Helper Field and established that the wells were productive, two separate HDPE trunk lines were laid, one for gas and one for water. Each of the wells was tied in to the trunk lines utilizing HDPE pipe. The tie lines and trunk lines are owned by Marion. The trunk lines terminate at a facility built and operated by Anadarko near Kenilworth. A free water knock-out was set to drop out any water in suspension with the gas before delivery into Anadarko. The system is a closed system. Natural gas production at the Helper field was suspended when Marion ran into financial issues. This decision to suspend production was made by Marion due to the cash and human resource issues, not by Anadarko locking the company out of the system. Each well was isolated from the gas and water lines by shutting the respective valves at each wellhead. Additionally, at the time the field was shut-in

Anadarko was made aware of the Marion situation. Subsequently, Anadarko field personnel secured the aforementioned equipment. The Helper pipeline system was fully operational and problem free when it was shut down. We would not anticipate any problems with the pipe itself, but here maybe some wellhead valves that will need to be examined before recommencing field operations.

Financial Situation

Marion does not believe that these negotiations are in vain due to its financial condition. Marion has reason to believe that its financial situation will improve within a time frame that accommodates the compliance schedule addressed in this and prior letters. More specifically, Marion expects to have



access to additional funding during the first half of March 2013 that will allow it to begin the work in the Helper field, with another infusion in May 2013.

Produce or MIT Wells

Marion does not believe that it can produce the wells by April 1, 2013. Marion accepts the Division's proposal to divide the wells into Pods with associated MIT completion dates, but proposes that an additional month be added to the proposed MIT completion date for each pod, as well as the full cost bonding and backup date. This timing is more consistent with Marion's expectation of when it will have the available financial resources.

Pod 1: Ballpark Canyon #1, Kenilworth Railroad #1A, #1, #2: The MIT date for this pod of wells would be June 1, 2013. The work would begin on the Kenilworth Railroad #1A. The backup date for full cost bonding and showing of well integrity would be July 1, 2013.

Pod 2: Cordingly Canyon 15-5, 15-2, 15-1, 11-1: The MIT date for this pod of wells would be August 1, 2013. The backup date for full cost bonding and showing of well integrity would be September 1, 2013.

Pressure and Fluid Level Information

With regard to DOGM's request for information on pressures and fluid levels in the Helper wells, we would like to make the following comments. First, any field data that was acquired while the field was operational will only show what the operating pressure of the system was. Typically, Anadarko was able to keep enough compression operating field-wide to maintain 25-30 psi on our gas system. Second, the water system in essence gravity fed into the Anadarko system, and as such, there was negligible pressure on this line at all times. Third, since the mechanical integrity of the casing is the concern, the tubing pressure would not provide meaningful information.

We are not sure if the sentence is supposed to read "production pressures" and if so what that would mean exactly. As stated before, the field pressure was 25-30 psi when the field was in operation. Since the field is currently shut in there is no production or "production pressure." All previous production has been reported. Concerning the last part of the sentence dealing with surface pressures, fluid levels etc., we see no definitive correlation between those items and casing integrity. Gathering such information now, and particularly given Marion's need to be as efficient as possible with money and personnel, would not appear to be a productive expenditure of resources. Marion proposes that this request be withdrawn, and that we be allowed to focus on putting ourselves in a position to undertake MITs, which are the true measure of well integrity, on the schedule proposed above. We would expect that when Marion enters the Helper field to begin the MIT process the fluid levels and surface wellhead pressure data will be gathered for reservoir engineering reasons, and we would be happy to provide that information to the Division as it is obtained.

Marion hopes this letter addresses the comments and requirements outlined by the Oil and Gas Division in your email from February 8, 2013.

We look forward to hearing from you.

Yours Sincerely

Keri Clarke

3580 Orr Road,
Allen, Texas, 75002



January 18, 2013

Department of Natural Resources
Division of Oil and Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114

Attention: Dustin Doucet

Re: Notice of Violation – Clear Creek and Helper Fields

43.067 31173
Cordingly Cyn 10-1
13S 10E 15

Dear Dustin,

In response to your certified letter of January 3, 2013, we are providing you with information for wells that are currently structured as shut in or temporarily abandoned wells (SI/TA) by DOGM. Each well has individual information and is listed below.

As you know, for the last two and a half years Marion Energy Inc. (Marion) has been under financial stress that has not allowed active operations in the Clear Creek and Helper fields, beyond maintaining a field presence and taking some limited, preliminary actions to resuming operations. In the last few months, however, Marion has been able to improve its financial position to the point of resuming active operations in the Clear Creek field, with further financial improvement expected as that field is put back on production.

Marion explained these circumstances to DOGM and the Board of Oil, Gas and Mining at the October 26, 2012 hearing, where Marion sought and obtained Board approval to reinstitute active operations at Clear Creek. As discussed at the hearing, Marion's funding is currently limited to the monies needed to put the Clear Creek field back on production, beginning with the Oman 2-20 and Oman 10-29 wells, but once that occurs Marion expects its financial position to continue to improve to the point it can meet all of its obligations with respect to its SI/TA wells, and to move back into active operations at the Helper Field

Consistent with discussions at the October Board hearing, we have now rehabilitated the water disposal (WD) system in the accessible portion of the Clear Creek field and we are actively working on restoring production at the two initially targeted wells, despite the extreme winter weather conditions that set in several weeks ago.

Helper

The wells listed in the NOV for the Helper Field are all modern wells, having been drilled in 2005 or later. This field was in production until October 2010, though the wells are now shut in. All of the Helper wells listed in the NOV are currently attached to a gas and water system (the Anadarko sales and SWD system). This system is controlled entirely by Anadarko. Marion conducted an inspection of the Helper Field on 1-16-13 and confirmed that there is no evidence of any gas or water leaks at any of the wells. We understand that DOGM has also recently inspected the Helper Field and reached the same conclusion. Marion plans to bring this field into operation soon, as finances allow. Please be advised that Marion has already provided wellbore diagrams of all of the wells referenced below.



Ballpark Canyon 16-2X

This well is only drilled to 500 feet on the Ballpark site with surface casing set. The casing is 18" above the ground and it has a cap welded on the casing. This well was a replacement for the Ballpark Canyon 16-2 where the drilling was lost on the well while drilling surface pipe. Marion plans to drill this well to the Ferron in the future.

Ballpark Canyon 17-2

This well is the same as the 16-2X well, and has been only drilled to 500 feet with surface casing set. It is currently capped on the surface.

Ballpark Canyon #1

This well is drilled as a Ferron well and has been completed. It has been producing in the past though it is currently shut in. There is a pumping unit on the well. Among the Helper Field wells, this well is the one that has the closest proximity to occupied structures. We closely inspected this well on 1-16-13 and confirmed that there are no issues.

Cordingly Canyon 10-1

This well was drilled as a Ferron producer. However because of hole issues in the deeper section it was expected to be completed as a Mancos well. Marion plans to complete the well, and produce the well in the future.

Kenilworth RR#1A

We had originally drilled this well to be a SWD well for Helper. However we had positive response from the Buckhorn Conglomerate and we completed the well in that zone. The well has produced in the past and we will plan to bring it back online soon. A situation regarding the wellhead leaking at the site was handled by our operations people and the well site is now clean of this spill.

Kenilworth RR#1

This well was producing until it was shut in. There is a pumping unit on the well. Marion plans to bring this well into production soon.

Kenilworth RR#2

This well was producing until it was shut in. There is a pumping unit on the well. Marion plans to bring this well into production soon.

Cordingly Canyon 15-5

This well was drilled to the Mancos formation and was completed. It did produce for a short time before being shut in. Marion plans to work on this well and to produce it soon.



Cordingly Canyon 15-2

This well was drilled to the Ferron formation and was completed. This well was producing until it was shut in. There is not currently a hydraulic pumping unit on the well. Marion plans to work on the well, replace the pumping unit and bring it back into production soon.

Cordingly Canyon 15-1

This well was drilled to the Ferron formation and was completed. This well was producing until it was shut in. It currently has a pumping unit on the well. Marion plans to bring this well into production soon.

Cordingly Canyon 11-1

This well was drilled to the Ferron formation and was completed. This well was producing until it was shut in. There is not currently a hydraulic pumping unit on the well. Marion plans to work on the well, replace the pumping unit and bring it into production soon.

Clear Creek

The NOV lists two wells in the Clear Creek Field, the ASD 6-17 and the Oman 10-29. Both of these are modern wells drilled after 2005. The Clear Creek Field came off production in July 2011 due to financial issues and a rupture in the water disposal line. We have inspected both of these wells in the last few weeks and neither has any leaks or other problems.

Following the Board hearing in late October, Marion has re-commenced operations in the Clear Creek Field. It has done an MIT on the current SWD well (the ASD 3-17). It has replaced several Air Vacs on the water line in the field, and tested the whole system. It has commenced operations in the field on two wells, the Oman 2-20 and the Oman 10-29. Given its financial situation improving, Marion plans to expand operations to additional Clear Creek wells in the near future. Please be advised that Marion has provided wellbore diagrams on these wells in the past.

ASD 6-17

This well was drilled as a Ferron well and was completed. Marion submitted applications to convert this well and the ASD 3-17 well into WD wells, to ensure that at least one WD well was permitted. After the ASD 3-17 was approved, it was determined that it would suffice and another WD well was not needed at that time. The well currently has a rotaflex pumping unit on it. Marion plans to commence operations on this well and bring it on to production soon.

Oman 10-29

This well was drilled to the Ferron but was not completed. Since resuming operations in the Clear Creek field in November, Marion has sent in a completion form for the well, and has done a flow test on the well. Recent operations in the last month have seen a production pump placed on the well. As weather improves in the area Marion will produce the well.



Bonding

Marion does not currently have the financial wherewithal to undertake full cost bonding of all of the wells listed in the NOV, and will not be in a condition to do so until its financial situation further improves. We note, however, that Marion currently is bonded with DOGM for \$451,500 (\$421,500 surety bond and \$30,000 cash bond), and DOGM holds an additional \$184,000 of cash for reclamation of Marion wells, meaning there is over \$630,000 in place with DOGM for reclamation. When added to Marion's federal and SITLA bonds, there is just under \$1,000,000 currently available for Marion reclamation.

Based on the above information, Marion respectfully requests that DOGM extend the SI/TA status on these wells, and withhold further enforcement action while Marion brings the Clear Creek Field back on production and continues to improve its financial condition to the point it can put move back into the Helper field and put those wells back into production as well, thereby removing the wells from SI/TA status.

We would be happy to meet with you to further discuss this matter. In the meantime, feel free to contact us should you need anything further.

Yours Sincerely,

Keri Clarke



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

DIVISION ORDER

February 22, 2013

Certified Mail #7010 1670 0001 4810 3898

Marion Energy
Attn: Keri Clarke
3580 Orr Road
Allen, TX 75002

135 10E 15

RE: Division Order to Comply with the Notice of Violation Issued to Marion Energy on January 3, 2013

The Division of Oil, Gas and Mining (Division) memorializes the actions Marion Energy (Marion) is required to perform in order to return the wells listed below to compliance under Utah Admin. Code R649-3-36.

- | | |
|--------------------------------|--------------------|
| 1) BALLPARK CYN 16-2X | API # 43-007-31207 |
| 2) CORDINGLY CYN 10-1 | API # 43-007-31173 |
| 3) BALLPARK CYN 17-2 | API # 43-007-31169 |
| 4) KENILWORTH RR 1-A | API # 43-007-31229 |
| 5) ALPINE SCHOOL DISTRICT 6-17 | API # 43-007-31181 |
| 6) OMAN 10-29 | API # 43-007-31210 |
| 7) BALLPARK CYN #1 | API # 43-007-31015 |
| 8) CORDINGLY CYN 15-5 | API # 43-007-31167 |
| 9) KENILWORTH RR #1 | API # 43-007-31006 |
| 10) KENILWORTH RR #2 | API # 43-007-31007 |
| 11) CORDINGLY CYN 15-2 | API # 43-007-31064 |
| 12) CORDINGLY CYN 15-1 | API # 43-007-31065 |
| 13) CORDINGLY CYN 11-1 | API # 43-007-31070 |

The Division requires the following actions to be completed by Marion Energy by the prescribed dates listed below:

- 1) Provide the following monthly readings for each well listed above on the first of every month beginning on April 1, 2013.
 - a. Surface Pressure
 - b. Casing Pressure
 - c. Fluid Levels

Page 2

February 22, 2013

Subject: Division Order to Comply with Notice of Violation

2) Plug and abandon the following wells by:

- a. BALLPARK CYN 16-2X July 1, 2013
- b. BALLPARK CYN 17-2 July 1, 2013
- c. CORDINGLY CYN 10-1 July 1, 2013

3) Return the remaining wells not listed in Paragraph 2 to compliance by production, a MIT and plan in accordance with U.A.C. R649-3-36, or plug and abandon by July 1, 2013.

Marion has the right to appeal the Division Order by filing to the Board of Oil, Gas and Mining a request for review according to procedures set forth in R649-10-6. A request for review of a Division Order must be filed with the secretary to the Board, Julie Ann Carter (801) 538-5277, within 30 days of issuance of the order.

In the event Marion does not comply with the Division Order by the dates listed above, the Division will file for a formal hearing before the Board of Oil, Gas and Mining, as described in the U.A.C. R641, requesting a Board Order to plug and restore the well sites. Should this matter be brought before the Board, the Division will seek bond forfeiture (R649-3-36), liability for plugging costs in excess of bond forfeiture amounts (R649-3-1-4) and civil penalties of up to \$10,000 per day for each day of violation (Utah Code Ann. § 40-6-11).

Questions regarding this order may be directed to Clinton Dworshak, Compliance Manager at (801)-538-5280 or Dustin Doucet, Engineer, at (801) 538-5281.

Sincerely,


Clinton Dworshak
Compliance Manager

CLD/js

Exhibit

cc: John Rogers, Associate Director
Cameron Johnson, Assistant Attorney General
Dustin Doucet, Engineer
Compliance File
Well Files

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

NOTICE OF VIOLATION
STATE OF UTAH
OIL AND GAS CONSERVATION ACT

To the following operator:

Name: MARION ENERGY INC.

| | |
|---|----------------------------|
| Well(s) or Site(s): 1.) <u>BALLPARK CYN 16-2X</u> | API #: <u>43-007-31207</u> |
| 2.) <u>CORDINGLY CYN 10-1</u> | <u>43-007-31173</u> |
| 3.) <u>BALLPARK CYN 17-2</u> | <u>43-007-31169</u> |
| 4.) <u>KENILWORTH RR 1-A</u> | <u>43-007-31229</u> |
| 5.) <u>ALPINE SCHOOL DISTRICT 6-17</u> | <u>43-007-31181</u> |
| 6.) <u>OMAN 10-29</u> | <u>43-007-31210</u> |
| 7.) <u>BALLPARK CANYON #1</u> | <u>43-007-31015</u> |
| 8.) <u>CORDINGLY CYN 15-5</u> | <u>43-007-31167</u> |
| 9.) <u>KENILWORTH RR #1</u> | <u>43-007-31006</u> |
| 10.) <u>KENILWORTH RR#2</u> | <u>43-007-31007</u> |
| 11.) <u>CORDINGLY CYN 15-2</u> | <u>43-007-31064</u> |
| 12.) <u>CORDINGLY CYN 15-1</u> | <u>43-007-31065</u> |
| 13.) <u>CORDINGLY CYN 11-1</u> | <u>43-007-31070</u> |

Date and Time of Inspection/Violation: December 10, 2012

Mailing Address: Attn: Keri Clarke

3580 Orr Road

Allen, TX 75002

Under the authority of the Utah Oil and Gas Conservation Act, Section 40-6 et. Seq., Utah Code Annotated, 1953, as amended, the undersigned authorized representative of the Division of Oil, Gas and Mining (Division) has conducted an inspection of the above described site and/or records on the above date and has found alleged violation(s) of the act, rules or permit conditions as described below.

Description of Violation(s):

Rule R649-3-36, Shut-in and Temporarily Abandoned Wells – According to Rule R649-3-36, the operator is required to supply the Division with reasons for extended SI/TA, the length of time for extended SI/TA and proof of well bore integrity for every well SI/TA over 12 consecutive months. After 5 years of continued SI/TA, the wells are to be plugged unless good cause is supplied to the Division for extended SI/TA in addition to the required information just mentioned.

Rule R649-3-4.3, Bonding - If the division finds that a well subject to this bonding rule is in violation of Rule R649-3-36, Shut-in and Temporarily Abandoned Wells, the division shall require a bond amount for the applicable well in the amount of actual plugging and site restoration costs.

Rule R649-3-4.4.1. Bonding - Within 30 days of notification by the division, the operator shall submit to the division an estimate of plugging and site restoration costs for division review and approval.

UTAH DEPARTMENT OF NATURAL RESOURCES

Division of Oil, Gas & Mining

Oil and Gas Program

1594 West North Temple, Suite 1210, Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 Phone

(801) 359-3940 Fax

The Division has initiated several contacts with Marion Energy Inc. (Marion) requesting required documents and action per R649-3-36. Wells 1 - 6 have previously been issued SITTA Notices and Notices of Violation without anything being accomplished to move these wells out of violation. Wells 7 and 8 have also been issued a SITTA Notice without having met the requirements of R649-3-36. Wells 9 - 13 are also in violation of R649-3-36 having been added to Marion's SITTA violation list. All wells listed above are currently under a Division Order for individual well bonding.

There has not been any evidence of effort being made to bring these wells into compliance. These wells are in violation of R-649-3-36 as listed above. The Division requires Marion to put up full cost bonding for all wells in violation above per R649-3-4. It is also mandatory that Marion submit all documentation as required by R649-3-36 concerning shut-in and temporarily abandoned wells.

Immediate Action: For the wells subject to this notice, Marion shall fulfill full cost bonding requirements for each well. Marion shall also submit all information as required by R649-3-36 or plug and abandon or place the wells on production.


- * Fines may be levied up to \$10,000.00 per day for every well in violation given the authority provided under U.C.A. 40-6-11, part 4.

This notice shall remain in effect until it is modified, terminated, or vacated by a written notice of an authorized representative of the director of the Division of Oil, Gas and Mining. Failure to comply with this notice will result in the Division pursuing further actions against said operator. Further actions may include initiation of agency actions to order full cost bonding and plugging and abandonment of wells and requests for bond forfeiture and civil penalties.

Compliance Deadline: February 8, 2013

Date of Service Mailing: January 8, 2013

Certified Mail No: 7010 1670 0001 4810 3645



Division's Representative

Operator or Representative

(If presented in person)

cc: Compliance File
Well Files
SITTA

6/2005



February 5, 2013

Department of Natural Resources
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
Price, Utah 84114

Attention: Dustin Doucet
Petroleum Engineer

43 007 31173
Cordingly Cyn 10-1
13S 10E 15

Re: Notification of Violation January 3, 2013
Operation Plan

Dear Dustin,

Following up on our earlier (Jan. 18, 2013) letter to the Division, and subsequent discussions between Marion, Michael Malmquist of Parsons Behle, and Cameron Johnson, attorney for the Division of Oil Gas and Mining, Marion has been asked to put together a plan of operation for the wells mentioned on the referenced violation. As the Division is aware Marion is currently improving its financial situation. This will allow Marion to operate the fields in Utah fully, as it has done so in the past. From this situation Marion will plan to do the following;

Helper

Currently all the wells in Helper are connected to the Anadarko gas and water disposal system. Each of the wells on the Kenilworth and Cordingly sides of the field are connected by a closed gas and water pipeline system to the Anadarko connection point, through a Marion right of way. This system is currently shut down. Marion will have to contact Anadarko to set the system operational again. Marion currently has a gas purchase and water disposal agreement in place with Anadarko. Prior to resuming operations Marion will need to inspect each well to determine whether equipment is missing (due to scavenging) or otherwise in need of replacement or rehabilitation before the wells can be turned back on.

Ballpark Canyon 16-2X

This well is currently drilled to 500' with surface casing set in the shallow hole. This well will need a rig set to allow Marion to set cement in the hole, reduce the surface casing, cap the well and abandon the well. This well will be abandoned by the date of the June Board hearing being June 26, 2013.

Ballpark Canyon 17-2

This well is currently drilled to 500' with surface casing set in the shallow hole. This well will need a rig set to allow Marion to set cement in the hole, reduce the surface casing, cap the well and abandon the well. This well will be abandoned by the date of the June Board hearing being June 26, 2013.



Cordingly Canyon 10-1

This well has not been completed in the Mancos section of the well. Because of downhole well problems Marion plans to set a rig, plug the well with cement and abandon the well. This well will be abandoned by the date August 8, 2013.

Kenilworth Railroad #1A

This well was last produced in February 2009. It is a Buckhorn Conglomerate well and is capable of production. This well currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Ballpark Canyon #1

This well was last produced in July 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Kenilworth Railroad #1

This well was last produced in September 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Kenilworth Railroad #2

This well was last produced in September 2010. It is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-5

This well was last produced in April 2010. It is a Mancos well, though it does not currently have a pumping unit on the well. Marion will replace the equipment needed and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-1

This well was last produced in September 2010. This is a Ferron well and currently has a pumping unit on the well. We will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Cordingly Canyon 15-2

This well was last produced in September 2010. This is a Ferron well, though it does not have a hydraulic pumping unit on the well. Marion will replace the equipment needed, and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.



Cordingly Canyon 11-1

This well was last produced in September 2010. This is a Ferron well, though it does not have a hydraulic pumping unit on the well. Marion will replace the equipment needed, and will attempt to bring the well on production prior to the end of 2013. If the well is not producing an MIT will be done.

Clear Creek

Oman 10-29.

This well was drilled to the Ferron formation but was not completed. Recent operations in the last month have seen a production pump placed on the well. As weather improves in the area Marion will attempt to produce the well.

Alpine School District 6-17

This well was drilled as a Ferron well and was completed. Marion submitted applications to convert this well and the ASD 3-17 well into water disposal wells. After the ASD 3017 was approved, it was determined that one well was needed, and another WD well was not needed at that time. The well currently has a rotaflex pumping unit on it. Marion plans to attempt production from the well by the end of 2013. If the well is not producing an MIT will be done.

Marion is proposing this plan to address the January 3, 2013 Notice of Violation. Given the constraints of Marion's financial situation, we believe the plan contains reasonable time frames for conducting work either to abandon or put back on production the wells listed in the NOV. We look forward to hearing from you regarding this matter.

Yours Sincerely

A handwritten signature in black ink, appearing to read "Keri Clarke", with a stylized flourish at the end.

Keri Clarke



February 13, 2013

Department of Natural Resources
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, Utah 84114

Attention: Cameron Johnson, Assistant Attorney General

Re: Notification of Violation January 3, 2013
Operation Plan

Dear Cameron,

This responds to the email you sent to Mike Malmquist on behalf of the Division on February 8, 2013.

Anadarko Gas Purchase and Water Disposal Agreements

Marion has in place a Gas Purchase Agreement with Anadarko to purchase all gas produced in the field. Anadarko has historically purchased gas from the field and will continue to do so in the future. Marion also has a Water Disposal System Agreement with Anadarko for all water produced in the Helper field. Currently, Marion owes Anadarko of \$47,500 for water disposal fees from historical production. As its financial situation improves Marion will settle the account. Beyond settling its account, Marion does not anticipate any commercial issues with Anadarko that could interfere with gas sales or water disposal.

Water Disposal and Gas Gathering System

Once Marion completed its initial drilling program in the Helper Field and established that the wells were productive, two separate HDPE trunk lines were laid, one for gas and one for water. Each of the wells was tied in to the trunk lines utilizing HDPE pipe. The tie lines and trunk lines are owned by Marion. The trunk lines terminate at a facility built and operated by Anadarko near Kenilworth. A free water knock-out was set to drop out any water in suspension with the gas before delivery into Anadarko. The system is a closed system. Natural gas production at the Helper field was suspended when Marion ran into financial issues. This decision to suspend production was made by Marion due to the cash and human resource issues, not by Anadarko locking the company out of the system. Each well was isolated from the gas and water lines by shutting the respective valves at each wellhead. Additionally, at the time the field was shut-in

Anadarko was made aware of the Marion situation. Subsequently, Anadarko field personnel secured the aforementioned equipment. The Helper pipeline system was fully operational and problem free when it was shut down. We would not anticipate any problems with the pipe itself, but here maybe some wellhead valves that will need to be examined before recommencing field operations.

Financial Situation

Marion does not believe that these negotiations are in vain due to its financial condition. Marion has reason to believe that its financial situation will improve within a time frame that accommodates the compliance schedule addressed in this and prior letters. More specifically, Marion expects to have



access to additional funding during the first half of March 2013 that will allow it to begin the work in the Helper field, with another infusion in May 2013.

Produce or MIT Wells

Marion does not believe that it can produce the wells by April 1, 2013. Marion accepts the Division's proposal to divide the wells into Pods with associated MIT completion dates, but proposes that an additional month be added to the proposed MIT completion date for each pod, as well as the full cost bonding and backup date. This timing is more consistent with Marion's expectation of when it will have the available financial resources.

Pod 1: Ballpark Canyon #1, Kenilworth Railroad #1A, #1, #2: The MIT date for this pod of wells would be June 1, 2013. The work would begin on the Kenilworth Railroad #1A. The backup date for full cost bonding and showing of well integrity would be July 1, 2013.

Pod 2: Cordingly Canyon 15-5, 15-2, 15-1, 11-1: The MIT date for this pod of wells would be August 1, 2013. The backup date for full cost bonding and showing of well integrity would be September 1, 2013.

Pressure and Fluid Level Information

With regard to DOGM's request for information on pressures and fluid levels in the Helper wells, we would like to make the following comments. First, any field data that was acquired while the field was operational will only show what the operating pressure of the system was. Typically, Anadarko was able to keep enough compression operating field-wide to maintain 25-30 psi on our gas system. Second, the water system in essence gravity fed into the Anadarko system, and as such, there was negligible pressure on this line at all times. Third, since the mechanical integrity of the casing is the concern, the tubing pressure would not provide meaningful information.

We are not sure if the sentence is supposed to read "production pressures" and if so what that would mean exactly. As stated before, the field pressure was 25-30 psi when the field was in operation. Since the field is currently shut in there is no production or "production pressure." All previous production has been reported. Concerning the last part of the sentence dealing with surface pressures, fluid levels etc., we see no definitive correlation between those items and casing integrity. Gathering such information now, and particularly given Marion's need to be as efficient as possible with money and personnel, would not appear to be a productive expenditure of resources. Marion proposes that this request be withdrawn, and that we be allowed to focus on putting ourselves in a position to undertake MITs, which are the true measure of well integrity, on the schedule proposed above. We would expect that when Marion enters the Helper field to begin the MIT process the fluid levels and surface wellhead pressure data will be gathered for reservoir engineering reasons, and we would be happy to provide that information to the Division as it is obtained.

Marion hopes this letter addresses the comments and requirements outlined by the Oil and Gas Division in your email from February 8, 2013.

We look forward to hearing from you.

Yours Sincerely

Keri Clarke

3580 Orr Road,
Allen, Texas, 75002

RECEIVED

FORM 9

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

APR 04 2013

DIV. OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
Kenilworth/Cordingly Field

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:
Kenilworth/Cordingly Field

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
Marion Energy, Inc.

3. ADDRESS OF OPERATOR:
31 No. Main Street CITY Helper STATE Ut ZIP 84626 PHONE NUMBER: (435) 650-3923

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY: Carbon
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Kenilworth/Cordingly Field

Well pressures taken and documented. See attachment.

We are currently unable to get fluid levels but are working to correct the issue.

NAME (PLEASE PRINT) Dave Smith TITLE Construction/Maintenance

SIGNATURE *Dave Smith* DATE 4/1/2013

(This space for State use only)

Accepted by the
Utah Division of
Oil, Gas and Mining
For Record Only

Kenilworth/Cordingly

Pressures

15-1

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 5 |
|--------|---|--------|---|

15-5

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

15-2

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

10-1

| | | | |
|--------|---|--------|----|
| Tubing | 0 | Casing | 15 |
|--------|---|--------|----|

Cordingly 11-1

| | | | |
|--------|---|--------|----|
| Tubing | 0 | Casing | 80 |
|--------|---|--------|----|

Kenilworth RR 1-A

| | | | |
|--------|-----|--------|------|
| Tubing | 400 | Casing | 1400 |
|--------|-----|--------|------|

Kenilworth RR 1

| | | | |
|--------|----|--------|----|
| Tubing | 20 | Casing | 20 |
|--------|----|--------|----|

15-3

| | | | |
|--------|----|--------|----|
| Tubing | 20 | Casing | 50 |
|--------|----|--------|----|

Ball Park 1

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

Kenilworth RR 2

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

16-2 Not Drilled

17-2 Not Drilled

Kenilworth RR 15-4 Not Drilled

INSTRUCTIONS

This form shall be submitted by the operator to show the intention and/or completion of the following:

- miscellaneous work projects and actions for which other specific report forms do not exist;
- all other work and events as identified in section 11, Type of Action, or as required by the Utah Oil and Gas Conservation General Rules, including:
 - minor deepening of an existing well bore,
 - plugging back a well,
 - recompleting to a different producing formation within an existing well bore (intent only),
 - re-perforating the current producing formation,
 - drilling a sidetrack to repair a well,
 - reporting monthly the status of each drilling well.

This form is not to be used for proposals to

- drill new wells,
- reenter previously plugged and abandoned wells,
- significantly deepen existing wells below their current bottom-hole depth,
- drill horizontal laterals from an existing well bore,
- drill hydrocarbon exploratory holes such as core samples and stratigraphic tests.

Use Form 3, Application for Permit to Drill (APD) for such proposals.

NOTICE OF INTENT - A notice of intention to do work on a well or to change plans previously approved shall be submitted in duplicate and must be received and approved by the division before the work is commenced. The operator is responsible for receipt of the notice by the division in ample time for proper consideration and action. In cases of emergency, the operator may obtain verbal approval to commence work. Within five days after receiving verbal approval, the operator shall submit a Sundry Notice describing the work and acknowledging the verbal approval.

SUBSEQUENT REPORT - A subsequent report shall be submitted to the division within 30 days of the completion of the outlined work. Specific details of the work performed should be provided, including dates, well depths, placement of plugs, etc.

WELL ABANDONMENT - Proposals to abandon a well and subsequent reports of abandonment should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, and method of parting of any casing, liner, or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

In addition to any Sundry Notice forms submitted, **Form 8, Well Completion or Recompletion Report and Log** must be submitted to the division to report the results of the following operations:

- completing or plugging a new well,
- reentering a previously plugged and abandoned well,
- significantly deepening an existing well bore below the current bottom-hole depth,
- drilling horizontal laterals from an existing well bore,
- drilling hydrocarbon exploratory holes such as core samples and stratigraphic tests,
- recompleting to a different producing formation.

Send to:

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|---|
| | | 5. LEASE DESIGNATION AND SERIAL NUMBER: |
| | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 2. NAME OF OPERATOR: Marion Energy, Inc. | | 9. API NUMBER: 4300731173 |
| 3. ADDRESS OF OPERATOR: 31 No. Main Street CITY Helper STATE Ut ZIP 84526 | | PHONE NUMBER: (435) 650-3923 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222 FOL 1183 FEL | | 10. FIELD AND POOL, OR WILDCAT: Kenilworth |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SE NE 15 135 10 E | | COUNTY: Carbon |
| | | STATE: UTAH |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Cordingly Canyon 10-1

Casing set to top of Ferron. Waiting on completion of Mancos.

RECEIVED
APR 22 2013
DIV OF OIL, GAS & MINING

| | |
|---------------------------------------|--|
| NAME (PLEASE PRINT) <u>Dave Smith</u> | TITLE <u>Construction/Maintenance/Rclamation</u> |
| SIGNATURE | DATE <u>4/19/2013</u> |

SEND Sundry Attachments to each of the well files
Listed Below:

- | | |
|--------------------------------|--------------------|
| 1) BALLPARK CYN 16-2X | API # 43-007-31207 |
| 2) CORDINGLY CYN 10-1 | API # 43-007-31173 |
| 3) BALLPARK CYN 17-2 | API # 43-007-31169 |
| 4) KENILWORTH RR 1-A | API # 43-007-31229 |
| 5) ALPINE SCHOOL DISTRICT 6-17 | API # 43-007-31181 |
| 6) OMAN 10-29 | API # 43-007-31210 |
| 7) BALLPARK CYN #1 | API # 43-007-31015 |
| 8) CORDINGLY CYN 15-5 | API # 43-007-31167 |
| 9) KENILWORTH RR #1 | API # 43-007-31006 |
| 10) KENILWORTH RR #2 | API # 43-007-31007 |
| 11) CORDINGLY CYN 15-2 | API # 43-007-31064 |
| 12) CORDINGLY CYN 15-1 | API # 43-007-31065 |
| 13) CORDINGLY CYN 11-1 | API # 43-007-31070 |
| 14) Kenilworth Railroad 15-3 | API # 43-007-31168 |
| 15) Kenilworth Railroad 15-4 | API # 43-007-31170 |

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|--|--|---|
| 1 TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: |
| 2 NAME OF OPERATOR Marion Energy, Inc. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 31 No. Main St. CITY Helper STATE Ut ZIP 84526 | | 7. UNIT or CA AGREEMENT NAME: |
| PHONE NUMBER: (435) 650-3923 | | 8. WELL NAME and NUMBER: Kenilworth/Cordingly Canyon |
| 4 LOCATION OF WELL FOOTAGES AT SURFACE _____ COUNTY Carbon | | 9. API NUMBER: |
| QTR/QR. SECTION, TOWNSHIP, RANGE, MERIDIAN _____ STATE: UTAH | | 10 FIELD AND POOL OR WILDCAT Kenilworth |


11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

See attached documents. Pressures and water and gas for April.

Accepted by the
Utah Division of
Oil, Gas and Mining
For Record Only

| | |
|---|---------------------------------------|
| NAME (PLEASE PRINT) <u>Dave Smith</u> | TITLE <u>Construction/Maintenance</u> |
| SIGNATURE  | DATE <u>5/1/2013</u> |

(This space for State use only)

RECEIVED

MAY 01 2013

DIV. OF OIL, GAS & MINING

Kenilworth/Cordingly

Pressures

15-1

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 5 |
|--------|---|--------|---|

15-5

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

15-2

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

10-1

| | | | |
|--------|---|--------|----|
| Tubing | 0 | Casing | 15 |
|--------|---|--------|----|

Cordingly 11-1

| | | | |
|--------|---|--------|----|
| Tubing | 0 | Casing | 80 |
|--------|---|--------|----|

Kenilworth RR 1-A

| | | | |
|--------|-----|--------|------|
| Tubing | 400 | Casing | 1400 |
|--------|-----|--------|------|

Kenilworth RR 1

| | | | |
|--------|----|--------|----|
| Tubing | 20 | Casing | 20 |
|--------|----|--------|----|

15-3

| | | | |
|--------|----|--------|----|
| Tubing | 20 | Casing | 50 |
|--------|----|--------|----|

Ball Park 1

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

Kenilworth RR 2

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

16-2 Not Drilled

17-2 Not Drilled

Kenilworth RR 15-4 Not Drilled

Clear Creek

10 29

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

Oman 2-20

| | | | |
|--------|-----|--------|----|
| Tubing | 110 | Casing | 90 |
|--------|-----|--------|----|

6-17

| | | | |
|--------|---|--------|---|
| Tubing | 0 | Casing | 0 |
|--------|---|--------|---|

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

| | | | |
|--|--|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS | | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| | | | 7. UNIT or CA AGREEMENT NAME: |
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| 2. NAME OF OPERATOR: Marion Energy Inc | | | 9. API NUMBER: 4300731173 |
| 3. ADDRESS OF OPERATOR: PO Box 1518 CITY Allen STATE Tx ZIP 75013 | | PHONE NUMBER: (972) 540-2967 | 10. FIELD AND POOL OR WILDCAT: Helper |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222' FNL & 1183' FEL | | | COUNTY: Carbon |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | | STATE: UTAH |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
|---|---|---|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 6/24/2013 <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input checked="" type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Marion Energy proposes to plug and abandon the Cordingly Canyon 10-1. The well was cased to 4779' MD as a result of losing the Ferron portion of the well to hole conditions. Subsequent to casing the well, Marion had planned to complete the well in the upper Mancos shale but that plan has been scrapped. We will plug and abandon in the following manner:

1. Pump cement through 2 3/8" tubing setting a 300' plug from +/- 4300'-4000'. Pump gel water to 1400'.
2. Set 100' cement plug @ +/- 1500'. Pump gel water to 100' below surface
3. Set 100' cement plug to surface
4. Pump cement through 1" pipe into 8 5/8" x 5 1/2" annulus and fill with cement.
5. Erect dry hole marker
6. Approx. 495' of 8 5/8" csg, 4800' of 5 1/2" csg, four 6" drill collars, bit sub and 7 7/8" bit will be left in the hole.

COPY SENT TO OPERATOR
Date: 6.26.2013
Initials: KS

| | |
|---|-------------------------|
| NAME (PLEASE PRINT) <u>Doug Endsley</u> | TITLE <u>Consultant</u> |
| SIGNATURE | DATE <u>6/18/2013</u> |

(This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS AND MINING

DATE: 6/19/2013 (See instructions on Reverse Side)
BY: D. Endsley

* See conditions of Approval (Attached)

RECEIVED

JUN 18 2013

DIV. OF OIL, GAS & MINING



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

CONDITIONS OF APPROVAL TO PLUG AND ABANDON WELL

Well Name and Number: Cordingly Canyon 10-1
API Number: 43-007-31173
Operator: Marion Energy, Inc.
Reference Document: Original Sundry Notice dated June 18, 2013,
received by DOGM on June 18, 2013.

Approval Conditions:

1. Notify the Division at least 24 hours prior to conducting abandonment operations. Please call Dan Jarvis at 801-538-5338.
2. **Add Plug #3:** This plug shall be an inside/outside plug. RIH and perforate @ 450'. Establish circulation down the 5 1/2" casing back up the 5 1/2" x 8 5/8" annulus. If injection into perfs cannot be established or CBL indicates cement into shoe, a 100' plug (± 12 sx) shall be balanced from $\pm 550'$ to 450'. If injection is established: RIH with CICR and set @ 450'. M&P 46 sx cement, sting into CICR and pump 40 sx, sting out and dump 6 sx on top of CICR. This will isolate the surface casing shoe per rule R649-3-24-3.6.
3. All cement should be Type II or Class G or equivalent cement mixed at 5.2 to 5 gal/sk to make a slurry weight of 15.8 ppg.
4. All balanced plugs shall be tagged to ensure that they are at the depth specified.
5. All annuli shall be cemented from a minimum depth of 100' to the surface.
6. Surface reclamation shall be done in accordance with R649-3-34, Well Site Restoration.
7. All requirements in the Oil and Gas Conservation General Rule R649-3-24 shall apply.
8. If there are any changes to the procedure or the wellbore configuration, notify Dustin Doucet at 801-538-5281 (ofc) or 801-733-0983 (home) prior to continuing with the procedure.
9. All other requirements for notice and reporting in the Oil and Gas Conservation General Rules shall apply.

Dustin K. Doucet

Petroleum Engineer

June 19, 2013


Date



API Well No: 43-007-31173-00-00 Permit No: Well Name/No: CORDINGLY CYN 10-1
 Company Name: MARION ENERGY, INC.
 Location: Sec: 15 T: 13S R: 10E Spot: SENE
 Coordinates: X: 518618 Y: 4394086
 Field Name: HELPER
 County Name: CARBON

String Information

| String | Bottom (ft sub) | Diameter (inches) | Weight (lb/ft) | Length (ft) | Capacity (bbl/ft) |
|--------|-----------------|-------------------|----------------|-------------|-------------------|
| HOL1 | 495 | 12.25 | | | |
| SURF | 488 | 8.625 | 24 | | |
| HOL2 | 6435 | 7.875 | | | |
| PROD | 4779 | 5.5 | 17 | | 7.661 |



Plug #4
 $\frac{100'}{1.15} = 125x$
 $\frac{100'}{1.15} \times 5.192 = 175x$
 Cement from 495 ft. to surface
 Surface: 8.625 in. @ 488 ft.
 Hole: 12.25 in. @ 495 ft.
 500' CICA @ 450'

$7\frac{7}{8}'' \times 5\frac{1}{2}'' (10\%) \rightarrow 4.0936$
 $8\frac{5}{8}'' \times 5\frac{1}{2}'' \rightarrow 5.192$

Plug #3
 Perf @ $\pm 500'$, CICA @ 450'
 Below in $50' / (1.15) (7.661) = 65x$
 out $200' / (1.15) (5.192) = 345x$

Plug #2
 Above 50' = $65x$
 $465x$ req'd.

Cement Information

| String | BOC (ft sub) | TOC (ft sub) | Class | Sacks |
|--------|--------------|----------------------------|-------|-------|
| PROD | 4779 | 1500 ^{Est. @ 10%} | G | 680 |
| SURF | 495 | 0 | | |

$100' / (1.15) (7.661) = 125x$ req'd.

Perforation Information

Plug #1
 $300' / (1.15) (7.661) = 345x$ req'd.
 Cement from 4779 ft. to 1500 ft.
 Production: 5.5 in. @ 4779 ft.

Formation Information

| Formation | Depth |
|-----------|-------|
| BLUGT | 3864 |
| FRNCL | 6021 |

TD: TVD: PBTD:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| 1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE-BH-61504 |
| 2. NAME OF OPERATOR: Marion Energy Inc. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: P.O. Box 1518 CITY <u>Allen</u> STATE <u>Tx</u> ZIP <u>75013</u> | | 7. UNIT or CA AGREEMENT NAME: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 2222' FNL & 1183' FEL | | 8. WELL NAME and NUMBER: Cordingly Canyon 10-1 |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 15 13S 10E | | 9. API NUMBER: 4300731173 |
| COUNTY: Carbon | | 10. FIELD AND POOL, OR WILDCAT: Helper |
| STATE: UTAH | | |

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 10/21/2013 | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input checked="" type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On July 8th Marion plugged and abandoned this well in the following manner. Set CIBP at 4300'. Pump 40 sx 15.8 #/gal cement from 4300'-4000'. Set CICR at 3426' and pumped 50 sx 15.8#/gal through retainer. Left 6 sx on top of retainer. Set CICR at 425'. Pumped 46 sx 15.8 #/gal cement through retainer. Set a balance plug 100' from surface with 4-25' joints 1" tubing w/15 sx 15.8 #/gal cement. Returned to well 10/16/2013 and cut off wellhead. Had cement in production string. Topped off annulus between 8 5/8" surface casing and 5 1/2" production string with 4 yds 15.8 #/gal slurry. Cement to surface. Weld dry hole marker on to casing.

NAME (PLEASE PRINT) Doug Endsley TITLE Consultant
SIGNATURE *Doug Endsley* DATE 10/22/2013

(This space for State use only)

RECEIVED

OCT 22 2013

DIV. OF OIL, GAS & MINING



GARY R. HERBERT
Governor

SPENCER J. COX
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 2, 2014

Certified Mail #7003 2260 0003 2358 7004

Jeff Clarke
Marion Energy, Inc.
3580 Orr Road
Allen, Texas 75002

15 135 10E

Subject: Notice of Violation for Shut-in and Temporarily Abandoned Wells

Dear Mr. Clarke:

The Division of Oil, Gas and Mining (Division) issued Marion Energy, Inc (Marion) a Shut-in and Temporarily Abandoned Notice of Violation (NOV), dated January 3, 2013, for the following thirteen (13) wells.

| | |
|-----------------------------|---|
| Ballpark Cyn 16-2X | 43-007-31207 Plugged and Abandoned - June 2013 |
| Cordingly Cyn 10-1 | 43-007-31173 Plugged and Abandoned – October 2012 |
| Ballpark Cyn 17-2 | 43-007-31169 Plugged and Abandoned – June 2013 |
| Kenilworth RR 1-A | 43-007-31229 Last Production – November 2008 |
| Alpine School District 6-17 | 43-007-31181 Last Production – November 2008 |
| Oman 10-29 | 43-007-31210 Comp – November 2008, Never Produced |
| Ballpark Cyn #1 | 43-007-31015 Last Production - June 2010 |
| Cordingly Cyn 15-5 | 43-007-31167 Last Production – April 2010 |
| Kenilworth RR #1 | 43-007-31006 Last Production – August 2010 |
| Kenilworth RR#2 | 43-007-31007 Last Production – August 2010 |
| Cordingly Cyn 15-2 | 43-007-31064 Last Production – August 2010 |
| Cordingly Cyn 15-1 | 43-007-31065 Last Production – August 2010 |
| Cordingly Cyn 11-1 | 43-007-31070 Last Production – August 2010 |

Marion plugged and abandoned the Ballpark Cyn 16-2X, Cordingly Cyn 10-1 and Ballpark Cyn 17-2 wells. The other ten (10) wells are still in noncompliance with Rule R64-3-16 Shut-in and Temporarily Abandoned Wells. If work was done on the wells Marion has not submitted notice of intent or subsequent sundry notices to the Division. If any work has been done on the wells please submit sundries immediately for the well files.

The operator is responsible to file, yearly, for extended shut-in or temporary abandonment for wells shut-in or temporarily abandoned for a period of twelve (12) consecutive months. Marion must file a Sundry Notice providing the following information for each of the above ten noncompliance wells; reasons for shut-in or temporarily abandonment of the well, length of time the well is expected to be shut-in or temporarily abandoned and an explanation



Page 2
Marion Energy, Inc.
June 2, 2014

and supporting data showing the well has integrity (R649-3-36.1). After review the Division will either approve the continued shut-in or temporarily abandoned status or require remedial action (R649-3-36.2). After five (5) years of non-activity or non-productivity, the well shall be plugged in accordance with R649-3-24, unless approval for extended shut-in time is given by the Division upon a showing of good cause by the operator (R649-3-36.3). Please note, three (3) of the ten noncompliance wells listed above have been shut-in over five (5) years.

Marion has until **June 30, 2014** to submit sundries, for the subject wells, in accordance with **Oil and Gas Conservation General Rule 649-3-36 Shut-in and Temporarily Abandoned Wells**.

Should Marion not meet shut-in and temporarily abandoned well requirements, the Division is prepared to file a Notice of Agency Action (NAA) for Commencement of Informal Adjudicative Proceedings (R649-10-3) for this matter in accordance with Oil and Gas Conservation General Rule R649-10 Administrative Procedures.

If you have any questions or need further assistance, please feel free to contact me at clintondworshak@utah.gov or 801-538-5280 or Dustin Doucet, Petroleum Engineer, at dustindoucet@utah.gov or 801-538-5281.

Sincerely,



Clinton Dworshak
Oil and Gas Compliance Manager

CLD/js
cc: John Rogers, Oil & Gas Associate Director
Dustin Doucet, Petroleum Engineer
Well Files
Compliance File

N:\O&G Reviewed Docs\ChronFile\Compliance

Division of Oil, Gas and Mining

Operator Change/Name Change Worksheet-for State use only

Effective Date: 6/1/2015

| | |
|---|---|
| FORMER OPERATOR: | NEW OPERATOR: |
| Marion Energy, Inc 1415 N Loop West, Suite 1250 Houston, TX 77008 281-540-0028 | Utah Gas Operating Solutision, LLC 1415 N Loop West, Suite 1250 Houston, TX 77008 281-540-0028 |
| CA Number(s): | Unit(s): Clear Creek |

WELL INFORMATION:

| Well Name | Sec | TWN | RNG | API | Entity | Mineral | Surface | Type | Status |
|-------------------|-----|-----|-----|-----|--------|---------|---------|------|--------|
| See Attache Listq | | | | | | | | | |

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 6/24/2015
2. Sundry or legal documentation was received from the **NEW** operator on: 6/24/2015
3. New operator Division of Corporations Business Number: 9345770-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD on: N/A
3. Reports current for Production/Disposition & Sundries: 6/25/2015
4. OPS/SI/TA well(s) reviewed for full cost bonding: 6/25/2015
5. UIC5 on all disposal/injection/storage well(s) approved on: 7/8/2015
6. Surface Facility(s) included in operator change: Clear Creek Tank Battery
7. Inspections of PA state/fee well sites complete on (only upon operators request): 6/25/2015

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: SU46335
2. Indian well(s) covered by Bond Number: N/A
3. State/fee well(s) covered by Bond Number(s): SU46334 and SU46341

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 7/9/2015
2. Entity Number(s) updated in **OGIS** on: 7/9/2015
3. Unit(s) operator number update in **OGIS** on: 7/9/2015
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: 7/9/2015
6. Surface Facilities update in **RBDMS** on: 7/9/2015

LEASE INTEREST OWNER NOTIFICATION:

1. The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 7/9/2015

COMMENTS:

Marion Energy, Inc to
Utah Gas Operating Solutions, LLC
Effective 6/1/2015

| Well Name | Sec | TWN | RNG | API | Entity | Mineral | Surface | Type | Status | Unit |
|--------------------------|-----|------|------|------------|--------|---------|---------|------|--------|-------------|
| ALPINE SCHOOL DIST 3-17 | 17 | 130S | 070E | 4300731182 | 2550 | State | Fee | WD | A | CLEAR CREEK |
| RIDGE RUNNER 8-19 | 20 | 140S | 070E | 4301530682 | 2550 | Federal | Federal | GW | OPS | CLEAR CREEK |
| RIDGE RUNNER 2-18 | 17 | 140S | 070E | 4301530683 | 16130 | Federal | Federal | GW | OPS | CLEAR CREEK |
| UTAH FUEL 10 | 5 | 140S | 070E | 4300716016 | 2550 | Fee | Fee | GW | P | CLEAR CREEK |
| RIDGE RUNNER 13-17 | 17 | 140S | 070E | 4301530269 | 2550 | Federal | Federal | GW | P | CLEAR CREEK |
| UTAH FUEL 1 | 5 | 140S | 070E | 4300716009 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 2 | 32 | 130S | 070E | 4300716010 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 3 | 32 | 130S | 070E | 4300716011 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 4 | 30 | 130S | 070E | 4300716012 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 5 | 31 | 130S | 070E | 4300716013 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH MINERAL STATE | 29 | 130S | 070E | 4300730102 | 2550 | State | Fee | GW | PA | CLEAR CREEK |
| BALLPARK CYN 17-2 | 16 | 130S | 100E | 4300731169 | 15494 | Fee | Fee | D | PA | |
| KENILWORTH RAILROAD 15-4 | 16 | 130S | 100E | 4300731170 | 15495 | Federal | Fee | D | PA | |
| BALLPARK CYN 16-2 | 16 | 130S | 100E | 4300731171 | 15434 | Fee | Fee | D | PA | |
| CORDINGLY CYN 10-1 | 15 | 130S | 100E | 4300731173 | 15435 | Fee | Fee | D | PA | |
| BALLPARK CYN 16-2X | 16 | 130S | 100E | 4300731207 | 15496 | Fee | Fee | D | PA | |
| UTAH FUEL A-1 | 6 | 140S | 070E | 4301516021 | 2550 | Fee | Fee | GW | PA | CLEAR CREEK |
| UTAH FUEL 8 | 19 | 130S | 070E | 4300716015 | 2550 | Fee | Fee | GW | S | CLEAR CREEK |
| OMAN 2-20 | 20 | 130S | 070E | 4300730289 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| KENILWORTH RR #1 | 16 | 130S | 100E | 4300731006 | 14624 | Fee | Fee | GW | S | |
| KENILWORTH RR #2 | 16 | 130S | 100E | 4300731007 | 14625 | Fee | Fee | GW | S | |
| BALLPARK CANYON #1 | 16 | 130S | 100E | 4300731015 | 15159 | Fee | Fee | GW | S | |
| CORDINGLY CYN 15-2 | 15 | 130S | 100E | 4300731064 | 15160 | State | Fee | GW | S | |
| CORDINGLY CYN 15-1 | 15 | 130S | 100E | 4300731065 | 15161 | State | Fee | GW | S | |
| CORDINGLY CYN 11-1 | 11 | 130S | 100E | 4300731070 | 15432 | Fee | Fee | GW | S | |
| CORDINGLY CYN 15-5 | 15 | 130S | 100E | 4300731167 | 15433 | State | Fee | GW | S | |
| KENILWORTH RAILROAD 15-3 | 16 | 130S | 100E | 4300731168 | 16041 | Federal | Fee | GW | S | |
| ALPINE SCHOOL DIST 6-17 | 17 | 130S | 070E | 4300731181 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| OMAN 10-29 | 29 | 130S | 070E | 4300731210 | 2550 | State | Fee | GW | S | CLEAR CREEK |
| KENILWORTH RR 1-A | 16 | 130S | 100E | 4300731229 | 16456 | Fee | Fee | GW | S | |
| RIDGE RUNNER 11-20 | 20 | 140S | 070E | 4301530271 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 1-30 | 20 | 140S | 070E | 4301530680 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 2-19 | 17 | 140S | 070E | 4301530684 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |
| RIDGE RUNNER 11-17 | 17 | 140S | 070E | 4301530685 | 2550 | Federal | Federal | GW | S | CLEAR CREEK |

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-1257

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
Clear Creek

1. TYPE OF WELL
OIL WELL GAS WELL OTHER Compressor

8. WELL NAME and NUMBER:

2. NAME OF OPERATOR:
Utah Gas Operating Solutions, LLC

9. API NUMBER:

3. ADDRESS OF OPERATOR:
1415 North Loop West, STE CITY **Houston** STATE **TX** ZIP **77008**

PHONE NUMBER:
(281) 540-0028

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY: **Carbon**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **NWNW 33 13S 7E** STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|--|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2015</u> <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input checked="" type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please accept this as notice that as of June 1st, 2015, Marion Energy, Inc. is resigning as the operator of the "Clear Creek Compressor Station" and assigning Utah Gas Operating Solutions, LLC. as the successor of operator. This is in conjunction with Utah Gas Operating Solutions, LLC bond number 5040334.
"Clear Creek Compressor Station"
Sec 33 13S 7E NWNW

Marion Energy, Inc.

Signature: *Douglas Flanner*

Date: 6/1/15

Name: Douglas Flanner

Title: VP

Utah Gas Operating Solutions, LLC.

Signature: *Patrick W. Merritt*

Date: 6-15-2015

Name: Patrick W. Merritt

Title: AGENT-LIMITED ATTORNEY IN FACT

NAME (PLEASE PRINT) Patrick W. Merritt

TITLE AGENT-LIMITED ATTORNEY IN FACT

SIGNATURE *Patrick W. Merritt*

DATE 6-15-2015

(This space for State use only)

APPROVED

JUL 09 2015

DIV. OIL GAS & MINING
BY: *Rachel Medina*

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-1257

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
Clear Creek Unit

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

2. NAME OF OPERATOR:
Marion Energy, Inc

9. API NUMBER:

3. ADDRESS OF OPERATOR:
1415 N Loop W, STE 1250 CITY **Houston** STATE **TX** ZIP **77008**

PHONE NUMBER:
(281) 540-0028

10. FIELD AND POOL, OR WILDCAT:
Helper Field

4. LOCATION OF WELL
FOOTAGES AT SURFACE: _____ COUNTY: _____
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


| TYPE OF SUBMISSION | TYPE OF ACTION | | |
|---|---|---|--|
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2015</u> | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input checked="" type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of June 1st, 2015, Marion Energy, Inc. resigns as Operator over its former Clear Creek Unit and Helper Field assets. In conjunction with this resignation, Utah Gas Operating Solutions, LLC. will be taking over as the Successor Operator upon your approval. Please refer to all documents submitted by Utah Gas Operating Solutions, LLC. as successor unit operator and on behalf of Marion Energy, Inc. regarding this change.

Please see the attached Appendix A below for a complete well and facility list that will be transferred upon governing approval. As the Vice President of Marion Energy, Inc. I ask that you accept this letter as Marion Energy's official resignation and request to transfer operating rights to Utah Gas Operating Solutions, LLC.

Signature:  Date: 6/11/15
Doug Flannery
Vice President

NAME (PLEASE PRINT) DATRICK W. MERRITT TITLE AGENT - CONTRACT OPERATOR
SIGNATURE  DATE 6-15-2015

(This space for State use only)

APPROVED

JUL 09 2015
DIV. OIL GAS & MINING
BY: Rachel Medina

APPENDIX A

Well List

| Well Name | Sec | TWN | RNG | API | Status |
|--------------------------|-----|------|------|------------|--------|
| ALPINE SCHOOL DIST 3-17 | 17 | 130S | 070E | 4300731182 | A |
| KENILWORTH RAILROAD 9-1 | 16 | 130S | 100E | 4300731172 | LA |
| JACOB 5-5 | 5 | 140S | 070E | 4300731190 | LA |
| JACOB 4-8 | 5 | 140S | 070E | 4300731191 | LA |
| OMAN 2-31 | 30 | 130S | 070E | 4300731246 | LA |
| OMAN 3-32 | 29 | 130S | 070E | 4300731247 | LA |
| MADSEN 11-20 | 19 | 130S | 070E | 4300731297 | LA |
| OMAN 7-19 | 19 | 130S | 070E | 4300731298 | LA |
| WOOLSEY 3-31 | 31 | 130S | 070E | 4300731305 | LA |
| OLD RAIL ROAD GRADE 17-1 | 17 | 130S | 100E | 4300731354 | LA |
| KENILWORTH WASH 18-1 | 18 | 130S | 100E | 4300731355 | LA |
| ALRAD CYN 13-1 | 13 | 130S | 100E | 4300731357 | LA |
| CORDINGLY CYN 15-6 | 15 | 130S | 100E | 4300731416 | LA |
| RIDGE RUNNER 7-20 | 20 | 140S | 070E | 4301530681 | LA |
| RIDGE RUNNER 8-19 | 20 | 140S | 070E | 4301530682 | OPS |
| RIDGE RUNNER 2-18 | 17 | 140S | 070E | 4301530683 | OPS |
| UTAH FUEL 10 | 5 | 140S | 070E | 4300716016 | P |
| RIDGE RUNNER 13-17 | 17 | 140S | 070E | 4301530269 | P |
| UTAH FUEL 1 | 5 | 140S | 070E | 4300716009 | PA |
| UTAH FUEL 2 | 32 | 130S | 070E | 4300716010 | PA |
| UTAH FUEL 3 | 32 | 130S | 070E | 4300716011 | PA |
| UTAH FUEL 4 | 30 | 130S | 070E | 4300716012 | PA |
| UTAH FUEL 5 | 31 | 130S | 070E | 4300716013 | PA |
| UTAH MINERAL STATE | 29 | 130S | 070E | 4300730102 | PA |
| BALLPARK CYN 17-2 | 16 | 130S | 100E | 4300731169 | PA |
| KENILWORTH RAILROAD 15-4 | 16 | 130S | 100E | 4300731170 | PA |
| BALLPARK CYN 16-2 | 16 | 130S | 100E | 4300731171 | PA |
| CORDINGLY CYN 10-1 | 15 | 130S | 100E | 4300731173 | PA |
| BALLPARK CYN 16-2X | 16 | 130S | 100E | 4300731207 | PA |
| UTAH FUEL A-1 | 6 | 140S | 070E | 4301516021 | PA |
| OMAN 14-20 | 29 | 130S | 070E | 4300731209 | RET |
| CORDINGLY CYN 2-1 | 2 | 130S | 100E | 4300731236 | RET |
| SWD 1 | 28 | 130S | 100E | 4300731417 | RET |
| SHIMMIN 33-1 | 33 | 120S | 110E | 4300731431 | RET |
| SEAMONS 5-8 | 8 | 130S | 070E | 4300731432 | RET |
| CRITCHLOW 29-1 | 29 | 120S | 110E | 4300731433 | RET |
| RADAKOVICH 12-5-1 | 5 | 130S | 070E | 4300731434 | RET |
| ALLRED 10-1 | 10 | 120S | 110E | 4300731435 | RET |

| | | | | | |
|--------------------------|----|------|------|------------|-----|
| RADAKOVICH 12-5 | 5 | 130S | 070E | 4300731436 | RET |
| SEAMONS 5-8-2 | 8 | 130S | 070E | 4300731437 | RET |
| WOOLSEY 3-31-1 | 31 | 130S | 070E | 4300731438 | RET |
| ALLRED 13-1 | 13 | 120S | 110E | 4300731439 | RET |
| JACOB 5-5 | 5 | 140S | 070E | 4300731513 | RET |
| UTAH FUEL 8 | 19 | 130S | 070E | 4300716015 | S |
| OMAN 2-20 | 20 | 130S | 070E | 4300730289 | S |
| KENILWORTH RR #1 | 16 | 130S | 100E | 4300731006 | S |
| KENILWORTH RR #2 | 16 | 130S | 100E | 4300731007 | S |
| BALLPARK CANYON #1 | 16 | 130S | 100E | 4300731015 | S |
| CORDINGLY CYN 15-2 | 15 | 130S | 100E | 4300731064 | S |
| CORDINGLY CYN 15-1 | 15 | 130S | 100E | 4300731065 | S |
| CORDINGLY CYN 11-1 | 11 | 130S | 100E | 4300731070 | S |
| CORDINGLY CYN 15-5 | 15 | 130S | 100E | 4300731167 | S |
| KENILWORTH RAILROAD 15-3 | 16 | 130S | 100E | 4300731168 | S |
| ALPINE SCHOOL DIST 6-17 | 17 | 130S | 070E | 4300731181 | S |
| OMAN 10-29 | 29 | 130S | 070E | 4300731210 | S |
| KENILWORTH RR 1-A | 16 | 130S | 100E | 4300731229 | S |
| RIDGE RUNNER 11-20 | 20 | 140S | 070E | 4301530271 | S |
| RIDGE RUNNER 1-30 | 20 | 140S | 070E | 4301530680 | S |
| RIDGE RUNNER 2-19 | 17 | 140S | 070E | 4301530684 | S |
| RIDGE RUNNER 11-17 | 17 | 140S | 070E | 4301530685 | S |

Facility List

| | | | |
|--------------------------------|----|-----|----|
| Clear Creek Compressor Station | 33 | 13S | 7E |
|--------------------------------|----|-----|----|