

Subsequent Report of Abandonment

FILE NOTATIONS

Entered in NID File _____
Entered On S R Sheet _____
Location Map Pinned _____
Card Indexed _____
IWR for State or Fee Land _____

Checked by Chief _____
Copy NID to Field Office _____
Approval Letter _____
Disapproval Letter _____

COMPLETION DATA:


Date Well Completed 3-31-54
OW _____ WW _____ TA _____
GW _____ OS _____ PA

Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log 4-8-54
Electric Logs (No.) no


E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
Lat _____ Mi-L _____ Sonic _____ Others _____



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Maude



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... March 4, 19 54

Well No. 1 is located 660 ft. from N line and 538 ft. from E line of sec. 31
~~W~~
NE Section 31 11 South 16 East S. J. B. & M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~gerrick floor~~ ^{foot table} above sea level is 6104 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

February 28, 1954 - Well spudded @ 10:00 p.m.

March 2, 1954. Ran 6 jts, 9 5/8" J-55 40.00%, surface casing set @ 197' with 150 sks of cement circulated to the surface.

Hold 500' for 30 mins. with O.O.P.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company


Address 303 Tribune Building

Salt Lake City, Utah

By Dale E. [Signature]

Approved 3-10-54
[Signature]


Title Petroleum Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Maude
Pending Utilization



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X	Subsequent Report of D.S.T.	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 1954

Well No. 1 is located 660 ft. from [N] line and 538 ft. from [E] line of sec. 31

NE Section 31 11 South 16 East S.L.B. & M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6494 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March 29, 1954 Ran and set Howco D.M. Bridge Plug at 2897' and a 28 sk cement Plug-back to 2767'.

Ran Johnson Shoot & Test tool, shot casing with 4 shots/ft from 2653' to 2663'. Packer set @ 2632'.

DST No. 7 2632-2667 Tool open 2 1/4 hrs, SI 1 hr, recovered 1830' of slightly brackish water. No pressures recorded due to shot charge ruining the charts.

It is intended to plug and abandon the well cutting and recovering the 7" casing at the free point and setting cement plugs on top of the cut off, and in the bottom of the surface casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company El Paso Natural Gas Company

Address 303 Tribune Building

Salt Lake City, Utah

By J. E. Schutt

Title Petroleum Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Maude
~~Pending Utilization~~

MAR 31 1954

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report of Plugging and D.S.T.</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31....., 1954

Well No. 1 is located 660 ft. from {N} ~~S~~ line and 538 ft. from {E} ~~W~~ line of sec. 31

NE Section 31 11 South 16 East S.L.B. & M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~water table~~ Rot. Table above sea level is 6494 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March 24, 1954, Ran 50 sks of cement from 3680 to 3550 and from 3274 to 3183 with 35 sks of cement.

March 25, 1954, D.S.T. No. 5 (Misrun) attempted to test from 3142 to 3183 but could not get a proper footing for test tool.

It is now intended to set 7" at 3282 throughout the 3142 to 3172 zone and perforate and test that zone.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company EL PASO NATURAL GAS CO.

Address 303 Tribune Building


Salt Lake City, Utah

By H. E. Sobert

Title Petroleum Engineer

MAI

orally



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Kaude
Pending Utilization

1954

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 1954

Well No. 1 is located 660 ft. from (N) line and 538 ft. from (E) line of sec. 31

NE Section 31 11 South 16 East S.L.P. & M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~derrick floor~~ Rot. Table above sea level is 624 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March 26, TD Plug Back 3282'

Ran 103 jts 7" 20# J-55 casing set at 3282 with 185 sks cement.

Top of cement at 1500' by temperature survey.

Held 1200# for 12 hrs.

Tested casing with 500# for 30 mins with B.O.P.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company El Paso Natural Gas Company

Address 303 Tribune Bldg.

Salt Lake City, Utah

By A. E. Schubert

Title Petroleum Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Ainnie Arude

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent report of D.S.T.</u>	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 1954

Well No. 1 is located 660 ft. from N line and 538 ft. from E line of sec. 31
~~S~~ ~~W~~
NE Section 31 11 South 16 East S.L.B. & M.
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March 28, 1954 Ran Johnsons shoot & test tool.

Shot casing with 4 shots per foot from 3142 to 3172, set packer at 3116.

DST No. 6 - 3116 to 3217, Tool open 2-1/2 hrs, SI 1 hr, good blow air died in 2 hrs., Recovered 300' fresh water. IF 0", FF 0", SIP 0", Hydro 1300.

It is now intended to set a Howco Bridge Plug @ 2897 & A 28 Sk plug back to 2767, then to shoot and test the zone at 2655 to 2664.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Co.

Address 303 Tribune Bldg.

Salt Lake City, Utah


By A. E. Sackett

Title Petroleum Engineer

REC'D MAR 20 1954

Budget Bureau 42-R356.2
Approval expires 12-31-62.

Form 9-331a
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Maudo
Pending Unitization

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<u>Subsequent Report D.S.T.</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 17, 1954

Well No. 1 is located 660 ft. from N line and 538 ft. from E line of sec. 31

NE Section 31
(1/4 Sec. and Sec. No.)
Wildcat
(Field)

11 South 16 East
(Twp.) (Range)
Duchesne
(County or Subdivision)

S.L.B. & M.
(Meridian)
Utah
(State or Territory)

The elevation of the Rot. Table ~~derrick floor~~ above sea level is 6194 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March 13, 1954 T.D. 2610

D.S.T. No. 1 2570-2596, Tool open 3 hrs, SI 30 mins, weak blow thruout test, recovered 750' water cut mud. IF 0%, FF 350%, SIP 685%, Hydro 1300.

March 15, 1954 T.D. 2684

D.S.T. No. 2 2652-2684, Tool open 1 hr 50 mins. SI 30 mins, strong blow air for 20 mins. Recovered 1620' fresh water, IF 150%, FF 700%, SIP 760%, Hydro 1350%.

March 16, 1954 T.D. 2799

D.S.T. No. 3 2759-2799 Tool open 2 hrs, SI 30 mins. Strong blow of air for 1 hr. Rec. 1320' fresh water IF 0%, FF 600%, SIP 850% Hydro 1375%.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company El Paso Natural Gas Company

Address 303 Tribune Building

Salt Lake City, Utah

By D. E. Sackett

Title Petroleum Engineer



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. U-01514
Unit Minnie Maude
Pending utilization

SUNDRY NOTICES AND REPORTS ON WELLS

1954

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 25, 1954

Well No. 1 is located 660 ft. from N line and 538 ft. from E line of sec. 31
~~SW~~
NE Section 31 11 South 16 East S.L.B. & M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~drill floor~~ ^{Rot. Table} above sea level is 6194 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March, 1954, Schlumberger Log Run to TD 3803. Top of the Wasatch at 3264' completing the Pending Unit Agreement as to depth of well. No commercial quantities of gas or oil were found in the Upper Wasatch, therefore it is intended to plug the Wasatch and set casing on the possible oil zone in the Basal Green River and attempt to complete the well in this zone as follows:

1. Set cement plug from 3680 to 3550 with 50 sks and from 3274 to 3183 with 35 sks of cement.
2. Run drill stem test on sand at 3142 to 3172.
3. Set casing throughout the zones and perforate for production test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Co.


Address 303 Tribune Building

Salt Lake City, Utah

By H. G. Probert

Title Petroleum Engineer


3-20-54 gally
H. G. Probert



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Minette Maude
Lease No. _____
Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	X
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, TITLE, OR OTHER DATA)

Well No. 1 Section 31 is located 11 South from xxx line and 538 East from xxx line of sec. 31
Wildcat Duchesne Utah
 (1/4 Sec. and 1/4 Sec. No.) (Twp.) (Range) (Meridian)
Rot. Table
 (Field) XXXXXXXXXX (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

March, 30, 1954

Calculated free point of 7" @ 1250', cut casing at 1200' recovered 1200' of 7" casing.

March 31, 1954

Set 50 sk cement plug @ 1250' to 1120 (top of cut off casing) and 50 sk cement plug @ 225 to 105 (bottom of surface casing).

Well plugged and abandoned March 31, 1954.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company 303 Tribune Building


Address Salt Lake City, Utah

By Petroleum Engineer

Title D. E. Lockhart

W. G. Seville

Salt Lake
U. S. LAND OFFICE **U-01514**
SERIAL NUMBER _____
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company El Paso Natural Gas Company Address 303 Tribune Bldg. Salt Lake City, Utah
Lessor or Tract Minnie Maude Field Wildcat State Utah
Well No. 1 Sec. 31 T. 11S R. 16E Meridian S.L.B. & M. County Duchesne
Location 660 ft. XXX of N Line and 538 ft. XXX of E Line of Section 31 Elevation 6494
(Denote floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed D. E. Sackett

Date April 8, 1954 Title Petroleum Engineer

The summary on this page is for the condition of the well at above date. Plugged-Abandoned

Commenced drilling February 28, 1954 Finished drilling March 31, 1954

OIL OR GAS SANDS OR ZONES See Geo. Report

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS See Geo. Report

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
9-5/8	40.0	8 RD	Spang	187	Howco				Surface
7"	20.0	8 RD	Spang	3272	Howco		2553	2662	Production
							3112	3172	Production
							1200		Production

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
9-5/8	107	150	Circulated		
7"	3202	185	Sig. Stage		

PLUGS AND ADAPTERS

Bridging Plug _____
Heavy plug—Material Howco D.M. Length _____ Depth set 2097
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 3000 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Plugged and Abandoned
 Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment.

If gas well, cu. ft. per 24 hours _____ Gravity, °Bé. _____

Rock pressure, lbs. per sq. in. _____ Gallons gasoline per 1,000 cu. ft. of gas _____

EMPLOYEES

M. St. John _____, Driller T. H. Gibson _____, Driller
 V. M. Gabriel _____, Driller _____, Driller

Plugging Record

FORMATION RECORD See attached Geo. Record

FROM-	TO-	TOTAL FEET	FORMATION
3680	3550		50 sx cement
3274	3183		35 sx cement
(Drilled Plug to 3282)			
2897	2767		28 sx cement
1250	1120		50 sx cement
225	105		50 sx cement
April 1, 1954 Set regulation iron pipe marker in the surface casing with cement.			

FROM-

TO-

TOTAL FEET

[OVER]

FORMATION

16-43094-3

FORMATION RECORD-Continued

HOLD

PLEASE OR RETURN TO PROBE
 DEPT OF LABORS
 DISTRICT OFFICE
 ADDRESS: 5200 15-11-22
 PHONE: 202 45-15-3223