

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

in Unit

Date Completed, P. & A. or operations suspended

12-1-59

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File ✓

Entered in S & S Sheet ✓

Location Map Pinned ✓

Card Indexed ✓

IWR for State or Fee Land

Checked by Chief ✓

Copy NID to Field Office ✓

Approval Letter ✓

Disapproval Letter

COMPLETION DATA:

Date Well Completed 12-1-59

OW WW

OS TA

GW PA

Location Inspected

Bond released

State of Fee Land

LOGS FILED

Driller's Log 12-7-59

Electric Logs (No. 1-3)

E 1

Mi-L 1

E-I 1


Sonic 1

GR.N. 1

Others 1

Micro 1

Subsequent Report of Chandourn



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 017304
Unit Chokecherry Canyon

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

10-28-59, 19

Well No. 2 is located 530 ft. from N line and 660 ft. from E line of sec. 7

NE 1/4 of Section 7 7S 1W Uinta Special Meridian
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is - ft. (Will furnish later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Chokecherry Canyon Unit-Federal No. 2

It is proposed to drill a well to test the Wasatch formation to an approximate total depth of 5000'. Approximately 500' of 8-5/8" OD surface casing will be set and cemented to surface. If commercial production is encountered, 5 1/2" OD production casing will be set and cemented. All possible producing horizons will be adequately cored and/or tested.

cc: Utah Oil & Gas CC (For information only - State approval not necessary per Mr. Feight's letter dated 5-11-59)


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 3313 By _____

Durango, Colorado Title Area Production Supt.



(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 017304
Unit Chokecherry Canyon

Handwritten signature

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... 12-2-59, 19.....

Well No. 2 is located 530 ft. from NS line and 660 ft. from EW line of sec. 7
NE NE of Section 7 75 W Uinta Special Meridian
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7708 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Chokecherry Canyon Unit-Federal No. 2

Spudded 11-8-59. Set 8-5/8" OD surface casing at 315' w/115 sx cement. Drilled to TD 4985' without encountering commercial production. With hole full of mud, it is proposed to spot cement plugs as follows:

4120' - 4316'	70 sx
2450' - 2580'	50 sx
290' - 340'	25 sx
Top of surface cas	10 sx.


Erect dry hole marker, restore location.

Verbal approval to plug well received 11-30-59, D. P. Russell to W. D. Mitchell.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation
 Address Production Department
P. O. Box 1346
Salt Lake City, Utah
 ORIGINAL SIGNED
 By T. A. TRAX
 Title Area Production Supt.

U. S. LAND OFFICE Utah
SERIAL NUMBER 017304
LEASE OR PERMIT TO PROSPECT _____
Chokecherry Canyon Unit-



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Production Department
P. O. Box 1346

Company Gulf Oil Corporation Address Salt Lake City, Utah

Lessor or Tract Chokecherry Canyon Unit-Fed Field Unnamed State Utah

Well No. 2 Sec. 7 T. 7S R. 1W Meridian Uinta Special County Duchesne

Location 530 ft. ^[EX][S.] of A Line and 660 ft. ^[EX][W.] of E Line of Section Elevation 7708'
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____
By T. A. TRAX

Date 12-3-59 Title Area Prod. Supt.

The summary on this page is for the condition of the well at above date.

Commenced drilling 11-8-59, 19____ Finished drilling 12-1-59, 19____

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from NONE to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from NONE to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8-5/8	24	8RT	SS	304'	Guide	-	-	-	-

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8	315'	115	Pump & Plug	-	-

MARK

PLUGS AND ADAPTERS

Heaving plug—Material NONE Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
<u>NONE</u>						

TOOLS USED

Rotary tools were used from Surface feet to TD 4985' feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

Dry Hole - Plugged & Abandoned

12-1-59, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____


Rock pressure, lbs. per sq. in. _____

EMPLOYEES

~~Miracle Hooster Drig Co - RT~~, Driller _____, Driller _____
 _____, Driller _____, Driller _____

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface 4679'	4985'		Green River Wasatch (E-log top)
DST NO. 1,	3770' - 3814'		tool open 2 hrs, recovered 30' mud, no shows.
DST NO. 2,	4223' - 4345'		tool open 2-3/4 hours, recovered 350' mud cut salt water and 100' mud. No shows of oil or gas.
DST NO. 3,	2494' - 2615'		tool open 70 minutes, recovered 633' fresh water, no shows of oil or gas.
No Cores taken.			



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 017304
Unit Chokecherry Canyon

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 18, 19 60

Chokecherry Canyon

Well No. 2 is located 530 ft. from N line and 660 ft. from E line of sec. 7

NE NE of Section 7
(¼ Sec. and Sec. No.)

7S
(Twp.)

4W
(Range)

USM
(Meridian)

(Field)

Duchesne
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 7708 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

With hole full of mud, cement plugs were spotted as follows:

4120'-4316'	70 ax
2450'-2580'	50 ax
290'-340'	25 ax
Top of surface casing	10 ax

Erected dryhole marker and restored location. Well now ready for final inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 1346

Salt Lake City, Utah

By ORIGINAL
BY T. A. TRAX

Title Area Production Manager