

FILE NOTATIONS

Entered in NID File
Entered On S R Sheet
Location Map Pinned:
Card Indexed
I W R for State or Fee Land

Checked by Chief R.D.
Copy NID to Field Office
Approval Letter
Disapproval Letter

COMPLETION DATA:

Date Well Completed 7-27-60 Location Inspected _____
Bond released _____
State of Fee Land _____


OW _____ WW _____ ETA _____
Mi-L _____ PA

LOGS FILED

Driller's Log 8-1-60
Electric Logs (No.) 3
E _____ I _____ E-I GR _____ GR-N _____ Micro
Lat _____ Mi-L _____ Sonic Others _____

Subsequent Report of Abandonment

CP



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-034576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ June 28 _____, 19-60
 Well No. 3 is located 660 ft. from $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line and 2130 ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of sec. 27
NE NE Section 27 (Twp.) 6S 5N (Meridian) 15W
WC (Field) Duchesne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. **Will furnish later.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a well to test the Lower Green River and Upper Wasatch formation to an approximate total depth of 6200'. Approximately 250' of 8-5/8" OD surface casing will be set and cemented to surface. If commercial production is encountered, 5 1/2" production string will be set. All possible productive zones will be adequately tested or evaluated by means of coring, DST's and E-logs.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation
 Address Production Department
P. O. Box 1346
Salt Lake City, Utah
 By _____
 Title Area Production Manager

ORIGINAL SIGNED
BY T. A. SWAN

Utah

T6S, R5W USB&M




Scale: 1" = 1000'

R.D. Ross

By: ROSS CONSTRUCTION CO.
Vernal, Utah

PARTY R.D. Ross D.A. Freemyer	SURVEY GULF OIL CORPORATION FIVE MILE DRAW UNIT, WELL NO. 2 NW/4, NE/4 SECTION 27, T6S-R5W USB&M DUCHESE COUNTY UTAH	DATE 6-23-60 REFERENCES GLO PLAT FILE GULF
WEATHER Warm-Clear	FORM 5202	

T 6S, R 5W USB & M



Scale: 1" = 1000'

R.D. Ross

By: ROSS CONSTRUCTION CO.
Vernal, Utah

PARTY R.D. Ross D.A. Freemyer WEATHER Warm - Clear	SURVEY GULF OIL CORPORATION FIVE MILE DRAW UNIT WELL NO. 2 NW/4, NE/4 SECTION 27, T6S-R5W USB & M DUCHESNE COUNTY UTAH	DATE 6-23-60 REFERENCES GLO PLAT FILE GULF
---	--	---

June 29, 1960

Gulf Oil Corporation
Production Department
P. O. Box 1346
Salt Lake City, Utah

Attention: T. A. Trax, Area Prod. Manager

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Five Mile Draw Unit - Federal # 2, which is to be located 660 feet from the north line and 2130 feet from the east line of Section 27, Township 6 South, Range 5 West, USM, Duchesne County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted; however, this approval is provisional upon a Plat being filed with us according to Rule C-4 (a), General Rules and Regulations and Rules of Practice and Procedure, State of Utah Oil and Gas Conservation Commission.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.


Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT,
EXECUTIVE SECRETARY

CBF:awg
cc: Don F. Russell, Dist. Eng.
U. S. Geological Survey
Salt Lake City, Utah

RL



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-034576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 5, 19 60

Well No. 2 is located 660 ft. from N line and 2130 ft. from E line of sec. 27

NW NE Section 27 (1/4 Sec. and Sec. No.) 65 (Twp.) 3W (Range) 15M (Meridian)
WC (Field) Duchesne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. **Will furnish later.**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 5:00 AM 7-2-60.

Ran 7 jts (227') 8-5/8", 24#, 8 RT, Grade J, Range 2, Class A, SS csg. Can 6240' w/120 sz Ideal reg com. Plug to 225'. Can circ.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 1346

Salt Lake City, Utah


ORIGINAL SIGNED

By T. A. TRAA

By _____

Title Area Production Manager

30



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-034576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 5, 1960

Well No. 2 is located 660 ft. from N line and 2130 ft. from E line of sec. 27

NE NE Section 27 (1/4 Sec. and Sec. No.) 6S (Twp.) 5W (Range) 15N (Meridian)
WC (Field) Duchesne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. Will furnish later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 5:00 AM 7-2-60.

Ran 7 jts (227') 8-5/8", 24#, 8 FT, Grade J, Range 2, Class A, SS csg. Can #240' w/120 sx Ideal reg. Plug to 225'. Can circ.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 1346

Salt Lake City, Utah

ORIGINAL SIGNED

By: J. A. TRAX

By _____
Title Area Production Manager



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-034576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 29, 1960

Five Mile Draw Unit-Federal
Well No. 2 is located 660 ft. from N line and 2130 ft. from E line of sec. 27
NW NE Section 27 6S 5N 10W
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
WC Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8325 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 7-2-60. TD 6200'. DLA.

With hole full of mud, it is proposed to spot cement plugs through drill pipe as follows:

2750'-2650' 35 sx
250'-175' 35 sx

Well is to be capped w/10 sx con from 30' to top of surface pipe, dry hole marker installed and location restored.

Verbal approval to plug received from Dan Russell, USGS.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department


P. O. Box 1346

Salt Lake City, Utah

0 & 2 - USGS
2 - OIGCC

ORIGINAL SIGNED
By: T. A. TRAX

Title Area Production Manager



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-024576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 29, 1960

Five Mile Draw Unit-Federal
Well No. 2 is located 660 ft. from [N] line and 2130 ft. from [E] line of sec. 27

NE NE Section 27 (¼ Sec. and Sec. No.) 6S (Twp.) 5N (Range) 58M (Meridian)
NC (Field) Duchesne (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 8325 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 7-2-60. TD 6200'. D&A.

With hole full of mud, it is proposed to spot cement plugs through drill pipe as follows:

2750'-2650' 35 ex
250'-175' 35 ex

Well is to be capped w/10 ex cas from 30' to top of surface pipe, dry hole marker installed and location restored.

Verbal approval to plug received from Dan Russell, USGS.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 1346

Salt Lake City, Utah

0 & 2 - USGS
2 - GIBCC

ORIGINAL SIGNED
By: T. A. TRAX

By _____

Title Area Production Manager


AWP

get Bureau No. 42-R355.4. approval expires 12-31-60.

Ref #1

Form 9-330

U. S. LAND OFFICE Utah
SERIAL NUMBER U-034576
LEASE OR PERMIT TO PROSPECT



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Gulf Oil Corporation Address P. O. Box 1346, Salt Lake City, Utah
Lessor or Tract Five Mile Draw Unit Federal Field WC State Utah
Well No. 2 Sec. 27 T. 6S R. 5W Meridian USM County Duchesne
Location 660 ft. SK of N Line and 2130 ft. SK of E Line of Section 27 Elevation 8325
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

ORIGINAL SIGNED

Signed By: I. A. TRAX

Date July 29, 1960 Title Area Production Manager

The summary on this page is for the condition of the well at above date.

Commenced drilling 7-2-60, 1960 Finished drilling 7-27, 1960

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8-5/8	24#	SR	SS	227'	con guide				

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8-5/8	240'	120	Pump & Plug		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

FOLD MARK

8-5/8	240'	120	Pump & Plug		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from ~~Surface~~ feet to ~~TD~~ feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... ~~Put to production B&A 7-27~~, 19-~~60~~

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES


....., Driller , Driller

....., Driller , Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			<u>E-LOG TOPS</u>
			T/Greenriver 2765'
			Wasatch 5720'
			TD 6200'

129



LOCATE WELL CORRECTLY

U. S. LAND OFFICE Utah
SERIAL NUMBER U-034576
LEASE OR PERMIT TO PROSPECT _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Gulf Oil Corporation Address P. O. Box 1346, Salt Lake City, Utah
Lessor or Tract Five Mile Draw Unit Federal Field WC State Utah
Well No. 2 Sec. 27 T6S R. 5W Meridian USM County Duchesne
Location 660 ft. EX of N. Line and 2130 ft. EX of E. Line of Section 27 Elevation 8325
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.
Signed By: I. A. TRAX ORIGINAL SIGNED

Date July 22, 1960 Title Area Production Manager

The summary on this page is for the condition of the well at above date.

Commenced drilling 7-2-60, 19____ Finished drilling 7-27, 19 60

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>8-5/8</u>	<u>24#</u>	<u>SR</u>	<u>SS</u>	<u>227' con guide</u>					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>8-5/8</u>	<u>246'</u>	<u>120</u>	<u>Pump & Plug</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

FOLD MARK

FOLD MARK

8-5/8	240'	120	Pump & Plug		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from ~~Surface~~ feet to ~~TD~~ feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing _____, 19-~~60~~
~~XXXXXXXXXXXX~~ ~~DLA 7-27~~
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____%
 emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
			E-LOG TOPS
			T/Greenriver 2765'
			Wasatch 5720'
			TD 6200'

(SUBMIT IN TRIPLICATE)

Land Office Utah
Lease No. U-034576
Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 5, 19 61

Five Mile Draw Unit-Federal

Well No. 2 is located 660 ft. from N line and 2130 ft. from E line of sec. 27

NW NE Section 27 6S 5N 15M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
WC Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8325 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

With hole full of mud, cement plugs were spotted through drill pipe as follows:

2750'-2650' 35 sz
250'- 175' 35 sz

Well was capped w/10 sz cem from 30' to top of surface pipe, dry hole marker installed and location restored and ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation

Address Production Department

P. O. Box 1346

Salt Lake City, Utah


ORIGINAL SIGNED

By: T. A. TRAX

By _____

Title Area Production Manager

0 & 2 - USGS
2 - OEGCC



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. U-034576
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 3, 19 61

Five Mile Draw Unit-Federal
Well No. 2 is located 660 ft. from N line and 2130 ft. from E line of sec. 27

NE NE Section 27 6S 5W 15M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
NC Duchesne Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8325 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

With hole full of mud, cement plugs were spotted through drill pipe as follows:

2750'-2650' 35 sx
250'- 175' 35 sx

Well was capped w/10 sx cem from 30' to top of surface pipe, dry hole marker installed and location restored and ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Gulf Oil Corporation
Address Production Department
P. O. Box 1346
Salt Lake City, Utah

Original of (copy)
By: T. A. TRAX
By _____
Title Area Production Manager

0 & 2 - USGS
2 - OSGCC