

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief
Approval Letter
Disapproval Letter

P.O.B.
9-18-72

COMPLETION DATA:


ate Well Completed
..... WW..... TA.....
..... OS..... PA.....

Location Inspected
Bond released
State or Fee Land

LOGS FILED

Driller's Log.....
Electric Logs (No.)
E..... I..... Dual I Lat..... GR-N..... Micro.....
BHC Sonic GR..... Lat..... Mi-L..... Sonic.....
CBLog..... CCLog..... Others.....

02
APACHE EXPLORATION CORPORATION



4815 SOUTH HARVARD AVENUE ■ SUITE 330 ■ TULSA, OKLAHOMA 74135 ■ 918 / 749-4651

August 8, 1972

State of Utah
Department of Natural Resources
Oil & Gas Conservation Division
State Capitol Bldg.
Salt Lake City, Utah

Re: Designation of Agent

Gentlemen:

Enclosed herewith in duplicate is "Designation of Agent", to be filed on behalf of Apache Exploration Corporation.

Yours truly,

APACHE EXPLORATION CORPORATION

A handwritten signature in dark ink, appearing to read "L. A. Gatz", is written over the typed name. The signature is fluid and cursive.

L. A. Gatz

LAG:mam

Encs:

FILE IN DUPLICATE

DIVISION OF OIL & GAS CONSERVATION
OF THE STATE OF UTAH


DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Division of Oil and Gas Conservation of the State of Utah, hereby appoint, C. T. Corporation Systems, whose address is 175 So. Main, Salt Lake City, Utah 84111, (his, her or its) designated agent to accept and to be served with notices from said Board, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation August 7, 1972

Company Apache Exploration Corporation Address P. O. Box 2299 Tulsa, Okla. 74101

By  Title Vice-President
(Signature)

NOTE: Agent must be a resident of Utah.

FILE IN DUPLICATE

DIVISION OF OIL & GAS CONSERVATION
OF THE STATE OF UTAH


DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Division of Oil and Gas Conservation of the State of Utah, hereby appoint, C. T. Corporation Systems, whose address is 175 So. Main, Salt Lake City, Utah 84111, (his, her or its) designated agent to accept and to be served with notices from said Board, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation August 7, 1972

Company Apache Exploration Corporation Address P. O. Box 2299 Tulsa, Okla. 74101

By  Title Vice-President
(Signature)

NOTE: Agent must be a resident of Utah.

APACHE EXPLORATION CORPORATION



4815 SOUTH HARVARD AVENUE ■ SUITE 330 ■ TULSA, OKLAHOMA 74135 ■ 918 / 749-4651

August 10, 1972

State of Utah
Department of Natural Resources
Oil & Gas Conservation Division
State Capitol Bldg.
Salt Lake City, Utah

Re: Apache Exploration's
Grey Wolf Smith - Well No. 1
SW/ 4 NE/ 4 Section 25-T2S-R8W
Duchesne County, Utah

Gentlemen:


Enclosed is American Casualty Company Bond No. 304-3994-42, in the penal sum of \$5000/00 to cover the drilling of the Captioned proposed well.

Our application for permit to drill will be filed upon the completion of location plats.

We trust the enclosed meets with your approval, however, if you should have any requirement, please feel free to call on us.

Yours very truly,

APACHE EXPLORATION CORPORATION


L. A. Gatz

LAG:mam
Encs:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS

5. Lease Designation and Serial No.

Fee

6. If Indian, Allottee or Tribe Name

7. Unit Agreement Name

8. Farm or Lease Name

Greywolf-Smith

9. Well No.

1

10. Field and Pool, or Wildcat

Wildcat

11. Sec., T., R., M., or Blk. and Survey or Area

25-T2S-R8W

12. County or Parrish 13. State

Duchesne, Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work

DRILL

DEEPEN

PLUG BACK

b. Type of Well

Oil Well

Gas Well

Other

Single Zone

Multiple Zone

2. Name of Operator

Apache Exploration Corporation

3. Address of Operator

P. O. Box 2299, Tulsa, Oklahoma 74101

4. Location of Well (Report location clearly and in accordance with any State requirements.*)

At surface

1929' SNL & 506' MEL being approx. Center SE/4 NE/4 of Section 25

At proposed prod. zone

Same as above

14. Distance in miles and direction from nearest town or post office*

Approx. 5 miles South of Tabiona, Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drlg. line, if any)

506

16. No. of acres in lease

Section 25 All Fee 640 Acres

17. No. of acres assigned to this well

40 Acres

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.

First Well

19. Proposed depth

14,000'

20. Rotary or cable tools

Rotary

21. Elevations (Show whether DF, RT, GR, etc.)

6921 GR Level

22. Approx. date work will start*

October 1, 1972

23.

PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
17 1/4"	13 3/8	48.00	300'	To Circulate to Surface
12 3/4"	9 5/8	43.50	6000'	400 Sacks
8 3/4"	7" (Liner)	29.00	12000'	Approx. 800 Sacks
6 1/8"	5" (Liner)	18.00	T.D.	Approx. 200 Sacks

Subject well will be drilled to estimated T.D. at 14,000' or the Wasatch formation. In the course of drilling, all shows of oil and/or gas will be tested and evaluated. At total depth Formation Density and Induction Electric logs will be run. Mud system and blowout preventer equipment will be checked & maintained daily to assure proper well control at all times.

Cond. upon Mud Logging report and need - BOP data

not spaced

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

Signed

Rayd A. Somers

Title

Regional Production Manager

Date

9/13/72

(This space for Federal or State office use)

Permit No.

43-013-30152

Approval Date

Approved by

Title

Date


Conditions of approval, if any:

T2S, R8W, U.S.B. & M.

PROJECT

APACHE EXPLOR. CORP

Well location, GRAY WOLF - SMITH #1,
located as shown in the SE 1/4 NE 1/4
Section 25, T2S, R8W, U.S.B. & M.,
Duchesne County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

Lawrence C. Kay

REGISTERED LAND SURVEYOR
REGISTRATION NO. 3687
STATE OF UTAH

X = Corners Located & Used.

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 110 EAST - FIRST SOUTH
VERNAL, UTAH - 84078

SCALE 1" = 1000'	DATE 8 Sept. 1972
PARTY L.C.K. & M.W.	REFERENCES GLO Plat.
WEATHER Warm	FILE Apache Exploration Corp.

September 18, 1972

Apache Exploration Company
Box 2299
Tulsa, Oklahoma 74101

Re: Well No. Greywolf-Smith #1
Sec. 25, T. 2 S, R. 8 W, USM
Duchesne County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with Rule C-3 of the General Rules and Regulations and Rules of Practice and Procedure. Said approval is, however, conditional upon the following:

1. Written notification as to the type of blowout prevention equipment to be installed on said well, in addition to the subsequent testing procedures to be followed.

It should be noted that the following mud system monitoring equipment must be installed (with derrick floor indicators) and used throughout the period of drilling after setting and cementing the intermediate string or upon reaching a depth at which high pressures could occur:

1. Recording mud pit level indicator to determine mud pit volume gains and losses. This indicator shall include a visual or audio warning device.
2. Mud volume measuring device for accurately determining mud volumes required to fill the hole on trips.
3. Mud return indicator to determine that returns essentially equal the pump discharge rate.

Apache Exploration Company
September 18, 1972
Page Two

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL-Chief Petroleum Engineer
HOME: 277-2890
OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation with regard to this request will be greatly appreciated.

The API number assigned to this well is 43-013-30152.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sd

4

BMP

October 16, 1972

MEMO FOR FILING

Re: Apache Exploration Company
Greywolf-Smith #1
Sec. 25, T. 2 S, R. 8 W,
Duchesne County, Utah

On October 11, 1972, the above referred to well site was visited.

Construction of road and location is completed, but no drilling operations have commenced. Well site and pits are adequate and out of the main drainage washes. Operator proposes to drill this well to 14,000' and test the potential of the Wasatch Formation. In addition they have made application for a hearing on October 25, 1972, before the Board to request that their acreage be included in the 640 acre drilling unit area.

PAUL W. BURCHELL
CHIEF PETROLEUM ENGINEER

PWB:ck

cc: U.S. Geological Survey

November 28, 1972

Apache Exploration Company
Box 2299
Tulsa, Oklahoma 74101

Re: Greywolf-Smith #1
Sec. 25, T. 2 S, R. 8 W,
Duchesne County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months of September, October, November, 1972, on the subject well.

Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure requires that said reports be filed on or before the sixteenth day of the succeeding month. This report may be filed on Form OGC-1b, (U.S. Geological Survey 9-331), "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your cooperation with respect to completing the enclosed will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE DeROSE
SUPERVISING STENOGRAPHER

:sd

FORM OGC-8-X
FILE IN QUADRUPLICATE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Greywolf-Smith #1 43-013-30152

Operator: Apache Exploration Corporation Address: P. O. Box 2299, Tulsa, Ok. 74101

Contractor: Viersen & Cochran address: _____

Location: SE 1/4 NE 1/4 Sec. 25 T. 2 S, R. 8 W, Duchesne County,
Utah.

Water Sands:

	<u>Depth:</u>		<u>Volume:</u> Flow Rate or Head-	<u>Quality:</u> Fresh or Salty-
	From-	To-		
1.	<u>Ground level - 900'</u>		<u>TSTM</u>	
2.				
3.				
4.				
5.				

(Continue on reverse side if necessary)

Formation Tops:

Remarks: Drilled water well to 500' but was unable to produce enough water to drill.

- NOTE:
- (a) Upon diminishing supply of forms, please inform this office.
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure (see back of this form)
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

PMB

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith
14. PERMIT NO. 41864 (43-7276)	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6921 GR Level	9. WELL NO. 1
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T2S-R8W
		12. COUNTY OR PARISH Duchesne
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Blowout Preventer - Double Ram Shaffer - 1500 Series Pressure tested at 1200 psi - no leaks - using double ram BOP (1500 series) + rotating head

After setting intermediate at approx. 8000' - Cameron QRC 1500 Series 10,000 psi test on 9 5/8" casing to T.D. 2 sets of pipe rams - 1 set blind rams
1 - Hydril - 1500 Series
1 - Grant rotating head
Choke manifold 10,000 psi test

The above BOPs to be tested each day and on each trip.

November Report

Nov. 10 (Approx.) Set & cmtd. 25' of 20" conductor pipe
Nov. 23 - Spudded 7 PM
Nov. 26 - Set 310' (10 jts.) 13 3/8" 54.5# K-55 New casing, cmtd. w/ 400 sks. Class G, Circulated. Plug down @ 3:15 PM
Nov. 30 - Drlg. 1215' sand & shale

18. I hereby certify that the foregoing is true and correct

SIGNED *Lloyd A. Somers* TITLE Regional Production Manager DATE 12-5-72

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152																														
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME																														
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME																														
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith																														
14. PERMIT NO. 41864 (43-7276)		9. WELL NO. 1																														
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6921 GR Level		10. FIELD AND POOL, OR WILDCAT Wildcat																														
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T2S-R8W																														
<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> NOTICE OF INTENTION TO: </td> <td style="width:50%; border: none;"> SUBSEQUENT REPORT OF: </td> </tr> <tr> <td style="border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table> </td> <td style="vertical-align: top;"> 12. COUNTY OR PARISH Duchesne </td> </tr> <tr> <td colspan="2" style="vertical-align: top;"> 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* </td> <td style="vertical-align: top;"> 18. STATE Utah </td> </tr> </table>		NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table>	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table>	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table>	<p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p>		12. COUNTY OR PARISH Duchesne	17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*		18. STATE Utah
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:																															
<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table>	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table>	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table>	<p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p>		12. COUNTY OR PARISH Duchesne							
<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> <td style="width:50%; border: none;"> <table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table> </td> </tr> </table>	<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> <p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p> </td> <td style="width:50%; border: none;"></td> </tr> </table>	<p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p>										
<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREAT <input type="checkbox"/></td> <td style="width:50%; border: none;">MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOT OR ACIDIZE <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDON* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">REPAIR WELL <input type="checkbox"/></td> <td style="width:50%; border: none;">CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%; border: none;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">FRACTURE TREATMENT <input type="checkbox"/></td> <td style="width:50%; border: none;">ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td style="width:50%; border: none;">ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td style="width:50%; border: none;">(Other) <input type="checkbox"/></td> <td style="width:50%; border: none;"></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>														
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>																															
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>																															
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>																															
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>																															
(Other) <input type="checkbox"/>																																
WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>																															
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>																															
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>																															
(Other) <input type="checkbox"/>																																
<p>(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p>																																
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*		18. STATE Utah																														

December Report

- Dec. 1 Drlg. 1,547' sd. & sh.
- Dec. 7 Drlg. 3,520' Drlg. break @ 3,442', estimate 200 BWPD while jetting w/ air, would not flow natural
- Dec. 15 Drlg. 5,000' sd. & sh.
- Dec. 21 Drlg. 5,800' (4,030' first green sh.) log top green river @ 4,750'
- Dec. 24 LTD 6,057' Finished logging Prep to run 9 5/8" csg. (2 1/2" @ 6,057')
- Dec. 25 TD 6,057' Ran 146 jts. 9 5/8" OD 43.50# S-95 LT&C csg. Landed @ 6,025' KB w/ HOWCO float shoe on bottom, float collar @ 5,940' w/ 10 centralizers w/ 600 sks w/ 16% gel, 10 sks gilsonite, tailed in w/ 200 sks G regular w/ 3% gel. Plug down @ 9:30 PM, 12-24. Released pressure - OK. Set slips & hung pipe in full tension.
- Dec. 27 TD 6,057' NU, testing BOP stack. CB Log - cement top @ 3,780'
- Dec. 31 Drlg. 6,450' sd. & sh.

18. I hereby certify that the foregoing is true and correct

SIGNED Ray D. Somers TITLE Regional Production Manager DATE 1-17-73

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Greywolf-Smith #1

Operator: Apache Exploration Corp. Address: P. O. Box 2299, Tulsa, Okla. 74101

Contractor: Viersen & Cochran Drlg. Co. Address: P. O. Box 19227, Okla. City, Okla. 73111

Location: SE 1/4 NE 1/4 Sec. 25 T. 25 N, R. 8 E, Duchesne County,
X W
Utah.

Water Sands:

	<u>Depth:</u>		<u>Volume:</u>	<u>Quality:</u>
	<u>From-</u>	<u>To-</u>	<u>Flow Rate or Head-</u>	<u>Fresh or Salty-</u>
1.	<u>3,442</u>	<u>3,470</u>	<u>200 BPD</u>	<u>Fresh</u>
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____

(Continue on reverse side if necessary)

Formation Tops:

Remarks:

- NOTE:
- (a) Upon diminishing supply of forms, please inform this office.
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure (see back of this form)
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152																				
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME																				
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME																				
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith																				
14. PERMIT NO. 41864 (43-7276)		9. WELL NO. 1																				
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 6921 GR Level		10. FIELD AND POOL, OR WILDCAT Wildcat																				
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T2S-R8W																				
<table style="width:100%; border: none;"> <tr> <td style="width:50%; border: none;"> NOTICE OF INTENTION TO: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table> </td> <td style="width:50%; border: none;"> SUBSEQUENT REPORT OF: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREATMENT <input type="checkbox"/></td> <td>ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td>SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td>ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table> </td> </tr> </table>		NOTICE OF INTENTION TO: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		SUBSEQUENT REPORT OF: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREATMENT <input type="checkbox"/></td> <td>ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td>SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td>ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>		12. COUNTY OR PARISH 13. STATE Duchesne Utah
NOTICE OF INTENTION TO: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		SUBSEQUENT REPORT OF: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREATMENT <input type="checkbox"/></td> <td>ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td>SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td>ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>				
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>																					
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>																					
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>																					
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>																					
(Other) <input type="checkbox"/>																						
WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>																					
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>																					
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>																					
(Other) <input type="checkbox"/>																						

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENTION TO: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">TEST WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">PULL OR ALTER CASING <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		SUBSEQUENT REPORT OF: <table style="width:100%; border: none;"> <tr> <td style="width:50%;">WATER SHUT-OFF <input type="checkbox"/></td> <td style="width:50%;">REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREATMENT <input type="checkbox"/></td> <td>ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td>SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td>ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	(Other) <input type="checkbox"/>	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>																		
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>																		
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>																		
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>																		
(Other) <input type="checkbox"/>																			
WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>																		
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>																		
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>																		
(Other) <input type="checkbox"/>																			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

January, 1973 Report

- Jan. 1 Drlg. 6655' sd. & sh. Deviation: 2 1/4° 6466'
- Jan. 3 Tripping 7021' sd. & sh. Testing Sonic drill pipe or racks to swap out w/ pipe in hole on next trip.
- Jan. 5 Drlg. 7434' sd. & sh. lime-water w/ mica LCM, 1 sk. every 2 hrs.
- Jan. 8 7884' checking equipment. Deviation: 1 1/2° 7884'. All work hampered by extreme cold. BOP frozen so unable to close rams. Rig frozen to ground.
- Jan. 9 7884'. Washing to bottom.
- Jan. 11 8161' drlg, sd. & sh. & some cobble stones
- Jan. 15 Drlg. 8323' sd. & sh.
- Jan. 19 Drlg. 8894' sh. Deviation: 3 1/4° 8859'
- Jan. 24 Drlg. 9602' sd. & sh.
- Jan. 30 Drlg. 9725' sd. & sh.
- Jan. 31 Tripping at 9744' sh. & lm. Tite hole 60' off btm.

18. I hereby certify that the foregoing is true and correct

SIGNED Ray A. Somers TITLE Regional Production Manager DATE 2-20-73

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BOP	TEST TIME	CLOSING TIME	CLOSING PSI	REMARKS
HYDRIL	3000	30 Sec	1800	OK
BLIND	5000	30 Sec	1800	OK
BLIND				
PIPE	5000	30 Sec	1800	REQUIRED
PIPE	4 HRS FOR REPAIRS			
HYD. VALVE	BEFORE WORKING			
OTHER	OK.)			

BLOWOUT PREVENTER TESTING

SHUTDOWN PICKUP MACHINE





ACE SERVICE CO.
DRILL PIPE AND CASING
ROOSEVELT, UTAH

PHONE 722-3700

RADIO EQUIPPED

DATE 1-6-73
CO. Apache Corp.
CONT. Fiersea & Co. Inc.
1000 DIST. Nicholas St. Utah
WELL Wolf & Smith No. 1
TESTER Doug Roberts
789-4936

TEST NO.	CHART NO.	1000	2000	3000	4000	5000
0		PULL OUT OF HOLE LEVEL RIG LEAD IN FLANGE				
1		CHOKER MANIFOLD CHOKER VALVE THAN OUT BOBS & CHOKER VALVES				
2		CHOKER MANIFOLD OUTSIDE VALVES & KILL LINE VALVE				
3		CHOKER MANIFOLD INSIDE VALVES & KILL LINE VALVE				
4		HYDRIL KILL-LINE CHECK				
		← REPAIRS TO BOBS				
5		TOP PIPE RAMS KILL-LINE OUTSIDE VALVE				
		← FISH TEST PAUG				
6		BLIND RAMS KILL-LINE INSIDE VALVE				
		← THAN KELLY FOR TEST				
		← BOBBS & MOTORS DOWN				
7		TOP KELLY COCK				



LEGEND

- ➔ PRESSURE INLET
- TEST POINTS IN SEQUENCE
- N/S. NOT IN SERVICE
- N.T. NO TEST REQUIRED

KILL LINE PUMP VALVES

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith
14. PERMIT NO. 41864 (43-7276)	15. ELEVATIONS (Show whether DF, RT, OR, etc.) 6921 GR Level	9. WELL NO. 1
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T2S-R8W
		12. COUNTY OR PARISH Duchesne
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	
(Other) _____	<input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

February, 1973 Report

Feb. 1 Drlg. 9755'
 2 Drlg. 9779' black sh. & sd.
 6 Drlg. 10,185' sh.
 8 Drlg. 10,400' red & green sh.
 14 Drlg. 11,035' sh.
 20 Drlg. 11,607' red siltstone
 26 Drlg. 11,997' sd. & sh. Conditioned hole to run 7" csg.
 27 Set 6430' 7" OD casing (115 jts) w/ 1,402 sks cmt. PD 8 AM, 12/27. WOC
 28 Went in hole, found cement at 20' above top of liner - Cleaned out to top of liner.

18. I hereby certify that the foregoing is true and correct

SIGNED Joseph R. Somers TITLE Regional Production Manager DATE 3-9-73

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith
14. PERMIT NO. 41864 (43-7276)	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6921 GR Level	9. WELL NO. 1
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Sec. 25-T2S-R8W
		12. COUNTY OR PARISH Duchesne
		18. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	
(Other) _____	<input checked="" type="checkbox"/>	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

March & April Report

March 5 Drilling 12,104'
 8 Drilling 12,554', red shale & siltstone
 12 Tripping at 13,050' with plugged bit
 15 Drilling at 13,427'
 23 Drilling at 13,572'
 28 Drilling at 13,956'
 30 Drilling at 14,122 - 6 units background gas
 April 2 Drilling at 14,220 - 5-6 units background gas
 9 Drilling at 14,560' - 6 units background gas
 12 Tripping at 14,675' - 12 units of background gas
 14 TD 14,708' - stuck pipe lost 300 bbls. mud
 18 Tripping at 14,708 - 20 gas units while reaming 12' 14,708'
 19 TD 14,743 Condition hole for logs. Tripping
 22 TD 14,743' DST #1 14,410 to 14,743 final SIP 120 mins. 8,288 psi
 24 Drilling at 14,870'
 29 Ran 3305' (83 jts.) 5" OD 18.00# P-110 liner cemented w/ 970 sacks class "G" Plug down at 10:15 PM.
 30 Now preparing to run CBL to find TOC & squeeze if needed

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE

Regional Production Manager

DATE

5/9/73

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

July 10, 1973

Apesco Inc.
1121 First Place
Tulsa, Oklahoma 74101

Re: Well No. Greywolf Smith #1
Sec. 25, T. 2 S, R. 3 W, USM
Duchesne County, Utah

Gentlemen:

The above referred to well was inspected on July 10, 1973, was found in a satisfactory condition, and has been properly identified.

Therefore, insofar as this office is concerned, liability under Bond No. 804-3994-42, dated August 9, 1972, is hereby terminated.

Very truly yours,

DIVISION OF OIL AND GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sw

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

P1
PMB

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER Dry hole		5. LEASE DESIGNATION AND SERIAL NO. Fee 43-013-30152
2. NAME OF OPERATOR Apache Exploration Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 2299, Tulsa, Oklahoma 74101		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4 of Section 25		8. FARM OR LEASE NAME Greywolf-Smith
14. PERMIT NO. 41864 (43-7276)	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6921 GR Level	9. WELL NO. 1
		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 25-T2S-R8W
		12. COUNTY OR PARISH 18. STATE Duchesne Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

May Report

- May 22 Ran 5" Otis XLB Wireline Packer. Set at 14,250'
- 27 Otis set S.N. Plug in bottom packer. Tested plug to 3000# - OK
- 28 Set Otis W.B. Packer at 11,519 KB

June Report

- June 6 Prep to P & A
- 7 Set plug in packer at 11,519 KB. Dale Luhman called Commission representative to check plugging procedure

Apache Exploration plans to P&A the Greywolf-Smith as follows:

- 1) Fill the hole with heavy mud laden fluid
- 2) Set 50 sk. cement plug from 11,242 to 11,519 (on top of cast iron packer)
- 3) Set 85 sk. cement plug from 5,346 to 5,657' (311' plug over 7" stub)
- 4) Set 70 sk. cement plug over 9 5/8" csg. stub when csg. is pulled
- 5) Set 80 sk. (100') cement plug from 260' to 360' (100' plug over 13 3/8" stub)
- 6) Set 20 sk. cement plug at the surface
- 7) Install regulation dry hole marker
- 8) Clean and level location, fence pits to dry
- 9) Notify the Commission when the location is ready for final inspection

18. I hereby certify that the foregoing is true and correct

SIGNED Lloyd D. Somers TITLE Regional Production Admin. DATE July 12, 1973

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

OIL & GAS CONSERVATION COMMISSION

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____
 b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
 Apache Exploration Corporation

3. ADDRESS OF OPERATOR
 P. O. Box 2299, Tulsa, Oklahoma 74101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
 At surface 1929' SNL & 506' WEL being approx. Center SE/4 NE/4
 At top prod. interval reported below Same as above
 At total depth Same as above

14. PERMIT NO. 41864 (43-7276) DATE ISSUED _____

5. LEASE DESIGNATION AND SERIAL NO.
 Fee 43-013-30152

6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____

7. UNIT AGREEMENT NAME _____

8. FARM OR LEASE NAME
 Greywolf-Smith

9. WELL NO.
 1

10. FIELD AND POOL, OR WILDCAT
 Wildcat

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
 Sec. 25-T2S-R8W

12. COUNTY OR PARISH Duchesne 13. STATE Utah
 15. DATE SPUNDED 11/23/72 16. DATE T.D. REACHED 4/24/73 17. DATE COMPL. (Ready to prod.) - 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 6921 GR Level 19. ELEV. CASINGHEAD 6921

20. TOTAL DEPTH, MD & TVD 14,870 21. PLUG, BACK T.D., MD & TVD 14,870 22. IF MULTIPLE COMPL., HOW MANY* None 23. INTERVALS DRILLED BY → 14,870 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* None 25. WAS DIRECTIONAL SURVEY MADE Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN
 Dual Induction - Laterolog, Several Cement Bond Logs; Compensated Neutron Formation Density, Borehole Compensated Sonic
 27. WAS WELL CORDED No

28. CASING RECORD (Report all strings set in well)
 Log, Gamma Ray

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		25	30"	Cemented in	None
13 3/8"	54.5#	310	17 1/2"	400 sks. - Circulated	None
9 5/8"	43.5#	6025	12 1/4	810 Sks.	2280'

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	DEPTH (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
7"	32.0#	12,002	1402	5505			
5"	18.0#	14,870	1270	11,540			

31. PERFORATION RECORD (Interval, size and number)

29-1/2" holes at random intervals from 14,358 to 14,798
 48-1/2" holes at random intervals from 12,105 to 14,222

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
14,358 - 14,798	10,000 gal. 15% HCL
12,105 - 14,222	15,000 gal. 15% HCL

33.* PRODUCTION
 DATE FIRST PRODUCTION None PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) - WELL STATUS (Producing or shut-in) Dry

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
-	-	-	→	-	-	-	-

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) - TEST WITNESSED BY -

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
 SIGNED Lloyd A. Somers TITLE Regional Production Admin. DATE 7/12/73

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement". Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP
Wasatch	10-532	Didn't go through it	Shale w/ sand streaks			

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP

August 2, 1973

Apache Exploration Corporation
Box 2299
Tulsa, Oklahoma 74101

Re: Greywolf-Smith #1
Sec. 25, T. 2 S, R. 8 W, USM
Duchesne County, Utah

Gentlemen:

This letter is to advise you that the electric and/or radioactivity logs for the above referred to well is due and has not been filed with this office.

If electric and/or radioactivity logs were not run, please make a statement to this effect in order to keep our files accurate and complete.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE DeROSE
SUPERVISING STENOGRAPHER

PE AB

Handwritten mark resembling the letter 'A'.



P.O. BOX 2299 / TULSA, OKLAHOMA 74101 / 4815 SOUTH HARVARD AVENUE

(918) 749-4651

August 23, 1973

State of Utah
Division of Oil & Gas Conservation
1588 West North Temple
Salt Lake City, Utah 84116

Attention: Scheree DeRose

Re: Grey Wolf-Smith #1
Section 25-2S-8W
Duchesne County, Utah

Gentlemen:

In regard to your letter requesting copies of electric and/or radioactivity logs for the above captioned well, enclosed please find one copy each of the Dual Induction-Laterolog; Borehole Compensated Sonic Log-Gamma Ray; Compensated Neutron-Formation Density; and Compensated Formation Density Log.

If we can be of any further assistance, please advise.

Yours very truly,

APEXCO, INC.

Cindy Cupps

(Mrs.) Cindy Cupps
Secretary to
Central Division Exploration Manager

/cc

Enclosures



P.O. BOX 2299 / TULSA, OKLAHOMA 74101 / 4815 SOUTH HARVARD AVENUE

(918) 749-4651

November 1, 1973

State of Utah
Department of Natural Resources
Division of Oil & Gas Conservation
1588 West North Temple
Salt Lake City, Utah 84116

Gentlemen:

Enclosed please find Form OGCC-1 be, Sundry Notices
and Reports on wells regarding the plugging of the
Greywolf-Smith #1, Duchesne County, Utah.

Yours very truly,

A handwritten signature in cursive script that reads "Karen Arthur".

Karen Arthur

ka

Enclosures

OIL & GAS CONSERVATION COMMISSION

5. LEASE DESIGNATION AND SERIAL NO.

Fee 43-013-30152

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

1. OIL WELL GAS WELL OTHER Dry Hole

8. FARM OR LEASE NAME

2. NAME OF OPERATOR
Apexco, Inc. (formerly Apache Exploration Corporation)

9. WELL NO.

3. ADDRESS OF OPERATOR

10. FIELD AND POOL, OR WILDCAT

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface P. O. Box 2299, Tulsa, Oklahoma 74101
1929' SNL & 506' WEL being approx. Center SE 1/4 NE 1/4 of Section 25

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 25-2S-8W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY OR PARISH 18. STATE

41864 (43-7276) 6921 GR Level

Duchesne Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The Greywolf-Smith was plugged as follows:

1. The hole was filled with heavy mud laden fluid
2. Set 50 sks. cement plug from 11,242' to 11,519' (top of cast iron packer)
3. Set 85 sks. cement plug from 5,346 to 5,657' (311' plug over 7" stub)
4. Set 70 sks. cement plug over 9 5/8" csg. stub when csg. is pulled
5. Set 80 sks. (100') cement plug from 260' to 360' (100" plug over 13 3/8" stub)
6. Set 20 sks. cement plug at the surface
7. Installed regulation dry hole marker
8. Cleaned & leveled location, fenced pits to dry
9. The location is ready for final inspection

18. I hereby certify that the foregoing is true and correct

SIGNED

Leif A. Somers

TITLE Regional Prod. Mangr.

DATE Nov. 1, 1973

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY: