

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG \_\_\_\_\_ ELECTRIC LOGS \_\_\_\_\_ FILE  WATER SANDS \_\_\_\_\_ LOCATION INSPECTED Oil SUB. REPORT/abd \_\_\_\_\_

DATE FILED 8-28-81

LAND: FEE & PATENTED \_\_\_\_\_ STATE LEASE NO. \_\_\_\_\_ PUBLIC LEASE NO. U-33992 INDIAN \_\_\_\_\_

DRILLING APPROVED: 10-2-81

SPUDED IN: \_\_\_\_\_

COMPLETED: \_\_\_\_\_ PUT TO PRODUCING: \_\_\_\_\_

INITIAL PRODUCTION: \_\_\_\_\_

GRAVITY A.P.I. \_\_\_\_\_

GOR: \_\_\_\_\_

PRODUCING ZONES: \_\_\_\_\_

TOTAL DEPTH: \_\_\_\_\_

WELL ELEVATION: 5392' GR

DATE ABANDONED: LA 1-29-84 application rescinded

FIELD: Wildcat MONUMENT BUTTE 786

UNIT: \_\_\_\_\_

COUNTY: Duchesne

WELL NO. Federal #3-1 API# 43-013-30607

LOCATION 1892' FT. FROM (N)  LINE. 1898' FT. FROM (E)  LINE. SW NE 1/4 - 1/4 SEC. 1

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
<u>16E</u>	<u>1</u>	<u>1</u>	<u>LOMAX EXPLORATION</u>				

August 28, 1981

State of Utah  
Division of Oil, Gas and Mining  
1588 West, North Temple  
Salt Lake City, Utah 84116

NTL-6 Transmittal  
Lomax Exploration Company

Gentlemen:

Attached, you will find two copies of the APD/NTL-6 for the following locations in Utah:

Federal #2-1  
NE NE Sec. 1, T9S, R16E  
Duchesne County, Utah

Federal #2-35  
NE SE Sec. 35, T8S, R16E  
Duchesne County, Utah

Federal #3-1  
SW NE Sec. 1, T9S, R16E  
Duchesne County, Utah

Federal #3-35  
SW NE Sec. 35, T8S, R16E  
Duchesne County, Utah

Federal #4-1  
SW NW Sec. 1, T9S, R16E  
Duchesne County, Utah

Federal #4-35  
NE SW Sec. 35, T8S, R16E  
Duchesne County, Utah

Thank you for your attention to this matter.

Very truly yours,

  
G. L. Pruitt  
Mgr. Drilling & Production

GLP/mdw  
Enclosures

RECEIVED  
AUG 29 1981  
DIVISION OF  
OIL, GAS & MINING

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

b. TYPE OF WELL

OIL WELL

GAS WELL

OTHER

SINGLE ZONE

MULTIPLE ZONE

2. NAME OF OPERATOR

Lomax Exploration Company

3. ADDRESS OF OPERATOR

333 N. Belt East, Suite 880, Houston, TX 77060

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*)  
At surface

1892' FNL, 1898' FEL, Section 1

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*

14 miles from Myton, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any)

742'

16. NO. OF ACRES IN LEASE

240

17. NO. OF ACRES ASSIGNED TO THIS WELL

80

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

1746'

19. PROPOSED DEPTH

6200

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR - 5392

22. APPROX. DATE WORK WILL START\*

February, 1982

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2	8 5/8	24#	300	200 sx
7 7/8	5 1/2	15.5#	TD	500 sx

- ATTACHMENTS:**
1. 10 Point Program
  2. 13 Point Surface Use Plan
  3. Location Plat
  4. Location Layout
  5. Topo Maps "A" & "B"

RECEIVED  
OCT 25 1982

DIVISION OF  
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

*[Signature]*

TITLE Mgr. Drilling & Production

DATE

8/28/81

(This space for Federal or State office use)

PERMIT NO.

*[Signature]*

APPROVAL DATE

FOR E. W. GUYNN

TITLE DISTRICT OIL & GAS SUPERVISOR

DATE

OCT 21 1982

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY:

NOTICE OF APPROVAL

State O&G

\*See Instructions On Reverse Side  
CONDITIONS OF APPROVAL ATTACHED  
TO OPERATOR'S COPY

FLARING OR VENTING OF  
GAS IS SUBJECT TO NTL 4-A  
DATED 1/1/80

Lomax Exploration Company  
Well No. 3-1  
Section 1, T9S, R16E  
Duchesne County, Utah  
Lease U-33992

Supplemental Stipulations:

1. The maximum width of access roads will be 30 feet total disturbed area. Turnouts will not be required and traveling off the right-of-way will not be allowed.
2. Topsoil will be stockpiled as addressed in the applicants 13 point plan. Our office recommends the top 6-10 inches of soil materials be stockpiled.
3. Burn pits will not be constructed. There will be no burning or burying of garbage or trash at the well site. Refuse must be contained and hauled to an approved disposal site.
4. All permanent structures, onsite for 6 months duration or longer, constructed or installed, shall be painted a flat, non-reflective, earth tone color to match Tnemec 23-08351 Mesa Brown Enduratone or an approved equal. Facilities that are required to comply with O.S.H.A. (Occupational Safety and Health Act) standards are excluded.
5. The pit will be reduced to 75' x 150'. The topsoil will be stockpiled at point #8 and the excess cut material will be stockpiled between points 2 and 3 south of the access road.
6. The BLM will be contacted at least 24 hours prior to any rehabilitation activities.
7. Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons (and saline minerals) in the Mahogany zone of the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale (and saline minerals) resource. Surface casing program may require adjustment for protection of fresh water aquifers.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Lomax Exploration Company

3. ADDRESS OF OPERATOR  
 333 N. Belt East, Suite 880, Houston, TX 77060

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At surface 1892<sup>1</sup> FNL, 1898<sup>1</sup> FEL, Section 1  
 At proposed prod. zone **SWNE**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 14 miles from Myton, Utah

16. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 742<sup>1</sup>

16. NO. OF ACRES IN LEASE 240

17. NO. OF ACRES ASSIGNED TO THIS WELL 80 40

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1746<sup>1</sup>

19. PROPOSED DEPTH 6200

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) GR - 5392

22. APPROX. DATE WORK WILL START\* February, 1982

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8	24#	300	200 SX <i>Cemented to surf.</i>
7 7/8	5 1/2	15.5#	TD	500 SX

- ATTACHMENTS:
- 10 Point Program
  - 13 Point Surface Use Plan
  - Location Plat
  - Location Layout
  - Topo Maps "A" & "B"

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING

DATE: 10-2-81

BY: M. J. Minder

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE Mgr. Drilling & Production DATE 8/28/81

(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_


CONDITIONS OF APPROVAL, IF ANY:

T 9 S, R 16 E, S.L.B. & M.

PROJECT

LOMAX EXPLORATION CO.

Well location, FEDERAL # 3-1,  
located as shown in the SW 1/4 NE 1/4  
Section 1, T9S, R16E, S.L.B. & M., Duchesne  
County, Utah.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

*Laurence L. Kay*  
REGISTERED LAND SURVEYOR  
REGISTRATION NO 3137  
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING  
P. O. BOX Q - 85 SOUTH - 200 EAST  
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	7/22/81
PARTY	D.B. L.M. K.R. S.B.	REFERENCES	GLO Plat
WEATHER	Hot	FILE	LOMAX EXPLOR.

X = Section Corners Located

TEN POINT WELL PROGRAM

Lomax Exploration Company  
Federal #3-1  
SW NE Section 1, T9S, R16E  
Duchesne County, Utah

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0-2870
Green River	2870
Wasatch	5910

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River	2870	
H zone	3210	Sand & Shale - possible oil & gas shows
J zone	4110	Sand & Shale - Oil & Gas shows anticipated
M zone	5410	Sand & Shale - primary objective - oil

4. PROPOSED CASING PROGRAM:

8 5/8", J-55, 24#; set at 300'  
5 1/2", J-55, 15.50#, STC; set at TD  
All casing will be new

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The operators minimum specifications for pressure control equipment are as follows:

A 10" Series 900 Hydril Bag type BOP and a 10" Double Ram Hydraulic unit with a closing unit will be utilized. Pressure tests of BOP's to 1000# will be made prior to drilling surface plug and operation will be checked daily. (See exhibit A)

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

It is proposed that the hole be drilled with fresh water to the "J" zone and with mud thereafter. The mud system will be a water based gel-chemical, weighted to 10.0 ppg as necessary for gas control.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

8. TESTING, LOGGING AND CORING PROGRAMS:

No coring or drill stem testing has been scheduled for this well. The logging will consist of a Dual Induction Laterolog and a Compensated Neutron-Formation Density.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

It is not anticipated that abnormal pressures or temperatures will be encountered; nor that any other abnormal hazards such as H<sub>2</sub>S gas will be encountered in this area.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

It is anticipated that operations will commence approximately February, 1982, and will last one month.

LOMAX EXPLORATION

13 Point Surface Use Plan

For

Well Location

Federal #3-1

Located In

Section 1, T9S, R16E, S.L.B. & M.

Duchesne County, Utah

LOMAX EXPLORATION  
Federal #3-1  
Section 1, T9S, R16E, S.L.B.& M.

1. EXISTING ROADS

See attached Topographic Map "A".

To reach LOMAX EXPLORATION well location site Federal #3-1, located in the SW 1/4 NE 1/4 Section 1, T9S, R16E, S.L.B.& M., Duchesne County, Utah:

Proceed Westerly out of Vernal, Utah along U.S. Highway 40 - 49.0 miles + to the junction of this Highway and Utah State Highway 53; proceed Southerly along Utah State Highway 53 - 1.6 miles to its junction with Utah State Highway 216; proceed Southerly along State Highway 216 - 5.4 miles to its junction with an existing dirt road to the Southwest; proceed Southwesterly along this road 2.9 miles to its junction with an existing dirt road to the Southeast; proceed Sosutheast along this road 1.4 miles to its junction with an existing dirt road to the East. Proceed Easterly along this road 1.1 miles to its junction with the proposed access road to be discussed in Item #2).

The highways mentioned in the foregoing paragraph are bituminous surfaced roads to the point where Highway 216 exists to the South; thereafter the road is constructed with existing materials and gravels. The highways are maintained by Utah State road crews. All other roads are maintined by County crews.

The aforementioned dirt oil field service roads and other roads in the vacinity are constructed out of existng native materials that are prevalent to the existing areas they are located in and range from clays to a sandy-clay shale material.

The roads that are required for access during the drilling phase, completion phase, and production phase of this well will be maintained at the standards required by the B.L.M. or other controlling agencies. This maintenance will consist of some minor grader work for smoothing of road surfaces and for snow removal.

2. PLANNED ACCESS ROAD

See Topographic Map "B".

The planned road leaves the existing road described in Item #1 in the NE 1/4 NW 1/4 Section 1, T9S, R16E, S.L.B.& M., and proceeds in a Easterly direction approximately 0.7 miles to the proposed location site.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drain ditches along either side of the proposed road where it is determined necessary in order to handle any run-off from normal meterological conditions that are prevalent to this area.

Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced.

There may be one culvert required along this access road, it will be placed according to specifications for culvert placement found in the Oil & Gas Operation Manual.

There will be no turnouts required along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattleguards required.

The lands involved in this action are under B.L.M. jurisdiction.

The terrain that is traversed by this road is relatively flat. The grade of this road will not exceed 8%.

### 3. LOCATION OF EXISTING WELLS

There are nine producing wells within a one mile radius of this location site. (See Topographic Map "B")

### 4. LOCATION OF EXISTING AND PROPOSED FACILITIES

There are two existing LOMAX EXPLORATION wells within a one mile radius of this location site. Each of these locations have the following production facilities - two 300 barrel tnks, line heaters, pumping units and heater trace.

A tank battery site will be set at the proposed location site. This battery will be used to contain production from this well. If in the event this battery can not be improvised, a flowline will be built which will extend to an existing well in the area.

The area will be built if possible, with native materials and if these materials are not available then the necessary arrangements will be made to get them from private sources. These facilities will be constructed using bulldozers, graders and workman crews to construct and place the proposed facilities. If there is any deviation from the above, all appropriate agencies will be notified. Rehabilitation of disturbed areas no longer needed for operation after construction is completed will meet the requirements of Item #10.

### 5. LOCATION AND TYPE OF WATER SUPPLY

See Topographic Map "B".

At the present time, it is anticipated that the water for this well will be hauled by truck over the existing roads and the proposed access road approximately 14.1 miles from the Duchesne River at a point where it crosses under U.S. Highway 40.

In the event that this source is not used, an alternate source will be used and all necessary arrangements will be made with the proper authorities.

There will be no water well drilled at this location site.

6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location site and access road shall be borrow material accumulated during construction of the location site and access road. No pit lining material from other sources are anticipated at this time, but if they are required, the appropriate actions will be taken to acquire them from private sources.

7. METHODS OF HANDLING WASTE DISPOSAL

See Location Layout Sheet.

A reserve pit will be constructed.

The reserve pit will vary in size and depth according to the water table at the time of drilling.

One half of the reserve pit will be used as a fresh water storage area during the drilling of this well and the other one half will be used to store non-flammable materials such as cuttings, salts, drilling fluids, chemicals and produced fluids, etc.

If deemed necessary by the agencies concerned to prevent contamination to surrounding areas, the reserve pits will be lined with a gel.

The pits will have wire and overhead flagging installed if deemed necessary to protect the water fowl, wildlife, and domestic animals.

At the onset of drilling, the reserve pit will be fenced on three sides and at the time drilling activities are completed, it will be fenced on the fourth side and allowed to dry completely prior to the time that backfilling and other reclamation activities are attempted.

When the reserve pit dries and reclamation activities commence, the pits will be covered with a minimum of four feet of soil and all requirements in Item #10 will be followed.

A portable chemical toilet will be provided for human waste.

8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

9. WELL SITE LAYOUT

See attached Location Layout Sheet.

The B.L.M. District Manager shall be notified before any construction begins on the proposed location site .

As mentioned in Item #7, the pits will be unlined unless it is determined by the representatives of the agencies involved that the materials are too porous and would cause contamination to the surrounding area; then the pits will be lined with a gel and any other type of material necessary to make it safe and tight.

When drilling activities commence, all work shall proceed in a neat and orderly sequence.

#### 10. PLANS FOR RESTORATION OF SURFACE

As there is some topsoil on the location site, all topsoil shall be stripped and stockpiled. (See location layout sheet and Item #9). When all drilling and production activities have been completed, the location site and access road will be reshaped to the the original contour and stockpiled topsoil spread over the disturbed area.

Any drainages re-routed during construction activities shall be restored to their original line of flow as near as possible. Fences around pits are to be removed upon completion of drilling activities and all waste being contained in the trash basket shall be hauled to the nearest Sanitary Landfill.

Restoration activities shall begin within 90 days after completion of the well. Once restoration activities have begun, they shall be completed within 30 days.

When restoration activities have been completed, the location site and access ramp shall be reseeded with a seed mixture recommended by the B.L.M. Representative when the moisture content of the soil is adequate for germination. The Lessee further covenants and agrees that all of said clean-up and restoration activities shall be done and performed in a diligent and most workmanlike manner and in strict conformity with the above mentioned Items #7 and #10.

#### 11. OTHER INFORMATION

##### The Topography of the General Area - (See Topographic Map "A").

The area is a large basin formed by the Uinta Mountains to the North and the Book Cliff Mountains to the South. The Green River is located approximately 16 miles to the Southeast of the location site.

The basin floor is interlaced with numerous canyons and ridges formed by the non-perennial streams of the area. The sides of these canyons are steep and ledges formed in sandstone ledges, conglomerate deposits, and shale are common in this area.

The geologic structures of the area that visible are of the Uinta formation (Eocene Epoch) Tertiary Period in the upper elevations and the cobblestone and younger alluvial deposits from the Quaternary Period.

LOMAX EXPLORATION  
Federal #3-1  
Section 1, T9S, R16E, S.L.B. & M.

Outcrops of sandstone ledges, conglomerate deposits and shale are common in this area.

The topsoils in the area range from a light brownish-gray sandy clay (SM-ML) type soil with poorly graded gravels to a clayey (OL) soil.

The majority of the numerous washes and draws in the area are of non-perennial nature flowing during the early spring run-off and heavy rain storms of long duration which are rare as the normal annual rainfall in the area is only 8".

Due to the low precipitation average, climatic conditions and the marginal types of soils, the vegetation that is found in the area are common of the semi-arid regions and consists of areas of sagebrush, rabbitbrush some grasses and cacti as the primary flora. This is also true of the lower elevations.

The fauna of the area is sparse and consists predominantly of the mule deer, pronghorn antelope, coyotes, rabbits, and varieties of small ground squirrels and other types of rodents. The area is used by man for the primary purpose of grazing domestic sheep and cattle.

The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

The Topography of the Immediate Area - (See Topographic Map "B").

Federal #3-1 is located approximately 3500' North of Castle Peak Draw a non-perennial drainage which runs to the North & East.

The terrain in the vicinity of the location slopes from the Northwest through the location site to the Southeast at approximately 6.8% grade.

The vegetation in the immediate area surrounding the location site consists of grasses and sparse amounts of sagebrush.

There are no occupied dwellings or other facilities of this nature in the general area.

There are no visible archaeological, historical or cultural sites within any reasonable proximity of the proposed location site. (See Topographic Map "B").

12. LESSEE'S OR OPERATOR'S REPRESENTATIVE

Jack Pruitt  
LOMAX EXPLORATION  
333 North Belt East, Ste. 880  
Houston, TX 77060

1-713-931-9276



LOMAX EXPLORATION  
Federal #3-1  
Section 1, T9S, R16E, S.L.B.& M.

13. CERTIFICATION

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with the operation proposed herein will be performed by LOMAX EXPLORATION and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

8/28/81  
Date

Jack Pruitt  
Jack Pruitt




LOMAX EXPLORATION CO.  
FEDERAL #3-1  
PROPOSED LOCATION

TOPO. MAP "A"



SCALE - 1" = 4 Mi.



# LOMAX EXPLORATION



FEDERAL # 3-1



SCALE 1" = 50'


SMALL DRAINAGE

CROSS SECTIONS




TOP SOIL STOCK PILE

ROCK LEDGE




Light Brown Sandy Clay




APPROXIMATE YARDAGES

Cubic Yards of Cut - 7941  
 Cubic Yards of Fill - 861




LOMAX EXPLORATION CO.  
FEDERAL #3-1  
PROPOSED LOCATION



SCALE - 1" = 2000'

ROAD CLASSIFICATION  
Heavy-duty ——— Light-duty - - - - -  
Medium-duty ——— Unimproved dirt ·····

U.S. Route □ State Route ○



PROPOSED LOCATION  
FEDERAL #3-1

PROPOSED ACCESS ROAD

2.9 MILES

0.7 MI

1.1 MILES

RR.  
16 E  
17 E

T85  
T85

8 MILES

23

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

\*\* FILE NOTATIONS \*\*

DATE: Sept. 29, 1981  
OPERATOR: Lomas Exploration co.  
WELL NO: Federal # 3-1  
Location: Sec. 1 T. 9S R. 16E County: Duchesne

File Prepared:  Entered on N.I.D:   
Card Indexed:  Completion Sheet:

API Number 43-013-30607

CHECKED BY:

Petroleum Engineer: M.J. Minder 10-2-81

Director: \_\_\_\_\_

Administrative Aide: As per Rule C-3,

APPROVAL LETTER:

Bond Required:  Survey Plat Required:

Order No. \_\_\_\_\_ O.K. Rule C-3

Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site

Lease Designation Fed. Plotted on Map

Approval Letter Written

Hot Line  P.I.

October 2, 1981

Lomax Exploration Company  
333 N. Belt East, Suite #880  
Houston, Texas 77060

RE: Well No. Federal #3-1,  
Sec. 1, T. 9S, R. 16E,  
Duchesne County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer  
Office: 533-5771  
Home: 876-3001


Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-013-30607.

Sincerely,

DIVISION OF OIL, GAS AND MINING

  
Michael T. Minder  
Petroleum Engineer

MTM/db  
CC: USGS



STATE OF UTAH  
NATURAL RESOURCES & ENERGY  
Oil, Gas & Mining

Scott M. Matheson, Governor  
Temple A. Reynolds, Executive Director  
Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

March 10, 1983

Lomax Exploration Company  
P. O. Box 4503  
Houston, Texas 77210

Re: See attached list of wells

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a firm second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

DIVISION OF OIL, GAS AND MINING

Cari Furse  
Well Records Specialist

CF/cf

Well No. State # 15-32  
Sec. 32, T. 8S, R. 17E.  
Duchesne County, Utah

Well No. Federal # 3-1  
Sec. 1, T. 9S, R. 16E.  
Duchesne County, Utah

Well No. Federal # 4-1  
Sec. 1, T. 9S, R. 16E.  
Duchesne County, Utah

Well No. Federal # 9-23  
Sec. 23, T. 9S, R. 16E.  
Duchesne County, Utah

March 16, 1983

Ms. Cari Furse  
State of Utah  
Division of Oil and Gas  
4241 State Office Building  
Salt Lake City, Utah 84114

State #15-32  
Federal #3-1  
Federal #4-1  
Federal #9-23

Dear Ms. Furse:

This letter is in response to your letter dated March 10, 1983 concerning our plans for the subject wells. We plan to drill wells #3-1, #4-1 and #15-32 some time in the future. Federal #9-23 was spud on March 15, 1983 (Sundry Notice enclosed).

Please sign copy of letter enclosed and return in envelope provided to acknowledge receipt of this letter.

If you need additional information, please advise.

Very truly yours,



Paul Curry  
Engineering Assistant

PC/mt  
Enclosures

3-22-83  
Date

Cari Furse  
Signed



STATE OF UTAH  
NATURAL RESOURCES  
Oil, Gas & Mining

Scott M. Matheson, Governor  
Temple A. Reynolds, Executive Director  
Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 5, 1983

Lomax Exploration Company  
P.O. Box 4503  
Houston, Texas 77210-4503

Re: See Attached Well Sheet

Gentlemen:

In reference to the above mentioned wells, considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill these wells, please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan to drill these locations at a later date, please notify as such.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

A handwritten signature in cursive script that reads "Claudia Jones".

Claudia Jones  
Well Records Specialist

CJ/cj

Well No. Ute Tribal #11-13  
NE SW Sec. 13, T. 4S, R. 3W.  
1940' FSL, 1980' FWL  
Duchesne County, Utah

Well No. Ute Tribal 1-25  
NE NE Sec. 25, T. 4S, R. 3W.  
661' FNL, 659' FEL  
Duchesne County, Utah

Well No. Federal #13-35  
SW SW Sec. 35, T. 8S, R. 16E.  
640' FSL, 592' FWL  
Duchesne County, Utah

Well No. State #15-36  
SW SE Sec. 36, T. 8S, R. 16E.  
793' FSL, 2133' FEL  
Duchesne County, Utah

Well No. State #15-32  
SW SE Sec. 32, T. 8S, R. 17E.  
800' FSL, 2397' FEL  
Duchesne County, Utah

Well No. Federal #3-1  
SW NE Sec. 1, T. 9S, R. 16E.  
1892' FNL, 1898' FEL  
Duchesne County, Utah

Well No. Federal #4-1  
SW NW Sec. 1, T. 9S, R. 16E.  
1984' FNL, 666' FWL  
Duchesne County, Utah

Well No. State #1A-2  
NE NE Sec. 2, T. 9S, R. 16E.  
646' FNL, 637' FEL  
Duchesne County, Utah

Well No. Federal #1-23  
NE NE Sec. 23, T. 9S, R. 16E.  
638' FNL, 630' FEL  
Duchesne County, Utah

December 22, 198~~4~~<sup>3</sup>

RECEIVED  
DEC 27 1983

DIVISION OF  
OIL, GAS & MINING

State of Utah  
Division of Oil and Gas  
4241 State Office Building  
Salt Lake City, Utah 84114

Attention: Ms. Claudia Jones


Permits to Drill

Gentlemen:

Please reference your letter dated December 5, 1983 concerning well permits for eight wells which have not been spudded. The Ute Tribal #1-25 and Federal #13-35 are scheduled in our immediate drilling plans. We intend to drill several of the other listed wells during 1984 and would therefore like to maintain an approved permit to drill.

Please let me know if this presents a problem.

Very truly yours,



G.L. Pruitt  
V.P. Drilling & Production

GLP/mt

333 North Belt East • Suite 880 • Houston, Texas 77060 • 713/931-9276  
Mailing Address: P.O. Box 4503 • Houston, Texas 77210-4503

District Office: 248 North Union • Roosevelt, Utah 84066  
Mailing Address: P.O. Box 1446 • Roosevelt, Utah 84066



STATE OF UTAH  
NATURAL RESOURCES  
Oil, Gas & Mining

Scott M. Matheson, Governor  
Temple A. Reynolds, Executive Director  
Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 29, 1983

Lomax Exploration Company  
P.O. Box 4503  
Houston, TX 77210

Attention: G.L. Pruitt

RE: Well No. Federal #3-1  
API #43-013-30607  
1892' FNL, 1898' FEL SW NE  
Sec. 1, T. 9S, R. 16E.  
Duchesne County, Utah

Gentlemen:

Due to excessive time delay in commencing drilling operations, approval to drill the subject well is hereby rescinded effective one calendar month from the date of this notice.

A new Application for Permit to Drill must be filed with this office for approval, prior to future drilling of the subject location.

Respectfully,

A handwritten signature in cursive script, appearing to read "Norman C. Stout".

Norman C. Stout  
Administrative Assistant

NCS/cj



# United States Department of the Interior

BUREAU OF LAND MANAGEMENT  
VERNAL DISTRICT OFFICE  
170 South 500 East  
Vernal, Utah 84078

IN REPLY  
REFER TO:

3100  
U-810

April 3, 1984

Lomax Exploration Company  
P.O. Box 4503  
Houston, TX 77210-4503

Re: Rescind Application for Permit to Drill  
Well No. Federal 3-1  
Section 1, T9S, R16E  
Duchesne County, Utah  
Lease U-33992

Gentlemen:

The Application for Permit to Drill the referenced well was approved on October 21, 1982. Since that date, no known activity has transpired at the approved location. Under current District policy, applications for permit to drill are effective for a period of one year. In view of the foregoing, this office is rescinding the approval of the referenced application without prejudice. If you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,

Lloyd H Ferguson  
District Manager

cc: Well File  
State O & G  
SMA