

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT **DUPLICATE\***  
(Other instructions on reverse side)

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work  
 DRILL  DEEPEN  PLUG BACK

b. Type of Well  
 Oil Well  Gas Well  Other   
 Single Zone  Multiple Zone

2. Name of Operator  
 Coors Energy Company (303) 278-7030

3. Address of Operator  
 PO Box 467, Golden, Colorado 80402

4. Location of Well (Report location clearly and in accordance with any State requirements.)\*  
 At surface 1980' FEL, 1980' FNL, Sec. 30, SW/4NE/4  
 At proposed prod. zone same

14. Distance in miles and direction from nearest town or post office\*  
 10 1/2 miles south of Bridgeland

15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drlg. line, if any) 1980'  
 16. No. of acres in lease 640

18. Distance from proposed location to nearest well, drilling, completed, or applied for, on this lease, ft. none  
 19. Proposed depth 6610'

21. Elevations (Show whether DF, RT, GR, etc.)  
 6600' GL surveyed

5. Lease Designation and Serial No.  
 14-20-H62-3519  
 6. If Indian, Allottee or Tribe Name  
 Ute Tribe  
 7. Unit Agreement Name  
 -----  
 8. Farm or Lease Name  
 Ute Tribal  
 9. Well No.  
 1-30  
 10. Field and Pool, or Wildcat  
 Wildcat ANTELOPE CREEK  
 11. Sec., T., R., M., or Blk. and Survey or Area  
 Sec. 30, T5S-R3W

12. County or Parrish Duchesne  
 13. State Utah

23. PROPOSED CASING AND CEMENTING PROGRAM


Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12-1/4"	8-5/8"	24.00#	400'	300 sks.
7-7/8"	5-1/2"	15.50#	6610'	1200 sks.

- This well will be spudded in the Uintah formation.
- Estimated formation tops: 1450' Green River and 6610' TD.
- Water zones are possible throughout the Green River formation as well as gas and or oil. No aquifers or other mineral zones are anticipated.
- Attached is a diagram of the pressure control device to be used on this well.
- The proposed circulating medium will be 3% KCL water or a low-solids non-dispersed mud. Mud weights in excess of 10#/gal are not anticipated.
- Auxiliary equipment: float will be run in the drill string. A full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used.
- No coring is planned, drill stem tests may be run in potential pay zones. Logs to be run will be: Dual Induction Laterlog & Compensated Neutron Formation Density log.
- No abnormal temperatures, pressures, or potential hazards are expected.
- Anticipated starting date: April, 1984; duration of drilling operations: 30 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. [Signature]  
 Signed: R. L. Martin Title: V.P. Oil/Gas Operations Date: 11-1-73  
 (This space for Federal or State office use)

Permit No. \_\_\_\_\_ Approval Date \_\_\_\_\_  
 Approved by \_\_\_\_\_ Title \_\_\_\_\_  
 Conditions of approval, if any: \_\_\_\_\_




T 5 S , R 3 W , U.S.B. & M.

PROJECT  
COORS ENERGY CO.

Well location, UTE TRIBAL  
# 1-30, located as shown  
in the SW 1/4 NE 1/4 Section 30,  
T 5 S, R 3 W, U.S.B. & M.  
Duchesne County, Utah.

EXHIBIT "A"



RECEIVED  
NOV 1 1983  
DIVISION OF  
OIL, GAS & MINING



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM  
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY  
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE  
BEST OF MY KNOWLEDGE AND BELIEF.

*Robert J. ...*

REGISTERED LAND SURVEYOR  
REGISTRATION NO 2454  
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING  
P.O. BOX Q - 85 SOUTH - 200 EAST  
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	9/21/83
PARTY	DA RT RP	REFERENCES	GLO Plat
WEATHER	Fair	FILE	COORS

X = Section Corners Located

COONS ENTERPRISE CO.

UTE TRIBAL # 1-30






EXHIBIT "B"

Scales  
1" = 50'

APPROXIMATE YARDAGES

Cubic Yards Cut	= 19714
Cubic Yards Fill	= 2,861
Losses at 20%	= 572
<b>UNBALANCE OF 16281 CU YDS CUT</b>	

COORS ENERGY CO.

UTE TRIBAL #1-30

PROPOSED LOCATION

TOPO.

MAP "A"

SCALE 1" = 4 MI.

**ROOSEVELT**

17.3





EXHIBIT "C"



U.S. HWY 40 - 6.2 MI  
ROOSEVELT - 23.5 MI


T4S  
T5S

1.3 MI

1.3 MI

4.1 MILES

R  
4  
W  
R  
3  
W



R  
4  
W

R  
3  
W

4.1 MILES

COORS ENERGY CO.

LTE TRIBAL #1-30

PROPOSED LOCATION

TOPO.

MAP "B"


SCALE 1" = 2000'

ROAD CLASSIFICATION

Light duty road, all weather, Improved surface: =====  
Unimproved road fair or dry weather: =====



QUADRANGLE LOCATION



PER \_\_\_\_\_  
NOS \_\_\_\_\_ ✓  
APD \_\_\_\_\_  
COMPANY COORS Energy  
WELL 1-30  
SECTION 30 T 55 R 3W  
LEASE 14-20 H62-3519  
ONSITE DATE 9-28-83

ADDITIONS TO THE MULTIPOINT  
SURFACE USE PLAN  
RECLAMATION PROCEDURES

GENERAL

1. Trespass permits shall be obtained and carried with individual on tribal lands at all times.
2. All operators, subcontractors, vendors, and their employees or agents shall not carry firearms or other weapons.
3. No prospecting will be allowed on tribal lands.
4. No alcoholic beverages or drugs shall be permitted while working on the reservation.
5. A cultural resource clearance is required before any construction begins. The clearance (has/has not) been done. Clearance (has/has not) been granted by Grand River Consultants

6. A wood permit will be obtained from the Forestry Department of the BIA before any firewood is removed.

CONSTRUCTION

1. Construction and maintenance of roads, rehabilitation of disturbed areas and construction of pipeline routes shall be in accordance with the surface use standards as set forth in the booklet, "Surface Operating Standards for Oil and Gas Exploration and Development."
2. The maximum width of access roads will be 30 feet total disturbed area.

3. All operators, subcontractors, vendors, and their employees or agents are confined to establish roads and well sites.
4. All trees four inches or greater in diameter shall be cut and bucked into four foot lengths and neatly stacked adjacent to the access road or drill pad. All trees less than four inches in diameter will be cut and trampled by the heavy equipment.
5. All operators, subcontractors, vendors, and their employees or agents may not gather firewood without a duly granted wood permit.
6. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. The following information is required: The approximate amount of water or materials needed, the location and ownership of the water rights or materials to be used.
7. All artifacts found on tribal lands shall be left in place and the BIA promptly notified.
8. Production water will be disposed of a approved disposal pits or injection wells. The injection well or disposal pit used will be identified by legal description.
9. It is the policy of the BIA to make rights-of-ways available, without cost, to operators when both mineral rights and surface rights are owned by the Ute Indian Tribe. If the surface rights are owned by the Tribe and the mineral rights are owned by another entity, the right-of-way will be approved and charges will be assessed for damages prior to the time the operator begins any construction activities. If the surface is owned by the Ute Indian Tribe, rights-of-ways must be cleared with the other entity.
10. Trash, litter, construction materials, etc., will not be littered along roadways or drilling sites. The operator will initiate a procedure to keep the sites free from litter and keep them groomed in a neat and professional condition.
11. The operator will submit a plan for controlling noxious weeds along rights-of-ways for roads, pipelines, well sites, and other applicable facilities. A list of noxious weeds can be obtained from the appropriate county.
12. Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons and saline minerals in the Mahogany Zone of the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale and saline minerals resources. Surface casing program may require adjustment for protection of fresh water aquifers. (See attached tentative casing and cementing program for the Uintah Basin).
13. Burning will not be allowed. All trash must be hauled to the nearest sanitary landfill.

(Submit in Triplicate)

SUPERVISOR, OIL AND GAS OPERATIONS:

**DESIGNATION OF OPERATOR**

Indian Affairs

The undersigned is, on the records of the Bureau of ~~Land Management~~ ~~XXXXXX~~ holder of oil and gas leaseDISTRICT LAND OFFICE: Ute Indian Tribe and The Ute Distribution Corporation  
SERIAL NO.: 14-20-H62-3519

and hereby designates

NAME: Coors Energy Company  
ADDRESS: P. O. Box 467, Golden, Colorado 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.M.  
Section 30: NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.



W. R. Wimbish (Signature of lessee) Attorney-in-Fact  
Gulf Oil Corporation  
P. O. Box 2619  
Casper, WY 82602

September 26, 1983

(Date)

(Address)

EXHIBIT "L"

(Submit in Triplicate)

SUPERVISOR, OIL AND GAS OPERATIONS:

**DESIGNATION OF OPERATOR**

Indian Affairs

The undersigned is, on the records of the Bureau of ~~Land Management~~ ~~XXXXXXXXXX~~ holder of oil and gas leaseDISTRICT LAND OFFICE: Ute Indian Tribe and The Ute Distribution Corporation  
SERIAL NO.: 14-20-H62-3519

and hereby designates

NAME: Coors Energy Company  
ADDRESS: P. O. Box 467, Golden, Colorado 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.M.  
Section 30: NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

W. R. Wimbish (Signature of lessee) Attorney-in-Fact  
Gulf Oil Corporation  
P. O. Box 2619  
Casper, WY 82602

September 26, 1983

(Date)

(Address)



UTE Energy & Minerals  
P.O. Box 190  
Fort Duchesne, Utah 84426

(801) 722-8141 x219

NOTICE

TO: All Well Operators, Lessees, Subcontractors, Vendors, and Affiliated Agents and Employees Thereof

When entering the Ute Reservation, the entering individual is coming into a sovereign nation separate and distinct from the State of Utah. As such, there are special requirements which must be complied with when traversing or operating on Ute Indian Lands.

1. Trespass permits shall be obtained and carried with individual on tribal lands at all times.
2. All operators, subcontractors, vendors, and their employees or agents shall not carry firearms or other weapons.
3. All operators, subcontractors, vendors, and their employees or agents are confined to established roads and well sites. All litter must be removed from Ute Lands.
4. All operators, subcontractors, vendors, and their employees or agents may not gather firewood on Indian lands. Absent a duly granted "wood permit," such gathering is a criminal offense punishable in Federal court.
5. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Required information for permits includes: a) the approximate amount of water or materials needed; b) the location and ownership of the water rights or materials to be used and; c) the approximate amount of water or materials to be used.
- 6) All artifacts found while on Tribal lands shall be left in place and the Tribe promptly notified of the find.
- 7) No prospecting will be allowed on Tribal lands.
- 8) No alcoholic beverages or drugs shall be permitted while working on the Reservation.

E X H I B I T "M"

14. The top 6-10 inches of topsoil will be removed and stockpiled On  
The North Edge of The location.
15. The reserve pit (will/will not) be lined with native clay, commercial bentonite, or plastic sufficient to prevent seepage.
16. Reserve pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire.
17. The operator or his contractor will contact the BIA and the Vernal District BLM, Diamond Mountain Resource Area, 48 hours prior to beginning any work on Tribal land.
18. The dirt contractor will be furnished with an approved copy of the surface use plan and any additional BLM or BIA stipulations prior to any work.
19. no surface activity will ~~be~~ take place from Jan 1 to April 15<sup>th</sup> to protect a winter deer Range.
20. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
21. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

REHABILITATION

1. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be hauled to a local sanitary landfill.
2. The operator or his contractor will contact the BIA and Vernal BLM, Diamond Mountain Resource Area, 48 hours prior to starting rehabilitation work that involves earth moving equipment and upon completion of restoration measures.
3. Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all trash (cans, barrels, pipe, etc.) must be removed.

4. All disturbed areas must be recontoured to the approximate natural contours.
5. The stockpiled topsoil will be evenly distributed over the disturbed area.
6. Prior to reseeding, all disturbed areas, including the access road, will be scarified and left with a rough surface.
7. Seed will be broadcast or drilled at a time specified by the BLM. If broadcast, a harrow or some such implement will be dragged over the seeded area to assure seed coverage. Seeding mixtures will be specified by the BIA.
8. The access will be blocked to prevent any vehicle use.
9. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

PRODUCTION

1. The reserve pit and that portion of the location and access road not needed for production or production facilities will be reclaimed within 90 days after completion with the methods described in the rehabilitation section. Stockpiled topsoil will be used in reclaiming the unused areas.
2. All permanent (on site for six (6) months duration or longer) structures constructed or installed, including the pumpjack, shall be painted a flat, non-reflective, earthtone color to match the standard environmental colors Rocky Mountain 5 State Interagency Committee. All facilities shall be painted within six months of when the production facilities are put in place. Facilities that are required to comply with O.S.H.A. (Occupational Safety and Health Act) are excluded.
3. Tank batteries will be placed on the NE Corner of the  
Location
4. A bench mark will be established near each well site in location where it will not be destroyed. The bench mark will be set in concrete with a brass cap. The brass cap will show the well number and elevation to the nearest one-tenth of a foot. The cuts/fills for the well site will also show elevations in relation to the bench mark.

5. First Education Report will  
be in the Blair Annual to address  
Conditions of Adult Soc. Security.

6. \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NELSON J. MARSHALL  
Phone 789-0272

GENE STEWART  
Phone 789-1795

LAWRENCE C. KAY  
Phone 789-1125

OFFICE LOCATION  
85 SOUTH 200 EAST

PHONE 789-1017

# Uintah Engineering & Land Surveying

P.O. BOX Q  
VERNAL, UTAH 84078



September 23, 1983

COORS ENERGY, UTE TRIBAL 1-30

Access to Coors-Ute Tribal 1-30 begins at the City of Roosevelt, Utah, and proceed along the following roads with approximate mileages as indicated:

Proceed Westerly out of Roosevelt, Utah on U.S. Highway 40; proceed along said Highway 17.3 miles to the Junction of this Highway and an existing improved dirt road to the South(County Road); proceed South along said improved County Road 6.2 miles down what is known as Antelope Canyon; to the Junction of this road and an existing unimproved dirt road to the Southeast; proceed Southeasterly along this road 1.3 miles to it's Junction with an existing unimproved dirt road to the East; proceed Easterly along said road 1.3 miles to it's Junction with an existing unimproved dirt road to the Southwest; proceed Southwesterly along said road 4.1 miles to the Junction of this road and the proposed access road to the Southwest. The proposed access road will be approximately 150' long. This proposed access road will be an 18' crowned road (9' either side of the centerline) with a drain ditch on the uphill side of the road which will handle any run off from normal Meteorological conditions that are prevalent to the area. It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence. Back slopes along the cut areas of the road will be 1 1/2 to 1 slopes and terraced. There are no fences encountered along the proposed access road.

EXHIBIT "E"




EXHIBIT "F"




EXHIBIT "G"

6-8

- 3W - 29

US

43-013-30763

107

Info: 8/9/83

008-06 6003-  
000 gal 15x  
10,000 gal  
P. sd

83 flowing

UTAH  
DUCHE SNE ( W )  
WILDCAT

**HOTLINE**  
ENERGY REPORTS  
HISTORICAL DATA  
Copyright 1981  
Location

6-9

45S - 3W - 33

nm nm US

API# 43-013-30806

NO 131007

Last Info: 8/9/83

Oper: COORS ENERGY CORP.

Well: UTE TRIBAL 1-33

ML: 8/9/83

Loc: 723 ft 802 ft EL: 6564 GR  
P. Feet: 6490 Green River

UTAH  
DUCHE SNE ( W )  
WILDCAT

Oper: LOWRY EXPLOR

Well: B.C. UTE TRIB

ML: 9/12/83

Loc: 777 ft 640 ft  
P. Feet: 6000 Green R

MULTIPOINT SURFACE USE PLAN  
COORS ENERGY COMPANY  
UTE TRIBAL 1-30  
Section 30, T5S-R3W, SW/4NE/4  
DUCHESNE COUNTY, UTAH

Coors Energy Company will assure that this APD will be posted in the doghouse of the drilling rig during the drilling of this well. Also, a sign will be posted at the entrance to the location with the name of the well, operator and location description. We will notify the BLM in Vernal, Utah 48 hours prior to beginning any work on this land. Prior to starting surface construction operations, the dirt contractor shall have a completed approved copy of this APD.

1. EXISTING ROADS - See Exhibits C, D, E & F

Access to Coors Ute Tribal 1-30 begins at the City of Roosevelt, Utah, and proceeds along the following roads with approximate mileages as indicated:

Proceed Westerly out of Roosevelt, Utah on U.S. Highway 40; proceed along said Highway 17.3 miles to the Junction of this Highway and an existing improved dirt road to the South (County Road); proceed South along said improved County road 6.2 miles down what is known as Antelope Canyon; to the Junction of this road and an existing unimproved dirt road to the Southeast; proceed Southeasterly along this road 1.3 miles to it's Junction with an existing unimproved dirt road to the East; proceed Easterly along said road 1.3 miles to it's Junction with an existing unimproved dirt road to the Southwest; proceed Southwesterly along said road 4.1 miles to the Junction of this road and the proposed access road to the Southwest.

Road maintenance from the Antelope Canyon main road to the well will be provided by a Coors Energy Company subcontractor. Maintenance will consist of periodic grading and repairs to the surface. During summer months, a watering program will be used to control dust. Rain and other inclement weather may require repairs to turnouts, waterbars, etc.

Materials for upgrading the existing road will come from the immediate area of road improvement work.

Upgraded existing roads will be constructed with an 18' road surface with bar ditches and water bars where required. Not over 30' will be cleared to upgrade any existing roads.

2. PLANNED ACCESS ROAD - See Exhibits C, D, E & F

The proposed access road will be approximately 150' long. This proposed access road will be an 18' crowned road (9' either side of the centerline) with a drain ditch on the uphill side of the road which will handle any run off from normal Meteorological conditions that are prevalent to the area. It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence. Back slopes along the cut areas of the road will be 1½ to 1 slopes and terraced where cuts are needed. There are no fences encountered along the proposed access road. Not over 30' will be cleared for new access roads.

2. PLANNED ACCESS ROAD, Continued

Any trees cut during construction of the access road or wellpad which have a diameter exceeding 4", will be cut into 4' lengths and stacked along the road right of way. Any brush or trees less than 4" in diameter will be scattered off road right of way and located in an orderly fashion as ground cover. No firewood gathering will be allowed without a duly granted wood permit.

3. LOCATION OF EXISTING WELLS - See Exhibit G

Within a 2-mile radius of this proposed well, there are three drilling wells:

Ute Tribal 1-19  
Section 19, T5S-R3W  
Coors Energy Company

Ute Tribal 1-28  
Section 28, T5S-R3W  
Coors Energy Company

Ute Tribal 1-33  
Sec. 33, T5S-R3W  
Coors Energy Company

There are two dry holes:

Ute 1-184-1  
Section 14, T5S-R4W  
Sinclair Oil/Gas Company

Pinon 1-5  
Section 5, T4S-R3W  
Shamrock Oil/Gas Company

There are two producing wells:

Ute Tribal 1-20  
Section 20, T5S-R3W  
Coors Energy Company

Ute Tribal 1-29  
Section 29, T5S-R3W  
Coors Energy Company

With the exception of the above mentioned wells, there are no:

- a) known water wells
- b) temporarily abandoned wells
- c) disposal wells
- d) injection wells
- e) monitoring or observation wells
- f) shut in wells

A field survey was made by Uintah Engineering and Land Surveying for Coors Energy and no water wells were found within a 2-mile radius.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES - See Exhibit B, B1

Coors Energy Company's facilities in this area will consist of a pump jack, two 400-bbl. tanks and a separator facility with a waste water disposal pit, See Exhibit B1. Approval of production facilities is desired with APD approval for the Ute Tribal 1-30. All production facilities will be located on the northeast side on the well pad and will be painted in earth colors such as Desert Tan within 6 months of when they are put in place. If the production facilities are among trees, they will be painted Juniper Green.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES, Continued

Coors Energy Company contacted Mr. Dale Workman at the Utah State University Extension Office at (801-738-2080) regarding weed control on the wellsite and along access roads. We were informed that the following weeds are prevalent to this area: Nap Weed, White Top, Quack Grass, Canadian Thistle, Musk Thistle, Leafy Spury, Russian Olive Tree and Morning Glory. We will follow their recommended procedure and spray with the suggested chemicals to control noxious weeds in these areas.

For drilling operations, a survey map (Exhibit B) showing rig layout is attached. All necessary surface equipment will be spotted on the 265' x 375' wellsite pad.

All garbage and trash will be placed in a trash cage and hauled to an appropriate disposal site. No burning of any trash will occur at the location. Any disturbed area not required for producing operations will be restored according to Minerals Management Service instructions. The production facilities will create no additional surface disturbances. The drilling waste pit will be fenced on three sides with 36" woven sheep wire with two strands of barbed wire on top of the sheep wire. Upon completion of the drilling operations, the fourth side will be fenced. The reserve pit will be lined with clay or plastic to prevent seepage.

Trash, litter and construction materials will not be littered along road ways or drilling sites.

5. LOCATION AND TYPE OF WATER SUPPLY - See Exhibit I

We have a permit to use unappropriated water from the Duchesne River in Duchesne County approximately 3/4 miles east of Duchesne. The water will be hauled by water trucks to this location. See Permit on Exhibit "I".

6. SOURCE OF CONSTRUCTION MATERIALS - See Exhibit B

The top 6" of topsoil will be removed from the well pad and stored on the north end of the location as shown on Exhibit "B". Fill materials needed to construct the location will be derived locally from cuts needed to build the well pad. Any artifacts found on Tribal lands will be left in place and the BIA promptly notified.

7. METHODS FOR HANDLING WASTE DISPOSAL

A mud reserve pit will be constructed for containment of drill cuttings as well as all drilling fluids and produced fluids. Produced waste fluids will be contained in a pit constructed in a chemical-type toilet. All trash and garbage will be placed in a trash cage and hauled from the location to an appropriate disposal site. The pit will be fenced as per statements in Section 4.

7. METHODS FOR HANDLING WASTE DISPOSAL, Continued

During production operations, all produced waters will be disposed of according to NTL-2B stipulations.

The reserve pit will be allowed to dry and then back-filled and the area restored according to BLM requirements upon completion of the well.

8. ANCILLARY FACILITIES

None will be required.

9. WELL SITE LAYOUT - See Exhibit B

Attached is a diagram showing the proposed wellsite layout.

10. PLANS FOR RESTORATION OF SURFACE - See Exhibit B

Surface vegetation scraped off during drill site preparation will be removed and stock-piled prior to topsoil removal. Upon abandonment, vegetation will be redistributed as a mulching agent over the well site. The top 6" of topsoil will be stock-piled on the north side of the well site as shown on Exhibit "B".

The reserve pit and that part of the location not needed for production operations will be reclaimed within 90 days after completion of the well.

The original surface will be reconstructed as close as possible upon abandonment. The stock-piled topsoil will be spread over the area. Any solid waste material present prior to abandonment will be removed from the location. Any oil or deleterious liquids will be removed by a pump truck to an approved disposal area.

Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all trash will be removed. The access road will also be blocked during restoration. Prior to reseeding, all disturbed areas, including the access road will be scarified and left with a rough surface. The reserve pit and that part of the location not needed for production will be reclaimed in the same manner outlined in this section. The rehabilitated access road will be blocked to prevent any vehicle use.

The topsoil will be tested to determine if fertilizer is needed to re-establish vegetation. After spreading the stock-piled topsoil, the following seed mixture will be used for reseeding:

Smooth brome (Manchar)	5 lbs pure live seed/acre
Orchard grass	5 lbs pure live seed/acre
Timothy	5 lbs pure live seed/acre
Intermediate wheatgrass	5 lbs pure live seed/acre
Alsike clover	1 lb pure live seed/acre

10. PLANS FOR RESTORATION OF SURFACE, Continued

This mixture will be drilled to a depth of one-half inch and planted between September 15 and November 15. This seeding program will be modified as per BLM instruction at the time of site restoration.

If any cultural resources are found during construction, all work will stop and the BLM will be notified. Coors will notify the BIA 48 hours prior to starting the rehabilitation process.

11. OTHER INFORMATION, See Exhibits H, J, L, M & N

The Ute Tribal 1-30 is located approximately 10½ miles south of Bridgeland, Utah on the Uintah and Ouray Indian Reservation. The area is covered with native sagebrush. No wildlife was observed on the location.

There are no occupied dwellings within approximately two (2) miles of the well site. An archaeological report is attached, (See Exhibit "J"). There were six flakes found as cultural resources, however, this was considered ineligible for inclusion in the National Register of Historic Places and is considered an "isolated find". Since this well is on the Uintah and Ouray Indian Reservation, Coors will work closely with Ute Tribal representatives to ensure all Tribal requirements for drilling and production operations of this well are followed.

It is Coors Energy Company's policy that no Coors' employees nor subcontractors carry firearms on access roads nor onto the location during drilling or well completion operations of this well. No alcoholic beverages or drugs will be permitted on Coors' operations on Indian lands. No prospecting will be allowed on Coors' operations.

Attached is a copy of the Designation of Operator, (See Exhibit "L") and a copy of the Ute Tribal Notice stating their requirements when traversing or operating on Ute Indian lands, (See Exhibit "M").

A copy of the BLM Stipulations is attached to the application, (See Exhibit "N") and our Special BOP Instructions, (See Exhibit "H").


All operators, subcontractors and vendors will be confined to established roads and wellsites. No surface activity will take place from January 1 to April 15 to protect a winter deer range. First production report will be sent to the BLM in Vernal to establish compliance of the APD and site security.

12. CONTACT

R. L. Martin  
Vice President  
Oil & Gas Operations  
Coors Energy Company  
PO Box 467  
Golden, Colorado 80402  
Phone: (303) 278-7030


13. CERTIFICATION

See Exhibit "K"



Surface Production Facilities for the Ute Tribal 1-33

SPECIAL BOP INSTRUCTIONS



THE FOLLOWING CONSTITUTE MINIMUM BLOWOUT PREVENTER REQUIREMENTS

- A. One double gate blowout preventer with lower rams blind and upper rams for pipe, all hydraulically controlled, opening on preventers between rams.
- B. Opening to be flanged, studded or clamped and at least two inches diameter.
- C. All connections from operating manifold to preventers to be all steel hose or tube a minimum of one inch in diameter.
- D. The available closing pressure shall be at least 15% in excess of that required with sufficient volume to operate the preventers.
- E. All connections to and from preventers to have a pressure rating equivalent to that of the BOPs.
- F. Manual controls to be installed before drilling cement plug.
- G. Valve to control flow through drill pipe to be located on Rig floor.
- H. Choke may be either positive or adjustable.  
A choke spool may be used between preventers.
- I. Casinghead or bradenhead flange will be 10" API Series 900
- J. After each string of casing is run, BOP and casinghead will be tested to 1000 psi. Pipe ram operation will be checked every 24 hours & blind rams checked every trip.

APPLICATIONS TO APPROPRIATE WATER  
STATE OF UTAH

NOTE: The information given in the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be made on the following page under the heading "Explanatory."

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah.

1. Irrigation  Domestic  Stockwatering  Municipal  Power  Mining  Other Uses

2. The name of the applicant is Target Trucking & Coors Energy

3. The Post Office address of the applicant is 2960 North 500 East, Vernal, Utah 84078

4. The quantity of water to be appropriated \_\_\_\_\_ second-feet and/or 96.0 acre-feet

5. The water is to be used for Oil Well Drilling from Oct. 26, 1983 to Oct. 26, 1984  
(Major Purpose) (Month) (Day) (Month) (Day)

other use period \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_  
(Major Purpose) (Month) (Day) (Month) (Day)

and stored each year (if stored) from \_\_\_\_\_ to \_\_\_\_\_  
(Month) (Day) (Month) (Day)

6. The drainage area to which the direct source of supply belongs is \_\_\_\_\_  
(Leave Blank)

7. The direct source of supply is Duchesne River  
(Name of stream or other source)

which is tributary to \_\_\_\_\_, tributary to \_\_\_\_\_

\*Note:—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground Water" in the first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the first space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water may sink, evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel before being diverted, the direct source should be designated as a stream and not a spring.

8. The point of diversion from the source is in Duchesne County, situated at a point South 3200 ft. East 1200 ft. from the NW Cor. Sec. 4, T4S, R3W, USB&M  
(8 Miles East of Duchesne)

\*Note:—The point of diversion must be located definitely by course and distance or by giving the distances north or south and east or west with reference to a United States land survey corner or United States mineral monument, if within a distance of six miles of either, or if at a greater distance, to some prominent and permanent natural object. No application will be received for filing in which the point of diversion is not defined definitely.

9. The diverting and carrying works will consist of Pumped into water tank trucks and hauled to  
Place of use \_\_\_\_\_

10. If water is to be stored, give capacity of reservoir in acre-feet \_\_\_\_\_ height of dam \_\_\_\_\_  
area inundated in acres \_\_\_\_\_ legal subdivision of area inundated \_\_\_\_\_

11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows:  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ Total \_\_\_\_\_ Acres

12. Is the land owned by the applicant? Yes \_\_\_\_\_ No X If "No," explain on page 2.

13. Is this water to be used supplementally with other water rights? Yes \_\_\_\_\_ No X  
If "yes," identify other water rights on page 2.

14. If application is for power purposes, describe type of plant, size and rated capacity. \_\_\_\_\_

15. If application is for mining, the water will be used in \_\_\_\_\_ Mining District at  
the \_\_\_\_\_ mine, where the following ores are mined \_\_\_\_\_

16. If application is for stockwatering purposes, number and kind of stock watered \_\_\_\_\_

17. If application is for domestic purposes, number of persons \_\_\_\_\_, or families \_\_\_\_\_

18. If application is for municipal purposes, name of municipality \_\_\_\_\_

19. If application is for other uses, include general description of proposed use Oil well drilling and completion of 24 oil wells

20. Give place of use by legal subdivision of the United States Land Survey for all uses described in paragraphs 14 to 19, incl. SEE EXPLANATORY

21. The use of water as set forth in this application will consume 96.0 \_\_\_\_\_/or acre-  
feet of water and None second feet and/ or \_\_\_\_\_  
stream or source at a point described as follows: \_\_\_\_\_

EXPLANATORY

The following additional facts are set forth in order to define more clearly the full purpose of the proposed application:

UTE TRIBAL 1-10, 1-16, 1-19, 1-28, 1-33, 1-3, 1-31, 2-5, 2-7, 2-8, 3-7, 2-29, 2-49, 2-18, 2-4, 4-4, 1-21, 1-15, 3-29, 2-20, 2-6, 3-4, 1-30, 1-32

Lined area for additional explanatory text.

(Use page 4 if additional explanatory is needed.)

The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purpose herein described

Signature of Applicant: [Handwritten Signature]


\*If applicant is a corporation or other organization, signature must be the name of such corporation or organization by its proper officer, or in the name of the partnership by one of the partners, and the names of the other partners shall be listed. If a corporation or partnership, the affidavit below need not be filled in. If there is more than one applicant, a power of attorney, authorizing one to act for all, should accompany the Application.

DECLARATION OF CITIZENSHIP

STATE OF UTAH, [Handwritten] ss  
County of [Handwritten]

On the [Handwritten] day of [Handwritten], 19 [Handwritten], personally appeared before me, a notary public in and for the State of Utah, the above applicant who, on oath, declared that he is a citizen of the United States, or has declared his intention to become such a citizen.

My commission expires [Handwritten]



[Handwritten Signature]

**ARCHAEOLOGICAL SURVEY OF  
THIRTEEN COORS ENERGY WELL LOCATIONS  
AND ACCESS ROADS  
UINTAH AND OURAY INDIAN RESERVATION  
AND STATE OF UTAH**

**GRC Report 8392**

by  
Thomas F. Babcock, Ph.D.  
and  
John D. Hartley, M.A.

**GRAND RIVER CONSULTANTS, Inc.**  
576 25 Road, Suite 11  
Grand Junction, CO 81501  
(303)241-0308

October 3, 1983

Prepared for:  
**Coors Energy Company**  
Bldg. 21, Suite 11  
Denver West Office Park  
1746 Cole Blvd.  
Golden, CO 80401

Distribution:

Ute Indian Tribe (1)  
BIA - Uintah and Ouray Agency (1)  
BLM - District Office, Vernal (1)  
Utah State Historical Society, Antiquities Division (1)  
Coors Energy (2) ✓

EXHIBIT "J"

**ARCHAEOLOGICAL SURVEY OF  
THIRTEEN COORS ENERGY WELL LOCATIONS  
AND ACCESS ROADS  
UINTAH AND OURAY INDIAN RESERVATION  
AND STATE OF UTAH**

**Abstract**

Archaeological survey of thirteen Coors Energy well locations and associated access roads. One location (Coors 2-6) is on State of Utah land, the remaining twelve are in the Uintah and Ouray Indian Reservation. With the exception of an isolated find on the Ute Tribal 1-30 location, no cultural resources were identified. The isolated find consists of six flakes and is considered ineligible for inclusion in the National Register of Historic Places. Archaeological clearance is recommended for all proposed developments.

**Introduction**

Grand River Consultants, Inc. was requested by Coors Energy Company to provide an archaeological survey for twelve well locations on the Uintah and Ouray Indian Reservation and one on State of Utah land. The fieldwork was performed on September 28, 1983 in conjunction with an onsite inspection with personnel from Coors Energy, BIA, the Ute Tribe, and BLM. A records search was performed with the Utah State Historical Society on September 13, 1983. This file search revealed the presence of two sites in the general project vicinity (42Dc339 and 42Dc509), neither of which was within the immediate impact areas of the proposed developments. 42Dc309 had been discovered during a survey for a previous Coors well, now constructed.

The legal locations of the proposed wells and access routes are as follows:

State 2-6	T5S, R3W	Section 6,	SE1/4
Ute Tribal 2-4	" "	Section 4,	NE1/4
Ute Tribal 3-4	" "	"	SW1/4
Ute Tribal 4-4	" "	"	SW1/4

"	"	"	"	Section 9, NW1/4
Ute Tribal 2-18	"	"	"	Section 18, NE1/4
Ute Tribal 1-15	"	"	"	Section 16, E1/2
"	"	"	"	Section 15, Lot 1
Ute Tribal 2-20	"	"	"	Section 20, N1/2
Ute Tribal 4-29	"	"	"	Section 29, NW1/4
"	"	"	"	Section 19, SE1/4
"	"	"	"	Section 20, SW1/4
Ute Tribal 1-21	"	"	"	Section 29, N1/2
"	"	"	"	Section 21, SW1/4
Ute Tribal 1-30	"	"	"	Section 30, NE1/2
Ute Tribal 2-29	"	"	"	Section 29, SE1/4
Ute Tribal 1-32	"	"	"	Section 32, NE1/4

All locations are within the Uintah Meridian in Duchesne County.

## **Examination Procedures**

The archaeological survey was accomplished in conjunction with an on-site inspection. In order to complete the inspection of all 13 wells and access roads within a one-day time limit as requested by the Ute Tribe, two archaeologists were employed. One archaeologist inspected the well pads while the other walked the access roads. The well pads were walked with parallel transects spaced at ca. 15m intervals; the accesses were covered by a zig-zag transect extending to a R/W width of 100'. The well pads and a small buffer area were walked (ca. 4 acres each). Total acreage covered by the survey was approximately 100 acres.

## **Topography and Vegetation**

The well locations and access roads were located in a variety of topographic and environmental situations. Two were located in the wide, level floodplain of Antelope Creek and supported primarily greasewood and grasses. Five were located in an upland regime of pinyon/juniper interspersed with wide grassy clearings, and the remainder were located in relatively level salt-desert shrub areas, occasionally mixed with scattered sage and juniper.

## **Findings of the Survey**

With the exception of a prehistoric isolated find identified on the 1-30 location, and scattered steel cans and other modern debris in the vicinity of several other locations, no cultural resources were identified. The isolated find consists of 6 flakes (three interior pieces, one blade, and two thinning flakes) widely scattered along the western and northern portions of the 1-30 location. This location is situated on a gentle east-facing slope supporting a sparse growth of low sage, and saltbrush. All flakes consisted of a tan/grey siltstone. It is considered possible that these items may have washed, or been carried, into their present location from a juniper-covered ridge crest some 600-1000' to the west of the well site. No tools, diagnostic artifacts, or features were noted. Because of the extremely sparse flake scatter, the small number of artifacts, the absence of tools or diagnostic artifacts (points, ceramics, etc.), and the lack of evidence for significant soil depth, this cultural resource is felt to possess minimal value

for the interpretation of regional prehistory. As such, this location is recorded as an "isolated find" rather than an archaeological "site" and is considered ineligible for inclusion in the National Register of Historic Places. It is recommended that the construction of Coors Ute Tribal 1-30 be allowed to proceed as planned.

### **Conclusions and Recommendations**


Archaeological clearance is recommended for all 13 Coors Energy well locations inspected during the present survey. Although the isolated find identified on Coors 1-30 is considered insignificant as an individual resource, it is interesting that another isolated find (a broken biface) had been previously collected during the survey for Coors Ute Tribal 1-31, approximately one mile to the south in a similar environmental situation (GRC Report 8380). This might suggest a general low-density utilization of the ridge top east of Antelope Canyon in Sections 30 and 31 or the as yet undisclosed presence of a larger site in the general area.

### **Reference Cited**

- HARTLEY, JOHN D.  
1983 Archaeological Survey for Coors Energy  
Company Six Ute Tribal Wells, Uintah and  
Ouray Indian Reservation.  
Grand River Consultants Report 8380







Coors 1-20

Coors 1-21

Coors 2-29

Coors 1-32

MYTON SW 7.5  
U.S.G.S.


INDIAN TREATY BOUNDARY

R3 W  
36 1/2 E

OLD LAND

610 000  
FEET  
40° 00'

D 2 W R 15 E 2 360 000 FEET 12' 30" 36R



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK   
 b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Coors Energy Company (303) 278-7030

3. ADDRESS OF OPERATOR  
 PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  
 At surface 1980' FEL, 1980' FNL, Sec. 30, SW/4NE/4  
 At proposed prod. zone same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 10 1/2 miles south of Bridgeland

10. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 1980'

16. NO. OF ACRES IN LEASE 640

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. none

19. PROPOSED DEPTH 6610'

20. ROTARY OR CABLE TOOLS rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 6600' GL surveyed

22. APPROX. DATE WORK WILL START\* 4/1/84


PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24.00#	400'	300 sks.
7-7/8"	5-1/2"	15.50#	6610'	1200 sks.

- This well will be spudded in the Uintah formation.
- Estimated formation tops: 1450' Green River and 6610' TD.
- Water zones are possible throughout the Green River formation as well as gas and or oil. No aquifers or other mineral zones are anticipated.
- Attached is a diagram of the pressure control device to be used on this well.
- The proposed circulating medium will be 3% KCL water or a low-solids non-dispersed mud. Mud weights in excess of 10#/gal are not anticipated.
- Auxiliary equipment: float will be run in the drill string. A full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used.
- No coring is planned, drill stem tests may be run in potential pay zones. Logs to be run will be: Dual Induction Laterlog & Compensated Neutron Formation Density log.
- No abnormal temperatures, pressures, or potential hazards are expected.
- Anticipated starting date: April, 1984; duration of drilling operations: 30 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED R. L. Martin TITLE V.P. Oil/Gas Operations DATE 11-1-83



(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_  
 APPROVED BY [Signature] TITLE DISTRICT MANAGER DATE 11/25/83

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

ut 080-3-m-093

\*See Instructions On Reverse Side

State Oil Gas & Mining

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons (and gilsonite or saline minerals) in the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale (and gilsonite or saline minerals) resource(s). Surface casing program may require adjustment for protection of fresh water aquifers.

(See attached tentative casing and cementing program for the Uintah Basin.)



# United States Department of the Interior

2000 Administration Building  
1745 West 1700 South  
Salt Lake City, Utah 84104

February 2, 1981

General Outline for the Protection and Isolation of Ground Water and Oil Shale in the Uinta Basin.

The oil shale occurs with varying thicknesses in most parts of the Uinta Basin and at varying depths. Ground water also occurs at varied depths above and below the Oil Shale. These ground waters have varying degrees of salinity. Nonetheless, drilling for hydrocarbon in the Uinta Basin should provide for the protection of the oil shale and the ground water if either is present.

The protection of the oil shale and the ground water can effectively be carried on through the design of an adequate casing and cementing program for each well drilled in the area.

In the Uinta Basin, water occurs mainly in the Uinta and the Green River formations. As drilling for hydrocarbon gets deeper into the crust of the earth, more ground water might be encountered and will be protected as it is encountered.

This notice's purpose is to attempt to lay the groundwork for a casing program and cementing program that will protect the oil shale and the ground water if present.

These programs are to be considered as guidelines. The specificity of casing depth, amount of cement and the depth of staging collars will be considered on an individual basis after a careful study of the logs of each individual well. Cementing from the bottom up is an economical solution if carefully conducted.

The casing and cementing program presented here as an example, will assume that fresh water was encountered in the upper parts of the Green River, that the oil shale occurs in the middle of the Green River (1000 foot section) and that some ground water is encountered in the lower parts of the Green River.

In this case, three areas will have to be cemented to assure the integrity of the ground water and oil shale. These areas are above the upper fresh water, across the oil shale and below the lower water aquifer. Deep aquifers that do not contain useful water are cemented to prevent water zone influence on production.

The following casing and cementing program will be appropriate for this example:

- A. Surface casing is set at approximately 300 feet and cemented to the surface.

- B. The next casing string will be set at approximately 300 feet below the lowest aquifer. Cementing will be done in three stages, using two stage collars and cement baskets or equivalent as described below and on attached sketches:
1. Cement first stage through the casing shoe to fill annulus back to base of lower aquifer.
  2. Place 1st stage collar (with cement basket immediately below) at a selected point at the base of the oil shale. Cement will have to reach top of oil shale.
  3. Place 2nd stage collar (with cement basket immediately below) 50 feet above the top of the Bird's Nest aquifer and cement to at least 300 feet above the stage collar.
- C. The above is an example. Reasonable equivalents that accomplish these same protective measures, (such as cementing the water zones instead of isolating them), depending on the individual cases will be considered for approval.
- D. When the above mentioned well is to be abandoned, inner-casing plugs will have to be placed at the same depth as the above mentioned annulus cement jobs.

The use of cement bond logs will verify the authenticity of the cement job performed.

- E. The Operator of such well should notify U.S.G.S. 48 hours prior to commencement of casing and cementing activity, so a technician could be dispatched to witness the operations to verify compliance with casing and cementing program.

Attached Sketches:

1. Schematic of the required casing and cementing program.
2. Cross section of the Uinta Basin.
3. Schematic of the general ground water protection program.





Figure 5.- View east of cross section of Uinta Basin showing stratigraphy and intertonguing of Tertiary rocks. Ute Tribal-1 (in section) is located about 8 miles southeast of the application area.

PARTIAL CASING & CEMENTING PROGRAM FOR WELLS IN  
 NATURAL BUTTES FIELD - WINTAH COUNTY, UTAH



NO SCALE

CEMENT BASKET IS PLACED  
 50' ABOVE TOP AQUIFER  
 CEMENT TO RISE AT  
 LEAST 300' IN ANNULUS

STAFF COLLAR  
 CEMENT BASKET

CEMENT BASKET IS SET  
 CONSOLIDATED SECTION AT THE  
 BASE OF THE OIL SHALE ZONE  
 CEMENT TO REACH THE TOP  
 OF THE MAHOGANY ZONE

CEMENT WILL REACH BASE  
 OF LOWER AQUIFER

## ADDITIONAL STIPULATIONS FOR PRODUCTION FACILITIES

Your Application for Permit to Drill also included a submittal for production facilities. These production facilities are approved for the lessee and his designated operator under Section 1 of the Oil and Gas Lease with the following conditions:

(1) The oil and gas measurement facilities must be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy are to be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. Please provide this office with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports are to be submitted to the Salt Lake City District Oil and Gas Supervisor. Royalty payments will be made on all production volume as determined by the meter measurements or the tank measurements. All measurement facilities must conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

(2) Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs must be housed and/or fenced.

(3) All disturbed areas not required for operations will be rehabilitated.

(4) All produced liquids must be contained including the dehydrator vent/condensate line effluent. All production pits must be fenced.

(5) The well activity, the well status and the date the well is placed on production must be reported on Lessee's Monthly Report of Operations, Form 9-329.

(6) All off-lease storage, off-lease measurement, or commingling on lease or off-lease must have written approval.

(7) All product lines entering and leaving hydrocarbon storage tanks must be locked/sealed.

(8) You are reminded of the requirements for handling, storing, or disposing of water produced from oil and gas wells under NTL-2B.

(9) All materials, trash, junk, debris, etc. not required for production must be removed from the well site and production facility site at the completion of these operations.

(10) A copy of the Gas Sales Contract will be provided to this office and the Royalty Accounting Department as directed.

(11) Construction and maintenance for surface use approved under this plan should be in accordance with the surface use standards as set forth in the BLM/GS Oil and Gas Brochure entitled, "Surface Operating Standards for Oil and Gas Exploration and Development." This includes, but is not limited to, such items as road construction and maintenance, handling of top soil and rehabilitation.

(12) "Sundry Notice and Reports on Wells" (form 9-331) will be filed for all changes of plans and other operations in accordance with 30 CFR 221.58. Emergency approval may be obtained verbally, but such approval does not waive the written report requirement. Any additional construction, reconstruction, or alternations of facilities, including roads, gathering lines, batteries, measurement facilities, etc., will require the filing of a suitable plan and prior approval by the survey.




CERTIFICATION BY OPERATOR'S FIELD REPRESENTATIVE

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge, true, complete, and correct; and that the work associated with this plan will be carried on by Coors Energy Company, and its contractors and subcontractors, in conformity with the plan and the terms and conditions under which it is approved.

Date

11-1-83

  
R. L. Martin

Vice President, Oil & Gas Production

kr

EXHIBIT "K"

OPERATOR COOPS ENERGY CO

DATE 11-10-83

WELL NAME UTE TRIBAL 1-30

SEC SW NE 30 T 55 R 3W COUNTY DUCHESNE

43-013-30852  
API NUMBER

INDIAN  
TYPE OF LEASE

POSTING CHECK OFF:

INDEX

MAP

HL

NLD

PI

PROCESSING COMMENTS:

NO OIL WELLS WITHIN 1000'  
WATER OK

APPROVED BY THE STATE  
OF UTAH DIVISION OF  
OIL, GAS, AND MINING  
DATE: 11-10-83  
BY: [Signature]

✓ CHIEF PETROLEUM ENGINEER REVIEW:

11/14/83

APPROVAL LETTER:

SPACING:

A-3

UNIT

c-3-a

CAUSE NO. & DATE

c-3-b

c-3-c

SPECIAL LANGUAGE:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

AUTHENTICATE LEASE AND OPERATOR INFORMATION

VERIFY ADEQUATE AND PROPER BONDING

AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

APPLY SPACING CONSIDERATION

ORDER     NB    

UNIT     NB    

c-3-b

c-3-c

APPROVED FOR THE STATE OF TEXAS  
COMMISSIONER OF THE GEOLOGICAL SURVEY  
DATE: 10/14/11

CHECK DISTANCE TO NEAREST WELL.

CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.

IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

VERIFY LEGAL AND SUFFICIENT DRILLING WATER

November 10, 1983

Coors Energy Company  
P. O. Box 467  
Golden, Colorado 80402

RE: Well No. Ute Tribal 1-30  
SWNE Sec.30, T. 5S, R. 3W  
1980' FNL, 1980' FEL  
Duchesne County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Rule C-3(b), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer  
Office: 533-5771  
Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-013-30852.

Sincerely,

Norman C. Stout  
Administrative Assistant

NCS/as  
cc: Branch of Fluid Minerals  
Bureau of Indian Affairs

ENEL.



STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

UNIT IS UNPLUGGED?  
(Other instructions on reverse side)

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</p>		<p>3. LEASE DESIGNATION AND SERIAL NO. <b>14-20-H62-3519</b></p> <p>6. IF INDIAN, ALLOTED OR TRIBE NAME <b>Ute Tribe</b></p> <p>7. UNIT AGREEMENT NAME</p> <p>8. FARM OR LEASE NAME <b>Ute Tribal</b></p> <p>9. WELL NO. <b>1-30</b></p> <p>10. FIELD AND POOL, OR WILDCAT <b>Antelope Creek</b></p> <p>11. SEC., T., R., M., OR BLK. AND SUBVY OR AREA <b>Sec. 30, T5S-R3W</b></p> <p>12. COUNTY OR PARISH <b>Duchesne</b></p> <p>13. STATE <b>Utah</b></p>
RECEIVED		
AUG 6 1984		
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>2. NAME OF OPERATOR <b>Coors Energy Company</b></p> <p>3. ADDRESS OF OPERATOR <b>P.O. Box 467, Golden, Colorado 80402</b></p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any GAS MINING See also space 17 below.) At surface <b>1980' FEL, 1980' FNL, Sec. 30, SW<math>\frac{1}{4}</math>NE<math>\frac{1}{4}</math></b></p> <p>14. PERMIT NO. <b>43-013-30852</b></p>		<p>15. ELEVATIONS (Show whether of, BT, or, etc.) <b>6600' GL</b></p>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	(Other) _____
(Other)			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

8/2/84      Spudded well at 10:00 a.m. on 8/2/84; rathole driller Leon Ross.

8/3/84      Drilled .12 1/4" hole to 400' w/air; preparing to run surface casing tomorrow.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE DIR OIL & GAS OPER DATE 8/3/84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> <small>(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</small>		3. LEASE DESIGNATION AND SERIAL NO. 14-20-H62-3519
1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe
2. NAME OF OPERATOR Coors Energy Company		7. UNIT AGREEMENT NAME -----
3. ADDRESS OF OPERATOR PO Box 467, Golden, Colorado 80402		8. FARM OR LEASE NAME Ute Tribal
4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations. See also space 17 below.) At surface  1980 'FEL, 1980 'FNL, SW/4NE/4		9. WELL NO. 1-30
14. PERMIT NO. 43-013-30852		10. FIELD AND POOL, OR WILDCAT Antelope Creek
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 6600 'GL		11. SEC., T., R., M., OR BLK. AND SUBVY OR ABBA Sec. 30, T5S-R3W
12. COUNTY OR PARISH Duchesne		13. STATE Utah

RECEIVED

SEP 10 1984

DIVISION OF OIL  
GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> SHOOT OR ACIDIZE <input type="checkbox"/> REPAIR WELL <input type="checkbox"/> (Other) <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETE <input type="checkbox"/> ABANDON* <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/> FRACTURE TREATMENT <input type="checkbox"/> SHOOTING OR ACIDIZING <input type="checkbox"/> (Other) <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> ABANDONMENT* <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

8/5 to  
 9/1/84      WO drilling rig.  
 9/2/84      Commenced drilling w/Olsen Rig #2 at 3:15PM 9/2/84.  
 9/3 to  
 present:    Drilling ahead.

18. I hereby certify that the foregoing is true and correct

SIGNED <u><i>R. L. Martin</i></u>	TITLE <u>V.P. O/G Operations</u>	DATE <u>9-5-84</u>
(This space for Federal or State office use)		
APPROVED BY _____	TITLE _____	DATE _____

COORDINATES OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS  
**RECEIVED**

(Do not use this form for proposals to drill or to deepen or plug wells. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER  **OCT 01 1984**

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface 1980'FEL, 1980'FNL, SW/4NE/4

14. PERMIT NO. 43-013-30852

15. ELEVATIONS (Show whether SP, RT, OR, etc.)  
6600'GL

5. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
-----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 30, T5S-R3W

12. COUNTY OR PARISH  
Duchesne

13. STATE  
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Progress Report</u>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

9/4 to 9/11/84 Drilling ahead. FD'd at 6610', RIH w/164 joints and 2 19' flag joints of 5½" STC 15.50# casing. Set at 6610'KB w/500 gals mud flush, 250 sx. lite cement and 1200 sx.50/50 pozmix.

9/12 to present: SI, WOCT.

18. I hereby certify that the foregoing is true and correct

SIGNED R. L. Martin TITLE V.P. O/G Operations DATE 9-25-84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

COPIES OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SEE INSTRUCTIONS ON  
REVERSE SIDE

3. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTED OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
-----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLM. AND  
SUBVY OR AREA  
Sec. 30, T5S-R3W

12. COUNTY OR PARISH | 13. STATE  
Duchesne | Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug  
Use "APPLICATION FOR PERMIT—" for such

RECEIVED

OCT 22 1984

DIVISION OF OIL  
GAS & MINING

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
1980'FEL, 1980'FNL, SW/4NE/4

14. PERMIT NO.  
43-013-30852

15. ELEVATIONS (Show whether SP, ST, CR, etc.)  
6600'GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Progress Report</u>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well (Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

9/12 to  
10/19/84 SI, WOCT.

18. I hereby certify that the foregoing is true and correct

SIGNED D. S. Spagnuolo TITLE Director, O/G Operations DATE 10/19/84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

5. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
-----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLK. AND  
SUBST OR AREA  
Sec. 30, T5S-R3W

12. COUNTY OR PARISH  
Duchesne

13. STATE  
Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface  
1980'FEL, 1980'FNL, SW/4NE/4

14. PERMIT NO.  
43-013-30852

15. ELEVATIONS (Show whether DF, RT, OR, etc.)  
6600'GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

10/28/84 Perf'd 5765-70', 5672-77' w/2 SPF.  
10/29/84 Fraced above w/100,000# 20/40 sand & 976 bbls X-link gel water.  
Set RBP at 5640', perf'd from 5593-98', spotted 250 gals 7½% HCL acid & fraced w/50,000# 20/40 sand, 143 bbls gel water.

10/30 to 11/9/84 Swabbed well.  
11/10/84 Set 5½" CIBP at 5740', set RBP at 5430', perf'd from 4800-4803' & 4807-4812' w/4 SPF.

11/11/84 Swabbed well.  
11/12/84 Fraced w/3000 gals methanol, 24,250 gals fluid & 33,470# 20/40 mesh sand.  
11/13 to 11/19/84 Swabbed well. Preparing to run tracer survey, last frac did not go into formation.

**RECEIVED**  
NOV 21 1984

DIVISION OF OIL, GAS, AND MINING

18. I hereby certify that the foregoing is true and correct

SIGNED R. L. Martin TITLE V.P. O/G Operations DATE 11-19-84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CURATOR'S OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLICATE  
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTTED OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 30, T5S-R3W

12. COUNTY OR PARISH  
Duchesne

13. STATE  
Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface 1980' FEL, 1980' FNL, SW/4NE/4

14. PERMIT NO.  
43-013-30852

15. ELEVATIONS (Show whether OF, RT, OR, etc.)  
6600' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>First day of Production</u>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

11/20 to 11/30/84 Finished swabbing well.

12/1/84 Started pumping this day at 8:00AM. Set rod pump at 5570', tubing tail at 5602'.

12/2 to further notice:  
Producing and pump testing.

**RECEIVED**  
DEC 07 1984  
DIVISION OF OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED R. L. Martin TITLE V.P. O/G Operations DATE 12-3-84

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN DUPLICATE\*  
(See other instructions  
on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
Sec. 30, T5S-R3W

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

1. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. REVR.  Other \_\_\_\_\_

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface 1980' FEL, 1980' FNL, SW/4NE 24. GAS & MINING  
At top prod. interval reported below same  
At total depth same

14. PERMIT NO. 43-013-30852 | DATE ISSUED 11/10/83

12. COUNTY OR PARISH Duchesne | 13. STATE Utah

15. DATE SPUNDED 8/2/84	16. DATE T.D. REACHED 9/10/84	17. DATE COMPL. (Ready to prod.) 12/1/84	18. ELEVATIONS (DP, RER, RT, OR, ETC.)* 6600' GL	19. ELEV. CASINGHEAD ----	
20. TOTAL DEPTH, MD & TVD 6610'	21. PLUG, BACK T.D., MD & TVD 5740'	22. IF MULTIPLE COMPL., HOW MANY* ----	23. INTERVALS DRILLED BY →	ROTARY TOOLS 0-6610'	CABLE TOOLS ----

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
4800-5740', Green River

25. WAS DIRECTIONAL SURVEY MADE  
no

26. TYPES ELECTRIC AND OTHER LOGS RUN  
CBL, DIL, CNL

27. WAS WELL CORED  
no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	MOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24.00#	371'	12-1/4"	250 sx.	
5-1/2"	15.50#	6610'	7-7/8"	750 sx.	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	5602'	

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL	SPF	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5765-70 & 5672-77'	w/2 SPF	5770-5672'	100,000# 20/40 sand, 1082 bbls gel water
5593-5598'	w/4 SPF	5593-5598'	250 gals 7 3/4% acid, 50,000# 20/40 sand, 627

33. PRODUCTION  
DATE FIRST PRODUCTION \_\_\_\_\_ PRODUCTION METHOD (Flooding, gas lift, pumping—size and type of pump) \_\_\_\_\_ WELL STATUS (Producing or shut-in) bbls gel water

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
SEE SECOND PAGE							
FLOW, TUBING PRMS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) \_\_\_\_\_ TEST WITNESSED BY \_\_\_\_\_

35. LIST OF ATTACHMENTS \_\_\_\_\_

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

\*(See Instructions and Spaces for Additional Data on Reverse Side)

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

5. LEASE DESIGNATION AND SERIAL NO.  
14-20-H62-3519

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Ute Tribe

7. UNIT AGREEMENT NAME  
-----

8. FARM OR LEASE NAME  
Ute Tribal

9. WELL NO.  
1-30

10. FIELD AND POOL, OR WILDCAT  
Antelope Creek

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
Sec. 30, T5S-R3W

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

1. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other \_\_\_\_\_

2. NAME OF OPERATOR  
Coors Energy Company

3. ADDRESS OF OPERATOR  
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface 1980' FEL, 1980' FNL, SW/4NE/4  
At top prod. interval reported below same  
At total depth same

14. PERMIT NO. 43-013-30852 | DATE ISSUED 11/10/83

12. COUNTY OR PARISH Duchesne | 13. STATE Utah

15. DATE SPUDDED 8/2/84 | 16. DATE T.D. REACHED 9/10/84 | 17. DATE COMPL. (Ready to prod.) 12/1/84 | 18. ELEVATIONS (OF. RES. BY, OR, ETC.)\* 6600' GL | 19. ELEV. CASINGHEAD -----

20. TOTAL DEPTH, MD & TVD 6610' | 21. PLUG, BACK T.D., MD & TVD 5740' | 22. IF MULTIPLE COMPL., HOW MANY\* ----- | 23. INTERVALS DRILLED BY ----- ROTARY TOOLS 0-6610' | CABLE TOOLS -----

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
4800-5740', Green River | 25. WAS DIRECTIONAL SURVEY MADE no

26. TYPE ELECTRIC AND OTHER LOGS RUN CBL, DIL, CNL | 27. WAS WELL CORRO no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24.00#	371'	12-1/4"	250 sx.	
5-1/2"	15.50#	6610'	7-7/8"	750 sx.	

29. LINER RECORD | 30. TUBING RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)  
4800-4803'  
4807-4812' w/4 SPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4800-4812'	3000 gals methanol, 24,250 gals gel water, 33,470# 20/40 sand

33. PRODUCTION

DATE FIRST PRODUCTION 12/1/84 | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Pumping, 2 1/2" x 1 1/2" x 16' rod pump | WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO
12/15/84	24	-----	-----	80	62	5	775 /1

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)
---	75	-----	80	62	5	45

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented | TEST WITNESSED BY Jim Simonton

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED R. L. Martin | TITLE V.P. O/G Operations | DATE 1-15-85

(See Instructions and Spaces for Additional Data on Reverse Side)





STATE OF UTAH  
NATURAL RESOURCES  
Oil, Gas & Mining

Norman H. Bangerter, Governor  
Dee C. Hansen, Executive Director  
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13, 1985

Coors Energy Company  
1746 Cole Boulevard  
Golden, Colorado 80402-0467

Gentlemen:

Re: Well No. Ute Tribal 1-30 - Sec. 30, T. 5S., R. 3W  
Duchesne County, Utah - API #43-013-30852

According to our records a "Well Completion Report" filed with this office January 15, 1985 on the above referred to well indicates the following electric logs were run: CBL, DIL and CNL. This office has not yet received these logs.

Please take care of this matter as soon as possible, but not later than April 13, 1985.

Your cooperation in this matter is appreciated.

Sincerely,

A handwritten signature in cursive script that reads "Pam Kenna".

Pam Kenna  
Well Records Specialist

CLJ/clj  
CC: Dianne R. Nielson  
Ronald J. Firth  
John R. Baza  
File  
0123S/16



March 18, 1985

RECEIVED

MAR 20 1985

DIVISION OF OIL  
GAS & MINING

State of Utah  
Dept. of Oil, Gas & Mining  
3 Triad Center - Suite 350  
355 West North Temple  
Salt Lake City, Utah 84180-1203

Attn: Pam Kenna

Dear Ms. Kenna:

Enclosed please find one copy of the CBL, DIL and CNL logs for the following well:

Ute Tribal 1-30  
Section 30, T5S-R3W  
Duchesne County, Utah

Thank you.

Very truly yours,

Karen Rohrer  
Production Secretary

KR

Enclosures

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS, AND MINING

RECEIVED

(Other use this form on  
request only)

OCT 11 1985

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  <small>(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</small></p>		<p>3. LEASE DESCRIPTION AND SERIAL NO. -----</p>
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/></p>		<p>10. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Tribe</p>
<p>2. NAME OF OPERATOR Coors Energy Company</p>		<p>7. UNIT AGREEMENT NAME -----</p>
<p>3. ADDRESS OF OPERATOR PO Box 467, Golden, Colorado 80402</p>		<p>8. FARM OR LEASE NAME Ute Tribal</p>
<p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) AT SURFACE</p>		<p>9. WELL NO. ----- 1-30</p>
<p>14. PERMIT NO. ----- 43-013-30852</p>		<p>11. SEC., T., R., W., OR BLK. AND SURVEY OR AREA T5S-R3W, Secs 3-33</p>
<p>15. ELEVATIONS (Show whether OF, TO, OR VIA) -----</p>		<p>12. COUNTY OR PARISH   13. STATE Duchesne   Utah</p>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>First day of Gas Production</u>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Our wells located in Antelope Creek Field, Duchesne County, Utah in T5S-R3W, Sections 3-33 were turned into the gas pipeline October 3, 1985.

The following is the list of wells which are now producing gas:

Ute Tribal 1-3, Section 3 ✓	Ute Tribal 2-20, Section 20
" 1-4 " 4 ✓	" 1-21 " 21
" 1-5 " 5 ✓	" 1-28 " 28
" 1-6 " 6 ✓	" 1-29 " 29
" 1-7 " 7 ✓	" 1-30 " 30
" 1-8 " 8 ✓	" 1-31 " 31
" 2-9 " 9	" 1-32 " 32
" 1-10 " 10	" 1-33 " 33
" 2-7 " 7	" 3-4 " 4
" 3-7 " 7	
" 1-18 " 18	
" 1-15 " 15	
" 1-16 " 16	
" 1-17 " 17	
" 1-19 " 19	
" 1-20 " 20	

Gas sales from the above wells are made to:  
Grand Valley Gas Transmission Company  
47 West 200 South, Suite 510  
Salt Lake City, Utah 84101

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Director, O/G Operations DATE 10/9/85

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_



UTAH  
NATURAL RESOURCE  
Oil, Gas & Mining

355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut  
84180-1203. (801-538-5340)

# MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• MARYELLEN VIALPANDO  
COORS ENERGY  
PO BOX 467  
GOLDEN CO 80402-0467

Utah Account No. N5090

Report Period (Month/Year) 7 / 92

Amended Report

Well Name			Producing Zone	Days Oper	Production Volume		
API Number	Entity	Location			Oil (BBL)	Gas (MSCF)	Water (BBL)
UTE TRIBAL 1-6							
✓ 4301330793	09395 05S	03W 6	GRRV		14-20-H62-3505		
UTE TRIBAL 1-28							
✓ 4301330802	09396 05S	03W 28	GRRV		14-20-H62-3517		
UTE TRIBAL 1-19							
✓ 4301330803	09397 05S	03W 19	GRRV		14-20-H62-3514		
UTE TRIBAL 1-16							
✓ 4301330804	09398 05S	03W 16	GRRV		14-20-H62-3511		
STATE #2-6							
✓ 4301330891	09399 05S	03W 6	GRRV		ML-40058		
UTE TRIBAL 1-30							
✓ 4301330852	09410 05S	03W 30	GRRV		14-20-H62-3519		
UTE TRIBAL 1-32							
✓ 4301330853	09411 05S	03W 32	GRRV		14-20-H62-3521		
UTE TRIBAL 1-15							
✓ 4301330880	09412 05S	03W 15	GRRV		14-20-H62-3510		
UTE TRIBAL #2-16							
✓ 4301331166	09413 05S	03W 16	GRRV		14-20-H62-3511		
UTE TRIBAL #4-9							
✓ 4301331165	09414 05S	03W 9	GRRV		14-20-H62-3508		
UTE TRIBAL 3-5-E3							
✓ 4301330938	09785 05S	03W 5	GRRV		14-20-H62-3504		
UTE TRIBAL 5-29-E3							
✓ 4301330939	09880 05S	03W 29	GRRV		14-20-H62-3518		
UTE TRIBAL 1-21							
✓ 4301330883	09985 05S	03W 21	GRRV		14-20-H62-3516		
TOTAL							

Comments (attach separate sheet if necessary) \_\_\_\_\_

I have reviewed this report and certify the information to be accurate and complete. Date \_\_\_\_\_

Authorized signature \_\_\_\_\_ Telephone \_\_\_\_\_



P.O. BOX 467 GOLDEN, COLORADO 80401

September 1, 1992

State of Utah  
Division of Oil, Gas & Mining  
3 Triad Center, Suite 350  
355 West North Temple  
Salt Lake City, Utah 84180-1203

RECEIVED

SEP 04 1992

DIVISION OF  
OIL, GAS & MINING

Attn: Mr. Ron Firth

Dear Mr. Firth:

This letter is to advise you that effective September 1, 1992 Coors Energy Company has sold its oil and gas properties located in Duchesne County, Utah to the following Company:

Evertson Oil Company, Inc.  
P.O. Box 397  
Kimball, Nebraska 69145  
Mr. Bruce F. Evertson, President  
Phone No.: (308) 235-4871

The sale includes the following wells:

<u>WELL NAME</u>	<u>API NO.</u>
✓State 2-6	43-013-30891
✓Ute Tribal 1	43-013-20045
✓Ute Tribal 1-10	43-013-30805
✓Ute Tribal 1-10D	43-013-31211
✓Ute Tribal 1-15	43-013-30880
✓Ute Tribal 1-15D	43-013-30712
✓Ute Tribal 1-16	43-013-30804
✓Ute Tribal 1-17	43-013-30790
✓Ute Tribal 1-18	43-013-30761
✓Ute Tribal 1-19	43-013-30803
✓Ute Tribal 1-20	43-013-30764
✓Ute Tribal 1-20D	43-013-31239
✓Ute Tribal 1-21	43-013-30883
✓Ute Tribal 1-24D	43-013-31234

Page 2  
Change of Operator  
Duchesne County, Utah

<u>WELL NAME</u>	<u>API NO.</u>
✓Ute Tribal 1-28	43-013-30802
✓Ute Tribal 1-29	43-013-30763
✓Ute Tribal 1-3	43-013-30823
✓Ute Tribal 1-30	43-013-30852
✓Ute Tribal 1-32	43-013-30853
✓Ute Tribal 1-33	43-013-30806
✓Ute Tribal 1-3D	43-013-31242
✓Ute Tribal 1-4	43-013-30762
✓Ute Tribal 1-5	43-013-30785
✓Ute Tribal 1-6	43-013-30793
✓Ute Tribal 1-7	43-013-30788
✓Ute Tribal 1-7D	43-013-31198
✓Ute Tribal 1-8	43-013-30759
✓Ute Tribal 2-10	43-013-31187
✓Ute Tribal 2-10D	43-013-31219
✓Ute Tribal 2-15D	43-013-31200
✓Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-
Ute Tribal 2-18D	43-013-30881
✓Ute Tribal 2-20	43-013-30882
✓Ute Tribal 2-29	43-013-30849
✓Ute Tribal 2-3	43-013-31097
✓Ute Tribal 2-31	43-013-31188
✓Ute Tribal 2-4	43-013-30879 (w/w)
✓Ute Tribal 2-5	43-013-30824
✓Ute Tribal 2-7	43-013-30825
✓Ute Tribal 2-8	43-013-30826
✓Ute Tribal 2-8D	43-013-31199
✓Ute Tribal 2-9	43-013-30789
✓Ute Tribal 3	43-013-15319
✓Ute Tribal 3-10D	43-013-31217
✓Ute Tribal 3-20	43-013-31175
✓Ute Tribal 3-29	43-013-30850
✓Ute Tribal 3-4	43-013-30878
✓Ute Tribal 3-5-E3	43-013-30938
✓Ute Tribal 3-7	43-013-30828
✓Ute Tribal 3-8	43-013-31101
✓Ute Tribal 4	43-013-15321
✓Ute Tribal 4-10D	43-013-31226
✓Ute Tribal 4-17D	43-013-31201
✓Ute Tribal 4-18	43-013-31099
✓Ute Tribal 4-18D	43-013-30838
✓Ute Tribal 4-29	43-013-30851
✓Ute Tribal 4-4	43-013-30848
✓Ute Tribal 4-5	43-013-31306
✓Ute Tribal 4-8	43-013-31164
✓Ute Tribal 4-9	43-013-31165
✓Ute Tribal 5	43-013-15322
✓Ute Tribal 5-18	43-013-31180
✓Ute Tribal 5-29-E3	43-013-30939

RECEIVED

SEP 04 1992

DIVISION OF  
OIL, GAS & MINING

<u>WELL NAME</u>	<u>API NO.</u>
✓Ute Tribal 5-8	43-013-31307
✓Ute Tribal 6	43-013-15323
✓Ute Tribal 6-10D	43-013-31236
✓Ute Tribal 6-16D	43-013-31204
✓Ute Tribal 6-29	43-013-31305
✓Ute Tribal 6-4	43-013-31100
✓Ute Tribal 7	43-013-15324
✓Ute Tribal 7-16D	43-013-31221
✓Ute Tribal 7-29	43-013-31339
✓Ute Tribal 8	43-013-30028
✓Ute Tribal 8-16D	43-013-31220
✓Ute Tribal 1-21D	43-013-31347
✓Ute Tribal 1-22D	43-013-31349

On this date, we are also notifying the BLM, BIA and the Ute Tribe of this change of operator.


Would you please forward this letter on to anyone else at the State office who might need to have this information. Let us know if we can be of further assistance or if you have any questions.

Very truly yours,



Doug S. Sprague  
Manager  
Engineering & Operations

DSS:kr



SEP 04 1992

DIVISION OF  
OIL GAS & MINING

EVERTSON OIL COMPANY, INC.  
P. O. BOX 397  
KIMBALL, NE 69145  
308/235-4871

RECEIVED

SEP 25 1992

DIVISION OF  
OIL, GAS & MINING

September 21, 1992

Lisha Romero  
State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
355 W. North Temple  
3 Triad Center, Suite 350  
Salt Lake City, UT 84180-1203

Dear Lisha:


Enclosed please find a listing of wells purchased from Coors Energy Company. These are all the wells on which Evertson Oil Company, Inc. will be taking over operations effective September 1, 1992.

I assume that Coors Energy Company has submitted the change of operator forms as required.

I will be forwarding the bonding information required by the U.S. Department of Interior, Bureau of Indian Affairs, as soon as that information is available.

Should you have any questions or need additional information, please let me know.

Sincerely,

  
James G. Stephen

JGS/iks  
enc.

/9258

**EVERTSON OIL COMPANY, INC.**  
**SCHEDULE OF WELLS**

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510103	Ute Tribal 1-3	Utah	Duchesne	5S	3W	3	SW/SW
1510104	Ute Tribal 1-4	Utah	Duchesne	5S	3W	4	NE/NE
1510105	Ute Tribal 1-5	Utah	Duchesne	5S	3W	5	NW/NE
1510106	Ute Tribal 1-6	Utah	Duchesne	5S	3W	6	SE/SE
1510107	Ute Tribal 1-7	Utah	Duchesne	5S	3W	7	SE/SW
1510108	Ute Tribal 1-8	Utah	Duchesne	5S	3W	8	NW/NW
1510110	Ute Tribal 1-10	Utah	Duchesne	5S	3W	10	NW/NW
1510115	Ute Tribal 1-15	Utah	Duchesne	5S	3W	15	NW/NW
1510116	Ute Tribal 1-16	Utah	Duchesne	5S	3W	16	SE/SE
1510117	Ute Tribal 1-17	Utah	Duchesne	5S	3W	17	NE/NE
1510118	Ute Tribal 1-18	Utah	Duchesne	5S	3W	18	NE/NE
1510119	Ute Tribal 1-19	Utah	Duchesne	5S	3W	19	SE/SE
1510120	Ute Tribal 1-20	Utah	Duchesne	5S	3W	20	NW/NE
1510121	Ute Tribal 1-21	Utah	Duchesne	5S	3W	21	SW/SW
1510128	Ute Tribal 1-28	Utah	Duchesne	5S	3W	28	SW/NW
1510129	Ute Tribal 1-29	Utah	Duchesne	5S	3W	29	NE/SE
1510130	Ute Tribal 1-30	Utah	Duchesne	5S	3W	30	SW/NE
1510132	Ute Tribal 1-32	Utah	Duchesne	5S	3W	32	SE/NE
1510133	Ute Tribal 1-33	Utah	Duchesne	5S	3W	33	NW/NW
1510203	Ute Tribal 2-3	Utah	Duchesne	5S	3W	3	SE/SW
1510204	Ute Tribal 2-4	Utah	Duchesne	5S	3W	4	SW/NE
1510205	Ute Tribal 2-5	Utah	Duchesne	5S	3W	5	SW/SW
1510207	Ute Tribal 2-7	Utah	Duchesne	5S	3W	7	NE/NE
1510208	Ute Tribal 2-8	Utah	Duchesne	5S	3W	8	SW/NW
1510209	Ute Tribal 2-9	Utah	Duchesne	5S	3W	9	NE/NE
1510210	Ute Tribal 2-10	Utah	Duchesne	5S	3W	10	SW/NW
1510216	Ute Tribal 2-16	Utah	Duchesne	5S	3W	16	SW/SW
1510218	Ute Tribal 2-18	Utah	Duchesne	5S	3W	18	SE/NE
1510220	Ute Tribal 2-20	Utah	Duchesne	5S	3W	20	SW/NE
1510229	Ute Tribal 2-29	Utah	Duchesne	5S	3W	29	SE/SE
1510231	Ute Tribal 2-31	Utah	Duchesne	5S	3W	31	NE/NW
1510304	Ute Tribal 3-4	Utah	Duchesne	5S	3W	4	NE/SW

**EVERTSON OIL COMPANY, INC.  
SCHEDULE OF WELLS**

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510305	Ute Tribal 3-5-E3	Utah	Duchesne	5S	3W	5	NW/SE
1510307	Ute Tribal 3-7	Utah	Duchesne	5S	3W	7	SE/NE
1510308	Ute Tribal 3-8	Utah	Duchesne	5S	3W	8	NE/NW
1510320	Ute Tribal 3-20	Utah	Duchesne	5S	3W	20	SE/NW
1510329	Ute Tribal 3-29	Utah	Duchesne	5S	3W	29	SE/NW
1510404	Ute Tribal 4-4	Utah	Duchesne	5S	3W	4	SW/SW
1510405	Ute Tribal 4-5	Utah	Duchesne	5S	3W	5	SE/NE
1510408	Ute Tribal 4-8	Utah	Duchesne	5S	3W	8	NW/SW
1510409	Ute Tribal 4-9	Utah	Duchesne	5S	3W	9	SW/SE
1510418	Ute Tribal 4-18	Utah	Duchesne	4S	3W	18	NW/NE
1510429	Ute Tribal 4-29	Utah	Duchesne	5S	3W	29	NW/NW
1510508	Ute Tribal 5-8	Utah	Duchesne	5S	3W	8	SE/NW
1510518	Ute Tribal 5-18	Utah	Duchesne	5S	3W	18	NE/SE
1510529	Ute Tribal 5-29-E3	Utah	Duchesne	5S	3W	29	SW/NE
1510604	Ute Tribal 6-4	Utah	Duchesne	5S	3W	4	SE/SW
1510629	Ute Tribal 6-29	Utah	Duchesne	5S	3W	29	SE/NE
1510729	Ute Tribal 7-29	Utah	Duchesne	5S	3W	29	SE/NE
1520001	Ute Tribal 1	Utah	Duchesne	4S	4W	9	NW/SW
1520003	Ute Tribal 3	Utah	Duchesne	4S	4W	16	SW/NE
1520004	Ute Tribal 4	Utah	Duchesne	4S	4W	16	NE/SW
1520005	Ute Tribal 5	Utah	Duchesne	4S	4W	16	SW/NW
1520006	Ute Tribal 6	Utah	Duchesne	4S	4W	17	SW/NE
1520007	Ute Tribal 7	Utah	Duchesne	4S	4W	17	SW/NW
1520008	Ute Tribal 8	Utah	Duchesne	4S	4W	16	NW/NW
1520103	Ute Tribal 1-3D	Utah	Duchesne	4S	4W	3	SE/SE
1520107	Ute Tribal 1-7D	Utah	Duchesne	4S	4W	7	SE/SE
1520110	Ute Tribal 1-10D	Utah	Duchesne	4S	4W	10	SW/SE
1520115	Ute Tribal 1-15D	Utah	Duchesne	4S	4W	15	SW/NE
1520120	Ute Tribal 1-20D	Utah	Duchesne	4S	4W	20	SW/SW
1520121	Ute Tribal 1-21D	Utah	Duchesne	4S	4W	21	NE/NW
1520122	Ute Tribal 1-22D	Utah	Duchesne	4S	4W	22	NE/NW
1520124	Ute Tribal 1-24D	Utah	Duchesne	4S	5W	24	NW/NW
1520208	Ute Tribal 2-8D	Utah	Duchesne	4S	4W	8	NW/SE

**EVERTSON OIL COMPANY, INC.  
SCHEDULE OF WELLS**

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1520210	Ute Tribal 2-100	Utah	Duchesne	4S	4W	10	SW/4
1520215	Ute Tribal 2-150	Utah	Duchesne	4S	4W	15	NW/NW
1520218	Ute Tribal 2-180	Utah	Duchesne	5S	3W	18	SE/NE
1520310	Ute Tribal 3-100	Utah	Duchesne	4S	4W	10	SE/SW
1520410	Ute Tribal 4-100	Utah	Duchesne	4S	4W	10	NE/SE
1520417	Ute Tribal 4-170	Utah	Duchesne	4S	4W	17	NW/SE
1520418	Ute Tribal 4-180	Utah	Duchesne	4S	4W	18	NW/NW
1520610	Ute Tribal 6-100	Utah	Duchesne	4S	4W	10	SE/NE
1520616	Ute Tribal 6-160	Utah	Duchesne	4S	4W	16	NE/NW
1520716	Ute Tribal 7-160	Utah	Duchesne	4S	4W	16	SE/NE
1520816	Ute Tribal 8-160	Utah	Duchesne	4S	4W	16	NE/SE
1521009	Coyote Ute Tr. 10-9	Utah	Duchesne	4S	4W	9	NW/SE

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

Routing:

1- LCR/GTE	✓
2- DTS/7-LCR	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- ADA	✓

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold)       Designation of Agent  
 Designation of Operator       Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 9-01-92)

TO (new operator)	<u>EVERTSON OIL COMPANY INC</u>	FROM (former operator)	<u>COORS ENERGY</u>
(address)	<u>PO BOX 397</u>	(address)	<u>PO BOX 467</u>
	<u>KIMBALL, NEBRASKA 69145</u>		<u>GOLDEN, COLORADO 80402-0467</u>
	<u>BRUCE F. EVERTSON, PRES.</u>		<u>DOUG SPRAGUE, MGR</u>
	phone ( <u>308</u> ) <u>235-4871</u>		phone ( <u>303</u> ) <u>278-7030</u>
	account no. <u>N 6350 (11-24-92)</u>		account no. <u>N 5090</u>

Well(s) (attach additional page if needed):

Name: <u>*SEE ATTACHMENT</u>	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-4-92) (Reg. UIC Form 5)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Reg. 9-14-92) (Rec'd 9-25-92)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no \_\_\_\_ If yes, show company file number: # 163850. *EA. 8-24-92*
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(11-25-92)*
6. Cardex file has been updated for each well listed above. *(12-3-92)*
7. Well file labels have been updated for each well listed above. *(11-25-92)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes* 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A* 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A* 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A* 2. A copy of this form has been placed in the new and former operators' bond files.
- Yes* 3. The former operator has requested a release of liability from their bond (yes/no) no. Today's date \_\_\_\_\_ 19\_\_\_\_. If yes, division response was made by letter dated \_\_\_\_\_ 19\_\_\_\_.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- Yes* 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated \_\_\_\_\_ 19\_\_\_\_, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.   
*DTS 12-7-92*
- N/A* 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: \_\_\_\_\_ 19\_\_\_\_.

FILING

- Yes* 1. Copies of all attachments to this form have been filed in each well file.
- Yes* 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

*921125 Btm/Vernal "Operator still Coors Energy - Waiting on BIA approval."*

*921125 Operator changed per admin.*

# PETROGLYPH GAS PARTNERS, L.P.

335 NORTH WASHINGTON • SUITE 140  
P.O. BOX 1807 • HUTCHINSON, KS 67504-1807  
(316) 665-8500 • FAX (316) 665-5961

VIA FACSIMILE (801) 359-3940

February 16, 1994

FEB 18 1994

Lisha Cordova  
State of Utah  
Division of Oil, Gas & Mining  
3 Triad Center, Suite 350  
355 West North Temple  
Salt Lake City, Utah 84180-1203

Ms. Cordova:

This letter is to advise you that effective February 1, 1994 Evertson Oil Company, Inc. intends to sell and Petroglyph Gas Partners, L.P. intends to purchase oil and gas properties located in Duchesne County, Utah as identified below:

<u>Well Name</u>	<u>API No.</u>
State 2-6	43-013-30891
Ute Tribal 1	43-013-20045
Ute Tribal 1-10	43-013-30805
Ute Tribal 1-10D	43-013-31211
Ute Tribal 1-15	43-013-30880
Ute Tribal 1-15D	43-013-30712
Ute Tribal 1-16	43-013-30804
Ute Tribal 1-17	43-013-30790
Ute Tribal 1-18	43-013-30761
Ute Tribal 1-19	43-013-30803
Ute Tribal 1-20	43-013-30764
Ute Tribal 1-20D	43-013-31239
Ute Tribal 1-21	43-013-30883
Ute Tribal 1-24D	43-013-31234
Ute Tribal 1-28	43-013-30802
Ute Tribal 1-29	43-013-30763
Ute Tribal 1-3	43-013-30823
Ute Tribal 1-30	43-013-30852
Ute Tribal 1-32	43-013-30853
Ute Tribal 1-33	43-013-30806
Ute Tribal 1-3D	43-013-31242
Ute Tribal 1-4	43-013-30762
Ute Tribal 1-5	43-013-30785
Ute Tribal 1-6	43-013-30793
Ute Tribal 1-7	43-013-30788
Ute Tribal 1-7D	43-013-31198

Ute Tribal 1-8	43-013-30759
Ute Tribal 2-10	43-013-31187
Ute Tribal 2-10D	43-013-31219
Ute Tribal 2-15D	43-013-31200
Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-31166 <i>43-013-30821</i>
<del>Ute Tribal 2-18D</del>	<del>43-013-30881</del> <i>43-013-31212 / Dr.</i>
Ute Tribal 2-20	43-013-30882
Ute Tribal 2-29	43-013-30849
Ute Tribal 2-3	43-013-31097
Ute Tribal 2-31	43-013- <del>30827</del> <i>31188</i>
Ute Tribal 2-4	43-013-30879 <i>(wid)</i>
Ute Tribal 2-5	43-013-30824
Ute Tribal 2-7	43-013-30825
Ute Tribal 2-8	43-013-30826
Ute Tribal 2-8D	43-013-31199
Ute Tribal 2-9	43-013-30789
Ute Tribal 3	43-013-15319
Ute Tribal 3-10D	43-013-31217 <i>(wid) Hand Comm.</i>
Ute Tribal 3-20	43-013-31175
Ute Tribal 3-29	43-013-30850
Ute Tribal 3-4	43-013-30878
Ute Tribal 3-5-E3	43-013-30938
Ute Tribal 3-7	43-013-30828
Ute Tribal 3-8	43-013-31101
Ute Tribal 4	43-013-15321 <i>(wid)</i>
Ute Tribal 4-10D	43-013-31226
Ute Tribal 4-17D	43-013-31201
Ute Tribal 4-18	43-013-31099
Ute Tribal 4-18D	43-013-30838
Ute Tribal 4-29	43-013-30851
Ute Tribal 4-4	43-013-30848
Ute Tribal 4-5	43-013-31306
Ute Tribal 4-8	43-013-31164
Ute Tribal 4-9	43-013-31165
Ute Tribal 5	43-013-15322
Ute Tribal 5-18	43-013-31180
Ute Tribal 5-29-E3	43-013-30939
Ute Tribal 5-8	43-013-31307
Ute Tribal 6	43-013-15323
Ute Tribal 6-10D	43-013-31236
Ute Tribal 6-16D	43-013-31204
Ute Tribal 6-29	43-013-31305
Ute Tribal 6-4	43-013-31100
Ute Tribal 7	43-013-15324
Ute Tribal 7-16D	43-013-31221

Page 3  
Change of Operator Notice  
Duchesne County, Utah  
February 16, 1994

Ute Tribal 7-29	43-013-31339 (DRL)
Ute Tribal 8	43-013-30028
Ute Tribal 8-16D	43-013-31220
Ute Tribal 1-21D	43-013-31347
Ute Tribal 1-22D	43-013-31349

*Petroglyph Operating Company, Inc.*, a wholly owned subsidiary of Petroglyph Gas Partners, L.P., will be the operator of these properties. At this time, we request a state assigned operator number.

We are also notifying the BLM, BIA and the Ute Tribe regarding this change of operator. Please forward this letter to anyone in the State office who may need to have this information. If you have any questions or need further assistance, please feel free to contact me at (316) 665-8500.

Sincerely,



Angela R. Bare  
Operations Administrator

ARB/ms

LAW OFFICES OF

*morris, laing, evans, brock & kennedy, chartered*

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084  
TELEPHONE (316) 262-2671 FAX (316) 262-6226/262-5991

RALPH R. BROCK  
JOSEPH W. KENNEDY  
ROBERT I. GUENTHNER  
DAVID C. ADAMS  
KEN M. PETERSON  
RICHARD D. GREENE  
A. J. SCHWARTZ, JR.  
DONALD E. SCHRAG  
WILLIAM B. SORENSEN, JR.  
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL  
ROBERT W. COYKENDALL  
ROBERT K. ANDERSON  
SUSAN R. SCHRAG  
ROBERT E. NUGENT  
MICHAEL LENNEN  
KARL R. SWARTZ  
ROGER L. THEIS  
JANA DEINES ABBOTT  
RICHARD F. HAYSE\*

THOMAS R. DOCKING  
GERALD N. CAPPS  
DIANE S. WORTH  
TIM J. MOORE  
GARY E. PATTERSON  
BRUCE A. NEY  
JANET H. WARD

\*RESIDENT IN  
TOPEKA OFFICE


ROBERT B. MORTON  
EVA POWERS\*  
OF COUNSEL

VERNE M. LAING  
RETIRED

LESTER L. MORRIS  
1901-1966  
FERD E. EVANS, JR.  
1919-1991

April 5, 1994

Ms. Lisha Cordoba  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203



Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:

I have spoken with you on occasion in the past concerning Petroglyph Gas Partners, L. P.'s acquisition of a 50% interest in a number of oil and gas leases in Utah. Most of these leases are on the Uintah and Ouray, Ute Reservation near Duchesne. I am enclosing the following documents in regard to this acquisition:

1. Copy of Collective Bond No. B04528 in the principal amount of \$75,000 by Petroglyph Gas Partners, L. P. and Inland Resources Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
2. Copy of Collective Bond No. B04556 in the principal amount of \$75,000 by Petroglyph Operating Company, Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
3. Copy of Surety Performance Bond in the principal amount of \$45,000 by Petroglyph Operating Company, Inc. as Principal and Planet Indemnity Company as surety in favor of the U.S. Environmental Protection Agency;

TOPEKA OFFICE

800 S.W. JACKSON SUITE 914 TOPEKA, KS 66612-2214 TEL. (913) 232-2662 FAX (913) 232-9983

Page 2  
April 5, 1994

4. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Inland Resources Inc. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
5. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Petroglyph Gas Partners, L.P. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
6. Seventy-five (75) Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
7. Seventy-five (75) Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
8. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 2-4 SWDW, in triplicate;
9. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 4 SWDW, in triplicate; and
10. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 3-10D SWDW, in triplicate.

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if I have overlooked or omitted anything.

Sincerely,




Roger L. Theis  
For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF INDIAN AFFAIRS

BOND NO. B04528

## COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH GAS PARTNERS, L. P. AND INLAND RESOURCES INC,  
OF: 335 North Washington, #170, Hutchinson, KS 67501, as principals  
and PLANET INDEMNITY COMPANY  
of 410 17th St., #1675, Denver, CO 80202, as surety, are held and firmly bound unto  
the United States of America in the sum of seventy-five thousand dollars (\$75,000),  
lawful money of the United States, for the payment of which, well and truly to be made,  
we bind ourselves and each of us, our and each of our heirs, successors, executors,  
administrators, and assigns, jointly and severally, firmly by these presents.

Sealed with our seals and dated this 16th day of March, 19 94.

The condition of this obligation is such that whereas the said principals, as lessee, have heretofore or may hereafter enter into or otherwise acquire an interest in oil and gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various dates and periods of duration, covering lands or interests in lands held by the United States in trust for individual Indians, or bands or tribes of Indians, or subject to restrictions against alienation without the consent of the Secretary of the Interior, or his authorized representative, which leases and permits have been or may hereafter be granted or approved by the Secretary of the Interior, or his authorized representative, and the identification of which herein is expressly waived by both principals and surety hereto.

WHEREAS the principals and surety agree that the coverage of this bond shall extend to and include all extensions and renewals of the leases and permits covered by this bond, such coverage to continue without any interruption due to the expiration of the term set forth therein.

WHEREAS the surety hereby waives any right to notice of any modification of any such lease or permit, or obligation thereunder whether effected by extension of time for performance, by commitment of such lease to unit, cooperative, or communitization agreement, by waiver, suspension, or change in rental, except an increase thereof, by minimum royalty payment, except an increase thereof, by compensatory royalty payment, or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principals and surety agree that the neglect or forbearance of any obligee under this bond in enforcing the payment of any rental or royalty or the performance of any other covenant, condition, or agreement of any such lease or permit shall not in any way release the principals and surety, or either of them, from any liability under this bond; and

WHEREAS the principals and surety agree that in the event of any default under any such lease or permit, the obligee may prosecute any claim, suit, action, or other proceeding against the principals and surety, or either of them, without the necessity of joining the other.

Now, if the said principal, herein shall faithfully carry out and observe all the obligations assumed in such leases and permits to which Petroglyph Gas Partners, L. P. and Inland Resources Inc. is now or may hereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercourse with Indian tribes, and all rules and regulations that have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect.

The rate of premium charged on this bond is \$ \_\_\_\_\_; the total premium paid is \_\_\_\_\_

Signed and sealed in the presence of

WITNESSES:\*

By: Dorinda L. Thode )

P. O. \_\_\_\_\_ )

By: [Signature] )

P. O. \_\_\_\_\_ )

By: Nancy Gray )

8 Greenway Plaza Suite 400 )  
P. O. Houston, TX 77046 )

By: Sue Neas )

8 Greenway Plaza, Suite 400 )  
P. O. Houston, TX 77046 )

By: [Signature] )

475 17th Street, Suite 1500 )  
P. O. Denver, CO 80202 )

By: Janet K. Spicht )

475 17th Street, Suite 1500 )  
P. O. Denver, CO 80202 )


\* Two witnesses to all signatures

APPROVED:

PETROGLYPH GAS PARTNERS, L. P.

BY: [Signature] General Partner

as to Robert C. Murdock, President



PLANET INDEMNITY COMPANY

as to Mildred L. Massey [SEAL]  
Mildred L. Massey, Attorney-in-Fact  
410 17th Street, Suite 1675  
Denver, CO 80202

INLAND RESOURCES, INC.

as to Kyle B. Miller [SEAL]  
KYLE B. MILLER, President

DEPARTMENT OF THE INTERIOR  
Bureau of Indian Affairs

Superintendent

GENERAL POWER OF ATTORNEY  
CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

MILDRED L. MASSEY

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

\*\*\*\*\*SEVENTY-FIVE THOUSAND AND NO/100 DOLLARS\*\*\*\*\* and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

- "The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority
- (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
  - (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and
  - (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.



*E.H. Frank III*

President

E.H. Frank, III

STATE OF COLORADO  
COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day and year first above written.



*George J. Brenholz*

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this 16th day of March, 1994




*Greg E. Chilson*  
Greg E. Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF INDIAN AFFAIRS

BOND NO. B04556

## COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH OPERATING COMPANY, INC.  
OF: 335 North Washington, Suite 170, Hutchinson, KS 67501, as principal  
and PLANET INDEMNITY COMPANY  
of 410 17th Stree, #1675, Denver, CO 80202, as surety, are held and firmly bound unto  
the United States of America in the sum of seventy-five thousand dollars (\$75,000).  
lawful money of the United States, for the payment of which, well and truly to be made,  
we bind ourselves and each of us, our and each of our heirs, successors, executors,  
administrators, and assigns, jointly and severally, firmly by these presents.

Sealed with our seals and dated this 16th day of March, 19 94.

The condition of this obligation is such that whereas the said principal, as lessee  
has heretofore or may hereafter enter into or otherwise acquire an interest in oil and  
gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various  
dates and periods of duration, covering lands or interests in lands held by the United  
States in trust for individual Indians, or bands or tribes of Indians, or subject to  
restrictions against alienation without the consent of the Secretary of the Interior, or  
his authorized representative, which leases and permits have been or may hereafter be  
granted or approved by the Secretary of the Interior, or his authorized representative,  
and the identification of which herein is expressly waived by both principal and  
surety hereto.

WHEREAS the principal and surety agree that the coverage of this bond shall extend  
to and include all extensions and renewals of the leases and permits covered by this  
bond, such coverage to continue without any interruption due to the expiration of the  
term set forth therein.

WHEREAS the surety hereby waives any right to notice of any modification of any  
such lease or permit, or obligation thereunder whether effected by extension of time  
for performance, by commitment of such lease to unit, cooperative, or communitization  
agreement, by waiver, suspension, or change in rental, except an increase thereof, by  
minimum royalty payment, except an increase thereof, by compensatory royalty payment,  
or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principal and surety agree that the neglect or forbearance of any  
obligee under this bond in enforcing the payment of any rental or royalty or the  
performance of any other covenant, condition, or agreement of any such lease or permit  
shall not in any way release the principal and surety, or either of them, from  
any liability under this bond; and

WHEREAS the principal and surety agree that in the event of any default under  
any such lease or permit, the obligee may prosecute any claim, suit, action, or other  
proceeding against the principal and surety, or either of them, without the  
necessity of joining the other.

Now, if the said principal, herein shall faithfully carry out and observe all the obligations assumed in such leases and permits to which Petroglyph Operating Company, Inc is now or may hereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercourse with Indian tribes, and all rules and regulations that have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect.

The rate of premium charged on this bond is \$ \_\_\_\_\_; the total premium paid is \_\_\_\_\_

Signed and sealed in the presence of

WITNESSES:\*

By: Dorinda G. Hode )

P. O. \_\_\_\_\_ )

By: A. K. Spelt )

P. O. \_\_\_\_\_ )

By: Nancy Cruz )

P. O. 8 Greenway Plaza, Suite 400 )  
Houston, Texas 77046 )

By: Sue Davis )

P. O. 8 Greenway Plaza, Suite 400 )  
Houston, Texas 77046 )

Mildred L. Massey )

P. O. 475 17th Street, Suite 1500 )  
Denver, CO 80202 )

Janet K. Spelt )

P. O. 475 17th Street, Suite 1500 )  
Denver, CO 80202 )

\* Two witnesses to all signatures

APPROVED:

PETROGLYPH OPERATING COMPANY, INC.

as to R. A. Christensen )  
R. A. CHRISTENSEN, President )



PLANET INDEMNITY COMPANY

as to Mildred L. Massey )  
Mildred L. Massey, Attorney-in-Fact )

410 17th Street, Suite 1675 )  
Denver, CO 80202 )

as to Ky [Signature] )  
[SEAL] )

DEPARTMENT OF THE INTERIOR  
Bureau of Indian Affairs

\_\_\_\_\_ 19

\_\_\_\_\_  
Superintendent

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

ROY C. DIE

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

\*\*\*\*\*FIFTY THOUSAND AND NO/100 DOLLARS\*\*\*\*\*

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

- "The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.



*E.H. Frank III*

President

E.H. Frank, III

STATE OF COLORADO  
COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day and year first above written.



*George J. Brenholz*

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this 23rd day of February, 1994



*Greg E. Chilson*  
Greg E. Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number:  
14-20-H62-3519

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Akashe or Tribe Name:  
UTE TRIBAL

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.  
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

7. Unit Agreement Name:  
N/A

1. Type of Well: OIL  GAS  OTHER:

8. Well Name and Number:  
Ute Tribal 1-30

2. Name of Operator:  
PETROGLYPH OPERATING COMPANY, INC.

9. API Well Number:  
43-013-30852

3. Address and Telephone Number:  
P. O. BOX 1807, Hutchinson, KS 67504-1807 316-665-8500

10. Field and Pool, or Wagon:  
Antelope Creek Field  
Green River Pool

4. Location of Well  
Footage: 1980'FEL & 1980'FNL

County: DUCHESNE

CO. Sec. T.R.M.: SWNE 30- T5S-R3W, U.S.M.

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT  
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other CHANGE OF OPERATOR
- New Construction
- Pull or Aher Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date of work completion: 3-1-94

SUBSEQUENT REPORT  
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other
- New Construction
- Pull or Aher Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG logs.

\* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all sections and zones pertinent to this work.)

change of operator from Evertson Oil Company, Inc. to Petroglyph Operating Company, Inc. effective 3-1-94

RECEIVED

13. Name & Signature: PETROGLYPH OPERATING COMPANY, INC.

*R. A. Christensen*

Title: President

Date: 2-25-94

(This space for State use only) R. A. CHRISTENSEN

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.  
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEX form for such proposals.

1. Type of Well: OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> OTHER: _____		5. Lease Description and Serial Number: 14-20-H62-3519
2. Name of Operator: EVERTSON OIL COMPANY, INC.		6. If Indian, Alutian or Tribe Name: UTE TRIBAL
3. Address and Telephone Number: P.O. Box 397, Kimball, NE 69145 308-235-4871		7. Unit Agreement Name: N/A
4. Location of Well Footage: 1980'FEL & 1980'FNL CG Sec., T., R., M.: SWNE 30- T5S-R3W, U.S.M.		8. Well Name and Number: Ute Tribal 1-30 9. API Well Number: 43-013-30852
		10. Field and Pool, or Widoc: Antelope Creek Field Green River Pool
		County: DUCHESNE State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT  
(Submit in Duplicate)

- |   |   |
|---|---|
| <input type="checkbox"/> Abandonment                          | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Casing Repair                        | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans                      | <input type="checkbox"/> Recompletion         |
| <input type="checkbox"/> Conversion to Injection              | <input type="checkbox"/> Shoot or Acidize     |
| <input type="checkbox"/> Fracture Treat                       | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Multiple Completion                  | <input type="checkbox"/> Water Shut-Off       |
| <input checked="" type="checkbox"/> Other: CHANGE OF OPERATOR |   |

Approximate date of change: 3-1-94

SUBSEQUENT REPORT  
(Submit Original Form Only)

- |  |   |
|--|---|
| <input type="checkbox"/> Abandonment             | <input type="checkbox"/> New Construction     |
| <input type="checkbox"/> Casing Repair           | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans         | <input type="checkbox"/> Shoot or Acidize     |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare        |
| <input type="checkbox"/> Fracture Treat          | <input type="checkbox"/> Water Shut-Off       |
| <input type="checkbox"/> Other: _____            |   |


Date of work completion: \_\_\_\_\_

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LDG form.

\* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

change of operator from Evertson Oil Copmany, Inc. to Petroglyph Operating Company, Inc. effective 3-1-94



13. Name & Signature: EVERTSON OIL COMPANY, INC. [Signature] Title: V. President Date: 2/25/94

DANCE S. EVERTSON  
(This space for State use only)

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING

## DESIGNATION OF AGENT OR OPERATOR

The undersigned is, on record, the holder of oil and gas lease

LEASE NAME: UTE TRIBAL

LEASE NUMBER: 14-20-H62-3519

and hereby designates

NAME: PETROGLYPH OPERATING COMPANY, INC.

ADDRESS: P.O.Box 1807, Hutchinson, KS 67504-1807


as his agent /operator , with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to:

Describe acreage to which this designation is applicable, and identify each applicable oil and gas well by name and API number. Attach additional pages as needed.)

T5S-R3W, U.S.M. ALL SECTION 30

UTE 1-30, 43-013-30852

Duchesne County, Utah



It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules, lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.

The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.

Effective Date of Designation: 3-1-94

BY: (Name) ROBERT C. MURDOCK

(Signature) *Robert C. Murdock*

(Title) PRESIDENT OF PETROGLYPH ENERGY, INC.

(Phone) 316-665-8500

OF: (Company) PETROGLYPH GAS PARTNERS, L.P.  
BY PETROGLYPH ENERGY, INC.,

(Address) GENERAL PARTNER  
P. O. BOX 1807

Hutchinson, KS 67504-1807

STATE OF UTAH  
DIVISION OF OIL GAS AND MINING

## DESIGNATION OF AGENT OR OPERATOR

The undersigned is, on record, the holder of oil and gas lease

LEASE NAME: UTE TRIBALLEASE NUMBER: 14-20-H62-3519

and hereby designates

NAME: PETROGLYPH OPERATING COMPANY, INC.ADDRESS: P. O. BOX 1807, Hutchinson, KS 67504-1807


as his agent  operator  with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to:

(Describe acreage to which this designation is applicable, and identify each applicable oil and gas well by name and API number. Attach additional pages as needed.)

T5S-R3W, U.S.M. ALL SECTION 30

UTE 1-30, 43-013-30852

Duchesne County, Utah



It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules, lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.

The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.

Effective Date of Designation: 3-1-94BY: (Name) KYLE R. MILLER(Signature) *K. Miller*(Title) President(Phone) 303-292-0900OF: (Company) INLAND RESOURCES INC.(Address) 475 Seventeenth St., Suite 1500Denver, CO 80202

LAW OFFICES OF

*morris, laing, evans, brock & kennedy, chartered*

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084  
TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK  
JOSEPH W. KENNEDY  
ROBERT I. GUENTHNER  
DAVID C. ADAMS  
KEN M. PETERSON  
RICHARD D. GREENE  
A. J. SCHWARTZ, JR.  
DONALD E. SCHRAG  
WILLIAM B. SORENSEN, JR.  
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL  
ROBERT W. COYKENDALL  
ROBERT K. ANDERSON  
SUSAN R. SCHRAG  
ROBERT E. NUGENT  
MICHAEL LENNEN  
KARL R. SWARTZ  
ROGER L. THEIS  
JANA DEINES ABBOTT  
RICHARD F. HAYSE\*

THOMAS R. DOCKING  
GERALD N. CAPPS  
DIANE S. WORTH  
TIM J. MOORE  
GARY E. PATTERSON  
BRUCE A. NEY  
JANET H. WARD

\*RESIDENT IN  
TOPEKA OFFICE


ROBERT B. MORTON  
EVA POWERS\*  
OF COUNSEL

VERNE M. LAING  
RETIRED

LESTER L. MORRIS  
1901-1966  
FERD E. EVANS, JR.  
1919-1991

April 25, 1994

Ms. Lisha Cordoba  
Division of Oil, Gas and Mining  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203



Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:

Enclosed in triplicate per our recent conversations are Sundry Notices pertaining to the Ute Tribal 1-29, 2-5, 5-29E3, and #8 wells which were inadvertently initially overlooked in this transaction as follows:

1. Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
2. Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if you need anything further.

Sincerely,

A handwritten signature in black ink, appearing to read "Roger L. Theis".

Roger L. Theis  
For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen

TOPEKA OFFICE

800 S.W. JACKSON SUITE 914 TOPEKA, KS 66612-2214 TEL. (913) 232-2662 FAX (913) 232-9983



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Vernal District Office  
170 South 500 East  
Vernal, Utah 84078-2799

IN REPLY REFER TO:  
**3162.3**  
**(UT08438)**

JUN 8 9 1994

Petroglyph Operating Company, Inc.  
P.O. Box 1839  
Hutchinson, KS 67504-1839

Re: See attached list for the  
well numbers and lease  
numbers  
Duchesne County, Utah

Gentlemen:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Petroglyph Operating Company, Inc., is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II  
Assistant District Manager for Minerals

cc: Evertson Oil Company  
BIA

Metroglyph - Assignments, and Change of Operator

Township 5 South, Range 3 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
14-20-H62-3502	3	✓ Ute Tribal 1-3 ✓ Ute Tribal 2-3	SWSW SESW
14-20-H62-3503	4	✓ Ute Tribal 1-4 ✓ Ute Tribal 2-4 SWD ✓ Ute Tribal 3-4 ✓ Ute Tribal 4-4 ✓ Ute Tribal 6-4	NENE SWNE NESW SWSW SESW
14-20-H62-3504	5	✓ Ute Tribal 1-5 ✓ Ute Tribal 2-5 ✓ Ute Tribal 3-5 E3 ✓ Ute Tribal 4-5	SWNE SWSW NWSE SENE
14-20-H62-3505	6	✓ Ute Tribal 1-6* ✓ Ute Tribal 3-6	SESE SENE
14-20-H62-3506	7	✓ Ute Tribal 1-7* ✓ Ute Tribal 2-7 ✓ Ute Tribal 3-7	SESW NENE SENE
14-20-H62-3507	8	✓ Ute Tribal 1-8 ✓ Ute Tribal 2-8 ✓ Ute Tribal 3-8 ✓ Ute Tribal 4-8 ✓ Ute Tribal 5-8	NWNW SWNW NENW NWSW SENW
14-20-H62-3508	9	✓ Ute Tribal 2-9 ✓ Ute Tribal 4-9	NENE SWSE
14-20-H62-3509	10	✓ Ute Tribal 1-10 ✓ Ute Tribal 2-10	NWNW NENW

Township 5 South, Range 3 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
14-20-H62-3510	15	✓ Ute Tribal 1-15	NWNW
14-20-H62-3511	16	✓ Ute Tribal 1-16* ✓ Ute Tribal 2-16	SESE SWSW
14-20-H62-4633	17	✓ Ute Tribal 1-17*	NENE
14-20-H62-3513	18	✓ Ute Tribal 1-18 ✓ Ute Tribal 2-18 ✓ Ute Tribal 4-18 ✓ Ute Tribal 5-18	NENE SENE NWNE NESE
14-20-H62-3514	19	✓ Ute Tribal 1-19	SESE
14-20-H62-3515	20	✓ Ute Tribal 1-20 ✓ Ute Tribal 2-20 ✓ Ute Tribal 3-20*	NWNE SWNE SENW
14-20-H62-3516	21	✓ Ute Tribal 1-21	SWSW
14-20-H62-3517	28	✓ Ute Tribal 1-28	SWNW
14-20-H62-3518	29	✓ Ute Tribal 1-29 ✓ Ute Tribal 2-29 ✓ Ute Tribal 3-29 ✓ Ute Tribal 4-29 ✓ Ute Tribal 5-29E3 ✓ Ute Tribal <del>7-29</del> 6-29 ✓ Ute Tribal 7-29	NESE SESE SENW NWNW SWNE SENE NESE
14-20-H62-3519	30	✓ Ute Tribal 1-30	SWNE
14-20-H62-3520	31	✓ Ute Tribal 1-31* ✓ Ute Tribal 2-31	NWNE NENW
14-20-H62-3521	32	✓ Ute Tribal 1-32	SENE
14-20-H62-3522	33	✓ Ute Tribal 1-33	NENW

(\* ) = Lease No. incorrect on Sundry Notice submitted

Township 4 South, Range 4 West, USM

Township 4 South, Range 4 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
14-20-H62-4446	3	✓Ute Tribal 1-3D	SESE
14-20-H62-4453	22	✓Ute Tribal 1-22D	NENW
14-20-H62-4454	10	✓Ute Tribal 6-10D	SENE
14-20-H62-4455	21	✓Ute Tribal 1-21D	NENW
14-20-H62-4465	20	✓Ute Tribal 1-20D	NWNE
14-20-H62-4466	24	✓Ute Tribal 1-24D	NWNW

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
H109-IND-5351	7	✓Ute Tribal 1-7D	SESE
	8	✓Ute Tribal 2-8D	NWSE
	9	✓Ute Tribal #1	NWSW
	10	✓Ute Tribal 1-10D	SWSE
	10	✓Ute Tribal 2-10D	SWSW
	10	✓Ute Tribal 3-10D	SESW
	10	✓Ute Tribal 4-10D	NESE
	15	✓Ute Tribal 1-15D	SWSW
	15	✓Ute Tribal 2-15D	NWNW
	16	✓Ute Tribal #3	SENE
	16	✓Ute Tribal #5	SWNW
	16	✓Ute Tribal 6-16D	NENW
	16	✓Ute Tribal 7-16D	SENE
	16	✓Ute Tribal #8	NWNW
	16	✓Ute Tribal 8-16D	NESE
	16	✓Ute Tribal 14-16D	NENW
	17	✓Ute Tribal #6	SWNE
	17	✓Ute Tribal #7	SWNW
	17	✓Ute Tribal 4-17D	NWSE
	18	✓Ute Tribal 2-18D	NESE
18	✓Ute Tribal 4-18D	NWNW	

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET**

Routing	
1- LEC / GIL	✓
2- LWP 7-PL	✓
3- DTB/SJ	✓
4- VLC 9-FILE	✓
5- RJF	✓
6- LWP	✓

Attach all documentation received by the division regarding this change.  
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold)       Designation of Agent  
 Designation of Operator       Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 2-1-94)

TO (new operator)	<u>PETROGLYPH OPERATING CO.</u>	FROM (former operator)	<u>EVERTSON OIL COMPANY INC</u>
(address)	<u>PO BOX 1839</u>	(address)	<u>PO BOX 397</u>
	<u>HUTCHINSON, KS 67504-1839</u>		<u>KIMBALL, NE 69145</u>
	<u>ANGELA BARE</u>		
	phone ( <u>316</u> ) <u>665-8500</u>		phone ( <u>308</u> ) <u>235-4871</u>
	account no. <u>N3800</u>		account no. <u>N6350</u>

Well(s) (attach additional page if needed):

Name: <b>**SEE ATTACHED**</b>	API: <u>013-30852</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

**OPERATOR CHANGE DOCUMENTATION**

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 2-24-94) (Rec'd 4-7-94)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Rec'd 2-18-94) (Rec'd 4-7-94)
- Sec 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) yes If yes, show company file number: #C0180242. (Ltr. 2-18-94)
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (7-8-94)
- Sec 6. Cardex file has been updated for each well listed above. 7-11-94
- Sec 7. Well file labels have been updated for each well listed above. 7-11-94
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (7-6-94)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Y Fee 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A Fee 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no)    . Today's date     19   . If yes, division response was made by letter dated     19   .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated     19   , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- OTS  
7/21/94
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- ✓ 1. All attachments to this form have been microfilmed. Date: July 29 1994.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

940706 Btm/Vernal Apr. 6-30-94.

\*(1 st lease well handled separately)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

14-20-H62-3519

6. If Indian, Allottee or Tribe Name

Ute Indian Tribe

7. If Unit or CA, Agreement Designation

14-20-H62-4650

8. Well Name and No.

Ute Tribal 1-30

9. API Well No.

43-013-30852

10. Field and Pool, or Exploratory Area

Antelope Creek

11. County or Parish, State

Duchesne County, UT

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil Well     Gas Well     Other

2. Name of Operator

Petroglyph Operating Company, Inc.

3. Address and Telephone No.

6209 N. Highway 61 Hutchinson, KS 67502 (316) 665-8500

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SWNE 1980 FNL & 1980 FEL  
30-5S-3W

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

TYPE OF ACTION

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other well name change  
 Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

In an effort to bring all of the existing wells and the anticipated wells to be drilled into a uniform numbering system, based on 40 acre locations, each well name will be changed to consist of its section location followed by the correct number of its well spot, based upon 16 wells per section.

Petroglyph Operating Company, Inc. would like to notify by subsequent report that the above referenced well name has been changed to Ute Tribal 30-07. This will be effective January 1, 1996.

14. I hereby certify that the foregoing is true and correct

Signed 

Title President

Date 1/25/96

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_  
Conditions of approval, if any:

Date \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side



January 26, 1996

Ron Firth  
State of Utah  
Division of Oil, Gas & Mining  
3 Triad Center, Suite 350  
355 West North Temple  
Salt Lake City, UT 84180-1203

**RE: Well Name Change for Wells in the Antelope Creek Field, Duchesne County, UT**

Mr. Firth:

In an effort to bring all of the existing wells and wells to be drilled into a uniform numbering system, based on 40 acre locations and 16 wells per section, each well name will be changed to consist of its section location followed by the correct number of its well spot.

Enclosed please find sundry notices changing the well name for all wells located in Antelope Creek. We are making this change effective January 1, 1996. Also enclosed for your convenience is a list consisting of the "old" well names and the "new" well names.

Your assistance during this time of transition is greatly appreciated. If you have any questions regarding the enclosed information, please do not hesitate to contact me at (316) 665-8500.

Sincerely,

Angela R. Ely  
Administrative Operations Manager

ARE/ms

Enclosures

pc: Dennis Ingram  
Lisha Cordova

## 96WELLÇ.XLS

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field	Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1-10	10-12	43-013-30805	2001 FSL & 600 FWL	Antelope Creek	5S	3W	10	NWSW
14-20-H62-4650	14-20-H62-3510	Ute Tribal	1-15	15-04	43-013-30880	907 FNL & 515 FWL	Antelope Creek	5S	3W	15	NWNW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	1-16	16-16	43-013-30804	505 FSL & 600 FEL	Antelope Creek	5S	3W	16	SESE
14-20-H62-4650	14-20-H62-4633	Ute Tribal	1-17	17-01	43-013-30790	638 FNL & 610 FEL	Antelope Creek	5S	3W	17	NENE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	1-18	18-01	43-013-30761	550 FNL & 521 FEL	Antelope Creek	5S	3W	18	NENE
14-20-H62-4650	14-20-H62-3514	Ute Tribal	1-19	19-16	43-013-30803	556 FSL & 603 FEL	Antelope Creek	5S	3W	19	SESE
14-20-H62-4650	14-20-H62-3515	Ute Tribal	1-20	20-02	43-013-30764	404 FNL & 1539 FEL	Antelope Creek	5S	3W	20	NWNE
14-20-H62-4650	14-20-H62-3516	Ute Tribal	1-21	21-13	43-013-30883	611 FSL & 786 FWL	Antelope Creek	5S	3W	21	SWSW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	1-28	28-05	43-013-30802	2583 FNL & 712 FWL	Antelope Creek	5S	3W	28	SWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	1-29 inj	29-09 inj	43-013-30763	1324 FSL & 1160 FEL	Antelope Creek	5S	3W	29	NESE
14-20-H62-4650	14-20-H62-3502	Ute Tribal	1-3	03-13	43-013-30823	659 FSL & 659 FWL	Antelope Creek	5S	3W	3	SWSW
14-20-H62-4650	14-20-H62-3519	Ute Tribal	1-30	30-07	43-013-30852	1980 FNL & 1980 FEL	Antelope Creek	5S	3W	30	SWNE
14-20-H62-4650	14-20-H62-3520	Ute Tribal	1-31	31-02	43-013-30827	619 FNL & 1942 FEL	Antelope Creek	5S	3W	31	NWNE
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1-32	32-08	43-013-30853	2100 FNL & 660 FEL	Antelope Creek	5S	3W	32	SENE
14-20-H62-4650	14-20-H62-3522	Ute Tribal	1-33	33-04	43-013-30806	723 FNL & 802 FWL	Antelope Creek	5S	3W	33	NWNW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	1-4	04-01	43-013-30762	1331 FNL & 1277 FEL	Antelope Creek	5S	3W	4	NENE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	1-5	05-07	43-013-30785	2430 FNL & 1777 FEL	Antelope Creek	5S	3W	5	SWNE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	1-6	06-16	43-013-30793	833 FSL & 902 FEL	Antelope Creek	5S	3W	6	SESE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	1-7	07-14	43-013-30788	569 FSL & 1957 FWL	Antelope Creek	5S	3W	7	SESW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1-8 inj	08-04 inj	43-013-30759	754 FNL & 888 FWL	Antelope Creek	5S	3W	8	NWNW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	11-5	05-09	43-013-31468	2150 FSL & 639 FEL	Antelope Creek	5S	3W	5	NESE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	12-28	28-12	43-013-31529	1861 FSL & 496 FWL	Antelope Creek	5S	3W	28	NWSW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	12-4	04-12	43-013-31470	2000 FSL & 600 FWL	Antelope Creek	5S	3W	4	NWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	12-5	05-11	43-013-31454	1856 FSL & 1457 FWL	Antelope Creek	5S	3W	5	NESW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	13-8	08-13	43-013-31468	660 FSL & 660 FWL	Antelope Creek	5S	3W	8	SWSW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	14-29	29-10	43-013-31475	1955 FSL & 2125 FEL	Antelope Creek	5S	3W	29	NWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	14-5	05-14	43-013-31455	590 FSL & 1984 FWL	Antelope Creek	5S	3W	5	SESW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	15-29	29-15	43-013-31530	649 FSL & 1831 FEL	Antelope Creek	5S	3W	29	SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	15-5	05-16	43-013-31461	990 FSL & 1900 FEL	Antelope Creek	5S	3W	5	SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	16-5	05-16	43-013-31527	708 FSL & 523 FEL	Antelope Creek	5S	3W	5	SESE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	16-7	07-16	43-013-31463	440 FSL & 410 FEL	Antelope Creek	5S	3W	7	SESE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1A-8	08-01	43-013-31568	660 FSL & 660 FEL	Antelope Creek	5S	3W	8	NENE
14-20-H62-4650	14-20-H62-3509	Ute Tribal	2-10	10-03	43-013-31187	600 FNL & 1650 FWL	Antelope Creek	5S	3W	10	NENW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	2-16	16-13	43-013-31166	750 FSL & 500 FWL	Antelope Creek	5S	3W	16	SWSW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	2-18	18-08	43-013-30881	1929 FNL & 612 FEL	Antelope Creek	5S	3W	18	SENE
14-20-H62-4650	14-20-H62-3515	Ute Tribal	2-20	20-07	43-013-30882	1980 FNL & 1980 FEL	Antelope Creek	5S	3W	20	SWNE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	2-29	29-16	43-013-30849	500 FSL & 500 FEL	Antelope Creek	5S	3W	29	SESE
14-20-H62-4650	14-20-H62-3502	Ute Tribal	2-3	03-14	43-013-31097	1050 FSL & 1980 FWL	Antelope Creek	5S	3W	3	SESW
14-20-H62-4650	14-20-H62-3520	Ute Tribal	2-31	31-03	43-013-31188	442 FNL & 2338 FWL	Antelope Creek	5S	3W	31	NENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	2-4 inj	04-07 inj	43-013-30879	2551 FNL & 1900 FEL	Antelope Creek	5S	3W	4	SWNE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	2-5	05-13	43-013-30824	723 FSL & 588 FWL	Antelope Creek	5S	3W	5	SWSW
14-20-H62-4650		State	2-6	06-10	43-013-30891	2525 FSL & 1836 FEL	Antelope Creek	5S	3W	6	NW SE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	2-7	07-01	43-013-30825	567 FNL & 706 FEL	Antelope Creek	5S	3W	7	NENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2-8	08-05	43-013-30826	1980 FNL & 500 FWL	Antelope Creek	5S	3W	8	SWNW
14-20-H62-4650	14-20-H62-3508	Ute Tribal	2-9	09-01	430-13-30789	770 FNL & 1059 FEL	Antelope Creek	5S	3W	9	NENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2A-8	08-02	43-013-31569	506 FNL & 1956 FEL	Antelope Creek	5S	3W	8	NWNE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	3-18	18-03	43-013-31528	614 FNL & 1983 FWL	Antelope Creek	5S	3W	18	NENW

## 96WELLÇ.XLS

AgmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field	Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3515	Ute Tribal	3-20	20-06	43-013-31175	2050 FNL & 1950 FWL	Antelope Creek	5S	3W	20	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	3-29	29-06	43-013-30850	1900 FNL & 1980 FWL	Antelope Creek	5S	3W	29	SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	3-4	04-11	43-013-30878	1999 FSL & 1738 FWL	Antelope Creek	5S	3W	4	NESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	3-5 E3 inj	05-10 inj	43-013-30938	2068 FSL & 2093 FEL	Antelope Creek	5S	3W	5	NWSE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	3-6	06-08	43-013-31189	2323 FNL & 691 FEL Lot # 9	Antelope Creek	5S	3W	6	SENE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	3-7	07-08	43-013-30828	1864 FNL & 972 FEL	Antelope Creek	5S	3W	7	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	3-8	08-03	43-013-31101	505 FNL & 439 FWL	Antelope Creek	5S	3W	8	NENW
14-20-H62-4650	14-20-H62-4633	Ute Tribal	4-17	17-04	43-013-31464	697 FNL & 636 FWL	Antelope Creek	5S	3W	17	NWNW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	4-18 inj	18-02 inj	43-013-31099	812 FNL & 1768 FEL	Antelope Creek	5S	3W	18	NWNE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	4-29	29-04	43-013-30851	660 FNL & 660 FWL	Antelope Creek	5S	3W	29	NWNW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4-4	04-13	43-013-30848	807 FSL & 886 FWL	Antelope Creek	5S	3W	4	SWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	4-5	05-08	43-013-31306	2500 FNL & 550 FEL	Antelope Creek	5S	3W	5	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	4-8	08-12	43-013-31164	2100 FSL & 515 FWL	Antelope Creek	5S	3W	8	NWSW
14-20-H62-4650	14-20-H62-3508	Ute Tribal	4-9	09-15	43-013-31165	550 FSL & 2000 FEL	Antelope Creek	5S	3W	9	SWSE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4A-4	04-04	43-013-31574	1205 FNL & 660 FWL Lot # 5	Antelope Creek	5S	3W	4	NWNW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	5-18 inj	18-09 inj	43-013-31180	2151 FSL & 667 FEL	Antelope Creek	5S	3W	18	NESE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	5-29 E3	29-07	43-013-30939	1969 FNL & 2093 FEL	Antelope Creek	5S	3W	29	SWNE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	5-4	04-05	43-013-31462	1969 FNL & 660 FWL Lot # 12	Antelope Creek	5S	3W	4	SWNW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	5-8 inj	08-06 inj	43-013-31307	1550 FNL & 1550 FWL	Antelope Creek	5S	3W	8	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	6-29	29-08A	43-013-31305	2600 FNL & 600 FEL	Antelope Creek	5S	3W	29	SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6-4	04-14	43-013-31100	660 FSL & 2000 FWL	Antelope Creek	5S	3W	4	SESW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6A-4	04-06	43-013-31526	2427 FNL & 2028 FWL Lot # 11	Antelope Creek	5S	3W	4	SENW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	7-18	18-07	43-013-31533	2236 FNL & 1855 FEL	Antelope Creek	5S	3W	18	SWNE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	7-29	29-08B	43-013-31339	2675 FNL & 725 FEL	Antelope Creek	5S	3W	29	NESE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	11-28	28-11	43-013-31575	2171 FSL & 2107 FWL	Antelope Creek	5S	3W	28	NESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	10-18	18-10	43-013-31595	1954 FSL & 1894 FEL	Antelope Creek	5S	3W	18	NWSE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	13-28	28-13	43-013-31576	712 FSL & 553 FWL	Antelope Creek	5S	3W	28	SWSW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	6-28	28-06	43-013-31594		Antelope Creek	5S	3W	28	SENW
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1A-32	32-01	43-013-31577	759 FNL & 502 FEL	Antelope Creek	5S	3W	32	NENE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. 1420H623519
2. Name of Operator PETROGLYPH OPERATING COMPANY, Contact: MICHEAL SAFFORD E-Mail: msafford@petroglyphenenergy.com		6. If Indian, Allottee or Tribe Name UTE INDIAN TRIBE
3a. Address P.O. BOX 607 ROOSEVELT, UT 84066	3b. Phone No. (include area code) Ph: 435.722.2531 Fx: 435.722.9145	7. If Unit or CA/Agreement, Name and/or No. 1420H624650
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T5S R3W SWNE 1980FNL 1980FEL		8. Well Name and No. UTE TRIBAL 30-07
		9. API Well No. 43-013-30852
		10. Field and Pool, or Exploratory ANTELOPE CREEK
		11. County or Parish, and State DUCHESNE COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Workover Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

the above referenced well was acidized to increase production. The workover began on 6/3/2002 and the well was returned to production on 6/6/2002.

zones acidized  
5593-98 treated with 832 gallons 15% HCL with additives.  
4800-03 and 4807-12 treated with 1252 gallons 15% HCL with additives.

14. I hereby certify that the foregoing is true and correct.  
**Electronic Submission #12994 verified by the BLM Well Information System For PETROGLYPH OPERATING COMPANY,, sent to the Vernal**

Name (Printed/Typed) MICHEAL SAFFORD	Title COORDINATOR
Signature (Electronic Submission)	Date 07/23/2002

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office _____		

**RECEIVED**

JUL 31 2002

DIVISION OF  
OIL, GAS AND MINING

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* ORIGINAL \*\* ORIGINAL \*\***

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

#  
42085

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. 1420H623519	
2. Name of Operator PETROGLYPH ENERGY		6. If Indian, Allottee or Tribe Name UTE TRIBAL 30-07	
3a. Address P.O. BOX 607 ROOSEVELT, UT 84073		7. If Unit or CA/Agreement, Name and/or No. 1420H624650	
3b. Phone No. (include area code) Ph: 435.722.2531 Fx: 435.722.9145		8. Well Name and No. UTE TRIBAL 30-07	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T5S R3W SWNE 1980FNL 1980FEL		9. API Well No. <del>14-206-23640</del> 43-013-30852	
10. Field and Pool, or Exploratory ANTELOPE CREEK		11. County or Parish, and State DUCHESNE COUNTY, UT	

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Acidize zone C6 with 1882 gals 15% HCL w/ additives.

14. I hereby certify that the foregoing is true and correct.  
**Electronic Submission #18769 verified by the BLM Well Information System For PETROGLYPH ENERGY, will be sent to the Vernal**

Name (Printed/Typed) <b>MATT CORSER</b>	Title <b>PETROLEUM ENGINEER</b>
Signature (Electronic Submission)	Date <b>02/20/2003</b>

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**\*\* DRAFT \*\* DRAFT \*\* DRAFT \*\* DRAFT \*\* DRAFT \*\* DRAFT \*\* DRAFT \*\***

**APR 28 2003**

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: 1420H624650
2. NAME OF OPERATOR: Petroglyph Operating Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe
3. ADDRESS OF OPERATOR: P.O. Box 607 city Roosevelt STATE UT ZIP 84066		7. UNIT or CA AGREEMENT NAME: Ute Tribal 30-15
4. LOCATION OF WELL FOOTAGES AT SURFACE: Multiple/See Below		8. WELL NAME and NUMBER: See Below
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER: See Below
		10. FIELD AND POOL, OR WILDCAT: Antelope Creek
		COUNTY: Duchesne
		STATE: UT UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Facility Changes
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well Name	API#	S/T/R	Type	Status	Entity#
Ute 30-06	430133197000S1	30/05S/03W	Oil	POW	09410
Ute 30-07	430133085200S1	30/05S/03W	Oil	POW	09410
Ute 30-09	430133179800S1	30/05S/03W	Oil	POW	09410
Ute 30-15			Oil	POW	12216

All wells were moved to the Ute Tribal 30-15 Tank Battery.

NAME (PLEASE PRINT) Callie Peatross TITLE Production Clerk

SIGNATURE Callie Peatross DATE 04-25-03

(This space for State use only)

RECEIVED  
APR 28 2003  
DIV. OF OIL, GAS & MI

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: 1420H624650
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: Ute Tribal 30-15
		8. WELL NAME and NUMBER: See Below
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	2. NAME OF OPERATOR: Petroglyph Operating Company	9. API NUMBER: See Below
3. ADDRESS OF OPERATOR: P.O. Box 607 CITY Roosevelt STATE UT ZIP 84066	PHONE NUMBER: 722-2531	10. FIELD AND POOL, OR WILDCAT: Antelope Creek

4. LOCATION OF WELL  
FOOTAGES AT SURFACE: Multiple/See Below  
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: \_\_\_\_\_

COUNTY: Duchesne  
STATE: UT UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMingle PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Facility Changes
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Well Name	API#	S/T/R	Type	Status	Entity#
Ute 30-06	430133197000S1	30/05S/03W	Oil	POW	09410
Ute 30-07	430133085200S1	30/05S/03W	Oil	POW	09410
Ute 30-09	430133179800S1	30/05S/03W	Oil	POW	09410
Ute 30-15			Oil	POW	12216

All wells were moved to the Ute Tribal 30-15 Tank Battery.

NAME (PLEASE PRINT) Callie Peatross TITLE Production Clerk

SIGNATURE Callie Peatross DATE 04-25-03

(This space for State use only)

RECEIVE  
APR 28 2003  
DIV. OF OIL, GAS & MIN.

JUL-07-2003 MON 09:40 AM OIL, GAS & MINING

FAX NO. 801 358 3940

P. 02/03

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: Petroglyph  
Address: P.O. Box 607  
city Roosevelt  
state Utah zip 84066

Operator Account Number: N 3800  
Phone Number: 435-722-2531

Well 1

API Number	Well Name	QQ	Sec	Twp	Rng	County
43613314760051	Ute Tribal 30-06	SE NW	30	55	3W	Duchesne
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
C	09410	12216	4/18/1998		March-2003	
Comments:						7/9/03 ✓
Now on 30-15 TB.						

Well 2

API Number	Well Name	QQ	Sec	Twp	Rng	County
43613308520051	Ute Tribal 30-07	SW NE	30	55	3W	Duchesne
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
C	09410	12216	8/2/1984		March-2003	
Comments:						7/9/03 ✓
Now on 30-15 TB.						

Well 3

API Number	Well Name	QQ	Sec	Twp	Rng	County
43613317990051	Ute Tribal 30-09	NE SE	30	55	3W	Duchesne
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date	
C	09410	12216	2/25/1997		March-2003	
Comments:						7/9/03 ✓
Now on 30-15 TB						

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Callie Peatross  
Name (Please Print)  
Callie Peatross  
Signature  
Production Assistant 7-7-03  
Title Date

RECEIVED  
JUL 07 2003



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
999 18TH STREET - SUITE 200
DENVER, CO 80202-2466
Phone 800-227-8917
http://www.epa.gov/region08

Ref: 8P-W-GW

DEC - 1 2006

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Steve Wall, District Manager
Petroglyph Energy, Inc.
4116 West 3000 So. Ioka Lane
Roosevelt, UT 84066

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

43,013,30852
5S 3W 30

RE: Additional Well to Antelope Creek Area Permit
UIC Permit No. UT20736-00000
Well ID: UT20736-07418
Ute Tribal No. 30-07, Duchesne County, Utah

Dear Mr. Wall:

The Petroglyph Operating Company, Inc. (Petroglyph) request to convert the former Green River Formation oil well Ute Tribal No. 30-07 to an enhanced recovery injection well in the Antelope Creek Waterflood project is hereby authorized by the Environmental Protection Agency (EPA) under the terms and conditions of the Authorization For Additional Well.

The addition of the proposed injection well, within the exterior boundary of the Uintah & Ouray Indian Reservation, is being made under the authority of 40 CFR §144.33 (c) and terms of the Antelope Creek Waterflood UIC Area Permit No. UT20736-00000. Unless specifically mentioned in the enclosed Authorization For Additional Well, the Ute Tribal No. 30-07 is subject to all terms and conditions of the UIC Area Permit UT20736-00000 as modified.

Please be aware that Petroglyph does not have authorization to begin injection operations into the well until all Prior to Commencing Injection requirements have been submitted and evaluated by the EPA, and Petroglyph has received written authorization from the Director to begin injection.

Prior to receiving authorization to inject, the EPA requires that Petroglyph submit for review and approval the following: (1) the results of a Part I (Internal) mechanical integrity test (MIT), (2) a pore pressure calculation of the injection interval, (3) a completed EPA Form No. 7520-12 Well Rework Record.

RECEIVED

DEC 04 2006

The initial Maximum Allowable Injection Pressure (MAIP) for the Ute Tribal No. 30-07 was determined to be 1742 psig. UIC Area Permit UT20736-00000 also provides the opportunity for the permittee to request a change in the MAIP based upon results of a step rate test that demonstrates that the formation breakdown pressure will not be exceeded.

If you have any questions, please call Ms. Linda Bowling at (303) 312-6254 or 1.800.227.8917 (Ext. 6254). Please submit the required data to **ATTENTION: Linda Bowling**, at the letterhead address, citing **MAIL CODE: 8P-W-GW** very prominently.

Y. J. C. [unclear]  
[unclear]  
[unclear]  
[unclear]

Sincerely,

*for* Stephen S. Tuber  
Assistant Regional Administrator  
Office of Partnerships and Regulatory Assistance

encl: Authorization For Conversion of An Additional Well  
EPA Form No. 7520-12 (Well Rework Record)

cc: without enclosures  
Maxine Natchees, Acting Chairperson  
Uintah & Ouray Business Committee  
Ute Indian Tribe  
P.O. Box 190  
Fort Duchesne, UT 84026

Chester Mills, Superintendent  
BIA - Uintah & Ouray Indian Agency  
P.O. Box 130  
Fort Duchesne, UT 84026

cc: with enclosures  
Mr. Kenneth Smith  
Executive Vice President and Chief Operating Officer  
Petroglyph Energy, Inc.  
555 S. Cole Blvd  
Boise, ID 83709

Shaun Chapoose, Director  
Land Use Department  
Ute Indian Tribe  
P.O. Box 460  
Fort Duchesne, UT 84026

Gilbert Hunt  
Technical Services Manager  
Utah Division of Oil, Gas, and Mining  
1594 West North Temple - Suite 1220  
Salt Lake City, UT 84114-5801

Fluid Minerals Engineering Office  
U.S. Bureau of Land Management-Vernal Field Office  
170 South 500 East  
Vernal, Utah 84078

Lynn Becker, Director  
Energy and Minerals Department  
Ute Indian Tribe  
P.O. Box 70  
Ft. Duchesne, UT 84026

bcc w/o enclosures:

Barbara Conklin, 8TAP  
Nathan Wiser, 8 ENF-UFO

UNITED STATES ENVIRONMENTAL PROTECTION  
AGENCY

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 200  
DENVER, CO 80202-2466  
Phone 800-227-8917  
<http://www.epa.gov/region08>

**AUTHORIZATION FOR ADDITIONAL WELL**

**UIC Area Permit No: UT20736-00000**

The Antelope Creek Waterflood Final UIC Area Permit No. UT20736-00000, effective July 12, 1994, authorizes injection for the purpose of enhanced oil recovery into multiple lenticular sand units which are distributed throughout the lower portion of the Green River Formation. On September 19, 2006, the permittee provided notice to the Director concerning the following additional enhanced recovery injection well:


Well Name:	<b><u>Ute Tribal 30-07</u></b>
EPA Well ID Number:	<b><u>UT20736-07418</u></b>
Location:	1980 ft FNL & 1980 ft FEL SW NE Sec. 30 - T5S - R3W Duchesne County, Utah.

Pursuant to 40 CFR §144.33, Area UIC Permit No. UT20736-00000 authorizes the permittee to construct and operate, convert, or plug and abandon additional enhanced recovery injection wells within the area permit. This well was determined to satisfy additional well criteria required by the permit.

This well is subject to all provisions of UIC Area Permit No. UT20736-00000, as modified and as specified in the Well Specific Requirements detailed below. This Authorization shall expire one year after the Effective Date unless the permittee has converted the well to injection or submits a written request to extend this Authorization prior to the expiration date.

This Authorization is effective upon signature.

Date: DEC - 1 2006

  
for **Stephen S. Tuber**

\*Assistant Regional Administrator  
Office of Partnerships and Regulatory Assistance

\* The person holding this title is referred to as the Director throughout the Permit and Authorization

## WELL-SPECIFIC REQUIREMENTS

Well Name: Ute Tribal 30-07  
EPA Well ID Number: UT20736-07418

**Prior to commencing injection operations, the permittee shall submit the following information and receive written Authority to Inject from the Director:**

1. a successful Part I (Internal) Mechanical Integrity test (MIT);
2. pore pressure calculation of the proposed injection zone; and
3. completed Well Rework Record EPA Form No. 7520-12 and schematic diagram.

**Approved Injection Zone:** Injection is approved between the base of the Green River A Lime Marker, at approximately 3960 ft (KB)<sub>CBL</sub>, to the top of the Basal Carbonate, at approximately 5962 ft (KB)<sub>CBL</sub>.

**Maximum Allowable Injection Pressure (MAIP):** The initial MAIP is 1742 psig, based on the following calculation:

$$\begin{aligned} \text{MAIP} &= [\text{FG} - (0.433)(\text{SG})] * \text{D}, \text{ where} \\ \text{FG} &= 0.80 \text{ psi/ft} \quad \text{SG} = 1.009 \quad \text{D} = \underline{4800 \text{ ft}} \text{ (top perforation depth KB)} \\ \text{MAIP} &= \underline{1742 \text{ psig}} \end{aligned}$$

UIC Area Permit No. UT20736-00000 also provides the opportunity for the permittee to request a change of the MAIP based upon results of a step rate test that demonstrates the formation breakdown pressure will not be exceeded.

**Well Construction and Corrective Action:** *The following Corrective Action is required.*

The cement bond log did not provide evidence that an effective barrier exist to prevent significant upward fluid movement through vertical channels adjacent to the injection well bore. Therefore the operator shall demonstrate Part II Mechanical Integrity within one hundred eighty (180) days after commencing injection and at least once every five (5) years thereafter using a temperature survey, noise log, oxygen activation log, or a radioactive tracer survey under certain circumstances.

The permit limits the injection zone to “the gross interval **within the Green River Formation**”, which is between the approximate depths of 3960 ft and 5962 ft (KB)<sub>CBL</sub>. Documentation for both procedures shall be submitted to the Director for review before authorization to inject will be permitted.

**Tubing:** *No Corrective Action is required.*

2-3/8" or similar size injection tubing is approved; the packer shall be set at a depth no more than 100 ft above the top perforation.

**Corrective Action for Wells in Area of Review: *No Corrective Action is required.***

The following wells that penetrate the confining zone are within or proximate to a 1/4 mile radius around the Ute Tribal No. 30-07. This well was evaluated to determine if any corrective action is necessary to prevent fluid movement into USDWs:

Well: Ute Tribal No. 30-02	Location: NWNE Sec. 30 - T5S - R3W
Well: Ute Tribal No. 30-02B	Location: SENE Sec. 30 - T5S - R3W
Well: Ute Tribal No. 30-06	Location: SENW Sec. 30 - T5S - R3W
Well: Ute Tribal No. 30-08	Location: SENE Sec. 30 - T5S - R3W
Well: Ute Tribal No. 30-10	Location: NWSE Sec. 30 - T5S - R3W

**Demonstration of Mechanical Integrity: *The following Corrective Action is required.***

A successful demonstration of Part I (Internal) Mechanical Integrity using a standard Casing-Tubing pressure test is required prior to injection and at least once every five (5) years thereafter. EPA reviewed the cement bond log and was unable to determine if the cement would provide an effective barrier to significant upward movement of fluids through vertical channels adjacent to the well bore pursuant to 40 CFR 146.8 (a)(2). Therefore, further demonstration of Part II (External) Mechanical Integrity is required within one-hundred and eighty (180) days after injection begins and every five (5) years thereafter.

**Demonstration of Financial Responsibility: *No Corrective Action is required.***

The applicant has demonstrated financial responsibility in the amount of \$15,000 via a Surety Bond that has been reviewed and approved by the EPA.

**Plugging and Abandonment: *The following Action is required.***

The well shall be plugged in a manner that isolates the injection zone and prevents movement of fluids into or between USDWs. Tubing, packers, and any downhole apparatus shall be removed. Class A, C, G, and H cements, with additives such as accelerators and retarders that control or enhance cement properties, may be used for plugs; however, volume extending additives and gel cements are not approved for plug use. Plug placement shall be verified by tagging after each plug is set. Plugging gel of at least 9.2 lb/gal shall be placed between all plugs. A minimum 50 ft surface plug shall be set inside and outside of the surface casing to seal pathways for fluid migration into the subsurface. Within sixty (60) days after plugging the owner or operator shall submit Plugging Record (EPA Form 7520-13) to the Director. The Plugging Record must be certified as accurate and complete by the person responsible for the plugging operation. At a minimum, the following plugs are required:

PLUG NO. 1: Set a cast iron bridge plug (CIBP) no more than 50 ft above the top perforation (located at 4800 ft (KB)) with a minimum 20 ft cement plug on top of the CIBP.

PLUG NO. 2: Set a minimum 200 ft cement plug inside and backside (unless pre-existing backside cement precludes cement-squeezing this interval) of the 5-1/2" casing across the Trona Zone and the Mahogany Shale, between approximately 2720 ft (KB) to 2948 ft (KB).

PLUG NO. 3: Set a minimum 200 ft cement plug on the inside and backside (unless pre-existing backside cement precludes cement-squeezing this interval) of the 5-1/2" casing across the Green River, between approximately 1558 ft (KB) to 1758 ft (KB).

PLUG NO. 4: Set a minimum 200 ft cement plug on the inside and backside (unless pre-existing backside cement precludes cement-squeezing this interval) of the 5-1/2" casing across the USDW, between approximately 1185 ft (KB) and 1385 ft (KB).

PLUG NO. 5: Set a minimum 50 ft cement plug on the backside of the 5-1/2" casing, across the surface casing shoe at 371 ft (KB) (unless pre-existing backside cement precludes cement-squeezing this interval.)

PLUG NO. 6: Set a cement plug inside of the 5-1/2" casing, from at least 346 ft (KB) to 396 ft (KB).

PLUG NO. 7: Set a cement plug on the backside of the 5-1/2" casing, from surface to a depth of at least 50 ft.

PLUG NO. 8: Set a cement plug inside of the 5-1/2" casing from surface to a depth of at least 50 ft.

Cut off surface and 5-1/2" casing at least 4 ft below ground level and set P&A marker; submit Sundry Notices and all necessary data as required by the EPA and other regulatory agencies.

**Reporting of Noncompliance:**

- (a) Anticipated Noncompliance. The operator shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (b) Compliance Schedules. Reports of compliance or noncompliance with, or any progress on, interim and final requirements contained in any compliance schedule of this Permit shall be submitted no later than thirty (30) days following each schedule date.
- (c) Written Notice of any noncompliance which may endanger health or the environment shall be reported to the Director within five (5) days of the time the operator becomes aware of the noncompliance. The written notice shall contain a description of the noncompliance and its cause; the period of noncompliance including dates and times; if the noncompliance has not been corrected the anticipated time it is expected to continue; and steps taken or planned to prevent or reduce recurrence of the noncompliance.

**Twenty-Four Hour Noncompliance Reporting:**

The operator shall report to the Director any noncompliance which may endanger health or environment. Information shall be provided, either orally or by leaving a message, within twenty-four (24) hours from the time the operator becomes aware of the circumstances by telephoning 1.800.227-8917 and asking for the EPA Region 8 UIC Program Compliance and Enforcement Director, or by contacting the Region 8 Emergency Operations Center at 303.293.1788 if calling from outside EPA Region 8. The following information shall be included in the verbal report:

- (a) Any monitoring or other information which indicates that any contaminant may cause an endangerment to a USDW.
- (b) Any noncompliance with a Permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

**Oil Spill and Chemical Release Reporting:**

The operator shall comply with all other reporting requirements related to oil spills and chemical releases or other potential impacts to human health or the environment by contacting the **National Response Center (NRC) 1.800.424.8802 or 202.267.2675**, or through the NRC website at **<http://www.nrc.uscg.mil/index.htm>**.

**Other Noncompliance:**

The operator shall report all other instances of noncompliance not otherwise reported at the time monitoring reports are submitted.

**Other Information:**

Where the operator becomes aware that he failed to submit any relevant facts in the Permit application, or submitted incorrect information in a Permit application, or in any report to the Director, the operator shall submit such correct facts or information within two (2) weeks of the time such information became known to him.

## WELL-SPECIFIC CONSIDERATIONS

Well Name: Ute Tribal 30-07  
EPA Well ID Number: UT20736-07418

**Underground Sources of Drinking Water (USDWs):** USDWs in the Antelope Creek Waterflood area generally may occur within the Uinta Formation, which extends from the surface to the top of the Green River Formation at approximately 1608 ft below ground surface. According to "Base of Moderately Saline Ground Water in the Uinta Basin, Utah, State of Utah Technical Publication No. 92," the base of moderately saline ground water may be found at approximately 494 ft below ground surface at this well location. Based on information reported by Petroglyph Operating Company in the cement bond log (CBL) submitted, the base of the USDW was found to be 1285 ft (KB) in the Ute Tribal 30-07 well. The cased hole cement log, shows the top of continuous casing cement at approximately 860 ft and shows variable quality of the downhole cement. Therefore, EPA will require demonstration of Part II (External) Mechanical Integrity through the operation life of the well, and has amended the plugging and abandonment plan to include a cement squeeze plug outside of the casing across the base of USDW's at 1285 ft KB.

**Confining Zone:** The Confining Zone at this location is approximately 196 ft of interbedded limestone and shale between the depths of 3766 ft to 3960 ft (KB) which directly overlies the Injection Zone, based on correlation to the Antelope Creek Ute Tribal 04-03 well Type Log. Additional impermeable lacustrine shale beds above the Confining Zone provide for further protection for any overlying USDW.

**Injection Zone:** The Injection Zone at this well location is an approximately 2002 ft section of multiple lenticular sand units interbedded with shale, marlstone and limestone from the base of the Confining Zone at 3960 ft (KB) to the top of the Basal Carbonate Formation at 5962 ft (KB), based on correlation to the Antelope Creek Ute Tribal 04-03 well Type Log.

**Well Construction:** The CBL provided was not useful for the evaluation of cement bonding.

**Surface Casing:** 8-5/8" casing is set at 371 ft (KB) in a 12-1/4" hole, using 250 sacks cement circulated to the surface.

**Longstring Casing:** 5-1/2" casing is set at 6610 ft (KB) in a 7-7/8" 6610 ft Total Depth hole with a plugged back total depth (PBSD) of 5740 ft, cemented with 750 sacks cement.

Top of Cement: 860 ft (KB) *cbl*

**Perforations:** top perforation: **4800 ft** (KB) Bottom perforation: **5770 ft** (KB)

**Wells in Area of Review (AOR):** Construction and cementing records, including cement bond logs (CBL) as available, for one well in the 1/4 mile AOR that penetrated the confining zone was reviewed and found adequate to prevent fluid movement out of the injection zone and into USDWs.

Well: Ute Tribal No. 30-02	Casing Cement top: 2270 ft (KB) <sub>CBL</sub>
Well: Ute Tribal No. 30-02B	Casing Cement top: surface ft (KB) <sub>CBL</sub>
Well: Ute Tribal No. 30-06	Casing Cement top: 240 ft (KB) <sub>CBL</sub>
Well: Ute Tribal No. 30-08	Casing Cement top: 2810 ft (KB) <sub>CBL</sub>
Well: Ute Tribal No. 30-10	Casing Cement top: 786 ft (KB) <sub>CBL</sub>

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>14-20-H62-3519</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Ute Indian Tribe</b>
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: <b>14-20-H62-4650</b>
2. NAME OF OPERATOR: <b>Petroglyph Operating Company, Inc.</b>		8. WELL NAME and NUMBER: <b>Ute Indian Tribal 30-07</b>
3. ADDRESS OF OPERATOR: P. O. Box 607                      CITY <b>Roosevelt</b> STATE <b>UT</b> ZIP <b>84066</b>		9. API NUMBER: <b>4301330852</b>
PHONE NUMBER: <b>(435) 722-5304</b>		10. FIELD AND POOL, OR WILDCAT: <b>Antelope Creek</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>1980' FNL 1980' FEL</b>		COUNTY: <b>Duchesne</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>SWNE 30 T5S R3W</b>		STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> (Submit in Duplicate)  Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> (Submit Original Form Only)  Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input checked="" type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This sundry is serving notice that Petroglyph Operating Company Inc. (POCI) plans to convert the Ute Tribal 30-07 to an injection well from a producing well. This work is being performed under our area UIC permit number UT20736-00000. POCI has obtained approval to perform the conversion on the Ute Tribal 30-07 from the EPA. After the conversion on the Ute Tribal 30-07 is complete, POCI will submit the necessary information to the EPA to obtain approval to began injection operations.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

NAME (PLEASE PRINT) <u>Steve Wall</u>	TITLE <u>Manager</u>	<b>RECEIVED</b> <b>DEC 08 2006</b>
SIGNATURE <u><i>Steve Wall</i></u>	DATE <u>12/5/2006</u>	

(This space for State use only)

DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>			5. LEASE DESIGNATION AND SERIAL NUMBER: <b>1420H623519</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Ute Indian Tribe</b>
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection Well</u>			7. UNIT or CA AGREEMENT NAME: <b>1420H624650</b>
2. NAME OF OPERATOR: <b>Petroglyph Operating Company, Inc.</b>			8. WELL NAME and NUMBER: <b>Ute Tribal 30-07</b>
3. ADDRESS OF OPERATOR: P. O. Box 607 CITY <u>Roosevelt</u> STATE <u>Ut</u> ZIP <u>84066</u>		PHONE NUMBER: <b>(435) 722-5304</b>	9. API NUMBER: <b>4301330852</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>1980' FNL 1980' FEL</b>			10. FIELD AND POOL, OR WILDCAT: <b>Antelope Creek</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>SWNE 30 T5S R3W</b>			COUNTY: <b>Duchesne</b>
			STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start:  <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of work completion: <b>1/18/2007</b>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

**This well has been converted to a water injection well to support the ongoing secondary waterflood currently active in Antelope Creek. The rods and tubing have been pulled from this well. The injection string consists of 2 3/8", 4.6#, J-55 EUE tubing. The packer is installed at 4559.6' +/- KB. Perforations added from C4=4635' to 4637', C4=4639' to 4642', C5=4662' to 4666', C9.1=4913' to 4916', C9.2=4924' to 4926', C9-2=4929' to 4932', C9.2=4937' to 4942', D3=5071' to 5072', D7=5192' to 5196', D7=5198' to 5201', E1.1=5558' to 5560', E1.1=5564' to 5567'. All new perms are 4 SPF Packer fluid has been circulated on the backside and a successful MIT test performed and submitted to the EPA**

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

NAME (PLEASE PRINT) <u>Steve Wall</u>	TITLE <u>Manager</u>
SIGNATURE <u><i>Steve Wall</i></u>	DATE <u>1/18/2007</u>

(This space for State use only)

**RECEIVED**  
**JAN 19 2007**

DIV. OF OIL, GAS & MINING



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 8**

1595 Wynkoop Street  
DENVER, CO 80202-1129  
Phone 800-227-8917  
<http://www.epa.gov/region08>

Ref: 8P-W-GW

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

**JAN 30 2007**

Steve Wall, District Manager  
Petroglyph Energy, Inc.  
4116 West 3000 So. Ioka Lane  
Roosevelt, UT 84066

43-013-30852  
55 3W 30  
RE: Authorization to Inject  
**UIC Permit No. UT20736-00000**  
**Well ID: UT20736-07418**  
Ute Tribal No. 30-07  
Duchesne County, Utah

**RECEIVED**  
**FEB 09 2007**

DIV. OF OIL, GAS & MINING

Dear Mr. Wall:

Thank you for submitting information pertaining to the newly constructed or converted Ute Tribal No. 30-07 enhanced recovery injection well to the Region 8 Ground Water Program office of the Environmental Protection Agency (EPA). The "Prior To Commencing Injection" requirements for the Ute Tribal No. 30-07 injection well required well owner and operator Petroglyph Operating Company, Inc. to submit the following information to the Director:

- I. A successful mechanical integrity test (MIT) demonstrating Part I Internal MI,
- II. Pore pressure calculation of the proposed injection zone, and
- III. Completed EPA Form No. 7520-12.

All required information has been submitted, and has been reviewed and approved by the EPA. Therefore, effective upon your receipt of this letter, Administrative approval hereby is granted for injection into the Ute Tribal No. 30-07 enhanced recovery injection well under the conditions of the Authorization for Additional Well and UIC Area Permit UT20736-00000 as modified.

As of this approval, responsibility for permit compliance and enforcement is transferred to the Region 8 UIC Technical Enforcement Program office. Therefore, please direct all future notification, reporting, monitoring and compliance correspondence to the following address, referencing your well and UIC Permit number on all correspondence regarding this well.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD COPY**

Technical Enforcement Program - UIC  
U.S. EPA Region 8, Mail Code 8ENF-UFO  
1595 Wynkoop Street  
Denver, Colorado 80202-1129

The Director has determined that the maximum allowable surface injection pressure (MAIP) for the Ute Tribal No. 30-07 shall not exceed 1742 psig. Please be reminded that it is the responsibility of the owner/operator to be aware of, and to comply with, all conditions of Authorization for Additional Well UT20736-07418 and EPA UIC Area Permit UT20736-00000 and relevant modifications as issued.

If you have any questions regarding this Authorization, please call Linda Bowling of my staff at (303) 312-6254. For questions regarding notification, testing, monitoring, reporting or other Permit requirements, please contact Nathan Wiser of the UIC Technical Enforcement Program by calling (303) 312-6211.

Sincerely,



Steven J. Pratt  
Director,  
Ground Water Program

Maxine Natchees, Chairperson  
Uintah & Ouray Business Committee  
Ute Indian Tribe  
P.O. Box 190  
Fort Duchesne, UT 84026

Chester Mills, Superintendent  
BIA - Uintah & Ouray Indian Agency  
P.O. Box 130  
Fort Duchesne, UT 84026

Mr. Kenneth Smith  
Executive Vice President and Chief Operating Officer  
Petroglyph Energy, Inc.  
555 S. Cole Blvd  
Boise, ID 83709

Accepted by the  
UIC Director  
Date: 10/25/00  
FOIA b7C

Shaun Chapoose, Director  
Land Use Department  
Ute Indian Tribe  
P.O. Box 460  
Fort Duchesne, UT 84026

Gil Hunt  
Associate Director  
Utah Division of Oil, Gas, and Mining  
1594 West North Temple - Suite 1220  
Salt Lake City, UT 84114-5801

Kirk Fleetwood, PE  
BLM - Vernal District  
170 South 500 East  
Vernal, UT 84078



*Printed on Recycled Paper*

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 9

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>1420H623519</b>
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <b>Ute Indian Tribe</b>
		7. UNIT or CA AGREEMENT NAME: <b>1420H624650</b>
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		8. WELL NAME and NUMBER: <b>Ute Tribal 30-07</b>
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Water Injection Well</u>		9. API NUMBER: <b>4301330852</b>
2. NAME OF OPERATOR: <b>Petroglyph Operating Company, Inc.</b>		10. FIELD AND POOL, OR WILDCAT: <b>Antelope Creek</b>
3. ADDRESS OF OPERATOR: P. O. Box 607 CITY <b>Roosevelt</b> STATE <b>UT</b> ZIP <b>84066</b>		PHONE NUMBER: <b>(435) 722-5304</b>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <b>1980' FNL 1980' FEL</b>		COUNTY: <b>Duchesne</b>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>SWNE 30 T5S R3W</b>		STATE: <b>UTAH</b>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: <b>2/1/2007</b>	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input checked="" type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  
**First date of Injection February 2, 2007**

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
**FOR RECORD ONLY**

NAME (PLEASE PRINT) <u>Steve Wall</u>	TITLE <u>Manager</u>
SIGNATURE <u><i>Steve Wall</i></u>	DATE <u>2/1/2007</u>

(This space for State use only)

**RECEIVED**

**FEB 09 2007**

DIV. OF OIL, GAS & MINING