

RECEIVED
APR 13 1987

DIVISION OF
OIL, GAS & MINING



April 9, 1987

State of Utah
Oil & Gas Division
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

Mr. Norm Stout

Re: Application to Drill
Ute Tribal 2-31
Ute Tribal 2-10

Dear Mr. Stout:

Enclosed please find a copy of the Applications to Drill the above referenced wells located in Duchesne County, Utah.

These Applications are missing the Designation of Operator as we are waiting for these copies from Chevron Oil. As soon as we receive them, we will mail you a copy.

If you have any questions or need further information, let us know by calling either Jim Simonton in our Roosevelt office at 722-9977 or Bob Martin in the Denver office at (303) 278-7030.

Thank you for your consideration.

Very truly yours,

R. L. Martin, KR.

R. L. Martin
Vice President
Oil & Gas Operations

RLM:kr
Enclosures

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

1. Lease Designation and Serial No.
14-20-H62-3520

6. If Indian, Allottee or Tribe Name
Ute Tribe

7. Unit Agreement Name

8. Farm or Lease Name
Ute Tribal

9. Well No.
2-31

10. Field and Pool, or Wildcat
Antelope Creek

11. Sec., T., R., M., or Blk. and Survey or Area
Sec. 31, T5S-R3W

12. County or Parrish
Duchesne

13. State
Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. Type of Work
DRILL DEEPEN PLUG BACK

b. Type of Well
Oil Well Gas Well Other
Single Zone Multiple Zone

2. Name of Operator
Coors Energy Company

3. Address of Operator
PO Box 467, Golden, Colorado 80402

4. Location of Well (Report location clearly and in accordance with any State Regulations)
At surface 422' FNL, 2338' FWL, NE/4NW/4

At proposal prod. zone
same

14. Distance in miles and direction from nearest town or post office*
approximately 11 miles south of Bridgeland

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest dirlg. line, if any)
422'

16. No. of acres in lease
640

17. No. of acres assigned to this well

18. Distance from proposed location* to nearest well, drilling, completed, or applied for, on this lease, ft.
3500'

19. Proposed depth
6657'

20. Rotary or cable tools
rotary

21. Elevations (Show whether DF, RT, GR, etc.)
6738' GL

22. Apprx. date work will start*
April, 1987

PROPOSED CASING AND CEMENTING PROGRAM

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12-1/4"	8-5/8"	24.00#	400'	300 sx.
7-7/8"	5-1/2"	15.50#	6360'	1200 sx.

1. This well will be spudded in the Uintah Formation.
2. Estimated Green River top: 4617'.
3. Oil and gas is expected in the Green River Formation.
No aquifers or other mineral zones are anticipated.
Maximum expected BHP is 2000 psi.
4. Attached is a diagram of the pressure control device, See Exhibit K.
5. The proposed circulating medium will be 3% KCL water or a low-solids non-dispersed mud. Mud weights in excess of 10#/gal are not anticipated.
6. Auxiliary equipment: float will be run in the drill string, a full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used.
7. Sidewall coring is planned, drill stem tests may be run in potential pay zones.
8. No abnormal temp, pressures or potential hazards are expected.
9. Anticipated starting date: April 1987; duration of operations: 30 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

21. Signed: R. L. Martin Title: V.P. O/G Operations Date: 3-27-87

Permit No. 43-013-31188

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

Approved by: _____
Conditions of approval, if any:

Title: _____


DATE: 4-22-87
BY: John R. By...

*See Instructions On Reverse Side WELL SPACING: 302.1

T 5 S , R 3 W , U.S.B. & M.

PROJECT
COORS ENERGY CO.

WELL LOCATION , UTE TRIBAL #2-31,
LOCATED AS SHOWN IN THE NE $\frac{1}{4}$ NW $\frac{1}{4}$
SECTION 31 , T 5 S , R 3 W , U.S.B. & M. ,
DUCHEсне COUNTY , UTAH.



BASIS OF ELEVATION

SPOT ELEVATION AT THE INTERSECTION (FORK) IN ROAD SW $\frac{1}{4}$ NE $\frac{1}{4}$ SECTION 31 , T 5 S , R 3 W , U.S.B. & M. TAKEN FROM THE DUCHEсне SE QUADRANGLE , UTAH - DUCHEсне COUNTY , 7.5 MINUTE QUAD. TOPOGRAPHY MAP PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR , GEOLOGICAL SURVEY IN 1964. SAID ELEVATION IS MARKED AS BEING 6788'.



EXHIBIT "A"

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Richard J. Marshall

REGISTERED LAND SURVEYOR
REGISTRATION NO 2454
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
P. O. BOX Q - 85 SOUTH - 200 EAST
VERNAL, UTAH - 84078

SCALE	1" = 1000'	DATE	3-11-87
PARTY	RK JK DLS	REFERENCES	GLO
WEATHER	FAIR	FILE	COORS

X = LOCATED SECTION CORNERS

COOR ENERGY CO.

PROPOSED LOCATION

UTE TRIBAL

#2-31

TOPO.

MAP "B"



SCALE 1" = 2000'

13 MILE E To US 46
303 MILES To
ROOSEVELT DAM

PROPOSED LOCATION
UTE TRIBAL #2-31

Proposed Access
Road 750'




EXHIBIT "C"

COORS ENERGY CO.


PROPOSED LOCATION

UTE TRIBAL #2-31

TOPO.

MAP "A"

SCALE 1" = 8333'



LOCATION TO U.S. 40
 13.0 MILES ±
 LOCATION TO ROOSEVELT
 30.3 MILES ±

PROPOSED LOCATION
 UTE TRIBAL #2-31

EXHIBIT "D"



P.O. BOX 467 GOLDEN, COLORADO 80402

March 26, 1987

Mr. Norm Stout
State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 4-23-87
BY: John R. Dore

Re: Ute Tribal 2-31
Section 31, T5S-R3W
Duchesne County, Utah
Request for Exception to Well Spacing

Dear Mr. Stout:

The purpose of this letter is to request an exception to the State of Utah Rule C-3, General Well Spacing Requirements. The Ute Tribal 2-31 is located 422' FNL and 2338' FWL of Section 31, T5S-R3W, Duchesne County, Utah. This location is 422' from the north border of the NE/NW of Section 31, (See attached survey plat).

Rule C-3(C)(1)

Because of topographical limitations, we located this well within the 500' spacing limit. Due to the existence of a large gully immediately south of the present location, we were required to move the location within the 500' minimum spacing requirement of the State of Utah.

Rule C-3(C)(2)

Also note that the ownership of all oil and gas leases within a radius of 660' of the location of the Ute Tribal 2-31 is common and operated by Coors as Coors holds operating rights from Chevron for T5S-R3W, Duchesne County, Utah. Please see the attached Designation of Operator.

Page 2

Request for Exception to Well Spacing
Ute Tribal 2-31

Since Coors Energy Company is the designated operator to the proposed depth of the Ute Tribal 2-31 in Sections 31 and Section 30 according to farmout agreements with Chevron Oil Company, Coors has control of the surrounding area within a radius of 660' of this location.

Please call us if you find that you have any questions regarding our application. Thank you.

Very truly yours,



R. L. Nelms
Petroleum Engineer

RLN:kr

Attachments

MULTIPOINT SURFACE USE PLAN
COORS ENERGY COMPANY
UTE TRIBAL 2-31
SECTION 31, T5S-R3W, NE/4NW/4
DUCHESNE COUNTY, UTAH

Coors Energy Company will assure that this APD will be posted in the doghouse of the drilling rig during the drilling of this well. Also, a sign will be posted at the entrance to the location with the name of the well, operator and location description. We will notify Mr. Earl Smith at the BLM in Vernal, Utah 48 hours prior to beginning any work on this land. Prior to starting surface construction operations, the dirt contractor shall have a completed approved copy of this APD.

1. EXISTING ROADS - See Exhibits C, D

Access to Coors Ute Tribal 2-31 begins at the City of Roosevelt, Utah, and proceeds along the following roads with approximate mileages as indicated:

Proceed westerly out of Roosevelt, Utah on U.S. Highway 40; proceed west on Highway 40 17.3 miles to the Bridgeland Utah Exit; proceed South along the County Road 6.2 miles down Antelope Creek Canyon; to the Junction of Antelope Creek Canyon and Sowers Canyon; proceed Southeasterly along Antelope Creek Canyon Road 1.3 miles to it's Junction with an existing unimproved dirt road to the East; proceed Easterly along this road 0.75 miles to it's Junction with an existing unimproved dirt road to the South; proceed Southerly along said road approximately 4 miles to the proposed access road to the right.

Road maintenance in the Antelope Creek Field to the well will be provided by a Coors Energy Company subcontractor. The main Antelope Creek County Road from Highway 40 to the north boundary of Antelope Creek Field will be maintained by Duchesne County. Maintenance will consist of periodic grading and repairs to the surface. During summer months, a watering program will be used to control dust. Rain and other inclement weather may require repairs to turnouts, waterbars, etc.

Materials for upgrading the existing road will come from the immediate area of road improvement work.

Upgraded existing roads will be constructed with an 18' road surface with bar ditches and water bars where required. Not over 30' will be cleared to upgrade any existing roads.

2. PLANNED ACCESS ROAD - See Exhibits C, D

The access road will be approximately 748' in length, 30' ROW with an 18' running surface maximum. The maximum grade will be 4%, no turnouts are required, the road will be ditched on both sides with cutouts on the downhill side. No culverts or bridges are required nor are gates, cattleguards or fence cuts. The access road surface ownership is the Ute Tribe.

The road will be upgraded to meet standards of the anticipated traffic flow, including ditching on both sides with cutouts on downhill side, draining, crowning and capping for all weather conditions. Prior to upgrading, any snow will be removed and the ground allowed to dry. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals with cutouts. Upgrading will not be done during muddy conditions and mud holes will be filled in.

There is a ROW of trees between the edge of location and the crest of hill which will be saved. Any trees cut during construction of the well pad which have a diameter exceeding 4", will be cut into 4' lengths and stacked along the road right of way or on the west side of the well location. No firewood gathering will be allowed without a duly granted wood permit. All travel will be confined to access right of way.

Signs will be posted on access roads stating the land is owned by the Ute Indian Tribe, name of operator, firearms are prohibited, wood cutting permits must be obtained and only authorized personnel are permitted.

3. LOCATION OF EXISTING WELLS - See Exhibit E

Within a 2-1/2 mile radius of this proposed well, there are no drilling wells.

There are two P&A'd wells: Ute 1-184-1 drilled by Sinclair Oil and the Shamrock 1 drilled by Shamrock Oil.

There are several producing wells:

Ute Tribal 1-19, 5-18, 1-21, 1-20, 2-20, 3-20, 1-19, 1-30, 4-29, 3-29, 1-29, 2-29, 1-28, 1-33, 1-32, 1-31 all operated by Coors and the

Ute 5-29E3 operated by Chevron Oil and the Ironwood 13-15X, 24-12 and the Ute 25-5 operated by Ironwood Exploration and the Ute 1-13 operated by Shamrock Oil.

With the exception of the above mentioned wells, there are no:

- a) known water wells
- b) temporarily abandoned wells
- c) disposal wells
- d) injection wells
- e) monitoring or observation wells

A field survey was made by Uintah Engineering and Land Surveying for Coors Energy and no water wells were found within a 2-mile radius.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES - See Exhibit B

At the wellsite a sign will be posted indicating operator, lease number, well name and survey description.

Coors Energy Company's facilities in this area will consist of a pump jack and glycol boiler. Production from the Ute 2-31 will be commingled at the Ute 1-31 tank battery. The production pipeline to the Ute 1-31 will parallel the access road above ground level. Approval of production facilities is desired with APD approval for the Ute Tribal 2-31. All production facilities will be located on the south side on the well pad and will be painted in earth colors six months from when they are put in place. The required paint color is 10YR6/3.

Coors Energy Company contacted Mr. Dale Workman at the Utah State University Extension Office at (801) 738-2080 regarding weed control on the wellsite and along access roads. We were informed that the following weeds are prevalent to this area: Nap Weed, White Top, Quack Grass, Canadian Thistle, Musk Thistle, Leafy Spury, Russian Olive Tree and Morning Glory. We will follow their recommended procedure and spray with the suggested chemicals to control noxious weeds in these areas.

For drilling operations, a survey map showing rig layout is attached. All necessary surface equipment will be spotted on the 225' x 325' wellsite pad.

All garbage and trash will be placed in a trash cage and hauled to an appropriate disposal site. No burning of any trash will occur at the location. Any disturbed area not required for producing operations will be restored according to BLM instructions. The production facilities will create no additional surface disturbances. The drilling waste pit will be fenced on three sides with 36" woven sheep wire with two strands of barbed wire on top of the sheep wire. Upon completion of the drilling operations, the fourth side will be fenced. The reserve pit will be lined with 10 mil or heavier plastic to prevent seepage. The plastic will be torn and perforated before backfilling.

Trash, litter and construction materials will not be littered along road ways or drilling sites.

Access to the wellpad will be on the south end of location at Pt. 7 on the wellsite drawing. Diversion ditches will be constructed on the east side of the location. Earthen berms will be placed on the northwest side of location. The southwest corner of the wellpad will be rounded off to avoid excess spoil material.

5. LOCATION AND TYPE OF WATER SUPPLY - See Exhibit I

The source of the water used to drill this well will be from Mr. Alton Moon who owns the water rights from the Creek. Approximately 6000 bbls of water will be required to drill and complete this well. Water will be hauled by Curry Leasing. See Exhibit I, State of Utah Permit to Divert Water. Water will be taken from Antelope Creek approximately 600' southwest of the intersection of Antelope Creek and Sowers Creek Road in the NE/4 of Section 6, T5S-R3W.

6. SOURCE OF CONSTRUCTION MATERIALS - See Exhibit B

The top 6" of topsoil will be removed from the well pad and stored on the east end of the location as shown on Exhibit "B". Fill materials needed to construct the location will be derived locally from cuts needed to build the well pad. Any artifacts found on Tribal lands will be left in place and the BIA promptly notified. Coors will notify the BLM and BIA 24-48 hours prior to construction activities, specifically Mr. Earl Smith.

7. METHODS FOR HANDLING WASTE DISPOSAL

A mud reserve pit will be located on the northeast side of the location and will be constructed for containment of drill cuttings as well as all drilling fluids and produced fluids. Produced waste fluids will be contained in a pit constructed in a chemical-type toilet. All trash and garbage will be placed in a trash cage and hauled from the location to an appropriate disposal site. The pit will be fenced as per statements in Section 4.

During production operations, all produced waters will be disposed of according to NTL-2B stipulations.

The reserve pit will be allowed to dry and then back-filled and the area restored according to BLM requirements upon completion of the well.

8. ANCILLARY FACILITIES

None will be required.

9. WELL SITE LAYOUT - See Exhibit B

Attached is a diagram showing the proposed wellsite layout.

10. PLANS FOR RESTORATION OF SURFACE - See Exhibit B

Surface vegetation scraped off during drill site preparation will be removed and stock-piled prior to topsoil removal. Upon abandonment, vegetation will be redistributed as a mulching agent over the well site. The top 6" of topsoil will be stock-piled on the east side of the well site as shown on Exhibit "B".

The reserve pit and that part of the location not needed for production operations will be reclaimed within 90 days after completion of the well. During this time period, we will file for approval of a permanent disposal method and location with water analysis to the BLM.

The original surface will be reconstructed as close as possible upon abandonment. The stock-piled topsoil will be spread over the area. Any solid waste material present prior to abandonment will be removed from the location. Any oil or deleterious liquids will be removed by a pump truck to an approved disposal area.

Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all trash will be removed. The access road will also be blocked during restoration. Prior to reseeding, all disturbed areas, including the access road will be scarified and left with a rough surface. The reserve pit and that part of the location not needed for production will be reclaimed in the same manner outlined in this section. The rehabilitated access road will be blocked to prevent any vehicle use.

The topsoil will be tested to determine if fertilizer is needed to re-establish vegetation. After spreading the stock-piled topsoil, the following seed mixture will be used for reseeding:

Smooth brome (Manchar)	5 lbs. pure live seed/acre
Orchard grass	5 lbs. pure live seed/acre
Timothy	5 lbs. pure live seed/acre
Intermediate wheatgrass	5 lbs. pure live seed/acre
Alsike clover	1 lb. pure live seed/acre

This mixture will be drilled to a depth of one-half inch and planted from September 15th until the ground freezes. This seeding program will be modified as per BLM instruction at the time of site restoration.

If any cultural resources are found during construction, all work will stop and the BLM will be notified.

Coors will notify the BIA and the BLM 48 hours prior to starting rehabilitation procedures.

11. OTHER INFORMATION - See Exhibits F, G, H, H-1, I, K, L

The Ute Tribal 2-31 is located approximately 11 miles south of Bridgeland, Utah on the Uintah and Ouray Indian Reservation. The area is covered with native sagebrush. No wildlife was observed on the location.

There are no occupied dwellings within approximately two (2) miles of the well site. An archaeological report will be sent to you directly from Grand River Consultants in keeping with the Ute Tribal's new policy regarding confidentiality of Indian artifacts. Since this well is on the Uintah and Ouray Indian Reservation, Coors will work closely with Ute Tribal representatives to ensure all Tribal requirements for drilling and production operations of this well are followed.

It is Coors Energy Company's policy that no Coors' employees nor subcontractors carry firearms on access roads nor onto the location during drilling or well completion operations of this well. No alcoholic beverages or drugs will be permitted on Coors' operations on Indian lands. No prospecting will be allowed on Coors' operations.

Attached is a copy of the Designation of Operator, (See Exhibit "F") and a copy of the Ute Tribal Notice stating their requirements when traversing or operating on Ute Indian lands, (See Exhibit "G").

A copy of the BLM Stipulations is attached to the application, (See Exhibit "H") and Conditions of Approval for Notice to Drill Within the Uintah Ouray Reservation, (See Exhibit "H-1"). The Special BOP Instructions are shown on Exhibit "K".

All operators, subcontractors and vendors will be confined to established roads and wellsites.

12. CONTACT

R. L. Martin
Vice President
Oil & Gas Operations
Coors Energy Company
P.O. Box 467
Golden, Colorado 80402
Phone: (303) 278-7030

13. CERTIFICATION

See Exhibit "L"

COORS ENERGY CO.
UTE TRIBAL #2-31

Date 3-13-87
Scale 1" = 50'

Route Water
This Direction

PROPOSED
ACCESS ROAD

Round Location
Corner

SAVE ROW OF TREES BETWEEN EDGE OF LOCATION & CREST OF HILL






EXHIBIT "B"


STA. 3+25



APPROXIMATE YARDAGES

CU. YDS. CUT 9498
CU. YDS. FILL 2220
Unbalance After 20% Compaction
6835 CU. YDS. CUT

UTE TRIBAL 2-31 SURFACE PRODUCTION FACILITIES





UTE Energy & Minerals
P.O. Box 190
Fort Duchesne, Utah 84026

(801) 722-5141 x219

NOTICE

TO: All Well Operators, Lessees, Subcontractors, Vendors, and Affiliated Agents and Employees Thereof

When entering the Ute Reservation, the entering individual is coming into a sovereign nation separate and distinct from the State of Utah. As such, there are special requirements which must be complied with when traversing or operating on Ute Indian Lands.

1. Trespass permits shall be obtained and carried with individual on tribal lands at all times.
2. All operators, subcontractors, vendors, and their employees or agents shall not carry firearms or other weapons.
3. All operators, subcontractors, vendors, and their employees or agents are confined to established roads and well sites. All litter must be removed from Ute Lands.
4. All operators, subcontractors, vendors, and their employees or agents may not gather firewood on Indian lands. Absent a duly granted "wood permit," such gathering is a criminal offense punishable in Federal court.
5. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Required information for permits includes: a) the approximate amount of water or materials needed; b) the location and ownership of the water rights or materials to be used and; c) the approximate amount of water or materials to be used.
- 6) All artifacts found while on Tribal lands shall be left in place and the Tribe promptly notified of the find.
- 7) No prospecting will be allowed on Tribal lands.
- 8) No alcoholic beverages or drugs shall be permitted while working on the Reservation.

EXHIBIT "G"

COORS

Revised October 1, 1985

Date NOS Received 3-2-89

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator Coors Energy Co.
Well Name & Number UTE TRIBAL 2-31
Lease Number 14-20-H(2)-3520
Location SW 1/4 NE 1/4 Sec. 31 T. 55 R. 3W
Surface Ownership BIA

THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirements to Accompany APD

1. Existing Roads--describe the following and provide a legible map, labeled and showing:
 - A. Proposed wellsite as staked and access route to location, including distances from point where access route exits establish roads. (Actual staking should include two directional reference stakes.)
 - B. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - C. Access road(s) to location color-coded or labeled.
 - D. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)

2. Planned Access Roads--describe the following and provide a map of suitable scale indicating all necessary access roads (permanent and temporary) to be constructed or reconstructed, showing:
 - A. Length - 748
 - B. Width - 30 foot right-of-way with 18 foot running surface maximum.
 - C. Maximum grades - 4%
 - D. Turnouts - NONE
 - E. Drainage design - road ditched on both sides w/cut-outs on down hill side.
 - F. Location and size of culverts and/or bridges, and brief description of any major cuts and fills - NONE
 - G. Surfacing material (source) - Native
 - H. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities - NONE
 - I. Access road surface ownership - Ute Tribe

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development.

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, draining, ~~graveling~~, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the ~~road~~ shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. ~~Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.~~

~~Right-of-Way Application needed. If a ROW is necessary for the access road, a copy of the ROW grant shall be with the dirt contractor during the construction and thereafter kept on location with the complete copy of the approved APD.~~

~~Operators shall notify the following ROW grantees of their intent to use the existing roads and, if necessary, enter into a cooperative maintenance agreement.~~

~~The proposed access road shall utilize the upgraded 2-track trail approximately _____ (ft. or mile) as agreed upon during the onsite inspection. Remainder of planned access road will follow flagged route for _____.~~

~~The operator/lessee or his successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.~~

3. Location of Existing Wells--describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:

- A. Water wells
- B. Abandoned wells
- C. Temporarily abandoned wells
- D. Disposal wells
- E. Drilling wells
- F. Producing wells
- G. Shut-in wells
- H. Injection wells

4. Location of Existing and/or Proposed Facilities

A. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):

- (1) Tank batteries
- (2) Production facilities
- (3) Oil gathering lines
- (4) Gas gathering lines
- (5) Injection lines
- (6) Disposal lines
- (7) Surface pits (separate application per NTL-2B requirements)*

(Indicate if any of the above lines are buried.)

~~B. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the Area Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)~~

- ~~(1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.~~
- ~~(2) Dimensions of facilities~~
- ~~(3) Construction methods and materials~~
- ~~(4) Protective measures and devices to protect livestock and wild-life~~

~~Note: Operator has option of submitting information under 4A and B., after well is completed for production, by applying for approval of subsequent operations.~~

If a tank battery is constructed on this lease, the battery or the well pad will be surrounded by a dike of sufficient capacity to contain $1\frac{1}{2}$ times the storage capacity of the battery. The integrity of the dike must be maintained.

Tank batteries will be placed on the A Sundry Notice
will be submitted, designating location
of the tank batteries

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rock Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is 104R6/3.

5. Location and Type of Water Supply

- A. Show location and type of water supply, either by $\frac{1}{4}$, $\frac{1}{2}$ section on a map or by written description Antelope Creek.
- B. State method of transporting water, and show any roads or pipelines needed.
- C. If water well is to be drilled on lease, so state. _____

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- A. Show information either on map or by written description -
all materials will come from the existing location
- B. Identify if from Federal or Indian (tribal or allotted) land.
- C. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.

*If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.

*A minerals material application (is/is not) required.

7. Methods for Handling Waste Disposal

- A. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
- (1) Cuttings
 - (2) Sewage
 - (3) Garbage (trash) and other waste material
 - (4) Salts
 - (5) Chemicals
- B. Provide a plan for eventual disposal of drilling fluids and any produced oil or water recovered during testing operations. _____

*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

*Pits are not to be located in natural drainages where a flood hazard exists or surface runoff will destroy or damage the pit walls, unless otherwise herein provided.

On BLM administered lands:

The reserve pit (shall/shall not) be lined. _____

*If the pit is lined, it shall be constructed so as not to leak, break, or allow discharge.

_____ The bottom of the reserve pit shall not be in fill material.

For the following reasons the reserve pit will be lined:

_____ To conserve water (because of operator's request).
*If a plastic nylon reinforced liner is used it shall be torn and perforated before backfilling of the reserve pit.

_____ To protect the environment.

If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements prescribed by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.

_____ To protect the environment (without a chemical analysis).

Produced waste water will be confined to a (lined/unlined) pit or, if deemed necessary, a storage tank for a period not to exceed 90 days after first production. During the 90-day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

To Protect the environment 10ML or heavier
All reserve pits will be lined with ~~either native clay, commercial bentonite or~~ plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.) _____

_____ To protect the environment.

If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements prescribed by Part II, Standards of Quality for Waters of the

State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.

~~To protect the environment (without a chemical analysis).~~

Pits will be constructed so as not to leak, break, or allow discharge of liquids.

~~Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.~~

Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. Ancillary Facilities

A. Identify all proposed camps and airstrips on a map as to their location, and area required, and construction methods. (Camp center and airstrip centerlines to be staked on the ground.)

Camp facilities or airstrips will not be required.

9. Well Site Layout--provide a plat (not less than 1" = 50') showing:

A. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.

B. Location of mud tanks, reserve, blooie, and emergency pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)

C. Rig orientation, parking areas, and access roads, etc.

All pits will be fenced with a wire mesh fence and topped with at least one strand of barbed wire. The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Any hydrocarbons on the pit will be removed from the pit as soon as possible after drilling operations are completed. Pits will be fenced and maintained until clean-up.

The fence will be constructed as prescribed in the USGS Publication (1978) Surface Operating Standards for Oil and Gas Development. Alternatives to the prescribed standards shall be submitted to the Authorized Officer for approval.

Well Site Layout: The reserve pit will be located on the: N.E.
side of location

The stockpiled topsoil will be stored on the: East side of
location, by Point 6

Access to the well pad will be from the: at point 7

— Diversion ditch(es) shall be constructed on the East side of the location (above / below) the cut slope, draining to the North.

— Soil compacted earthen berm(s) shall be placed on the N/W side ~~between~~ side(s) of the location between the Points 1 + 2.

— The drainage(s) shall be diverted around the _____ side(s) of the well pad location.

— The reserve pit and/or pad location shall be constructed long and narrow for topographic reasons _____.

— The S/W Station 3 corner of the well pad will be rounded off to avoid the excess spoil material.

10. Plans for Restoration of Surface

A. Provide a restoration program upon completion of operations, including:

- (1) Backfilling, leveling, recontouring, and waste disposal; segregation of topsoil from cut materials as needed
- (2) Revegetation and rehabilitation--including abandoned access roads or portions of well pads no longer needed (normally per BLM recommendations)
- (3) Proposed timetable for commencement and completion of rehabilitation operations

B. The following are provisions to be addressed in the restoration plan:

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc. will be removed. The reserve pit and that portion of the location and access road not needed for production facilities/operations will be reclaimed. The reserve pit will be reclaimed within 90 days from the date of well completion.

All disturbed areas will be recontoured to the approximate natural contours.

The stockpiled topsoil will be evenly distributed over the disturbed areas.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled at a time specified by the BLM / BIA / FS / Private Surface Owner. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage and the seed mixture will be proportionately larger (double the lbs. per acre).

An appropriate seed mixture will be determined by the BLM / BIA / FS / Private Surface Owner, either as part of the Conditions of Approval of the APD or at the time restoration activities are scheduled to begin.

All seeding will be done from September 15 until the ground freezes.

At such time as the well is plugged and abandoned the operator will submit a surface reclamation plan to the Surface Management Agency for prescribed seed mixtures and reseeding requirements.

If the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) reestablishing irrigation systems where applicable, (b) reestablishing soil conditions in irrigated fields in such a way as to insure cultivation and harvesting of crops and, (c) insuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

The operator will submit a plan of controlling noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds can be obtained from the appropriate county extension office.

The BLM recommends the following procedure for reclamation:

Compacted areas of the well pad should be plowed or ripped to a depth of 12" before reseeding. Seeding should be done with a disc-type drill to ten inches apart. The seed should be planted between one-half inch deep and three quarter inch deep. A drag, packer or roller may be used to insure uniform coverage of the seed, and adequate compaction. Drilling of the seed should be done on the contour where possible. Where slopes are too steep for contour drilling a "cyclone" hand-seeder or similar broadcast seeder should be used, using twice the recommended seed per acre. Seed should then be covered to a depth described above by what-ever means is practical.

11. Surface Ownership: Ute Tribal

Provide the surface ownership (Federal, Indian, State or private) at the well location, and for all lands crossed by roads which are to be constructed or upgraded.

Where the surface of the well site is privately owned, the operator shall provide the name, address, and, if known, telephone number of the surface owner.

12. Other Additional Information

The BLM recommends a general description of:

- A. Topography, soil characteristics, geologic features, flora and fauna
- B. Other surface-use activities and surface ownership of all involved lands
- C. Proximity of water, occupied dwellings, archaeological, historical or cultural sites

A cultural resource clearance will be required before any construction begins on Federal and Indian lands. However, historic and cultural resource work shall be undertaken only with the written consent of a private surface owner. If the private surface owner refuses entry for that purpose, the lessee or operator shall use its best efforts to conduct its approved operations in a manner that avoids adverse effects on any properties which are listed, or may be eligible for listing, in the NRHP.

If, during operations, any archaeological or historical sites, or any object of antiquity (subject to the Antiquities Act of June 8, 1906) are discovered, all operations which would affect such sites are to be suspended and the discovery reported promptly to the Surface Management Agency.

On BLM administered land, it is required that a proposed use of pesticide, herbicide or other possible hazardous chemicals shall be cleared for use prior to application.

On BIA administered land:

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, sub-contractors, vendors and their employees or agents may not disturb saleable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights are owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uintah and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.

All well site locations on the Uintah and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations for BLM, BIA, FS, DWR, or Private Surface Lands:

The operator or his contractor shall contact the BLM and BIA Offices at (801) 789-1362 (BLM) and (801) 722-2406 (BIA) between 24 and 48 hours prior to construction activities. Contact Earl Smith.

X The BLM and BIA Offices shall be notified upon site completion prior to moving on the drilling rig.

— No construction or drilling activities shall be conducted between November 1 thru March 1 because of bald and golden eagle winter habitat areas.

— No construction or drilling activities shall be conducted between _____ and _____ because of big game habitat areas.

— No construction or exploration activity will be permitted _____ through _____ due to the presence of an active raptor nest or eyrie.

— No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.

— No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.

— There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).

— No cottonwood trees will be removed or damaged.

— A _____ ft. tree screen or vegetative buffer shall be left on the _____ side(s) of the well location, to minimize visual impacts and for watershed protection.

— All rock art sites will be avoided by construction/drilling/ maintenance activities by a minimum of 500 feet.

— No construction or drilling activities shall be conducted between _____ and _____ because of the possible presence of Threatened and Endangered plant species.

— Overhead flagging will be installed on pits to protect waterfowl and birds.

— Blowie pit will be located on S/E side of location between points 4 and 5.

Fence Stipulation:

Each existing fence to be crossed by the right-of-way shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/ her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

Grazing Permittee _____

Address _____ Phone No. _____

Note: If the land is privately owned, these surface stipulations may be varied to comply with the operator - land owner agreement.

13. Lessee's or Operators Representative and Certification

Representative

Name: _____

Address: _____

Phone No. _____

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his sub-contractors. A copy of these conditions will be furnished the field representative to insure compliance.

The dirt contractor will be provided with an approved copy of the Surface Use Plan from the APD.

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and, that the work associated with the operations proposed here will be performed by _____

and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Date

Name and Title

Onsite Date: _____

Participants on Joint Inspection

_____	_____
_____	_____
_____	_____
_____	_____

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL
WITHIN THE UINTAH CURAY RESERVATION

Company Coors Energy Co. Well No. 2-31
 Location Sec. 31 T. 5S R. 3W Lease No. 14-20-1462-3520
 Onsite Inspection Date 3-16-87

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations, Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Surface Formation and Estimated Formation Tops:

Surface Formation:	Uintah
Green River (Upper Douglas Creek):	4617'
Green River (Carbonate Marker):	4940'
Green River (Blue Marker):	6050'

2. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered:

	<u>Formation</u>	<u>Zone</u>
Expected oil zones:	Green River	3500-TD
Expected gas zones:	Green River	3500-TD
Expected water zones:	None	
Expected mineral zones:	Shale	approx. 3000'

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

3. Pressure Control Equipment:

See Exhibit "K" attached to this Application for drawing and description of the BOP to be used on this well.

BOP systems will be consistent with API RP53. Pressure tests will be conducted before drilling out from under casing strings which have been set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection will be recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

4. Casing Program and Auxiliary Equipment: 8-5/8" casing will be
run as the surface casing from surface to approx. 400' and
cemented with 300 sx. Class G cement. 5-1/2" 15.50# casing will
be run as production casing and cemented w/approx. 1200 sx. cement.

Anticipated cement tops will be reported as to depth; not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

5. Mud Program and Circulating Medium: The proposed circulating medium
will be 3% KCL water or a low-solids, non-dispersed mud. Mud
weights in excess of 10#/gal are not anticipated.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

6. Coring, Logging and Testing Program: Sidewall coring is planned
and drill stem tests may be run in potential pay zones.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description,

and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

7. Abnormal Conditions, Bottom Hole Pressures and Potential Hazards:

No abnormal temperatures, pressures or potential hazards are expected.

8. Anticipated Starting Dates and Notifications of Operations:

Location construction: April, 1987

Spud date: April, 1987

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 9-329 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in triplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.


A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the SO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

SPECIAL BOP INSTRUCTIONS



THE FOLLOWING CONSTITUTE MINIMUM BLOWOUT PREVENTER REQUIREMENTS

- A. One double gate blowout preventer with lower rams blind and upper rams for pipe, all hydraulically controlled, opening on preventers between rams.
- B. Opening to be flanged, studded or clamped and at least two inches diameter.
- C. All connections from operating manifold to preventers to be all steel hose or tube a minimum of one inch in diameter.
- D. The available closing pressure shall be at least 15% in excess of that required with sufficient volume to operate the preventers.
- E. All connections to and from preventers to have a pressure rating equivalent to that of the BOPs.
- F. Manual controls to be installed before drilling cement plug.
- G. Valve to control flow through drill pipe to be located on Rig floor.
- H. Choke may be either positive or adjustable.
A choke spool may be used between preventers.
- I. Casinghead or Bradenhead flange will be 10" API Series 900
- J. After each string of casing is run, BOP and casinghead will be tested to 1000 psi. Pipe ram operation will be checked every 24 hours & blind rams checked every trip.



CERTIFICATION BY OPERATOR'S FIELD REPRESENTATIVE

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge, true, complete, and correct; and that the work associated with this plan will be carried on by Coors Energy Company, and its contractors and subcontractors, in conformity with the plan and the terms and conditions under which it is approved.

3-27-87
Date

R. L. Martin
R. L. Martin
Vice President, Oil & Gas Production

kr

EXHIBIT "L"

042402

OPERATOR Come Energy Co. DATE 4-16-87

WELL NAME Site Trial 2-31

SEC NE NW 31 T. 55 R. 3W COUNTY DeWitt

43-013-31188
API NUMBER

Indian
TYPE OF LEASE

CHECK OFF:

PLAT

BOND

NEAREST WELL

LEASE

FIELD

POTASH OR OIL SHALE

PROCESSING COMMENTS:

No other well within 920'
Need water permit - & per form # 14264 (Curry Leasing)
Exception requested

APPROVAL LETTER:

SPACING: 203 _____ UNIT

302

_____ CAUSE NO. & DATE

302.1

STIPULATIONS:

Water



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 22, 1987

Coors Energy Company
P. O. Box 467
Golden, Colorado 80402

Gentlemen:

Re: Ute Tribal 2-31 - NE NW Sec. 31, T. 5S, R. 3W
422' FNL, 2338' FWL - Duchesne County, Utah

Approval to drill the referenced well is hereby granted in accordance with Rule 302.1, Oil and Gas Conservation General Rules.

In addition, the following actions are necessary to fully comply with this approval:

1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. All well operators are responsible for sending an Entity Action Form to the Division of Oil, Gas and Mining within five working days of the time that a new well is spudded or a change in operations or interests necessitates a change in Entity status.
3. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
4. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
5. Compliance with the requirements and regulations of Rule 311.3, Associated Gas Flaring, Oil and Gas Conservation General Rules.

Page 2
Coors Energy Company
Ute Tribal 2-31
April 22, 1987

6. Prior to commencement of the proposed drilling operations, plans for toilet facilities and the disposal of sanitary waste at the drill site shall be submitted to the local health department having jurisdiction. Any such drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of all local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 533-6163.
7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.



The API number assigned to this well is 43-013-31188.

Sincerely,



R. J. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Bureau of Indian Affairs
Branch of Fluid Minerals
D. R. Nielson
8159T



P.O. BOX 467 GOLDEN, COLORADO 80401

051112

May 5, 1987

State of Utah
Oil & Gas Division
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

Mr. Ron Firth

Dear Mr. Firth:

Attached please find three copies each of the Designation of Operator for the following wells:

Ute Tribal 3-6
Ute Tribal 2-10
Ute Tribal 2-31

Please add these copies to our original Permit to Drill. Thank you.

Very truly yours,

A handwritten signature in cursive script that reads "R. L. Martin".

R. L. Martin
Vice President
Oil & Gas Operations

RLM:kr

Attachments

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

DESIGNATION OF OPERATOR

The undersigned is, on the records of the Bureau of ^{Indian Affairs} ~~Land Management~~, holder of lease

STATE OFFICE: Ute Indian Tribe and the Ute Distribution Corporation
SERIAL NO.: 14-20-H62-3520

and hereby designates

NAME: Coors Energy Company
ADDRESS: PO Box 467
Golden, Colorado 80402

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160) with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.M.
Section 31: NW/4
Duchesne County, Utah

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the authorized officer of any change in the designated operator.

CHEVRON U.S.A., INC.

By: 
(Signature of lessee)
Assistant Secretary

PO Box 599
Denver, Colorado 80201

March 30, 1987

(Date)

(Address)

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and thereto does not require OMB approval.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Ute Tribal

9. WELL NO.
2-31

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 31, T5S-R3W

12. COUNTY OR PARISH | 13. STATE
Duchesne | Utah

17. NO. OF ACRES ASSIGNED TO THIS WELL

22. APPROX. DATE WORK WILL START*
April, 1987

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At surface 422' FNL, 2338' FWL, NE/4NW/4
At proposed prod. zone same

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 422'
16. NO. OF ACRES IN LEASE 640
17. NO. OF ACRES ASSIGNED TO THIS WELL ----

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 3500'
19. PROPOSED DEPTH 6657'

20. ROTARY OR CABLE TOOLS
rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
6738' GL

22. APPROX. DATE WORK WILL START*
April, 1987

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8"	24.00#	400'	300 sx.
7-7/8"	5-1/2"	15.50#	6360'	1200 sx.

- This well will be spudded in the Uintah Formation.
- Estimated Green River top: 4617'.
- Oil and gas is expected in the Green River Formation.
No aquifers or other mineral zones are anticipated. Maximum expected BHP is 2000 psi.
- Attached is a diagram of the pressure control device, See Exhibit K.
- The proposed circulating medium will be 3% KCL water or a low-solids, non-dispersed mud. Mud weights in excess of 10#/gal are not anticipated.
- Auxiliary equipment: float will be run in the drill string, a full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used.
- Sidewall coring is planned, drill stem tests may be run in potential pay zones.
- No abnormal temperatures, pressures or potential hazards are expected.
- Duration of operations will be approximately 30 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED R. I. Martin TITLE V.P. O/G Operations DATE 3-27-87
(This space for Federal or State office use)

PERMIT NO. 43-013-31188 APPROVAL DATE _____

APPROVED BY Harold E. Fenech TITLE ACTING ADM-MINERALS DATE 5/28/87
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

20150 Oil & Gas Mining
B & M copy

memorandum

(801) 722-2406 Ext 47

DATE: MAY 14 1987

REPLY TO ACTN OF: Acting Superintendent, Uintah and Ouray Agency

SUBJECT: Coors Energy Company
Well 2-31, Sec. 31, NENW, T5S-R3W

TO: District Manager, Bureau of Land Management

MAY 1987
JAMES L. BROWN

We (concur with or, recommend) approval of the Application for Permit to Drill subject well.

Based on available information on May 13, 1987, we have cleared the proposed location in the following areas of environmental impact.

YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	Listed threatened or endangered species.
YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	Critical wildlife habitat.
YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	Archaeological or cultural resources.
YES <input type="checkbox"/>	NO <input type="checkbox"/>	Air quality aspects (to be used only if Project is in or adjacent to a Class I area of attainment)
YES <input type="checkbox"/>	NO <input type="checkbox"/>	Other (if necessary)

REMARKS: Production pit will be lined to prevent fluid leaks.

A buffer zone of trees will be maintained on west side of location along the crest of ridge.

The necessary surface protection and rehabilitation requirements are as per approved APD.

Reginald J. Coonrod

RECEIVED
JUN 03 1987

DIVISION OF
OIL, GAS & MINING

RECEIVED
JUN 03 1987

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL
WITHIN THE UINTAH OURAY RESERVATION

DIVISION OF
OIL, GAS & MINING

Company Coors Energy Company Well No. Ute Tribal 2-31
Location Sec. 31 T 5S R 3W Lease No. 14-20-H62-3520
Onsite Inspection Date _____

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered:

All fresh water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

All water zones and flows encountered while drilling will be reported to Wayne Svejnoha of this office and will be protected via the cementing program for the 5½" casing. Submit samples to this office along with any water analyses conducted by the operator. Copies of State of Utah form, OGC-8-X, will be acceptable.

2. Pressure Control Equipment

The BOP stack shall utilize an annular bag-type preventer. The Ram-type preventers shall be tested to 2000 psi. The annular preventer shall be tested to 1500 psi.

All BOP and testing procedures will be consistent in conformance with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Cement for the surface casing shall be brought back to surface level.

The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

4. Mud Program and Circulating Medium

No chromate additives will be used in the mud system on Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

No anticipated logging was mentioned in the APD. Prior to spudding this well, a sundry notice will be filed by Coors Energy Co. indicating anticipated logs to be run.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the authorized officer (AO).

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The spud date will be reported orally to the AO within 48 hours after spudding. If the spudding occurs on a weekend or holiday, the report will be submitted on the following regular work day. The oral report will be followed up with a Sundry Notice.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6 "Monthly Report of Operations", starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed, in duplicate, to the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than 5 days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of a District Engineer, produced water may be temporarily disposed of into lined pits for a period of up to 90 days. During the period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received, for any venting/flaring of gas beyond the initial 30 day or authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be ob-

tained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within 30 days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal or Indian lands.

7. Other Conditions

All loading lines will be placed inside the berm surrounding the tank battery.

All site security guidelines identified in 43 CFR 3162.7 regulations will be adhered to.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with the API standards for liquid hydrocarbons and the AGA standard for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or work-over program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

In the event after-hour approvals are necessary, please contact one of the following individuals:

Craig M. Hansen Assistant District Manager for Minerals	(801) 247-2318
Gerald E. Kenczka Petroleum Engineer	(801) 781-1190
R. Allen McKee Petroleum Engineer	(801) 781-1368

Revised October 1, 1985

Date NOS Received 03/02/87

CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator Coors Energy Company
Well Name & Number Ute Tribal 2-31
Lease Number 14-20-H62-3520
Location NE 1/4 NW 1/4 Sec. 31 T. 5 S. R. 3 W.
Surface Ownership Ute Tribal

THIRTEEN POINT SURFACE USE PROGRAM:

Conditions of Approval

Acceptance of this APD by the Bureau of Land Management does not constitute approval for the commingling of the produced hydrocarbons or the placement of the production facilities on or off this location. Coors Energy must submit a Sundry Notice for these items after the well is determined to be productive.

Multipoint Requirements to Accompany APD

1. Location of Existing and/or Proposed Facilities

If a tank battery is constructed on this lease, the battery or the well pad will be surrounded by a dike of sufficient capacity to contain $1\frac{1}{2}$ times the storage capacity of the battery. The integrity of the dike must be maintained.

2. Methods for Handling Waste Disposal

Produced waste water will be confined to a lined pit or, if deemed necessary, a storage tank for a period not to exceed 90 days after first production. During the 90-day period an application for approval of a permanent disposal method and location, along with required water analysis, will be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

Chemical-type toilets will be used at the location during the drilling phase. The human waste will be pumped from the toilets and deposited at a state approved sewage disposal site.

3. To Protect the Environment (Without a Chemical Analysis).

Pits will be constructed so as not to leak, break, or allow discharge of liquids. Where rocks protrude and have the potential to perforate a pit liner, the liner will be bedded with straw, soil, or other material as approved by the authorized officer.

4. Plans for Restoration of Surface

Immediately upon well completion, the location and surrounding area will be cleared of all debris, materials, trash and junk not required for production.

If the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings.

5. Additional Surface Stipulations for Tribal Surface Lands

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his sub-contractors. A copy of these conditions will be furnished the field representative to insure compliance.

This drilling permit will be valid for a period of one year from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

061508

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

API #43-013-31188

NAME OF COMPANY: COORS ENERGY

WELL NAME: UTTE TRIBAL 2-31

SECTION NE NW 31 TOWNSHIP 5S RANGE 3W COUNTY Duchesne

DRILLING CONTRACTOR Leon Ross

RIG # _____

SPUDDED: DATE 6-11-87

TIME 10:30 AM

HOW Rat Hole Driller

DRILLING WILL COMMENCE 6-23-87

REPORTED BY Doug Sprague

TELEPHONE # 303-278-7030

DATE 6-12-87

SIGNED AS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)

Budget Bureau No. 1004-01.15
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
070750
Ute Tribal

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Ute Tribal

9. WELL NO.
2-31

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 31, T5S-R3W

12. COUNTY OR PARISH
Duchesne

13. STATE
Utah

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
P.O. Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
442' FNL, 2338' FWL, NE/4NW/4

14. PERMIT NO.
43-013-31188

15. ELEVATIONS (Show whether OF, RT, CR, etc.)
6738' GL

RECEIVED
JUN 18 1987

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Spudding <input checked="" type="checkbox"/>	
(Other) <input type="checkbox"/>		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

6/12/87 Drlg. at 325'. MIRU Leon Ross. Spudded well 10:30AM, 6/11/87, 12-1/4" hole.

6/13/87 Yesterday, finished drilling 12-3/4" hole with mist to 410'. Diviation 1 degree at 410'. RIH with 10 joints 8-5/8" 24.00# J-55 ST&C new casing with guard shoe, 1 joint baffle plate and 9 joints with 2 centralizers. Landed casing at 403'. MIRU Dowell & cement as follows:

15 bbls. gelled water, 250 sks. Class G cement with 2% CaCL and 1/4 pound flocele.

Full cement returns to surface. Bump plug at 8:30 PM on 6/12/87.

18. I hereby certify that the foregoing is true and correct

SIGNED D.S. Sprague TITLE Director, O/G Operations DATE 6/15/87

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
3 TRIAD CENTER, SUITE 350
SALT LAKE CITY, UT 84180-1203

RECEIVED
JUL 10 1987

DIVISION OF
OIL, GAS & MINING

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Ute Tribal 2-31 13-013-31188 Dulg
Operator Coors Energy Company Address PO Box 467, Golden, Colo. 80402
Contractor Olsen Rig #5 Address 1616 Glenarm Pl., Denver, Co. 80202
Location NE 1/4 NW 1/4 Sec. 31 T. 5S R. 3W County Duchesne

Water Sands

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1.	None		
2.			
3.			
4.			
5.			

(Continue on reverse side if necessary)

Formation Tops

Remarks

- NOTE: (a) Report on this form as provided for in Rule 806, Oil and Gas Conservation General Rules.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT--"

RECEIVED
JUL 10 1987

DIVISION OF
OIL, GAS & MINING

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
442' FNL, 2338' FWL, NE/NW

14. PERMIT NO.
43-013-31188

15. ELEVATIONS (Show whether SF, ST, OR, etc.)
6738' GL

3. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520 *Dig*

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Ute Tribal

9. WELL NO.
2-31

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
Sec. 31, T5S-R3W

12. COUNTY OR PARISH | 13. STATE
Duchesne | Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- (Other)

- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- ABANDON*
- CHANGE PLANS

- WATER SHUT-OFF
- FRACTURE TREATMENT
- SHOOTING OR ACIDIZING
- (Other)

- REPAIRING WELL
- ALTERING CASING
- ABANDONMENT*

Progress Report

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

6/14 to 7/2/87 WO drilling rig.

7/3/87 Commenced drilling at 12:30PM 7/3/87 with Olsen Rig #5.

7/4 to 7/6/87 Drilled to 4151', presently drilling ahead.

18. I hereby certify that the foregoing is true and correct

SIGNED *R. J. Martin* TITLE V.P. O/G Operations DATE 7-6-87

APPROVED BY _____ TITLE _____ DATE _____

COMMENTS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT TO FEDERAL AGENCY
(Obtain instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
442' FNL, 2338' FWL, NE/NW

14. PERMIT NO.
43-013-31188

15. ELEVATIONS (Show whether ST, RT, OR, etc.)
6738' GL

3. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520 *Duly-*

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
072204
Ute Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Ute Tribal

9. WELL NO.
2-31

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 31, T5S-R3W

12. COUNTY OR PARISH
Duchesne

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETS <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDISE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHUTTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Progress Report</u> <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

7/7 to 7/10/87 Drilled to 6657' TD, ran 150 jts of 5-1/2" 15.50# STC J55 new casing, set at 6000', cemented w/300 sx. lite cement plus 1000 sx. 50/50 pozmix w/2% gel, 10% salt.

7/11 to present WOCT.

RECEIVED
JUL 20 1987

DIVISION OF
OIL, GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED *E.S. Spague* TITLE Director, O/G Operations DATE 7/17/87
E.S. Spague

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SEE IN PROPER CASE
(Other instructions on reverse side)

Duly

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520

6. IF INDIAN, STATE OR TRIBE NAME
Ute Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Ute Tribal

9. WELL NO.
2-31

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
Sec. 31, T5S-R3W

12. COUNTY OR PARISH, 13. STATE
Duchesne Utah

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface 442' FNL, 2338' FWL, NE/NW

14. PERMIT NO.
43-013-31188

15. ELEVATIONS (Show whether SF, RT, OR, etc.)
6738' GL

RECEIVED
AUG 24 1987
DIVISION OF OIL
GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Progress Report</u>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 7/12 to 7/27/87 WOCT.
- 7/28/87 MIRU B&B Well Service, perf'd from 5845-5853' w/4" casing gun, 4 SPF.
- 7/29/87 Fraced above zone w/50,000# 20/40 sand, 694 BW, 5 bbls 7-1/2" acid, 139 bbls KCL water.
- 7/30 to 8/3/87 Swabbed well back after frac.
- 8/4/87 Set 5-1/2" RBP at 5490', perf'd at 5207,08,09,10,13,14,15,16' and 5031-37' w/1 SPF, 4" gun, 23 gram charges, totaling 15 shots.
- 8/5/87 Fraced above zone w/25 7/8" ball sealers, 98,000# 20/40 sand, 1020 BW, 130 Bbls KCL water.
Perf'd from 4909-15', 4741-57' at 1 SPF, 4" gun, 23 gram charges, 25 ball sealers and fraced same interval w/100,000# 20/40 sand, 1010 bbls water.
- 8/6 to 8/12/87 Swabbed well back, set tubing at 5856'. started prod. facilities.

18. I hereby certify that the foregoing is true and correct

SIGNED R. I. Martin TITLE V.P. O/G Operations DATE 8-19-87

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONTROLLER OF APPROVAL, IF ANY:

SUBMIT IN DUPLICATE*
(See other instructions
on reverse side)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

090018 56 64 01

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

1. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESRV. Other _____

2. NAME OF OPERATOR
Coors Energy Company (303) 278-7030

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 442' FNL, 2338' FWL, NE/NW
At top prod. interval reported below same
At total depth same
AUG 31 1987

14. PERMIT NO. 43-013-31188 DATE ISSUED 4/22/87

3. LEASE DESIGNATION AND SERIAL NO.

14-20-H62-3520

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Ute Tribe

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Ute Tribal

9. WELL NO.

2-31

10. FIELD AND POOL, OR WILDCAT

Antelope Creek

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 31, T5S-R3W

12. COUNTY OR PARISH

Duchesne

13. STATE

Utah

15. DATE SPUNDED 6/11/87 16. DATE T.D. REACHED 7/10/87 17. DATE COMPL. (Ready to prod.) 8/15/87 18. ELEVATIONS (OF. RKB, RT, OR, ETC.) 6753' KB 6738' GL 19. ELEV. CASINGHEAD ----

20. TOTAL DEPTH, MD & TVD 6657' 21. PLUG, BACK T.D., MD & TVD 5960' 22. IF MULTIPLE COMPL. HOW MANY? --- 23. INTERVALS DRILLED BY ROTARY TOOLS 0-6657' CABLE TOOLS no

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Green River: 4741-5853' 25. WAS DIRECTIONAL SURVEY MADE no

26. TYPE ELECTRIC AND OTHER LOGS RUN
CBL, DIL, CNL 8-31-87 27. WAS WELL CORED sidewall

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24.00#	403'	12-1/4"	250 sx.	
5-1/2"	15.50#	6000'	7-7/8"	1300 sx.	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)
5845-5853' w/4" gun, 4 SPF
5207, 08, 09, 10, 13, 14, 15, 16; 5031-37' at 1 SPF, 4" gun, 23 gram charges

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5845-5853'	5 bbls 7-1/2" acid, 694 bbls KCL wtr, 50000# 20/40 sand
5031-5216'	25 ball sealers, 98000# 20/40 sand, 1020 bbls wtr.

33. PRODUCTION

DATE FIRST PRODUCTION On second page PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in)

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO

FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BSL.	GAS—MCF.	WATER—BSL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY Jim Simonton

35. LIST OF ATTACHMENTS
The above listed logs are enclosed.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED RL Mait TITLE _____ DATE 8-28-87

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See Instructions on Items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see Item 85.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in Item 22, and in Item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in Item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 27: "Socks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for Items 22 and 24 above.)

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	NEAR. DEPTH	TOP
						TRUE VERT. DEPTH
Green River	1620'					
Green River- Upper Douglas Creek	4586'					

SUBMIT IN DUPLICATE*
(See other instructions
on reverse side)

56 64 01

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

1. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RECVR. Other _____

2. NAME OF OPERATOR
Coors Energy Company

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations)
At surface 442' FNL, 2338' FWL, NE/NW
At top prod. interval reported below same
At total depth same

14. PERMIT NO. 43-013-31188 DATE ISSUED 4/22/87

13. DATE SPUDDED 6/11/87 16. DATE T.R. REACHED 7/10/87 17. DATE COMPL. (Ready to prod.) 8/15/87 18. ELEVATIONS (SP. HBL, BT, GR, ETC.)* 6753' KB, 6738' GL 19. ELEV. CASINGHEAD -----

20. TOTAL DEPTH, MD & TVD 6657' 21. PLUG BACK T.R., MD & TVD 5960' 22. IF MULTIPLE COMPL., HOW MANY? ----- 23. INTERVALS DRILLED BY ROTARY TOOLS 0-6657' CABLE TOOLS no

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)*
Green River: 4741-5853'

25. TYPE ELECTRIC AND OTHER LOGS RUN
CBL, DIL, CNL

26. WAS DIRECTIONAL SURVEY MADE no
27. WAS WELL CORRED sidewall

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	MOLE SIZE	CEMENTING RECORD	AMOUNT FILLED
On first page					

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	PACKER CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	5856'	

31. PERFORATION RECORD (Interval, size and number)
4909-15', 4741-57' w/l SPF, 23 gram charges, totaling 14 shots

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4741-4915'	100,000# 20/40 mesh, 1030 bbls water, 25 ball sealers

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)	WELL STATUS (Producing or shut-in)					
8/15/87	Pumping, 2-1/2" x 1-1/4" x 16' pump	Producing					
DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL--BSL.	GAS--MCF.	WATER--BSL.	GAS-OIL RATIO
8/27/87	24	---		47	28	3	596:1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL--BSL.	GAS--MCF.	WATER--BSL.	OIL GRAVITY-API (CORR.)	
30	30		47	28	3	40+	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Sold

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED R. L. Martin TITLE V.P. O/G Operations DATE 8-25-87

*(See Instructions and Spaces for Additional Data on Reverse Side)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBMIT IN TRIPLED COPY
(Other instructions on
reverse side)

5. LEASE DESIGNATION AND SERIAL NO.	14-20-H62-3520
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	Ute Tribe
7. UNIT AGREEMENT NAME	-----
8. FARM OR LEASE NAME	Ute Tribal
9. WELL NO.	2-31
10. FIELD AND POOL, OR WILDCAT	Antelope Creek
11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA	Sec. 31, T5S-R3W
12. COUNTY OR PARISH	Duchesne
13. STATE	Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER
2. NAME OF OPERATOR Coors Energy Company
3. ADDRESS OF OPERATOR PO Box 467, Golden, Colorado 80402
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 442' FNL, 2338' FWL, NE/NW
14. PERMIT NO. 43-013-31188
15. ELEVATIONS (Show whether of, RT, GA, etc.) 6738' KB, 6738' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other) <u>First Production</u>	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Date of first production: 8/15/87

Sales from this production will be made to the following:

Oil:

Texaco Trading & Transportation
PO Box 5568
Denver, Colorado 80217

Gas:

Coors Energy Company
PO Box 467
Golden, Colorado 80402

RECEIVED

AUG 31 1987

DIVISION OF OIL
GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED R. I. Martin TITLE V.P. O/G Operations DATE 8-28-87
R. I. Martin

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONCURRENCE OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

WELL IN TRIPLED AREA
(Other instructions on reverse side)

3

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

3. LEASE DESIGNATION AND SERIAL NO. 14-20-H62-3520
 6. IF INDIAN, ALLIANCE OR TRIBE NAME Ute Tribe *Dalg*
 7. UNIT AGREEMENT NAME -----
 8. FARM OR LEASE NAME Ute Tribal
 9. WELL NO. 2-31
 10. FIELD AND POOL, OR WILDCAT Antelope Creek
 11. SEC., T., R., M., OR BLM. AND SUBVY OR AREA Sec. 31, T5S-R3W
 12. COUNTY OR PARISH, 12. STATE Duchesne Utah

1. OIL WELL GAS WELL OTHER
 2. NAME OF OPERATOR Coors Energy Company
 3. ADDRESS OF OPERATOR PO Box 467, Golden, Colorado 80402
 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
 At surface 442' FNL, 2338' FWL, NE/NW
422'
 14. PERMIT NO. 43-013-31188
 15. ELEVATIONS (Show whether on, at, or, etc.) 6738' KB, 6738' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETS <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>First Production</u> <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Date of first production: 8/15/87

Sales from this production will be made to the following:

Oil:

Texaco Trading & Transportation
PO Box 5568
Denver, Colorado 80217

Gas:

Coors Energy Company
PO Box 467
Golden, Colorado 80402

RECEIVED

AUG 31 1987

DIVISION OF OIL
GAS AND MINING

18. I hereby certify that the foregoing is true and correct

SIGNED R. I. Martin TITLE V.P. O/G Operations DATE 8-28-87
 R. I. Martin
 (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 COMMENTS: IS OF APPROVAL, IF ANY:

090313 56 64 01

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

3. LEASE DESIGNATION AND SERIAL NO.

14-20-H62-3520

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Ute Tribe

7. UNIT AGREEMENT NAME

5. FARM OR LEASE NAME

Ute Tribal

8. WELL NO.

2-31

10. FIELD AND POOL, OR WILDCAT

Antelope Creek

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 31, T5S-R3W

12. COUNTY OR PARISH
Duchesne

13. STATE
Utah

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

1. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. REVR. Other _____

2. NAME OF OPERATOR
Coors Energy Company (303) 278-7030

3. ADDRESS OF OPERATOR
PO Box 467, Golden, Colorado 80402

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 442' FNL, 2338' FWL, NE/NW *PROBABLE TYPE*

At top prod. interval reported below same *AUG 3 1987*

At total depth same

14. PERMIT NO. 43-013-31188
15. DATE ISSUED 4/22/87

13. DATE SPUDDED
6/11/87

16. DATE T.D. REACHED
7/10/87

17. DATE COMPL. (Ready to prod.)
8/15/87

18. ELEVATIONS (DF, RER, RT, OR, ETC.)*
6753' KB 6738' GL

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
6657'

21. PLUG BACK T.D., MD & TVD
5960'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY
ROTARY TOOLS
0-6657'

CABLE TOOLS
no

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Green River: 4741-5853'

25. WAS DIRECTIONAL SURVEY MADE
no

26. TYPE ELECTRIC AND OTHER LOGS RUN
CBL, DIL, CNL 8-31-87

27. WAS WELL CORED
sidevall

Please request Core report

28. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	SOLE AIR	CONCRETE RECORD	AMOUNT FOLDED
8-5/8"	24.00#	403'	12-1/4"	250 sx.	
5-1/2"	15.50#	6000'	7-7/8"	1300 sx.	

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL	CHARGE	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5845-5853'	w/4" gun, 4 SPF	5845-5853'	5 bbls 7-1/2" acid, 694 bbls KCL wtr, 50000# 20/40 sand
5207, 08, 09, 10, 13, 14, 15, 16; 5031-37'	at 1 SPF, 4" gun, 23 gram charges	5031-5216'	25 ball sealers, 98000# 20/40 sand, 1020 bbls wtr.

33. PRODUCTION
DATE FIRST PRODUCTION: On second page
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)
WELL STATUS (Producing or shut-in)

DATE OF TEST	MUCKS TESTED	CHOKER SIZE	PROP'N. FOR TEST PERIOD	OIL—BSL.	GAS—MCF.	WATER—BSL.	GAS-OIL RATIO

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
TEST WITNESSED BY
Jim Simonton

35. LIST OF ATTACHMENTS
The above listed logs are enclosed.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED *RL Mait* TITLE _____ DATE 8-28-87

* (See Instructions and Spaces for Additional Data on Reverse Side)



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

October 5, 1987

Mr. R. L. Martin
Coors Energy Company
Post Office Box 467
Golden, Colorado 804020467

Dear Mr. Martin:

Re: Tribal 2-31 API # 43 013 31188 SEC 31 T05S R03W

The completion report for the above referenced well indicates that the well was cored. If a copy of the core analysis is still available, please send it to us for our records.

We appreciate your special efforts to work with our agency, and any communications in response to this request should be sent to my attention.

Respectfully,

A handwritten signature in cursive script, appearing to read "Norman C. Stout".

Norman C. Stout
Records Manager, Oil, & Gas

vlc
cc: Dianne R. Nielson
Ronald J. Firth
Suspense File
0511S-44

POW
43-013-31188

110406




October 30, 1987

State of Utah
Division of Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: Mr. Norm Stout


As per your request, attached please find a copy of the Sidewall Core Analysis for the Ute Tribal 2-31 which we drilled in Duchesne County.

Let us know if you find you will need any further information.

Very truly yours,

R. L. Martin
Vice President
Oil & Gas Operations

RLM:kr

Attachment


NOV 02 1987
DIVISION OF
OIL, GAS & MINING

COORS ENERGY COMPANY

Ute Tribal 2-31 Well
Duchesne County, Utah

TTCS File No. 88004

Gearhart Sidewall Cores

<u>Depth (feet)</u>	<u>Formation</u>
4005	Green River
4268	Green River
4742	Green River
4910	Green River
5035	Green River
5042	Green River
5208	Green River
5849	Green River

RECORDED
NOV 02 1987

DIVISION OF
OIL, GAS & MINING

TerraTek Core Services, Inc.®

University Research Park - 360 Wakara Way - Salt Lake City, Utah 84108 - (801) 584-2480 - TWX 910-925-5284

COORS ENERGY COMPANY

Well: Ute Tribal #2-31
Field: Antelope Creek
Drilling fluid: KCL

State: Utah
County: Duchesne
Location: Sec.31-T5S-R3W

Date: 22-JUL-1987
TTCS File #: 88004
Elevation: N/A

PLUG DEAN-STARK ANALYSIS

Sample Number	Depth (feet)	Permeability		Porosity %	Saturation		Grain Density (gm/cc)	Lithology
		Horz (md)	Vert (md)		Oil %	H2O %		
Green River Formation								
1	4005	<0.01		9.5	0.0	87.8	2.70	Sd,vfg,slt lam
2	4268	0.35		11.3	26.3	49.4	2.65	Sd,vfg,sl/dol,lig stk
3	4742	<0.01		3.8	11.8	82.7	2.69	Sd,vfg,sl/dol,slty,shy
4	4910	0.60		11.3	39.4	23.4	2.66	Sd,vf-fg,sl/lmy
5	5035	20.0		15.9	36.8	59.2	2.66	Sd,fg,sl/dol
6	5042	0.23		10.4	28.4	35.7	2.66	Sd,vfg,sl/dol
7	5208	0.43		10.5	36.7	26.0	2.67	Sd,vfg,sl/dol
8	5849	0.11		9.8	38.6	26.9	2.68	Sd,vf-fg,sl/dol

RECORDED
NOV 02 1987

DIVISION OF
OIL, GAS & MINING

TerraTek

Geoscience Services

TerraTek Core Services

July 22, 1987

Coors Energy Company
P.O. Box 467
Golden, Colorado 80402-0467

ATTN: Mr. Robert Ballou

SUBJECT: Sidewall Core Analysis Data; Ute Tribal #2-31 Well;
Duchesne County, Utah; TTCS File No. 88004

Gentlemen:


Rotary sidewall coring equipment was used in the subject well to obtain eight one-inch diameter sidewall cores from the Green River Formation at the depths listed on the previous page. The samples were preserved in glass jars and submitted to the Terra Tek Core Services laboratory in Salt Lake City for standard Dean-Stark analysis.

Residual fluids were removed and measured using the low temperature Dean-Stark solvent (toluene) extraction method. Porosities were determined by Boyle's law (helium) grain volumes and Archimedes (mercury) bulk volumes. Permeabilities to nitrogen gas were measured in a Hassler sleeve using an orifice-equipped pressure transducer to monitor downstream flow. Data resulting from this analysis are tabulated on page one of this report.

The plugs along with their trimmed ends have been given to Bob Bereskin pending instructions concerning possible petrographics work.

We sincerely appreciate this opportunity to be of service.

Very truly yours,



Jack R. Good
Laboratory Director

JRG/jl

RECORDED
NOV 02 1987

DEPARTMENT OF
OIL, GAS & MINING



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut
84180-1203. (801-538-5340)

MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• MARYELLEN VIALPANDO
COORS ENERGY
PO BOX 467
GOLDEN CO 80402-0467

Utah Account No. N5090

Report Period (Month/Year) 7 / 92

Amended Report

Well Name	Producing	Days	Production Volume		
API Number Entity Location	Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
UTE TRIBAL #2-10 4301331187 09378 05S 03W 10 ✓	GRRV		14-20-H62-3509		
UTE TRIBAL 1-33 4301330806 09379 05S 03W 33 ✓	GRRV		14-20-H62-3522		
UTE TRIBAL 2-5 4301330824 09380 05S 03W 5 ✓	GRRV		14-20-H62-3504		
UTE TRIBAL 2-7 4301330825 09381 05S 03W 7 ✓	GRRV		14-20-H62-3506		
UTE TRIBAL #2-31 4301331188 09382 05S 03W 31 ✓	GRRV		14-20-H62-3520		
UTE TRIBAL 3-7 4301330828 09383 05S 03W 7 ✓	GRRV		14-20-H62-3506		
UTE TRIBAL 1-3 4301330823 09384 05S 03W 3 ✓	GRRV		14-20-H62-3502		
UTE TRIBAL #2-3 4301331097 09384 05S 03W 3 ✓	GRRV		"		
UTE TRIBAL 1-8 4301330759 09386 05S 03W 8 ✓	GRRV		14-20-H62-3507		
UTE TRIBAL 2-8 4301330826 09386 05S 03W 8 ✓	GRRV		"		
UTE TRIBAL #3-8 4301331101 09386 05S 03W 8 ✓	GRRV		"		
UTE TRIBAL #4-8 4301331164 09386 05S 03W 8 ✓	GRRV		"		
UTE TRIBAL 5-8 4301331307 09386 05S 03W 8 ✓	GRRV		"		
TOTAL					

Comments (attach separate sheet if necessary) _____

I have reviewed this report and certify the information to be accurate and complete. Date _____

Authorized signature _____ Telephone _____



P.O. BOX 467 GOLDEN, COLORADO 80401

September 1, 1992

State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

RECEIVED

SEP 04 1992

DIVISION OF
OIL, GAS & MINING

Attn: Mr. Ron Firth

Dear Mr. Firth:

This letter is to advise you that effective September 1, 1992 Coors Energy Company has sold its oil and gas properties located in Duchesne County, Utah to the following Company:

Evertson Oil Company, Inc.
P.O. Box 397
Kimball, Nebraska 69145
Mr. Bruce F. Evertson, President
Phone No.: (308) 235-4871

The sale includes the following wells:

<u>WELL NAME</u>	<u>API NO.</u>
✓State 2-6	43-013-30891
✓Ute Tribal 1	43-013-20045
✓Ute Tribal 1-10	43-013-30805
✓Ute Tribal 1-10D	43-013-31211
✓Ute Tribal 1-15	43-013-30880
✓Ute Tribal 1-15D	43-013-30712
✓Ute Tribal 1-16	43-013-30804
✓Ute Tribal 1-17	43-013-30790
✓Ute Tribal 1-18	43-013-30761
✓Ute Tribal 1-19	43-013-30803
✓Ute Tribal 1-20	43-013-30764
✓Ute Tribal 1-20D	43-013-31239
✓Ute Tribal 1-21	43-013-30883
✓Ute Tribal 1-24D	43-013-31234

Page 2
Change of Operator
Duchesne County, Utah

<u>WELL NAME</u>	<u>API NO.</u>
✓Ute Tribal 1-28	43-013-30802
✓Ute Tribal 1-29	43-013-30763
✓Ute Tribal 1-3	43-013-30823
✓Ute Tribal 1-30	43-013-30852
✓Ute Tribal 1-32	43-013-30853
✓Ute Tribal 1-33	43-013-30806
✓Ute Tribal 1-3D	43-013-31242
✓Ute Tribal 1-4	43-013-30762
✓Ute Tribal 1-5	43-013-30785
✓Ute Tribal 1-6	43-013-30793
✓Ute Tribal 1-7	43-013-30788
✓Ute Tribal 1-7D	43-013-31198
✓Ute Tribal 1-8	43-013-30759
✓Ute Tribal 2-10	43-013-31187
✓Ute Tribal 2-10D	43-013-31219
✓Ute Tribal 2-15D	43-013-31200
✓Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-
Ute Tribal 2-18D	43-013-30881
✓Ute Tribal 2-20	43-013-30882
✓Ute Tribal 2-29	43-013-30849
✓Ute Tribal 2-3	43-013-31097
✓Ute Tribal 2-31	43-013-31188
✓Ute Tribal 2-4	43-013-30879
✓Ute Tribal 2-5	43-013-30824
✓Ute Tribal 2-7	43-013-30825
✓Ute Tribal 2-8	43-013-30826
✓Ute Tribal 2-8D	43-013-31199
✓Ute Tribal 2-9	43-013-30789
✓Ute Tribal 3	43-013-15319
✓Ute Tribal 3-10D	43-013-31217
✓Ute Tribal 3-20	43-013-31175
✓Ute Tribal 3-29	43-013-30850
✓Ute Tribal 3-4	43-013-30878
✓Ute Tribal 3-5-E3	43-013-30938
✓Ute Tribal 3-7	43-013-30828
✓Ute Tribal 3-8	43-013-31101
✓Ute Tribal 4	43-013-15321
✓Ute Tribal 4-10D	43-013-31226
✓Ute Tribal 4-17D	43-013-31201
✓Ute Tribal 4-18	43-013-31099
✓Ute Tribal 4-18D	43-013-30838
✓Ute Tribal 4-29	43-013-30851
✓Ute Tribal 4-4	43-013-30848
✓Ute Tribal 4-5	43-013-31306
✓Ute Tribal 4-8	43-013-31164
✓Ute Tribal 4-9	43-013-31165
✓Ute Tribal 5	43-013-15322
✓Ute Tribal 5-18	43-013-31180
✓Ute Tribal 5-29-E3	43-013-30939

(w/w) RECEIVED

SEP 04 1992

DIVISION OF
OIL GAS & MINING

<u>WELL NAME</u>	<u>API NO.</u>
✓Ute Tribal 5-8	43-013-31307
✓Ute Tribal 6	43-013-15323
✓Ute Tribal 6-10D	43-013-31236
✓Ute Tribal 6-16D	43-013-31204
✓Ute Tribal 6-29	43-013-31305
✓Ute Tribal 6-4	43-013-31100
✓Ute Tribal 7	43-013-15324
✓Ute Tribal 7-16D	43-013-31221
✓Ute Tribal 7-29	43-013-31339
✓Ute Tribal 8	43-013-30028
✓Ute Tribal 8-16D	43-013-31220
✓Ute Tribal 1-21D	43-013-31347
✓Ute Tribal 1-22D	43-013-31349

On this date, we are also notifying the BLM, BIA and the Ute Tribe of this change of operator.

Would you please forward this letter on to anyone else at the State office who might need to have this information. Let us know if we can be of further assistance or if you have any questions.

Very truly yours,



Doug S. Sprague
Manager
Engineering & Operations

DSS:kr

RECEIVED

SEP 04 1992

DIVISION OF
OIL GAS & MINING

EVERTSON OIL COMPANY, INC.
P. O. BOX 397
KIMBALL, NE 69145
308/235-4871

RECEIVED

SEP 25 1992

DIVISION OF
OIL GAS & MINING

September 21, 1992

Lisha Romero
State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 W. North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

Dear Lisha:


Enclosed please find a listing of wells purchased from Coors Energy Company. These are all the wells on which Evertson Oil Company, Inc. will be taking over operations effective September 1, 1992.

I assume that Coors Energy Company has submitted the change of operator forms as required.

I will be forwarding the bonding information required by the U.S. Department of Interior, Bureau of Indian Affairs, as soon as that information is available.

Should you have any questions or need additional information, please let me know.

Sincerely,


James G. Stephen

JGS/iks
enc.

/9258

**EVERTSON OIL COMPANY, INC.
SCHEDULE OF WELLS**

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510103	Ute Tribal 1-3	Utah	Duchesne	5S	3W	3	SW/SW
1510104	Ute Tribal 1-4	Utah	Duchesne	5S	3W	4	NE/NE
1510105	Ute Tribal 1-5	Utah	Duchesne	5S	3W	5	NW/NE
1510106	Ute Tribal 1-6	Utah	Duchesne	5S	3W	6	SE/SE
1510107	Ute Tribal 1-7	Utah	Duchesne	5S	3W	7	SE/SW
1510108	Ute Tribal 1-8	Utah	Duchesne	5S	3W	8	NW/NW
1510110	Ute Tribal 1-10	Utah	Duchesne	5S	3W	10	NW/NW
1510115	Ute Tribal 1-15	Utah	Duchesne	5S	3W	15	NW/NW
1510116	Ute Tribal 1-16	Utah	Duchesne	5S	3W	16	SE/SE
1510117	Ute Tribal 1-17	Utah	Duchesne	5S	3W	17	NE/NE
1510118	Ute Tribal 1-18	Utah	Duchesne	5S	3W	18	NE/NE
1510119	Ute Tribal 1-19	Utah	Duchesne	5S	3W	19	SE/SE
1510120	Ute Tribal 1-20	Utah	Duchesne	5S	3W	20	NW/NE
1510121	Ute Tribal 1-21	Utah	Duchesne	5S	3W	21	SW/SW
1510128	Ute Tribal 1-28	Utah	Duchesne	5S	3W	28	SW/NW
1510129	Ute Tribal 1-29	Utah	Duchesne	5S	3W	29	NE/SE
1510130	Ute Tribal 1-30	Utah	Duchesne	5S	3W	30	SW/NE
1510132	Ute Tribal 1-32	Utah	Duchesne	5S	3W	32	SE/NE
1510133	Ute Tribal 1-33	Utah	Duchesne	5S	3W	33	NW/NW
1510203	Ute Tribal 2-3	Utah	Duchesne	5S	3W	3	SE/SW
1510204	Ute Tribal 2-4	Utah	Duchesne	5S	3W	4	SW/NE
1510205	Ute Tribal 2-5	Utah	Duchesne	5S	3W	5	SW/SW
1510207	Ute Tribal 2-7	Utah	Duchesne	5S	3W	7	NE/NE
1510208	Ute Tribal 2-8	Utah	Duchesne	5S	3W	8	SW/NW
1510209	Ute Tribal 2-9	Utah	Duchesne	5S	3W	9	NE/NE
1510210	Ute Tribal 2-10	Utah	Duchesne	5S	3W	10	SW/NW
1510216	Ute Tribal 2-16	Utah	Duchesne	5S	3W	16	SW/SW
1510218	Ute Tribal 2-18	Utah	Duchesne	5S	3W	18	SE/NE
1510220	Ute Tribal 2-20	Utah	Duchesne	5S	3W	20	SW/NE
1510229	Ute Tribal 2-29	Utah	Duchesne	5S	3W	29	SE/SE
1510231	Ute Tribal 2-31	Utah	Duchesne	5S	3W	31	NE/NW
1510304	Ute Tribal 3-4	Utah	Duchesne	5S	3W	4	NE/SW

EVERTSON OIL COMPANY, INC.
SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510305	Ute Tribal 3-5-E3	Utah	Duchesne	5S	3W	5	NW/SE
1510307	Ute Tribal 3-7	Utah	Duchesne	5S	3W	7	SE/NE
1510308	Ute Tribal 3-8	Utah	Duchesne	5S	3W	8	NE/NW
1510320	Ute Tribal 3-20	Utah	Duchesne	5S	3W	20	SE/NW
1510329	Ute Tribal 3-29	Utah	Duchesne	5S	3W	29	SE/NW
1510404	Ute Tribal 4-4	Utah	Duchesne	5S	3W	4	SW/SW
1510405	Ute Tribal 4-5	Utah	Duchesne	5S	3W	5	SE/NE
1510408	Ute Tribal 4-8	Utah	Duchesne	5S	3W	8	NW/SW
1510409	Ute Tribal 4-9	Utah	Duchesne	5S	3W	9	SW/SE
1510418	Ute Tribal 4-18	Utah	Duchesne	4S	3W	18	NW/NE
1510429	Ute Tribal 4-29	Utah	Duchesne	5S	3W	29	NW/NW
1510508	Ute Tribal 5-8	Utah	Duchesne	5S	3W	8	SE/NW
1510518	Ute Tribal 5-18	Utah	Duchesne	5S	3W	18	NE/SE
1510529	Ute Tribal 5-29-E3	Utah	Duchesne	5S	3W	29	SW/NE
1510604	Ute Tribal 6-4	Utah	Duchesne	5S	3W	4	SE/SW
1510629	Ute Tribal 6-29	Utah	Duchesne	5S	3W	29	SE/NE
1510729	Ute Tribal 7-29	Utah	Duchesne	5S	3W	29	SE/NE
1520001	Ute Tribal 1	Utah	Duchesne	4S	4W	9	NW/SW
1520003	Ute Tribal 3	Utah	Duchesne	4S	4W	16	SW/NE
1520004	Ute Tribal 4	Utah	Duchesne	4S	4W	16	NE/SW
1520005	Ute Tribal 5	Utah	Duchesne	4S	4W	16	SW/NW
1520006	Ute Tribal 6	Utah	Duchesne	4S	4W	17	SW/NE
1520007	Ute Tribal 7	Utah	Duchesne	4S	4W	17	SW/NW
1520008	Ute Tribal 8	Utah	Duchesne	4S	4W	16	NW/NW
1520103	Ute Tribal 1-3D	Utah	Duchesne	4S	4W	3	SE/SE
1520107	Ute Tribal 1-7D	Utah	Duchesne	4S	4W	7	SE/SE
1520110	Ute Tribal 1-10D	Utah	Duchesne	4S	4W	10	SW/SE
1520115	Ute Tribal 1-15D	Utah	Duchesne	4S	4W	15	SW/NE
1520120	Ute Tribal 1-20D	Utah	Duchesne	4S	4W	20	SW/SW
1520121	Ute Tribal 1-21D	Utah	Duchesne	4S	4W	21	NE/NW
1520122	Ute Tribal 1-22D	Utah	Duchesne	4S	4W	22	NE/NW
1520124	Ute Tribal 1-24D	Utah	Duchesne	4S	5W	24	NW/NW
1520208	Ute Tribal 2-8D	Utah	Duchesne	4S	4W	8	NW/SE

**EVERTSON OIL COMPANY, INC.
SCHEDULE OF WELLS**

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1520210	Ute Tribal 2-10D	Utah	Duchesne	4S	4W	10	SW/4
1520215	Ute Tribal 2-15D	Utah	Duchesne	4S	4W	15	NW/NW
1520218	Ute Tribal 2-18D	Utah	Duchesne	5S	3W	18	SE/NE
1520310	Ute Tribal 3-10D	Utah	Duchesne	4S	4W	10	SE/SW
1520410	Ute Tribal 4-10D	Utah	Duchesne	4S	4W	10	NE/SE
1520417	Ute Tribal 4-17D	Utah	Duchesne	4S	4W	17	NW/SE
1520418	Ute Tribal 4-18D	Utah	Duchesne	4S	4W	18	NW/NW
1520610	Ute Tribal 6-10D	Utah	Duchesne	4S	4W	10	SE/NE
1520616	Ute Tribal 6-16D	Utah	Duchesne	4S	4W	16	NE/NW
1520716	Ute Tribal 7-16D	Utah	Duchesne	4S	4W	16	SE/NE
1520816	Ute Tribal 8-16D	Utah	Duchesne	4S	4W	16	NE/SE
1521009	Coyote Ute Tr. 10-9	Utah	Duchesne	4S	4W	9	NW/SE

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LOR/GTEK
2- DTS/ST-LOR
3- VLC
4- RJF
5- RWM
6- ADA

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 9-01-92)

TO (new operator)	<u>EVERTSON OIL COMPANY INC</u>	FROM (former operator)	<u>COORS ENERGY</u>
(address)	<u>PO BOX 397</u>	(address)	<u>PO BOX 467</u>
	<u>KIMBALL, NEBRASKA 69145</u>		<u>GOLDEN, COLORADO 80402-0467</u>
	<u>BRUCE F. EVERTSON, PRES.</u>		<u>DOUG SPRAGUE, MGR</u>
	phone (<u>308</u>) <u>235-4871</u>		phone (<u>303</u>) <u>278-7030</u>
	account no. <u>N 6350 (11-24-92)</u>		account no. <u>N 5090</u>

Well(s) (attach additional page if needed):

Name: <u>*SEE ATTACHMENT</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-4-92) (Reg. UIC Form 5)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Reg. 9-14-92) (Rec'd 9-25-92)*
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) (no) ____ If yes, show company file number: # 163850. *Eff. 8-24-92*
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(11-25-92)*
6. Cardex file has been updated for each well listed above. *(12-3-92)*
7. Well file labels have been updated for each well listed above. *(11-25-92)*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Y 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the new and former operators' bond files.
- N/A 3. The former operator has requested a release of liability from their bond (yes/no) (no). Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: _____ 19____.

FILING

- Y 1. Copies of all attachments to this form have been filed in each well file.
- Y 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

9/21/25 Btm/Vernal "Operator still Coors Energy - Waiting on BIA approval."
 9/21/25 Operator changed per admin.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
14-20-H62-3520

7. Indian Allottee or Tribe Name
UTE TRIBE

8. Unit or Communitization Agreement
9 1995

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals.

Type of Well
 Oil Well Gas Well Other (specify)

Name of Operator
EVERTSON OIL COMPANY INC.

Address of Operator
P.O. BOX 397 KIMBALL, NE 69145

4. Telephone Number
(308) 235-4871

9. Well Name and Number
UTE TRIBAL #2-31

10. API Well Number
43-013-31188

11. Field and Pool, or Wildcat
ANTELOPE CREEK

Location of Well
Footage : 442' FNL 2338' FWL
County : DUCHESNE
QQ, Sec, T., R., M. : NE4 NW4 SEC 31 T5S R3W
State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)		SUBSEQUENT REPORT (Submit Original Form Only)	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare
<input checked="" type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input checked="" type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> Other	
<input type="checkbox"/> Other			

Date of Work Completion 8/26/93

Approximate Date Work Will Start AUGUST 12, 1993 ✓

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

3. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

TREAT GREEN RIVER FORMATION FROM 4260' - 4272' WITH 32,000 GALLONS 2% KCL GELLED WATER, AND 100,000 LBS OF 16/30 SAND. PERFORATE, 4 SHOTS PER FOOT FROM 4260' - 4272', AND BREAK PERFS WITH 1500 GALLONS OF 2% HCL.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 8-10-93
BY: J. Matthews

I hereby certify that the foregoing is true and correct

Name & Signature DAVID J. KOCOUREK David J. Kocourek Title PRODUCTION ACCOUNTING Date AUGUST 6, 1993

Tag Credit
10/29/93

PETROGLYPH GAS PARTNERS, L.P.

335 NORTH WASHINGTON • SUITE 140
P.O. BOX 1807 • HUTCHINSON, KS 67504-1807
(316) 665-8500 • FAX (316) 665-5961

VIA FACSIMILE (801) 359-3940

February 16, 1994

FEB 18 1994

Lisha Cordova
State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203

Ms. Cordova:

This letter is to advise you that effective February 1, 1994 Evertson Oil Company, Inc. intends to sell and Petroglyph Gas Partners, L.P. intends to purchase oil and gas properties located in Duchesne County, Utah as identified below:

<u>Well Name</u>	<u>API No.</u>
State 2-6	43-013-30891
Ute Tribal 1	43-013-20045
Ute Tribal 1-10	43-013-30805
Ute Tribal 1-10D	43-013-31211
Ute Tribal 1-15	43-013-30880
Ute Tribal 1-15D	43-013-30712
Ute Tribal 1-16	43-013-30804
Ute Tribal 1-17	43-013-30790
Ute Tribal 1-18	43-013-30761
Ute Tribal 1-19	43-013-30803
Ute Tribal 1-20	43-013-30764
Ute Tribal 1-20D	43-013-31239
Ute Tribal 1-21	43-013-30883
Ute Tribal 1-24D	43-013-31234
Ute Tribal 1-28	43-013-30802
Ute Tribal 1-29	43-013-30763
Ute Tribal 1-3	43-013-30823
Ute Tribal 1-30	43-013-30852
Ute Tribal 1-32	43-013-30853
Ute Tribal 1-33	43-013-30806
Ute Tribal 1-3D	43-013-31242
Ute Tribal 1-4	43-013-30762
Ute Tribal 1-5	43-013-30785
Ute Tribal 1-6	43-013-30793
Ute Tribal 1-7	43-013-30788
Ute Tribal 1-7D	43-013-31198

Ute Tribal 1-8	43-013-30759
Ute Tribal 2-10	43-013-31187
Ute Tribal 2-10D	43-013-31219
Ute Tribal 2-15D	43-013-31200
Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-31166 <i>43-013-31281</i>
Ute Tribal 2-18D	43-013-30881 <i>43-013-31212/Drl.</i>
Ute Tribal 2-20	43-013-30882
Ute Tribal 2-29	43-013-30849
Ute Tribal 2-3	43-013-31097
Ute Tribal 2-31	43-013-30827 <i>31188</i>
Ute Tribal 2-4	43-013-30879 <i>(w/w?)</i>
Ute Tribal 2-5	43-013-30824
Ute Tribal 2-7	43-013-30825
Ute Tribal 2-8	43-013-30826
Ute Tribal 2-8D	43-013-31199
Ute Tribal 2-9	43-013-30789
Ute Tribal 3	43-013-15319
Ute Tribal 3-10D	43-013-31217 <i>(w/w?) Has not comm.</i>
Ute Tribal 3-20	43-013-31175
Ute Tribal 3-29	43-013-30850
Ute Tribal 3-4	43-013-30878
Ute Tribal 3-5-E3	43-013-30938
Ute Tribal 3-7	43-013-30828
Ute Tribal 3-8	43-013-31101
Ute Tribal 4	43-013-15321 <i>(w/w?)</i>
Ute Tribal 4-10D	43-013-31226
Ute Tribal 4-17D	43-013-31201
Ute Tribal 4-18	43-013-31099
Ute Tribal 4-18D	43-013-30838
Ute Tribal 4-29	43-013-30851
Ute Tribal 4-4	43-013-30848
Ute Tribal 4-5	43-013-31306
Ute Tribal 4-8	43-013-31164
Ute Tribal 4-9	43-013-31165
Ute Tribal 5	43-013-15322
Ute Tribal 5-18	43-013-31180
Ute Tribal 5-29-E3	43-013-30939
Ute Tribal 5-8	43-013-31307
Ute Tribal 6	43-013-15323
Ute Tribal 6-10D	43-013-31236
Ute Tribal 6-16D	43-013-31204
Ute Tribal 6-29	43-013-31305
Ute Tribal 6-4	43-013-31100
Ute Tribal 7	43-013-15324
Ute Tribal 7-16D	43-013-31221

Page 3
Change of Operator Notice
Duchesne County, Utah
February 16, 1994

Ute Tribal 7-29	43-013-31339 (DRL)
Ute Tribal 8	43-013-30028
Ute Tribal 8-16D	43-013-31220
Ute Tribal 1-21D	43-013-31347
Ute Tribal 1-22D	43-013-31349

Petroglyph Operating Company, Inc., a wholly owned subsidiary of Petroglyph Gas Partners, L.P., will be the operator of these properties. At this time, we request a state assigned operator number.


We are also notifying the BLM, BIA and the Ute Tribe regarding this change of operator. Please forward this letter to anyone in the State office who may need to have this information. If you have any questions or need further assistance, please feel free to contact me at (316) 665-8500.

Sincerely,



Angela R. Bare
Operations Administrator

ARB/ms



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS

BOND NO. B04528

COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH GAS PARTNERS, L. P. AND INLAND RESOURCES INC.,
OF: 335 North Washington, #170, Hutchinson, KS 67501, as principals

and PLANET INDEMNITY COMPANY
of 410 17th St., #1675, Denver, CO 80202, as surety, are held and firmly bound unto
the United States of America in the sum of seventy-five thousand dollars (\$75,000),
lawful money of the United States, for the payment of which, well and truly to be made,
we bind ourselves and each of us, our and each of our heirs, successors, executors,
administrators, and assigns, jointly and severally, firmly by these presents.

Sealed with our seals and dated this 16th day of March, 19 94.

The condition of this obligation is such that whereas the said principals, as lessee
have heretofore or may hereafter enter into or otherwise acquire an interest in oil and
gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various
dates and periods of duration, covering lands or interests in lands held by the United
States in trust for individual Indians, or bands or tribes of Indians, or subject to
restrictions against alienation without the consent of the Secretary of the Interior, or
his authorized representative, which leases and permits have been or may hereafter be
granted or approved by the Secretary of the Interior, or his authorized representative,
and the identification of which herein is expressly waived by both principals and
surety hereto.

WHEREAS the principals and surety agree that the coverage of this bond shall extend
to and include all extensions and renewals of the leases and permits covered by this
bond, such coverage to continue without any interruption due to the expiration of the
term set forth therein.

WHEREAS the surety hereby waives any right to notice of any modification of any
such lease or permit, or obligation thereunder whether effected by extension of time
for performance, by commitment of such lease to unit, cooperative, or communitization
agreement, by waiver, suspension, or change in rental, except an increase thereof, by
minimum royalty payment, except an increase thereof, by compensatory royalty payment,
or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principals and surety agree that the neglect or forbearance of any
obligee under this bond in enforcing the payment of any rental or royalty or the
performance of any other covenant, condition, or agreement of any such lease or permit
shall not in any way release the principals and surety, or either of them, from
any liability under this bond; and

WHEREAS the principals and surety agree that in the event of any default under
any such lease or permit, the obligee may prosecute any claim, suit, action, or other
proceeding against the principals and surety, or either of them, without the
necessity of joining the other.

Now, if the said principal, herein shall faithfully carry out and observe all the obligations assumed in such leases and permits to which Petroglyph Gas Partners, L. P. and Inland Resources Inc. is now or may hereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercourse with Indian tribes, and all rules and regulations that have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect.

The rate of premium charged on this bond is \$ _____; the total premium paid is _____

Signed and sealed in the presence of

WITNESSES:*

By: Dennita L. Thode)

P. O. _____)

By: [Signature])

P. O. _____)

By: Nancy Gray)

8 Greenway Plaza Suite 400)
P. O. Houston, TX 77046)

By: Sue Neas)

8 Greenway Plaza, Suite 400)
P. O. Houston, TX 77046)

By: [Signature])

475 17th Street, Suite 1500)
P. O. Denver, CO 80202)

By: Janet K. Spicht)

475 17th Street, Suite 1500)
P. O. Denver, CO 80202)

* Two witnesses to all signatures


APPROVED:

PETROGLYPH GAS PARTNERS, L. P.

BY: PETROGLYPH ENERGY, INC.,
General Partner

as to

Robert C. Murdock [SEAL]
ROBERT C. MURDOCK, President



PLANET INDEMNITY COMPANY

as to

Mildred L. Massey [SEAL]
Mildred L. Massey, Attorney-in-Fact
410 17th Street, Suite 1675
Denver, CO 80202

INLAND RESOURCES, INC.

as to

Kyle B. Miller [SEAL]
KYLE B. MILLER, President

DEPARTMENT OF THE INTERIOR
Bureau of Indian Affairs

Superintendent

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

MILDRED L. MASSEY

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

*****SEVENTY-FIVE THOUSAND AND NO/100 DOLLARS***** and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be certified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

- "The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.



E.H. Frank III
E.H. Frank, III

President

STATE OF COLORADO
COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day and year first above written.



Nicole J. Brenholz

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.


IN TESTIMONY WHEREOF, I have hereunto set my hand this 16th day of March, 1994



Greg E. Chilson
Greg E. Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company. ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS

BOND NO. B04556

COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH OPERATING COMPANY, INC.
OF: 335 North Washington, Suite 170, Hutchinson, KS 67501, as principal
and PLANET INDEMNITY COMPANY
of 410 17th Stree, #1675, Denver, CO 80202, as surety, are held and firmly bound unto
the United States of America in the sum of seventy-five thousand dollars (\$75,000),
lawful money of the United States, for the payment of which, well and truly to be made,
we bind ourselves and each of us, our and each of our heirs, successors, executors,
administrators, and assigns, jointly and severally, firmly by these presents.

Sealed with our seals and dated this 16th day of March, 19 94.

The condition of this obligation is such that whereas the said principal, as lessee
has heretofore or may hereafter enter into or otherwise acquire an interest in oil and
gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various
dates and periods of duration, covering lands or interests in lands held by the United
States in trust for individual Indians, or bands or tribes of Indians, or subject to
restrictions against alienation without the consent of the Secretary of the Interior, or
his authorized representative, which leases and permits have been or may hereafter be
granted or approved by the Secretary of the Interior, or his authorized representative,
and the identification of which herein is expressly waived by both principal and
surety hereto.

WHEREAS the principal and surety agree that the coverage of this bond shall extend
to and include all extensions and renewals of the leases and permits covered by this
bond, such coverage to continue without any interruption due to the expiration of the
term set forth therein.

WHEREAS the surety hereby waives any right to notice of any modification of any
such lease or permit, or obligation thereunder whether effected by extension of time
for performance, by commitment of such lease to unit, cooperative, or communitization
agreement, by waiver, suspension, or change in rental, except an increase thereof, by
minimum royalty payment, except an increase thereof, by compensatory royalty payment,
or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principal and surety agree that the neglect or forbearance of any
obligee under this bond in enforcing the payment of any rental or royalty or the
performance of any other covenant, condition, or agreement of any such lease or permit
shall not in any way release the principal and surety, or either of them, from
any liability under this bond; and

WHEREAS the principal and surety agree that in the event of any default under
any such lease or permit, the obligee may prosecute any claim, suit, action, or other
proceeding against the principal and surety, or either of them, without the
necessity of joining the other.

Now, if the said principal, herein shall faithfully carry out and observe all the obligations assumed in such leases and permits to which Petroglyph Operating Company, Inc is now or may hereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercourse with Indian tribes, and all rules and regulations that have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect.

The rate of premium charged on this bond is \$ _____; the total premium paid is _____

Signed and sealed in the presence of

WITNESSES:*

By: *Dorinda G. Thode*)

P. O. _____)

By: *A. K. [Signature]*)

P. O. _____)

By: *Nancy [Signature]*)

P. O. 8 Greenway Plaza, Suite 400)
Houston, Texas 77046)

By: *Sue [Signature]*)

P. O. 8 Greenway Plaza, Suite 400)
Houston, Texas 77046)

[Signature])

P. O. 475 17th Street, Suite 1500)
Denver, CO 80202)

[Signature])

P. O. 475 17th Street, Suite 1500)
Denver, CO 80202)

* Two witnesses to all signatures

APPROVED:

DEPARTMENT OF THE INTERIOR
Bureau of Indian Affairs

_____ 19

Superintendent

PETROGLYPH OPERATING COMPANY, INC.

as to *R. A. Christensen*)
R. A. CHRISTENSEN, President)



PLANET INDEMNITY COMPANY

as to *Mildred L. Massey*) [SEAL]

Mildred L. Massey, Attorney-in-Fact
410 17th Street, Suite 1675
Denver, CO 80202

as to *[Signature]*) [SEAL]

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

ROY C. DIE

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

*****FIFTY THOUSAND AND NO/100 DOLLARS*****

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be certified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

- "The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.




E.H. Frank, III

President

STATE OF COLORADO
COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day and year first above written.



Nancy J. Brenholz

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this 23rd day of February, 1994



Greg E. Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such purposes.

1. Type of Well: OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> OTHER: _____		5. Lease Designation and Serial Number: 14-20-H62-3520
2. Name of Operator: PETROGLYPH OPERATING COMPANY, INC.		6. If Indian, Alutian or Tribe Name: UTE TRIBAL
3. Address and Telephone Number: P. O. BOX 1807, Hutchinson, KS 67504-1807 316-665-8500		7. Unit Agreement Name: N/A
4. Location of Well Footage: 442'FNL & 2338'FWL Co. Sec., T., R., M.: NENW 31- T5S-R3W, U.S.M.		8. Well Name and Number: Ute Tribal 2-31 9. API Well Number: 43-013-31188
		10. Field and Pool, or Wagon: Antelope Creek Field Green River Pool
		County: DUCHESNE State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
<input type="checkbox"/> Abandonment <input type="checkbox"/> Casing Repair <input type="checkbox"/> Change of Plans <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Multiple Completion <input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>	<input type="checkbox"/> Abandonment <input type="checkbox"/> Casing Repair <input type="checkbox"/> Change of Plans <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Fracture Treat <input type="checkbox"/> Other _____
<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Recompletion <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off	<input type="checkbox"/> New Construction <input type="checkbox"/> Pull or Alter Casing <input type="checkbox"/> Shoot or Acidize <input type="checkbox"/> Vent or Flare <input type="checkbox"/> Water Shut-Off
Approximate date of change <u>3-1-94</u>	Date of work completion _____ Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent data. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

change of operator from Evertson Oil Company, Inc. to Petroglyph Operating Company, Inc. effective 3-1-94



Name & Signature: R. A. Christensen Title: President Date: 2.25.94

R. A. CHRISTENSEN
(This space for State use only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such purposes.

5. Lease Designation and Serial Number:

14-20-H62-3520

6. If Indian, Alaska or Tribe Name:

UTE TRIBAL

7. Unit Agreement Name:

N/A

1. Type of Well: OIL GAS OTHER: _____

8. Well Name and Number:

Ute Tribal 2-31

2. Name of Operator:

EVERTSON OIL COMPANY, INC.

9. API Well Number:

43-013-31188

3. Address and Telephone Number:

P.O. Box 397, Kimball, NE 69145 308-235-4871

10. Field and Pool, or Well:

Antelope Creek Field
Green River Pool

4. Location of Well

Footage: 442' FNL & 2338' FWL

County: DUCHESNE

DQ Sec. T. R. M.:

NENW 31- T5S-R3W, U.S.M.

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT

(Submit in Duplicate)

- | | |
|---|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Recompletion |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Multiple Completion | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u> | |

Approximate date of change of work 3-1-94

SUBSEQUENT REPORT

(Submit Original Form Only)

- | | |
|--|---|
| <input type="checkbox"/> Abandonment | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Pull or Alter Casing |
| <input type="checkbox"/> Change of Plans | <input type="checkbox"/> Shoot or Acidize |
| <input type="checkbox"/> Conversion to Injection | <input type="checkbox"/> Vent or Flare |
| <input type="checkbox"/> Fracture Treat | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Other _____ | |


Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all manners and zones pertinent to this work.)

change of operator from Evertson Oil Company, Inc. to Petroglyph Operating Company, Inc. effective 3-1-94



13.

EVERTSON OIL COMPANY, INC.

Name & Signature:

Eric K.

Title: V. President

Date: 2/25/94

~~Bruce F. Evertson~~

(This space for State Use Only)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

DESIGNATION OF AGENT OR OPERATOR

The undersigned is, on record, the holder of oil and gas lease

LEASE NAME: UTE TRIBALLEASE NUMBER: 14-20-H62-3520

and hereby designates

NAME: PETROGLYPH OPERATING COMPANY, INC.ADDRESS: P.O.Box 1807, Hutchinson, KS 67504-1807


as his agent /operator , with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to:

Describe acreage to which this designation is applicable, and identify each applicable oil and gas well by name and API number. Attach additional pages as needed.

T5S-R3W, U.S.M. ALL SECTION 31

UTE 1-31, 43-013-30827; UTE 2-31, 43-013-31188

Duchesne County, Utah



It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules, lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.

The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.

Effective Date of Designation: 3-1-94BY: (Name) ROBERT C. MURDOCK(Signature) *Robert C. Murdock*

(Title)

PRESIDENT OF PETROGLYPH ENERGY, INC.

(Phone)

316-665-8500PETROGLYPH GAS PARTNERS, L.P.
OF: (Company) BY PETROGLYPH ENERGY, INC.,GENERAL PARTNER(Address) P. O. BOX 1807Hutchinson, KS 67504-1807

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

DESIGNATION OF AGENT OR OPERATOR

The undersigned is, on record, the holder of oil and gas lease

LEASE NAME: UTE TRIBAL

LEASE NUMBER: 14-20-H62-3520

and hereby designates

NAME: PETROGLYPH OPERATING COMPANY, INC.

ADDRESS: P. O. BOX 1807, Hutchinson, KS 67504-1807


as his agent /operator , with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to:

(Describe acreage to which this designation is applicable, and identify each applicable oil and gas well by name and API number. Attach additional pages as needed.)

T5S-R3W, U.S.M. ALL SECTION 31

UTE 1-31, 43-013-30827; UTE 2-31, 43-013-31188

Duchesne County, Utah



It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules, lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.

The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.

Effective Date of Designation: 3-1-94

BY: (Name) KYLE R. MILLER

(Signature) [Handwritten Signature]

(Title) President

(Phone) 303-292-0900

OF: (Company) INLAND RESOURCES INC.

(Address) 475 Seventeenth St., Suite 1500

Denver, CO 80202

morris, laing, evans, brock & kennedy, chartered

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084
TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK
JOSEPH W. KENNEDY
ROBERT I. GUENTHNER
DAVID C. ADAMS
KEN M. PETERSON
RICHARD D. GREENE
A. J. SCHWARTZ, JR.
DONALD E. SCHRAG
WILLIAM B. SORENSEN, JR.
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL
ROBERT W. COYKENDALL
ROBERT K. ANDERSON
SUSAN R. SCHRAG
ROBERT E. NUGENT
MICHAEL LENNEN
KARL R. SWARTZ
ROGER L. THEIS
JANA DEINES ABBOTT
RICHARD F. HAYSE*

THOMAS R. DOCKING
GERALD N. CAPPS
DIANE S. WORTH
TIM J. MOORE
GARY E. PATTERSON
BRUCE A. NEY
JANET H. WARD

*RESIDENT IN
TOPEKA OFFICE

ROBERT B. MORTON
EVA POWERS*
OF COUNSEL


VERNE M. LAING
RETIRED

LESTER L. MORRIS
1901-1966

FERD E. EVANS, JR.
1919-1991

April 25, 1994

Ms. Lisha Cordoba
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203



Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:

Enclosed in triplicate per our recent conversations are Sundry Notices pertaining to the Ute Tribal 1-29, 2-5, 5-29E3, and #8 wells which were inadvertently initially overlooked in this transaction as follows:

1. Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
2. Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if you need anything further.

Sincerely,

A handwritten signature in black ink, appearing to read "Roger L. Theis". The signature is fluid and cursive, with a long horizontal stroke at the end.

Roger L. Theis
For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office
170 South 500 East
Vernal, Utah 84078-2799

IN REPLY REFER TO:
3162.3
(UT08438)

JUN 30 1994

Petroglyph Operating Company, Inc.
P.O. Box 1839
Hutchinson, KS 67504-1839

Re: See attached list for the
well numbers and lease
numbers
Duchesne County, Utah

Gentlemen:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Petroglyph Operating Company, Inc., is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II
Assistant District Manager for Minerals

cc: Evertson Oil Company
BIA

etraglyph - Assignments, and Change of Operator

Township 5 South, Range 3 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
4-20-H62-3502	3	✓ Ute Tribal 1-3 ✓ Ute Tribal 2-3	SWSW SESW
4-20-H62-3503	4	✓ Ute Tribal 1-4 ✓ Ute Tribal 2-4 SWD ✓ Ute Tribal 3-4 ✓ Ute Tribal 4-4 ✓ Ute Tribal 6-4	NENE SWNE NESW SWSW SESW
4-20-H62-3504	5	✓ Ute Tribal 1-5 ✓ Ute Tribal 2-5 ✓ Ute Tribal 3-5 E3 ✓ Ute Tribal 4-5	SWNE SWSW NWSE SENE
14-20-H62-3505	6	✓ Ute Tribal 1-6* ✓ Ute Tribal 3-6	SESE SENE
14-20-H62-3506	7	✓ Ute Tribal 1-7* ✓ Ute Tribal 2-7 ✓ Ute Tribal 3-7	SESW NENE SENE
14-20-H62-3507	8	✓ Ute Tribal 1-8 ✓ Ute Tribal 2-8 ✓ Ute Tribal 3-8 ✓ Ute Tribal 4-8 ✓ Ute Tribal 5-8	NWNW SWNW NENW NWSW SENW
14-20-H62-3508	9	✓ Ute Tribal 2-9 ✓ Ute Tribal 4-9	NENE SWSE
14-20-H62-3509	10	✓ Ute Tribal 1-10 ✓ Ute Tribal 2-10	NWNW NENW

Township 5 South, Range 3 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
14-20-H62-3510	15	✓ Ute Tribal 1-15	NWNW
14-20-H62-3511	16	✓ Ute Tribal 1-16* ✓ Ute Tribal 2-16	SESE SWSW
14-20-H62-4633	17	✓ Ute Tribal 1-17*	NENE
14-20-H62-3513	18	✓ Ute Tribal 1-18 ✓ Ute Tribal 2-18 ✓ Ute Tribal 4-18 ✓ Ute Tribal 5-18	NENE SENE NENE NESE
14-20-H62-3514	19	✓ Ute Tribal 1-19	SESE
14-20-H62-3515	20	✓ Ute Tribal 1-20 ✓ Ute Tribal 2-20 ✓ Ute Tribal 3-20*	NWNE SWNE SENE
14-20-H62-3516	21	✓ Ute Tribal 1-21	SWSW
14-20-H62-3517	28	✓ Ute Tribal 1-28	SWNW
14-20-H62-3518	29	✓ Ute Tribal 1-29 ✓ Ute Tribal 2-29 ✓ Ute Tribal 3-29 ✓ Ute Tribal 4-29 ✓ Ute Tribal 5-29E3 ✓ Ute Tribal 7-29 6-29 ✓ Ute Tribal 7-29	NESE SESE SENE NWNW SWNE SENE NESE
14-20-H62-3519	30	✓ Ute Tribal 1-30	SWNE
14-20-H62-3520	31	✓ Ute Tribal 1-31* ✓ Ute Tribal 2-31	NWNE NENW
14-20-H62-3521	32	✓ Ute Tribal 1-32	SENE
14-20-H62-3522	33	✓ Ute Tribal 1-33	NENW

(*) = Lease No. incorrect on Sundry Notice submitted

Township 4 South, Range 4 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
14-20-H62-4446	3	✓Ute Tribal 1-3D	SESE
14-20-H62-4453	22	✓Ute Tribal 1-22D	NENW
14-20-H62-4454	10	✓Ute Tribal 6-10D	SENE
14-20-H62-4455	21	✓Ute Tribal 1-21D	NENW
14-20-H62-4465	20	✓Ute Tribal 1-20D	NWNE
14-20-H62-4466	24	✓Ute Tribal 1-24D	NWNW

Township 4 South, Range 4 West, USM

<u>Lease No.</u>	<u>Section No.</u>	<u>Well Name</u>	<u>Location</u>
H109-IND-5351	7	✓Ute Tribal 1-7D	SESE
	8	✓Ute Tribal 2-8D	NWSE
	9	✓Ute Tribal #1	NWSW
	10	✓Ute Tribal 1-10D	SWSE
	10	✓Ute Tribal 2-10D	SWSW
	10	✓Ute Tribal 3-10D	SESW
	10	✓Ute Tribal 4-10D	NESE
	15	✓Ute Tribal 1-15D	SWSW
	15	✓Ute Tribal 2-15D	NWNW
	16	✓Ute Tribal #3	SENE
	16	✓Ute Tribal #5	SWNW
	16	✓Ute Tribal 6-16D	NENW
	16	✓Ute Tribal 7-16D	SENE
	16	✓Ute Tribal #8	NWNW
	16	✓Ute Tribal 8-16D	NESE
	16	✓Ute Tribal 14-16D	NENW
	17	✓Ute Tribal #6	SWNE
	17	✓Ute Tribal #7	SWNW
	17	✓Ute Tribal 4-17D	NWSE
	18	✓Ute Tribal 2-18D	NESE
18	✓Ute Tribal 4-18D	NWNW	

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1- LEC / GIL	
2- LWP 7-PL	
3- DTS/S-SJ	
4- VLC 9-FILE	
5- RJF	
6- LWP	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 2-1-94)

TO (new operator)	<u>PETROGLYPH OPERATING CO.</u>	FROM (former operator)	<u>EVERTSON OIL COMPANY INC</u>
(address)	<u>PO BOX 1839</u>	(address)	<u>PO BOX 397</u>
	<u>HUTCHINSON, KS 67504-1839</u>		<u>KIMBALL, NE 69145</u>
	<u>ANGELA BARE</u>		
phone (316)	<u>665-8500</u>	phone (308)	<u>235-4871</u>
account no.	<u>N3800</u>	account no.	<u>N6350</u>

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>013-31188</u>	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 2-24-94) (Rec'd 4-7-94)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Rec'd 2-18-94) (Rec'd 4-7-94)
- Sec 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) yes If yes, show company file number: #C0180242. (L.H. 2-18-94)
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (7-8-94)
- LWP 6. Cardex file has been updated for each well listed above. 7-11-94
- LWP 7. Well file labels have been updated for each well listed above. 7-11-94
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (7-6-94)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A / Yes 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- OTS
7/21/94
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: July 29 1994.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

940706 B.tra/Wernal Apr. 6-30-94.
*(1 st. lease well handled separately)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office
170 South 500 East
Vernal, Utah 84078-2799

IN REPLY REFER TO:

3162.3-4
UT08438

Petroglyph Operating Company, Inc.
6209 N. Highway 61
Hutchinson, KS 67502

MAR 29 1995

Attn: Mr. Dan Lindsey

Re: Well Status

Dear Mr. Lindsey:

This correspondence is in regard to the well status sundries submitted for the following wells.

<u>Well No.</u>	<u>Lease No.</u>	<u>Location</u>
Ute Tribal 1-20D	14-20-H62-4465	NWNE Sec. 20, T04S, R04W
Ute Tribal 2-31	14-20-H62-4650	NENW Sec. 31, T05S, R03W

By BLM policy, in order to place a well in shut-in status, the well has to be physically and mechanically capable of production in paying quantities. By Petroglyph's own admission, the referenced wells are uneconomical to produce. Therefore, the requests (enclosed) for shut-in status for the referenced wells are denied. Within thirty (30) days of the receipt of Petroglyph will need to submit one of the following for each of the referenced wells:

1. A request to Temporarily Abandon (TA) the well. Any request for TA status must include a proposed plan to bring the well back onto production or a proposed plan for secondary use of the of the wellbore. The anticipated date on which production is to be resumed or the anticipated date on which the well will be converted over for secondary use must also be included as a part of the proposal.
2. A proposal to permanently plug and abandon the well.

If you decide to Temporarily Abandon (TA) any of the aforementioned wells you will need to submit documentation of a recent casing integrity test or perform a casing integrity test for each well prior to approval of the TA status.

If you have any other questions concerning this matter, please contact Ed Forsman or Wayne Bankert this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II
Assistant District Manager
for Minerals

Enclosure
cc: BIA

RECEIVED APR - 3 1995

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires, March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Petroglyph Operating Company, Inc.

3. Address and Telephone No.
 6209 N. Highway 61 Hutchinson, KS 67502 (316) 665-8500

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 442' FNL & 2338' FWL, NE NW
 Sec. 31-T5S-R3W

5. Lease Designation and Serial No.
 14-20-H62-3520

6. If Indian, Allottee or Tribe Name
 Ute Indian Tribe

7. If Unit or CA, Agreement Designation
 14-20-H62-4650

8. Well Name and No.
 Ute Tribal 2-31

9. API Well No.
 43-013-31188

10. Field and Pool, or Exploratory Area
 Antelope Creek

11. County or Parish, State
 Duchesne County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>shut-in</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is uneconomical to produce this well. Well was shut-in on 2-28-95.

RECEIVED
MAR 20 1995

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Manager of Operations Date 3-17-95

(This space for Federal or State Approval)
 Approved by [Signature] Title _____ Date MAR 29 1995
 conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DATE 04/11/95

PRODUCTION INQUIRY SCREEN

MENU: OPTION 00

TWNSHP RANGE SC SPOT MD. API ZONE STATUS
 5.0 S 3.0 W 31 NENW U 43-013-31188 GRRV POW
 OPERATOR: N3800 : PETROGLYPH OPERATING CO
 WELL NAME: UTE TRIBAL 2-31
 ENTITY: 9382 :

ACCT	ENTY	STAT	DAYS	OIL PROD	GAS PROD	WATER PROD	PERIOD
CUM THRU 12/31/93				18,375	131,936	6,918	
N6350	9382	POW	5	11	101	0	94-01
N6350	9382	POW	4	116	96	127	94-02
N6350	9382	POW	25	240	673	335	94-03
N6350	9382	POW	29	136	935	125	94-04
N6350	9382	POW	26	63	906	147	94-05
N3800	9382	POW	4	6	24	11	94-06
N3800	9382	SOW	0	0	0	0	94-07
N3800	9382	SOW	0	0	0	0	94-08
N3800	9382	SOW	0	0	0	0	94-09
N3800	9382	SOW	0	0	0	0	94-10
N3800	9382	POW	1	47	11	0	94-11
N3800	9382	SOW	31	75	287	194	94-12
YTD				694	3,033	939	

OPT: 13 API: 4301331188 ZONE: GRRV PERIOD(YMMM): 9401 ENTY: 9820 ACCT:

DATE 04/11/95

PRODUCTION INQUIRY SCREEN

MENU: OPTION 00

TWNSHP RANGE SC SPOT MD. API ZONE STATUS
 5.0 S 3.0 W 31 NENW U 43-013-31188 GRRV POW
 OPERATOR: N3800 : PETROGLYPH OPERATING CO
 WELL NAME: UTE TRIBAL 2-31
 ENTITY: 9382 :

ACCT	ENTY	STAT	DAYS	OIL PROD	GAS PROD	WATER PROD	PERIOD
CUM THRU 12/31/93				18,375	131,936	6,918	
N3800	9382	POW	31	13	198	42	95-01
YTD				13	198	42	

OPT: 13 API: 4301331188 ZONE: GRRV PERIOD(YMMM): 9501 ENTY: 9820 ACCT:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
14-20-H62-3520

6. If Indian, Allottee or Tribe Name
Ute Indian Tribe

7. If Unit or CA, Agreement Designation

14-20-H62-4650

8. Well Name and No.
Ute Tribal 2-31

9. API Well No.
43-013-31188

10. Field and Pool, or Exploratory Area
Antelope Creek

11. County or Parish, State
Duchesne County, UT

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Petroglyph Operating Company, Inc.

3. Address and Telephone No.

6209 N. Highway 61 Hutchinson, KS 67502 (316) 665-8500

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**NENW 442 FNL & 2338 FWL
31-5S-3W**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>well name change</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

In an effort to bring all of the existing wells and the anticipated wells to be drilled into a uniform numbering system, based on 40 acre locations, each well name will be changed to consist of its section location followed by the correct number of its well spot, based upon 16 wells per section.

Petroglyph Operating Company, Inc. would like to notify by subsequent report that the above referenced well name has been changed to **Ute Tribal 31-03**. This will be effective January 1, 1996.

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title **President** Date **1/25/96**

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

January 26, 1996

Ron Firth
State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, UT 84180-1203

RE: Well Name Change for Wells in the Antelope Creek Field, Duchesne County, UT

Mr. Firth:

In an effort to bring all of the existing wells and wells to be drilled into a uniform numbering system, based on 40 acre locations and 16 wells per section, each well name will be changed to consist of its section location followed by the correct number of its well spot.

Enclosed please find sundry notices changing the well name for all wells located in Antelope Creek. We are making this change effective January 1, 1996. Also enclosed for your convenience is a list consisting of the "old" well names and the "new" well names.

Your assistance during this time of transition is greatly appreciated. If you have any questions regarding the enclosed information, please do not hesitate to contact me at (316) 665-8500.

Sincerely,



Angela R. Ely
Administrative Operations Manager

ARE/ms

Enclosures

pc: Dennis Ingram
Lisha Cordova

96WELLÇ.XLS

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field	Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1-10	10-12	43-013-30805	2001 FSL & 600 FWL	Antelope Creek	5S	3W	10	NWSW
14-20-H62-4650	14-20-H62-3510	Ute Tribal	1-15	15-04	43-013-30880	907 FNL & 515 FWL	Antelope Creek	5S	3W	15	NWNW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	1-16	16-16	43-013-30804	505 FSL & 600 FEL	Antelope Creek	5S	3W	16	SESE
14-20-H62-4650	14-20-H62-4633	Ute Tribal	1-17	17-01	43-013-30790	638 FNL & 610 FEL	Antelope Creek	5S	3W	17	NENE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	1-18	18-01	43-013-30761	550 FNL & 521 FEL	Antelope Creek	5S	3W	18	NENE
14-20-H62-4650	14-20-H62-3514	Ute Tribal	1-19	19-16	43-013-30803	556 FSL & 603 FEL	Antelope Creek	5S	3W	19	SESE
14-20-H62-4650	14-20-H62-3515	Ute Tribal	1-20	20-02	43-013-30764	404 FNL & 1539 FEL	Antelope Creek	5S	3W	20	NWNE
14-20-H62-4650	14-20-H62-3516	Ute Tribal	1-21	21-13	43-013-30883	611 FSL & 786 FWL	Antelope Creek	5S	3W	21	SWSW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	1-28	28-05	43-013-30802	2583 FNL & 712 FWL	Antelope Creek	5S	3W	28	SWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	1-29 inj	29-09 inj	43-013-30763	1324 FSL & 1160 FEL	Antelope Creek	5S	3W	29	NESE
14-20-H62-4650	14-20-H62-3502	Ute Tribal	1-3	03-13	43-013-30823	659 FSL & 659 FWL	Antelope Creek	5S	3W	3	SWSW
14-20-H62-4650	14-20-H62-3519	Ute Tribal	1-30	30-07	43-013-30852	1980 FNL & 1980 FEL	Antelope Creek	5S	3W	30	SWNE
14-20-H62-4650	14-20-H62-3520	Ute Tribal	1-31	31-02	43-013-30827	519 FNL & 1942 FEL	Antelope Creek	5S	3W	31	NWNE
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1-32	32-08	43-013-30853	2100 FNL & 660 FEL	Antelope Creek	5S	3W	32	SENE
14-20-H62-4650	14-20-H62-3522	Ute Tribal	1-33	33-04	43-013-30806	723 FNL & 802 FWL	Antelope Creek	5S	3W	33	NWNW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	1-4	04-01	43-013-30762	1331 FNL & 1277 FEL	Antelope Creek	5S	3W	4	NENE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	1-5	05-07	43-013-30785	2430 FNL & 1777 FEL	Antelope Creek	5S	3W	5	SWNE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	1-6	06-16	43-013-30793	833 FSL & 902 FEL	Antelope Creek	5S	3W	6	SESE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	1-7	07-14	43-013-30788	559 FSL & 1957 FWL	Antelope Creek	5S	3W	7	SESW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1-8 inj	08-04 inj	43-013-30759	754 FNL & 888 FWL	Antelope Creek	5S	3W	8	NWNW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	11-5	05-09	43-013-31468	2150 FSL & 639 FEL	Antelope Creek	5S	3W	5	NESE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	12-28	28-12	43-013-31529	1861 FSL & 496 FWL	Antelope Creek	5S	3W	28	NWSW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	12-4	04-12	43-013-31470	2000 FSL & 600 FWL	Antelope Creek	5S	3W	4	NWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	12-5	05-11	43-013-31454	1856 FSL & 1457 FWL	Antelope Creek	5S	3W	5	NESW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	13-8	08-13	43-013-31468	660 FSL & 660 FWL	Antelope Creek	5S	3W	8	SWSW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	14-29	29-10	43-013-31475	1955 FSL & 2125 FEL	Antelope Creek	5S	3W	29	NWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	14-5	05-14	43-013-31455	590 FSL & 1984 FWL	Antelope Creek	5S	3W	5	SESW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	15-29	29-15	43-013-31530	649 FSL & 1831 FEL	Antelope Creek	5S	3W	29	SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	15-5	05-15	43-013-31461	990 FSL & 1900 FEL	Antelope Creek	5S	3W	5	SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	16-5	05-16	43-013-31527	708 FSL & 523 FEL	Antelope Creek	5S	3W	5	SESE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	16-7	07-16	43-013-31463	440 FSL & 410 FEL	Antelope Creek	5S	3W	7	SESE
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1A-8	08-01	43-013-31568	660 FSL & 660 FEL	Antelope Creek	5S	3W	8	NENE
14-20-H62-4650	14-20-H62-3511	Ute Tribal	2-10	10-03	43-013-31187	600 FNL & 1650 FWL	Antelope Creek	5S	3W	10	NENW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	2-16	16-13	43-013-31166	750 FSL & 500 FWL	Antelope Creek	5S	3W	16	SWSW
14-20-H62-4650	14-20-H62-3515	Ute Tribal	2-18	18-08	43-013-30881	1929 FNL & 612 FEL	Antelope Creek	5S	3W	18	SENE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	2-20	20-07	43-013-30882	1980 FNL & 1980 FEL	Antelope Creek	5S	3W	20	SWNE
14-20-H62-4650	14-20-H62-3502	Ute Tribal	2-29	29-16	43-013-30849	500 FSL & 500 FEL	Antelope Creek	5S	3W	29	SESE
14-20-H62-4650	14-20-H62-3520	Ute Tribal	2-3	03-14	43-013-31097	1050 FSL & 1980 FWL	Antelope Creek	5S	3W	3	SESW
14-20-H62-4650	14-20-H62-3502	Ute Tribal	2-31	31-03	43-013-31188	442 FNL & 2338 FWL	Antelope Creek	5S	3W	31	NENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	2-4 inj	04-07 inj	43-013-30879	2551 FNL & 1900 FEL	Antelope Creek	5S	3W	4	SWNE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	2-5	05-13	43-013-30824	723 FSL & 688 FWL	Antelope Creek	5S	3W	5	SWSW
14-20-H62-4650		State	2-6	06-10	43-013-30891	2525 FSL & 1836 FEL	Antelope Creek	5S	3W	6	NW SE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	2-7	07-01	43-013-30825	567 FNL & 706 FEL	Antelope Creek	5S	3W	7	NENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2-8	08-05	43-013-30826	1980 FNL & 500 FWL	Antelope Creek	5S	3W	8	SWNW
14-20-H62-4650	14-20-H62-3508	Ute Tribal	2-9	09-01	430-13-30789	770 FNL & 1059 FEL	Antelope Creek	5S	3W	9	NENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2A-8	08-02	43-013-31569	606 FNL & 1956 FEL	Antelope Creek	5S	3W	8	NWNE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	3-18	18-03	43-013-31528	614 FNL & 1983 FWL	Antelope Creek	5S	3W	18	NENW

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field	Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3515	Ute Tribal	3-20	20-06	43-013-31175	2050 FNL & 1950 FWL	Antelope Creek	5S	3W	20	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	3-29	29-06	43-013-30850	1900 FNL & 1980 FWL	Antelope Creek	5S	3W	29	SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	3-4	04-11	43-013-30878	1999 FSL & 1738 FWL	Antelope Creek	5S	3W	4	NESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	3-5 E3 inj	05-10 inj	43-013-30938	2068 FSL & 2093 FEL	Antelope Creek	5S	3W	5	NWSE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	3-6	06-08	43-013-31189	2323 FNL & 691 FEL Lot # 9	Antelope Creek	5S	3W	6	SENE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	3-7	07-08	43-013-30828	1864 FNL & 972 FEL	Antelope Creek	5S	3W	7	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	3-8	08-03	43-013-31101	505 FNL & 439 FWL	Antelope Creek	5S	3W	8	NENW
14-20-H62-4650	14-20-H62-4633	Ute Tribal	4-17	17-04	43-013-31464	697 FNL & 636 FWL	Antelope Creek	5S	3W	17	NWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	4-18 inj	18-02 inj	43-013-31099	812 FNL & 1768 FEL	Antelope Creek	5S	3W	18	NWNE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	4-29	29-04	43-013-30851	660 FNL & 660 FWL	Antelope Creek	5S	3W	29	NWNW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4-4	04-13	43-013-30848	807 FSL & 886 FWL	Antelope Creek	5S	3W	4	SWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	4-5	05-08	43-013-31306	2500 FNL & 550 FEL	Antelope Creek	5S	3W	5	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	4-8	08-12	43-013-31164	2100 FSL & 515 FWL	Antelope Creek	5S	3W	8	NWSW
14-20-H62-4650	14-20-H62-3508	Ute Tribal	4-9	09-15	43-013-31165	550 FSL & 2000 FEL	Antelope Creek	5S	3W	9	SWSW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4A-4	04-04	43-013-31574	1205 FNL & 660 FWL Lot # 5	Antelope Creek	5S	3W	4	NWNW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	5-18 inj	18-09 inj	43-013-31180	2151 FSL & 667 FEL	Antelope Creek	5S	3W	18	NESE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	5-29 E3	29-07	43-013-30939	1969 FNL & 2093 FEL	Antelope Creek	5S	3W	29	SWNE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	5-4	04-05	43-013-31462	1969 FNL & 660 FWL Lot # 12	Antelope Creek	5S	3W	4	SWNW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	5-8 inj	08-06 inj	43-013-31307	1550 FNL & 1550 FWL	Antelope Creek	5S	3W	8	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	6-29	29-08A	43-013-31305	2600 FNL & 600 FEL	Antelope Creek	5S	3W	29	SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6-4	04-14	43-013-31100	660 FSL & 2000 FWL	Antelope Creek	5S	3W	4	SESW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	6A-4	04-06	43-013-31526	2427 FNL & 2028 FWL Lot # 11	Antelope Creek	5S	3W	4	SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	7-18	18-07	43-013-31533	2236 FNL & 1855 FEL	Antelope Creek	5S	3W	18	SWNE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	7-29	29-08B	43-013-31339	2675 FNL & 725 FEL	Antelope Creek	5S	3W	29	NESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	11-28	28-11	43-013-31575	2171 FSL & 2107 FWL	Antelope Creek	5S	3W	28	NESE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	10-18	18-10	43-013-31595	1954 FSL & 1894 FEL	Antelope Creek	5S	3W	18	NWSE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	13-28	28-13	43-013-31576	712 FSL & 553 FWL	Antelope Creek	5S	3W	28	SWSW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	6-28	28-06	43-013-31577	759 FNL & 502 FEL	Antelope Creek	5S	3W	28	SENW
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1A-32	32-01	43-013-31577	759 FNL & 502 FEL	Antelope Creek	5S	3W	32	NENE

OPERATOR Petroglyph Operating Company, Inc.
ADDRESS P. O. Box 607
Roosevelt, UT 84066

OPERATOR ACCT. NO. N3600

ENTITY ACTION FORM - FORM 6

001

LISHA C

PETROGLYPH

04/17/98 14:21 FAX 435 722 9145

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
C	09382	12216	43-013-31188	Ute Tribal 31-03	NENW	31	5S	3W	Duchesne	6-11-87	
WELL 1 COMMENTS: <i>Entity changed 4-17-98. (Common Tank) fee</i>											
Ute Tribal 31-03 will tie into an existing battery at Ute Tribal 30-15											
WELL 2 COMMENTS:											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group of unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

Deanna Bell
Signature Deanna Bell

Operations Coordinator 4/17/98
Title Date

Phone No. (435) 722-2531

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-3520

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Ute Indian Tribe

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. a. TYPE OF WELL: Oil Well Gas Well Dry Other
b. TYPE OF COMPLETION: New Well Workover Deepen Plug Back Diff. Reserv. Other

7. UNIT AGREEMENT NAME
14-20-H62-4650

8. FARM OR LEASE NAME

2. NAME OF OPERATOR
PETROGLYPH OPERATING COMPANY, INC.

9. WELL NO.
Ute Tribal 31-03

3. ADDRESS OF OPERATOR
P.O. BOX 607, ROOSEVELT, UT 84066 (435) 722-2531

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 442' FNL 2338' FWL

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
NENW Sec. 31-T5S-R3W

At top prod. interval reported below
At total depth

14. PERMIT NO. 43-013-31188
DATE ISSUED
12. County or Parish Duchesne
13. State Utah

15. DATE SPUNDED
16. DATE T.D. REACHED
17. DATE COMPLETED (Ready to prod.)
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*
19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
21. PLUG BACK T.D., MD & TVD
22. IF MULTIPLE COMPL., HOW MANY*
23. INTERVALS DRILLED BY
ROTARY TOOLS
CABLE TOOLS

24. PRODUCING INTERVAL(S) OF THIS COMPLETION -- TOP, BOTTOM, NAME (MD AND TVD)*
25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Gamma Ray to surface, Density-Compensated Neutron Porosity, AIT (normal suite)
27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED

29. LINER RECORD
30. TUBING RECORD

SIZE	TOP	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)
CONFIDENTIAL
Squeeze cement B1 zone 4002-12'

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4002-12'	100 sxs Class H cement to 1000 psi

33. PRODUCTION

DATE FIRST PRODUCTION				PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump)			WELL STATUS (Producing or shut-in)	
Returned to prd 3/7/98				2 1/2" x 1-1/2" x 16' 40 ring PA pump			producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL. #	GAS - MCF.	WATER - BBL.	GAS-OIL RATIO	
3/12/98	24				0	25		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED	OIL - BBL.	GAS - MCF.	WATER - BBL.	OIL GRAVITY - API (CORR.)		
	500	24 HR. RATE						

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
Sold, used for fuel
TEST WITNESSED BY
Dave Schreiner


35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Signed Deanna Bell Title Operations Coordinator Date 4/15/98

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly or willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS	
				NAME	TOP MEAS. DEPTH TRUE VERT. DEPTH
Ute Tribal 31-03 Recompletion					
B Marker	3968				
X Marker	4451				
Douglas Creek	4590				
B Limestone	4962				
Castle Peak	5508				
		CONFIDENTIAL			

38.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

			5. LEASE DESIGNATION AND SERIAL NUMBER: 1420H623520	
			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE INDIAN TRIBE	
			7. UNIT or CA AGREEMENT NAME: 1420H624650	
			8. WELL NAME and NUMBER: UTE TRIBAL 31-03	
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____			9. API NUMBER: 4301331188	
2. NAME OF OPERATOR: PETROGLYPH OPERATING COMPANY, INC.			10. FIELD AND POOL, OR WILDCAT: ANTELOPE CREEK	
3. ADDRESS OF OPERATOR: PO BOX 607		CITY ROOSEVELT STATE UT ZIP 84066	PHONE NUMBER: (435) 722-2531	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 442'FNL & 2338' FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 31 T5S R3W			STATE: UTAH	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input checked="" type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input checked="" type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The well is still a producing oil well. Petroglyph Operating Company intends to do a recomplate in the Green River formation. Petroglyph intends to start this project on or around 9/6/2011. Petroglyph intends to perf height: 5219'-5926', 5207'-5216', 5043'-5049', 5031'-5037'. Perforate depths for frac as follows: 5646'-5648', 5586'-5590', 5516'-5523', 4852'-4855', 4775'-4777', 4643'-4646', 4476'-4478', 4361'-4367', 4262'-4240'. Perforations will be fraced via 3 1/2" N-80 tubing with packer and plug for isolation. Frac fluid containing 17# XL XLF gelled fluid with 20/40 mesh sand ramp to 6# ppg. All perforating guns containing: 22.7 gram charges, 0.43" EHD, 23.5" TTP @ 4 spf @ 120* phased. Tubing, packer, and plug will be pulled. Production tubing will be ran and rod pump for production. Well will be placed back on production and subsequent report will follow.

COPY SENT TO OPERATOR
AUG 29 2011
Date: _____
Initials: KS

NAME (PLEASE PRINT) <u>Leon Roush</u>	TITLE <u>Rig Supervisor</u>
SIGNATURE <u>[Signature]</u>	DATE <u>8/11/2011</u>

(This space for State use only)

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 8/24/2011
By: [Signature]
*Cause 214-02

Federal Approval Of This
Action Is Necessary

(See Instructions on Reverse Side)

RECEIVED
AUG 17 2011
DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: INDIAN
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Oil Well		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: PETROGLYPH OPERATING CO		8. WELL NAME and NUMBER: UTE TRIBAL 31-03
3. ADDRESS OF OPERATOR: 960 Broadway Ave, Ste 500, Bosie, ID, 83703		9. API NUMBER: 43013311880000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0422 FNL 2338 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NENW Section: 31 Township: 05.0S Range: 03.0W Meridian: U		9. FIELD and POOL or WILDCAT: ANTELOPE CREEK
		COUNTY: DUCHESNE
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/2/2012	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input checked="" type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On 4/18/2012 Petroglyph Operating made a bit and scraper run past all existing perforations, cleaned well out and added the following perforations: 4262-4270, 4361-4367, 4476-4478, 4643-4646, 5031-5037, 5043-5049, 5207-5216, 5219-5226, 5516-5523, 5586-5590 & 5646-5648. We used a packer and plug for isolation and frac'd the following: 5516-5648' w/ 400 Bbls fluid containing 25,000#'s of sand, 4262-4646' w/ 428 Bbls fluid containing 30,340#'s of sand. All fluid was Delta 140 gelled fluid. Sand was 20/40 mesh premium white. Perf guns were Titan 3 1/8" containing 22.7 gram charges, 0.42" EHD, 23.54" TTP @ 4 spf at 120* phased. Well was cleaned out and swabbed until a good oil cut was seen. Ran pump and placed well back on production 5/2/2012.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
July 11, 2012**

NAME (PLEASE PRINT) Rodrigo Jurado	PHONE NUMBER 435 722-5302	TITLE Regulatory & Compliance Spc
SIGNATURE N/A	DATE 7/9/2012	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-H62-3520	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Indian Tribe	
7. UNIT or CA AGREEMENT NAME 14-20-H62-4650	
8. WELL NAME and NUMBER: Ute Tribal 31-03	
9. API NUMBER: 4301331188	
10. FIELD AND POOL, OR WILDCAT Antelope Creek	
11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 31 5S 3W	
12. COUNTY Duchesne	13. STATE UTAH

14. DATE SPUDED: 6/11/1987	15. DATE T.D. REACHED: 7/10/1987	16. DATE COMPLETED: 5/2/2012	ABANDONED <input type="checkbox"/>	READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL): 6738 GL
18. TOTAL DEPTH: MD 6,657 TVD 6,657	19. PLUG BACK T.D.: MD 5,960 TVD 5,960	20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD PLUG SET: TVD	
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) All logs previously submitted			23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit copy)		

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
12.25	8.625 J-55	24	0	403		G 250			
7.875	5.5 J-55	15.5	0	6,000		G 1,300			

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2.875	5,877							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)
(A) Green River	4,262	5,853		
(B)				
(C)				
(D)				

27. PERFORATION RECORD

INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
4,262 4,646	0.42	76	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
5,031 5,226	0.42	112	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
5,516 5,648	0.42	52	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
			Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
4262-4646	428 Bbls Delta 140 15# gelled fluid. 30,340#s 20/40 mesh sand.
5516-5648	400 Bbls Delta 140 15# gelled fluid. 25,000#s 20/40 mesh sand.

RECEIVED
JUL 25 2012

29. ENCLOSED ATTACHMENTS:

- | | | | |
|---|--|---------------------------------------|---|
| <input type="checkbox"/> ELECTRICAL/MECHANICAL LOGS | <input type="checkbox"/> GEOLOGIC REPORT | <input type="checkbox"/> DST REPORT | <input type="checkbox"/> DIRECTIONAL SURVEY |
| <input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION | <input type="checkbox"/> CORE ANALYSIS | <input type="checkbox"/> OTHER: _____ | |

DIV. OF OIL, GAS & MINING

POW

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #26)

DATE FIRST PRODUCED: 5/2/2012		TEST DATE: 6/28/2012		HOURS TESTED: 24		TEST PRODUCTION RATES: →	OIL – BBL: 2	GAS – MCF: 11	WATER – BBL: 9	PROD. METHOD: Rod Pump
CHOKE SIZE: 40/64	TBG. PRESS. 41	CSG. PRESS. 42	API GRAVITY 39.30	BTU – GAS 1	GAS/OIL RATIO 5,500	24 HR PRODUCTION RATES: →	OIL – BBL: 2	GAS – MCF: 11	WATER – BBL: 9	INTERVAL STATUS: Open

INTERVAL B (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL C (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

INTERVAL D (As shown in Item #26)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU – GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL – BBL:	GAS – MCF:	WATER – BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

Used for Fuel

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.


34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				Green River	1,620
				Green River-Upper Douglas Creek	4,586

35. ADDITIONAL REMARKS (Include plugging procedure)

Frac and Perf info is condensed. Please see NOI and Subsequent Frac Sundry for detailed record.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Rodrigo Jurado TITLE Regulatory Compliance Spc.
 SIGNATURE  DATE 7/18/2012

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801
 Phone: 801-538-5340
 Fax: 801-359-3940