

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

5. LEASE DESIGNATION AND SERIAL NO.
U-67845

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Equitable Resources Energy Company, Balcron Oil Division

3. ADDRESS OF OPERATOR
1601 Lewis Avenue; Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface
NW NE Section 22, T8S, R17E 1036' FNL, 2338' FEL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
From Myton, Utah, approximately 12.4 miles SW

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
GL 5160'

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
See attached Drilling Program/Casing Design				

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
n/a

7. UNIT AGREEMENT NAME
n/a

8. FARM OR LEASE NAME
Monument Federal

9. WELL NO.
#31-22-8-17

10. FIELD AND POOL, OR WILDCAT
Pariette Draw/Green River

11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA
Sec. 22, T8S, R17E

12. COUNTY OR PARISH | 13. STATE
Duchesne | UTAH

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL

19. PROPOSED DEPTH
6,350'

20. ROTARY OR CABLE TOOLS
Rotary

22. APPROX. DATE WORK WILL START*
March 1, 1996

Operator proposes to drill this well in accordance with the attached EXHIBITS. A listing of EXHIBITS is also attached. As operator, we hereby request that the status of this well be held tight in accordance with Federal and State regulations.

SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner, to conduct these operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

ORIGINAL: Bureau of Land Management (Vernal, UT)
COPY: Utah Division of Oil, Gas and Mining

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Robbie Schuman TITLE Regulatory and Environmental Specialist DATE December 13, 1995

(This space for Federal or State office use)

PERMIT NO. 43-013-31587 APPROVAL DATE 2/20/96
APPROVED BY [Signature] TITLE Engineer DATE 2/20/96
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side


T8S, R17E, S.L.B.&M.

EQUITABLE RESOURCES ENERGY CO

EXHIBIT "K"

N89°51'W - 79.96 (G.L.O.)

N0°02'W (G.L.O.)



WELL LOCATION:
 FEDERAL #31-22-8-17
 ELEV. UNGRADED GROUND = 5160.3'


22

N0°00'58"W - 2640.10' (Measured)

N0°01'W (G.L.O.) Basis of Bearings
 2644.77' - Measured

N89°58'W - 80.00 (G.L.O.)

WELL LOCATION, FEDERAL #31-22-8-17,
 LOCATED AS SHOWN IN THE NW 1/4 NE 1/4
 OF SECTION 22, T8S, R17E, S.L.B.&M.
 DUCHESNE COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS
 PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS
 MADE BY ME OR UNDER MY SUPERVISION AND THAT
 THE SAME ARE TRUE AND CORRECT TO THE BEST OF
 MY KNOWLEDGE AND BELIEF.

Gene Stewart
 GENE STEWART
 REGISTERED LAND SURVEYOR
 REGISTRATION No. 14410
 STATE OF UTAH



= SECTION CORNERS LOCATED

BASIS OF BEARINGS; G.L.O. DATED 1910

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

TRI STATE LAND SURVEYING & CONSULTING
 38 WEST 100 NORTH - VERNAL, UTAH 84078
 (801) 781-2501

SCALE: 1" = 1000'

SURVEYED BY: S.S.

DATE: 10-12-95

WEATHER: FAIR

NOTES:

FILE #

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
SUBMIT IN TRIPlicate
(Other instructions apply to 10/15/85)
CONFIDENTIAL

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Equitable Resources Energy Company, Balcron Oil Division

3. ADDRESS OF OPERATOR
 1601 Lewis Avenue; Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface
 NW NE Section 22, T8S, R17E 1036' FNL, 2338' FEL
 At proposed prod. zone

5. LEASE DESIGNATION AND SERIAL NO.
 U-67845

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 n/a

7. UNIT AGREEMENT NAME
 n/a

8. FARM OR LEASE NAME
 Monument Federal

9. WELL NO.
 #31-22-8-17

10. FIELD AND POOL, OR WILDCAT
 Pariette Draw/Green River

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 Sec. 22, T8S, R17E

12. COUNTY OR PARISH
 Duchesne

13. STATE
 UTAH

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 From Myton, Utah, approximately 12.4 miles SW

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
 6,350'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 GL 5160'

22. APPROX. DATE WORK WILL START*
 March 1, 1996

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
See attached Drilling Program/Casing Design				

Operator proposes to drill this well in accordance with the attached EXHIBITS. A listing of EXHIBITS is also attached. As operator, we hereby request that the status of this well be held tight in accordance with Federal and State regulations.

SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner, to conduct these operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

ORIGINAL: Bureau of Land Management (Vernal, UT)
 COPY: Utah Division of Oil, Gas and Mining

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Bobbie Schuman TITLE Regulatory and Environmental Specialist DATE December 13, 1995

(This space for Federal or State office use)


PERMIT NO. 43-013-31587 APPROVAL DATE _____
 APPROVED BY [Signature] TITLE Phisum Engineer DATE 2/20/96
 CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side


T8S, R17E, S.L.B.&M.

EQUITABLE RESOURCES ENERGY CO

EXHIBIT "K"



WELL LOCATION, FEDERAL #31-22-8-17,
LOCATED AS SHOWN IN THE NW 1/4 NE 1/4
OF SECTION 22, T8S, R17E, S.L.B.&M.
DUCHESNE COUNTY, UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS
PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS
MADE BY ME OR UNDER MY SUPERVISION AND THAT
THE SAME ARE TRUE AND CORRECT TO THE BEST OF
MY KNOWLEDGE AND BELIEF.

GENE STEWART
REGISTERED LAND SURVEYOR
REGISTRATION No. 14410
STATE OF UTAH



= SECTION CORNERS LOCATED

BASIS OF BEARINGS; G.L.O. DATED 1910

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW)

TRI STATE LAND SURVEYING & CONSULTING
38 WEST 100 NORTH - VERNAL, UTAH 84078
(801) 781-2501

SCALE: 1" = 1000'

SURVEYED BY: S.S.

DATE: 10-12-95

WEATHER: FAIR

NOTES:

FILE #



EQUITABLE RESOURCES
ENERGY COMPANY

BALCRON OIL DIVISION


1601 Lewis Avenue
Billings, MT 59102

Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361

December 13, 1995

-- VIA FEDERAL EXPRESS --

Bureau of Land Management
170 South 500 East
Vernal, UT 84078



Gentlemen:

RE: Monument Federal #31-22-8-17
NW NE Section 22, T8S, R17E
Duchesne County, Utah

Enclosed is our Application for Permit to Drill the referenced well.

As operator, we request that the status be held tight in accordance with Federal regulations.

If you have any questions or need additional information, please give me a call at (406) 259-7860, extension 240.

Sincerely,

Bobbie Schuman
Regulatory and
Environmental Specialist

/hs

Enclosure

cc: Utah Division of Oil, Gas and Mining

EXHIBITS

- A PROPOSED DRILLING PROGRAM
- B PROPOSED SURFACE USE PROGRAM
- C GEOLOGIC PROGNOSIS
- D DRILLING PROGRAM/CASING DESIGN/WELLBORE DIAGRAM
- E HAZMAT DECLARATION
- F EXISTING & PLANNED ACCESS ROADS (MAPS A & B)
- G WELLSITE LAYOUT
- H BOPE SCHEMATIC
- I EXISTING ROADS (MAP C)
- J PROPOSED PRODUCTION FACILITY DIAGRAM
- K SURVEY PLAT
- L LAYOUT/CUT & FILL DIAGRAM

11/30/95
/rs

CONFIDENTIAL

AS OPERATOR, WE HEREBY REQUEST THAT THE STATUS OF THIS WELL BE HELD TIGHT FOR THE MAXIMUM PERIOD ALLOWED BY FEDERAL AND STATE REGULATIONS.

Equitable Resources Energy Company,
Balcron Oil Division
1601 Lewis Avenue
Billings, MT 59102
(406) 259-7860

PROPOSED DRILLING PROGRAM

EQUITABLE RESOURCES ENERGY COMPANY
Balcron Oil Division
Monument Federal #31-22-8S-17
NW NE Section 22, T8S, R17E
Duchesne County, Utah

In accordance with requirements outlined in 43 CFR 3162-3.1 (d):

1. ESTIMATED IMPORTANT GEOLOGICAL MARKERS:

See Geologic Prognosis (EXHIBIT "C")

2. ESTIMATED DEPTHS OF ANTICIPATED OIL, GAS OR WATER:

See Geologic Prognosis (EXHIBIT "C")

3. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

- a. EXHIBIT "H" is a schematic of the BOP equipment and choke manifold. A 2M system will be used. The BOPE will be installed after setting 8-5/8" casing at 260'. The blind rams and pipe rams will be tested to 1500 psi. Pipe rams will be operationally checked each 24-hour period and blind rams each time pipe is pulled out of the hole.
- b. The BOPE will be tested to 1500 psi when initially installed, whenever any seal subject to test pressure is broken, and following related repairs. The pipe and blind rams will be activated at least weekly and on every trip the pipe and blind rams will be activated.
- c. An accumulator of sufficient capacity to open the hydraulically-controlled choke valve lines (if so equipped), close all rams, and retain a minimum of 200 psi above precharge on the closing manifold without the use of the closing unit pumps will be installed during the drilling of this well.
- d. An upper kelly cock will be used during the drilling of this well.

- e. Visual mud monitoring equipment will be used to detect volume changes indicating loss or gain in circulating fluid volume.
- f. Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control.

4. PROPOSED CASING AND CEMENTING PROGRAM:

- a. Surface casing will be set in the Uinta formation to approximately 260' and cemented to surface.
- b. All potentially productive hydrocarbon zones will be isolated.
- c. Casing designs are based on factors of burst: 1.00, collapse: 1.125, and joint strength: 1.8.
- d. All casing strings will be pressure tested to 0.22 psi/ft. of casing string length or 1500 psi whichever is greater (not to exceed 70% of yield).
- E. For details of casing, cement program, drilling fluid program, and proposed mud program, see the following attachment:

Drilling Program/Casing Design (EXHIBIT "D")

5. HAZARDOUS PRESSURES, TEMPERATURES, FLUIDS/GASSES EXPECTED:

- a. Expected bottom hole temperature is 125 degrees F. Expected bottom hole pressure is 1500 psi.
- b. No abnormal pressures or temperatures have been noted or reported in wells drilled to the Green River formation in this area.
- c. No dangerous levels of hydrogen sulfide, hazardous fluids, or gasses have been found, reported, or known to exist at the depth to be drilled in this well, in this area.

6. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

- a. The drilling operations for this well will begin as soon after APD approval as possible.

- b. These drilling operations should be completed within 12 days after spudding the well depending on weather and hole conditions.
- c. If the well is productive, a sundry notice and plat showing exact installed facilities will be submitted.
- d. If this well is non-productive, a sundry notice will be filed with the BLM District Office within 30 days following completion of the well for abandonment.

7. OTHER

- a. Operator requests a variance to regulations requiring a straight run blooie line.
- b. Operator requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line.

SURFACE USE PROGRAM
EQUITABLE RESOURCES ENERGY COMPANY
Balcron Oil Division
Monument Federal #31-22-8-17
NW NE Section 22, T8S, R17E
Duchesne County, Utah

In accordance with requirements outlined in 43 CFR 3162.3-1 (d):

1. **EXISTING ROADS:**

- a. From Myton, Utah, take Highway #40 west out of town 1.6 miles to the Sand Wash road. Go south on the Sand Wash road for approximately 7.0 miles to a road intersection. Turn left and proceed 3.3 miles. Turn left and continue 0.5 miles to location.
- b. Existing roadways need no improvements for these drilling operations.
- c. All existing roads used by these drilling operations will be maintained in the same or better condition as were existing prior to entry.
- d. See EXHIBIT "F" Maps A and B for access route.

2. **PLANNED ACCESS ROADS:** See EXHIBIT "F" Maps A & B

- a. No new access is required.
- b. No gates, cattleguards, or fence cuts and/or modifications to existing facilities will be required.
- c. All travel will be confined to location and access routes.
- d. If a right-of-way is needed for access, please consider this Application for Permit to Drill as the application for right-of-way.

3. **LOCATION OF EXISTING WELLS:**

See EXHIBIT "I" Map C.

4. PROPOSED PRODUCTION FACILITIES DIAGRAM:

- a. Upon completion, a sundry notice and plat showing exact production facilities will be submitted.
- b. See EXHIBIT "J" for the Proposed Production Facility layout.

5. LOCATION AND TYPE OF WATER SUPPLY:

- a. The drilling water source will be obtained from a private source owned by Joe Shields, Application #57708, Appropriation #47-1674, located in Section 15, T4S, R2W, Duchesne County UT.
- b. The drilling water will be hauled by truck to the location site.

6. CONSTRUCTION ROAD/LOCATION MATERIALS:

- a. Any construction materials which are required will be native materials from the location and/or access site.
- b. All construction materials for this location site and access road shall be borrowed material accumulated during the construction of the site and road. No additional construction material from other sources is anticipated at this time. If additional construction material is needed, it will be from an approved source.
- c. Reasonable precautions will be taken to protect all lands.

7. METHODS FOR HANDLING WASTE MATERIALS AND DISPOSAL:

- a. Garbage will be stored in a dumpster and disposed of according to local and state regulations, at an approved facility. Disposal will not be allowed on location. No trash will be disposed of in the reserve pit.
- b. Fluids produced during the completion operation will be collected in test tanks. Any spills of oil, gas, salt water or other noxious fluids will be cleaned up and hauled to an approved disposal site. Burning will not be allowed.

- c. The reserve pit will be lined. If a plastic nylon reinforced liner is used, it will be torn and perforated before backfilling of the reserve pit.
- d. Saltwater or testing tanks will be located and/or diked so that any spilled fluids will flow into the reserve pit. Saltwater tanks will not be placed on topsoil stockpiles.
- e. Any produced water will be contained on site for a period not to exceed 90 days.
- f. Sewage will be disposed of according to county and state requirements. Sealed chemical portable toilets will be on location during these drilling operations. Waste and chemicals will not be disposed of on location.
- g. Cuttings will be deposited in the reserve pit.

8. ANCILLARY FACILITIES:

None anticipated.

9. LOCATION SITE LAYOUT:

- a. The proposed location site and elevation plat is shown on EXHIBIT "K".
- b. The drill pad layout, showing elevations, orientation, and access to the pad is shown on EXHIBIT "L".
- c. The drilling rig facilities layout is shown on EXHIBIT "G". No permanent living facilities are planned. There will be two or three trailers on location during drilling operations.
- d. The reserve pit and the blooie pit will be constructed as a combination pit capable of holding 12,000 bbls of fluid. The size of the pit will be approximately equivalent to four times the TD hole volume. The blooie pit might be used for testing, but only after the drilling is completed and the drilling equipment and personnel are off the location.
- e. The reserve pit will be located on the West side of the location.

- f. If needed, flare pit will be located downwind of the prevailing wind directions a minimum of 100' from the wellhead and 30' from the reserve pit fence.
- g. Stockpiled topsoil (first 6 inches) will be stored on the South side between Corners 2 and 3.
- h. Access to the wellpad will be from the West between corners 4 and 5.
- i. All pits will be fenced according to the following minimum standards:
 - a. 39-inch net wire will be used with at least one strand of barbed wire on top of the net wire unless pipe or some type of reinforcement rod is attached to the top of the entire fence.
 - b. The net wire shall be no more than 2 inches above the ground. If barbed wire it shall be 3 inches above the net wire. Total height of fence will be at least 42 inches.
 - c. Corner posts will be cemented and/or braced in such a manner to keep the fence tight at all times. Standard steel, wood, or pipe posts will be used between the cornerbraces. Maximum distance between any two posts will be no greater than 16'.
 - d. All wire will be stretched before it is attached to the corner posts.

The reserve pit will be fenced on three sides during drilling operations and on the fourth side when the rig moves off locations. Pits will be fenced and maintained until clean-up.

10. PLANS FOR RECLAMATION OF LOCATION SITE:

The BLM will be notified of of any reclamation operations.

Producing location:

- a. Immediately upon well completion, the location and surrounding areas will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

- b. Immediately upon well completion, any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1.
- c. A plastic nylon reinforced liner will be used, and it will be torn and perforated before backfilling of the reserve pit.
- d. The reserve pit and that portion of the location not needed for production facilities or operations will be recontoured in accordance with the agreement with the private surface owner. The reserve pit will be reclaimed in accordance with agreement with the private surface owner. Before any dirt work takes place, the reserve pit will have all fluids and hydrocarbons removed.

Dry hole/abandoned location:

At such time as the well is plugged and abandoned, operator will submit a subsequent report of abandonment.

11. SURFACE OWNERSHIP:

Brad Nelson
P.O. Box 638
Roosevelt, UT 84066

12. OTHER INFORMATION:

- a. The surface owner has waived any archeological surveys.
- b. Operator will have on site a copy of the Surface Use Program and a copy of the supplemental conditions.
- c. Drilling operations will be conducted in accordance with the Bureau of Land Management conditions of approval when received.
- d. All surface disturbance and reclamation will be done in accordance with the agreement with the private surface owner.



EQUITABLE RESOURCES
ENERGY COMPANY
BALCRON OIL DIVISION

DRILLING PROGRAM

WELL NAME: Monument Federal #31-22-8-17
PROSPECT/FIELD: Pariette Draw
LOCATION: NW/NE Section 22 Twn.8S Rge.17E
COUNTY: Duchesne
STATE: Utah

DATE: 12-11-95

TOTAL DEPTH: 6350'

HOLE SIZE INTERVAL

12 1/4"	Surface to 260'
7 7/8"	260' to 6350'

CASING STRING TYPE	INTERVAL		CASING		
	FROM	TO	SIZE	WEIGHT	GRADE
Surface Casing	0'	260'	8 5/8"	24	J55
Production Casing	0'	6350'	5 1/2"	15.50	K55

CEMENT PROGRAM

Surface Casing	150 sacks class "G" with 2% CaCl and 1/4 lb/sack Flocele. (Cement will be circulated to surface.)
Production Casing	250 sacks Thrifty Lite and 400 sacks 50-50 Poz. (Actual cement volumes will be calculated from caliper log with cement top at 2000')

PRELIMINARY DRILLING FLUID PROGRAM

TYPE	FROM	TO	WEIGHT	PLAS. VIS	YIELD POINT
Air and Air Mist	0'	260'	N.A.	N.A.	N.A.
Air/Air Mist/KCl wtr	260'	T.D.	8.7-8.9	N.A.	N.A.

COMMENTS

1.) No cores or tests are planned for this well.

EXHIBIT E


- A. Hazardous chemicals 10,000 pounds of which will most likely be used, produced, stored, transported, or disposed of in association with the proposed action of drilling, completing and producing this well:

We anticipate that none of the hazardous chemicals in quantities of 10,000 pounds or more will be associated with these operations.

- B. Extremely hazardous substances threshold quantities (per Howard Cleavinger 11/30/93) of which will be used, produced, stored, transported, or disposed of in association with the proposed action of drilling, completing and producing this well:


We anticipate that none of the extremely hazardous substances in threshold quantities per 40 CFR 355 will be associated with these operations.

12/1/93
Revised 12/7/93
/rs




EQUITABLE RESOURCES CO.

FEDERAL #31-22-8-17
SEC. 22, T8S, R17E, S.L.B.&M.
TOPO "A"




Tri State
Land Surveying, Inc.
(801) 781-2501
38 WEST 100 NORTH VERNAL, UTAH 84078



EQUITABLE RESOURCES CO.


FEDERAL #31-22-8-17
SEC. 22, T8S, R17E, S.L.B.&M.
TOPO "B"



SCALE: 1" = 2000'

Tri State
Land Surveying, Inc.
(801) 781-2501
38 WEST 100 NORTH VERNAL, UTAH 84078

EQUITABLE RESOURCES ENERGY CO. WELLSITE LAYOUT



UNION DRILLING RIG #17

Hex Kelly

ROTATING HEAD

ADJ. CHOKE

AIR BOWL

7" FLOWLINE

#3000
BLIND RM. PIPE RM.


3" GATE VALVE

3" GATE VALVE

3" CHOKE LINE

ADJ. CHOKE

#3000 STACK



PROPOSED PRODUCTION FACILITY DIAGRAM

VALVE DESCRIPTION		
	DURING PROD.	DURING SALES
VALVE #1	CLOSED	OPEN
VALVE #2	OPEN	CLOSED
VALVE #3	CLOSED	OPEN
VALVE #4	OPEN	CLOSED
VALVE #5	CLOSED	CLOSED
VALVE #6	CLOSED	CLOSED
VALVE #7	CLOSED	OPEN

DIKE




DIAGRAM NOT TO SCALE









**EQUITABLE RESOURCES
ENERGY COMPANY**

BALCRON OIL DIVISION

1601 Lewis Avenue
Billings, MT 59104-2
(406) 259-7860

EQUITABLE RESOURCES ENERGY CO.

FEDERAL #31-22-8-17
SECTION 22, T8S, R17E, S.L.B.&M.



REFERENCE POINTS

- 200' SOUTH = 5154.3'
- 250' SOUTH = 5148.5'
- 175' WEST = 5167.2'
- 275' WEST = 5169.1'

APPROXIMATE YARDAGES

- CUT = 1,520 Cu. Yds.
- FILL = 1,500 Cu. Yds.
- PIT = 1,940 Cu. Yds.
- 6" TOPSOIL = 900 Cu. Yds.

SURVEYED BY: S.S.
DRAWN BY: J.R.S.
DATE: 10-10-95
SCALE: 1" = 50'
FILE:

Tri State
Land Surveying, Inc.
(201) 781-2501

38 WEST 100 NORTH KERNAL, UTAH 84078

EXHIBIT "L"




EQUITABLE RESOURCES
ENERGY COMPANY

BALCRON OIL DIVISION

1601 Lewis Avenue
Billings, MT 59102

Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361



December 19, 1995

Mr. Mike Hebertson
State of Utah
Division of Oil, Gas and Mining
355 West North Temple
Salt Lake City, UT 84180

Dear Mr. Hebertson:

We recently submitted an Application for Permit to Drill a well for which we are requesting an exception to location:

Monument Federal #31-22-8-17
NW NE Section 22, T8S, R17E
Duchesne County, UT
1036' FNL, 2338' FEL

REASON FOR EXCEPTION: This is on private surface and the owner requested that we locate the well so that he can work around any production facilities.

If you have any questions or need additional information, please give me a call at (406) 259-7860, extension 240.

Sincerely,

Bobbie Schuman
Regulatory and
Environmental Specialist

/hs

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 12/18/95

API NO. ASSIGNED: 43-013-31587

WELL NAME: MONUMENT FEDERAL 31-22-8-17
OPERATOR: EQUITABLE RESOURCES (N9890)

PROPOSED LOCATION:
NWNE 22 - T08S - R17E
SURFACE: 1036-FNL-2338-FEL
BOTTOM: 1036-FNL-2338-FEL
DUCHESNE COUNTY
UNDESIGNATED FIELD (002)

LEASE TYPE: FED
LEASE NUMBER: U - 67846

PROPOSED PRODUCING FORMATION: GRRV

INSPECT LOCATION BY: / /

TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

RECEIVED AND/OR REVIEWED:

Plat
 Bond: Federal State Fee
(Number 5541788)
 Potash (Y/N)
 Oil shale (Y/N)
 Water permit
(Number 47-1674)
 RDCC Review (Y/N)
(Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: _____
 R649-3-2. General.
 R649-3-3. Exception.
 Drilling Unit.
Board Cause no: _____
Date: _____

COMMENTS: _____

STIPULATIONS: _____



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

February 20, 1996

Equitable Resources Energy
1601 Lewis Avenue
Billings, Montana 59102

Re: Monument Federal #31-22-8-17 Well, 1036' FNL, 2338' FEL, NW NE, Sec. 22,
T. 8 S., R. 17 E., Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-31587.

Sincerely,

R. J. Firth
Associate Director

lwp

Enclosures

cc: Duchesne County Assessor
Bureau of Land Management, Vernal District Office

WAPD



Operator: Equitable Resources Energy
Well Name & Number: Monument Federal #31-22-8-17
API Number: 43-013-31587
Lease: U-67845
Location: NW NE Sec. 22 T. 8 S. R. 17 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Equitable Resources Energy Company, Balcron Oil Division

3. ADDRESS OF OPERATOR
1601 Lewis Avenue; Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
NW NE Section 22, T8S, R17E 1036' FNL, 2338' FEL
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
From Myton, Utah, approximately 12.4 miles SW

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

16. NO. OF ACRES IN LEASE

17. NO. OF ACRES ASSIGNED TO THIS WELL

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH
6,350'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, BT, GR, etc.)
GL 5160'

22. APPROX. DATE WORK WILL START*
March 1, 1996

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
See attached Drilling Program/Casing Design				

Operator proposes to drill this well in accordance with the attached EXHIBITS. A listing of EXHIBITS is also attached. As operator, we hereby request that the status of this well be held tight in accordance with Federal and State regulations.

SELF CERTIFICATION: I hereby certify that I am authorized, by proper lease interest owner, to conduct these operations associated with the application. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Equitable Resources Energy Company as principal and Safeco Insurance Company of America as surety under BLM Bond No. MT 0576 (Nationwide Oil & Gas Bond #5547188) who will be responsible for compliance with all of the terms and conditions of that portion of the lease associated with this application.

RECEIVED

DEC 14 1995

ORIGINAL: Bureau of Land Management (Vernal, UT)
COPY: Utah Division of Oil, Gas and Mining

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposed to drill or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Donna Krumman TITLE Regulatory and Environmental Specialist DATE December 13, 1995

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
APPROVED BY [Signature] TITLE ASSISTANT DISTRICT MANAGER MINERALS DATE FEB 21 1996
CONDITIONS OF APPROVAL, IF ANY:

Dio OB-M
NOTICE OF APPROVAL
44080-6M-034

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Equitable Resources Energy Company

Well Name & Number: Balcron Monument Federal 31-22-8-17

API Number: 43-013-31587

Lease Number: U - 67845

Location: NWNE Sec. 22 T. 8S R. 17E

NOTIFICATION REQUIREMENTS

- | | | |
|---------------------------------|---|---|
| Location Construction | - | at least forty-eight (48) hours prior to construction of location and access roads. |
| Location Completion | - | prior to moving on the drilling rig. |
| Spud Notice | - | at least twenty-four (24) hours prior to spudding the well. |
| Casing String and Cementing | - | at least twenty-four (24) hours prior to running casing and cementing all casing strings. |
| BOP and Related Equipment Tests | - | at least twenty-four (24) hours prior to initiating pressure tests. |
| First Production Notice | - | within five (5) business days after new well begins, or production resumes after well has been off production for more than ninety (90) days. |

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

The Vernal District Office shall be notified, at least 24 hours prior to initiating the pressure tests, in order to have a BLM representative on location during pressure testing.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at 2,736 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

The Vernal District Office shall be notified at least 24 hours prior to the running and cementing of all casing strings, in order to have a BLM representative on location while running and cementing all casing strings.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. .Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to \pm 2536 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours prior to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and within 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman (801) 789-7077
Petroleum Engineer

Wayne P. Bankert (801) 789-4170
Petroleum Engineer

BLM FAX Machine (801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

SURFACE USE PLAN OF OPERATION
Conditions of Approval (COAs)

Methods for Handling Waste Disposal

The reserve pit shall be lined with a synthetic liner that is a minimum of 12 mil thickness with sufficient bedding to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit.



EQUITABLE RESOURCES
ENERGY COMPANY


BALCRON OIL DIVISION

1601 Lewis Avenue
Billings, MT 59102

Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361

March 22, 1996

Utah Division of Oil, Gas and Mining
355 West North Temple
Salt Lake City, UT 84180



Gentlemen:

Effective April 1, 1996, our name will change from Equitable Resources Energy Company, Balcron Oil Division to Equitable Resources Energy Company. Attached is a sundry notice reflecting that change. To simplify paperwork, I have done one sundry notice with copies for each of the wells. To this letter I have attached a list of our wells for your ease in filing the sundry notices in the well files. This should be sufficient for your purposes.

I have the listings on a spreadsheet so if it would be easier for you to have them sorted differently (for example, the Montana Board of Oil and Gas prefers them sorted by API number), please give me a call at (406) 259-7860, extension 240 and I would be glad to provide a list to your specifications.

This change affects only our company name. The physical locations of our offices and the personnel remain the same. We will be changing our well signs and ask for your patience and cooperation as this will be done as soon as possible but may take some time since we do have so many properties at which to make the change.

If you have any questions, please do not hesitate to give me a call.

Sincerely,

Bobbie Schuman
Bobbie Schuman
Regulatory and
Environmental Specialist

/hs

Enclosures

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:
See attached listing

6. If Indian, Allottee or Tribe Name:
n/a

7. Unit Agreement Name:
See attached listing

1. Type of Well: OIL GAS OTHER: See attached listing

8. Well Name and Number:
See attached listing

2. Name of Operator:
Equitable Resources Energy Company, Balcron Oil Division

9. API Well Number:
See attached listing

3. Address and Telephone Number:
1601 Lewis Avenue Avenue; Billings, MT 59102 (406) 259-7860

10. Field and Pool, or Wildcat:
See attached listing

4. Location of Well
Footages: See attached listing

County: See attached list

QQ, Sec., T., R., M.:

State: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandon
- Repair Casing
- Change of Plans
- Convert to Injection
- Fracture Treat or Acidize
- Multiple Completion
- Other _____
- New Construction
- Pull or Alter Casing
- Recomplete
- Reperforate
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandon *
- Repair Casing
- Change of Plans
- Convert to Injection
- Fracture Treat or Acidize
- Other Operator name change
- New Construction
- Pull or Alter Casing
- Reperforate
- Vent or Flare
- Water Shut-Off

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1996, operator will change its name from Equitable Resources Energy Company, Balcron Oil Division TO: Equitable Resources Energy Company. Physical location of the operator remains as: 1601 Lewis Avenue; Billings, MT 59102 (406) 259-7860, FAX: (406) 145-1361. This is to report the operator name change only. It affects the wells on the attached listing.

APR - 8 1996

13. Name & Signature: Bobbie Schuman
Bobbie Schuman

Title: Regulatory and Environmental Specialist Date: March 27, 1996

(This space for State use only)

Record#	OPERATOR	well_name	API_NUMBER	SECTION	TOWNSHIP	RANGE	DATEAPPRVD
1937	EQUITABLE RESOURCES	BALCRON MONUMENT FEDERAL 14-4	43-013-31430	04	09S	16E	12/20/93
2282	EQUITABLE RESOURCES	BALCRON MONUMENT FED 12-14J	43-013-31488	14	09S	16E	03/27/95
2283	EQUITABLE RESOURCES	BALCRON MONUMENT FED 22-14J	43-013-31489	14	09S	16E	03/07/95
2284	EQUITABLE RESOURCES	BALCRON MONUMENT FED 32-14J	43-013-31490	14	09S	16E	03/07/95
2285	EQUITABLE RESOURCES	BALCRON MONUMENT FED 42-14J	43-013-31491	14	09S	16E	04/20/95
2375	EQUITABLE RESOURCES	BALCRON MONUMENT FEDERAL 14-26	43-013-31512	26	08S	16E	04/20/95
2472	EQUITABLE RESOURCES	BALCRON MON FED 11-10-9-17Y	43-013-31534	10	09S	17E	/ /
2609	EQUITABLE RESOURCES	MONUMENT STATE 23-16-9-17B	43-013-31578	16	09S	17E	01/03/96
2613	EQUITABLE RESOURCES	MONUMENT FEDERAL 23-17-9-17B	43-013-31582	17	09S	17E	02/05/96
2614	EQUITABLE RESOURCES	MONUMENT FEDERAL 13-22-8-17Y	43-013-31583	22	08S	17E	02/22/96
2618	EQUITABLE RESOURCES	MONUMENT FEDERAL 32-22-8-17	43-013-31586	22	08S	17E	02/20/96
2619	EQUITABLE RESOURCES	MONUMENT FEDERAL 31-22-8-17	43-013-31587	22	08S	17E	02/20/96
2620	EQUITABLE RESOURCES	MONUMENT FEDERAL 33-22-8-17	43-013-31588	22	08S	17E	03/25/96
2621	EQUITABLE RESOURCES	MONUMENT FEDERAL 33-6-9-16Y	43-013-31589	06	09S	16E	04/15/96
2622	EQUITABLE RESOURCES	MONUMENT FEDERAL 31-10-9-17Y	43-013-31591	10	09S	17E	/ /
2623	EQUITABLE RESOURCES	MONUMENT FEDERAL 32-10-9-17Y	43-013-31592	10	09S	17E	02/22/96
2201	EQUITABLE RESOURCES	ASP FEDERAL 1	43-027-30033	12	16S	19W	04/27/95
2539	EQUITABLE RESOURCES	COBRA FEDERAL 42-35	43-027-30037	35	15S	19W	/ /
1942	EQUITABLE RESOURCES	BALCRON MONUMENT FEDERAL 41-26	43-047-32456	26	08S	17E	12/21/93
2099	EQUITABLE RESOURCES	BALCRON MONUMENT FEDERAL 42-26	43-047-32531	26	08S	17E	06/01/95
2264	EQUITABLE RESOURCES	BALCRON MONUMENT STATE 32-2	43-047-32609	02	09S	17E	12/29/94
2267	EQUITABLE RESOURCES	BALCRON MONUMENT STATE 34-2	43-047-32611	02	09S	17E	12/29/94
2376	EQUITABLE RESOURCES	BALCRON MONUMENT FEDERAL 43-26	43-047-32668	26	08S	17E	05/08/95
2481	EQUITABLE RESOURCES	BALCRON MON FEDERAL 23-24-8-17	43-047-32710	24	08S	17E	02/13/96
2625	EQUITABLE RESOURCES	MONUMENT FEDERAL 32-20-9-18Y	43-047-32725	20	09S	18E	02/06/96
2635	EQUITABLE RESOURCES	MONUMENT FED 41-35-9-18Y	43-047-32727	35	09S	18E	04/15/96
2636	EQUITABLE RESOURCES	MONUMENT FED 44-31-8-18Y	43-047-32728	31	08S	18E	/ /
2637	EQUITABLE RESOURCES	MONUMENT FEDERAL 43-19-9-18Y	43-047-32730	19	09S	18E	02/05/96

OH/Pending Status

→

UTAH

Getty #7-C	Monument Butte	NE NW	7	9S	17E	Duchesne	UT	Oil	Green River	U-44426	43-013-30961	1129' FNL, 2229' FWL	Vernal	Jonah
Goates Federal #1	Monument Butte	SE SW	11	9S	16E	Duchesne	UT	Oil	Green River	U-096547	43-013-15789	793' FSL, 2088' FWL	Vernal	Jonah
Goates Federal #3	Monument Butte	NW NW	14	9S	16E	Duchesne	UT	Oil	Green River	U-096547	43-013-15791	790' FNL, 790' FWL	Vernal	Jonah
Hendel Federal #1	Pariette Bench	SW SW	9	9S	19E	Uintah	UT	Oil	Green River	U-058149	43-047-20011	560' FSL, 500' FWL	Vernal	
Hendel Federal #1-17	Pariette Bench	NE NW	17	9S	19E	Uintah	UT	Oil	Green River	U-017991	43-047-30059	660' FNL, 1979' FWL	Vernal	
Hendel Federal #3-17	Pariette Bench	SW NW	17	9S	19E	Uintah	UT	OSI	Green River	U-017991	43-047-30074	1980' FNL, 660' FWL	Vernal	
K. Jorgenson State #16-4	Monument Butte	NE SE	16	9S	17E	Duchesne	UT	OSI	Green River	State ML-3453-B	43-013-30572	1984' FSL, 660' FEL		
Maxus Federal #23-8	Monument Butte	NE SW	8	9S	17E	Duchesne	UT	Oil	Green River	UTU-74108	43-013-31196	1847' FSL, 1947' FWL	Vernal	Beluga
Mocon Federal #44-7	Monument Butte	SE SE	7	9S	17E	Duchesne	UT	Oil	Green River	U-3563-A	43-013-30666	670' FSL, 663' FEL	Vernal	Beluga
Monument Butte #1-13	Monument Butte	NW SW	1	9S	16E	Duchesne	UT	WIW	Green River	U-18399	43-013-30702	1820' FSL, 685' FWL	Vernal	Jonah
Monument Butte #1-14	Monument Butte	SW SW	1	9S	16E	Duchesne	UT	Oil	Green River	U-18399	43-013-30703	820' FSL, 820' FWL	Vernal	Jonah
Monument Butte #1-23	Monument Butte	NE SW	1	9S	16E	Duchesne	UT	Oil	Green River	U-18399	43-013-30646	1980' FSL, 1980' FWL	Vernal	Jonah
Monument Butte #1-24	Monument Butte	SE SW	1	9S	16E	Duchesne	UT	WIW	Green River	U-18399	43-013-30701	820' FSL, 1950' FWL	Vernal	Jonah
Monument Butte #1-33	Monument Butte	NW SE	1	9S	16E	Duchesne	UT	WIW	Green River	U-52013	43-013-30735	1980' FSL, 1980' FEL	Vernal	Jonah
Monument Butte #1-34	Monument Butte	SW SE	1	9S	16E	Duchesne	UT	Oil	Green River	U-52013	43-013-30736	710' FSL, 1980' FEL	Vernal	Jonah
Monument Butte #1-43	Monument Butte	NE SE	1	9S	16E	Duchesne	UT	Oil	Green River	U-52013	43-013-30734	1980' FSL, 660' FEL	Vernal	Jonah
Monument Federal #11-11-9-17Y	Monument Butte	NW NW	11	9S	17E	Duchesne	UT	PND	Green River	U-65210		656' FNL, 741' FWL	Vernal	
Monument Federal #11-22-9-16Y	Monument Butte	NW NW	22	9S	16E	Duchesne	UT	PND	Green River	U-64379			Vernal	
Monument Federal #12-11-9-17Y	Monument Butte	SW NW	11	9S	17E	Duchesne	UT	PND	Green River	U-65210			Vernal	
Monument Federal #13-22-8-17Y	Monument Butte	NW SW	22	8S	17E	Duchesne	UT	PND	Green River	U-67845		1446' FSL, 863' FWL	Vernal (Private sfc)	
Monument Federal #14-21-9-18Y	8 Mile Flat	SW SW	21	9S	18E	Uintah	UT	PND	Green River	U-68105		700' FSL, 550' FWL	Vernal	
Monument Federal #14-22-8-17	Monument Butte	SW SW	22	8S	17E	Duchesne	UT	PND	Green River	U-67845			Vernal	
Monument Federal #21-23-9-17Y	Monument Butte	NE NW	23	9S	17E	Uintah	UT	PND	Green River	U-68102		773' FNL, 1809' FWL	Vernal	
Monument Federal #22-20-9-16	Monument Butte	SE NW	20	9S	16E	Duchesne	UT	PND	Green River	U-52018				
Monument Federal #23-17-9-17B	Monument Butte	NE SW	17	9S	17E	Duchesne	UT	PND	Green River	UTU-74108		2217' FSL, 2187' FWL	Vernal	Beluga
Monument Federal #23-22-8-17Y	Monument Butte	NE SW	22	8S	17E	Duchesne	UT	PND	Green River	U-67845			Vernal (Private sfc.)	
Monument Federal #24-17-9-16	Monument Butte	SE SW	17	9S	16E	Duchesne	UT	PND	Green River	U-52018			Vernal	
Monument Federal #31-5-9-17	Monument Butte	NW NE	5	9S	17E	Duchesne	UT	PND	Green River	U-74808				
Monument Federal #31-10-9-17Y	Monument Butte	NW NE	10	9S	17E	Duchesne	UT	PND	Green River	U-65210		660' FNL, 1980' FEL	Vernal	
Monument Federal #31-22-8-17	Monument Butte	NW NE	22	8S	17E	Duchesne	UT	PND	Green River	U-67845		1036' FNL, 2338' FEL	Vernal (Private sfc.)	
Monument Federal #32-10-9-17Y	Monument Butte	SW NE	10	9S	17E	Duchesne	UT	PND	Green River	U-65210		1900' FNL, 1980' FEL	Vernal	
Monument Federal #32-20-9-18Y	8 Mile Flat	SW NE	20	9S	18E	Uintah	UT	PND	Green River	U-64917		1980' FNL, 1980' FEL	Vernal	
Monument Federal #33-6-9-16Y	Monument Butte	NW SE	6	9S	16E	Duchesne	UT	PND	Green River	U-74390		1850' FSL, 1850' FEL	Vernal	
Monument Federal #32-22-8-17	Monument Butte	SW NE	22	8S	17E	Duchesne	UT	PND	Green River	U-67845		1980' FNL, 1980' FEL	Vernal (Private sfc.)	
Monument Federal #33-17-9-17B	Monument Butte	NW SE	17	9S	17E	Duchesne	UT	PND	Green River	U-72106		1926' FSL, 2000' FEL	Vernal	Beluga

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1	LEP 7-SJ
2	DESS-FILE
3	VLD (GIL) EA
4	RJE
5	LEP
6	BLM

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator **KKK Operator Name Change Only**

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 4-1-96)

TO (new operator)	<u>EQUITABLE RESOURCES ENERGY COEROM</u> (former operator)	<u>EQUITABLE RESOURCES ENERGY CO</u>
(address)	<u>1601 LEWIS AVE</u>	<u>BALCRON OIL DIVISION</u>
	<u>BILLINGS MT 59102-4126</u>	<u>1601 LEWIS AVE</u>
	<u>phone (406) 259-7860</u>	<u>BILLINGS MT 59102-4126</u>
	<u>account no. N9890</u>	<u>phone (406) 259-7860</u>
		<u>account no. N9890</u>

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>43-013-31587</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Yes 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 4-4-96 & 4-8-96)*
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- * 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Yes 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) ~~for each well listed above.~~ *(4-10-96)*
- Yes 6. Cardex file has been updated for each well listed above. *(4-11-96)*
- Yes 7. Well file labels have been updated for each well listed above. *(4-11-96)*
- Yes 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(4-10-96)*
- Yes 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) # 5578314 (\$80,000) Seleo Ins. Co. (Bond Rider In Progress)

- Yes 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
- N/A 3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 4/26/96
- DTS 2. Copies of documents have been sent to State Lands for changes involving State leases.
Sent to Ed Bonner - Trust Lands

FILMING

- VB 1. All attachments to this form have been microfilmed. Date: 7-22 1997.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

9/20/10 BLM/BIA "Formal approval not necessary"

~~CONFIDENTIAL~~
~~CONFIDENTIAL~~

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: EQUITABLE RESOURCES

Well Name: MONUMENT FEDERAL 31-22-8-17

Api No. 43-013-31587

Section 22 Township 8S Range 17E County DUCHESNE

Drilling Contractor UNION

Rig #: 17

SPUDDED:

Date: 5/4/96

Time: _____

How: ROTARY

Drilling will commence: _____

Reported by: D. INGRAM-DOGM

Telephone #: _____

Date: 5/6/96 Signed: JLT

5-8-96

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-67845

6. If Indian, Allottee or Tribe Name

n/a

7. If Unit or CA, Agreement Designation

n/a

SUBMIT IN TRIPLICATE

CONFIDENTIAL

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Equitable Resources Energy Company

3. Address and Telephone No.

1601 Lewis Avenue; Billings, MT 59102 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW NE Section 22, T8S, R17E
1036' FNL, 2338' FEL

8. Well Name and No.

Monument Federal #31-22-8-17Y

9. API Well No.

43-013-31587

10. Field and Pool, or Exploratory Area

Monument Butte/Green River

11. County or Parish, State

Duchesne County, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION


- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other spud
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was spud at 11 p.m. 5/4/96

ORIGINAL: Bureau of Land Management (Vernal, UT)
COPY: Utah Division of Oil, Gas and Mining



14. I hereby certify that the foregoing is true and correct

Signed Bobbie Schuman

Title Regulatory and Environmental Specialist

Date May 6, 1996

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____ Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

OPERATOR Equitable Resources Energy Company
 ADDRESS 1601 Lewis Avenue
Billings, MT 1902

OPERATOR ACCT. NO. N 9890

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	11917	43-013-31587	Monument Federal #31-22-8-17	NW NE	22	8S	17E	Duchesne	5/4/96	5/4/96

WELL 1 COMMENTS:

Entity added 5-10-96. See

WELL 2 COMMENTS:

WELL 3 COMMENTS:

WELL 4 COMMENTS:


WELL 5 COMMENTS:

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(7/89)



Dobbie Schuman
 Signature and
 Environmental Specialist 5/6/96
 Title Date
 Phone No. (406) 259-7860, x 240

5-13-96

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-67845

6. If Indian, Allottee or Tribe Name

n/a

7. If Unit or CA, Agreement Designation

n/a

8. Well Name and No.

Monument Federal #31-22-8-17

9. API Well No.

43-013-31587

10. Field and Pool, or Exploratory Area

Monument Butte/Green River

11. County or Parish, State

Duchesne County, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Equitable Resources Energy Company

3. Address and Telephone No.

1601 Lewis Avenue; Billings, MT 59102 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW NE Section 22, T8S, R17E
1036' FNL, 2338' FEL

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>spud</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was spud at 11 p.m. 5/4/96

ORIGINAL: Bureau of Land Management (Vernal, UT)

COPY: Utah Division of Oil, Gas and Mining



14. I hereby certify that the foregoing is true and correct

Signed

Bobbie Schuman
Bobbie Schuman

(This space for Federal or State office use)

Title

Regulatory and
Environmental Specialist

Date

May 6, 1996

Approved by

Title

Date

Conditions of approval, if any:


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

EQUITABLE RESOURCE
MON BUTTE Fed 31-22-8-17
Sec 22; T85; R17E
POW

U-67845
6/25/96

↑ NORTH




50.0
6/25/96
dHj

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter to a different reservoir
Use "APPLICATION FOR PERMIT—" for such proposals



SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Equitable Resources Energy Company

3. Address and Telephone No.

1601 Lewis Avneue, Billings, MT 59102 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW NE Section 22, T8S, R;17E
1036' FNL & 2338' FEL

5. Lease Designation and Serial No.

U-67845

6. If Indian, Allottee or Tribe Name

n/a

7. If Unit or CA, Agreement Designation

n/a

8. Well Name and No.

Monument Fed. #31-22-8-17

9. API Well No.

43-013-31587

10. Field and Pool, or Exploratory Area

Monument Butte/ Green River

11. County or Parish, State

Duchesne County, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Site Security Diagram</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached is the Site Security Diagram for this well.

14. I hereby certify that the foregoing is true and correct

Signed Molly Conrad

Title Operations Secretary

Date 7-10-96

(This space for Federal or State office use)


Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



VALVE DESCRIPTION		
	DURING PROD.	DURING SALES
VALVE #1	OPEN	CLOSED
VALVE #2	CLOSED	OPEN
VALVE #3	CLOSED	CLOSED

DIAGRAM NOT TO SCALE



PLAN LOCATED AT:
EQUITABLE RESOURCES ENERGY COMPANY
 WESTERN REGION

1601 Lewis Avenue
 Billings, MT 59102
 (406) 259-7860
 JULY 11, 1996

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved,
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____
 b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

CONFIDENTIAL

2. NAME OF OPERATOR: Equitable Resources Energy Company
 3. ADDRESS OF OPERATOR: 1601 Lewis Avenue, Billings, MT 59102

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements)*
 At surface: 1036' FNL & 2338' FEL
 At top prod. interval reported below
 At total depth

RECEIVED
JUL 17 1996
DIV. OF OIL, GAS & MINING

14. PERMIT NO. 43-013-31587 15. DATE SPUDDED 5-4-96 16. DATE T.D. REACHED 5-11-96 17. DATE COMPL. (Ready to prod.) 6-10-96 18. ELEVATIONS (OF, RKB, RT, OR, ETC.)* 5160' GL 19. ELEV. CASINGHEAD n/a
 12. COUNTY OR PARISH Duchesne 13. STATE Utah

20. TOTAL DEPTH, MD & TVD 6350' 21. PLUG, BACK T.D., MD & TVD 6282' KB 22. IF MULTIPLE COMPL., HOW MANY* n/a 23. INTERVALS DRILLED BY SFC - TD ROTARY TOOLS SFC - TD CABLE TOOLS n/a

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
5312-6010' (GRRV)
 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN LDT/CNL DLT GR/CBL (Schlumberger) 27. WAS WELL CORED No
 28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	259.9' KB	12-1/4"	160 sxs Class "G" w/additives	None
5-1/2"	15.5#	6223.57' KB	7-7/8"	160 sxs Super "G" w/additives	None
				425 sxs 50/50 POZ w/additives	None

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
n/a					2-7/8"	6069.17' KB	n/a

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL	SIZE	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5936' - 5950'	(4 SPF)	5312' - 5318'	(4 SPF)
5960' - 5965'	(4 SPF)	5326' - 5328'	(4 SPF)
5971' - 6010'	(4 SPF)	5331' - 5334'	(4 SPF)
5509' - 5515'	(4 SpF)		
5534' - 5538'	(4 SPF)		
		Please see attachment.	

33. PRODUCTION
 DATE FIRST PRODUCTION 6-10-96 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) 1-1/2" Insert Pump WELL STATUS (Producing or shut-in) Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
7-10-96	24	n/a		81.93	N.M.	3.33	N.M.

FLOW, TUBING PASS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
n/a	n/a		81.93	N.M.	3.33	34

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Used for fuel. TEST WITNESSED BY Dale Griffin

35. LIST OF ATTACHMENTS: Section 32 - Acid, shot, fracture, cement squeeze etc.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
 SIGNED Molly Conrad TITLE Operations Secretary DATE 7-10-96

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
			No DST's run.

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
Green River	1900'	1900'
Horsebench	2848'	2848'
2nd Garden Gulch	4482'	4482'
Yellow Marker	5120'	5120'
Douglas Creek	5291'	5291'
2nd Douglas Creek	5574'	5574'
Green Marker	5717'	5717'
Black Shale Facies	6049'	6049'
Carbonate Marker	6148'	6148'


Attachment to Completion Report
Monument Federal #31-22-8-17
NW NE Section 22, T8S, R17E
Duchesne County, Utah

<u>Interval</u>	<u>Amount and Kind of Material Used</u>
5936' - 6010'	Break down with 2000 gallons 15% HCL and 3460 gallons 2% KCL water. Fracture with 21,260# 20/40 mesh sand and 39,040# 16/30 mesh sand with 5,880 gallons 2% KCL gelled water.
5509' - 5538'	Break down with 2,184 gallons 2% KCL water. Fracture with 13,220# 16/30 mesh sand with 10,290 gallons 2% KCL gelled water.
5312' - 5334'	Break down with 2,058 gallons 2% KCL water. Fracture with 13,260# 16/30 mesh sand with 10,290 gallons 2% KCL gelled water.

/mc

7-10-96

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING



REPORT OF WATER ENCOUNTERED DURING DRILLING

- 1. Well name and number: Monument Federal #31-22-8-17
API number: 43-013-31587
- 2. Well Location: QQ NW NE Section 22 Township 8S Range 17E County Duchesne
- 3. Well operator: Equitable Resources Energy Company
Address: 1601 Lewis Avenue
Billings, MT 59102 Phone: (406) 259-7860
- 4. Drilling contractor: Union Drilling
Address: Drawer 40
Buckhannon, WV 26201 Phone: (304) 472-4610
- 5. Water encountered (attach additional pages as needed):

DEPTH		VOLUME (FLOW RATE OR HEAD)	QUALITY (FRESH OR SALTY)
FROM	TO		
		No measurable water encountered during drilling operations.	

6. Formation tops: Please see completion report.

If an analysis has been made of the water encountered, please attach a copy of the report to this form.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 7-10-96

Name & Signature: Molly Conrad *Molly Conrad* Title: Operations Secretary

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or recomplete a well in a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

RECEIVED
 JUL 17 1996
 DIV. OF OIL, GAS & MINING

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Equitable Resources Energy Company

3. Address and Telephone No.

1601 Lewis Avenue, Billings, MT 59102 (406) 259-7860

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NW NE Section 22, T8S, R17E
1036' FNL & 2338' FEL

5. Lease Designation and Serial No.

U-67845

6. If Indian, Allottee or Tribe Name

n/a

7. If Unit or CA, Agreement Designation

n/a

8. Well Name and No.

Monument Fed. #31-22-8-17

9. API Well No.

43-013-31587

10. Field and Pool, or Exploratory Area

Monument Butte/Green River

11. County or Parish, State

Duchesne County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent <input checked="" type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <u>Onshore Order #7</u>	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water <small>(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</small>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Any water produced by this well will be held in a produced water tank and trucked to a commercial disposal facility. The primary facility to be used is the R.N. Industries produced water disposal facility located in Section 9, T2S, R2W in Duchesne County, Utah. A copy of the State-issued permit for that facility is on file at the Vernal Bureau of Land Management. If for some reason the operator is unable to use this primary disposal facility, the produced water will be trucked to another State-approved disposal facility. If applicable, Operator has received approved Right-of-Way access to this well location for the Vernal Bureau of Land Management.


14. I hereby certify that the foregoing is true and correct

Signed Molly Conrad Title Operations Secretary Date 7-10-96

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:


Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**EQUITABLE RESOURCES
ENERGY COMPANY**

WESTERN REGION

1601 Lewis Avenue
Billings, MT 59102



Office: (406) 259-7860
FAX: (406) 245-1365
FAX: (406) 245-1361

July 12, 1996

**Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078**

Gentlemen:

**RE: Monument Federal #31-22-8-17
NW NE Section 22, T8S, R17E
Duchesne County, Utah
API #43-013-31587**

Enclosed for your files are the following:

**Completion Report
Onshore Order #7
Site Security Diagram
Report of Water Encountered
Daily Operating Reports**

Please feel free to contact me if you need any further information.

Sincerely,

Molly Conrad
**Molly Conrad
Operations Secretary**

/mc

Enclosures

**cc: State of Utah, Division of Oil, Gas, & Mining
Lou Ann Carlson
Valeri Kaae**

DAILY OPERATING REPORT

MONUMENT FEDERAL #31-22-8-17

Location: NW NE Section 22, T8S, R17E

Duchesne County, Utah

1036' FNL & 2338' FEL

PTD: 6,350' Formation: Green River

Pariette Draw Field

API #43-013-31587 (2-20-96)

Elevations: 5160' GL

Contractor: Union Drilling

Operator: EREC/Western Region

Spud: 5-4-96 @ 11:00 p.m.

Casing: 8-5/8", 24#, J-55 @ 259.9' KB
5-1/2", 15.5#, J-55 @ 6223.57' KB

Tubing: 2-7/8", 6.5#, J-55 @ 6069.17' KB

---TIGHT HOLE---

05/05/96 TD: 280' (280') Day 1
Formation: Sand & Shale
Present Operation: WOC
MIRU and spud well @ 11:00 PM 5-4-96. Set 17' of 13-3/8" conductor pipe - pulled same before running 8-5/8" csg. Ran 249' of 8-5/8" surface csg as follows:

Shoe	.90'
Shoe jt	41.05'
Baffle plate	0.00'
5 jts csg	207.95'
Total csg length	249.90'
Landing jt	10.00'
Landed at	259.90' KB

Cement surface csg as follows: 160 sxs G + 2% CaCl₂ + 1/4#/sx celloseal. Returned 5 bbls cement to pit. Plug down @ 12:30 AM.
DC: \$5,040 CC: \$5,040

05/06/96 TD: 1520' (1240') Day 2
Formation: Sand & Shale
Present Operation: Drilling 7-7/8" hole
Waited on cement, NU, Drill plug & shoe. Drilled 1240' of 7-7/8" hole. Drilling 105' per hour.
DC: \$22,320 CC: \$27,360

05/07/96 TD: 3205' (1685') Day 3
Formation: Sand & Shale
Present Operation: Drilling 7-7/8" hole
Last 24 hours - drilled 1685' @ 100' per hour.
DC: \$30,330 CC: \$57,690

05/08/96 TD: 4456' (1261') Day 4
Formation: Sand & Shale
Present Operation: Drilling 7-7/8" hole.
Last 24 hrs: Drilled 1261' of 7-7/8" hole, service rig and ran two surveys.
DC: \$22,698 CC: \$80,388

DAILY OPERATING REPORT

MONUMENT FEDERAL #31-22-8-17

Location: NW NE Section 22, T8S, R17E

Duchesne County, Utah

---TIGHT HOLE---

05/09/96 TD: 5144' (688') Day 5
Formation: Sand & Shale
Present Operation: Drilling 7-7/8" hole
Drilled 668' of 7-7/8" hole, cleaned hole. made bit trip, service rig and ran two surveys.
DC: \$12,384 CC: \$92,772

05/10/96 TD: 5892' (748') Day 6
Formation: Sand & Shale
Present Operation: Drilling 7-7/8" hole
Drilled 7-7/8" hole from 5144' to 5892'.
DC: \$13,464 CC: \$106,236

05/11/96 TD: 6350' (458') Day 7
Formation: Sand & Shale
Present Operation: Lay down drill pipe
Reached TD on 5/11/96 @ 2:30 AM. Driller's TD 6350'.
DC: \$8,244 CC: \$114,480

05/11/96 5-1/2", J-55, 15.5# Casing Detail

Shoe	.90'
Shoe jt	34.91'
Float Collar	1.10'
147 jts	6276.66'
Total csg length	6313.57'
Landing jt	10.00'
Depth Landed	6323.57' KB
PBTD	6286.66' KB

5-1/2" csg cement job: Lead - 160 sxs Super "G" = 47#/sx G = 3#/sx poz + 34#/sx BA91 + 3% salt + 2% gel + 2#/sx Korseal + 1/4#/sx cello flake. Tail - 425 sxs 50/50 poz + 2% gel + 1/4#/sx cello flake + 2#/sx Kol seal

05/12/96 TD: 6350' (0') Day 8
Formation: Sand & Shale
Present Operation: Shut Down - Wait to Move
Ran 6314' 5-12" csg, set @ 6324' KB. Cement w/BJ Services, 585 sxs. Plug down @ 7:00 PM, 5-11-96.

DAILY OPERATING REPORT

MONUMENT FEDERAL #31-22-8-17

Location: NW NE Section 22, T8S, R17E

Duchesne County, Utah

---TIGHT HOLE---

05/31/96

Completion

Fluid level 800'. Release pkr, tag sand at 5562' KB. Circulate down to BP at 5581' KB. Release BP. TOOH w/tbg, pkr & BP. Used 20 bbls wtr. TIH w/production string (tbg) as follows:

	<u>LENGTH</u>	<u>DEPTH KB</u>
1 - Notched-pinned collar	.40'	6069.17'
1 - jt 2-7/8" EUE, J-55, 8rd, 6.5#	29.72'	6068.77'
1 - perf sub 2-7/8" x 4'	4.20'	6039.05'
1 - Seat Nipple 2-7/8"	1.10'	6034.85'
26 - jts 2-7/8" EUE, J-55, 8rd, 6.5#	803.48'	6033.75'
1 - tbg anchor 2-7/8" x 5-1/2" (TRICO)	2.75'	5230.27'
170 - jts 2-7/8" EUE, J-55, 8rd, 6.5#	5217.52'	5227.52'
KB	10.00'	

ND BOP, ND 5M well head, NU 3M well head. Set tbg anchor w/13" tension. Flange up well head. TIH w/production string (rods) as follows:

- 1 - DHP 2-1/2" x 1-1/2" x 16' RWAC w/SM plunger (TRICO #1168)
- 1 - 7/8" x 2' pony w/2-1/2" guide
- 1 - 1-1/2" x 25' K-bar
- 1 - 7/8" x 2' pony w/2-1/2" guide
- 240 - 3/4" x 25' D-54 (Norris) plain
- 1 - polish rod

Press test DHP & tbg to 1000 psi, OK. Used 7 bbls wtr. RDMO.

DC: \$24,060

CC: \$233,741

06/10/96

Completion

Start well pumping @ 5:00 PM 6-10-96. 9.3 SPM. 85" stroke.

DC: \$62,758

CC: \$296,499

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

C/O CRAZY MTN O&G SVS'S
 EQUITABLE RESOURCES ENERGY
 PO BOX 577
 LAUREL MT 59044

UTAH ACCOUNT NUMBER: N9890

REPORT PERIOD (MONTH/YEAR): 9 / 97

AMENDED REPORT (Highlight Changes)

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
4301331431	11880	09S 17E 17	GRRV			UTU 72106		
4301331432	11880	09S 17E 7	GRRV			"		
4301331465	11880	09S 17E 17	GRRV			"		
4301331466	11880	09S 17E 17	GRRV			"		
4301331578	11880	09S 17E 16	GRRV			mL3453B		
4301331582	11880	09S 17E 17	GRRV			UTU 74108		
4301331619	11891	09S 16E 8	GRRV			U020255		
4301331618	11893	09S 16E 9	GRRV			U020254		
4304732730	11901	09S 18E 19	GRRV			U65636		
4304732726	11902	09S 18E 21	GRRV			U68105		
4301331593	11904	09S 17E 11	GRRV			U65210		
4301331587	11917	08S 17E 22	GRRV			U67846		
4301331589	11933	09S 16E 6	GRRV			U74396		
TOTALS								

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____
 Name and Signature: _____ Telephone Number: _____

RECEIVED

OCT 10 1997



October 7, 1997

Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078



RE: Change of Operator
Duchesne & Vernal Counties, Utah

Dear Mr. Forsman:

Please find attached Sundry Notices and Reports on Wells for Change of Operator, previously operated by Equitable Resources Energy Company for approval.


If you should have questions regarding this matter, please do not hesitate to contact me at the number listed below.

Sincerely,

INLAND PRODUCTION COMPANY

Patsy Barreau
Patsy Barreau

/pb
encls.



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Inland Production Company

3. Address and Telephone No.
 475 - 17th Street, Suite 1500, Denver, CO 80202 (303) 292-0900

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 See Attached Exhibit

RECEIVED
OCT 13 1997

5. Lease Designation and Serial No.
 See Attached

6. If Indian, Allottee or Tribe Name
 See Attached

7. If Unit or CA, Agreement Designation
 See Attached

8. Well Name and No.
 See Attached

9. API Well No.
 See Attached

10. Field and Pool, or Exploratory Area
 See Attached

11. County or Parish, State
 See Attached

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective September 30, 1997, Inland Production Company will take over operations of the wells on the attached list. The previous operator was:
 Equitable Resources Energy Company
 1601 Lewis Avenue
 Billings, MT 59102

Effective September 30, 1997, Inland Production Company is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under BLM Bond No. UT0056 issued by The Hartford Insurance Group.

RECEIVED
OCT 10 1997

14. I hereby certify that the foregoing is true and correct
 Signed Chris A. Potter Title CHRIS A. POTTER, ATTORNEY-IN-FACT Date 9/30/97

(This space for Federal or State office use)
 Approved by _____ Title _____ Date _____
 Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior


BUREAU OF LAND MANAGEMENT

Vernal District Office
170 South 500 East
Vernal, Utah 84078-2799

Phone: (801) 781-4400
Fax: (801) 781-4410

IN REPLY REFER TO:
3162.3
UT08438

November 20, 1997



Inland Production Company
475 17th Street, Suite 1500
Denver, CO 80202


43-013-31587
Re: Well No. Mon. Fed. 31-22-8-17
NWNE, Sec. 22, T8S, R17E
Lease U-76240
Duchesne County, Utah

Dear Sir:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, Inland Production Company is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. UT0056, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (435) 781-4400.

Sincerely,


Howard B. Cleavinger II
Assistant Field Manager,
Minerals Resources

cc: ~~Division of Oil, Gas & Mining~~
Equitable Resources Energy Company

INLAND

Inland Resources Change of Operator							
WELL NAME	LOCATION	COUNTY	ST	FIELD NAME	API NUMBER	LEASE NO.	AGEEMENT
AMERADA GUINAND #1	SWNW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-20245-00	UTU016271V	UTU72085A
✓ COYOTE BASIN #1-12	NESE 128S 24E	UINTAH	UT	COYOTE BASIN	43-047-20221-00	UTU58226	UTU72085A
COYOTE BASIN #32-6	6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-31835-00	UTU020309D	UTU72085A
COYOTE BASIN #42-6X	SENE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-32346-00	UTU017439B	UTU72085A
✓ COYOTE BASIN FED. #13-7	NWSW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32255-00	UTU41377	UTU72085A
✓ COYOTE BASIN FEDERAL #12-13	SWNW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-31266-00		UTU72085A
✓ COYOTE BASIN FEDERAL #13-5	NWSW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32261-00	UTU063597A	UTU72085A
✓ COYOTE BASIN FEDERAL #13-13	NWSW 138S 24E	UINTAH	UT	COYOTE BASIN	43-047-32196-00	UTU67208	UTU72085A
✓ COYOTE BASIN FEDERAL #21-7	NENW 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31673-00	UTU41377	UTU72085A
✓ COYOTE BASIN FEDERAL #22-7	SENW 7 9S 25E	UINTAH	UT	COYOTE BASIN	43-047-32256-00	UTU41377	UTU72085A
✓ COYOTE BASIN FEDERAL #33-5	NWSE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32257-00	UTU063597A	UTU72085A
✓ COYOTE BASIN FEDERAL #43-12	NESE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-30943-00	UTU038797	UTU72085A
✓ COYOTE FEDERAL #12-5	SWNW 5 8S 25E	UNITAH	UT	COYOTE BASIN	43-047-32253-00	UTU063597A	UTU72085A
✓ COYOTE FEDERAL #21-5	NENW 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32260-00	UTU063597A	UTU72085A
✓ COYOTE FEDERAL #31-7	NWNE 7 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-32254-00	UTU020309D	UTU72085A
✓ EAST RED WASH #2-5	NWNW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20252-00	UTU063597A	UTU72085A
✓ EAST RED WASH FED. #1-12	SWNE 128S 24E	UINTA	UT	COYOTE BASIN	43-047-20207-00	UTU038797	UTU72085A
✓ EAST RED WASH FED. #4-6	SWSE 6 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-20261-00	UTU020309D	UTU72085A
✓ EAST RED WASH FEDERA #1-13	NENW 138S 24E	UINTA	UT	COYOTE BASIN	43-047-20222-00	UTU018073	UTU72085A
✓ EAST RED WASH FEDERA #1-5	SENW 5 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20174-00	UTU063597A	UTU72085A
✓ EAST RED WASH FEDERA #1-6	NESE 6 8S 25E	UINTA	UT	COYOTE BASIN	43-047-20208-00	UTU017439B	UTU72085A
✓ FEDERAL #14-4	SWSW 4 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-15678-00	UTU41376	UTU72085A
✓ TXO FEDERAL #2	SENE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31567-00	UTU41376	UTU72085A
✓ TXO FEDERAL #1	SWNE 5 8S 25E	UINTAH	UT	COYOTE BASIN	43-047-31406-00	UTU41376	UTU72085A
✓ BALCRON FEDERAL #12-20Y	SWNW 209S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32617-00	UTU64917	
✓ BALCRON FEDERAL #31-19Y	NWNE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32614-00	UTU65635	
✓ BALCRON FEDERAL #32-19Y	SW NE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32615-00	UTU65635	
✓ BALCRON FEDERAL #42-19Y	SENE 199S 18E	UINTAH	UT	EIGHT MILE FLAT (8)	43-047-32616-00	UTU65635	
✓ BALCRON FEDERAL #31-5Y	NWNE 5 9S 18E	UINTAH	UT	EIGHT MILE FLAT (U)	43-047-32503-00	UTU65970	
✓ BALCRON FEDERAL #11-22Y	NW NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31539-00	UTU66191	
✓ BALCRON FEDERAL #12-22Y	SWNW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31476-00	UTU66191	
✓ BALCRON FEDERAL #22-22Y	SE NW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31538-00	UTU76240	
✓ FEDERAL #1-26	NENW 268S 17E	UINTAH	UT	MONUMENT BUTTE (22)	43-047-31953-00	UTU76240	
✓ MONUMENT FEDERAL #13-22Y	NW SW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31583-00	UTU76240	
✓ MONUMENT FEDERAL #23-22-8-17	NESW 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31702-00	UTU76240	
✓ MONUMENT FEDERAL ##31-22	NW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31587-00	UTU76240	
✓ MONUMENT FEDERAL #32-22-8-17	SW NE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31586-00	UTU76240	
✓ MONUMENT FEDERAL #33-22-8-17	NWSE 228S 17E	DUCHESNE	UT	MONUMENT BUTTE (22)	43-013-31588-00	UTU76240	
✓ BALCRON FEDERAL #11-20Y	NW NW 209S 18E	UINTAH	UT	MONUMENT BUTTE (8)	43-047-32712-00	UTU64917	



EQUITABLE RESOURCES ENERGY COMPANY

WESTERN REGION

(406) 259-7860 Telephone

(406) 245-1361 Fax

December 10, 1997

Lisha
State of Utah
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Lisha:

RE: Equitable Sale of Utah Properties

Effective September 30, 1997, Equitable Resources Energy Company sold all of its Utah properties to Inland Production Company.

Please feel free to contact me if you require additional information.

Sincerely,

Molly Conrad
Agent for Equitable Resources
Energy Company

/mc



Crazy Mountain Oil & Gas Services
P.O. Box 577
Laurel, MT 59044
(406) 628-4164
(406) 628-4165

TO: *Lisha*
St of Utah.

FROM: Molly Conrad
Crazy Mountain Oil & Gas Services
(406) 628-4164

Pages Attached - Including Cover Sheet *2.*

NOTE: *Here is the letter you requested.
Call if you need anything
further.*

OPERATOR CHANGE WORKSHEET

Routing	
1-LEC ✓	6-VEC ✓
2-GLH ✓	7-KAS ✓
3-DTS ✓	8-SI ✓
4-VLD ✓	9-FILE ✓
5-JRB ✓	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed, effective: 9-30-97

TO: (new operator) INLAND PRODUCTION COMPANY FROM: (old operator) EQUITABLE RESOURCES COMPANY
 (address) PO BOX 1446 (address) PO BOX 577
ROOSEVELT UT 84066 LAUREL MT 59044
C/O CRAZY MTN O&G
 Phone: (801) 722-5103 Phone: (406) 628-4164
 Account no. N5160 Account no. N9890

WELL(S) attach additional page if needed:

Name: **SEE ATTACHED**	API: <u>43-013-32587</u>	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- lec 1. (r649-8-10) Sundry or other legal documentation has been received from the FORMER operator (attach to this form). *(Rec'd 12-10-97)*
- lec 2. (r649-8-10) Sundry or other legal documentation has been received from the NEW operator (Attach to this form). *(Rec'd 10-20-97)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is the company registered with the state? (yes/no) _____ If yes, show company file number: _____
- lec 4. FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of Federal and Indian well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below.
- lec 5. Changes have been entered in the Oil and Gas Information System (3270) for each well listed above. *(12-2-97)*
- lec 6. Cardex file has been updated for each well listed above. *(12-3-97)*
- lec 7. Well file labels have been updated for each well listed above. *(12-3-97)*
- lec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(12-3-97)*
- lec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Jec 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- N/A 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been **notified** through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

- N/A
Jec 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operator's bond files.
- ___ 3. The FORMER operator has requested a release of liability from their bond (yes/no) ____, as of today's date _____. If yes, division response was made to this request by letter dated _____.

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- N/A 1. Copies of documents have been sent on _____ to _____ at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
- N/A 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated ^{12/5/97} _____ 19 ____, of their responsibility to notify all interest owners of this change.

FILMING

- VB 1. All attachments to this form have been **microfilmed**. Today's date: 1.7.98.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The **original of this form**, and the **original attachments** are now being filed in the Operator Change file.

COMMENTS

991202 Blm/Vernal Aprv. Nov. 10, 13 & 20, 1997.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

U-67846

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

NA

8. Well Name and No.

MONUMENT FEDERAL 31-22-8-17

9. API Well No.

43-013-31587

10. Field and Pool, or Exploratory Area

TREATY BOUNDARY

11. County or Parish, State

DUCHESNE COUNTY, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

INLAND PRODUCTION COMPANY

3. Address and Telephone No.

475 17TH STREET, SUITE 1500, DENVER, COLORADO 80202 (303) 292-0900

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

1036 FNL 2338 FEL NW/NE Section 22, T08S R17E

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice


Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Site Security

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Attached please find the site security diagram for the above referenced well.



14. I hereby certify that the foregoing is true and correct

Signed

Debbie E. Knight

Title

Manager, Regulatory Compliance

Date

10/30/98

(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:

CC: UTAH DOGM

Inland Production Company Site Facility Diagram

Monument Federal 31-22

NW/NE Sec. 22, T8S, 17E

Duchesne County

May 12, 1998

Site Security Plan is held at the Roosevelt Office, Roosevelt Utah

Production Phase:

- 1) Valves 1 and 3 sealed closed
- 2) Valves 2 and 4 sealed open

Sales Phase:

- 1) Valves 1, 2, 4, 5 sealed closed
- 2) Valves 1 open


Draining Phase:

- 1) Valve 3 open

Diked Section

Gas Sales Meter

Pumping Unit



Emulsion Line
Load Line	————
Water Line	- - - - -
Gas Sales	- · - · - ·

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U-67846

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
NA

8. Well Name and No.
MONUMENT FEDERAL 31-22-8-17

9. API Well No.
43-013-31587

10. Field and Pool, or Exploratory Area
TREATY BOUNDARY

11. County or Parish, State
DUCHESNE COUNTY, UTAH

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
INLAND PRODUCTION COMPANY

3. Address and Telephone No.
475 17TH STREET, SUITE 1500, DENVER, COLORADO 80202 (303) 292-0900

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)
1036 FNL 2338 FEL NW/NE Section 22, T08S R17E


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Lease Number Change</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Please be advised that the lease number for the above referenced well should be changed to UTU-77233.



14. I hereby certify that the foregoing is true and correct
Signed Debbie E. Knight Title Manager, Regulatory Compliance Date 11/30/98

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____

Conditions of approval, if any:

CC: UTAH DOGM

OPERATOR INLAND PRODUCTION COMPANY

OPERATOR ACCT. NO. N 5160

ADDRESS _____

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
D	11917	12299	43-013-31587	MONUMENT FED 31-22-8-17	NWNE	22	8S	17E	DUCHESNE		12-1-98
WELL 1 COMMENTS: 990216 CANVASBACK UNIT/GRRV EFFECTIVE 12-1-98; ENTITY CHANGED.											
D	11845	12299	43-013-31539	MONUMENT FED 11-22Y-8-17	NWNW	22	8S	17E	DUCHESNE		12-1-98
WELL 2 COMMENTS: 990216 CANVASBACK UNIT/GRRV EFFECTIVE 12-1-98; ENTITY CHANGED.											
D	11717	12299	43-013-31476	MONUMENT FED 12-22Y-8-17	SWNW	22	8S	17E	DUCHESNE		12-1-98
WELL 3 COMMENTS: 990216 CANVASBACK UNIT/GRRV EFFECTIVE 12-1-98; ENTITY CHANGED.											
D	11842	12299	43-013-31538	MONUMENT FED 22-22Y-8-17	SENW	22	8S	17E	DUCHESNE		12-1-98
WELL 4 COMMENTS: 990216 CANVASBACK UNIT/GRRV EFFECTIVE 12-1-98; ENTITY CHANGED.											
D	11959	12299	43-013-31586	MONUMENT FED 32-22-8-17	SWNE	22	8S	17E	DUCHESNE		12-1-98
WELL 5 COMMENTS: 990216 CANVASBACK UNIT/GRRV EFFECTIVE 12-1-98; ENTITY CHANGED.											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

DOGM (KDR)


Signature _____

2-16-99

Title _____

Date _____

Phone No. () _____



February 10, 1999

State of Utah
Division of Oil, Gas & Mining
Attn: Kristen Risbeck
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Dear Kristen:

Thank you so much for your assistance yesterday with the Canvasback Unit. As we unitize areas and get the final approval, we have always in the past selected one well within the unit and assigned that entity number to the unit.

The entity number that you and I selected yesterday was 12299. This has been the entity number for the Pariette Draw #8-22 and now it will be the entity number for the whole Canvasback Unit. This entity number change will be effective December 1, 1998.

I am enclosing a listing of all the wells currently in the Canvasback Unit. I have listed the name of the well with the old entity number and the A.P.I. number. In the future any wells drilled within this unit will be assigned the entity number of 12299.

If you have any questions or need further information, please don't hesitate to call me.

Sincerely,



Kebbie S. Jones
District Administrator

Enclosures

/kj

CANVASBACK UNIT - ENTITY #12299

FIELD	WELL NAME	OLD ENTITY #	API NUMBER	
CANVASBACK UNIT	MONUMENT FEDERAL #31-22-8-17	11917	43-013-31587	NWNE S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #11-22Y-8-17	11845	43-013-31539	NWNW S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #12-22Y-8-17	11717	43-013-31476	SWNW S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #22-22Y-8-17	11842	43-013-31538	SENW S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #32-22-8-17	11959	43-013-31586	SWNE S22T8S R17E
CANVASBACK UNIT	PARIETTE DRAW FEDERAL #8-22-8-17	12299	43-013-31826	SENE S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #33-22-8-17	12024	43-013-31588	NWSE S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #23-22-8-17	12031	43-013-31702	NESW S22T8S R17E
CANVASBACK UNIT	MONUMENT FEDERAL #13-22Y-8-17	11942	43-013-31583	NWSW S22T8S R17E

RECEIVED

FEB 11 1999

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
~~UTU77376X~~ UTU 77233

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or
CANVASBACK UNIT

8. Well Name and No.
MONUMENT FEDERAL 31-22-8-17

9. API Well No.
4301331587

10. Field and Pool, or Exploratory Area
Monument Butte

11. County or Parish, State
Duchesne, UT

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Inland Production Company

3a. Address Route 3 Box 3630
Myton, UT 84052

3b. Phone (include area code)
435.646.3721

4. Location of (Footage, Sec., T., R., M., or Survey Description)
1036 FNL 2338 FEL
NW/NE Section 22 T8S R17E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input checked="" type="checkbox"/> Recomplete	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontalley, give subsurface locations and measured and tur vericaldepths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 sahill be filed once testing has been completed. Final

Subject well had recompleation procedures initiated in the Green River formation on 9/5/03. Existing production equipment was pulled from well. A bit and scraper were run in well. Three new, and two existing, Green River intervals were perforated and hydraulically fracture treated as follows: Stage #1: CP2 sands @ 6260'-6266', CP1 sands @ 6220'-6230', 6187'-6210, and CP.5 sands @ 6158'-6162' (all 4 JSPF) were fraced down 2 7/8 N-80 tubing w/ 108,376# 20/40 sand in 851 Bbbs Viking I-25 fluid. Stage #2: Existing C sands 5509'-5538', and new C sands @ 5526'-5530' (4 JSPF), were fraced down 2 7/8 N-80 tubing w/ 34,247# 20/40 sand in 296 Bbbs Viking I-25 fluid. Existing D1 sands @ 5312'-5334' were re-fraced down 5 1/2 15.5# casing w/ 37,483# 20/40 sand in 429 Bbbs Viking I-25 fluid. Stage #3: GB6 sands @ 4853'-4858', and GB4 sands @ 4814'-4820' (both 4 JSPF) were fraced down 5 1/2 15.5# casing w/ 28,204# 20/40 sand in 328 Bbbs Viking I-25 fluid. Fracs were flowed back through chokes. Sand was cleaned from wellbore to PBTD @ 6282'. Intervals were swab tested for sand cleanup. BHA and production tubing were run in well with tubing anchor @ 6078', pump seat nipple @ 6112', and end of tubing string @ 6172'. A repaired 1 1/2" bore rod pump was run in well on sucker rods. Well was placed on production via rod pump 9/15/03.

RECEIVED

NOV 12 2003

DIV. OF OIL, GAS & MINING

I hereby certify that the foregoing is true and correct (Printed/ Typed) Matthew Richmond	Title Production Clerk
Signature 	Date 11/11/2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or which would entitle the applicant to conduct operations thereon. certify that the applicant holds legal or equitable title to those rights in the subject lease	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)



United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, UT 84145-0155

<http://www.blm.gov>

IN REPLY REFER TO:
3106
(UT-924)

September 16, 2004

Memorandum

To: Vernal Field Office

From: Acting Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard
Acting Chief, Branch of
Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

Corporations Section
P.O.Box 13697
Austin, Texas 78711-3697



Geoffrey S. Connor
Secretary of State

Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT
TO THE
ARTICLES OF INCORPORATION
OF
INLAND PRODUCTION COMPANY

FILED
In the Office of the
Secretary of State of Texas
SEP 02 2004
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs
Susan G. Riggs, Treasurer

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

9/1/2004

FROM: (Old Operator): N5160-Inland Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721	TO: (New Operator): N2695-Newfield Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721
---	--

CA No.

Unit:

CANVASBACK (GREEN RIVER)

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BALCRON FED 12-22Y	22	080S	170E	4301331476	12299	Federal	WI	A
BALCRON MON FED 22-22-8-17Y	22	080S	170E	4301331538	12299	Federal	OW	P
BALCRON MON FED 11-22-8-17Y	22	080S	170E	4301331539	12299	Federal	OW	P
MON FED 13-22-8-17Y	22	080S	170E	4301331583	12299	Federal	OW	S
MON FED 32-22-8-17	22	080S	170E	4301331586	12299	Federal	WI	A
MON FED 31-22-8-17	22	080S	170E	4301331587	12299	Federal	OW	P
MON FED 33-22-8-17	22	080S	170E	4301331588	12299	Federal	OW	P
MON FED 23-22-8-17Y	22	080S	170E	4301331702	12299	Federal	WI	A
PARIETTE DRAW 8-22	22	080S	170E	4301331826	12299	Federal	OW	P
CANVASBACK 13A-22-8-17	22	080S	170E	4301332238	12299	Federal	OW	P
CANVASBACK 14-22-8-17	22	080S	170E	4301332239	12299	Federal	OW	P
CANVASBACK 15-22-8-17	22	080S	170E	4301332240	12299	Federal	OW	P
CANVASBACK 16-22-8-17	22	080S	170E	4301332241	12299	Federal	OW	P
FEDERAL 13-23-8-17	23	080S	170E	4301332340	12299	Federal	OW	P
CANVASBACK 12-23-8-17	23	080S	170E	4301332341	12299	Federal	OW	P
CANVASBACK 4-23-8-17	23	080S	170E	4301332342	12299	Federal	OW	P
CANVASBACK 5-23-8-17	23	080S	170E	4301332343	12299	Federal	OW	P
FEDERAL 14-23-8-17	23	080S	170E	4304734556	12299	Federal	OW	P
CANVASBACK 15-23-8-17	23	080S	170E	4304734557	12299	Federal	D	PA
CANVASBACK 3-23-8-17	23	080S	170E	4304734567	12299	Federal	OW	P

K
K

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2005
- Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
- If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: IN PLACE
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 2/28/2005
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UT 0056

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 61BSBDH2912

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a*
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05