

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____

E WATER SANDS _____ LOCATION INSPECTED _____

SUB. REPORT/abd _____

990125 Conf Exp!

DATE FILED OCTOBER 14, 1997

LAND: FEE & PATENTED _____ STATE LEASE NO. _____ PUBLIC LEASE NO. _____ INDIAN # _____

DRILLING APPROVED: OCTOBER 27, 1997 14-20-H62-4736

SPUDDED IN: 11-23-97

COMPLETED: 12-25-97 POW PUT TO PRODUCING: 1-19-1998

INITIAL PRODUCTION: Oil-169 BBL G-30 MCF W-148 BBL

GRAVITY A.P.I. _____

GOR _____

PRODUCING ZONES: 4559-6432'

TOTAL DEPTH: 6577'

WELL ELEVATION: 5796'

DATE ABANDONED: _____

FIELD: UNDESIGNATED

UNIT: _____

COUNTY: DUCHESNE

WELL NO. UTE TRIBAL 33-08-D3

API NO. 43-013-31956

LOCATION 1848 FNL FT. FROM (N) (S) LINE, 762 FEL FT. FROM (E) (W) LINE SE NE 1/4 - 1/4 SEC. 33

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
4S	3W	33	PETROGLYPH OPERATING				

GEOLOGIC TOPS:

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgait Tongue	Ouray
Green River	Frontier	Phosphoria	Elbert
<i>B-MKR 4152</i>	Dakota	Park City	McCracken
<i>X-MKR 4658</i>	Burro Canyon	Rico (Goodridge)	Aneth
<i>DOUGLAS CR 4800</i>	Cedar Mountain	Supai	Simonson Dolomite
<i>Blime Stone 5196</i>	Buckhorn	Wolfcamp	Sevy Dolomite
<i>Castle Peak 5800</i>	JURASSIC	CARBONIFEROUS	North Point
<i>Wasatch Basalt Ck 6180</i>	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafael Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE-CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		

ACME VISIBLE

100730

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
 DRILL DEEPEN

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 PETROGLYPH OPERATING CO., INC.

3. ADDRESS AND TELEPHONE NO.
 P.O. BOX 607, ROOSEVELT, UTAH 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 1848' FNL & 762' FEL SE/NE
 At proposed prod. zone 232'

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 15.4 MILES SOUTHWEST OF MYTON, UTAH

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 762'±

16. NO. OF ACRES IN LEASE 369.92

17. NO. OF ACRES ASSIGNED TO THIS WELL 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 6577'

19. PROPOSED DEPTH 6577'

20. ROTARY OR CABLE TOOLS ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5786.5' GRADED GROUND

22. APPROX. DATE WORK WILL START* OCTOBER 1997

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-H62-4736

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.
 UTE TRIBAL

9. API WELL NO.
 #33-08-D3

10. FIELD AND POOL, OR WILDCAT
 ANTELOPE CREEK

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 SEC. 33, T4S, R3W

12. COUNTY OR PARISH DUCHESNE

13. STATE UTAH

CONFIDENTIAL


PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24.0#	250'	135 SX CLASS "G" + 2% CaCl ₂ + 1/4 #/SX CELLOFLAKE. 50/50 POZMIX + 2% GEL + 10% SALT TO 400' ABOVE ALL ZONES OF INTEREST (+ 10% EXCESS). LIGHT CEMENT (11 PPG+) + LCM TO 200' ABOVE OIL SHALE OR FRESH WATER INTERVALS (+5% EXCESS).
7 7/8"	5 1/2"	15.5#	6577'	

CONFIDENTIAL

PETROGLYPH OPERATING COMPANY, INC. WILL BE THE DESIGNATED OPERATOR OF THE SUBJECT WELL UNDER BOND #4556.

pc: Utah Division of Oil, Gas, and Mining
Bureau of Indian Affairs, Fort Duchesne, Utah



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNED [Signature] TITLE AGENT FOR PETROGLYPH DATE 10-3-97

(This space for Federal or State office use)

PERMIT NO. 43 013-31956 APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Associate Director DATE 10/27/97

*See Instructions On Reverse Side


T4S, R3W, U.S.B.&M.

PETROGLYPH OPERATING CO., INC.

Well Location, UTE TRIBAL #33-08-D3, located as shown in the SE 1/4 NE 1/4 of Section 33, T4S, R3W, U.S.B.&M. Duchesne County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 33, T4S, R3W, U.S.B.&M. TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5938 FEET.



SCALE

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Revised: 9-11-97 C.B.T.

Robert L. Kay
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161519
STATE OF UTAH

UNTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(801) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 7-8-97	DATE DRAWN: 7-22-97
PARTY D.A. K.H. D.COX	REFERENCES G.L.O. PLAT	
WEATHER COOL	FILE PETROGLYPH OPERATING CO., INC.	

S89°55'W - 40.25 (G.L.O.)
N89°54'12"W - 2637.87' (Meas.)

Pile of Stones,
5/8" Rebar

Alum. Cap

1848'

N00°19'08"W - 2638.37' (Meas.)

UTE TRIBAL #33-08-D3
Elev. Ungraded Ground - 5787'

762'

Pile of Stones,
Set 5/8" Rebar

33

N01°57'14"W - 2434.44' (Meas.)

Corner Re-established
Mathematically

NOTE:
BASIS OF BEARINGS IS THE EAST LINE OF THE NE 1/4 OF SECTION 5, T5S, R3W, U.S.B.&M. WHICH IS ASSUMED FROM G.L.O. INFORMATION TO BEAR N0°02'E

Lot 4

Lot 3

Lot 2

Lot 1

N89°42'09"E
424.66'

N89°54'41"E - 5305.35' (Meas.)

A.P. Pile of Stones

S89°55'15"W
379.48'


LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = SECTION CORNERS LOCATED.
- = A.P. = ANGLE POINT
- = Section Corners Re-established Mathematically. (Not Set on Ground)

Petroglyph Operating Co., Inc.
P.O. Box 1839
Hutchinson, KS 67504-1839

October 3, 1997

Utah Division of Oil, Gas, & Mining
1594 West North Temple
Box 145801
Salt Lake City, UT 84114-5801



RE: APPLICATION FOR PERMIT TO DRILL
UTE TRIBAL #33-08-D3
SE/NE SEC. 33, T4S, R3W
DUCHESNE COUNTY, UTAH
LEASE NO. 14-20-H62-4736
SURFACE OWNER: Orvin J. and Delphia
Moon

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter
P.O. Box 1910
Vernal, UT 84078
Phone # (801) 789-4120
Fax # (801) 789-1420

Sincerely,

A handwritten signature in cursive script, appearing to read "Ed Trotter".

Ed Trotter
Agent

Petroglyph Operating Co., Inc.

Attachments

/EHT/dmt

EIGHT POINT PLAN

UTE TRIBAL #33-08-D3
SE/NE, SEC. 33, T4S R3W
DUCHESNE COUNTY, UTAH

1. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

FORMATIONS	DEPTH	SUBSEA
Mahogany Shale	3064	2733
"X" Marker	4719	1078
Douglas Creek	4857	940
"B" Limestone	5270	527
B/Castle Peak Limestone	5856	-59
Basal Carbonate Limestone	6247	-450
Total Depth	6577	-780
Anticipated BHP	2000 psi	

2. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS FORMATIONS:

Substance	Formation	Depth	Subsea
Oil/Gas	Douglas Creek	4857	940
Oil/Gas	B/Castle Peak	5856	-59
Other mineral zones	N/A		

3. PRESSURE CONTROL EQUIPMENT : BOP Schematic Diagram attached.

4. CASING PROGRAM :

<u>HOLE SIZE</u>	<u>INTERVAL</u>	<u>LENGTH</u>	<u>SIZE</u>	<u>WEIGHT</u>	<u>GRADE</u>	<u>MINIMUM SAFETY FACTOR</u>		
						<u>COLLAPSE</u>	<u>BURST</u>	<u>TENSILE</u>
12 1/4	0' - 250'	250'	8 5/8	24.0 #	J-55	1370 PSI	2950 PSI	263,000#
7 7/8	0' - 6577'	6577'	5 1/2	15.5 #	M-50	3650 PSI	4550 PSI	186,000#

All casing will be new or inspected.

EIGHT POINT PLAN

UTE TRIBAL #33-08-D3
SE/NE, SEC. 33, T4S R3W
DUCHESNE COUNTY, UTAH

5. MUD PROGRAM

INTERVAL

0' - 250'
250' - 4000'
4000' - TD
TD

MUD TYPE

Air
Air/Mist & Aerated Water
Air/3% KCL water or KCL substitute
Gel/polyacrylamide polymer w/5-10% LCM

Sufficient mud inventory will be maintained on location during drilling to handle any adverse conditions that may arise.

6. VARIANCE REQUESTS:

- A. Petroglyph Operating Co., Inc. requests a variance to regulations requiring a straight run blooie line.
- B. Petroglyph Operating Co., Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line.

7. EVALUATION PROGRAM:

Logs: Mud Logging	T.D. to base of surface csg.
Compensated Density-Compensated Neutron Log	T.D. to base of surface csg.
Dual Laterolog - Micro-SFL	T.D. to base of surface csg.
Numar (Magnetic Resonance Imaging Log)	@ Geologists discretion

Cores: None Programmed

DST: None Programmed

Completion: To be submitted at a later date.

8. ABNORMAL CONDITIONS:

None anticipated.

EIGHT POINT PLAN

UTE TRIBAL #33-08-D3
SE/NE, SEC. 33, T4S R3W
DUCHESNE COUNTY, UTAH

9. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

10. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


(Attachment: BOP Schematic Diagram)

2000 PSIG DIAGRAM

BOTH RAMS ARE 2000 PSIG RATED.
CASING FLANGE IS 9" 2000 PSIG RATED.
BOPE 9" 2000 PSIG

TESTING PROCEDURE:

1. BOPE 's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
2. Blind & Pipe rams will be tested to rated working pressure, 2000 psig
3. Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst strength, whichever is greater.
4. All lines subject to well pressure will be pressure tested to the same pressure as blind & pipe rams.
5. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 2000 psig BOPE specifications.



CONDITIONS OF APPROVAL
FOR THE SURFACE USE PROGRAM OF THE
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Petroglyph Operating Company
Well Name & Number: UTE TRIBAL #33-08-D3
Lease Number: 14-20-H62-4736
Location: 1848' FNL & 762' FEL, SE/NE, Sec. 33, T4S, R3W
U.S.B.&M., Duchesne County, Utah
Surface Ownership: Orvin J. and Delphia Moon

NOTIFICATION REQUIREMENTS

- Location Construction - forty-eight (48) hours prior to construction of location and access roads.
- Location Completion - prior to moving on the drilling rig.
- Spud Notice - at least twenty-four (24) hours prior to spudding the well.
- Casing String and Cementing - twenty-four (24) hours prior to running casing and cementing all casing strings.
- BOP and related Equipment Tests - twenty-four (24) hours prior to running casing and tests.
- First Production Notice - within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice To Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 15.4 miles southwest of Myton, Utah - See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. The access road will be approximately 0.4 miles in length.
See attached TOPO Map "B"
- B. The access road has a 30 foot ROW w/18 foot running surface.
- C. Maximum grade on access road will be 8%
- D. No turnouts will be required.
- E. Road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. No culverts, bridges or major cuts & fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road.

Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of- Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, Petroglyph Operating Company shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION

- A. Water wells - None
 - B. Abandoned wells - None
 - C. Temporarily abandoned wells - None.
 - D. Disposal wells - None.
 - E. Drilling wells - None.
 - F. Producing wells - 6*
 - G. Shut in wells - None
 - H. Injection wells - None
- (*See attached TOPO map "C" for location)

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. ON WELL PAD

- 1. Tank batteries - None
- 2. Production facilities - None
- 3. Oil gathering lines - None
- 4. Gas gathering lines- None
- 5. Injection lines - None

6. Disposal lines - None
7. Surface pits - None

B. OFF WELL PAD

1. A 4 1/2" OD steel above ground production pipeline will be laid approximately 2090' from proposed location to a point in the SW/NW of Section 34, T4S, R3W, where it will tie into Petroglyph Operating Co., Inc.'s existing pipeline. Proposed pipeline crosses privately owned surface, thus a Right-of-Way grant will be required.
2. Proposed pipeline will be a 4 1/2" OD steel, welded line laid on the surface.
3. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.
If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the largest tank within the facility/battery.
The production facilities will be placed on the Southeast side of the location.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from Target Trucking's Roosevelt Brine Storage and/or Target's water source in SE 1/4, Sec. 1, T 4S, R 5W Duchesne County, Utah (State water right #43-10152). All water will come from a non-depletable source.
- B. Water will be hauled by Target Trucking.
- C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of location.
- B. All construction material will come from Private Land.
- C. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL

A. METHODS AND LOCATION

1. Cuttings will be confined in the reserve pit.
2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Roosevelt sewage disposal plant.
3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at an approved waste disposal facility.
4. Produced waste water will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, together with the required water analysis, will be submitted for the AO's approval.
5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on drilling rig to avoid leakage of oil to pit.

- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in reserve pit or be removed and disposed of at an authorized disposal site.

Introduction of well bore hydrocarbons to reserve pit will be avoided by flaring them off in flare pit at time of recovery.

Burning of trash will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On Privately owned surface :

The reserve pit will be constructed so as not to leak, break, or allow discharge.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with Onshore Order No.7, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

8. ANCILLARY FACILITIES

- A. No airstrips or camps are planned for this well.

9. WELL SITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills & cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation parking areas, and access road.

The reserve pit will be located on the Northwest side of the location.
The flare pit will be located downwind of the prevailing wind direction on the Northwest side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.
The stockpiled topsoil will be stored on the Southwest end.

Access to the well pad will be from the East.

N/A Diversion ditch(es) shall be constructed on the _____ side of the location (above/below) the cut slope, draining to the _____

N/A Soil compacted earthen berm(s) shall be placed on the _____ side(s) of the location between the _____

N/A The drainage(s) shall be diverted around the sides of the well pad location.

N/A The reserve pit and/or pad locations shall be constructed long and narrow for topographic reasons _____

X Corners No. 4 & 8 will be rounded off to minimize excavation.

FENCING REQUIREMENTS

All pits will be fenced according to the following minimum standards:

- A. 39 inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16'.
- C. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for

production facilities/operations will be recontoured to the approximate natural contours.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment.

11. SURFACE OWNERSHIP

Access road: Private

Location: Private

12. Additional Surface Stipulations

N/A No construction or drilling activities shall be conducted between _____ and _____ because of _____

N/A No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.

N/A No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.

N/A There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).

N/A No cottonwood trees will be removed or damaged.

N/A Pond will be constructed according to BLM specifications approximately ft. of the location, as flagged on onsite.

LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

PERMITTING

Ed Trotter

P.O. Box 1910

Vernal UT 84078

Telephone # (801)789-4120

Fax # (801) 789-1420

OPERATIONS

Vince Guinn

P.O. Box 607

Roosevelt, UT 84066

(801) 722-2531

Fax # (801) 722-9145

All lease/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to


Lessees. Petroglyph Operating Company is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in the Plan are to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Petroglyph Operating Company and its contractors and sub-contractors in conformity with this Plan and the terms and conditions under which it is approved.

10-3-97
Date




Ed Trotter-Agent-
Petroglyph Operating Company

PETROGLYPH OPERATING CO., INC.

LOCATION LAYOUT FOR

UTE TRIBAL #33-08-D3
SECTION 33, T4S, R3W, U.S.B.&M.
1848' FNL 762' FEL





SCALE: 1" = 50'
DATE: 7-23-97
Drawn By: D.COX

NOTE:

Flare Pit is to be located a min. of 100' from the Well Head.

NOTE: Pit Capacity W/2' of Freeboard is ±4,600 Bbls.



Elev. Ungraded Ground at Location Stake = 5787.2'



Elev. Graded Ground at Location Stake = 5786.5'

UINTAH ENGINEERING & LAND SURVEYING
86 So. 200 East • Vernal, Utah 84078 • (801) 789-1017





PETROGLYPH OPERATING CO., INC.

TYPICAL CROSS SECTIONS FOR

UTE TRIBAL #33-08-D3
SECTION 33, T4S, R3W, U.S.B.&M.
1848' FNL 762' FEL



DATE: 7-23-97
Drawn By: D.COX




APPROXIMATE YARDAGES

(6") Topsoil Stripping	= 960 Cu. Yds.
Remaining Location	= 4,330 Cu. Yds.
TOTAL CUT	= 5,290 CU.YDS.
FILL	= 3,460 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 1,650 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 1,650 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017



LEGEND:

○ PROPOSED LOCATION

PETROGLYPH OPERATING CO., INC.

UTE TRIBAL #33-08-D3
 SECTION 33, T4S, R3W, U.S.B.&M.
 1848' FNL 762' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (801) 789-1017 * FAX (801) 789-1813
 Email: uels@casilink.com


**TOPOGRAPHIC
 MAP**

7	14	97
MONTH	DAY	YEAR

SCALE: 1:100,000 DRAWN BY: J.L.G. REVISED: 00-00-00



R
3
W



LEGEND:

- - - - - PROPOSED ACCESS ROAD
- EXISTING ROAD

PETROGLYPH OPERATING CO., INC.

UTE TRIBAL #33-08-D3
 SECTION 33, T4S, R3W, U.S.B.&M.
 1848' FNL 762' FEL




Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (801) 789-1017 * FAX (801) 789-1813
 Email: ucls@casilink.com

**TOPOGRAPHIC
 MAP**

7 14 97
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: J.L.G. REVISED: 00-00-00





LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED




Utah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (801) 789-1017 * FAX (801) 789-1813
 Email: ucls@casilink.com



PETROGLYPH OPERATING CO., INC.

UTE TRIBAL #33-08-D3
 SECTION 33, T4S, R3W, U.S.B.&M.
 1848' FNL 762' FEL

TOPOGRAPHIC	7	14	97	C TOPO
MAP	MONTH	DAY	YEAR	
SCALE: 1" = 2000'		DRAWN BY: J.L.G.		REVISED: 00-00-00



APPROXIMATE TOTAL CORRIDOR DISTANCE = 2090' +/-

LEGEND:

- EXISTING PIPELINE
- - - PROPOSED PIPELINE
- PROPOSED ACCESS

PETROGLYPH OPERATING CO., INC.

UTE TRIBAL #33-08-D3
SECTION 33, T4S, R3W, U.S.B.&M.
1848' FNL 762' FEL



TOPOGRAPHIC MAP

7	14	97
MONTH	DAY	YEAR

SCALE: 1" = 1000' DRAWN BY: J.L.G. REVISED: 00-00-00

D
TOPO



Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(801) 789-1017 * FAX (801) 789-1813
Email: ucls@casilink.com

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 10/14/97

API NO. ASSIGNED: 43-013-31956

WELL NAME: UTE TRIBAL 33-8-D3
 OPERATOR: PETROGLYPH OPERATING (N3800)

PROPOSED LOCATION:
 SENE 33 - T04S - R03W
 SURFACE: 1848-FNL-0762-FEL
 BOTTOM: 1848-FNL-0762-FEL
 DUCHESNE COUNTY
 UNDESIGNATED FIELD (002)

INSPECT LOCATION BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: IND
 LEASE NUMBER: 14-20-H62-4736

PROPOSED PRODUCING FORMATION: GRRV

RECEIVED AND/OR REVIEWED:


Plat
 Bond: Federal [State [] Fee []
 (Number 4556)
 Potash (Y/N)
 Oil shale (Y/N)
 Water permit
 (Number 40152)
 RDCC Review (Y/N)
 (Date: _____)

LOCATION AND SITING:

R649-2-3. Unit: _____
 R649-3-2. General.
 R649-3-3. Exception.
 Drilling Unit.
 Board Cause no: _____
 Date: _____

COMMENTS: _____

STIPULATIONS: _____




DIVISION OF OIL, GAS & MINING

OPERATOR: PETROGLYPH OPERATING (N3800)

FIELD: UNDESIGNATED (002)

SEC. TWP, RNG: 33 & 34, T4S, R3W

COUNTY: DUCHESNE UAC: R649-2-3 & R649-3-3



DATE PREPARED:
17-OCT-1997



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

1594 West North Temple, Suite 1210

Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

October 27, 1997

Petroglyph Operating Company, Inc.
P.O. Box 607
Roosevelt, Utah 84066

Re: Ute Tribal 33-08-D3 Well, 1848' FNL, 762' FEL, SE NE,
Sec. 33, T. 4 S., R. 3 W., Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-31956.

Sincerely,

A handwritten signature in cursive script that reads "John R. Baza".

John R. Baza
Associate Director

lwp

Enclosures

cc: Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator: Petroglyph Operating Company, Inc.
Well Name & Number: Ute Tribal 33-08-D3
API Number: 43-013-31956
Lease: 14-20-H62-4736
Location: SE NE Sec. 33 T. 4 S. R. 3 W.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jim Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact John R. Baza (801)538-5334.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
 DRILL DEEPEN

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 PETROGLYPH OPERATING CO., INC.

3. ADDRESS AND TELEPHONE NO.
 P.O. BOX 607, ROOSEVELT, UTAH 84066

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 1848' FNL & 762' FEL SE/NE
 At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 15.4 MILES SOUTHWEST OF MYTON, UTAH

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drilg. unit line, if any) 762' ±

16. NO. OF ACRES IN LEASE 369.92

17. NO. OF ACRES ASSIGNED TO THIS WELL 80

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 6577'

19. PROPOSED DEPTH 6577'

20. ROTARY OR CABLE TOOLS ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5786.5' GRADED GROUND

22. APPROX. DATE WORK WILL START* OCTOBER 1997

5. LEASE DESIGNATION AND SERIAL NO.
 14-20-H62-4736

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARMOR LEASE NAME, WELL NO.
 UTE TRIBAL

9. API WELL NO.
 #33-08-D3

10. FIELD AND POOL, OR WILDCAT
 ANTELOPE CREEK

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 SEC. 33, T4S, R3W

12. COUNTY OR PARISH DUCHESNE

13. STATE UTAH

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24.0#	250'	135 SX CLASS "G" + 2% CaCl ₂ + 1/4 #/SX CELLOFLAKE. 50/50 POZMIX + 2% GEL + 10% SALT TO 400' ABOVE ALL ZONES OF INTEREST (+ 10% EXCESS). LIGHT CEMENT (11 PPG+) + LCM TO 200' ABOVE OIL SHALE OR FRESH WATER INTERVALS (+5% EXCESS).
7 7/8"	5 1/2"	15.5#	6577'	

PETROGLYPH OPERATING COMPANY, INC. WILL BE THE DESIGNATED OPERATOR OF THE SUBJECT WELL UNDER BOND #4556.

pc: Utah Division of Oil, Gas, and Mining
 Bureau of Indian Affairs, Fort Duchesne, Utah

RECEIVED

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE AGENT FOR PETROGLYPH DATE 10 3 97

(This space for Federal or State office use)
 NOTICE OF APPROVAL

PERMIT NO. _____ APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE Assistant Field Manager Mineral Resources DATE OCT 24 1997

*See Instructions On Reverse Side

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Petroglyph Operating Company Inc.

Well Name & Number: Ute Tribal 33-08-D3

API Number: 43-013-31956

Lease Number: 14-20-H62-4736

Location: SENE Sec. 33 T.4S R. 3W

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office **prior to setting the next casing string or requesting plugging orders**. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **2M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at 401 ft. or by setting surface casing to 450 ft. and having a cement top for the production casing at least 200 ft. above shallowest potential productive zone. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to the top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Ed Forsman Petroleum Engineer	(801) 789-7077
Wayne P. Bankert Petroleum Engineer	(801) 789-4170
Jerry Kenczka Petroleum Engineer	(801) 789-1190
BLM FAX Machine	(801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

SURFACE USE PROGRAM
Conditions of Approval (COAs)

The Bureau of Indian Affairs Site Specific Environmental Analysis states that.

"The area is owned by a private individual. Petroglyph will comply with the private landowner's request on all mitigative measures."

(Orvin J. and Delphia N. Moon)---Wellpad and the new access road

Noxious weeds will be controlled on the well site and rights-of-way. If noxious weeds spread from the project area onto adjoining land, the company will also be responsible for their control.

STATE OF UTAH
 DIVISION OF OIL, GAS AND MINING
 ENTITY ACTION FORM - FORM 6

OPERATOR Petroglyph Operating Co Inc
 ADDRESS P.O. Box 607
Roosevelt UT 84066

OPERATOR ACCT. NO. N. 3800

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION				SPUD DATE	EFFECTIVE DATE	
					QQ	SC	TP	RG			COUNTY
A	99999	12309	43-03-31954	Ute Tribal 33-08D3	SENE	33	45	36	Duchesne	11-23-97	
WELL 1 COMMENTS: will tie into Tank Battery UT 34-05D3											
WELL 2 COMMENTS: Entity added 3-13-98. fee (Common Tank)											
WELL 3 COMMENTS:											
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

- ACTION CODES (See instructions on back of form)
- A - Establish new entity for new well (single well only)
 - B - Add new well to existing entity (group or unit well)
 - C - Re-assign well from one existing entity to another existing entity
 - D - Re-assign well from one existing entity to a new entity
 - E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

A Deanna K Bell
 Signature
Operations Coordinator 11-25-97
 Title Date
 Phone No. 801-722-2531

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

CONFIDENTIAL

Name of Company: PETROGLYPH OPERATING

Well Name: UTE TRIBAL 33-08-D3

Api No. 43-013-31956

Section: 33 Township: 4S Range: 3W County: DUCHESNE

Drilling Contractor: _____

Rig #

SPUDDED:

Date: 11/23/97

Time: _____

How: _____

Drilling will commence: _____

Reported by: CHUCK WHITE

Telephone NO.: _____

Date: 11/26/97 Signed: JLT

(3)

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
DRILLING INSPECTION FORM

OPERATOR: PETROGLYPH OPERATING CO COMPANY REP: CHUCK WHITE

WELL NAME UTE TRIBAL #33-08D3 API NO 43-013-31956

QTR/QTR: SE/NE SECTION: 33 TWP: 4S RANGE: 3W

CONTRACTOR: UNION DRILLING COMPANY RIG NUMBER: #16

INSPECTOR: DENNIS L INGRAM TIME: 11:00 AM DATE: 11/25/97

SPUD DATE: DRY: 11/23/97 ROTARY: 11/23/97 PROJECTED T.D.: 6577'

OPERATIONS AT TIME OF VISIT: DRILLING AHEAD @ 1626 WITH AIR &

FOAM

WELL SIGN: NEVER MUD WEIGHT 8.4 LBS/GAL BOPE: YES

BLOOIE LINE: Y FLARE PIT: N H2S POTENTIAL: N

ENVIRONMENTAL:

RESERVE PIT: Y FENCED: Y LINED: Y PLASTIC: Y

RUBBER: _____ BENTONITE: _____ SANITATION: (2)

BOPE TEST RECORDED IN THE RIG DAILY TOUR BOOK: YES, TESTED
11/24/97 1800 PSI ON MANIFOLD; 2200 PSI ON ACCUMULATOR.

REMARKS:

(LAST HOLE WAS UT #33-16D3, T.D.'D ON 11/22/97 AT 6529 FEET,

AND RAN 145 JOINTS OF 5 1/2" CASING TO 6500 FEET). OPERATOR HAS

SET 493' OF 8 5/8" 24#, J-55 SURFACE PIPE ON THIS WELL AT 503'.

PRESENTLY, THEY HAVE BIT #3 IN HOLE, A SECURITY S88CFH, WITH

3-24S, MAKING 67 FEET PER HOUR. SURVEYS SHOW 3/4 DEGREES @

528'; AND 1/2 DEGREE @ 1016'. GOOD LINER IN PIT--IS CLEAN.

FORM 7

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

REPORT OF WATER ENCOUNTERED DURING DRILLING

1. Well name and number: LITE Tribal 33-08 D3
API number: 43-013-31956
2. Well Location: QQ SENE Section 33 Township 4S Range 3W County Duchesne
3. Well operator: Petroglyph Operating Co., Inc.
Address: P.O. Box 607
Roosevelt, UT 84066 Phone: (801) 722-2531
4. Drilling contractor: Union Drilling
Address: P.O. Drawer 40
Buckhannon, WV 26201 Phone: (304) 472-4610
5. Water encountered (attach additional pages as needed):

DEPTH		VOLUME (FLOW RATE OR HEAD)	QUALITY (FRESH OR SALTY)
FROM	TO		
0	648	Dust	
648	1305	Hole Damp	
1305		2 gal 5 min	

6. Formation tops: _____


If an analysis has been made of the water encountered, please attach a copy of the report to this form.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 12/1/97

Name & Signature: Deanne K Bell

Title: Operations Coordinator



December 24, 1997

Mr. Jim Thompson
State of Utah - Division of Oil, Gas & Mining
1594 West North Temple, Ste. 1210
Box 145801
Salt Lake City, UT 84114-5801

RE: EPA AREA PERMIT NO. 2736-00000

Dear Mr. Thompson:

Enclosed are copies of Sundry Notices being filed with the Bureau of Land Management requesting permission to convert from producing to injection on the following wells:

Ute Tribal #07-09	Ute Tribal #28-05A
Ute Tribal #07-16	Ute Tribal #29-06
Ute Tribal #16-02	Ute Tribal #30-11
Ute Tribal #16-08	Ute Tribal #33-08D3
Ute Tribal #18-12	Ute Tribal #33-10D3
Ute Tribal #16-16	Ute Tribal #33-14D3
Ute Tribal #21-03	Ute Tribal #33-16D3

If you need further information, please do not hesitate to call me. Thank you for your attention to this matter.

Sincerely,

Kathy Turner
Petroleum Engineering Technician

/kt
Enclosures

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Petroglyph Operating Company, Inc.

3. Address and Telephone No.
P.O. Box 1839, Hutchinson, KS 67504-1839; (316) 665-8500

4. Location of Well (Footage, Sec., T., R., or Survey Description)
**1848' FNL and 762' FEL
SE NE Sec. 33 T4S R 3W**

CONFIDENTIAL

5. Lease Designation and Serial No.
14-20-H62-3511

6. If Indian, Allottee or Tribe Name
Ute Indian Tribe

7. If Unit or CA, Agreement Designation
14-20-H62-4650

8. Well Name and No.
Ute Tribal 33-08 D3

9. API Well No.
43-013-31956

10. Field and Pool, or Exploratory Area
Antelope Creek

11. County or Parish, State
Duchesne County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input checked="" type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Petroglyph Operating Company, Inc. has submitted an application for a UIC permit to convert the Ute Tribal Well # 33-08D3 from a producing well to an injection well under the EPA Area Permit #UT2736-00000 within the Antelope Creek Waterflood Project Area located in Duchesne County, Utah.

CONFIDENTIAL

14. I hereby certify that the foregoing is true and correct

Signed Kathy Sumner Title Petroleum Engineering Tech Date 12-24-97

(This space for Federal or State official use)

Approved by _____ Title _____ Date _____

Conditions of Approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter in its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

5. LEASE DESIGNATION AND SERIAL NO.
14-20-H62-4736

6. IF INDIAN, ALOTTEE OR TRIBE NAME
Ute Indian Tribe

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. a. TYPE OF WELL: Oil Well Gas Well Dry Other

7. UNIT AGREEMENT NAME

b. TYPE OF COMPLETION:
New Well Workover Deepen Plug Back Diff. Reserv. Other

8. FARM OR LEASE NAME

2. NAME OF OPERATOR
PETROGLYPH OPERATING COMPANY, INC.

9. WELL NO.
Ute Tribal 33-08D3

3. ADDRESS OF OPERATOR
P.O. BOX 607, ROOSEVELT, UT 84066 (435) 722-2531

10. FIELD AND POOL, OR WILDCAT
Antelope Creek

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1848' FNL 762' FEL

11. SEC., T., R., M., OR BLOCK AND
SURVEY OR AREA
Sec. 33-T4S-R3W

At top prod. interval reported below

CONFIDENTIAL

At total depth 6577' RTD

14. PERMIT NO.
43-013-31956

DATE ISSUED
10/27/97

12. County or Parish
Duchesne

13. State
Utah

15. DATE SPUDDED 11/23/97

16. DATE T.D. REACHEL 11/30/97

17. DATE COMPLETED (Ready to prod.)
12/25/97

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*
5796'

19. ELEV. CASINGHEAD
5786'

20. TOTAL DEPTH, MD & TVD
6577'

21. PLUG BACK T.D., MD & TVD
6486' PBTD

22. IF MULTIPLE COMPL., HOW MANY*
9

23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S) OF THIS COMPLETION -- TOP, BOTTOM, NAME (MD AND TVD)*
Green River: B6.2 B6.3, B10, C5.5, C6.1, D3.3, D3.4, D7.2, E1, H2

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Compensated Neutron, Litho Density w/ Gamma Ray, AIT

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24	505'	12-1/4"	280 sxs Class G	
5-1/2"	15.5	6532'	7-7/8"	230 sxs Highfill	
				400 sxs Thixotropic	

29. LINER RECORD

30. TUBING RECORD

SIZE	TOP	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	6311'	

31. PERFORATION RECORD (Interval, size and number)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

CONFIDENTIAL		D3.4 5338-44' (24 holes)	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
H2 6428-32' (16 holes)	D3.3 5324-30' (24 holes)	6428-32'	6211 gal Boragel, 28300# 20/40 prop	
E1 5826-32' (24 holes)	D3.3 5311-14' (12 holes)	5826-32'	7599 gal Boragel, 42200# 20/40 prop	
D7.2 5600-10' (40 holes)	C6.1 5001-06' (20 holes)	5600-10' & 5582-92'	28546 gal Boragel, 170700# 20/40 prop	
D7.2 5582-92' (40 holes)	C5.5 4902-06' (16 holes)	5351-5311'	27391 gal Boragel, 151800# 20/40 prop	
D3.4 5351-54 (12 holes)	B10 4559-63' (16 holes)	5001-06'	8985 gal Boragel, 50800# 20/40 prop cont'd	

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping - size and type of pump)				WELL STATUS (Producing or shut-in)	
1/9/98		2-1/2" x 1-3/4" x 16' 40 ring PA RHAC pump				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N FOR TEST PERIOD	OIL - BBL.	GAS - MCF.	WATER - BBL.	GAS-OIL RATIO
1/19/98	24			169	30	148	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED	OIL - BBL.	GAS - MCF.	WATER - BBL.	OIL GRAVITY - API (CORR.)	
	1350	24 HR. RATE					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
SOLD, USED FOR FUEL

TEST WITNESSED BY
Dave Schreiner

35. LIST OF ATTACHMENTS

CONFIDENTIAL

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Signed

Jeanne Bell

Title Operations Coordinator

Date 03/10/98

*(See Instructions and Spaces for Additional Data on Reverse Side)

WELL COMPLETION

UTE TRIBAL 33-08D3 continued

31.

B6.3 4441-45' (16 holes)

B6.2 4343-47' (16 holes)



32.

4902-06' 5425 gal Boragel, 30000# 20/40 prop

4559-63' 7959 gal Boragel, 43000# 20/40 prop

4441-45' 5669 gal Boragel, 27000# 20/40 prop

4343-47' 4913 gal Boragel, 27600# 20/40 prop

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Ute Tribal 33-08D3						
B Marler	4152					
X Marler	4658					
Douglas Creek	4800					
B Limestone	5196					
Castle Peak	5800					
Basal Carbonate	6180					
		CONFIDENTIAL				

copy

OIL AND GAS	
1	JRB ✓
	RJK
	SLS
	GLH
	DTS
2	KDR ↓
3	VLD ↓
4	MICROFILM FILE

del

✓

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Petroglyph Operating Company, Inc.

3. Address and Telephone No.
P.O. Box 1839, Hutchinson, KS 67504-1839; (316) 665-8500

4. Location of Well (Footage, Sec., T., R., or Survey Description)
**1848'FNL AND 762' FEL
SE NE Sec. 33 T4S R 3W**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

5. Lease Designation and Serial No.
14-20-H62-3511

6. If Indian, Allottee or Tribe Name
Ute Indian Tribe

7. If Unit or CA, Agreement Designation
14-20-H62-4650

8. Well Name and No.
Ute Tribal 33-08 D3

9. API Well No.
43-013-31956

10. Field and Pool, or Exploratory Area
Antelope Creek

11. County or Parish, State
Duchesne County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other Commence Inj.
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Petroglyph Operating Company, Inc. has requested approval to inject fluids in the Ute Tribal #33-08 D3 under EPA Area Permit #UT2736-00000 within the Antelope Creek Waterflood Project Area located in Duchesne County, Utah.

Approval to inject fluids was granted by the EPA on 5/7/98; however, there are no plans at this time to commence injection.



14. I hereby certify that the foregoing is true and correct
 Signed Kathy Turner Title Petroleum Engineering Tech Date 5/28/98

(This space for Federal or State official use)
 Approved by _____ Title _____ Date _____

Conditions of Approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter in its jurisdiction.

December 22, 1997

Mr. Chuck Williams
U.S. Environmental Protection Agency
UIC Implementation Section, 8 P2-W-GW
999 18th Street, Suite 500
Denver, CO 80202-2466

RE: EPA AREA PERMIT NO. UT2736-00000
Minor Modification to Area Permit (Adding New Well to Area Permit)
Ute Tribal #33-08D3, SE NE Sec. 33-T4S-R3W, Duchesne County, UT

Dear Mr. Williams:

Pursuant to the regulations pertaining to the above-referenced area permit (Section II.A.2), enclosed is the necessary documentation to comply with the conversion notification requirements regarding the addition of new wells to the area permit. Included are well schematic construction details for the enhanced recovery injection well referenced above. The permittee shall not begin implementation of the plan until after receiving written authorization from the Director.

List of attachments for Ute Tribal #33-08D3:

- Current wellbore construction schematic and well history
- Conversion procedure
- Proposed wellbore conversion schematic
- Plugging and Abandonment procedure and schematic

Please be advised that evidence of financial responsibility will be sent under separate cover to the office of EPA-UIC.

Please note that this request for approval to convert the above-referenced well shows you additional zones that are not currently open, but are included in the After Conversion and Plug & Abandonment diagrams.

Pursuant to our phone conversation on Monday, December 22nd, it is our understanding that you will grant us EPA approval to convert the above well limited to those zones which are currently open. POCI will also complete additional zones in this well not currently open. When we send to you the request for approval to inject, we will also send you a request to modify the original approval to convert to include the new zones. We will send to you updated downhole diagrams showing all perforations and ISIP data on all stimulation treatments performed on all zones in the well at that time.

If additional information is needed, please do not hesitate to contact me at (316) 665-8500. Thank you for your attention to this matter.


Sincerely,

Kathy Turner

Kathy Turner
Petroleum Engineering Technician

KT/bk

Enclosures



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires March 31, 1993 5. Lease Designation and Serial No. 14-20-H62-4736 6. If Indian, Allottee or Tribe Name Ute Indian Tribe 7. If Unit or CA, Agreement Designation 8. Well Name and No. Ute Tribal 33-08D3 9. API Well No. 43-013-31956 10. Field and Pool, or Exploratory Area Antelope Creek 11. County or Parish, State Duchesne County, UT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well Oil Well Gas Well Other injector 2. Name of Operator Petroglyph Operating Company, Inc. 3. Address and Telephone No. P.O. Box 607, Roosevelt, UT 84066 (435) 722-2531 4. Location of Well (Footage, Sec., T., R., or Survey Description) 1848' FNL 762' FEL SENE Sec. 33-T4S-R3W

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION [] Notice of Intent [] Abandonment [] Change of Plans [x] Subsequent Report [] Recompletion [] New Construction [] Final Abandonment Notice [] Plugging Back [] Non-Routine Fracturing [] Casing Repair [] Water Shut-Off [] Altering Casing [] Conversion to Injection [x] Other commence injection [] Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per:

Petroglyph Operating Company, Inc. has requested approval under EPA permit #UT2736-00000 within the Antelope Creek Duchesne County, Utah.

UIC-000.29 added 2-3-03. pc


33-08D3 1 in

Further to BLM & EPA approval (Permit #UT2736-04422), an Approval to inject fluids was granted by the EPA on February 2, 1999. Injection commenced on February 5, 1999.

cover Report.

pc: DOGM

14. I hereby certify that the foregoing is true and correct. Signed [Signature] Title Operations Coordinator Date 2/12/99 (This space for Federal or State official use) Approved by _____ Title _____ Date _____ Conditions of Approval, if any: _____



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: Oil Well, Gas Well, Other (checked) injector
2. Name of Operator: Petroglyph Operating Company, Inc.
3. Address and Telephone No.: P.O. Box 607, Roosevelt, UT 84066 (435) 722-2531
4. Location of Well (Footage, Sec., T., R., or Survey Description): 1848' FNL 762' FEL SENE Sec. 33-T4S-R3W

5. Lease Designation and Serial No.: 14-20-H62-4736
6. If Indian, Allottee or Tribe Name: Ute Indian Tribe
7. If Unit or CA, Agreement Designation
8. Well Name and No.: Ute Tribal 33-08D3
9. API Well No.: 43-013-31956
10. Field and Pool, or Exploratory Area: Antelope Creek
11. County or Parish, State: Duchesne County, UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION: Notice of Intent, Subsequent Report (checked), Final Abandonment Notice
TYPE OF ACTION: Abandonment, Recompletion, Plugging Back, Casing Repair, Altering Casing, Other (checked) Commence Injection, Change of Plans, New Construction, Non-Routine Fracturing, Water Shut-Off, Conversion to Injection, Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Petroglyph Operating Company, Inc. has requested approval to inject fluids in the Ute Tribal 33-08D3 under EPA permit #UT2736-00000 within the Antelope Creek Waterflood Project Area located in Duchesne County, Utah.

Further to BLM & EPA approval (Permit #UT2736-04422), enclosed is a copy of the EPA Workover Report. Approval to inject fluids was granted by the EPA on February 2, 1999. Injection commenced on February 5, 1999.

pc: DOGM

14. I hereby certify that the foregoing is true and correct. Signed: [Signature] Title: Operations Coordinator Date: 2/12/99
Approved by: _____ Title: _____ Date: _____
Conditions of Approval, if any: