

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

**APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK**

1a. TYPE OF WORK <b>DRILL</b> <input checked="" type="checkbox"/> <b>DEEPEN</b> <input type="checkbox"/>			5. LEASE DESIGNATION AND SERIAL NO. <b>UTU-76241</b>		
1b. TYPE OF WELL <b>OIL WELL</b> <input checked="" type="checkbox"/> <b>GAS WELL</b> <input type="checkbox"/> <b>OTHER</b> <input type="checkbox"/> <b>SINGLE ZONE</b> <input type="checkbox"/> <b>MULTIPLE ZONE</b> <input checked="" type="checkbox"/>			6. IF INDIAN, ALLOTTEE OR TRIBE NAME <b>N/A</b>		
2. NAME OF OPERATOR <b>Inland Production Company</b>			7. UNIT AGREEMENT NAME <b>Greater Boundary</b>		
3. ADDRESS OF OPERATOR <b>410 - 17th Street, Suite 700, Denver, CO 80202</b> Phone: <b>(303) 893-0102</b>			8. FARM OR LEASE NAME WELL NO <b>#9-27-8-17</b>		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At Surface <b>NE/SE 2189' FSL &amp; 909' FEL</b> At proposed Prod. Zone <b>44377'10 N 586462 E</b>			9. API WELL NO.		
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* <b>14.2 miles southeast of Myton, Utah</b>			10. FIELD AND POOL OR WILDCAT <b>Monument Butte</b>		
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to <b>Approx. 909' f/lse line</b> )		16. NO. OF ACRES IN LEASE <b>1760</b>	17. NO. OF ACRES ASSIGNED TO THIS WELL <b>40</b>		
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. <b>Approx. 1320'</b>		19. PROPOSED DEPTH <b>6500'</b>	20. ROTARY OR CABLE TOOLS <b>Rotary</b>		
21. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>5116.9' GR</b>			22. APPROX. DATE WORK WILL START* <b>2nd QTR 01</b>		

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
<b>Refer to Monument Butte Field SOP's Drilling Program/Casing Design</b>				

**Inland Production Company proposes to drill this well in accordance with the attached exhibits.**

**Draft Conditions of Approval are attached.**

*Federal Approval of this  
Action is Necessary*

**RECEIVED**

**MAR 09 2001**

**DIVISION OF  
OIL, GAS AND MINING**

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone.  
If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE Permitting Agent DATE 2/28/01

(This space for Federal or State office use)

PERMIT NO. 43-013-32234 APPROVAL DATE \_\_\_\_\_

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY [Signature] TITLE BRADLEY G. HILL DATE 03-15-01  
**RECLAMATION SPECIALIST III**

**\*See Instructions On Reverse Side**



# United States Department of the Interior

## BUREAU OF LAND MANAGEMENT

Utah State Office  
P.O. Box 45155  
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:  
3160  
(UT-922)

March 14, 2001

### Memorandum

To: Assistant District Manager Minerals, Vernal District  
From: Michael Coulthard, Petroleum Engineer  
Subject: 2001 Plan of Development Greater Boundary  
Unit Duchesne County, Utah.

Pursuant to email between Lisha Cordova, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management. The following wells are planned for calendar year 2000 within the Greater Boundary Unit, Duchesne County, Utah.

API #	WELL NAME	LOCATION
(Proposed PZ Green River)		
43-013-32228	GBU 1-27-8-17	Sec. 27, T8S, R17E 0733 FNL 0726 FEL
43-013-32229	GBU 2-27-8-17	Sec. 27, T8S, R17E 0660 FNL 1980 FEL
43-013-32230	GBU 4-27-8-17	Sec. 17, T8S, R17E 0660 FNL 1285 FWL
43-013-32231	GBU 6-27-8-17	Sec. 27, T8S, R17E 1804 FNL 1996 FWL
43-013-32232	GBU 7-27-8-17	Sec. 27, T8S, R17E 2085 FNL 2203 FEL
43-013-32233	GBU 8-27-8-17	Sec. 27, T8S, R17E 1889 FNL 0624 FEL
43-013-32234	GBU 9-27-8-17	Sec. 27, T8S, R17E 2189 FSL 0909 FEL
43-013-32235	GBU 10-27-8-17	Sec. 27, T8S, R17E 2269 FSL 2171 FEL

This office has no objection to permitting the well at this time.

/s/ Michael L. Coulthard

bcc: File - Greater Boundary  
Division of Oil Gas and Mining  
Agr. Sec. Chron  
Fluid Chron

Mcoulthard:mc:3-14-1



March 5, 2001

State of Utah  
Department of Natural Resources  
Division of Oil, Gas and Mining  
ATTN: Lisha Cordova  
P.O. Box 145601  
Salt Lake City, UT 84114-5801

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

**RE: Applications for Permits to Drill**

Dear Lisha:

Please find attached Applications for Permits to Drill (APDs) the following wells:

Greater Boundary Unit #1-27-8-17  
Greater Boundary Unit #2-27-8-17  
Greater Boundary Unit #4-27-8-17  
Greater Boundary Unit #6-27-8-17  
Greater Boundary Unit #7-27-8-17  
Greater Boundary Unit #8-27-8-17  
Greater Boundary Unit #9-27-8-17  
Greater Boundary Unit #10-27-8-17

Note that the #4-27-8-17, #7-27-8-17, #9-27-8-17, and #10-27-8-17 require exceptional spacing due to topographic constraints (See the site-specific topographic maps in each APD for details). None of the proposed well locations for these exception locations encroaches less than 660' within the Unit or Lease boundary.

Please send approved APDs to Brad Mecham at Inland's field office in Pleasant Valley. Contact me at (970) 481-1202 if you have any questions or require additional information. Thank you for your assistance with these APDs.

Respectfully,



Jon D. Holst  
Permitting Agent

Inland Production Company

Well No.: 9-27-8-17

CONDITIONS OF APPROVAL  
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Greater Boundary 9-27-8-17

API Number:

Lease Number: UTU-76241

Location: NESE Section 27, T8S R17E

**GENERAL**

Access well location from the west, off of the access road for the proposed 10-27-8-17 well location.

**CULTURAL RESOURCES**

See *CONDITIONS OF APPROVAL FOR INLAND RESOURCES MONUMENT BUTTE-MYTON BENCH WATERFLOOD ENVIRONMENTAL ASSESSMENT DUCHESNE AND UINTAH COUNTIES, UTAH EA NUMBER 1996-61.*

**PALEONTOLOGICAL RESOURCES**

See *CONDITIONS OF APPROVAL FOR INLAND RESOURCES MONUMENT BUTTE-MYTON BENCH WATERFLOOD ENVIRONMENTAL ASSESSMENT DUCHESNE AND UINTAH COUNTIES, UTAH EA NUMBER 1996-61.*

**SOILS, WATERSHEDS, AND FLOODPLAINS**

See *CONDITIONS OF APPROVAL FOR INLAND RESOURCES MONUMENT BUTTE-MYTON BENCH WATERFLOOD ENVIRONMENTAL ASSESSMENT DUCHESNE AND UINTAH COUNTIES, UTAH EA NUMBER 1996-61.*

**WILDLIFE AND FISHERIES**

See *CONDITIONS OF APPROVAL FOR INLAND RESOURCES MONUMENT BUTTE-MYTON BENCH WATERFLOOD ENVIRONMENTAL ASSESSMENT DUCHESNE AND UINTAH COUNTIES, UTAH EA NUMBER 1996-61.*

**THREATENED, ENDANGERED, AND OTHER SENSITIVE SPECIES**

See *CONDITIONS OF APPROVAL FOR INLAND RESOURCES MONUMENT BUTTE-MYTON BENCH WATERFLOOD ENVIRONMENTAL ASSESSMENT DUCHESNE AND UINTAH COUNTIES, UTAH EA NUMBER 1996-61. (See below)*

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

**MOUNTAIN PLOVER:** If new construction or surface disturbing activities are scheduled to occur between April 1 and August 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be completed prior to initiating new construction or surface disturbing activities (see Survey Protocol COAs EA Number 1996-61).

**OTHER**

Installation of the surface gas pipeline and any subsequent buried gas or water pipelines will follow the conditions of approval outlined above.

Except as specified in the APD, the installation of the surface gas line and any subsequent buried pipelines will follow the edge of the existing roadways without interfering with the normal travel and maintenance of the roadway.

The installation of any buried pipelines will disturb as little surface as possible and will not exceed 60 feet in width. Reclamation of the water line area will be completed within 10 days after installation. The surface will be recontoured to natural or near natural contours. Reseeding will be with the same seed mixture specified for reclamation of the well site. The interface of the buried line disturbance area and the edge of any adjacent access roads will be constructed with a borrow ditch and road berm to minimize vehicular travel along the water line route.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

INLAND PRODUCTION COMPANY  
GREATER BOUNDARY #9-27-8-17  
NE/SE SECTION 27, T8S, R17E  
DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' – 1640'
Green River	1640'
Wasatch	6500'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1640' – 6500' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "F".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. TESTING, LOGGING AND CORING PROGRAMS:

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 2000 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

RECEIVED

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

**INLAND PRODUCTION COMPANY  
GREATER BOUNDARY #9-27-8-17  
NE/SE SECTION 27, T8S, R17E  
DUCHESNE COUNTY, UTAH**

**ONSHORE ORDER NO. 1**

**MULTI-POINT SURFACE USE & OPERATIONS PLAN**

**1. EXISTING ROADS**

See attached Topographic Map "A"

To reach Inland Production Company well location site Greater Boundary #9-27-8-17 located in the NE ¼ of the SE ¼, Section 27, T8S, R17E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles ± to the junction of this highway and UT State Hwy 53; proceed southerly along Hwy 53 - 9.1 miles ± to the beginning of the proposed access road to the east; proceed east and then south 3.5 mile ± along the proposed access road to the proposed well location.

**2. PLANNED ACCESS ROAD**

See Topographic Map "B" for the location of the proposed access road.

**3. LOCATION OF EXISTING WELLS**

Refer to Exhibit "D".

**4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES**

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

**5. LOCATION AND TYPE OF WATER SUPPLY**

Please refer to the Monument Butte Field SOP. See Exhibit "C".

**6. SOURCE OF CONSTRUCTION MATERIALS**

Please refer to the Monument Butte Field SOP.

**7. METHODS FOR HANDLING WASTE DISPOSAL**

Please refer to the Monument Butte Field SOP.

**8. ANCILLARY FACILITIES**

Please refer to the Monument Butte Field SOP.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

9. WELL SITE LAYOUT

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

11. SURFACE OWNERSHIP - Bureau Of Land Management

12. OTHER ADDITIONAL INFORMATION

The Archaeological and Paleontological Resource Surveys for this area are attached.

Inland Production Company requests a 60' ROW for the Greater Boundary #9-27-8-17 to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line. Both lines will tie in to the existing pipeline infrastructure. Refer to Topographic Map "C."

Inland Production Company also requests a 60' ROW be granted for the Greater Boundary #9-27-8-17 to allow for construction of a 3" steel water injection line and a 3" poly water return line. Refer to Topographic Map "C."

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative


Name: Jon Holst  
Address: 2507 Flintridge Place  
Fort Collins, CO 80521  
Telephone: (970) 481-1202

Certification

Please be advised that INLAND PRODUCTION COMPANY is considered to be the operator of well #9-27-8-17 NE/SE Section 27, Township 8S, Range 17E: Lease UTU-76241 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by Hartford Accident #4488944.

I hereby certify that the proposed drillsite and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Inland Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

2/28/01  
\_\_\_\_\_  
Date

  
\_\_\_\_\_  
Jon Holst  
Permitting Agent



**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

# INLAND PRODUCTION COMPANY

GBU #9-27-8-17  
SEC. 27, T8S, R17E, S.L.B.&M.



**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

REFERENCE POINTS  
198' NORTHWEST = 5121.5'  
248' NORTHWEST = 5129.2'




SURVEYED BY: R.J.	SCALE: 1" = 50'
DRAWN BY: J.R.S.	DATE: 1-11-01

**Tri State**  
 Land Surveying, Inc.  
 38 WEST 100 NORTH VERNAL, UTAH 84078  
 (435) 781-2501

# INLAND PRODUCTION COMPANY

## CROSS SECTIONS

GBU #9-27-8-17



### APPROXIMATE YARDAGES

CUT = 4,760 Cu. Yds.  
FILL = 4,760 Cu. Yds.  
PIT = 640 Cu. Yds.  
6" TOPSOIL = 1,020 Cu. Yds.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

SURVEYED BY: R.J.

SCALE: 1" = 50'

DRAWN BY: J.R.S.


DATE: 1-11-01

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
38 WEST 100 NORTH VERNAL, UTAH 84078

# INLAND PRODUCTION COMPANY

## TYPICAL RIG LAYOUT

GBU #9-27-8-17



**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING


SURVEYED BY: R.J.

SCALE: 1" = 50'

DRAWN BY: J.R.S.

DATE: 1-11-01

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
38 WEST 100 NORTH VERNAL, UTAH 84078



RESOURCES INC.

**GREATER BOUNDARY UNIT #9-27-8-17  
SEC. 27, T8S, R17E, S.L.B.&M.**

**TOPOGRAPHIC MAP "A"**

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

Drawn By: bgm


Revision:

Scale: 1 : 100,000

File:

Date: 02-01-2001


Tri-State Land Surveying Inc.  
P.O. Box 533, Vernal, UT 84078  
435-781-2501 Fax 435-781-2518



**GREATER BOUNDARY #9-27-8-17**  
**SEC. 27, T8S, R17E, S.L.B.&M.**  
**TOPOGRAPHIC MAP "B"**

**RECEIVED**  
 MAR 09 2001  
 DIVISION OF  
 OIL, GAS AND MINING

Drawn By: bgm	Revision:
Scale: 1" : 1000'	File:
Date: 01-29-2001	
<b>Tri-State Land Surveying Inc.</b> <b>P.O. Box 533, Vernal, UT 84078</b> <b>435-781-2501 Fax 435-781-2518</b>	



RECEIVED

MAR 09 2001

**Proposed Gas and Water Pipelines**

**Greater Boundary Unit Section 27, T8S, R17E**

DEPARTMENT OF  
OIL, GAS AND MINING


Topographic Map "C"

— = GAS PIPELINE      — = WATER PIPELINE

Drawn By: bgm	Revision:
Scale: 1" : 1000'	File:
Date: 02-08-2001	

**Tri-State Land Surveying Inc.**  
**P.O. Box 533, Vernal, UT 84078**  
**435-781-2501 Fax 435-781-2518**

EXHIBIT "C"



Well Categories

- INJ
- WTR
- SWD
- OIL
- GAS
- DRY
- SHUTIN
- SUSPENDED
- ABND
- Injection Stations
- Unit Sections

RECEIVED


MAR 09 2001

DIVISION OF  
OIL GAS AND MINING

*Inland*  
4011 51st Street Suite 700  
Denver, Colorado 80221  
Phone: (303) 973-0101

UINTA BASIN  
Duchesne & Uintah Counties, Utah

0.5 0 0.5 Miles



Proposed Location  
GBU #9-27-8-17



**GREATER BOUNDARY UNIT #9-27-8-17**  
SEC. 27, T8S, R17E, S.L.B.&M.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING



Drawn By: bgm	Revision:
Scale:	File:
Date: 01-05-2001	

**Tri-State Land Surveying Inc.**  
P.O. Box 533, Vernal, UT 84078  
435-781-2501 Fax 435-781-2518

EXHIBIT D

B.O.P.

# 2-M SYSTEM



O CLOSE \_\_\_\_\_  
 ar BOP = \_\_\_\_\_  
 ype BOP \_\_\_\_\_  
 arms x \_\_\_\_\_ = \_\_\_\_\_  
 \_\_\_\_\_ = \_\_\_\_\_ Gal.  
 \_\_\_\_\_ x 2 = \_\_\_\_\_ Total Gal.

...rounding off to the next higher  
 ...ment of 10 gal. would require  
 ... Gal. (total fluid & nitro volume)

EXHIBIT F

## RECEIVED

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

CULTURAL RESOURCE INVENTORY OF INLAND PRODUCTION'S  
WELLS DRAW 760 ACRE PARCEL  
IN PLEASANT VALLEY, DUCHESNE COUNTY, UTAH

by

Keith R. Montgomery  
and  
Sarah Ball

Prepared For:

Bureau of Land Management  
Vernal Field Office

Prepared Under Contract With:

Inland Production Company  
2507 Flintridge Place  
Fort Collins CO 80521

Prepared By:

Montgomery Archaeological Consultants  
P.O. Box 147  
Moab, Utah 84532

December 12, 2000

MOAC Report No. 00-102

United States Department of Interior (FLPMA)  
Permit No. 00-UT-60122

State of Utah Antiquities Project (Survey)  
Permit No. U-00-MQ-0731b

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

## ABSTRACT

In November, 2000, a cultural resource inventory of a 760 acre parcel for well development including access roads and pipelines was performed by Montgomery Archaeological Consultants for Inland Production. The project area is situated in the Pleasant Valley region of the Uintah Basin, in the Wells Draw vicinity and includes four inventory areas; a 40 acre in the NE1/4 of the NE1/4 of Sec. 27, T 8S, R 16E; a forty acre in the SW1/4 of the SW1/4 of Sec. 23, T 8S, R 16E; a 40 acre in the NE1/4 of the SW1/4 of 23, T 8S, R 16E; and a 640 acre in Sec. 27, T 8S, R 17E. A total of 760 acres was inventoried for cultural resources located on public lands administered by the Bureau of Land Management (BLM), Vernal Field Office.

The archaeological survey resulted in the documentation of four historic temporary camps (42Dc1321, 42Dc1322, 42Dc1323, and 42Dc1324), two prehistoric temporary camps (42Dc1325 and 42Dc1355), six prehistoric lithic scatters (42Dc1347, 42Dc1348, 42Dc1349, 42Dc1350, 42Dc1353, and 42Dc1354), one prehistoric lithic and ceramic scatter (42Dc1352), one multi-component site consisting of a prehistoric lithic scatter and historic trash scatter (42Dc1351), and 17 isolated finds of artifacts (IF-A through IF-Q). Five of these sites are recommended as eligible to the NRHP: 42Dc1325, 42Dc1347, 42Dc1348, 42Dc1351, and 42Dc1355. Site 42Dc1325 is a prehistoric temporary camp with a fire cracked rock feature. Sites 42Dc1347 and 42Dc1348 are lithic scatters located in aeolian dunes. Site 42Dc1351 is a lithic scatter and historic trash scatter, also located on aeolian dunes. Site 42Dc1355 is a prehistoric temporary camp with two hearth features. All of these sites are recommended as eligible under criterion (D), due to the potential for buried cultural remains. Additional investigations at the site could provide significant data concerning site function, chronology, subsistence, and material culture.

Four historic sites, 42Dc1321, 42Dc 1322, 42Dc1323 and 42Dc1324 represent temporary range camps having a limited range of cultural materials. Additional investigations at these sites would fail to provide information relevant to historic research domains of the area. The prehistoric sites, 42Dc1349, 42Dc1350, 42Dc1352, 42Dc1353 and 42Dc1354 are recommended as not eligible for NRHP inclusion since they have an absence of additional diagnostic artifacts or features. Further research of these sites would not provide pertinent information to the prehistory of the area. The isolated finds of artifacts are also considered not eligible to the NRHP since they lack additional research potential.

The eligible sites (42Dc1325, 42Dc1347, 42Dc1348, 42Dc1351 and 42Dc1355) need to be avoided by future development within the parcels. Based on adherence to this recommendation, a determination of "no historic properties affected" is recommended for this project pursuant to Section 106, CFR 800.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

## TABLE OF CONTENTS

ABSTRACT .....	i
TABLE OF CONTENTS .....	ii
LIST OF FIGURES .....	ii
INTRODUCTION .....	1
DESCRIPTION OF THE PROJECT AREA .....	2
SURVEY METHODOLOGY .....	7
INVENTORY RESULTS .....	7
Sites .....	7
Isolated Finds of Artifacts .....	20
NATIONAL REGISTER OF HISTORIC PLACES EVALUATION .....	21
MANAGEMENT RECOMMENDATIONS .....	22
REFERENCES CITED .....	23
APPENDIX A: INTERMOUNTAIN ANTIQUITIES	
COMPUTER SYSTEM (IMACS) SITE FORMS .....	25

## LIST OF FIGURES

1. Inland Resources 120 Acre Inventory Area .....	3
2. Inland Resources 640 Acre Inventory Area .....	4
3. Site overview photo 42Dc1325 .....	9
4. Site map 42Dc1325 .....	10
5. Rock Art Panel 1 42Dc1325 .....	11
6. Site overview photo 42Dc1347 .....	12
7. Site map 42Dc1347 .....	13
8. Site map 42Dc1348 .....	14
9. Site map 42Dc1351 .....	16
10. Site overview photo 42Dc1351 .....	17
11. Site overview photo 42Dc1355 .....	18
12. Site map 42Dc1355 .....	19

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

## INTRODUCTION

In November 2000, a cultural resource inventory was conducted by Montgomery Archaeological Consultants (MOAC) for Inland Production's Wells Draw 760 Acre Parcel in Pleasant Valley, Duchesne County, Utah. The project area is proposed for well development, access roads and pipelines. The survey was implemented at the request of Mr. John Holst, Permitting Agent, Inland Production Company. The project area occurs on land administered by the Bureau of Land Management (BLM), Vernal Field Office.

The objective of the inventory was to locate, document and evaluate any cultural resources within the project area pursuant to a determination of "no effect" to historic properties in accord with Section 106 of 36 CFR 800, the National Historic Preservation Act of 1966 (as amended). Also, the inventory was implemented to attain compliance with a number of federal and state mandates, including the National Environmental and Historic Preservation Act of 1969, the Archaeological and Historic Conservation Act of 1972, the Archaeological Resources Protection Act of 1979 and the American Indian Religious Freedom Act of 1978.

The fieldwork was performed by Keith R. Montgomery, Principal Investigator for Montgomery Archaeological Consultants, aided in the field by Stan Ferris, Jay Willans, and Michael Wolfe. The inventory was conducted under the auspices of U.S.D.I. (FLPMA) Permit No. 00-UT-60122 and State of Utah Antiquities Project (Survey) No. U-00-MQ-0731b.

A file search for previous projects and documented cultural resources was conducted by Keith Montgomery at the BLM Vernal Field Office on October 30, 2000 and at the Utah Division of State History on November 3, 2000. These consultations indicated that no archaeological projects have been conducted in the immediate project area. However, various archaeological projects have been completed nearby. Archeological-Environmental Research Corporation (AERC) completed two surveys for Equitable Resources Energy Company in 1996, in T 9S, R 16E, Sec. 1 and 2, and T 8S, R 17E, Sec. 36, locating no new cultural resources (Hauck 1996a; 1996b). In 1997 AERC conducted an inventory for Inland Production in T 9S, R 17E Sec. 15 and 22, locating no cultural resources (Hauck and Hadden 1997). Sagebrush Consultants performed an inventory in 1997 for Inland Production in T 8S, R 17E, Sec. 28 and 29, documenting six prehistoric sites (42Dc1134 through 42Dc1139) and one historic site (42Dc1140) (Ellis 1997). In 1998 Sagebrush conducted another survey for Inland Production in T 9S, R 17E, Sec 3 and 10, locating two prehistoric sites (42Dc1191 and 42Dc1192), and one historic site (42Dc1190) (Polk 1998). JBR Environmental Consultants completed a survey for Inland Resources in 1998 situated in T 9S, R 17E, Sec. 1, locating no archaeological sites (Crosland and Billat 1998). In 1998 AERC performed an inventory for Inland Resources in several nearby sections, documenting 28 prehistoric sites (42Dc1149, 42Dc1150, 42Dc1155 through 42Dc1166, 42Dc1171, 42Dc1174 through 42Dc1177, 42Un 2532 through 42Un2538, 42Un2552, 42Un2566) (Hauck 1998). In summary, no archaeological sites have been documented in the immediate project area, however, a number of inventories near the project area have been performed, resulting in the documentation of both prehistoric and historic cultural resources.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

## DESCRIPTION OF PROJECT AREA

### Environmental Setting

The project area lies in the Pleasant Valley area of the Uinta Basin, to the south of Myton, Utah. The inventory area consists of a 760 acre parcel, allocated for development of well locations, access roads and pipelines. Three adjoining 40 acre parcels occur to the southeast of Wells Draw, approximately 6.5 miles southwest of Myton, Utah. The legal description for these parcels is T 8S, R 16E, Sections 23 and 27 (Figure 1). A 640 acre parcel lies about 4.5 miles to the east of this, along both sides of a tributary of Pariette Draw. The legal description for this parcel is T 8S, R 17E, Section 27 (Figure 2). Topographically, this area consists of highly dissected sandstone and mudstone rock formations and broad sandy silt ridges (Stokes 1986). The elevation ranges from 5550 to 5020 feet a.s.l. Pariette Draw is a major water source in the area, as is Wells Draw although it is ephemeral. The project area lies within the Upper Sonoran life zone, dominated by a shadscale community intermixed with low sagebrush, snakeweed, prickly pear cactus and a variety of low grasses. A riparian zone exists along the washes, and includes cottonwood, Russian olive, cattail, and tamarisk. Modern disturbances to the landscape include well locations, access roads, pipelines, and livestock grazing.

### Cultural Overview

The cultural-chronological sequence represented in the study area includes the Paleoindian, Archaic, Fremont, Protohistoric, and Euro-American stages. The earliest inhabitants of the region are representative of the Paleoindian stage (ca. 12,000-8,000 B.P.). This stage is characterized by the adaptation to terminal Pleistocene environments and by the exploitation of big game fauna. The presence of Paleoindian hunters in the Uinta Basin region is implied by the discovery of Clovis and Folsom fluted points (ca. 12,000 B.P. - 10,000 B.P.), as well as the more recent Plano Complex lanceolate points (ca. 10,000 B.P. - 7,000 B.P.). However, no such artifacts have been recovered in stratigraphic or chronometrically controlled contexts in northeastern Utah.

The Archaic stage (ca. 8,000 B.P. - 1,500 B.P.) is characterized by peoples depending on a foraging subsistence strategy, seasonally exploiting a wide spectrum of plant and animal species in different ecozones. The shift to an Archaic lifeway was marked by the appearance of new projectile point types perhaps reflecting the development of the atlatl in response to a need to pursue smaller and faster game (Holmer 1986). In the Uinta Basin, evidence of widespread Early Archaic exploitation is relatively sparse compared to the subsequent Middle and Late Archaic periods. Early Archaic (ca. 6000-3000 B.C.) sites in the basin include sand dune sites and rockshelters clustered mainly in the lower White River drainage as well as along the Green River in the Browns Park and Flaming Gorge (Spangler 1995:373). Projectile points recovered from Uinta Basin contexts include Pinto Series, Humboldt, Elko Series, Northern Side-notched, Hawken Side-notched, Sudden Side-notched and Rocker Base Side-notched points. Excavated sites in the area with Early Archaic components include Deluge Shelter in Dinosaur National Monument, and open campsites along the Green River and on the Diamond Mountain plateau (Spangler 1995:374). The Middle Archaic period (ca. 3000-500 B.C.) is characterized by improved climatic conditions and increased human populations on the northern Colorado Plateau. Several stratified Middle Archaic sites have been excavated and dozens of sites have been documented in the Uinta Basin. Middle Archaic sites in the area reflect cultural influences from the Plains, although a Great Basin and/or northern Colorado Plateau influence is represented in the continuation of the Elko

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING




Figure 1. Inventory Area of Inland Production's Wells Draw 760 Acre Parcel in Pleasant Valley with Cultural Resources, Duchesne County, UT. USGS 7.5' Myton SE, UT 1964. Scale 1:24000.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING




Figure 2. Inventory Area of Inland Production's Wells Draw 760 Acre Parcel in Pleasant Valley with Cultural Resources, Duchesne County, UT. USGS 7.5' Pariette Draw SW, UT 1964. Scale 1:24000.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL GAS AND MINING

Series projectile points. Subsistence data from Middle Archaic components indicate gathering and processing of plants as well as faunal exploitation (e.g., mule deer, antelope, bighorn sheep, cottontail rabbit, muskrat, prairie dog, beaver and birds). The Late Archaic period (ca. 500 B.C.-A.D. 550) in the Uinta Basin is distinguished by the continuation of Elko Series atlatl points with the addition of semi-subterranean residential structures at base camps. By about A.D. 100, maize horticulture and Rose Springs arrow points had been added to the Archaic lifeway. In the Uinta Basin, the earliest evidence of Late Archaic architecture occurs at the Cockleburr Wash Site (42Un1476) where a temporary structure, probably a brush shelter, yielded a date of 316 B.C. The structure was probably associated with seasonal procurement of wild floral resources gathered along Cliff Creek (Tucker 1986).

The Formative stage (A.D. 500-1300) is recognized in the area by the Uinta Fremont as first termed by Marwitt (1970). This stage is characterized by reliance upon domesticated corn and squash, increasing sedentism, and in its later periods, substantial habitation structures, pottery, and bow and arrow weapon technology. Based on the evidence from Caldwell Village, Boundary Village, Deluge Shelter, Mantles Cave and others, the temporal range of the Uinta Fremont appears to be from A.D. 650 to 950. This variant is characterized by shallow, saucer-shaped pithouse surface structures with randomly placed postholes and off-center firepits, some of which were adobe-rimmed. Traits considered unique or predominate to the Uinta Basin include calcite-tempered pottery, two-handled wide-mouth vessels, Utah type metates, the use of gilsonite for pottery repair, settlement on tops of buttes and large-shouldered bifaces (Shields 1970).

Archaeological evidence suggests that Numic peoples appeared in east-central Utah at approximately A.D. 1100 or shortly before the disappearance of Formative-stage peoples (Reed 1994). The archaeological remains of Numic-speaking Utes consist primarily of lithic scatters with low quantities of brown ware ceramics, rock art, and occasional wickiups. The brown ware ceramics appear to be the most reliable indicator of cultural affiliation, as Desert Side-notched and Cottonwood Triangular points were manufactured by other cultural groups beside the Ute (Horn, Reed, and Chandler 1994:130). The Ute appear to have been hunter and gatherers exploiting various fauna and flora resources. According to macrobotanical and faunal data from dated components deer, elk, pronghorn, bison, and small game were acquired (Reed 1994:191). Plant materials thought to have been exploited for food include goosefoot, grass seeds, pinyon nuts, juniper berries, squawbush berries and leaves, hackberry seeds and possibly saltbush seeds, knotweed, chokecherry, and chickweed (Ibid 191).

The cultural history of the Eastern Ute, comprising the bands living east of the Green River, has been divided into four phases (Reed 1988). The earliest and most tenuous phase is the Chipeta Phase, dated between ca. 1250 and 1400. Diagnostic artifacts include Desert Side-notched, Cottonwood Triangular, and small corner-notched arrow points and possibly Shoshonean knives. The Canalla phase (ca. A.D. 1400-1650) designates the period between the appearance of well-dated Uncompahgre brown ware ceramics and the adoption of an equestrian lifeway. Diagnostic artifacts include Uncompahgre Brown Ware ceramics, Desert Side-notched and Cottonwood Triangular points, and Shoshonean knives. The pedestrian hunter and gatherers probably lived in wickiups. Near the end of the phase, some groups may have obtained trade items from Spanish settlements in New Mexico (Horn, Reed, and Chandler 1994:131). The Antero phase (ca. A.D. 1650-1881) represents a shift to a fully equestrian lifestyle and integration of Euroamerican trade goods into Ute material culture. The horse permitted hunting of bison on the Plains and led to an increase in the importance of raiding for economic gain (Ibid 131). Euroamerican trade goods became important, and tepees as well as wickiups were inhabited.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

The early Utes in Uintah County were Uinta-ats, a small band of a few hundred members (Burton 1996:20). In pre-horse days, Ute family groups lived largely independently of others with key gathering, hunting, and fishing sites being communal and granted to all, within both the local and extralocal Ute communities (Ibid 340). According to Smith's (1974) informants both deer and buffalo were important game for the White River Ute band. Before the buffalo became extinct in the Uintah Basin in the 1830s, the Ute would make trips northeast of Fort Bridger in the vicinity of what is now Rock Springs and Green River, Wyoming using the horse to surround and drive the buffalo over a precipice (Callaway, Janetski, and Stewart 1986; Smith 1974). All Ute groups made tripod or conical houses with a three or four-pole foundation and a circular ground plan some 10 to 15 feet in diameter with covering brush or bark.

The first Euro-Americans in the Uinta Basin were Spanish missionaries, traveling between Sante Fe, New Mexico up through western Colorado, towards the Utah Valley, and on to California. In 1776, under the leadership of Fray Francisco Atanasio Dominguez and Fray Silvestre Velez de Escalante, the Spanish commenced to explore a northern route from Santa Fe to the garrison of Monterey on the California coast (Spangler et al. 1995). Euro-American traders were another early factor in the history of the Uinta Basin. Some of these were Spaniards, who continued to visit the region until the Mexican war of independence in 1821, when most Spanish were expelled from the Southwest. It was the beaver trade in the early part of the nineteenth century, that cemented trade with Ute and Shoshone in the area, and resulted in the establishment of trading posts along the major rivers in the area, including the Duchesne, Green, and Uinta (Spangler et al. 1995).

The settlement of the Uinta Basin differs from that of much of Utah in that early settlement in the area occurred around Indian "agencies" assigned to the Uinta and Ouray Reservations, rather than under the direction of the Mormon church (Spangler et al. 1995). These agencies consisted of cabins and a trading post with farms cropping up around the agency, and were directed by a government Indian agent. The first agency was constructed at the mouth of Daniels Canyon in 1864, and was moved several times before 1868. The Mormon church, under Brigham Young consigned survey parties to the Uinta Basin in the early 1860s, determining that the land was not very suitable for cultivation. For this reason, Mormon occupation of the area occurred later than in many parts of the state. By 1876, only a handful of ranchers, had settled the area, to be joined that year by a group of Mormons. They formed a settlement around the ranch of Pardon Dodds, an Indian agent, located in Dry Fork Canyon; later to become known as Old Ashley Town. Another small group of Mormon settlers arrived in 1878, camping near the confluence of Ashley Creek, and naming their settlement Incline. In 1878, additional Mormon settlers ventured into the area; locating near what is today Vernal. With agrarian pursuits being the focus of the majority of the Mormon communities in the region, water became a leading priority. In 1880 the Rock Point Canal and Irrigation Company built a six-mile long canal from the mouth of Ashley Canyon to various homesteads in the region. The Ashley Upper Irrigation Canal was constructed in 1880 with the purpose of yielding water from the Ashley Creek to Bingham Corner. Settlement increased rapidly, and many different water projects were initiated. Most of the canals and reservoirs in the region were built after 1905 by the Uintah Irrigation Project and the Dry Gulch Irrigation Company (Ibid 809-12).

**RECEIVED**  
MAR 09 2001  
DIVISION OF  
OIL, GAS AND MINING

## SURVEY METHODOLOGY

An intensive pedestrian survey was performed for this project which is considered 100% coverage. The 760 acre parcel was examined for cultural resources by the archaeologists walking parallel transects spaced no more than 10 m apart. Ground visibility was considered good. A total of 760 acres was inventoried on BLM administered land, Vernal Field Office.

Cultural resources were recorded as an archaeological site or isolated find of artifacts. Archaeological sites were defined as spatially definable areas with features and/or ten or more artifacts. Sites were documented by the archaeologists walking transects across the site, spaced no more than 3 m apart, and marking the locations of cultural materials with pinflags. This procedure allowed clear definition of site boundaries and artifact concentrations. At the completion of the surface inspection, a Brunton compass was employed to point-provenience diagnostic artifacts and other relevant features in reference to the site datum, a steel rebar stamped with a temporary site number. Archaeological sites were plotted on a 7.5' USGS quadrangle, photographed, with site data entered on an Intermountain Antiquities Computer System (IMACS, 1990 version) inventory form (Appendix A). Isolated finds are defined as individual artifacts or light scatter of items, which lack sufficient material culture to warrant IMACS forms, or to derive interpretation of human behavior in a cultural and temporal context. All isolated artifacts were plotted on a 7.5' USGS map and are described in this report.

## INVENTORY RESULTS

The inventory of Inland Production's 760 acre parcel in Pleasant Valley resulted in the documentation of 14 newly-found archaeological sites (42Dc1321, 42Dc1322, 42Dc1323, 42Dc1324, 42Dc1325, 42Dc1347, 42Dc1348, 42Dc1349, 42Dc1350, 42Dc1351, 42Dc1352, 42Dc1353, 42Dc1354, and 42Dc1355), and 17 isolated finds of artifacts (IF-A through IF-Q).

### Archaeological Sites

Smithsonian Site No.: 42Dc1321  
Temporary Site No.: 610-3  
Legal Description: T 8S, R 16E, Sec. 23  
Jurisdiction: BLM, Vernal Field Office

Description: This is a historic temporary camp dating between 1917 and 1945. It consists of a tin can scatter and a concentration of axe-cut wood fragments, possibly representing a firewood pile. The pile measures 4 meters by 2 meters and is located in the western portion of the site. The majority of artifacts are tin cans. These are dominated by hole in top evaporated milk cans. Of these, seven are stamped with "PUNCH HERE" (1935-1945). Eight sanitary cans are observed, including: a cut-around commodity stamped with an oval on the base, a cut-around commodity, a smashed, cut-around commodity with "CANCO" on the base (ca. 1923), a lard bucket, and a pry-lid commodity can. A rectangular pepper can, a key-opened coffee can, a coffee can lid, a piece of 3 1/2" horse tack, some bailing wire, and black rubber shoe sole fragments are also observed. The site occurs in an area of shallow soil and is evaluated as not eligible to the NRHP since it lacks potential for additional functional or temporal information.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

Smithsonian Site No.: 42Dc1322  
Temporary Site No.: 610-4  
Legal Description: T. 8S, R. 16E, Sec. 23  
Jurisdiction: BLM, Vernal District Office

Description: This is a historic temporary camp dating between 1910 and 1950. The majority the artifacts are tin cans. These are dominated by five crushed, hole in top evaporated milk cans with two concentric raised rings on top and four hinged lid tobacco tins. Most of the other cans are sanitary and include: a cut-around commodity can lid; a crushed can fragment stamped with "840813" on the base; a crushed, cut-around sanitary can; a tuna or meat can; a pry-lid baking powder tin with a bail handle; and a 3/4" wide strip of a key-opened coffee can lid. One cut-around, hole in cap can is observed. Nine pieces of glass are noted, including: two rim fragments of a clear glass domestic vessel; three pieces of a small purple vessel of undetermined function; and four pieces of a brown patent medicine bottle with a patent finish and a linear design embossed on the shoulder. Also observed are a 2" long cartridge shell stamped with "Peters 25-36", one piece of bailing wire, a chunk of gilsonite, and a modern aluminum ointment tube with a screw lid. Two possible firewood collection piles are observed. Feature 1 (F-1) is a 7 meter x 8 meter concentration of 75+ pieces of axe-cut juniper wood. Feature 2 (F-2) is a smaller (4 meter x 4 meter) sparse concentration of axe-cut juniper fragments. The site is located in an area of shallow soil and is evaluated as not eligible to the NRHP since it lacks potential for additional functional or temporal information.

Smithsonian Site No.: 42Dc1323  
Temporary Site No.: 610-5  
Legal Description: T 8S, R 16E, Sec. 23  
Jurisdiction: BLM, Vernal Field Office

Description: This is a historic temporary camp consisting of a light scatter of glass and tin cans along with a small concentration of axe-cut juniper pieces, possibly a firewood collection pile. Approximately 30 pieces of clear glass are observed, including 10 fragments of a tubular-shaped Alka-Seltzer container, 10 pieces each of two different small screw finish bottles; one with a rectangular base embossed with "DES Pat 35925" and an unidentified trademark, and the other with a round base. The majority of the tin cans are hinged-lid tobacco tins (n=7). Other tin cans include: a crushed, sanitary, cut-around; a crushed, sanitary cut-around stamped with an oval shape on the top; a crushed, sanitary, cut-around fruit can; and a 1 lb. key-opened coffee can. Also observed are: an alarm clock back, a modern toothpaste tube and four pieces of bailing wire. The site is located in an area of shallow soil and lacks features with potential for depth, and hence is evaluated as not eligible to the NRHP since it lacks potential for additional functional or temporal information.

Smithsonian Site No.: 42Dc1324  
Temporary Site No.: 610-6  
Legal Description: T 8S, R 16E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: This is a historic temporary camp dating between 1908 and 1945, and consists of a tin can scatter, rock alignment, and firewood pile, along with a few other artifacts. The majority of artifacts are tin cans. These are dominated by 14 evaporated milk cans, four of which are stamped with "PUNCH HERE" (1935-1945). Other tin cans include: four crushed, hinged-lid tobacco tins; a crushed Hershey Cocoa tin with a pry-lid; six cut-around sanitary cans of various

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

sizes; and three galvanized oil or gas cans with screw-lids and spouts, that have had the bottoms cut out. Also observed are: two pieces of clear window glass; six pieces of bailing wire; a piece of black leather with a round-head nail attached; three pieces of a leather boot including nine eyelets and four fast loops; and a center fire cartridge marked with "WRA Co 44 W.C.F" (post 1908). Feature 1 (F-1) is a rock alignment of unknown function, consisting of two sandstone rocks (20"x15" average size), and a sandstone slab (2" thick). A concentration of small, axe-cut pieces of juniper in an area measuring 4 meters x 3 meters is observed, as is a 8 meter x 16 meter area that exhibits an abundance of weeds, and is notably devoid of native plants, and may have been used for grazing.

Smithsonian Site No.: 42Dc1325  
Temporary Site No.: 610-7  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: This is a temporary camp located around an outcrop of large boulders (Figures 3 and 4). The site consists of a fire cracked rock concentration and 29 lithic tools. The majority of tools are unprepared chert cores. Other tools include: four hammerstones, one biface, three Stage I bifaces, three manos or mano fragments, and a slab metate. Also observed are approximately 150 pieces of lithic debitage with all reduction stages common. The materials utilized include various kinds of chert along with siltstone and quartzite. Feature 1 is a concentration of fire cracked rock located on the east side of a large boulder. The feature includes approximately 75 fire cracked and oxidized medium grained sandstone rock fragments (up to 25x15x10cm) scattered in an irregular configuration. No charcoal is visible, however a one meter diameter ash stain is apparent. A shallow (30 cm deep) drainage intersects the east margin of the feature. A petroglyph panel, possibly Archaic, is observed on a large boulder in the central portion of the site (Figure 5). The panel includes two solidly pecked figures, an anthropomorph and an elk, and measures 1.2 meters in length by 78 cm in height. A historic inscription occurs on a large boulder, incised with: "V O NEILSON", "1932", "VICK ROSS", "LEON".



42Dc1325  
610-7  
DIVISION OF  
ARCHAEOLOGY AND MUSEUMS

Figure 3. 42Dc1325. Site overview. Photo is viewed to the southeast. Roll 610/3:11.




Figure 4. Site Map 42Dc1325.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING




Figure 5. 42Dc1325. Rock Art Panel 1.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

Smithsonian Site No.: 42Dc1347  
Temporary Site No.: 731-1  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: The site is a lithic scatter of unknown cultural affiliation, located in a valley, within an area of sand dunes (Figures 6 and 7). Artifacts are dominated by secondary reduction stage flakes of various chert materials (n=118). The majority of flakes are located in a concentration towards the central portion of the site, as well as in two collector's piles, one of which contains 10 chert flakes, and the other 20 chert flakes. Several tools are observed, including two Stage II bifaces, a Stage III biface, two unprepared cores, and a single-handed cobble mano. An oxidized sandstone rock is located approximately one meter to the northwest of Tool 4. Due to the location in sand dunes, the site exhibits good potential for buried cultural remains and is recommended as eligible under criterion (D).



Figure 6. 42Dc1347. Site overview. Photo is viewed to the east. Roll 731/1:4.

Smithsonian Site No.: 42Dc1348  
Temporary Site No.: 731-2  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: The site is a lithic scatter of unknown cultural affiliation, located in a valley, within an area of sand dunes (Figure 8). Artifacts at the site are dominated by secondary reduction stage flakes of various chert materials, with all other reduction stages represented (n=165). Tools include: five unprepared cores, three scrapers, two choppers, a Stage I and Stage II biface, a single-handed mano, two slab metates, and a ground stone fragment. Due to the location in sand dunes, the site exhibits good potential for buried cultural remains and is recommended as eligible under criterion (D).

RECEIVED

MAR 09 2011

DIVISION OF  
OIL, GAS AND MINING





Figure 7. Site map 42Dc1347.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

Figure 8. Site map 42Dc1348.



RECEIVED

MAR 09 2001

Smithsonian Site No.: 42Dc1349  
Temporary Site No.: 731-3  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: The site is a lithic scatter of unknown cultural affiliation, located on a terrace in a valley, in an area of thin residual soils covered with a veneer of small rocks. Artifacts are dominated by secondary reduction stage flakes of various chert materials, with primary flakes also represented (n=48). Tools include: a scraper, a prepared core, an unprepared core, two Stage I biface fragments, and two utilized flakes. Due to its location on thin deposits of soil, and the lack of cultural features which would provide potential for depth of cultural remains, the site is recommended as not eligible to the NRHP.

Smithsonian Site No.: 42Dc1350  
Temporary Site No.: 731-4  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: The site is a lithic scatter of unknown cultural affiliation, located on a terrace in a valley, in an area of thin, residual soils covered with a veneer of small rocks. Artifacts are dominated by secondary reduction stage flakes of various chert materials, with primary flakes also represented (n=48). Tools include: a scraper, a prepared core, an unprepared core, two Stage I biface fragments, and two utilized flakes. Due to its location on thin deposits of soil, and the lack of cultural features which would provide potential for depth of cultural remains, the site is recommended as not eligible to the NRHP.

Smithsonian Site No.: 42Dc1351  
Temporary Site No.: 731-5  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: This is a multi-component site consisting of a lithic scatter of unknown cultural affiliation and a historic trash scatter, located on a sand dune above an intermittent stream (Figures 9 and 10). Lithic debitage is dominated by secondary reduction stage flakes of various chert materials, with all reduction stages represented (n=27). Tools include an unprepared core, a spent core and a Stage II biface fragment. Feature 1 (F-1) is a concentration of 30+ fire cracked tabular-shaped sandstone rocks (up to 15x10x2cm). It is located in a 1.6 m by 1.0 m area and is eroding from a dune. No ash staining or charcoal is observed. Two sandstone slabs (up to 30x25cm) are located approximately two meters to the northwest of the feature. The historic artifacts are limited to a scatter of tin cans, dominated by five hole in top evaporated milk can fragments, along with one sanitary commodity can. Also observed are a deteriorated wash basin or bucket (H-1) and a large, rusted bucket or drum (H-10). The site exhibits good potential for buried cultural remains and is evaluated as eligible under criterion (D).

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING




Figure 9. Site map 42Dc1351.

**RECEIVED**  
 MAR 09 2001  
 DIVISION OF  
 OIL, GAS AND MINING




Figure 10. 42Dc1351. Site overview. Photo is viewed to the east. Roll 731/1:6.

Smithsonian Site No.: 42Dc1352

Temporary Site No.: 731-9

Legal Description: T 8S, R 17E, Sec. 27

Jurisdiction: BLM, Vernal Field Office

Description: This is a low density lithic and ceramic scatter situated on a southeast-trending slope of desert pavement near a tributary of Pariette Draw. It consists of 18 flakes of chert and quartzite material, 11 lithic tools, and a single Numic finger-indented brownware body sherd. The debitage includes 10 primary reduction stage flakes, and several secondary reduction stage flakes. Lithic tools consist of two scrapers, a single-handed mano fragment, and eight cores. The site is situated on desert pavement and shows little potential for buried cultural remains. It does not meet any of the eligibility criteria for inclusion to the NRHP, and the research potential has been exhausted by this documentation.

Smithsonian Site No.: 42Dc1353

Temporary Site No.: 731-6

Legal Description: T 8S, R 17E, Sec. 27

Jurisdiction: BLM, Vernal Field Office

Description: The site is a lithic scatter of unknown cultural affiliation, located on a bench above a tributary of Pariette Draw. Lithic debitage includes a nearly equal amount of secondary and primary reduction stage flakes of various chert materials (n=23). Tools include: six scrapers, four unprepared cores, four test cores, three choppers, three Stage I bifaces, one Stage III biface, one single-handed mano, and one hammerstone. Due to its location on thin deposits of soil, and the lack of cultural features which would provide potential for depth of cultural remains, the site is recommended as not eligible to the NRHP.

Smithsonian Site No.: 42Dc1354  
Temporary Site No.: 731-7  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: The site is a low density lithic scatter of unknown cultural affiliation, located on a bench above a tributary of Pariette Draw. Lithic debitage is dominated by secondary reduction flakes of tan opaque chert and tan and brown opaque chert, with primary flakes also represented. One rose-colored quartzite primary flake is also noted. A high percentage of cobble cores occur on the site including: four unprepared cores, three test cores, and three prepared cores. Also documented are three choppers and a Stage I biface. Due to its location on thin deposits of soil, and the lack of cultural features which would provide potential for depth of cultural remains, the site is recommended as not eligible to the NRHP.

Smithsonian Site No.: 42Dc1355  
Temporary Site No.: 731-8  
Legal Description: T 8S, R 17E, Sec. 27  
Jurisdiction: BLM, Vernal Field Office

Description: This is a temporary camp of unknown cultural affiliation situated on a southeast-facing bench near an unnamed stream (Figures 11 and 12). The site consists of a sparse, low density lithic scatter (10 flakes), five lithic tools, and two hearth features. The debitage is manufactured from chert and quartzite, and is dominated by primary reduction flakes. Lithic tools include two hammerstones and three cores. Feature 1 is a concentration of oxidized quartzite and sandstone cobble rocks (n=37), ranging in size from 7 to 17 cm diameter. The feature measures 1.0 by 4.5 m, and no ash or charcoal-stained soils are observed. Feature 2 is a scatter of oxidized quartzite rock fragments and cobbles (n=40), ranging in size from 5 to 15 cm diameter. The feature measures 3 m in diameter and no ash or charcoal-stained soils are observed. The thermal features lie on colluvial soils with potential for buried cultural materials. Thus, the site is evaluated as eligible for inclusion to the NRHP under criterion D, since it could yield additional information relevant to the prehistory of the area.



42Dc1355  
NOV 10 2000  
DIVISION OF  
BIOLOGICAL SERVICES

Figure 11. 42Dc1355. Site overview. Photo is viewed to the northeast. Roll 731/2:9.




Figure 12. Site map 42Dc1355.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

### Isolated Finds of Artifacts

Isolated Find A (IF-A) is located in the NE/NE/NW of S. 27, T 8S, R 17E (UTM 585940E-4438550N). It is a brown and tan opaque chert tabular prepared core with 30+ flakes detached from narrow margins (8x7x2cm).

Isolated Find B (IF-B) is located in the NW/NW/SW of S. 27, T 8S, R 17E (UTM 585300E-4437740N). It consists of two tan opaque chert secondary flakes.

Isolated Find C (IF-C) is located in the SE/SW/SW of Sec. 27, T 8S, R 17E (UTM 585370E-4437280N). It is a brownish-yellow opaque chert cobble hammerstone with battering on two poles (8x7x6cm).

Isolated Find D (IF-D) is located in the SW/SE/SW of Sec. 27, T 8S, R 17E (UTM 585560E-4437230N). It is a light gray opaque chert secondary flake.

Isolated Find E (IF-E) is located in the SW/SE/SW of Sec. 27, T 8S, R 17E (UTM 585720E-4437360N). It is a light gray opaque chert secondary flake.

Isolated Find F (IF-F) is located in the SW/SE/SE of Sec. 27, T 8S, R 17E (UTM 586410E-4437210N). It consists of two light gray opaque chert secondary flakes and one primary flake of the same material.

Isolated Find G (IF-G) is located in the NW/SW/SE of Sec. 27, T 8S, R 17E (UTM 585980E-4437400N). It includes three light gray opaque chert secondary flakes.

Isolated Find H (IF-H) is located in the NE/NE/NE of Sec. 27, T 8S, R 17E (UTM 586710E-4438640N). It is a gray opaque chert unprepared core with dark brown cortex and 5 flakes removed from narrow margins (9x8x3cm).

Isolated Find I (IF-I) is located in the SE/SE/SE of Sec. 27, T 8S, R 17E (UTM 585680E-4437260N). It consists of two light gray opaque chert secondary flakes.

Isolated Find J (IF-J) is located in the SE/NW/SE of Sec. 27, T 8S, R 17E (UTM 586220E-4437540N). It is a large secondary blank (13x8x3cm).

Isolated Find K (IF-K) is located in the SW/NW/SE of Sec. 27, T 8S, R 17E (UTM 586140-4437640N). It is a large ovate Stage II biface preform 18x6x4cm).

Isolated Find L (IF-L) is located in the SW/NESW of Sec. 27, T 8S, R 17E (UTM 585720E-4437630N). It consists of a two light gray opaque chert secondary flakes and a brown opaque chert unprepared core with 3 flakes removed from narrow margins (6x4x21cm).

Isolated Find M (IF-M) is located in the SW/SE/NE of Sec. 27, T 8S, R 17E (UTM 586440E-4437920N). It is a light gray opaque chert unprepared core with dark brown cortex and four flakes detached from wide margins (8x6x3.5cm).

Isolated Find N (IF-N) is located in the SE/SE/NE of Sec. 27, T 8S, R 17E (UTM 586580E-4438000N). It is an ovate-shaped, light gray opaque chert unprepared core with dark brown cortex and 20+ flakes removed from narrow and wide margins (7.0x5.5x2.5cm).

RECEIVED

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

Isolated Find O (IF-O) is located in the NW/SE/NW of Sec. 27, T 8S, R 17E (UTM 585710E-4438300N). It includes two light gray opaque chert secondary flakes.

Isolated Find P (IF-P) is located in the SW/NW/NE of Sec. 27, T 8S, R 17E (UTM 586140E-4438360N). It is a light gray opaque chert decortication flake.

Isolated Find Q (IF-Q) is located in the NW/NE/NE of Sec. 27, T 8S, R 17E (UTM 586430E-4438660N). It is a light gray opaque chert unprepared core with dark brown cortex and 4 flakes removed from narrow margins (7x5x2cm).

## NATIONAL REGISTER OF HISTORIC PLACES EVALUATION

The National Register Criteria for Evaluation of Significance and procedures for nominating cultural resources to the National Register of Historic Places (NRHP) are outlined in 36 CFR 60.4 as follows:

The quality of significance in American history, architecture, archaeology, and culture is present in districts, sites, buildings, structures, and objects of State and local importance that possess integrity of location, design, setting, material, workmanship, feeling, and association, and that they:

- a)...are associated with events that have made a significant contribution to the broad patterns of our history; or
- b)...are associated with the lives of persons significant to our past; or
- c)...embody the distinctive characteristics of a type, period, or method of construction; or that represents the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- d)...have yielded or may be likely to yield information important in prehistory or history.

The inventory of the Inland Production's 760 acre parcel in Pleasant Valley resulted in the documentation of four historic temporary camps (42Dc1321, 42Dc1322, 42Dc1323, and 42Dc1324), two prehistoric temporary camps (42Dc1325 and 42Dc1355), six prehistoric lithic scatters (42Dc1347, 42Dc1348, 42Dc1349, 42Dc1350, 42Dc1353, and 42Dc1354), one prehistoric lithic and ceramic scatter (42Dc1352), and one multi-component site consisting of a prehistoric lithic scatter and historic trash scatter (42Dc1351). Five of these sites are recommended as eligible to the NRHP under criterion (D): 42Dc1325, 42Dc1347, 42Dc1348, 42Dc1351, and 42Dc1355. Site 42Dc1325 is a prehistoric temporary camp with a fire cracked rock feature. Sites 42Dc1347 and 42Dc1348 are lithic scatters located in aeolian dunes. Site 42Dc1351 is a lithic scatter and historic trash scatter, also located on aeolian deposition. Site 42Dc1355 is a prehistoric temporary camp with two hearth features. All of these sites are recommended as eligible due to the potential for buried cultural remains. Additional investigations at these sites could provide significant data concerning site function, chronology, subsistence, and material culture.

Four historic sites, 42Dc1321, 42Dc 1322, 42Dc1323 and 42Dc1324 represent temporary livestock camps having a limited range of cultural materials. Additional investigations at these sites would fail to provide information relevant to historic research domains of the area. Five

RECEIVED

MAR 09 2001

prehistoric sites (42Dc1349, 42Dc1350, 42Dc1352, 42Dc1353, and 42Dc1354) are recommended as not eligible for NRHP inclusion since they have an absence of additional diagnostic artifacts or features. Further research of these sites would not provide pertinent information to the prehistory of the area. The isolated finds of artifacts are also considered not eligible to the NRHP since they lack additional research potential.

#### MANAGEMENT RECOMMENDATIONS

The inventory resulted in the documentation of five sites that are recommended as eligible to the NRHP. These include: two prehistoric temporary camps (42Dc1325 and 42Dc1355); two lithic scatters (42Dc1347 and 42Dc1348); and one multi-component site consisting of a lithic scatter and historic trash scatter (42Dc1351). All of these sites need to be avoided by the future development within the parcel. Based on these findings, a determination of "no historic properties affected" is recommended for this project pursuant to Section 106, CFR 800.

**RECEIVED**  
MAR 09 2001  
DIVISION OF  
OIL, GAS AND MINING

## References Cited

- Burton, D.K.  
1996 *A History of Uintah County: Scratching the Surface.* Utah Centennial County History Series. Utah State Historical Society and Uintah County Commission.
- Callaway, D., J. Janetski, and O.C. Stewart  
1986 Ute. In *Great Basin*, edited by Warren L. D'Azevedo, pp. 336-367. Handbook of North American Indians, Volume II: Great Basin, edited by William C. Sturtevant, Smithsonian Institution, Washington.
- Crosland, R. and Scott Billat  
1998 Cultural Resource Inventory of Six 40-Acre Well Pad Locations: Wells Draw 5-5, 12-5, 13-30, Castle Draw 11-1, 12-1, and 13-1, Duchesne and Uintah Counties, Utah. JBR Environmental Consultants Inc. Springville, Utah. Report NO. U-98-JB-0659b, available at the BLM Vernal Field Office, Vernal Utah.
- Ellis, S. Murray  
1997 Cultural Resource Block Survey in the Tar Sands Federal Unit, Duchesne County, Utah. Sagebrush Consultants, L.L.C., Ogden, Utah. Report No. U-97-SJ-0777b, available at the BLM Vernal Field Office, Vernal Utah.
- Hauck, F.R.  
1996a Cultural Resource Evaluation of a Proposed Pipeline Corridor in the Pariette Bench-Wells Draw Locality of Duchesne County, Utah. Archeological - Environmental Research Corporation, Bountiful, Utah. Report NO. U-96-AF-0445b, available at the BLM Vernal Field Office, Vernal Utah.
- 1996b Cultural Resource Evaluation of 5 Proposed Monument Well Locations in the Wells Draw, Pariette Bench Eightmile Flat, & Big Wash Localities of Duchesne & Uintah Counties, Utah. Archeological-Environmental Research Corporation, Bountiful, Utah. Report No. U-96-AF-0301b,s, available at the BLM Vernal Field Office, Vernal Utah, and the Utah Division of State History, Salt Lake City, Utah.
- 1998 Cultural Resource Evaluation of Various Large Tracts in the Wells Draw to Pariette Bench Locality in Duchesne and Uintah Counties, Utah. Archeological-Environmental Research Corporation, Bountiful, Utah. Report No. U-98-AF-0164b,s, available at the BLM Vernal Field Office, Vernal Utah, and the Utah Division of State History, Salt Lake City, Utah.
- Hauck, F.R and Glade Hadden  
1997 Cultural Resource Evaluation of the Ashley Unit, South Wells Draw Unit & South Pleasant Valley Unit Lease Areas in the Wells Draw & Pleasant Valley Localities in Duchesne County, Utah. Archeological-Environmental Research Corporation, Bountiful, Utah. Report No. U-97-AF-0722b,s, available at the BLM Vernal Field Office, Vernal Utah, and the Utah Division of State History, Salt Lake City, Utah.

**RECEIVED**

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

- Holmer, R.  
1986 Projectile Points of the Intermountain West. In *Anthropology of the Desert West: Essays in Honor of Jesse D. Jennings*, edited by Carol J. Condie and Don D. Fowler, pp. 89-116. *University of Utah Anthropological Papers* No. 110. Salt Lake City.
- Horn, J.C., A.D. Reed, and S.M. Chandler  
1994 Grand Resource Area Class I Cultural Resource Inventory. Alpine Archaeological Consultants, Inc. Montrose. Bureau of Land Management, Moab, Utah.
- Marwitt, J.P.  
1970 Median Village and Fremont Culture Regional Variation. *University of Utah Anthropological Papers* No. 95. Salt Lake City.
- Polk, A.S.  
1998 Cultural Resource Inventory in the Second Portion of the Black Jack Unit Block Area, Duchesne County, Utah. Sagebrush Consultants, L.L.C., Ogden Utah. Report No. U-98-SJ-021b, available at the BLM Vernal Field Office, Vernal, Utah.
- Reed A.D.  
1988 Ute Cultural Chronology. In *Archaeology of the Eastern Ute: A Symposium* edited by Paul R. Nickens, pp 79-101. Colorado Council of Professional Archaeologists Occasional Papers No. 1. Denver.
- 1994 The Numic Occupation of Western Colorado and Eastern Utah during the Prehistoric and Protohistoric Periods. In *Across the West: Human Population Movement and the Expansion of the Numa*, edited by D.B. Madsen and D. Rhode. University of Utah Press.
- Shields, W.F.  
1970 The Fremont Culture in the Uinta Basin. Paper presented at the Fremont Culture Symposium, 35<sup>th</sup> Annual Meeting of the Society for American Archaeology, Mexico City.
- Smith, A.M.  
1974 *Ethnography of the Northern Utes*. Papers in Anthropology No. 17. Museum of New Mexico Press.
- Spangler, J.D., M. Rands and S.A. Bilbey  
1995 Paradigms and Perspectives, A Class I Overview of Cultural Resources in the Uinta Basin and Tavaputs Plateau, Volume II. Uinta Research, Salt Lake City, Utah.
- Stokes, W.L.  
1986 *Geology of Utah*. Utah Museum of Natural History, University of Utah, Salt Lake City.

RECEIVED

MAR 09 2001

DIVISION OF  
OIL, GAS AND MINING

APPENDIX A  
INTERMOUNTAIN ANTIQUITIES COMPUTER SYSTEM (IMACS)  
SITE INVENTORY FORMS

On File At:

U.S. Bureau of Land Management  
Vernal Field Office  
Vernal, Utah

**RECEIVED**

25 MAR 09 2001  
DIVISION OF  
OIL, GAS AND MINING

**RECEIVED**

MAR 29 2001  
DIVISION OF  
OIL, GAS AND MINING

**WORKSHEET  
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 03/09/2001

API NO. ASSIGNED: 43-013-32234
--------------------------------

WELL NAME: GBU 9-27-8-17  
 OPERATOR: INLAND PRODUCTION ( N5160 )  
 CONTACT: JON HOLST

PHONE NUMBER: 970-481-1202

PROPOSED LOCATION:

NESE 27 080S 170E  
 SURFACE: 2189. FSL 0909 FEL  
 BOTTOM: 2189 FSL 0909 FEL  
 DUCHESNE  
 MONUMENT BUTTE ( 105 )

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1-Federal  
 LEASE NUMBER: UTU-76241  
 SURFACE OWNER: 1-Federal

PROPOSED FORMATION: GRRV

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed<sup>[1]</sup> Ind[] Sta[] Fee[]  
(No. 4488944 )
- Potash (Y/N)
- Oil Shale (Y/N) \*190-5 (B) or 190-3
- Water Permit  
(No. MUNICIPAL )
- RDCC Review (Y/N)  
(Date: \_\_\_\_\_ )
- Fee Surf Agreement (Y/N)

LOCATION AND SITING:


- R649-2-3. Unit GREATER BOUNDARY
- R649-3-2. General  
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit  
Board Cause No: 225-2 \*Unit & Enh. Rec.  
Eff Date: 4-8-98  
Siting: \*Suspend Gen. Siting
- R649-3-11. Directional Drill

COMMENTS: Mon. Butte Field Sol, separate file.

STIPULATIONS: ① FEDERAL APPROVAL



OPERATOR: INLAND PROD CO (N5160)  
 FIELD: MONUMENT BUTTE (105)  
 SEC. 27, T8S, R17E,  
 COUNTY: DUCHESNE UNIT: GREATER BOUNDARY  
 CAUSE: 225-2





State of Utah  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt  
Governor

Kathleen Clarke  
Executive Director

Lowell P. Braxton  
Division Director

1594 West North Temple, Suite 1210  
PO Box 145801  
Salt Lake City, Utah 84114-5801  
801-538-5340  
801-359-3940 (Fax)  
801-538-7223 (TDD)

March 15, 2001

Inland Production Company  
410 - 17th St, Suite 700  
Denver, CO 80202

Re: Greater Boundary Unit 9-27-8-17 Well, 2189' FSL, 909' FEL, NE SE, Sec. 27,  
T. 8 South, R. 17 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-32234.

Sincerely,

A handwritten signature in black ink, appearing to read "John R. Baza".

John R. Baza  
Associate Director

er

Enclosures

cc: Duchesne County Assessor  
Bureau of Land Management, Vernal District Office

**Operator:** Inland Production Company

**Well Name & Number** Greater Boundary Unit 9-27-8-17

**API Number:** 43-013-32234

**Lease:** UTU 76241

**Location:** NE SE      **Sec.** 27      **T.** 8 South      **R.** 17 East

### Conditions of Approval

**1. General**

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

**2. Notification Requirements**

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

**3. Reporting Requirements**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

**4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.**

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.  
**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)  
**2189 FSL 909 FEL NE/SE Section 27, T08S R17E**

5. Lease Designation and Serial No.  
**UTU-76241**

6. If Indian, Allottee or Tribe Name  
**NA**

7. If Unit or CA, Agreement Designation  
**GREATER BOUNDARY**

8. Well Name and No.  
**GREATER BOUNDARY 9-27-8-17**

9. API Well No.  
**43-013-32234**

10. Field and Pool, or Exploratory Area  
**MONUMENT BUTTE**

11. County or Parish, State  
**DUCHESNE COUNTY, UTAH**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <b>Permit Extension</b> <input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is direction-ally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Inland Production Company requests to extend the permit to drill this well for one year.

**Approved by the Utah Division of Oil, Gas and Mining**

Date: 02-21-02  
 By: [Signature]

**COPY SENT TO OPERATOR**  
 Date: 02-22-02  
 Initials: [Signature]

**RECEIVED**

FEB 19 2002

DIVISION OF OIL, GAS AND MINING

14. I hereby certify that the foregoing is true and correct  
 Signed [Signature] Title Permit Clerk Date 2/15/02

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

CC: Utah DOGM

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

**APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK**

1a. TYPE OF WORK **DRILL**  **DEEPEN**   
 1b. TYPE OF WELL  
 OIL  GAS  SINGLE  MULTIPLE   
 WELL  WELL  OTHER  ZONE  ZONE

2. NAME OF OPERATOR  
**Inland Production Company**

3. ADDRESS OF OPERATOR  
**410 - 17th Street, Suite 700, Denver, CO 80202** Phone: **(303) 893-0102**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
 At Surface **NE/SE** **2189' FSL & 909' FEL**  
 At proposed Prod. Zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
**14.2 miles southeast of Myton, Utah**

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to **Approx. 909' f/lse line**)  
 16. NO. OF ACRES IN LEASE **1760**  
 17. NO. OF ACRES ASSIGNED TO THIS WELL **40**

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR ON THIS LEASE, FT. **Approx. 1320'**  
 19. PROPOSED DEPTH **6500'**  
 20. ROTARY OR CABLE TOOLS **Rotary**

21. ELEVATIONS (Show whether DF, RT, GR, etc.) **5116.9' GR**  
 22. APPROX. DATE WORK WILL START\* **2nd QTR 01**

**23. PROPOSED CASING AND CEMENTING PROGRAM**

SIZE OF HOLE	SIZE OF CASING	WEIGHT/FOOT	SETTING DEPTH	QUANTITY OF CEMENT
<b>Refer to Monument Butte Field SOP's Drilling Program/Casing Design</b>				

5. LEASE DESIGNATION AND SERIAL NO.  
**UTU-76241**  
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**N/A**  
 7. UNIT AGREEMENT NAME  
**Greater Boundary**  
 8. FARM OR LEASE NAME WELL NO  
**#9-27-8-17**  
 9. API WELL NO.  
  
 10. FIELD AND POOL OR WILDCAT  
**Monument Butte**  
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
**NE/SE  
Sec. 27, T8S, R17E**  
 12. County **Duchesne** 13. STATE **UT**

**Inland Production Company proposes to drill this well in accordance with the attached exhibits.**

**Draft Conditions of Approval are attached.**

**RECEIVED  
RECEIVED**

**FEB 21 2002**

**DIVISION OF  
OIL, GAS AND MINING**

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM : If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone.  
 If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *[Signature]* TITLE **Permitting Agent** DATE **2/28/01**

(This space for Federal or State office use)

**NOTICE OF APPROVAL**

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_  
 Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

CONDITIONS OF APPROVAL, IF ANY:  
 APPROVED BY *[Signature]* TITLE **Assistant Field Manager  
Mineral Resources** DATE **02/13/2002**

\*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**CONDITIONS OF APPROVAL ATTACHED**

CONDITIONS OF APPROVAL  
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Inland Production Company

Well Name & Number: Greater Boundary 9-27-8-17

API Number: 43-013-32234

Lease Number: U -76241

Location: NESE Sec. 27 T. 08S R. 17E

Agreement: Greater Boundary Unit

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

**CONDITIONS OF APPROVAL FOR NOTICE TO DRILL**

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Casing Program and Auxiliary Equipment

As a minimum, the usable water resources and other resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Green River Formation, identified at  $\pm 1,765$  ft.

SURFACE USE PROGRAM  
Conditions of Approval (COA)

Plans For Reclamation Of Location:

1. All seeding for reclamation operations at these locations shall use the following seed mixture:

shadscale	Atriplex confertifolia	4 lbs/acre
galleta grass	Hilaria jamesii	4 lbs/acre
Indian rice grass	Oryzopsis hymenoides	4 lbs/acre
2. If the seed mixture is to be aerially broadcasted, the pounds per acre shall be doubled. All seed poundages are in Pure Live Seed.
3. Immediately after construction the stockpiled top soil will be seeded and the seed worked into the soil by "walking" the pile with caterpillar tracks.

Other Information:

1. At time of construction a qualified botanist shall survey the area during snow free conditions and prior to construction to locate individual Uinta Basin hookless cactus plants.
2. The individual hookless cactus plants shall be removed as recommended, and with coordination with the U.S. Fish & Wildlife Service. Transmit the plants collected to the Service as specimens for biological research in support of the species recovery plan, or utilize them in re-vegetation actions to support the oil fields reclamation actions.
3. All soils surrounding each lost plant in a circular area with a radius of one meter to a depth of 5 centimeters centered on the plant should be collected and secured in a water proof container and maintain the container. The soils would be used as a seed bank in the oil field's reclamation action.
4. Prohibit unauthorized off-road vehicle use and unauthorized routes off established roads.
5. Sign all appropriate roads to advise all motorists to remain on existing roads. Instruct all vehicle users associated with the field operations to remain on legally defined existing roads and well pads at all times. Enforce off-road vehicle closures within the habitat of the Uinta Basin hookless cactus.

**DIVISION OF OIL, GAS AND MINING**

**SPUDDING INFORMATION**

Name of Company: INLAND PRODUCTION COMPANY

Well Name: GBU 9-27-8-17

Api No: 43-013-32234 Lease Type: FEDERAL

Section 27 Township 08S Range 17E County DUCHESNE

Drilling Contractor STUBBS RIG# 111

**SPUDDED:**

Date 02/14/03

Time 12:00 NOON

How DRY

**Drilling will commence:** \_\_\_\_\_

Reported by PAT WISENER

Telephone # 1-435-823-7468

Date 02/18/2003 Signed: CHD

STATE OF UTAH  
DIVISION OF OIL, GAS AND MINING  
ENTITY ACTION FORM - FORM 5

OPERATOR INLAND PRODUCTION COMPANY  
ADDRESS RT. 2 BOX 3633  
MYTON, UT 84052

OPERATOR ACCT. NO. N 5160  
NE105

ACTION CODE	CURRENT ENTITY NO	NEW ENTITY NO	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					CG	SC	TP	RG	COUNTY		
<b>B</b> <b>A</b>	99999	12391	43-013-32234	Boundary #3-27-3-17	NE/0E	27	8S	17E	Duchesne	February 14, 2003	2-26-03 02/14/03

ACTION CODE	CURRENT ENTITY NO	NEW ENTITY NO	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					CG	SC	TP	RG	COUNTY		
<b>B</b> <b>A</b>	99999	12299	43-013-32239	Canvasback #14-22-8-17	SE/SW	22	8S	17E	Duchesne	February 19, 2003	2-26-03 02/19/03

ACTION CODE	CURRENT ENTITY NO	NEW ENTITY NO	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					CG	SC	TP	RG	COUNTY		

ACTION CODE	CURRENT ENTITY NO	NEW ENTITY NO	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					CG	SC	TP	RG	COUNTY		

ACTION CODE	CURRENT ENTITY NO	NEW ENTITY NO	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					CG	SC	TP	RG	COUNTY		

- WELL CODES - See instructions on back of form
- A - Establish new entity for new well (single well only)
  - B - Add new well to existing entity (single or multiple)
  - C - Reassign well from one existing entity to another existing entity
  - D - Reassign well from one existing entity to a new entity
  - E - Other (specify in comments section)

NOTE: THIS DOCUMENT IS REQUIRED TO SIGNIFY WHY EACH ACTION CODE WAS SELECTED

RECEIVED  
FEB 24 2003

*[Signature]*  
Production Clerk  
February 24, 2003

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF OIL AND GAS MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

**UTU-76241**

6. If Indian, Allottee or Tribe Name

**NA**

7. If Unit or CA, Agreement Designation

**Greater Boundry**

8. Well Name and No.

**9-27-8-17**

9. API Well No.

**43-013-32234**

10. Field and Pool, or Exploratory Area

11. County or Parish, State

**Duchesne, Utah**

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil Well  Gas Well  Other

2. Name of Operator

**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.

**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

**2189' FSL & 909' FEL NE/SE Sec-26. T.7N. R.17E**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other **Spud Report**

Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

On 2-14-03. MIRU Stubbs # 111. Drill 305' of 12 1/4" hole with air mist. TIH w/ 7 Jt's 85/8" J-55 24# csgn. Set @ 303.84'/KB On 2/19/03 cement with 150 sks of Class "G" w/ 2% CaCL2 + 1/4# sk Cello-Flake Mixed @ 15.8 ppg > 1.17 cf/sk yeild. 4 bbls cement returned to surface. WOC.

**RECEIVED**

**FEB 26 2003**

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed

Pat Wisener  
Pat Wisener

Title

Drilling Foreman

Date

02/23/2003

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

CC: Utah DOGM

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

# INLAND PRODUCTION COMPANY - CASING & CEMENT REPORT

8 5/8 CASING SET AT 303.84

LAST CASING 8 5/8" SET AT 303.84  
 DATUM 12' KB  
 DATUM TO CUT OFF CASING \_\_\_\_\_  
 DATUM TO BRADENHEAD FLANGE \_\_\_\_\_  
 TD DRILLER 305 LOGGER \_\_\_\_\_  
 HOLE SIZE 12 1/4

OPERATOR Inland Production Company  
 WELL Greater Boundary # 9- 27- 8- 17  
 FIELD/PROSPECT Monument Butte  
 CONTRACTOR & RIG # Stubbs # 111

**LOG OF CASING STRING:**

PIECES	OD	ITEM - MAKE - DESCRIPTION	WT / FT	GRD	THREAD	CONDT	LENGTH
		38.0 sh jt' shjt					
		WHI - 92 csg head			8rd	A	0.95
7	8 5/8"	Maverick ST&C csg	24#	J-55	8rd	A	291.99
		- <b>GUIDE</b> shoe			8rd	A	0.9

CASING INVENTORY BAL.	FEET	JTS	TOTAL LENGTH OF STRING	293.84
TOTAL LENGTH OF STRING	293.84	7	LESS CUT OFF PIECE	2
LESS NON CSG. ITEMS	1.85		PLUS DATUM TO T/CUT OFF CSG	12
PLUS FULL JTS. LEFT OUT	0		CASING SET DEPTH <b>RECEIVED</b>	<b>303.84</b>
TOTAL	291.99	7	} COMPARE <b>FEB 26 2003</b> DIV. OF OIL, GAS & MINING	
TOTAL CSG. DEL. (W/O THRDS)	291.99	7		
TIMING	1ST STAGE			

BEGIN RUN CSG.	SPUD	02/14/2003	GOOD CIRC THRU JOB	Yes
CSG. IN HOLE		12:00pm	Bbls CMT CIRC TO SURFACE	4
BEGIN CIRC			RECIPROCATED PIPE FOR _____ THRU _____ FT STROKE	
BEGIN PUMP CMT			DID BACK PRES. VALVE HOLD ?	N/A
BEGIN DSPL. CMT			BUMPED PLUG TO _____	200 PSI
PLUG DOWN	<b>Cemented</b>	<b>02/19/2003</b>		

CEMENT USED	CEMENT COMPANY- <b>B. J.</b>		
STAGE	# SX	CEMENT TYPE & ADDITIVES	
1	150	Class "G" w/ 2% CaCL2 + 1/4#/sk Cello-Flake mixed @ 15.8 ppg 1.17 cf/sk yield	

CENTRALIZER & SCRATCHER PLACEMENT	SHOW MAKE & SPACING
Centralizers - Middle first, top second & third for 3	

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

**UTU-76241**

6. If Indian, Allottee or Tribe Name

**NA**

7. If Unit or CA, Agreement Designation

**Greater Boundry**

8. Well Name and No.

**9-27-8-17**

9. API Well No.

**43-013-32234**

10. Field and Pool, or Exploratory Area

11. County or Parish, State

**Duchesne, Utah**

*SUBMIT IN TRIPLICATE*

1. Type of Well

Oil Well     Gas Well     Other

2. Name of Operator

**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.

**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

**2189' FSL & 909' FEL NE/SE Sec 27. TWN 8S. R17E**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

**TYPE OF SUBMISSION**

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

**TYPE OF ACTION**

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other **Weekly Status Report**

Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Weekly Status report for the period of 2-22-03 thru 3-01-03.

**RECEIVED**

**MAR 04 2003**

**DIV. OF OIL, GAS & MINING**

On 2-22-03 MIRU Eagle # 1. Set equipment. Pressure test Bop's, Kelly, TIW to 2,000 psi. Test 85/8" csgn to 1,500 psi. Vernal BLM office was notified of test. PU & MU BHA and tag cement @ 252'. Drill out cement and shoe. Con't to drill 77/8" hole with fresh water to a depth of 6330'. Lay down drill string. Open hole log. PU & MU Guide shoe, 1 jt 5 1/2" csg, Float collar & 146jt's J-55 15.5 # 5 1/2" csgn. Set @ 6330'/KB. Cement with 400\* sks. 50/50 POZ w/ 3% KCL, 1/4#sk Cello-Flake, 2% Gel, .3%SMS, .05#sk Static free, Mixed @ 14.4PPG >1.24 YLD. Then 300\* sks Prem Litell w/ 3% KCL, 3#/sk Kolseal, 8% Gel, .5SMS, 3#sk CSE, mixed @ 11.0PPG >3.43. Good returns thru job with 45 bbls of 60 bbls dye water to pit. Set slips with 78,000# tension. Nipple down BOP's. Release rig @ 11:30 pm on 2/28/03

14. I hereby certify that the foregoing is true and correct

Signed

*Pat Wisener*  
Pat Wisener

Title

**Drilling Foreman**

Date

**03/02/2003**

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

CC: Utah DOGM

# INLAND PRODUCTION COMPANY - CASING & CEMENT REPORT

5 1/2" CASING SET AT 6330.04

Flt cllr @ 6285'

LAST CASING 8 5/8" SET AT 303.84

OPERATOR Inland Production Company

DATUM 12' KB

WELL Greater Boundry 9-27-8-17

DATUM TO CUT OFF CASING 12'

FIELD/PROSPECT Monument Butte

DATUM TO BRADENHEAD FLANGE \_\_\_\_\_

CONTRACTOR & RIG # Eagle # 1

TD DRILLER 6330' LOGGER 6336'

HOLE SIZE 7 7/8"

**LOG OF CASING STRING:**

PIECES	OD	ITEM - MAKE - DESCRIPTION	WT / FT	GRD	THREAD	CONDT	LENGTH
		Landing Jt					14
		<b>39' @ 4010'</b>					
<b>146</b>	<b>5 1/2"</b>	ETC LT & C casing	<b>15.5#</b>	<b>J-55</b>	<b>8rd</b>	<b>A</b>	6273.69
		Float collar					0.6
<b>1</b>	<b>5 1/2"</b>	ETC LT&C csg	<b>15.5#</b>	<b>J-55</b>	<b>8rd</b>	<b>A</b>	43.1
		<b>GUIDE</b> shoe			<b>8rd</b>	<b>A</b>	0.65

CASING INVENTORY BAL.	FEET	JTS	TOTAL LENGTH OF STRING	6332.04
TOTAL LENGTH OF STRING	6332.04	146	LESS CUT OFF PIECE	14
LESS NON CSG. ITEMS	15.25		PLUS DATUM TO T/CUT OFF CSG	12
PLUS FULL JTS. LEFT OUT	0	0	CASING SET DEPTH	<b>6330.04</b>
<b>TOTAL</b>	<b>6316.79</b>	<b>146</b>		

TOTAL CSG. DEL. (W/O THRDS)	6316.79	146	} COMPARE
TIMING	1ST STAGE	2nd STAGE	
BEGIN RUN CSG.	2:00pm		GOOD CIRC THRU JOB <u>YES</u>
CSG. IN HOLE	5:00pm		Bbls CMT CIRC TO SURFACE <u>45 bbls of 60 bbls dye water</u>
BEGIN CIRC	5:15pm	6:00pm	RECIPROCATED PIPE FOR <u>THRUSTROKE</u>
BEGIN PUMP CMT	6:20pm	6:40pm	DID BACK PRES. VALVE HOLD ? <u>Yes</u>
BEGIN DSPL. CMT	7:00pm		BUMPED PLUG TO <u>1550</u> PSI
PLUG DOWN		<b>7:30pm</b>	

CEMENT USED		CEMENT COMPANY- <b>B. J.</b>
STAGE	# SX	CEMENT TYPE & ADDITIVES
<b>1</b>	<b>300</b>	Premlite II w/ 10% gel + 3% KCL, 3#s /sk CSE + 2# sk/kolseal + 1/4#s/sk Cello Flake
		mixed @ 11.0 ppg W / 3.43 cf/sk yield
<b>2</b>	<b>400</b>	50/50 poz W/ 2% Gel + 3% KCL, .5%EC1, 1/4# sk C.F. 2% gel. 3% SM mixed @ 14.4 ppg W/ 1.24 YLD

CENTRALIZER & SCRATCHER PLACEMENT	SHOW MAKE & SPACING
Centralizers - Middle first, top second & third. Then every third collar for a total of 20.	
<b>RECEIVED</b>	
<b>MAR 04 2003</b>	

DIV. OF OIL, GAS & MINING

COMPANY REPRESENTATIVE Pat Wisener

DATE 02/28/2003

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.  
**UTU-76241**

6. If Indian, Allottee or Tribe Name  
**NA**

7. If Unit or CA, Agreement Designation  
**GREATER BOUNDARY**

8. Well Name and No.  
**GBU 9-27-8-17**

9. API Well No.  
**43-013-32234**

10. Field and Pool, or Exploratory Area  
**MONUMENT BUTTE**

11. County or Parish, State  
**DUCHESNE COUNTY, UTA**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.  
**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)  
**2189 FSL 909 FEL                      NE/SE Section 27, T8S R17E**

12. **CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent <input checked="" type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <b>Weekly status</b>
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Status report for time period 3/3/2003 through 3/9/2003.

Subject well had completion procedures initiated in the Green River formation on 3/7/2003 without use of a service rig over the well. A cement bond log was ran and the first of five proposed Green River intervals was perforated in anticipation of fracing next week.

**RECEIVED**  
**MAR 11 2003**  
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed *Gary Dietz* Title Completion Foreman Date 3/10/2003  
 Gary Dietz

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.  
**UTU-76241**

6. If Indian, Allottee or Tribe Name  
**NA**

7. If Unit or CA, Agreement Designation  
**GREATER BOUNDARY**

8. Well Name and No.  
**GREATER BOUNDARY 9-27-8-17**

9. API Well No.  
**43-013-32234**

10. Field and Pool, or Exploratory Area  
**MONUMENT BUTTE**

11. County or Parish, State  
**DUCHESNE COUNTY, UTA**

SUBMIT IN TRIPLICATE

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.  
**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)  
**2189 FSL 909 FEL NE/SE Section 27, T8S R17E**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <b>Permit Extension</b>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Inland Production Company requests to extend the permit to drill this well for one year.

RECEIVED

MAR 11 2003

DIV. OF OIL, GAS & MINING

RECEIVED

FEB 05 REC'D

CONDITIONS OF APPROVAL ATTACHED

14. I hereby certify that the foregoing is true and correct  
Signed Mandie Crozier Title Permit Clerk Date 2/3/03  
Mandie Crozier

CC: UTAH DOGM

(This space for Federal or State office use)  
Approved by Paul Fulwood Title Petroleum Engineer Date 2/21/03

Conditions of approval, if any:

CC: Utah DOGM



Inland Production Company  
APD Extension

Well: GB 9-27-8-17

Location: NESE Sec. 27, T8S, R17E

Lease: UTU 76241

**CONDITIONS OF APPROVAL**

An extension for the referenced APD is granted with the following conditions:

1. The extension will expire February 13, 2004
2. No other extensions beyond that time frame will be granted or allowed.

If you have any other questions concerning this matter, please contact Kirk Fleetwood at (435) 781-4486.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil Well     Gas Well     Other

2. Name of Operator

**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.

**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

**2189 FSL 909 FEL NE/SE Section 27, T8S R17E**

5. Lease Designation and Serial No.

**UTU-76241**

6. If Indian, Allottee or Tribe Name

**NA**

7. If Unit or CA, Agreement Designation

**GREATER BOUNDARY**

8. Well Name and No.

**GBU 9-27-8-17**

9. API Well No.

**43-013-32234**

10. Field and Pool, or Exploratory Area

**MONUMENT BUTTE**

11. County or Parish, State

**DUCHESNE COUNTY, UTA**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

TYPE OF ACTION

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other Weekly status

Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Status report for time period 3/10/2003 through 3/16/2003.

Subject well had completion procedures initiated in the Green River formation on 3/7/2003 without use of a service rig over the well. A cement bond log was ran and five Green River intervals were perforated and hydraulically fracture treated W/ 20/40 mesh sand using composite flow-through frac plugs between stages. Fracs were flowed back through chokes. A service rig was moved on well on 3/13/2003. Bridge plugs were drilled out and well was cleaned out to PBTD. Well is being swab tested for sand cleanup at present time.

**RECEIVED**

**MAR 19 2003**

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Gary Dietz Title Completion Foreman Date 3/16/2003

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

Oil Well     Gas Well     Other

2. Name of Operator

**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.

**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)

**2189 FSL 909 FEL NE/SE Section 27, T8S R17E**

5. Lease Designation and Serial No.

**UTU-76241**

6. If Indian, Allottee or Tribe Name

**NA**

7. If Unit or CA, Agreement Designation

**GREATER BOUNDARY**

8. Well Name and No.

**GBU 9-27-8-17**

9. API Well No.

**43-013-32234**

10. Field and Pool, or Exploratory Area

**MONUMENT BUTTE**

11. County or Parish, State

**DUCHESNE COUNTY, UTA**

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent  
 Subsequent Report  
 Final Abandonment Notice

TYPE OF ACTION

Abandonment  
 Recompletion  
 Plugging Back  
 Casing Repair  
 Altering Casing  
 Other **Weekly status**

Change of Plans  
 New Construction  
 Non-Routine Fracturing  
 Water Shut-Off  
 Conversion to Injection  
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Status report for time period 3/17/2003 through 3/23/2003.


Subject well had completion procedures initiated in the Green River formation on 3/7/2003 without use of a service rig over the well. A cement bond log was ran and five Green River intervals were perforated and hydraulically fracture treated W/ 20/40 mesh sand using composite flow-through frac plugs between stages. Fracs were flowed back through chokes. A service rig was moved on well on 3/13/2003. Bridge plugs were drilled out and well was cleaned out to PBTD. Well was swab tested for sand cleanup. A production tbg string was ran in and anchored in well. A repaired 1 1/2" bore rod pump was ran in well on sucker rods. Well was placed on production via rod pump on 3/17/2003.

**RECEIVED**

**MAR 25 2003**

**DIV. OF OIL, GAS & MINING**

14. I hereby certify that the foregoing is true and correct

Signed  Title Completion Foreman Date 3/18/2003  
Gary Dietz

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

SUBMIT IN DUPLICATE\*  
(See other instructions on reverse side)

FORM APPROVED  
OMB NO. 1004-0137  
Expires: February 28, 1995

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

5. LEASE DESIGNATION AND SERIAL NO.  
**UTU-76241**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
**NA**

7. UNIT AGREEMENT NAME  
**Greater Boundary**

8. FARM OR LEASE NAME, WELL NO.  
**GBU 9-27-8-17**

9. WELL NO.  
**43-013-32234**

10. FIELD AND POOL OR WILDCAT  
**Monument Butte**

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA  
**Sec 27. Twp 8S, Rng 17E**

1a. TYPE OF WORK  
OIL WELL  GAS WELL  DRY  Other \_\_\_\_\_

1b. TYPE OF WELL  
NEW WELL  WORK OVER  DEEPEN  PLUG BACK  DIFF RESVR  Other \_\_\_\_\_

2. NAME OF OPERATOR  
**INLAND RESOURCES INC.**

3. ADDRESS AND TELEPHONE NO.  
**410 17th St. Suite 700 Denver, CO 80202**

4. LOCATION OF WELL (Report locations clearly and in accordance with any State requirements.)\*  
At Surface **2189' FSL & 909' FEL, (NESE) Sec 27. Twp 8S, Rng 17E**  
At top prod. Interval reported below  
At total depth

14. API NO. **43-013-32234** DATE ISSUED **3/15/01**

12. COUNTY OR PARISH **Duchesne** 13. STATE **UT**

15. DATE SPUNDED **2/19/03** 16. DATE T.D. REACHED **2/28/03** 17. DATE COMPL. (Ready to prod.) **3/17/03** 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*  
**GL 5121' KB 5134'**

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD **6330'** 21. PLUG BACK T.D., MD & TVD **6330'** 22. IF MULTIPLE COMPL., HOW MANY\*  
23. INTERVALS DRILLED BY **----->** ROTARY TOOLS **X** CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)\*  
**Green River 4575'-6138'**

25. WAS DIRECTIONAL SURVEY MADE  
**No**

26. TYPE ELECTRIC AND OTHER LOGS RUN  
**✓ DIGI/SP/CDL/GR/Cal - 3-10-03**

27. WAS WELL CORED  
**No**

23. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8-5/8" - J-55	24#	303.84'	12-1/4"	To surface with 150 sx Class "G" cmt	
5-1/2" - J-55	15.5#	6330.04'	7-7/8"	300 sx Premlite II and 400 sx 50/50 Poz	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8"	EOT @ 6156'	TA @ 6022'

31. PERFORATION RECORD (Interval, size and number)

INTERVAL	SIZE	SPF/NUMBER	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
(CP sands) 6053-61', 6101-06', 6330-33'	.038"	4/72	6053-61'	Frac w/ 50,879# 20/40 sand in 454 bbls fluid
(CP, LODC) 5784-94', 5781-0'	.038"	4/52	5784'-5904'	Frac w/ 41,000# 20/40 sand in 370 bbls fluid
(A1, B.5 sands) 5301-08', 5472-76', 5494-96', 5513-18'	.038"	4/66	5301'-5518'	Frac w/ 74,948# 20/40 sand in 570 bbls fluid
(D3, D1 sands) 5043-49', 5053-55', 5059-62', 5138-43'	.038"	4/64	5043'-5143'	Frac w/ 60,260# 20/40 sand in 493 bbls fluid
(GB6) 4608-11', 4608-11'	.038"	4/54	4611'	Frac w/ 24,630# 20/40 sand in 252 bbls fluid

33.\*

DATE FIRST PRODUCTION **3/17/03** PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) **2-1/2" x 1-1/2" x 15' RHAC Pump** WELL STATUS (Producing or shut-in) **PRODUCING**

DATE OF TEST **10 day ave** HOURS TESTED \_\_\_\_\_ CHOKE SIZE \_\_\_\_\_ PROD'N. FOR TEST PERIOD \_\_\_\_\_ OIL--BBL. **63** GAS--MCF. **77** WATER--BBL. **13** GAS-OIL RATIO **1222**

FLOW. TUBING PRESS. \_\_\_\_\_ CASING PRESSURE \_\_\_\_\_ CALCULATED 24-HOUR RATE \_\_\_\_\_ OIL-BBL. \_\_\_\_\_ GAS--MCF. \_\_\_\_\_ WATER--BBL. \_\_\_\_\_ OIL GRAVITY-API (CORR.) **RECEIVED**

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **Sold & Used for Fuel** TEST WITNESSED BY **APR 22 2003**

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Brian Harris TITLE **Engineering Technician** DATE **4/18/2003**

\*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
			Well Name Greater Boundary 9-27-8-17	Garden Gulch Mkr	4054'	
				Garden Gulch 2	4354'	
				Point 3 Mkr	4622'	
				X Mkr	4846'	
				Y-Mkr	4884'	
				Douglas Creek Mkr	5016'	
				BiCarbonate Mkr	5269'	
				B Limestone Mkr	5421'	
				Castle Peak	5883'	
				Basal Carbonate	6305'	
				Total Depth (LOGGERS)	6330'	



April 18, 2003

State of Utah, Division of Oil, Gas and Mining  
Attn: Ms. Carol Daniels  
P.O. Box 145801  
Salt Lake City, Utah 84144-5801

Attn: Ms. Carol Daniels

Greater Boundary 9-27-8-17 (43-013-32234)  
Duchesne County, UT

Dear Ms. Carol Daniels

Enclosed is a Well Completion or Recompletion Report and Log form (Form 3160-4). We are no longer sending Log copies since Dave Jull of Phoenix Surveys is already doing so.

If you should have any questions, please contact me at (303) 382-4449.

Sincerely,

Brian Harris  
Engineering Tech

Enclosures

cc: Bureau of Land Management  
Vernal District Office, Division of Minerals  
Attn: Edwin I. Forsman  
170 South 500 East  
Vernal, Utah 84078

Well File – Denver  
Well File – Roosevelt  
Patsy Barreau/Denver  
Bob Jewett/Denver

RECEIVED

APR 22 2003

DIV. OF OIL, GAS & MINING

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry a different reservoir.  
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.  
**UTU-76241**

6. If Indian, Allottee or Tribe Name  
**NA**

7. If Unit or CA, Agreement Designation  
**GREATER BOUNDARY**

8. Well Name and No.  
**GREATER BOUNDARY 9-27-8-17**

9. API Well No.  
**43-013-32234**

10. Field and Pool, or Exploratory Area  
**MONUMENT BUTTE**

11. County or Parish, State  
**DUCHESNE COUNTY, UT**

**SUBMIT IN TRIPLICATE**

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
**INLAND PRODUCTION COMPANY**

3. Address and Telephone No.  
**Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721**

4. Location of Well (Footage, Sec., T., R., m., or Survey Description)  
**2189 FSL 909 FEL                      NE/SE Section 27, T8S R17E**

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input checked="" type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Formation water is produced to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Inland's secondary recovery project.

Water not meeting quality criteria, is disposed at Inland's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

14. I hereby certify that the foregoing is true and correct

Signed Mandie Crozier Title Regulatory Specialist Date 11/14/2003

Mandie Crozier

CC: UTAH DOGM

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date NOV 17 2003

Conditions of approval, if any:

CC: Utah DOGM

**RECEIVED  
NOV 17 2003  
DIV. OF OIL, GAS & MINING**

4301332234



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 300  
DENVER, CO 80202-2466  
Phone 800-227-8917  
<http://www.epa.gov/region08>

MAR - 9 2005

Ref: 8P-W-GW

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Mr. Mike Guinn  
Vice President - Operations  
Newfield Production Co.  
Route 3 - Box 3630  
Myton, Utah 84502

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY

RECEIVED  
MAR 11 2005  
DIV. OF OIL, GAS & MINING

RE: ADDITIONAL WELL TO AREA PERMIT  
Boundary Area Permit: UT20702-00000  
**Greater Boundary No. 9-27-8-17**  
**Well ID: 20702-06486**  
NE SE Sec. 27 - T8S - 17E  
Duchesne County, Utah

Déar Mr. Guinn:

The Newfield Production Co. (Newfield) request **to convert** a former Green River Formation oil well, the Greater Boundary No. 9-27-8-17, to a Garden Gulch-Douglas Creek-Basal Carbonate Members of the Green River Formation enhanced recovery injection well in the Boundary Area Permit is hereby authorized. The proposed Greater Boundary No. 9-27-8-17 Class II enhanced recovery injection well is within the exterior boundary of the Boundary Area Permit UT20702-00000; is within the exterior boundary of the Uintah & Ouray Indian Reservation; and the addition is being made under the authority of 40 CFR § 144.33 (c) and the terms of the Area Permit. Unless specifically mentioned in the enclosed Authorization For An Additional Well, all terms and conditions of the original Area Permit will apply to the conversion, operation, monitoring, and plugging and abandonment of the Greater Boundary No. 9-27-8-17.

RECEIVED  
MAR 11 2005  
DIV. OF OIL, GAS & MINING

Prior to beginning injection, the Environmental Protection Agency (EPA) requires that Newfield submit for review and approval (1) the results of a **Part I (Internal) mechanical integrity test (MIT)**, (2) a **pore pressure** calculation of the injection interval, (3) an **EPA Form No. 7520-12** (Well Rework Record, enclosed).

Part II. Section C. Condition No. 4 (b), (Injection Pressure Limitation), Greater Boundary Area Permit (UT20702-00000) , cites the method by which the maximum allowable injection pressure (MAIP) shall be calculated for each Additional Well to the Boundary Area Permit. As a result, the MAIP for the Greater Boundary No. 9-27-8-17 shall not exceed **1360 psig**. The Boundary Area Permit, Part II. C. 5., provides an opportunity for the permittee to request an increase, or decrease, in the initial maximum surface injection pressure.

Please be aware that Newfield does not have authorization to begin injection into the Greater Boundary No. 9-27-8-17 until the Prior to Commencing Injection requirements, listed above, have been submitted and evaluated by the EPA, and Newfield has received written authorization to begin injection from the Assistant Regional Administrator, or the Assistant Regional Administrator's authorized representative.

If Newfield has any questions, please call Mr. Dan Jackson at (800) 227-8917 (Ext. 6155), or in the Denver area at (303) 312-6155. Please submit the required pre-authorization to inject data to **ATTENTION: DAN JACKSON**, at the letterhead address, citing **MAIL CODE: 8P-W-GW** very prominently.

Sincerely,



Stephen S. Tuber  
Assistant Regional Administrator  
Office of Partnerships and Regulatory Assistance

enclosures: Authorization For Conversion of An Additional Well  
EPA Form No. 7520-12 (Well Rework Record)  
Guidance No. 39: Part I Mechanical Integrity (Internal)  
Schematic Diagram: Proposed Conversion

cc w/ enclosures: Maxine Natchees  
Chairperson  
Uintah & Ouray Business Committee  
Ute Indian Tribe

Elaine Willie  
Environmental Coordinator  
Ute Indian Tribe

Chester Mills  
Superintendent  
Bureau of Indian Affairs  
Uintah & Ouray Indian Agency

David Gerbig  
Operations Engineer  
Newfield Production Company  
Denver, CO 80202

Gil Hunt  
Technical Services Manager  
State of Utah - Natural Resources

Ed Forsman  
Sr. Petroleum Engineer  
Bureau of Land Management  
Vernal District

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460




### WELL REWORK RECORD

NAME AND ADDRESS OF PERMITTEE

NAME AND ADDRESS OF CONTRACTOR

LOCATE WELL AND OUTLINE UNIT ON SECTION PLAT — 640 ACRES



STATE

COUNTY

PERMIT NUMBER

SURFACE LOCATION DESCRIPTION

1/4 of 1/4 of 1/4 of 1/4 of Section Township Range

LOCATE WELL IN TWO DIRECTIONS FROM NEAREST LINES OF QUARTER SECTION AND DRILLING UNIT

Surface Location \_\_\_\_ ft. from (N/S) \_\_\_\_ Line of quarter section

and \_\_\_\_ ft. from (E/W) \_\_\_\_ Line of quarter section

WELL ACTIVITY

- Brine Disposal
- Enhanced Recovery
- Hydrocarbon Storage

Lease Name

Total Depth Before Rework

Total Depth After Rework

Date Rework Commenced

Date Rework Completed

TYPE OF PERMIT

- Individual
  - Area
- Number of Wells \_\_\_\_

Well Number

#### WELL CASING RECORD — BEFORE REWORK

Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	

#### WELL CASING RECORD — AFTER REWORK (Indicate Additions and Changes Only)

Casing		Cement		Perforations		Acid or Fracture Treatment Record
Size	Depth	Sacks	Type	From	To	

DESCRIBE REWORK OPERATIONS IN DETAIL  
USE ADDITIONAL SHEETS IF NECESSARY

WIRE LINE LOGS. LIST EACH TYPE

Log Types

Logged Intervals

#### CERTIFICATION

*I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32).*

NAME AND OFFICIAL TITLE (Please type or print)

SIGNATURE

DATE SIGNED



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VIII

999 18th STREET - SUITE 500  
DENVER, COLORADO 80202-2466

SUBJECT: GROUND WATER SECTION GUIDANCE NO. 39  
Pressure testing injection wells for Part I (internal)  
Mechanical Integrity

FROM: Tom Pike, Chief  
UIC Direct Implementation Section

TO: All Section Staff  
Montana Operations Office

Introduction

The Underground Injection Control (UIC) regulations require that an injection well have mechanical integrity at all times (40 CFR 144.28 (f) (2) and 40 CFR 144.51 (q) (1)). A well has mechanical integrity (40 CFR 146.8) if:

- (1) There is no significant leak in the tubing, casing or packer; and
- (2) There is no significant fluid movement into an underground source of drinking water (USDW) through vertical channels adjacent to the injection wellbore.

Definition: Mechanical Integrity Pressure Test for Part I. A pressure test used to determine the integrity of all the downhole components of an injection well, usually tubing, casing and packer. It is also used to test tubing cemented in the hole by using a tubing plug or retrievable packer. Pressure tests must be run at least once every five years. If for any reason the tubing/packer is pulled, the injection well is required to pass another mechanical integrity test of the tubing casing and packer prior to recommencing injection regardless of when the last test was conducted. Tests run by operators in the absence of an EPA inspector must be conducted according to these procedures and recorded on either the attached form or an equivalent form containing the necessary information. A pressure recording chart documenting the actual annulus test pressures must be attached to the form.

This guidance addresses making a determination of Part I of Mechanical Integrity (no leaks in the tubing, casing or packer). The Region's policy is: 1) to determine if there are significant leaks in the tubing, casing or packer; 2) to assure that the casing can withstand pressure similar to that which



would be applied if the tubing or packer fails; 3) to make the Region's test procedure consistent with the procedures utilized by other Region VIII Primacy programs; and 4) to provide a procedure which can be easily administered and is applicable to all class I and II wells. Although there are several methods allowed for determining mechanical integrity, the principal method involves running a pressure test of the tubing/casing annulus. Region VIII's procedure for running a pressure test is intended to aid UIC field inspectors who witness pressure tests for the purpose of demonstrating that a well has Part I of Mechanical Integrity. The guidance is also intended as a means of informing operators of the procedures required for conducting the test in the absence of an EPA inspector.

### Pressure Test Description

#### Test Frequency

The mechanical integrity of an injection well must be maintained at all times. Mechanical integrity pressure tests are required at least every five (5) years. If for any reason the tubing/packer is pulled, however, the injection well is required to pass another mechanical integrity test prior to recommencing injection regardless of when the last test was conducted. The Regional UIC program must be notified of the workover and the proposed date of the pressure test. The well's test cycle would then start from the date of the new test if the well passes the test and documentation is adequate. Tests may be required on a more frequent basis depending on the nature of the injectate and the construction of the well (see Section guidance on MITs for wells with cemented tubing and regulations for Class I wells).

Region VIII's criteria for well testing frequency is as follows:

1. Class I hazardous waste injection wells; initially [40 CFR 146.68(d)(1)] and annually thereafter;
2. Class I non-hazardous waste injection wells; initially and every two (2) years thereafter, except for old permits (such as the disposal wells at carbon dioxide extraction plants which require a test at least every five years);
3. Class II wells with tubing, casing and packer; initially and at least every five (5) years thereafter;
4. Class II wells with tubing cemented in the hole; initially and every one (1) or two (2) years thereafter



depending on well specific conditions (See Region VIII UIC Section Guidance #36);

5. Class II wells which have been temporarily abandoned (TAd) must be pressure tested after being shut-in for two years; and
6. Class III uranium extraction wells; initially.

#### Test Pressure

To assure that the test pressure will detect significant leaks and that the casing is subjected to pressure similar to that which would be applied if the tubing or packer fails, the tubing/casing annulus should be tested at a pressure equal to the maximum allowed injection pressure or 1000 psig whichever is less. The annular test pressure must, however, have a difference of at least 200 psig either greater or less than the injection tubing pressure. Wells which inject at pressures of less than 300 psig must test at a minimum pressure of 300 psig, and the pressure difference between the annulus and the injection tubing must be at least 200 psi.

#### Test Criteria

1. The duration of the pressure test is 30 minutes.
2. Both the annulus and tubing pressures should be monitored and recorded every five (5) minutes.
3. If there is a pressure change of 10 percent or more from the initial test pressure during the 30 minute duration, the well has failed to demonstrate mechanical integrity and should be shut-in until it is repaired or plugged.
4. A pressure change of 10 percent or more is considered significant. If there is no significant pressure change in 30 minutes from the time that the pressure source is disconnected from the annulus, the test may be completed as passed.

#### Recordkeeping and Reporting

The test results must be recorded on the attached form. The annulus pressure should be recorded at five (5) minute intervals. Tests run by operators in the absence of an EPA inspector must be conducted according to these procedures and recorded on the attached form or an equivalent form and a pressure recording



# Greater Boundary #9-27-8-17

Spud Date: 2/14/03  
 Put on Production: 3/17/03  
 GL: 5117' KB: 5129'

Initial Production: 63 BOPD,  
 77 MCFD, 13 BWPD

## Proposed Injection Wellbore Diagram

### SURFACE CASING

CSG SIZE: 8 5/8"  
 GRADE: J-55  
 WEIGHT: 24#  
 LENGTH: 7 jts. (293.84') *Base 490W < 50'*  
 DEPTH LANDED: 303.84' KB  
 HOLE SIZE: 12 1/4"  
 CEMENT DATA: 150 sxs Class "G" cmt, est 4 bbls cmt to surf.

### PRODUCTION CASING

CSG SIZE: 5 1/2"  
 GRADE: J-55  
 WEIGHT: 15.5#  
 LENGTH: 147 jts. (6332.04')  
 DEPTH LANDED: 6330.04' KB  
 HOLE SIZE: 7 7/8"  
 CEMENT DATA: 300 sxs Prem. Lite II mixed & 400 sxs 50/50 POZ.  
 CEMENT TOP AT: 860'


### TUBING

SIZE/GRADE/WT: 2 7/8" / J-55 / 6.5#  
 NO. OF JOINTS: 158 jts (5106.31')  
 NO. OF JOINTS: 20 jts (629.89')  
 NO. OF JOINTS: 8 jts (258.48')  
 TUBING ANCHOR: 6006.68' KB  
 SEATING NIPPLE: 2 7/8" (1.10')  
 SN LANDED AT: 6074.04' KB  
 NO. OF JOINTS: 2 jts (64.78')  
 TOTAL STRING LENGTH: EOT @ 6140.37' KB

### FRAC JOB

3/12/03	6053'-6138'	Frac CP3 and CP4 sands as follows: 50,879# 20/40 sand in 454 bbls YF 125 fluid. Treated @ avg press of 1923 psi w/avg rate of 26.7 BPM. ISIP 2050 psi. Calc flush: 6053 gal. Actual flush: 5849 gal.
3/12/03	5784'-5904'	Frac CP.5 and LODC sands as follows: 41,000# 20/40 sand in 370 bbls YF 125 fluid. Treated @ avg press of 2302 psi w/avg rate of 26.1 BPM. ISIP 2160 psi. Calc flush: 5784 gal. Actual flush: 5712 gal.
3/12/03	5301'-5518'	Frac B.5 and A1 sands as follows: 74,948# 20/40 sand in 570 bbls YF 125 fluid. Treated @ avg press of 2077 psi w/avg rate of 27.9 BPM. ISIP 2200 psi. Calc flush: 5301 gal. Actual flush: 5080 gal.
3/12/03	5043'-5143'	Frac D1 and D3 sands as follows: 60,260# 20/40 sand in 493 bbls YF 125 fluid. Treated @ avg press of 1738 psi w/avg rate of 26.9 BPM. ISIP 1850 psi. Calc flush: 5043 gal. Actual flush: 4737 gal.
3/12/03	4575'-4611'	Frac GB6 sands as follows: 24,630# 20/40 sand in 252 bbls YF 125 fluid. Treated @ avg press of 2036 psi w/avg rate of 23.8 BPM. ISIP 1890 psi. Calc flush: 4575 gal. Actual flush: 4453 gal.

Parted rods. Update tubing details.  
 Parted rods. Update tubing and rod details.  
 Tubing Leak. Update tubing and rod details



### PERFORATION RECORD

Date	Depth Range	Perforations	Holes
3/7/03	6133'-6138'	4 JSPF	20 holes
3/7/03	6101'-6106'	4 JSPF	20 holes
3/7/03	6053'-6061'	4 JSPF	32 holes
3/12/03	5901'-5904'	4 JSPF	12 holes
3/12/03	5784'-5794'	4 JSPF	40 holes
3/12/03	5513'-5518'	4 JSPF	20 holes
3/12/03	5494'-5496'	4 JSPF	8 holes
3/12/03	5472'-5476'	4 JSPF	16 holes
3/12/03	5301'-5308'	4 JSPF	28 holes
3/12/03	5138'-5143'	4 JSPF	20 holes
3/12/03	5059'-5062'	4 JSPF	12 holes
3/12/03	5053'-5055'	4 JSPF	8 holes
3/12/03	5043'-5049'	4 JSPF	24 holes
3/12/03	4608'-4611'	4 JSPF	12 holes
3/12/03	4575'-4583'	4 JSPF	32 holes

**Inland Resources Inc.**  
 Greater Boundary #9-27-8-17  
 2189' FSL & 909' FEL  
 NE/SE Section 27-T8S-R17E  
 Duchesne Co, Utah  
 API #43-013-32234; Lease #UTU-76241

PBT @ 6285'  
 Est. Basal Carbonate 6326'  
 SHOE/TD @ 6330'  
 Est Watch 6451'



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 300  
DENVER, CO 80202-2466  
Phone 800-227-8917  
<http://www.epa.gov/region08>

## AUTHORIZATION FOR AN ADDITIONAL WELL TO THE BOUNDARY AREA PERMIT: UT20702-00000

The Environmental Protection Agency (EPA) authorizes the inclusion of an additional enhanced recovery injection well to the Boundary Area Permit No. UT20702-00000, as authorized by 40 CFR § 144.33 (c). The additional well is described as:

**WELL NAME: GREATER BOUNDARY NO. 9-27-8-17**

**WELL PERMIT NUMBER: UT20702-06486**

**SURFACE LOCATION: 2189' FSL & 909' FEL (NE SE)  
Sec. 27 - T8S - R17E  
Duchesne County, Utah.**

This well is subject to all provisions of the original Boundary Area Permit No. UT20702-00000, and subsequent Modifications, unless specifically detailed below:

**UNDERGROUND SOURCE OF DRINKING WATER (USDW):** The base of the USDW (Total Dissolved Solids less than 10,000 mg/l) occurs within the Uinta Formation **less than 50 feet** from ground level (GL). The source for the location of the base of the USDW is the STATE OF UTAH: PUBLICATION NO. 2. BASE OF MODERATELY SALINE GROUND WATER IN THE UINTA BASIN, UTAH. Surface casing was set at **303 feet** kelly bushing (KB) and cemented to the surface.

Reference: <http://NRWRT1.NR.STATE.UT.US...> Water Rights...Queries...POD: Within the one-quarter (1/4) mile Area-of-Review (AOR) around the Greater Boundary No. 9-27-8-17 there are no reservoirs, streams, springs or wells.

### **WATER ANALYSES:**

**Produced Green River Formation Water: (6/24/04) 15,465 mg/l TDS.**

**Source Water: Johnson Water District Reservoir. (3/31/04) 400 mg/l TDS.**

**Blended Injectate: (6/30/01) 8497 mg/l TDS.**



**CONFINING ZONE REVIEW: GREATER BOUNDARY NO. 9-27-8-17. (3980' - 4052')**

The EPA has authorized the gross interval from the top of the Garden Gulch Member to the top of the Wasatch as the enhanced recovery injection interval within the Boundary Area Permit. Overlying the top of the Garden Gulch Member (4052 feet), in the Greater Boundary No. 9-27-8-17, are seventy-two (72) feet of Green River Formation black, slightly silty, impervious shale which forms an effective lithologic confining zone 3980 feet to 4052 feet.

**INJECTION ZONE REVIEW: GREATER BOUNDARY NO. 9-27-8-17.**

The Greater Boundary No. 9-27-8-17E Final Area Permit (Effective February 8, 1994) authorized injection into the Douglas Creek Member of the Green River Formation. By Major Permit Modification No. 3 (Effective May 19, 2003), the EPA authorized the gross Green River Formation Garden Gulch-Douglas Creek-Basal Carbonate Members as the enhanced recovery injection interval for the Boundary Area Permit. This Modification also recognized the **Federal No. 1-26** (NE NW Sec. 26 - T8S - R17E), UIC Permit No. UT20702-04671, as the **TYPE WELL** for identifying the tops of the Garden Gulch Member, the Douglas Creek Member, the Basal Carbonate Member, the top of the Wasatch Formation and the "Confining Zone" overlying the top of the Garden Gulch Member.

**The authorized injection zone for the Greater Boundary No. 9-27-8-17 will be from the Garden Gulch Member (4052 feet) to the top of the Wasatch Formation (Estimated to be 6451 feet).**

Lithologically, the gross authorized enhanced recovery injection interval, Garden Gulch to the top of the Wasatch Formation, is fluvial and lacustrine shale, fluvial and lacustrine sandstone, lacustrine marlstone, and limestone. The Uinta and Green River Formations are predominantly non-lacustrine fluvial shale and sandstone on the basin margins, whereas lacustrine deposition predominates in the central basin area for these two formations. The Wasatch Formation is predominantly fluvial, except for increasing minor lacustrine deposition in the central basin area.

**WELL CONSTRUCTION REVIEW: GREATER BOUNDARY NO. 9-27-8-17.**

**SURFACE CASING:** 8-5/8 inch casing is set at 303 feet in a 12-1/4 inch hole, using 150 sacks of Class "G" cement circulated to the surface. The base of the USDW is less than fifty (50) feet from ground level.

**LONGSTRING CASING:** 5-1/2 inch casing is set at 6330 feet kelly bushing (KB) in a 7-7/8 inch hole, and cemented with 300 sacks of Premium Lite II mixed and 400 sacks of 50/50 Pozmix.

The operator identifies the top of cement at 860 feet.

The EPA analysis of the CBL/GR identifies 80% cement bond index from 3900 feet to 4296 feet across the Garden Gulch Member confining zone..

An EPA analysis of the Greater Boundary No. 9-27-8-17 CBL/GR did identify adequate 80% bond index cement bond across the Garden Gulch Member confining zone, pursuant to standards of Region 8 GROUND WATER SECTION GUIDANCE NO. 34: Cement Bond Logging Techniques and Interpretation. Therefore, **it has been determined that the cement in this well provides an effective barrier** to significant upward movement of fluids through vertical channels adjacent to the wellbore, pursuant to 40 CFR 146.8 (a) (2).

## **PART II. A. CONSTRUCTION REQUIREMENTS FOR ADDITIONAL WELLS**

### Tubing and Packer:

(Condition 3)

For injection purposes, the **Greater Boundary No. 9-27-8-17** shall be equipped with 2-7/8 tubing with a packer to be set at a depth no higher than 100 feet above the top perforation.

### Formation Testing and Logging

(Condition 6)

- (a) Upon conversion of the **Greater Boundary No. 9-27-8-17**, the permittee is required to determine the injection zone **fluid pore pressure** (static bottom hole pressure) prior to commencement of enhanced recovery injection operation. The results of this test shall be submitted to the EPA.
- (b) A **Step-Rate Test (SRT)** shall be performed on the **Greater Boundary No. 9-27-8-17** within three (3) to six (6) months after injection operations are initiated and the results submitted to the EPA. The permittee may contact the EPA prior to conducting the SRT to acquire the most current Guidance for conducting the SRT.

## **PART II. B.**

### Corrective Action

As of February 2005, there are four (4) active Green River oil wells within or proximate to the one-quarter (1/4) mile radius around the Greater Boundary No. 9-27-8-17. No wells need Corrective Action.

**Garden Gulch-Douglas Creek Members Oil Wells:**

<b><u>Greater Boundary No. 7-27-8-17:</u></b>	<b>SW NE Sec. 27 -T8S-R17E</b>
Top Garden Gulch Member:	4092 feet
Garden Gulch Confining Zone:	4061 feet to 4092 feet
Top 80% EPA Cement Bond:	4136 feet - 4464 feet
Top Douglas Creek Member:	5138 feet
Total Depth (Driller):	6270 feet in Douglas Creek Member

The 31-foot confining shale overlying the top of the Garden Gulch Member is not protected by 80% bond index cement bond. This lack of confining zone annulus cement may not prevent upward movement of injected fluids through vertical channels adjacent to the well bore. The permittee will be required to inspect the surface of this location for fluid leaks on a weekly basis. **Any observation of surface leakage may be considered as noncompliance with the Greater Boundary No. 9-27-8-17 Permit.** The Greater Boundary No. 9-27-8-17 shall suspend operations immediately, and will stay suspended until the noncompliance has been resolved, and renewed injection has been approved in writing by the Director.

<b><u>Greater Boundary No. 8-27-8-17:</u></b>	<b>SE NE Sec. 27-T8S-R17E</b>
Top Garden Gulch Member:	4053 feet
Garden Gulch Confining Zone:	4000 feet to 4053 feet
Top 80% EPA Cement Bond:	4150 feet - 4402 feet
Top Douglas Creek Member:	5100 feet
Total Depth (Driller):	6300 feet in Douglas Creek Member.

The 53-foot confining shale overlying the top of the Garden Gulch Member is not protected by 80% bond index cement bond. This lack of confining zone annulus cement may not prevent upward movement of injected fluids through vertical channels adjacent to the well bore. The permittee will be required to inspect the surface of this location for fluid leaks on a weekly basis. **Any observation of surface leakage may be considered as noncompliance with the Greater Boundary No. 9-27-8-17 Permit.** The Greater Boundary No. 9-27-8-17 shall suspend operations immediately, and will stay suspended until the noncompliance has been resolved, and renewed injection has been approved in writing by the Director.

**Douglas Creek Member Oil Well:**

<b><u>Greater Boundary No. 10-27-8-17:</u></b>	<b>NW SE Sec. 27-T8S-R17E</b>
Top Garden Gulch Member:	4056 feet
Garden Gulch Confining Zone:	4018 feet to 4056 feet
Top 80% EPA Cement Bond:	3980 feet to 4034 feet
Top Douglas Creek Member:	5102 feet
Est. Basal Carbonate:	6322 feet. CBL TD at 6295 feet
Total Depth (Driller):	6397 feet in Basal Carbonate Member

The 38-foot Confining Zone contains adequate continuous 80% bond index cement bond. This annulus cement is considered adequate to confine the injectate to the authorized injection interval. **Any observation of surface leakage may be considered as noncompliance with the Greater Boundary No. 9-27-8-17 Permit.** The Greater Boundary No. 9-27-8-17 shall suspend operations immediately, and will stay suspended until the noncompliance has been resolved, and renewed injection has been approved in writing by the Director.

<b><u>Greater Boundary No. 15-27-8-17:</u></b>	<b>SW SE Sec. 27-T8S-R17E</b>
Top Garden Gulch Member:	3938 feet
Garden Gulch Confining Zone:	3876 feet to 3938 feet
Top 80% EPA Cement Bond:	3918 feet to 4297 feet (20' in Confining Zone)
Top Douglas Creek Member:	4982 feet
Total Depth (Driller):	6127 feet in Douglas Creek Member

The 62-foot Confining Zone contains adequate continuous 80% bond index cement bond. This annulus cement is considered adequate to confine the injectate to the authorized injection interval. **Any observation of surface leakage may be considered as noncompliance with the Greater Boundary No. 9-27-8-17 Permit.** The Greater Boundary No. 9-27-8-17 shall suspend operations immediately, and will stay suspended until the noncompliance has been resolved, and renewed injection has been approved in writing by the Director

## PART II. C.

**Prior to Commencing Injection (Additional Wells)**

(Condition 2)

**Greater Boundary No. 15-27-8-17:** This document is being issued without authority to inject. Prior to beginning injection, the operator is required to submit the following information for EPA review and written approval:

- A successful **mechanical integrity test (MIT)** demonstrating Part I Internal MI (Enclosed);

- a pore pressure calculation of the proposed injection zone; and an
- EPA Form No. 7520-12 (Well Rework Record, enclosed).

Injection Interval

(Condition 3)

Injection shall be limited to the gross Garden Gulch, Douglas Creek and Basal Carbonate Members of the Green River Formation from 4052 feet (KB) to the top of the Wasatch Formation, estimated to be 6451 feet (KB).

Injection Pressure Limitation

(Condition 4)

Pursuant to Final Area Permit UT20702-00000, Part II. Section C. 4. (b). the maximum allowable injection pressure (MAIP) shall not exceed 1800 psig. Until such time that a Step-Rate Test (SRT) has been performed, reviewed and approved by the EPA, the initial MAIP for the Greater Boundary No. 9-27-8-17 shall not exceed **1360 psig**.

A fracture gradient (FG) of 0.770 psi/ft is the minimum value FG calculated from five (5) sand/frac treatments. However, a review of FG values within Section 27 and proximate to Section 27 suggest that a FG of 0.733 will be more acceptable for the initial calculation of the MAIP for the Greater Boundary No. 9-27-8-17.

Until such time that a step-rate injectivity test (SRT) has been performed, reviewed, and approved by the EPA, the initial maximum allowable injection pressure (MAIP) for the **Greater Boundary No. 9-27-8-17** shall not exceed **1360 psig**.

$$MAIP = [FG - (0.433)(SG) D$$

$$FG = 0.733 \text{ psi/ft}$$

$$SG = 1.005$$

$$D = 4575 \text{ feet. Top perforation.}$$

$$MAIP = [0.733 - (0.433)(1.005) 4575$$

$$MAIP = 1362 \text{ psig, but rounded down to } \mathbf{1360 \text{ psig.}}$$

Part II. C. 5. (b) Final Area Permit (UT20702-00000), has a provision whereby the operator may request an increase, or decrease, in the maximum surface injection pressure.

**PART II. F.**Demonstration of Financial Responsibility:

(Condition 1)

The current plugging and abandonment cost for the Greater Boundary No. 9-27-8-17 is estimated to be \$33,025.00. The applicant has chosen to demonstrate financial responsibility via a **Financial Statement** that has been reviewed and approved by the EPA.

**PART III. E.**Reporting of Noncompliance:

(Condition 10)

- (a) Anticipated Noncompliance. The operator shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.
- (b) Compliance Schedules. Reports of compliance or noncompliance with, or any progress on, interim and final requirements contained in any compliance schedule of this Permit shall be submitted **no later than thirty (30) days following each schedule date.**
- (c) Written Notice of any noncompliance which may endanger health or the environment **shall be reported to the Director within five (5) days** of the time the operator becomes aware of the noncompliance. The written notice shall contain a description of the noncompliance and its cause; the period of noncompliance including dates and times; if the noncompliance has not been corrected the anticipated time it is expected to continue; and steps taken or planned to prevent or reduce recurrence of the noncompliance.

Twenty-Four Hour Noncompliance Reporting:

(Condition 11)

**The operator shall report to the Director any noncompliance which may endanger health or environment.** Information shall be provided, either orally or by leaving a message, within twenty-four (24) hours from the time the operator becomes aware of the circumstances by telephoning 1-800-227-8917 and asking for the **EPA Region VIII UIC Program Compliance and Enforcement Director**, or by contacting the **Region VIII Emergency Operations Center at 303-293-1788** if calling from outside EPA Region VIII. The following information shall be included in the verbal report:

- (a) Any monitoring or other information which indicates that any contaminant may cause an endangerment to a USDW.

- (b) Any noncompliance with a Permit condition or malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water.

Oil Spill and Chemical Release Reporting:

(Condition 12)

The operator shall comply with all other reporting requirements related to oil spills and chemical releases or other potential impacts to human health or the environment by contacting the **National Response Center (NRC) 1-800-424-8802 or 202-267-2675**, or through the NRC website at <http://www.nrc.uscg.mil/index.htm>.

Other Noncompliance:

(Condition 13)

The operator shall report all other instances of noncompliance not otherwise reported at the time monitoring reports are submitted. The reports shall contain the information listed in Part III. 10. c. ii. of this Permit.

Other Information: Where the operator becomes aware that he failed to submit any relevant facts in the Permit application, or submitted incorrect information in a Permit application, or in any report to the Director, the operator shall submit such correct facts or information within two (2) weeks of the time such information became known to him.

**APPENDIX C**

PLUGGING AND ABANDONMENT: The Plugging and Abandonment (P&A) Plan (Application Attachment Q-2) submitted by the applicant has been reviewed and approved by the EPA. The P&A Plan is now consistent with EPA requirements to protect all USDWs. The permittee will place 9.2 ppg plugging gel or bentonite mud between all cement plugs.

PLUG NO. 1: Set a cast iron bridge plug (CIBP) at 4480 feet. Place 100 feet of Class "G" cement on top of CIBP.

PLUG NO. 2: Set a cement plug inside of the 5-1/2 inch casing from 2000 feet to 2200 feet over a water zone.

PLUG NO. 3: Perforate 4 jet shots per foot at 354 feet. Set Class "G" cement inside of 5-1/2 inch casing and in the 5-1/2 inch X 8-5/8 inch annulus from 354 feet to the surface.

This authorization for well conversion of the Greater Boundary No. 9-27-8-17 to an injection well becomes effective upon signature.

Date: MAR - 9 2005

*Carl S Campbell for*

Stephen S. Tuber  
Assistant Regional Administrator  
Office of Partnerships and Regulatory Assistance



# United States Department of the Interior



BUREAU OF LAND MANAGEMENT  
Utah State Office  
P.O. Box 45155  
Salt Lake City, UT 84145-0155  
<http://www.blm.gov>

IN REPLY REFER TO:  
3106  
(UT-924)

September 16, 2004

## Memorandum

To: Vernal Field Office  
From: Acting Chief, Branch of Fluid Minerals  
Subject: Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Michael Coulthard  
Acting Chief, Branch of  
Fluid Minerals

## Enclosure

1. State of Texas Certificate of Registration

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225  
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114  
Teresa Thompson  
Joe Incardine  
Connie Seare

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		



## Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company  
Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.



A handwritten signature in black ink, appearing to read "G. Connor".

Secretary of State

ARTICLES OF AMENDMENT  
TO THE  
ARTICLES OF INCORPORATION  
OF  
INLAND PRODUCTION COMPANY

FILED  
In the Office of the  
Secretary of State of Texas  
SEP 02 2004  
Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 – Name

The name of the corporation is Inland Production Company.

ARTICLE 2 – Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE – The name of the corporation is Newfield Production Company."

ARTICLE 3 – Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1<sup>st</sup> day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs  
Susan G. Riggs, Treasurer

**OPERATOR CHANGE WORKSHEET**

**ROUTING**

- |         |
|---------|
| 1. GLH  |
| 2. CDW  |
| 3. FILE |

Change of Operator (Well Sold)

Designation of Agent/Operator

**X Operator Name Change**

**Merger**

The operator of the well(s) listed below has changed, effective: **9/1/2004**

<b>FROM:</b> (Old Operator): N5160-Inland Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721	<b>TO:</b> ( New Operator): N2695-Newfield Production Company Route 3 Box 3630 Myton, UT 84052 Phone: 1-(435) 646-3721
---	--

**CA No.** **Unit:** **GREATER BOUNDARY (GR)**

<b>WELL(S)</b>								
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
GBU 3-27-8-17	27	080S	170E	4301332224	12391	Federal	WI	A
GBU 5-27-8-17	27	080S	170E	4301332225	12391	Federal	OW	P
GBU 12-27-8-17	27	080S	170E	4301332226	12391	Federal	OW	P
GBU 1-27-8-17	27	080S	170E	4301332228	12391	Federal	OW	P
GBU 2-27-8-17	27	080S	170E	4301332229	12391	Federal	OW	P
GBU 4-27-8-17	27	080S	170E	4301332230	12391	Federal	OW	P
GBU 6-27-8-17	27	080S	170E	4301332231	12391	Federal	OW	P
GBU 7-27-8-17	27	080S	170E	4301332232	12391	Federal	OW	P
GBU 8-27-8-17	27	080S	170E	4301332233	12391	Federal	OW	P
GBU 9-27-8-17	27	080S	170E	4301332234	12391	Federal	OW	P
GBU 10-27-8-17	27	080S	170E	4301332235	12391	Federal	OW	P
GBU 11-27-8-17	27	080S	170E	4301332243	12391	Federal	OW	P
GBU 13-27-8-17	27	080S	170E	4301332244	12391	Federal	OW	P
GBU 14-27-8-17	27	080S	170E	4301332245	12391	Federal	OW	P
TAR SANDS FED 9-28-8-17	28	080S	170E	4301332067	12391	Federal	WI	A
TAR SANDS FED 8-28-8-17	28	080S	170E	4301332068	12391	Federal	OW	P
TAR SANDS FED 7-28-8-17	28	080S	170E	4301332069	12391	Federal	WI	A
TAR SANDS FED 15-28-8-17	28	080S	170E	4301332109	12391	Federal	WI	A
TAR SANDS FED 16-28-8-17	28	080S	170E	4301332111	12391	Federal	OW	P
GREATER BOUNDARY 11-28-8-17	28	080S	170E	4301332134	12391	Federal	WI	A

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/15/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/15/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/23/2005
- Is the new operator registered in the State of Utah: YES Business Number: 755627-0143
- If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: IN PLACE  
6b. Inspections of LA PA state/fee well sites complete on: waived

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM BIA

8. **Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: na/

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 2/23/2005

**DATA ENTRY:**

1. Changes entered in the Oil and Gas Database on: 2/28/2005
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 2/28/2005
3. Bond information entered in RBDMS on: 2/28/2005
4. Fee/State wells attached to bond in RBDMS on: 2/28/2005
5. Injection Projects to new operator in RBDMS on: 2/28/2005
6. Receipt of Acceptance of Drilling Procedures for APD/New on: waived

**FEDERAL WELL(S) BOND VERIFICATION:**

1. Federal well(s) covered by Bond Number: UT 0056

**INDIAN WELL(S) BOND VERIFICATION:**

1. Indian well(s) covered by Bond Number: 61BSBDH2912

**FEE & STATE WELL(S) BOND VERIFICATION:**

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 61BSBDH2919
2. The **FORMER** operator has requested a release of liability from their bond on: n/a\*  
The Division sent response by letter on: n/a

**LEASE INTEREST OWNER NOTIFICATION:**

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

**COMMENTS:**

\*Bond rider changed operator name from Inland Production Company to Newfield Production Company - received 2/23/05

**STATE OF UTAH**  
 DEPARTMENT OF NATURAL RESOURCES  
 DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:  
 UTU76241

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:  
 GREATER BOUNDARY II

1. TYPE OF WELL: OIL WELL  GAS WELL  OTHER

8. WELL NAME and NUMBER:  
 GREATER BOUNDARY 9-27-8-17

2. NAME OF OPERATOR:  
 Newfield Production Company

9. API NUMBER:  
 4301332234

3. ADDRESS OF OPERATOR:  
 Route 3 Box 3630 CITY Myton STATE UT ZIP 84052

PHONE NUMBER  
 435.646.3721

10. FIELD AND POOL, OR WILDCAT:  
 Monument Butte

4. LOCATION OF WELL:  
 FOOTAGES AT SURFACE: 2189 FSL 909 FEL

COUNTY: Duchesne

OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: NE/SE, 27, T8S, R17E

STATE: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF ACTION SubDate

TYPE OF SUBMISSION	TYPE OF ACTION	TYPE OF ACTION
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will <u>04/06/2005</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of Work Completion: <u>04/22/2005</u>	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/STOP)
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION
		<input type="checkbox"/> REPERFORATE CURRENT FORMATION
		<input type="checkbox"/> SIDETRACK TO REPAIR WELL
		<input type="checkbox"/> TEMPORARITLY ABANDON
		<input type="checkbox"/> TUBING REPAIR
		<input type="checkbox"/> VENT OR FLAIR
		<input type="checkbox"/> WATER DISPOSAL
		<input type="checkbox"/> WATER SHUT-OFF
		<input checked="" type="checkbox"/> OTHER: - Injection Conversion

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The subject well was converted from a producing to a injection well on 4-20-05. The rods and tubing anchor were removed and a packer was inserted in bottom hole assembly at 4553' On 4-20-05 Dan Jackson with the EPA was contacted concerning teh initial MIT on the above listed well. Permission was given at that time to perform the test on 4-2-05. On 4-22-05 the csg was pressured up to 1625 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The ybg pressure was 650 psig during the test. There was not an EPA representative available to witness the test. EPA # UT20702-06486 API #43-013-32234.

**Accepted by the  
 Utah Division of  
 Oil, Gas and Mining  
 FOR RECORD ONLY**

NAME (PLEASE PRINT) Kathy Chapman

TITLE Office Manager

SIGNATURE



DATE 05/06/2005

**RECEIVED**

(This space for State use only)

**MAY 09 2005**

**DIV. OF OIL, GAS & MINING**



# Mechanical Integrity Test

## Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency  
Underground Injection Control Program  
999 18<sup>th</sup> Street, Suite 500 Denver, CO 80202-2466

EPA Witness: \_\_\_\_\_ Date: 4 / 22 / 2005  
 Test conducted by: Dale Giles  
 Others present: \_\_\_\_\_

Well Name: <u>Greater Boundary 9-27-8-17</u>	Type: ER SWD	Status: AC TA UC
Field: <u>Greater Boundary II Unit</u>		
Location: _____	Sec: <u>27 T 8 N 10 R 17</u>	County: <u>Duchesne</u> State: <u>UT</u>
Operator: _____		
Last MIT: <u>1 / 1</u>	Maximum Allowable Pressure: _____	PSIG

Is this a regularly scheduled test?     Yes     No  
 Initial test for permit?                 Yes     No  
 Test after well rework?                 Yes     No  
 Well injecting during test?             Yes     No    If Yes, rate: \_\_\_\_\_ bpd

Pre-test casing/tubing annulus pressure: 0 psig

MIT DATA TABLE	Test #1	Test #2	Test #3
<b>TUBING PRESSURE</b>			
Initial Pressure	<u>650</u> psig	psig	psig
End of test pressure	<u>650</u> psig	psig	psig
<b>CASING / TUBING ANNULUS PRESSURE</b>			
0 minutes	<u>1625</u> psig	psig	psig
5 minutes	<u>1625</u> psig	psig	psig
10 minutes	<u>1625</u> psig	psig	psig
15 minutes	<u>1625</u> psig	psig	psig
20 minutes	<u>1625</u> psig	psig	psig
25 minutes	<u>1625</u> psig	psig	psig
30 minutes	<u>1625</u> psig	psig	psig
_____ minutes	psig	psig	psig
_____ minutes	psig	psig	psig
<b>RESULT</b>	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Does the annulus pressure build back up after the test?     Yes     No

### MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: \_\_\_\_\_

43-0132251  
85 17E 27



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8  
999 18<sup>TH</sup> STREET - SUITE 300  
DENVER, CO 80202-2466  
<http://www.epa.gov/region08>

JUN 17 2005

Ref: 8P-W-GW

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Mr. Mike Guinn  
Vice President - Operations  
Newfield Production Company  
Route 3 - Box 3630  
Myton, UT 84502

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY

RECEIVED  
JUN 20 2005  
DIV. OF OIL, GAS & MINING

REF: UNDERGROUND INJECTION CONTROL (UIC)  
**Authority to Commence Injection**  
**Well Permit No. UT20702-06486**  
**Greater Boundary No. 9-27-8-17**  
Duchesne County, Utah

Dear Mr. Guinn:

Newfield Production Company (Newfield) has satisfactorily fulfilled all the Environmental Protection Agency's (EPA) **Prior to Commencing Injection** requirements in the Boundary Area Permit UT20702-00000 (Effective February 8, 1994), and the Additional Well to the Area Permit, UT20702-06486 (Effective March 9, 2005). All Prior to Injection Requirements, i.e., Part I (Internal) Mechanical Integrity Test, Well Rework Record (EPA Form No. 7520-12), and a pore pressure were reviewed and approved by the EPA on June 2, 2005.


Newfield, as of the date of this letter, is authorized to commence injection into the Greater Boundary No. 9-27-8-17. There will be no limitation on the number of barrels of water that will be injected into the Green River Formation interval 4052 feet to the top of the Wasatch Formation which is estimated to be 6451 feet. Until such time that the permittee demonstrates through a Step-Rate Injectivity Test that the fracture gradient is other than 0.733 psi/ft, the Greater Boundary No. 9-27-8-17 shall be operated at a **maximum allowable injection pressure no greater than 1360 psig.**

As of this approval, responsibility for Permit compliance and enforcement is transferred to the Region VIII UIC Technical Enforcement Program office. Therefore, please direct all future notification, reporting, monitoring and compliance correspondence to the following address, referencing your well name and UIC Permit number on all correspondence regarding this well:

Mr. Nathan Wiser  
Technical Enforcement Program - UIC  
U.S. EPA Region VIII: Mail Code 8ENF-UFO  
999-18th Street - Suite 300  
Denver, CO 80202-2466  
Phone: 303-312-6211, or 1.800.227.8917 (Ext. 6211)

Please be reminded that it is your responsibility to be aware of and to comply with all conditions of Boundary Area Permit UT20702-00000, and the well Permit UT20702-06486. If you have any questions in regard to the above action, please contact Dan Jackson at 303-312-6155 in the Denver area, or 1.800.227.8917 (Ext. 6155).

Sincerely,



Sandra A. Stavnes  
Director  
Ground Water Program

cc: Maxine Natchees  
Chairperson  
Uintah & Ouray Business Committee  
Ute Indian Tribe

Elaine Willie  
Environmental Coordinator  
Ute Indian Tribe

Chester Mills  
Superintendent  
Bureau of Indian Affairs  
Uintah & Ouray Indian Agency

David Gerbig  
Newfield Production Company  
Denver, CO 80202

Gil Hunt  
Technical Services Manager  
State of Utah - Natural Resources

Kirk Fleetwood  
Sr. Petroleum Engineer  
Bureau of Land Management  
Vernal District

Nathan Wiser  
8ENF-UFO

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

**SUBMIT IN TRIPLICATE - Other Instructions on reverse side**

1. Type of Well  
 Oil Well    Gas Well    Other   Injection well

2. Name of Operator  
 Newfield Production Company

3a. Address   Route 3 Box 3630  
 Myton, UT   84052

3b. Phone No. (include are code)  
 435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
 2189 FSL 909 FBL  
 NE/SE   Section 27 T8S R17E

5. Lease Serial No.  
 UTU76241

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or No.  
 GREATER BOUNDARY II

8. Well Name and No.  
 GREATER BOUNDARY 9-27-8-17

9. API Well No.  
 4301332234

10. Field and Pool, or Exploratory Area  
 Monument Butte

11. County or Parish, State  
 Duchesne, UT

**12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production(Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon
	<input checked="" type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other _____
			Change Status, Put Well on Injection

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The above referenced well was put on injection at 12:00 p.m. on 6/27/05.

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
**FOR RECORD ONLY**

I hereby certify that the foregoing is true and correct	Title
Name (Printed/Typed) Mandie Crozier	Regulatory Specialist
Signature <i>Mandie Crozier</i>	Date 06/27/2005

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on reverse)

**RECEIVED**

**JUN 29 2005**

DIV. OF OIL, GAS & MINING

**STATE OF UTAH**  
 DEPARTMENT OF NATURAL RESOURCES  
 DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:  
 UTU76241

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:  
 GREATER BOUNDARY II

1. TYPE OF WELL:      OIL WELL       GAS WELL       OTHER      Injection well

8. WELL NAME and NUMBER:  
 GREATER BOUNDARY 9-27-8-17

2. NAME OF OPERATOR:  
 Newfield Production Company

9. API NUMBER:  
 4301332234

3. ADDRESS OF OPERATOR:  
 Route 3 Box 3630                      CITY Myton                      STATE UT                      ZIP 84052

PHONE NUMBER  
 435.646.3721

10. FIELD AND POOL, OR WILDCAT:  
 Monument Butte

4. LOCATION OF WELL:  
 FOOTAGES AT SURFACE: 2189 FSL 909 FEL

COUNTY: Duchesne

OTR/OTR. SECTION, TOWNSHIP, RANGE, MERIDIAN: NE/SE, 27, T8S, R17E

STATE: Utah

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

	TYPE OF ACTION	SubDate	TYPE OF ACTION
<p><input type="checkbox"/> NOTICE OF INTENT                      (Submit in Duplicate)</p> <p>Approximate date work will                      _____</p> <p><input checked="" type="checkbox"/> SUBSEQUENT REPORT                      (Submit Original Form Only)</p> <p>Date of Work Completion:                      11/14/2005</p>	<p><input type="checkbox"/> ACIDIZE</p> <p><input type="checkbox"/> ALTER CASING</p> <p><input type="checkbox"/> CASING REPAIR</p> <p><input type="checkbox"/> CHANGE TO PREVIOUS PLANS</p> <p><input type="checkbox"/> CHANGE TUBING</p> <p><input type="checkbox"/> CHANGE WELL NAME</p> <p><input type="checkbox"/> CHANGE WELL STATUS</p> <p><input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS</p> <p><input type="checkbox"/> CONVERT WELL TYPE</p>	<p><input type="checkbox"/> DEEPEN</p> <p><input type="checkbox"/> FRACTURE TREAT</p> <p><input type="checkbox"/> NEW CONSTRUCTION</p> <p><input type="checkbox"/> OPERATOR CHANGE</p> <p><input type="checkbox"/> PLUG AND ABANDON</p> <p><input type="checkbox"/> PLUG BACK</p> <p><input type="checkbox"/> PRODUCTION (START/STOP)</p> <p><input type="checkbox"/> RECLAMATION OF WELL SITE</p> <p><input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION</p>	<p><input type="checkbox"/> REPERFORATE CURRENT FORMATION</p> <p><input type="checkbox"/> SIDETRACK TO REPAIR WELL</p> <p><input type="checkbox"/> TEMPORARILY ABANDON</p> <p><input type="checkbox"/> TUBING REPAIR</p> <p><input type="checkbox"/> VENT OR FLAIR</p> <p><input type="checkbox"/> WATER DISPOSAL</p> <p><input type="checkbox"/> WATER SHUT-OFF</p> <p><input checked="" type="checkbox"/> OTHER: - Step Rate Test</p>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

A step rate test was conducted on the subject well on November 8, 2005. Results from the test indicate that the fracture gradient is .748 psi/ft. Therefore, Newfield is requesting that the maximum allowable injection pressure (MAIP) be changed to 1430 psi.

**Accepted by the  
 Utah Division of  
 Oil, Gas and Mining  
 FOR RECORD ONLY**

NAME (PLEASE PRINT) Cheyenne Batemen

TITLE Well Analyst Foreman

SIGNATURE *Cheyenne Batemen*


DATE 11/14/2005

(This space for State use only)

NOV 16 2005


DIVISION OF OIL, GAS AND MINING

Greater Boundary 9-27-8-17  
 Greater Boundary II Unit  
 Step Rate Test  
 November 8, 2005



Start Pressure: 1150 psi  
 Instantaneous Shut In Pressure (ISIP): 1485 psi  
 Top Perforation: 4575 feet  
 Fracture pressure (Pfp): 1430 psi  
 FG: 0.748 psi/ft

Step	Rate(bpd)	Pressure(psi)
1	100	1195
2	200	1250
3	300	1305
4	400	1355
5	500	1405
6	600	1445
7	700	1475
8	800	1505




METER NUMBER  
 TIME TAKEN ON 3:20 AM  
 DATE TAKEN ON 11-8 2005

PIPE & ORF. SIZE  
 TIME TAKEN OFF 12:28 PM  
 DATE TAKEN OFF 11-8 2005

SIGNED *Arzavara*  
 MM-M2500-H  
 P2500 WY00

Greater Bunkery  
 4-27-8-17



METER NUMBER  
 TIME TAKEN ON 3:20 AM  
 DATE TAKEN ON 11-8 2005

PIPE & ORF. SIZE  
 TIME TAKEN OFF 12:28 PM  
 DATE TAKEN OFF 11-8 2005

SIGNED *Arzavara*  
 MM-M2500-H  
 P2500 WY00

Greater Bunkery  
 4-27-8-17

## Step Rate Test (SRT) Analysis

Date: 11/14/2005

Operator:

Newfield Production Company

Well:

Greater Boundary 9-27-8-17

Permit #:

UT20702-06486

Enter the following data :

Specific Gravity (sg) of injectate = 1.005 g/cc  
Depth to top perforation (D) = 4575 feet  
Top of permitted injection zone depth (blank=use top perforation to calculate fg) = \_\_\_\_\_ feet  
Estimated Formation Parting Pressure (Pfp) from SRT chart = 1430 psi  
Instantaneous Shut In Pressure (ISIP) from SRT = 1485 psi  
Bottom Hole Parting Pressure (Pbhp) from downhole pressure recorder = \_\_\_\_\_ psi

### Part One - Calculation of Fracture Gradient (fg)

Calculated Fracture Gradient = 0.748 psi/ft.

where:  $fg = Pbhp / D$  (Note: this formula uses the downhole recorded bottom hole parting pressure if available) =

D = depth used = 4575

Pbhp used = 3421

Calculated Bottom Hole Parting Pressure (Pbhp) = 3421 psi

to calculate Bottom Hole Parting Pressure (Pbhp) = Formation Fracture Pressure (ISIP or Pfp) + (0.433 \* SG \* D)

(Uses lesser of ISIP or Pfp) Value used = 1430

### Part Two - Calculation of Maximum Allowable Injection Pressure (MAIP)

Maximum Allowable Injection Pressure (MAIP) = 1430 psig

D = depth used = 4575

MAIP =  $[(g - (0.433 * SG)) * D = 1431.220$

(rounded to nearest 5 psig)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8

999 18<sup>TH</sup> STREET - SUITE 200

DENVER, CO 80202-2466

Phone 800-227-8917

<http://www.epa.gov/region08>

DEC - 2 2005

Ref: 8P-W-GW

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Mr. Michael Guinn  
Vice President - Operations  
Newfield Production Company  
Route 3 - Box 3630  
Myton, UT 84502

Accepted by the  
Utah Division of  
Oil, Gas and Mining  
**FOR RECORD ONLY**

43,013,32234

RE: UNDERGROUND INJECTION CONTROL (UIC)

**Minor Permit Modification**

Increase Injection Pressure: No. 1

EPA Permit No. UT20702-06486

Greater Boundary 9-27-8-17

NE SE Sec. 32 - T8S - R17E

Duchesne County, Utah

Dear Mr. Guinn:

The Region VIII Ground Water Program offices of the Environmental Protection Agency (EPA) received from Newfield Production Company (Newfield) the results and analysis of a November 8, 2005 Step-Rate Test (SRT) run on the Greater Boundary No. 9-27-8-17 enhanced recovery injection well, EPA Permit No. UT20702-06486. Included with the results was a request to increase the maximum allowable injection pressure (MAIP) from 1360 psig to **1430 psig**.

EPA has reviewed the Permit File, and the submitted SRT information show that the formation parting pressure of the injection zone was reached under the conditions recorded during the test. Based upon this test and the EPA analysis, the Director has determined that a pressure of **1430 psig**, measured at the surface, is appropriate to ensure that injection does not initiate new fractures or propagate existing fractures in the confining zone overlying the injection zones, and underground sources of drinking water (USDW) will continue to be protected.

DEC 07 2005




Therefore, pursuant to 40 CFR §144.41 (e), the EPA hereby modifies EPA Permit No. 20702-06486 and **authorizes a MAIP of 1430 psig** for the Greater Boundary No. 9-27-8-17 enhanced recovery injection well.

Should Newfield in the future choose to request a modification to the approved MAIP, new supporting data such as a new SRT will be required as part of your request. In order to inject at pressures greater than the permitted MAIP during any future test(s), the permittee must receive prior authorization from the Director.

If you have any questions in regard to the above action, please contact Dan Jackson of my staff by calling 303-312-6155, or 1-800-227-8917 (Ext. 6155).

Please send all compliance correspondence relative to this well to the **ATTENTION: NATHAN WISER**, at the letterhead address citing **MAIL CODE: 8ENF-UFO** very prominently. You may call Mr. Wisser at 303-312-6211, or 1-800-227-8917 (Ext. 6211).

Sincerely,



for Stephen S. Tuber  
Assistant Regional Administrator  
Office of Partnerships and Regulatory Assistance

cc: Maxine Natchees  
Acting Chairperson  
Uintah & Ouray Business Committee  
Ute Indian Tribe

Elaine Willie  
Environmental Coordinator  
Ute Indian Tribe

Chester Mills  
Superintendent  
Bureau of Indian Affairs  
Uintah & Ouray Indian Agency

David Gerbig  
Operations Engineer  
Newfield Production Company  
Denver, Colorado

Gil Hunt  
Technical Services Manager  
State of Utah - Natural Resources

Matt Baker  
Petroleum Engineer  
Bureau of Land Management  
Vernal District

Nathan Wisler  
8ENF-UFO

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:  
USA UTU-76241

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:  
GMBU

1. TYPE OF WELL: OIL WELL  GAS WELL  OTHER

8. WELL NAME and NUMBER:  
GREATER BOUNDARY 9-27-8-17

2. NAME OF OPERATOR:  
NEWFIELD PRODUCTION COMPANY

9. API NUMBER:  
4301332234

3. ADDRESS OF OPERATOR:  
Route 3 Box 3630 CITY Myton STATE UT ZIP 84052

PHONE NUMBER  
435.646.3721

10. FIELD AND POOL, OR WILDCAT:  
MONUMENT BUTTE

4. LOCATION OF WELL:  
FOOTAGES AT SURFACE: 2189 FSL 909 FEL

COUNTY: DUCHESNE

OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: NESE, 27, T8S, R17E

STATE: UT

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARITLY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only)  Date of Work Completion: 04/13/2010	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/STOP)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: - Five Year MIT
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On 04/06/2010 Nathan Wiser with the EPA was contacted concerning the 5 year MIT on the above listed well. Permission was given at that time to perform the test on 04/12/2010. On 04/13/2010 the casing was pressured up to 1130 psig and charted for 30 minutes with no pressure loss. The well was injecting during the test. The tubing pressure was 1367 psig during the test. There was not an EPA representative available to witness the test.

EPA# UT20702-06486 API# 43-013-32234

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY**

NAME (PLEASE PRINT) Lucy Chavez-Naupoto

TITLE Administrative Assistant

SIGNATURE



DATE 04/14/2010

(This space for State use only)

**RECEIVED  
APR 20 2010  
DIV. OF OIL, GAS & MINING**

# Mechanical Integrity Test

## Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency  
Underground Injection Control Program  
999 18<sup>th</sup> Street, Suite 500 Denver, CO 80202-2466

EPA Witness: \_\_\_\_\_ Date: 04/13/10  
 Test conducted by: Dale Giles  
 Others present: \_\_\_\_\_

Well Name: <u>Greater Boundary 9-27-8-17</u>	Type: ER SWD	Status: AC TA UC
Field: _____		
Location: _____	Sec: <u>27 T 8 N 18 R 17 E</u>	County: <u>Duchess</u> State: <u>Ut</u>
Operator: <u>Newfield Production Co.</u>		
Last MIT: <u>1</u> / <u>1</u>	Maximum Allowable Pressure: <u>1430</u>	PSIG

Is this a regularly scheduled test?  Yes  No  
 Initial test for permit?  Yes  No  
 Test after well rework?  Yes  No  
 Well injecting during test?  Yes  No      If Yes, rate: 5 bpd

Pre-test casing/tubing annulus pressure: 0 psig

MIT DATA TABLE	Test #1	Test #2	Test #3
<b>TUBING PRESSURE</b>			
Initial Pressure	<u>1367</u> psig	psig	psig
End of test pressure	<u>1367</u> psig	psig	psig
<b>CASING / TUBING ANNULUS PRESSURE</b>			
0 minutes	<u>1130</u> psig	psig	psig
5 minutes	<u>1130</u> psig	psig	psig
10 minutes	<u>1130</u> psig	psig	psig
15 minutes	<u>1130</u> psig	psig	psig
20 minutes	<u>1130</u> psig	psig	psig
25 minutes	<u>1130</u> psig	psig	psig
30 minutes	<u>1130</u> psig	psig	psig
_____ minutes	psig	psig	psig
_____ minutes	psig	psig	psig
<b>RESULT</b>	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail	<input type="checkbox"/> Pass <input type="checkbox"/> Fail

Does the annulus pressure build back up after the test?  Yes  No

### MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: \_\_\_\_\_




CHART POOL USA Inc.  
PORTAGE, INDIANA  
(TO FIT)  
CHART NO. MP- 2500

METER \_\_\_\_\_  
4-13-10  
CHART PLIT ON 9:00 A<sup>M</sup>  
TAKEN OFF 9:30 A<sup>M</sup>  
LOCATION Greater Boundary  
REMARKS 9-27-8-17  
Date

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-76241
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b>
		<b>7. UNIT or CA AGREEMENT NAME:</b> GMBU (GRRV)
<b>1. TYPE OF WELL</b> Water Injection Well	<b>8. WELL NAME and NUMBER:</b> GBU 9-27-8-17	
<b>2. NAME OF OPERATOR:</b> NEWFIELD PRODUCTION COMPANY	<b>9. API NUMBER:</b> 43013322340000	
<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052	<b>PHONE NUMBER:</b> 435 646-4825 Ext	<b>9. FIELD and POOL or WILDCAT:</b> MONUMENT BUTTE
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 2189 FSL 0909 FEL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NESE Section: 27 Township: 08.0S Range: 17.0E Meridian: S	<b>COUNTY:</b> DUCHESNE	
	<b>STATE:</b> UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
<b>TYPE OF SUBMISSION</b>	<b>TYPE OF ACTION</b>	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:  <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 3/3/2015  <input type="checkbox"/> SPUD REPORT Date of Spud:  <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> WILDCAT WELL DETERMINATION <input checked="" type="checkbox"/> OTHER	
		<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text" value="5 YR MIT"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.		
5 YR MIT performed on the above listed well. On 03/03/2015 the casing was pressured up to 1048 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tbg pressure was 1256 psig during the test. There was not an EPA representative available to witness the test. EPA #UT22197-06486		<b>Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 09, 2015</b>
<b>NAME (PLEASE PRINT)</b> Lucy Chavez-Naupoto	<b>PHONE NUMBER</b> 435 646-4874	<b>TITLE</b> Water Services Technician
<b>SIGNATURE</b> N/A	<b>DATE</b> 3/6/2015	

# Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency  
Underground Injection Control Program  
999 18<sup>th</sup> Street, Suite 500 Denver, CO 80202-2466

EPA Witness: \_\_\_\_\_ Date: 3 / 3 / 2015  
Test conducted by: Shannon Lazenby  
Others present: \_\_\_\_\_

Well Name: <u>Greater Boundary 9-27-8-17</u>	Type: <u>ER SWD</u>	Status: <u>AC TA UC</u>
Field: <u>Greater Monument Butte</u>		
Location: <u>9-27-8-17</u>	Sec: <u>27</u>	T <u>85</u> N/S R <u>17</u> E/W
County: <u>Duchesne</u>	State: <u>ut</u>	
Operator: <u>Shannon Lazenby</u>		
Last MIT: <u>1 / 1</u>	Maximum Allowable Pressure: <u>1329</u>	PSIG

Is this a regularly scheduled test?  Yes [ ] No  
Initial test for permit? [ ] Yes [ ] No  
Test after well rework? [ ] Yes [ ] No  
Well injecting during test? [ ] Yes  No If Yes, rate: \_\_\_\_\_ bpd

Pre-test casing/tubing annulus pressure: 0 / 1256 psig

MIT DATA TABLE	Test #1	Test #2	Test #3
<b>TUBING PRESSURE</b>			
Initial Pressure	<u>1256</u> psig	psig	psig
End of test pressure	<u>1256</u> psig	psig	psig
<b>CASING / TUBING ANNULUS PRESSURE</b>			
0 minutes	<u>1050</u> psig	psig	psig
5 minutes	<u>1050</u> psig	psig	psig
10 minutes	<u>1049</u> psig	psig	psig
15 minutes	<u>1049</u> psig	psig	psig
20 minutes	<u>1049</u> psig	psig	psig
25 minutes	<u>1048</u> psig	psig	psig
30 minutes	<u>1048</u> psig	psig	psig
_____ minutes	psig	psig	psig
_____ minutes	psig	psig	psig
<b>RESULT</b>	<input checked="" type="checkbox"/> Pass [ ] Fail	[ ] Pass [ ] Fail	[ ] Pass [ ] Fail

Does the annulus pressure build back up after the test? [ ] Yes [ ] No


## MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness: \_\_\_\_\_

9-27-8-17 5 yr mit

3/3/2015 1:00:00 PM



# Greater Boundary 9-27-8-17

Spud Date: 2/14/03

Put on Production: 3/17/03

GL: 5117' KB: 5129'

Initial Production: 63 BOPD,  
77 MCFD, 13 BWPD

## SURFACE CASING

CSG SIZE: 8 5/8"  
GRADE: J-55  
WEIGHT: 24#  
LENGTH: 7 jts. (293.84')  
DEPTH LANDED: 303.84' KB  
HOLE SIZE: 12 1/4"  
CEMENT DATA: 150 sxs Class "G" cmt, est 4 bbls cmt to surf.


## PRODUCTION CASING

CSG SIZE: 5 1/2"  
GRADE: J-55  
WEIGHT: 13.5#  
LENGTH: 147 jts. (6332.04')  
DEPTH LANDED: 6330.04' KB  
HOLE SIZE: 7 7/8"  
CEMENT DATA: 300 sxs Prem. Lite II mixed & 400 sxs 50/50 POZ.  
CEMENT TOP AT: 860'

## TUBING

SIZE/GRADE/WT: 2 7/8", J-55 / 6.5#  
NO. OF JOINTS: 140 jts (4526')  
SEATING NIPPLE: 2 7/8" (1.10')  
SN LANDED AT: 4538' KB  
PACKER CE @: 4542.58'  
TOTAL STRING LENGTH: EOT @ 4546.69' KB

## Injection Wellbore Diagram



## FRAC JOB

3/12/03	6053'-6138'	<b>Frac CP3 and CP4 sands as follows:</b> 50,879# 20/40 sand in 454 bbls YF 125 fluid. Treated @ avg press of 1923 psi w avg rate of 26.7 BPM. ISIP 2050 psi. Calc flush: 6053 gal. Actual flush: 5849 gal.
3/12/03	5784'-5904'	<b>Frac CP.5 and LOOC sands as follows:</b> 41,000# 20/40 sand in 370 bbls YF 125 fluid. Treated @ avg press of 2302 psi w avg rate of 26.1 BPM. ISIP 2160 psi. Calc flush: 5784 gal. Actual flush: 5712 gal.
3/12/03	5301'-5518'	<b>Frac B.5 and A1 sands as follows:</b> 74,948# 20/40 sand in 570 bbls YF 125 fluid. Treated @ avg press of 2077 psi w avg rate of 27.9 BPM. ISIP 2200 psi. Calc flush: 5301 gal. Actual flush: 5080 gal.
3/12/03	5043'-5143'	<b>Frac D1 and D3 sands as follows:</b> 60,260# 20/40 sand in 493 bbls YF 125 fluid. Treated @ avg press of 1738 psi w avg rate of 26.9 BPM. ISIP 1850 psi. Calc flush: 5043 gal. Actual flush: 4737 gal.
3/12/03	4575'-4611'	<b>Frac GB6 sands as follows:</b> 24,630# 20/40 sand in 252 bbls YF 125 fluid. Treated @ avg press of 2036 psi w avg rate of 23.8 BPM. ISIP 1890 psi. Calc flush: 4575 gal. Actual flush: 4453 gal.
8/11/03		<b>Parted rods.</b> Update tubing details.
09/19/03		<b>Parted rods.</b> Update tubing and rod details.
2/17/04		<b>Tubing Leak.</b> Update tubing and rod details
4-22-05		<b>Injection Conversion</b>
04/13/10		<b>5 V R MIT</b>

## PERFORATION RECORD

3/7/03	6133'-6138'	4 JSPF	20 holes
3/7/03	6101'-6106'	4 JSPF	20 holes
3/7/03	6053'-6061'	4 JSPF	32 holes
3/12/03	5901'-5904'	4 JSPF	12 holes
3/12/03	5784'-5794'	4 JSPF	40 holes
3/12/03	5513'-5518'	4 JSPF	20 holes
3/12/03	5494'-5496'	4 JSPF	8 holes
3/12/03	5472'-5476'	4 JSPF	16 holes
3/12/03	5301'-5308'	4 JSPF	28 holes
3/12/03	5138'-5143'	4 JSPF	20 holes
3/12/03	5059'-5062'	4 JSPF	12 holes
3/12/03	5053'-5055'	4 JSPF	8 holes
3/12/03	5043'-5049'	4 JSPF	24 holes
3/12/03	4608'-4611'	4 JSPF	12 holes
3/12/03	4575'-4583'	4 JSPF	32 holes

**NEWFIELD**

**Greater Boundary 9-27-8-17**

2189' FSL & 909' FEL

NE/SE Section 27-T8S-R17E

Duchesne Co, Utah

API #43-013-32234; Lease #UTU-76241

LCN 05-07-10