

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. UTU-13905
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name NA
2. Name of Operator Newfield Production Company		7. If Unit or CA Agreement, Name and No. Lone Tree
3a. Address Route #3 Box 3630, Myton UT 84052		8. Lease Name and Well No. Lone Tree Federal 10-21-9-17
3b. Phone No. (include area code) (435) 646-3721		9. API Well No. 43-013-34162
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface NW/SE 2058' FSL 2079' FEL 584595X 40.014984 At proposed prod. zone 44296814-110.008773		10. Field and Pool, or Exploratory Monument Butte
14. Distance in miles and direction from nearest town or post office* Approximately 16.3 miles southeast of Myton, UT		11. Sec., T. R. M. or Blk. and Survey or Area Sec. 21, T9S R17E
15. Distance from proposed* location to nearest property or lease line, ft. Approx. 2058' f/lse, 2058' f/unit (Also to nearest drig. unit line, if any)	16. No. of acres in lease 1200.00	12. County or Parish Duchesne
17. Spacing Unit dedicated to this well 40 Acres	13. State UT	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1655'	19. Proposed Depth 5,680'	20. BLM/BIA Bond No. on file WYB000493
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5320' GL	22. Approximate date work will start* 2nd into 2009	23. Estimated duration (7) days from SPUD to rig release
24. Attachments		

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature 	Name (Printed/Typed) Mandie Crozier	Date 10/11/08
Title Regulatory Specialist		
Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 12-22-08
Title Office ENVIRONMENTAL MANAGER		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

**Federal Approval of this
Action is Necessary**


RECEIVED

DEC 15 2008

DIV. OF OIL, GAS & MINING

T9S, R17E, S.L.B.&M.

NEWFIELD PRODUCTION COMPANY



WELL LOCATION, LONE TREE
 10-21-9-17, LOCATED AS SHOWN IN
 THE NW 1/4 SE 1/4 OF SECTION 21,
 T9S, R17E, S.L.B.&M. DUCHESNE COUNTY,
 UTAH.



THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS
 PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS
 MADE BY ME OR UNDER MY SUPERVISION AND THAT
 THE SAME ARE TRUE AND CORRECT TO THE BEST OF
 MY KNOWLEDGE AND BELIEF. No. 189377

Stacy W. Stewart
STACY W. STEWART
 REGISTERED LAND SURVEYOR
 REGISTRATION No. 189377
 STATE OF UTAH

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV;
 U.S.G.S. 7-1/2 min QUAD (MYTON SE)

LONE TREE 10-21-9-17
 (Surface Location) NAD 83
 LATITUDE = 40° 00' 53.54"
 LONGITUDE = 110° 00' 34.60"

TRI STATE LAND SURVEYING & CONSULTING
 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078
 (435) 781-2501

DATE SURVEYED: 06-07-06	SURVEYED BY: C.M.
DATE DRAWN: 06-20-06	DRAWN BY: F.T.M.
REVISED:	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY
LONE TREE FEDERAL 10-21-9-17
NW/SE SECTION 21, T9S, R17E
DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' – 1100'
Green River	1100'
Wasatch	5680'

Base of Moderately Saline Ground Water @ 4700'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1100' – 5680' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. TESTING, LOGGING AND CORING PROGRAMS:

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

**NEWFIELD PRODUCTION COMPANY
LONE TREE FEDERAL 10-21-9-17
NW/SE SECTION 21, T9S, R17E
DUCHESNE COUNTY, UTAH**

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Lone Tree Federal 10-21-9-17 located in the NW 1/4 SE 1/4 Section 21, T9S, R17E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly - 11.7 miles \pm to it's junction with an existing road to the southwest; proceed southwesterly - 2.3 miles \pm to it's junction with an existing road to the southeast; proceed southeasterly - 0.7 miles \pm to it's junction with the beginning of the proposed access road; proceed southeasterly along the proposed access road - 210' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.
Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District
Water Right : 43-7478

Neil Moon Pond
Water Right: 43-11787

Maurice Harvey Pond
Water Right: 47-1358

Newfield Collector Well
Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. **SOURCE OF CONSTRUCTION MATERIALS**

Please refer to the Monument Butte Field SOP.

7. **METHODS FOR HANDLING WASTE DISPOSAL**

Please refer to the Monument Butte Field SOP.

8. **ANCILLARY FACILITIES**

Please refer to the Monument Butte Field SOP.

9. **WELL SITE LAYOUT**

See attached Location Layout Diagram.

10. **PLANS FOR RESTORATION OF SURFACE**

Please refer to the Monument Butte Field SOP.

11. **SURFACE OWNERSHIP** - Bureau Of Land Management (Proposed location and access roads leading to).

12. **OTHER ADDITIONAL INFORMATION**

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #04-206, 6/15/05. Paleontological Resource Survey prepared by, Wade E. Miller, 6/2/05. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 210' of disturbed area be granted in Lease UTU-13905 to allow for construction of the planned access road. **Refer to Topographic Map "B"**. A permanent width of 30' and a running surface of 18' is proposed for the planned access road. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 210' of disturbed area be granted in Lease UTU-13905 to allow for construction of the proposed surface gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Golden Eagle: Due to this proposed well access roads proximity (less that 0.5 mile) to an existing inactive golden eagle nest site, no new construction or surface disturbing activities will be allowed between Feb 1 and July 15. If the nest remains inactive on July 15th (based on a pre-construction survey by a qualified biologist), the operator may construct and drill the location between July 15 and Feb. 1 of the following year. If the nest site becomes active prior to July 15, no new construction or surface disturbing activities will be allowed within 0.5 mile of the nest until the nest becomes inactive for two full breeding seasons. In the event that this well becomes a producing well, it must be equipped with a multi-cylinder engine or hospital muffler to reduce noise levels.

Reserve Pit Liner

A 16 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Squirrell Tail	<i>Elymus Elymoides</i>	6 lbs/acre
Siberian Wheatgrass	<i>Agropyron Fragile</i>	2 lbs/acre
Gardner Saltbush	<i>Atriplex Gardneri</i>	1 lbs/acre
Shadscale	<i>Atriplex Confertifolia</i>	1 lbs/acre
Fourwing Saltbush	<i>Atriplex Canescens</i>	1 lbs/acre
Scarlet Globemallow	<i>Sphaeralcea Conccinea</i>	0.20 lbs/acre
Forage Kochia	<i>Kochia Prostrata</i>	0.20 lbs/acre

Details of the On-Site Inspection

The proposed Lone Tree Federal #10-21-9-17 was on-sited on 8/22/08. The following were present; Tim Eaton (Newfield Production), Kevan Stevens (Newfield Production), Dave Gordon (Bureau of Land Management)and James Herford (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name: Dave Allred
Address: Route #3 Box 3630
Myton, UT 84052
Telephone: (435) 646-3721

Certification


Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #10-21-9-17 NW/SE Section 21, Township 9S, Range 17E: Lease UTU-13905 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by, Federal Bond #WYB000493.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and

subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

12/10/08

Date





Mandie Crozier
Mandie Crozier
Regulatory Specialist
Newfield Production Company

NEWFIELD PRODUCTION COMPANY

LONE TREE 10-21-9-17

Section 21, T9S, R17E, S.L.B.&M.






SURVEYED BY: C.M.	SCALE: 1" = 50'
DRAWN BY: F.T.M.	DATE: 06-20-06

Tri State
 Land Surveying, Inc.
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078
 (435) 781-2501

NEWFIELD PRODUCTION COMPANY

CROSS SECTIONS

LONE TREE 10-21-9-17



NOTE:
UNLESS OTHERWISE NOTED
ALL CUT/FILL SLOPES ARE
AT 1.5:1

ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)
(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	2,470	2,460	Topsoil is not included in Pad Cut	10
PIT	640	0		640
TOTALS	3,110	2,460	1,000	650

SURVEYED BY: C.M.


SCALE: 1" = 50'

DRAWN BY: F.T.M.

DATE: 06-20-06

Tri State
Land Surveying, Inc.
180 NORTH VERNAL AVE. VERNAL, UTAH 84078
(435) 781-2501

NEWFIELD PRODUCTION COMPANY
TYPICAL RIG LAYOUT
LONE TREE 10-21-9-17



PROPOSED ACCESS ROAD (Max. 6% Grade)

SURVEYED BY: C.M.	SCALE: 1" = 50'	 (435) 781-2501 180 NORTH VERNAL AVE. VERNAL, UTAH 84078
DRAWN BY: F.T.M.	DATE: 06-20-06	


Lowfield Production Company Proposed Site Facility Diagram

Lone Tree Federal 10-21-9-17

NW/SE Sec. 21, T9S, R17E

Duchesne County, Utah

UTU-13905



Legend

Emulsion Line
Load Rack	- - - - -
Water Line	- . - . - .
Gas Sales	- - - - -
Oil Line	_____

Production Phase:

- 1) Valves 1, 3, and 4 sealed closed
- 2) Valves 2, 5, and 6 sealed open

Sales Phase:


- 1) Valves 1, 2, 4, 5, and 6 sealed closed
- 2) Valve 3 open

Draining Phase:

- 1) Valves 1 and 6 open

Diked Section





Lone Tree 10-21-9-17
SEC. 21, T9S, R17E, S.L.B.&M.




Tri-State
Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1 = 100,000
DRAWN BY: mw
DATE: 06-21-2006

Legend

-  Existing Road
-  Proposed Access

TOPOGRAPHIC MAP
"A"



 **NEWFIELD**
Exploration Company

Lone Tree 10-21-9-17
SEC. 21, T9S, R17E, S.L.B.&M.




Tri-State
Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078


SCALE: 1" = 2,000'
DRAWN BY: mw
DATE: 06-21-2006

Legend

-  Existing Road
-  Proposed Access

TOPOGRAPHIC MAP

"B"



NEWFIELD
Exploration Company

Lone Tree 10-21-9-17
SEC. 21, T9S, R17E, S.L.B.&M.




Tri-State
Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'
DRAWN BY: mw
DATE: 06-21-2006

Legend

- Roads
- Proposed Gas Line

TOPOGRAPHIC MAP
"C"




- Newfield Wells**
- Location
 - Surface Spud
 - ⊕ Drilling
 - ⊖ Waiting on Completion
 - ⊙ Producing Oil Well
 - ⊕ Producing Gas Well
 - ⊖ Water Injection Well
 - ⊙ Dry Hole
 - ⊖ Temporarily Abandoned
 - ⊙ Plugged & Abandoned
 - ⊖ Shut In
 - ⊕ Water Source Well
 - ⊖ Water Disposal Well
 - ⊙ Injection Stations
- Unit Outlines**
-

NEWFIELD
 ROCKY MOUNTAINS

Exhibit A
 Duchesne & Uintah Counties

Alterra Place Building
 1401 17th Street, Suite 1000
 Denver, Colorado 80202-2897
 Phone: (303) 859-0100

January 14, 2000




NEWFIELD
Exploration Company

Lone Tree 10-21-9-17
SEC. 21, T9S, R17E, S.L.B.&M.



Tri-State
Land Surveying Inc.
(435) 781-2501
180 North Vernal Ave. Vernal, Utah 84078

SCALE: 1" = 2,000'
DRAWN BY: mw
DATE: 06-21-2006

Legend

- Location
- One-Mile Radius

Exhibit "B"

2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

CULTURAL RESOURCE INVENTORY OF
NEWFIELD EXPLORATION'S BLOCK PARCELS
IN T9S, R17E, SEC. 19, 20, 21 & 22
DUCHESNE COUNTY, UTAH

Exhibit "D"

1 of 2

Katie Simon

Prepared For:

Bureau of Land Management
Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company
Route 3 Box 3630
Myton, Utah 84052

Prepared By:

Montgomery Archaeological Consultants
P.O. Box 147
Moab, Utah 84532

MOAC Report No. 04-206

June 15, 2005

United States Department of Interior (FLPMA)
Permit No. 05-UT-60122

State of Utah Antiquities Project (Survey)
Permit No. U-05-MQ-0516b

NEWFIELD PRODUCTION COMPANY

2 of 2

**PALEONTOLOGICAL SURVEY OF PROPOSED
PRODUCTION DEVELOPMENT AREAS,
DUCHESNE COUNTY, UTAH**

Section 20, T 9 S, R 17 E [entire section excluding the NE 1/4, NE 1/4; NW 1/4, NE 1/4; NE 1/4, NW 1/4; and NW 1/4, NW 1/4]; Section 21, T 9 S, R 17 E [entire section excluding the NE 1/4, NE 1/4], and Section 3, T 9 S, R 16 E, the following parcels [NW 1/4, NE 1/4; SW 1/4, NE 1/4; SE 1/4, NE 1/4; NE 1/4, SE 1/4; NW 1/4, SE 1/4; SW 1/4, SE 1/4 and SE 1/4, SE 1/4].

REPORT OF SURVEY

Prepared for:

Newfield Production Company

Prepared by:

Wade E. Miller
Consulting Paleontologist
June 2, 2005

**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 12/15/2008

API NO. ASSIGNED: 43-013-34162

WELL NAME: LONE TREE FED 10-21-9-17
 OPERATOR: NEWFIELD PRODUCTION (N2695)
 CONTACT: MANDIE CROZIER

PHONE NUMBER: 435-646-3721

PROPOSED LOCATION:

NWSE 21 090S 170E
 SURFACE: 2058 FSL 2079 FEL
 BOTTOM: 2058 FSL 2079 FEL
 COUNTY: DUCHESNE
 LATITUDE: 40.01498 LONGITUDE: -110.0088
 UTM SURF EASTINGS: 584595 NORTHINGS: 4429681
 FIELD NAME: MONUMENT BUTTE (105)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
 LEASE NUMBER: UTU-13905
 SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: GRRV
 COALBED METHANE WELL? NO

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. WYB000493)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 43-7478)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)
- Intent to Commingle (Y/N)

LOCATION AND SITING:

- R649-2-3.
- Unit: LONE TREE (GRRV)
- R649-3-2. General
- Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: 228-5
- Eff Date: 8-26-1998
- Siting: Suspend General Siting
- R649-3-11. Directional Drill




COMMENTS: Sup, Separate DW

STIPULATIONS: 1- Federal Approval

API Number: 4301334162
Well Name: LONE TREE FED 10-21-9-17
Township 09.0 S Range 17.0 E Section 21
Meridian: SLBM
Operator: NEWFIELD PRODUCTION COMPANY

Map Prepared:
 Map Produced by Diana Mason

Units	Wells Query Events
ACTIVE	<all other values>
EXPLORATORY	GIS_STAT_TYPE
GAS STORAGE	<Null>
NF PP OIL	APD
NF SECONDARY	DRL
PI OIL	GI
PP GAS	GS
PP GEOTHERML	LA
PP OIL	NEW
SECONDARY	OPS
TERMINATED	PA
Fields	PGW
ACTIVE	POW
COMBINED	RET
Sections	SGW
	SOW
	TA
	TW
	WD
	WI
	WS



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:

3160

(UT-922)

December 19, 2008

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2008 Plan of Development Lone Tree Unit, Duchesne County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2008 within the Lone Tree Unit, Duchesne County, Utah.

API #	WELL NAME	LOCATION
(Proposed PZ Green River)		
43-013-34161	Lone Tree Fed	14-21-9-17 Sec 21 T09S R17E 0655 FSL 2179 FWL
43-013-34162	Lone Tree Fed	10-21-9-17 Sec 21 T09S R17E 2058 FSL 2079 FEL
43-013-34163	Lone Tree Fed	15-21-9-17 Sec 21 T09S R17E 0589 FSL 1893 FEL
43-013-34157	Lone Tree Fed	R-15-9-17 Sec 15 T09S R17E 1998 FSL 1983 FWL
		BHL Sec 15 T09S R17E 1320 FSL 2620 FEL
43-013-34158	Lone Tree Fed	H-22-9-17 Sec 22 T09S R17E 1863 FNL 2098 FWL
		BHL Sec 22 T09S R17E 1295 FNL 2517 FEL
43-013-34159	Lone Tree Fed	G-22-9-17 Sec 22 T09S R17E 1829 FNL 0724 FWL
		BHL Sec 22 T09S R17E 1213 FNL 1375 FWL
43-013-34160	Lone Tree Fed	A-21-9-17 Sec 22 T09S R17E 0546 FNL 0697 FWL
		BHL Sec 21 T09S R17E 0050 FNL 0060 FEL

We have no objections to permitting the wells so long as the unit operator receives an exception to the locating and siting requirements of the State of Utah (R649-3-2).

/s/ Michael L. Coulthard

bcc: File – Lone Tree Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron
Fluid Chron



JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

December 22, 2008

Newfield Production Company
Rt 3 Box 3630
Myton, UT 84052

Re: Lone Tree Federal 10-21-9-17 Well, 2058' FSL, 2079' FEL, NW SE, Sec. 21, T. 9 South, R. 17 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-34162.

Sincerely,

(for) Gil Hunt
Associate Director

js
Enclosures

cc: Duchesne County Assessor
Bureau of Land Management, Vernal Office

Operator: Newfield Production Company

Well Name & Number Lone Tree Federal 10-21-9-17

API Number: 43-013-34162

Lease: UTU-13905

Location: NW SE Sec. 21 T. 9 South R. 17 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

Spud
BLM - Vernal Field Office - Notification Form

Operator Newfield Exploration Rig Name/# Ross #
29 Submitted By Jim Smith
Phone Number 823-2072
Well Name/Number Lone Tree Fed 10-21-9-17

Qtr/Qtr NW/SE Section 21 Township 9S
Range 17E
Lease Serial Number UTU-
13905
API Number 43-013-
34162

Spud Notice – Spud is the initial spudding of the well, not drilling out below a casing string.

Date/Time 11:00 5/5/09 AM
PM

Casing – Please report time casing run starts, not cementing times.

- Surface Casing
- Intermediate Casing
- Production Casing
- Liner
- Other

Date/Time 9:00 5/6/09 AM
PM

BOPE

- Initial BOPE test at surface casing point
- BOPE test at intermediate casing point

- 30 day BOPE test
- Other

Date/Time _____ AM PM

Remarks _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED
VERNAL FIELD OFFICE
MAY 13 2009

APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. UTU-13905	
6. If Indian, Allottee or Tribe Name NA	
7. If Unit or CA Agreement, Name and No. Lone Tree	
8. Lease Name and Well No. Lone Tree Federal 10-21-9-17	
9. API Well No. 43 013 3A162	
10. Field and Pool, or Exploratory Monument Butte	11. Sec., T. R. M. or Blk. and Survey or Area Sec. 21, T9S R17E
12. County or Parish Duchesne	13. State UT
14. Distance in miles and direction from nearest town or post office* Approximately 16.3 miles southeast of Myton, UT	15. Distance from proposed* location to nearest property or lease line, ft. Approx. 2058' f/lse, 2058' f/unit (Also to nearest drig. unit line, if any)
16. No. of acres in lease 1200.00	17. Spacing Unit dedicated to this well 40 Acres
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1655'	19. Proposed Depth 5,680'
20. BLM/BIA Bond No. on file WYB000493	21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5320' GL
22. Approximate date work will start* 2nd Qtr 2009	23. Estimated duration (7) days from SPUD to rig release
24. Attachments	

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature <i>Mandie Crozier</i>	Name (Printed/Typed) Mandie Crozier	Date 12/10/08
Title Regulatory Specialist		

Approved by (Signature) <i>Jerry Kenicka</i>	Name (Printed/Typed) JERRY KENICKA	Date APR 30 2009
Title Assistant Field Manager Lands & Mineral Resources		
Office VERNAL FIELD OFFICE		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. **CONDITIONS OF APPROVAL ATTACHED**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

NOTICE OF APPROVAL RECEIVED NOS 10/14/09
MAY 13 2009 AFMSS# 09SXS 6025A

DIV. OF OIL, GAS & MINING





**UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE**

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Newfield Production Company
Well No: Lone Tree Federal 10-21-9-17
API No: 43-013-34162

Location: NWSE, Sec. 21, T9S, R17E
Lease No: UTU-13905
Agreement: Lone Tree (GR) Unit

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS:	Karl Wright	(435) 781-4484	
NRS/Enviro Scientist:	Christine Cimiluca	(435) 781-4475	
NRS/Enviro Scientist:	Dan Emmett	(435) 781-3414	(435) 828-4029
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Lori Ford	(435) 781-4406	
NRS/Enviro Scientist:	David Gordon	(435) 781-4424	
NRS/Enviro Scientist:	James Hereford	(435) 781-3412	(435) 828-3546
NRS/Enviro Scientist:	Chuck Macdonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545
NRS/Enviro Scientist:	Paul Percival	(435) 781-4493	(435) 828-7381
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	(435) 828-3544

Fax: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.
- A Golden Eagle nest was observed approximately 0.36 miles southwest of the project area. With this occurrence there will be a timing restriction during construction and drilling activities to minimize disturbance to Golden Eagle nesting from January 1 – August 31.
- The proposed area is within Mountain Plover habitat. There will be a timing restriction during construction and drilling activities to minimize disturbance during Mountain Plover nesting from May 1 – June 15.
- Operator agreed to install a hospital muffler on the pump jack during the life of production to minimize noise impacts to Golden Eagle nesting in the area.
- Within 90 calendar days of the approval date for this Application for Permit to Drill (APD), the operator/lessee shall submit to the Authorized Officer (AO), on Sundry Notice Form 3160-5, an Interim/Final Surface Reclamation Plan for surface disturbance on well pads, access roads, and pipelines. At a minimum, this will include the reshaping of the pad to the original contour to the extent possible; the respreading of the top soil up to the rig anchor points; and, the area reseeded using appropriate reclamation methods. The AO will provide written approval or concurrence within 30 calendar days of receipt.

Interim Reclamation:

- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is dry and free of all trash and residual hydrocarbons it will be closed, it shall be recontoured and the topsoil respread, and the area shall be seeded using a rangeland drill. Seeding depth as per AO, or seed distributor. If portions of the site are too steep (>40%), or rocky, that portion may be broadcast seeded. If broadcasting seed, the seed shall be walked into the soil with a dozer immediately after the seeding is completed, or covered by soil using a drag chain. Seeding shall occur in the fall (August 1st until snow or ground is frozen) with the following seed mix:

Seed mix:

Common name	Latin name	lbs/acre	Recommended seed planting depth
Forage Kochia	<i>Kochia Prostrata</i>	0.20	1/2"
Squirreltail grass	<i>Elymus elymoides</i>	3.0	1/4 - 1/2"
Siberian wheatgrass	<i>Agropyron fragile</i>	1.0	1/2"
Shadscale saltbush	<i>Atriplex confertifolia</i>	0.50	1/2"
Four-wing saltbush	<i>Atriplex canescens</i>	0.50	1/2"
Gardner's saltbush	<i>Atriplex gardneri</i>	0.50	1/2"
Scarlet globemallow	<i>Sphaeralcea coccinea</i>	0.10	1/8 - 1/4"

- All pounds are pure live seed.
- All seed and mulch will be certified weed free.
- Rates are set for drill seeding; double rate if broadcasting.
- Reseeding may be required if initial seeding is not successful.

Final reclamation:

Noxious and/or invasive weeds will be controlled along access roads, pipelines, well sites, and all other applicable facilities. Any noxious and/or invasive weeds outbreak, directly attributed to the activities of the Operator, will be the responsibility of the Operator to control. On BLM administered land, a Pesticide Use Proposal (PUP) must be submitted and approved prior to the application of herbicides, pesticides, or other possibly hazardous chemicals.

The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.

Once the location is plugged and abandoned, it shall be recontoured to natural topology, topsoil shall be respread, and the entire location shall be seeded with a seed mix recommended by the AO (see above). Seed application will follow all guidelines in the interim seed mix bullet statement above, and in Green River reclamation guidelines. If reclamation seeding should take place using the broadcast method, the seed at a minimum will be walked into the soil with a dozer immediately after the seeding is completed.

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- Newfield Production Co. shall adhere to all referenced requirements in the SOP (version: June 24, 2008) along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth

(from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
B	99999	11880 ✓	4301334121	BELUGA I-17-9-17	NENE	17	9S	17E	DUCHESNE	4/25/2009	5/19/09
WELL 1 COMMENTS: <i>GRRV</i>											
B	99999	12417 ✓	4301334162	LONE TREE FEDERAL 10-21-9-17	NWSE	21	9S	17E	DUCHESNE	5/5/2009	5/19/09
WELL 2 COMMENTS: <i>GRRV</i>											
B	99999	12417 ✓	4301334163	LONE TREE FEDERAL 15-21-9-17	SWSE	21	9S	17E	DUCHESNE	5/5/2009	5/19/09
WELL 3 COMMENTS: <i>GRRV</i>											
A	99999	17314	4301334000	FEDERAL 5-21-8 16	SWNW	21	8S	16E	DUCHESNE	5/8/2009	5/19/09
WELL 4 COMMENTS: <i>GRRV</i>											
WELL 5 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)
 A - new entity for new well (single well only)
 B - well to existing entity (group or unit well)
 C - from one existing entity to another existing entity
 D - well from one existing entity to a new entity
 E - other (explain in comments section)

RECEIVED

MAY 19 2009

DIV. OF OIL, GAS & MINING

Jentri Park
 Signature
 Jentri Park
 Production Clerk
 05/08/09
 Date

NOTE: Use COMMENT section to explain why each Action Code was selected.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUBMIT IN TRIPLICATE - Other Instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
NEWFIELD PRODUCTION COMPANY

3a. Address Route 3 Box 3630
Myton, UT 84052

3b. Phone (include are code)
435.646.3721

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Section TR

9S 17E 21

5. Lease Serial No.

USA UTU-13905

6. If Indian, Allottee or Tribe Name.

7. If Unit or CA/Agreement, Name and/or

LONE TREE UNIT

8. Well Name and No.

LONE TREE FEDERAL 10-21-9-17

9. API Well No.

4301334162

10. Field and Pool, or Exploratory Area

MONUMENT BUTTE

11. County or Parish, State

UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other _____	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug & Abandon	<input type="checkbox"/> Temporarily Abandon	Weekly Status Report	
	<input type="checkbox"/> Convert to Injector	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

On 5/14/09 MIRU NDSI Rig #3. Set all equipment. Pressure test Kelly, TIW, Choke manifold, & Bop's to 2,000 psi. Test 8.625 csgn to 1,500 psi. Vernal BLM field, & Roosevelt DOGM office was notified of test. PU BHA and tag cement @ 269'. Drill out cement & shoe. Drill a 7.875 hole with fresh water to a depth of 5520'. Lay down drill string & BHA. Open hole log w/ Dig/SP/GR log's TD to surface. PU & TIH with Guide shoe, shoe jt, float collar, 150 jt's of 5.5 J-55, 15.5# csgn. Set @ 5514.83" / KB. Cement with 300 sks cement mixed @ 11.0 ppg & 3.43 yld. The 400 sks cement mixed @ 14.4 ppg & 1.24 yld.circ 40 bbl cmt to surface. Nipple down Bop's. Set slips @ 100,000 #'s tension. Release rig 10:30 PM 5/17/09.

I hereby certify that the foregoing is true and correct (Printed/ Typed)

Johnny Davis

Signature

Title

Drilling Foreman

Date

05/19/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

RECEIVED

JUN 03 2009

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU-13905

6. If Indian, Allottee or Tribe Name
NA

7. Unit or CA Agreement Name and No.
LONETREE UNIT

8. Lease Name and Well No.
LONETREE FEDERAL 10-21-9-17

9. AFI Well No.
43-013-34162

10. Field and Pool or Exploratory
MONUMENT BUTTE

11. Sec., T., R., M., on Block and
Survey or Area
SEC. 21, T9S, R17E

12. County or Parish
DUCHESNE

13. State
UT

1a. Type of Well Oil Well Gas Well Dry Other

b. Type of Completion: New Well Work Over Deepen Plug Back Diff. Resrv.,
Other: _____

2. Name of Operator
NEWFIELD EXPLORATION COMPANY

3. Address
1401 17TH ST. SUITE 1000 DENVER, CO 80202

3a. Phone No. (include area code)
(435)646-3721

14. Date Spudded
05/05/2009

15. Date T.D. Reached
05/16/2009

16. Date Completed 06/05/2009
 D & A Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*
5320' GL 5332' KB

18. Total Depth: MD 5820'
TVD

19. Plug Back T.D.: MD 5475'
TVD

20. Depth Bridge Plug Set: MD
TVD

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
At surface 2058' FSL & 2079' FEL (NW/SE) SEC. 21, T9S, R17E
At top prod. interval reported below
At total depth 5820'

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
 DUAL IND GRD, SP, COMP. DENSITY, COMP. NEUTRON, GR, CALIPER, CMT BOND

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit report)
Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8" J-55	24#		330'		160 CLASS G			
7-7/8"	5-1/2" J-55	15.5#		5515'		300 PRIMLITE		92'	
						400 50/50 POZ			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	EOT@ 4945'	TA @ 4846'						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) GREEN RIVER			(LODC) 4870-4879'	.49"	4	36
B) GREEN RIVER			(A1) see below	.49"	4	68
C) GREEN RIVER			(B2) 4499-4511'	.49"	4	48
D) GREEN RIVER			(D2) 4276-4294'	.49"	4	72

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
5870-5879'	Frac LODC w/ 23,628 # of 20/40 sand.
4600-4658'	Frac A1 sds as planned w/ 80,543 #'s 20/40 sand.
4499-4511'	Frac B2 sds as planned w/ 29,666 #'s 20/40 sand.
4276-4294'	Frac D2 sds w/ 132,930 #'s 20/40 sand.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/05/09	06/24/09	24	→	340	471	26			2-1/2" x 1-1/2" x 16 x 20' RHAC Pump
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→					PRODUCING	

RECEIVED
JUL 14 2009

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

DIV. OF OIL, GAS & MINING

*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production ➔	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate ➔	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production ➔	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate ➔	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Solid, used for fuel, vented, etc.)

USED FOR FUEL

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

GEOLOGICAL MARKERS

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top	
					Meas. Depth	
				GARDEN GULCH MRK GARDEN GULCH 1	3248'	3440'
				GARDEN GULCH 2 POINT 3	3557'	3795"
				X MRKR Y MRKR	4045'	4078'
				DOUGALS CREEK MRK BI CARBONATE MRK	4202'	4426'
				B LIMESTON MRK CASTLE PEAK	4530'	5026'
				BASAL CARBONATE TOTAL DEPTH (LOGGERS)	5463'	5533'

32. Additional remarks (include plugging procedure):

STAGE 2: Perforate A1 sds @ 4600-4603' & 4638-4648' & 4654-4658' w/ 3-1/8" Slick Guns (19 gram, .40" EH, 120°) w/ 4 spf for total of 68 shots.

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- Electrical/Mechanical Logs (1 full set req'd.)
 Geologic Report
 DST Report
 Directional Survey
 Sundry Notice for plugging and cement verification
 Core Analysis
 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Tammi Lee Title Production Clerk
 Signature *Tammi Lee* Date 07/07/2009

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:
USA UTU-13905

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
LONE TREE UNIT

1. TYPE OF WELL: OIL WELL GAS WELL OTHER

8. WELL NAME and NUMBER:
LONE TREE FEDERAL 10-21-9-17

2. NAME OF OPERATOR:
NEWFIELD PRODUCTION COMPANY

9. API NUMBER:
4301334162

3. ADDRESS OF OPERATOR: Route 3 Box 3630 CITY Myton STATE UT ZIP 84052 PHONE NUMBER 435.646.3721

10. FIELD AND POOL, OR WILDCAT:
MONUMENT BUTTE

4. LOCATION OF WELL:
FOOTAGES AT SURFACE:

COUNTY:


OTR/OTR. SECTION. TOWNSHIP. RANGE. MERIDIAN: NWSE, 21, T9S, R17E

STATE: UT

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARITLY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of Work Completion: <u>07/23/2009</u>	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/STOP)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: - Weekly Status Report
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
The above subject well was completed on 06/05/09, attached is a daily completion status report.

NAME (PLEASE PRINT) Jentri Park TITLE Production Clerk
SIGNATURE  DATE 07/23/2009

(This space for State use only)

RECEIVED

JUL 30 2009

DIV. OF OIL, GAS & MINING

Daily Activity Report

Format For Sundry
LONETREE 10-21-9-17
4/1/2009 To 8/30/2009

5/27/2009 Day: 1

Completion

Rigless on 5/27/2009 - Ran CBL & shot 1st stage. - Install 5m frac head. NU 6" 5K Cameron BOP. RU H/O truck & pressure test casing, blind rams, frac head, csg & casing valves to 4500 psi. RU Perforators LLC WLT w/ mast & run CBL under pressure. WLTD @ 5444' & cement top @ 92'. Perforate stage #1, LODC sds @ 4870-79' w/ 3-1/8" Slick Guns (19 gram, .49"EH, 120°) w/ 4 spf for total of 36 shots. 130 BWTR. SWIFN.

Daily Cost: \$0

Cumulative Cost: \$11,624

6/2/2009 Day: 2

Completion

Rigless on 6/2/2009 - Frac all 4 stages. Flowback well immediately for 5.5 hours @ 3 BPM. Recovered ~ 780 bbls (~33% load). SWIFN when well died. 1580 BWTR. - Stage #3 B2 sd.. RU PSI WLT. RIH w/ Weatherford 5-1/2" (6K) composite flow through frac plug & 12' perf guns. Set plug @ 4545'. Perforate B2 sds @ 4499-4511' w/ 3-1/8" Slick Guns (19 gram, .40" EH, 120°) w/ 4 spf for total of 48 shots. RU BJ Services. Open BOP's @ 11:22 pm. 1190 psi on well. Pressure up on B2. Formation broke @ 1458 psi. Skip pre-frac diagnostics - only 89' between stages. Frac B2 sds as planned w/ 29,666 #'s 20/40 sand. Spot 12 bbls of 15% HCl during flush for stage #4. ISDP = 1881 psi. FG = .85 psi/ft. 5 min shut-in = 1134 psi. 10 min shut-in = 1093 psi. 15 min shut-in = 1086 psi. Turn well over to PSI WLT to set plug and shoot stage #4. 1447 BWTR. - Stage #4 D2 sd.. RU PSI WLT. RIH w/ Weatherford 5-1/2" (6K) composite flow through frac plug & 18' perf gun. Set plug @ 4350'. Perforate D2 sds @ 4276-4294' w/ 3-1/8" Slick Guns (19 gram, .40"EH, 120°) w/ 4 spf for total of 72 shots. RU BJ Services. Open BOP's @ 12:30 pm. 1030 psi on well. Pressure up on D2 sds. Formation broke @ 3762 psi. Skip pre-frac diagnostics b/c rapid pressure drop. Frac D2 sds w/ 132,930 #'s 20/40 sand. ISDP = 1775 psi. FG = .85 psi/ft. 5 min shut-in = 1686 psi. 10 min shut-in = 1694 psi. 15 min shut-in = 1605 psi. Flowback well immediately for 5.5 hours @ 3 BPM. Recovered ~ 780 bbls (~33% load). SWIFN when well died. 1580 BWTR. - Stage #2 A1 sd.. RU PSI WLT. RIH w/ Weatherford 5-1/2" (6K) composite flow through frac plug & 4 & 10 & 3' perf guns. Set plug @ 4720'. Perforate A1 sds @ 4600-4603' & 4638-4648' & 4654-4658' w/ 3-1/8" Slick Guns (19 gram, .40" EH, 120°) w/ 4 spf for total of 68 shots. RU BJ Services. Open BOP's @ 9:47 am. 1915 psi on well. Pressure up on A1 sds. Formation broke @ 4044 psi. Skip pre-frac diagnostics b/c rapid pressure drop. Frac A1 sds as planned w/ 80,543 #'s 20/40 sand. Spot 12 bbls of 15% HCl during flush for stage #3. ISDP = 1730 psi. FG = .81 psi/ft. 5 min shut-in = 1592 psi. 10 min shut-in = 1523 psi. 15 min shut-in = 1460 psi. Turn well over to PSI WLT to set plug and shoot stage #3. 1113 BWTR. - MIRU BJ frac crew. Stage #1 LODC..27 psi on WH @ 7:15 am. Pressure up on LODC perms. Formation broke @ 2557 psi. Pump 20 bbls of Technihib and shut down. ISIP = 1870 psi. FG = .82 psi/ft. Shut well in and watched pressure for 1 hrs. 15min = 1706 psi. 30min = 1586 psi. 45min = 1675 psi. 60min = 1665 psi. Start back up @ 8:15 am. Frac LODC w/ 23,628 # of 20/40 sand. ISDP = 2231 psi. 5min = 2133 psi. 10min = 2097 psi. 15min = 2063 psi. Spot 12 bbls 15% HCl for stage #2. Turn well over to PSI WL to set plug and shoot stage #2. 488 BWTR

Daily Cost: \$0

Cumulative Cost: \$93,588

6/4/2009 Day: 3

Completion

Nabors #823 on 6/4/2009 - 6/03/09: MIRU Nabors #823. PU tbg. DU CBPs. C/O to PBSD @ 5475'. SWIFN. 1630 BWTR. - MIRU Nabors #823. 50 psi on well. Bleed off well. ND Cameron BOP & 5m frac head. NU 3m production head & Schaeffer BOP. RIH w/ 4 3/4" chomp bit, bit sub & new 2 7/8" tbg. from pipe rack (tallying & drifting). Tag fill @ 4332'. RU powerswivel & pump. C/O to CBP @ 4350'. DU CBP in 20 min. Cont. RIH w/ tbg. Tag CBP @ 4545'. DU CBP in 38 min. Cont. RIH w/ tbg. Tag CBP @ 4720'. DU CBP in 30 min. Cont. RIH w/ tbg. Tag fill @ 5360'. C/O to PBSD @ 5475'. Circulate well clean. POOH w/ tbg. to 5339'. SWIFN. 1630 BWTR. -

Daily Cost: \$0

Cumulative Cost: \$145,983

6/5/2009 Day: 4

Completion

Nabors #823 on 6/5/2009 - 6/04/09: Swab for cleanup. Round trip tbg. ND BOP. Set TAC w/ 18,000# tension. NU wellhead. PU rods. 1605 BWTR. - RIH w/ swab. SFL @ 500'. Made 12 runs. Recovered 115 bbls. Trace of oil, no show of sand. EFL @ 900'. RD swab. RIH w/ tbg. Tag fill @ 5460'. C/O to PBSD @ 5475'. Circulate well clean. LD 18 jts 2 7/8" tbg. POOH w/ tbg. LD BHA. RIH w/ 2 7/8" notched collar, 2 jts 2 7/8" tbg, PSN, 1 jt 2 7/8" tbg., 5 1/2" TAC & 155 jts 2 7/8" tbg. ND BOP. Set TAC w/ 18,000# tension. NU wellhead. Flush tbg. w/ 60 bbls water. X-over for rods. RIH w/ pump, 6- 1 1/2" weight bars, 20- 3/4" guided rods & 69- 3/4" slick rods. SWIFN. 1605 BWTR.

Daily Cost: \$0

Cumulative Cost: \$152,392

6/8/2009 Day: 5

Completion

Nabors #823 on 6/8/2009 - 6/05/09: PU rods. Put well on production @ 10:00 a.m. 84" stroke, 5 spm. Final Report. 1605 BWTR. - Cont. PU rods. Seat pump. Fill tbg. w/ 5 bbls water. Stroke test to 800 psi. Good pump action. RU pumping unit. Hang off rods. Adjust tag. RD. Put well on production @ 10:00 a.m. 84" stroke length, 5 spm. Final Report. **Finalized**

Daily Cost: \$0

Cumulative Cost: \$176,434

Pertinent Files: Go to File List

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-13905
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: LONE TREE FED 10-21-9-17
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY	9. API NUMBER: 43013341620000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052	PHONE NUMBER: 435 646-4825 Ext
9. FIELD and POOL or WILDCAT: MONUMENT BUTTE	4. LOCATION OF WELL FOOTAGES AT SURFACE: 2058 FSL 2079 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 21 Township: 09.0S Range: 17.0E Meridian: S
	COUNTY: DUCHESNE STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 5/17/2016	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: <input type="text" value="Well Clean Out"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

This well has a history of dehydrated paraffin. The pump is stuck with paraffin and needs to be changed. Newfield will be doing a bit and scrapper run to clean the wellbore\perforations with the intention to increase hydrocarbon production and bring the well back up to economic production volumes.

**Accepted by the
Utah Division of
Oil, Gas and Mining**

Date: May 17, 2016
 By: *Dark Oust*

NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech
SIGNATURE N/A	DATE 5/17/2016	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-13905
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well		8. WELL NAME and NUMBER: LONE TREE FED 10-21-9-17
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		9. API NUMBER: 43013341620000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84052	PHONE NUMBER: 435 646-4825 Ext	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2058 FSL 2079 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWSE Section: 21 Township: 09.0S Range: 17.0E Meridian: S		COUNTY: DUCHESNE
		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 5/21/2016 <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> WILDCAT WELL DETERMINATION <input checked="" type="checkbox"/> OTHER	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. On 05/21/16 the well clean out was completed on the above mentioned well. See attached daily rig summary report.		
		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 24, 2016
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech
SIGNATURE N/A		DATE 5/23/2016

NEWFIELD**Summary Rig Activity****Well Name: Lonetree 10-21-9-17**

Job Category	Job Start Date	Job End Date

Daily Operations		
Report Start Date	Report End Date	24hr Activity Summary
5/18/2016	5/18/2016	MIRU WOR. TOOH w/ rods & pump
Start Time	End Time	Comment
12:00	14:00	Road rig from UT 14-28-4-2E to location (31 mile rig move).
Start Time	End Time	Comment
14:00	15:00	MIRU WOR
Start Time	End Time	Comment
15:00	15:30	RD pumping unit
Start Time	End Time	Comment
15:30	16:30	Hot oiler pumped 60 bbls of production water mixed w/ 5 gal of scavenger down csg. Bled gas & oil off tbg. Unseat rod pump. Flush tbg & rods w/ 40 bbls production water @ 250 deg. Soft seat rod pump. Fill tbg w/ 2 bbls production water & pressure test tbg to 3000 psi (good test).
Start Time	End Time	Comment
16:30	18:00	TOOH w/ rod string as follows: 1 1/2" X 26' Polished rod, 2-2' X 7/8" pony rods, 1-4',6',8' X 7/8" pony rods, 38-7/8" guided rods (4 per), 136- 3/4" guided rods (4 per), 18- 7/8" guided rods (8 per) & 2" X 2-1/2" X 20' RHBC rod pump. There was heavy amounts of dehydrated oil on rod string.
Start Time	End Time	Comment
18:00	19:00	Service rig & change oil
Start Time	End Time	Comment
19:00	19:30	Crew travel
Report Start Date	Report End Date	24hr Activity Summary
5/19/2016	5/19/2016	NU BOPs. TOOH w/ tbg. PU bit & scraper & TIH w/ tbg. Circulate well clean. Swab well
Start Time	End Time	Comment
06:00	06:30	Crew travel
Start Time	End Time	Comment
06:30	07:00	Safety meeting w/ rig crew.
Start Time	End Time	Comment
07:00	07:30	ND wellhead
Start Time	End Time	Comment
07:30	08:30	NU Weatherford double 5K BOPs dressed w/ blind rams on bottom & 2-7/8" pipe rams on top.
Start Time	End Time	Comment
08:30	09:00	RU rig floor & tbg equipment
Start Time	End Time	Comment
09:00	09:45	Talley & PU 11- jts of 2-7/8" J-55 6.5# 8rd EUE tbg & tag fill @ 5270' (332' of rathole). TOOH w/ tbg used to tag & rack back in derrick.
Start Time	End Time	Comment
09:45	11:45	TOOH w/ production tbg as follows: 155- jts 2-7/8" J-55 6.5# 8rd EUE tbg, TAC, 1- jt 2-7/8" J-55 6.5# 8rd EUE tbg, PSN, 2- jts 2-7/8" J-55 6.5# 8rd EUE tbg & Notched collar. Stopped 1/3 of the way out of the hole and flushed tbg w/ 20 bbls of production water @ 225 deg.
Start Time	End Time	Comment
11:45	13:15	PU 4-3/4" tri-cone bit & 5-1/2" 15.5# csg scraper. TIH w/ bit & scraper, PSN & 168- jts 2-7/8" J-55 6.5# 8rd EUE tbg. EOT @ 5256'
Start Time	End Time	Comment
13:15	15:15	RU hot oiler to tbg & fill wellbore w/ 80 bbls production water, circulate well down tbg & up csg w/ 130 bbls production water @ 225 deg.
Start Time	End Time	Comment
15:15	18:15	RU sandline to swab. Made 8 swab runs. Starting FL @ surface & ending FL @ 3500'. Recovered 97 bbls fluid, ending w/ trace of oil. SWIFN.
Start Time	End Time	Comment
18:15	18:45	Crew travel from location to Newfield office.

NEWFIELD**Summary Rig Activity****Well Name: Lonetree 10-21-9-17**

--

Daily Operations			
Report Start Date 5/20/2016	Report End Date 5/20/2016	24hr Activity Summary Swab well. Round trip tbg.	
Start Time	End Time	Start Time	End Time
	06:00		06:30
			06:30
Start Time	End Time	Start Time	End Time
	06:30		07:00
			07:00
Start Time	End Time	Start Time	End Time
	07:00		10:00
			10:00
Start Time	End Time	Start Time	End Time
	10:00		10:45
			10:45
Start Time	End Time	Start Time	End Time
	10:45		13:45
			13:45
Start Time	End Time	Start Time	End Time
	13:45		14:45
			14:45
Start Time	End Time	Start Time	End Time
	14:45		15:30
			15:30
Start Time	End Time	Start Time	End Time
	15:30		16:30
			16:30
Start Time	End Time	Start Time	End Time
	16:30		17:30
			17:30
Start Time	End Time	Start Time	End Time
	17:30		18:00
			18:00
Report Start Date 5/21/2016	Report End Date 5/21/2016	24hr Activity Summary TIH w/ rods & pump. PWOP.	
Start Time	End Time	Start Time	End Time
	06:00		06:30
			06:30
Start Time	End Time	Start Time	End Time
	06:30		07:00
			07:00
Start Time	End Time	Start Time	End Time
	07:00		08:30
			08:30
Start Time	End Time	Start Time	End Time
	08:30		09:30
			09:30
Start Time	End Time	Start Time	End Time
	09:30		10:15
			10:15
Start Time	End Time	Start Time	End Time
	10:15		11:00
			11:00
Start Time	End Time	Start Time	End Time
	11:00		12:00
			12:00