

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL						1. WELL NAME and NUMBER LC Tribal 1H-33-46				
2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/>						3. FIELD OR WILDCAT ALTAMONT				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO						5. UNIT or COMMUNITIZATION AGREEMENT NAME				
6. NAME OF OPERATOR BILL BARRETT CORP						7. OPERATOR PHONE 303 312-8164				
8. ADDRESS OF OPERATOR 1099 18th Street Ste 2300, Denver, CO, 80202						9. OPERATOR E-MAIL BHilgers@billbarrettcorp.com				
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) 1420H626304			11. MINERAL OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>			12. SURFACE OWNERSHIP FEDERAL <input type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>				
13. NAME OF SURFACE OWNER (if box 12 = 'fee') Cory M. Powell						14. SURFACE OWNER PHONE (if box 12 = 'fee') 801-272-5202				
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 4560 Stratton Drive, Holladay, UT 84117						16. SURFACE OWNER E-MAIL (if box 12 = 'fee')				
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN') Uintah and Ouray			18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/>			19. SLANT VERTICAL <input type="checkbox"/> DIRECTIONAL <input type="checkbox"/> HORIZONTAL <input checked="" type="checkbox"/>				
20. LOCATION OF WELL		FOOTAGES		QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN		
LOCATION AT SURFACE		559 FNL 570 FWL		NWNW	33	4.0 S	6.0 W	U		
Top of Uppermost Producing Zone		579 FNL 1130 FWL		NWNW	33	4.0 S	6.0 W	U		
At Total Depth		700 FNL 700 FEL		NENE	33	4.0 S	6.0 W	U		
21. COUNTY DUCHESNE			22. DISTANCE TO NEAREST LEASE LINE (Feet) 700			23. NUMBER OF ACRES IN DRILLING UNIT 640				
			25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 1792			26. PROPOSED DEPTH MD: 8483 TVD: 4829				
27. ELEVATION - GROUND LEVEL 6304			28. BOND NUMBER LPM8874725			29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 43-180				
Hole, Casing, and Cement Information										
String	Hole Size	Casing Size	Length	Weight	Grade & Thread	Max Mud Wt.	Cement	Sacks	Yield	Weight
COND	26	16	0 - 80	65.0	Unknown	8.8	No Used	0	0.0	0.0
SURF	12.25	9.625	0 - 800	36.0	J-55 ST&C	8.8	Halliburton Light , Type Unknown	70	3.16	11.0
							Halliburton Premium , Type Unknown	210	1.17	15.8
I1	8.75	7	0 - 5068	23.0	P-110 LT&C	9.2	Unknown	225	3.14	11.0
							Unknown	300	1.42	13.5
L1	6.125	4.5	0 - 8483	11.6	P-110 LT&C	9.5	No Used	0	0.0	0.0
ATTACHMENTS										
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES										
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN					
<input checked="" type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
<input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP					
NAME Venessa Langmacher			TITLE Senior Permit Analyst			PHONE 303 312-8172				
SIGNATURE			DATE 02/24/2012			EMAIL vlangmacher@billbarrettcorp.com				
API NUMBER ASSIGNED 43013512570000			APPROVAL			 Permit Manager				

DRILLING PLAN

BILL BARRETT CORPORATION

LC Tribal 1H-33-46

SHL: NW NW, 559' FNL and 570' FWL, Section 33, T4S-R6W

BHL: NE NE, 700' FNL and 700' FEL, Section 33, T4S-R6W

Duchesne Co., UT

Bill Barrett Corporation (BBC) intends to drill a horizontal through the prospective zone within the Uteland Butte.

1 - 3. Estimated Tops of Geological Markers and Formations Expected to Contain Water, Oil and Gas and Other Minerals

HORIZONTAL LEG FORMATION TOPS

Formation	Depth – MD	Depth - TVD
Green River	844'	844'
Surface casing	800'	800'
Mahogany	1,379'	1,379'
TGR3	2,584'	2,584'
Douglas Creek	3,379'	3,379'
3 PT Marker	3,734'	3,734'
Black Shale Facies	4,064'	4,064'
Castle Peak	4,341'	4,339'
*Uteland Butte (Penetration Point)	4,776'	4,675'
CR1	4,906'	4,727'
TD	8,483'	4,829'

***PROSPECTIVE PAY**

The Uteland Butte is the primary objective for oil/gas.

Base of Useable Water = 3,400'

4. Casing Program

Hole Size	SETTING DEPTH		Casing Size	Casing Weight	Casing Grade	Thread	Condition
	(FROM)	(TO)					
12-1/4"	surface	800'	9 5/8"	36.0 ppf	J or K 55	ST&C	New
8 3/4"	surface	5,068'	7"	23.0 ppf	P-110	LT&C	New
6 1/8"	surface	8,483'	4 1/2" Liner with 4-1/2" Tieback for frac	11.6 ppf	P-110	LT&C	New

Drilling Plan
 LC Tribal 1H-33-46
 Duchesne Co., UT

5. Cementing Program

9 5/8" Surface Casing	<i>Lead</i> with approximately 70 sx Halliburton Light Premium cement with additives mixed at 11.0 ppg (yield = 3.16 ft ³ /sx). TOC @ Surface <i>Tail</i> with 210 sx Premium 14.8 ppg (yield = 1.36 ft ³ /sx) calculated hole volume with 75% excess. TOC @ 300' <i>Top out cement</i> , if required: 100 sx of Premium cement with additives mixed at 15.8 ppg (yield = 1.17 ft ³ /sk)
7" Intermediate Casing	<i>Lead</i> with approximately 225 sx Tune Light cement with additives, mixed at 11.0 ppg (yield = 3.14 ft ³ /sx). TOC @ 300' <i>Tail</i> with approximately 300 sx Halliburton Econocem cement with additives mixed at 13.5 ppg (yield = 1.42 ft ³ /sx). TOC @ 3,181'
4 1/2" Liner with 4-1/2" Tieback to surface	<i>No cement will be used in this section. Swell packers will be run to isolate the production hole from the intermediate casing section.</i>
Note: Top of Tail cement for the intermediate string will be calculated to 1000' above the KOP using gauge hole plus 50% excess. Lead to 200' inside of surface casing.	

6. Mud Program

<u>Interval</u>	<u>Weight</u>	<u>Viscosity</u>	<u>Fluid Loss (API filtrate)</u>	<u>Remarks</u>
40' – 800'	8.4 – 8.8	26 – 36	NC	Freshwater Spud Mud Fluid
800' – 5,068'	8.9 – 9.2	26 - 36	NC	Fresh Water with sweeps
5,068' – TD	9.0 – 9.5	45 – 58	4 – 10	Fresh Water PHPA
Note: Sufficient mud materials to maintain mud properties, control lost circulation and to contain "kicks" will be available at wellsite. BBC may require minor amounts of diesel to be added to its fluid system in order to reduce torque and drag.				

7. BOP and Pressure Containment Data

<u>Depth Intervals</u>	<u>BOP Equipment</u>
0 – 800'	No pressure control required
800' – TD	11" 5000# Ram Type BOP 11" 5000# Annular BOP
- Drilling spool to accommodate choke and kill lines;	
- Ancillary and choke manifold to be rated @ 5000 psi;	
- Ancillary equipment and choke manifold rated at 5,000#. All BOP and BOPE tests will be in accordance with the requirements of onshore Order No. 2;	
- The BLM and the State of Utah Division of Oil, Gas and Mining will be notified 24 hours in advance of all BOP pressure tests.	
- BOP hand wheels may be underneath the sub-structure of the rig if the drilling rig used is set up to operate most efficiently in this manner.	

Drilling Plan
 LC Tribal 1H-33-46
 Duchesne Co., UT

8. Auxiliary Equipment

- a) Upper kelly cock; lower Kelly cock will be installed while drilling
- b) Inside BOP or stab-in valve (available on rig floor)
- c) Safety valve(s) and subs to fit all string connections in use
- d) Mud monitoring will be visually observed

9. Testing, Logging and Core Programs

Cores	None anticipated;
Testing	None anticipated; drill stem tests may be run on shows of interest;
Sampling	30' to 50' samples; surface casing to TD. Preserve samples all show intervals;
Surveys	MWD with GR as needed to land wellbore;
WL Logging	None in intermediate
Note: FMI and CAL may be run on the lateral portion of the horizontal wellbore at the geologist's discretion.	

10. Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures or other hazards are anticipated.

Maximum anticipated bottom hole pressure equals approximately 2385 psi* and maximum anticipated surface pressure equals approximately 1323 psi** (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

*Max Mud Wt x 0.052 x TD = A (bottom hole pressure)

**Maximum surface pressure = A - (0.22 x TD)

11. Location and Type of Water Supply

Water for the drilling and completion will be trucked from the Duchesne City Culinary Water Dock located in Sec. 1, T4S, R5W.

12. Drilling Schedule

Location Construction: June 2012
 Spud: June 2012
 Duration: 25 days drilling time
 25 days completion time

Well name:	BTR/LC HZ Well
Operator:	BBC
String type:	Surface
Location:	Utah

Design parameters:**Collapse**

Mud weight: 8.900 ppg
Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 527 psi
Internal gradient: 0.220 psi/ft
Calculated BHP: 857 psi
Annular backup: 9.50 ppg

Minimum design factors:**Collapse:**

Design factor: 1.125

Burst:

Design factor: 1.00

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on buoyed weight.
Neutral point: 1,302 ft

Environment:

H2S considered? No
Surface temperature: 75 °F
Bottom hole temperature: 96 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 1,000 ft
Minimum Drift: 8.750 in
Cement top: Surface

Non-directional string.

Re subsequent strings:

Next setting depth: 4,697 ft
Next mud weight: 9.500 ppg
Next setting BHP: 2,318 psi
Fracture mud wt: 11.000 ppg
Fracture depth: 1,500 ft
Injection pressure: 857 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	1500	9.625	36.00	K-55	ST&C	1500	1500	8.765	106.8
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	693	2020	2.913	527	3520	6.68	47	423	9.02 J

Bill Barrett

Date: June 23, 2011
Denver, Colorado

Remarks:

Collapse is based on a vertical depth of 1500 ft, a mud weight of 8.9 ppg. The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Well name:	BTR/LC HZ Well
Operator:	BBC
String type:	Intermediate
Location:	Utah

Design parameters:

Collapse

Mud weight: 9.500 ppg
Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 1,683 psi
Internal gradient: 0.220 psi/ft
Calculated BHP: 3,036 psi

Annular backup: 9.50 ppg

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.50 (B)

Tension is based on buoyed weight.
Neutral point: 5,274 ft

Environment:

H2S considered? No
Surface temperature: 75 °F
Bottom hole temperature: 161 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 1,500 ft
Minimum Drift: 6.125 in
Cement top: 11 ft

Directional Info - Build & Hold

Kick-off point: 5580 ft
Departure at shoe: 604 ft
Maximum dogleg: 10 °/100ft
Inclination at shoe: 93.1 °

Re subsequent strings:

Next setting depth: 5,980 ft
Next mud weight: 9.500 ppg
Next setting BHP: 2,951 psi
Fracture mud wt: 14.000 ppg
Fracture depth: 6,152 ft
Injection pressure: 4,474 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	6511	7	23.00	N-80	LT&C	6152	6511	6.25	300.9
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	3036	3575	1.177	1683	6340	3.77	121	442	3.64 J

Bill Barrett

Date: June 23,2011
Denver, Colorado

Remarks:

Collapse is based on a vertical depth of 6152 ft, a mud weight of 9.5 ppg The casing is considered to be evacuated for collapse purposes. Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Collapse strength is (biaxially) derated for doglegs in directional wells by multiplying the tensile stress by the cross section area to calculate a

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	BTR/LC HZ Well
Operator:	N/A
String type:	Production Liner

Design parameters:**Collapse**

Mud weight: 9.500 ppg
Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 1,572 psi
Internal gradient: 0.220 psi/ft
Calculated BHP: 2,837 psi

Annular backup: 9.50 ppg

Minimum design factors:**Collapse:**

Design factor: 1.125

Burst:

Design factor: 1.00

Tension:

8 Round STC: 1.80 (J)
8 Round LTC: 1.80 (J)
Buttress: 1.60 (J)
Premium: 1.50 (J)
Body yield: 1.60 (B)

Tension is based on buoyed weight.
Neutral point: 5,703 ft

Environment:

H2S considered? No
Surface temperature: 75 °F
Bottom hole temperature: 155 °F
Temperature gradient: 1.40 °F/100ft
Minimum section length: 1,000 ft
Minimum Drift: 3.875 in

Liner top: 5,000 ft
Directional Info - Build & Hold
Kick-off point: 5123 ft
Departure at shoe: 4885 ft
Maximum dogleg: 8 °/100ft
Inclination at shoe: 91.26 °

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Est. Cost (\$)
1	5418	4.5	11.60	P-110	LT&C	5748	10418	3.875	26104
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (kips)	Tension Strength (kips)	Tension Design Factor
1	2837	7580	2.672	205	10690	52.25	7.4	279	37.48 J

Bill Barrett

Date: June 23,2011
Denver, Colorado


Remarks:

For this liner string, the top is rounded to the nearest 100 ft. Collapse is based on a vertical depth of 5748 ft, a mud weight of 9.5 ppg. The Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.

Burst strength is not adjusted for tension.

Collapse strength is (biaxially) derated for doglegs in directional wells by multiplying the tensile stress by the cross section area to calculate a

Engineering responsibility for use of this design will be that of the purchaser.





T4S, R6W, U.S.B.&M.

BILL BARRETT CORPORATION

Well location, LC TRIBAL #1H-33-46, located as shown in the NW 1/4 NW 1/4 of Section 33, T4S, R6W, U.S.B.&M., Duchesne County, Utah.

BASIS OF ELEVATION

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION 9, T5S, R4W, U.S.B.&M., TAKEN FROM THE DUCHESNE SE QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED ON CAP AS BEING 6097 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
 KAY
 REGISTRATION NO. 161319
 STATE OF UTAH
 08/21/11

REVISED: 08-11-11 J.I.

UINTAH ENGINEERING & LAND SURVEYING
 85 SOUTH 200 EAST - VERNAL, UTAH 84078
 (435) 789-1017


BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

NAD 83 (TARGET BOTTOM HOLE)	NAD 83 (SURFACE LOCATION)
LATITUDE = 40°05'41.88" (40.0949667)	LATITUDE = 40°05'43.26" (40.095350)
LONGITUDE = 110°33'39.47" (110.560964)	LONGITUDE = 110°34'30.57" (110.575158)
NAD 27 (TARGET BOTTOM HOLE)	NAD 27 (SURFACE LOCATION)
LATITUDE = 40°05'42.03" (40.095008)	LATITUDE = 40°05'43.41" (40.095392)
LONGITUDE = 110°33'36.91" (110.560253)	LONGITUDE = 110°34'28.01" (110.574447)

SCALE	1" = 1000'	DATE SURVEYED:	7-7-06	DATE DRAWN:	7-11-06
PARTY	D.R. A.H. K.G.	REFERENCES	G.L.O. PLAT		
WEATHER	WARM	FILE	BILL BARRETT CORPORATION		



LEGEND:

————— EXISTING ROAD



BILL BARRETT CORPORATION

LC TRIBAL #1H-33-46
SECTION 33, T4S, R6W, U.S.B.&M
NW 1/4 NW 1/4

UETS Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP **07 13 06**
 MONTH DAY YEAR
 SCALE: 1" = 2000' DRAWN BY: B.C. REV: 08-17-11 C.I.

B
TOPO

SURFACE USE PLAN**BILL BARRETT CORPORATION****5-33-46 DLB Pad**
Duchesne County, UT

<u>5-33-46 DLB (Existing)</u>	<u>LC Tribal 1H-33-46 (Proposed)</u>
NW NW, 573' FNL and 561' FWL, Sec. 33, T4S-R6W (surface hole) SW NW, 1980' FNL and 660' FWL, Sec. 33, T4S-R6W (bottom hole)	NW NW, 559' FNL and 570' FWL, Sec. 33, T4S-R6W (surface hole) NE NE, 700' FNL and 700' FEL, Sec. 33, T4S-R6W (bottom hole)

The LC Tribal 1H-33-46 will be drilled from the 5-33-46 DLB existing pad. There will be no additional disturbance.

The excavation contractor would be provided with an approved copy of the surface use plan of operations before initiating construction.

1. **Existing Roads:**

- a. The existing well pad is located approximately 17.8 miles southwest of Duchesne, Utah. Maps and directions reflecting the route to the proposed well pad are included (see Topographic maps A and B).
- b. The existing State Highway 40 would be utilized from Duchesne for 8.3 miles to the existing BBC maintained road that would be utilized for 9.5 miles and provides access to the wellpad.
- c. Project roads would require routine year-round maintenance to provide year-round access. Maintenance would include inspections, reduction of ruts and holes, maintenance to keep water off the road, replacement of surfacing materials, and clearing of sediment blocking ditches and culverts. Should snow removal become necessary, roads would be cleared with a motor grader and snow would be stored along the down gradient side to prohibit runoff onto the road. Aggregate would be used as necessary to maintain a solid running surface and minimize dust generation.
- d. Vehicle operators would obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions. Travel would be limited to the existing access roads and proposed access road.
- e. The use of roads under State and Duchesne County Road Department maintenance are necessary to access the project area with no improvements proposed. No encroachment or pipeline crossing permits are required.
- f. All existing roads would be maintained and kept in good repair during all phases of operation.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

2. Planned Access Road:
 - a. All access roads are existing (see Topographic Map B).
 - b. The existing access road has been constructed to a 30-foot ROW width with an 18-foot travel surface.
 - c. Improvements of existing roads would typically require the use of motor graders, crawler tractors, 10-yard end dump trucks, and water trucks. The standard methodology for building new roads involves the use of a crawler tractor or track hoe to windrow the vegetation to one side of the road corridor, remove topsoil to the opposing side of the corridor, and rough-in the roadway. This is followed by a grader or bulldozer to establish barrow ditches and crown the road surface. Where culverts are required, a track hoe or backhoe would trench the road and install the culverts. Some hand labor would be required when installing and armoring culverts. Road base or gravel in some instances would be necessary and would be hauled in and a grader used to smooth the running surface.
 - d. The access road has been constructed to facilitate drainage, control erosion and minimize visual impacts by following natural contours where practical. No unnecessary side-casting of material would occur on steep slopes.
 - e. A maximum grade of 10% would be maintained throughout the project with minimum cuts and fills, as necessary, to access the wells.
 - f. Excess rock from construction of the pad may be used for surfacing of the access road if necessary. Any additional aggregate necessary would be obtained from private or State of Utah lands in conformance with applicable regulations. Aggregate would be of sufficient size, type, and amount to allow all weather access and alleviate dust.
 - g. Where topsoil removal is necessary, it would be windrowed (i.e. stockpiled/accumulated along the edge of the ROW and in a low row/pile parallel with the ROW) and re-spread over the disturbed area after construction and backfilling are completed. Vegetation removed from the disturbed area would also be re-spread to provide protection, nutrient recycling, and a seed source for reclamation.
 - h. Turnouts are not proposed.
 - i. No culverts or low-water crossings are anticipated. Adequate drainage structures, where necessary, would be incorporated into the remainder of the road to prevent soil erosion and accommodate all-weather traffic.
 - j. No gates or cattle guards are anticipated at this time.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

- k. Surface disturbance and vehicular travel would be limited to the approved location access road. Adequate signs would be posted, as necessary, to warn the public of project related traffic.
- l. All access roads and surface disturbing activities would conform to the appropriate standard, **no higher than necessary**, to accommodate their intended function adequately as outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition – Revised 2007.
- m. The operator would be responsible for all maintenance needs of the access road.

3. Location of Existing Wells (see One-Mile Radius Map):

- a. Following is a list of wells with surface hole locations within a one-mile radius of the proposed pad:

i. water wells	none
ii. injection wells	none
iii. disposal wells	none
iv. drilling wells	none
v. temp shut-in wells	none
vi. producing wells	four
vii. abandoned wells	one

4. Location of Production Facilities

- a. Surface facilities for each well would consist of a wellhead, separator, gas meter, combustor, (1) 500 gal methanol tank, (1) 500 glycol tank, (3) 500 bbl oil tanks, (1) 500 bbl water tank, (1) 500 bbl test tank, (1) 1000 gal propane tank, a pumping unit or Roto-flex unit or ESP or gas lift unit, electrical or with a natural gas or diesel fired motor, solar panels, solar chemical and methanol pumps and one trace pump. See attached proposed facility diagram.
- b. Most wells would be fitted with a pump jack or Roto-flex unit or ESP or gas lift to assist liquid production. The prime mover for pump jacks or Roto-flex units would be small (100 horsepower or less), electric motor or natural gas or diesel fired internal combustion engines. If a gas lift is installed, it would be set on a 10 ft x 25 ft pad and the prime mover would be a natural gas-fired internal combustion engine rated at 200 horsepower or less or an electric compressor of similar horsepower powered by electricity.
- c. The tank battery would be surrounded by a secondary containment berm of sufficient capacity to contain 1.1 times the entire capacity of the largest single tank and sufficient freeboard to contain precipitation. All loading lines and valves would be placed inside the berm surrounding the tank battery or would utilize catchment basins to contain spills.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

All liquid hydrocarbon production and measurement shall conform to the provisions of 43 CFR 3162.7-2 and Onshore Oil and Gas Order No. 4 for the measurement of oil.

- d. Gas meter run(s) would be constructed and located on lease within 500 feet of the wellheads. Meter runs would be housed and/or fenced. As practicably feasible, meters would be equipped with remote telemetry monitoring systems. All gas production and measurement shall comply with the provisions of 43 CFR 3162.7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- e. A combustor may be installed at this location for control of associated condensate tank emissions. A combustor ranges from 24 inches to 48 inches wide and is approximately 27 ft tall. Combustor placement would be on existing disturbance.
- f. The pipeline is existing. Any new portion of pipeline for the additional well will tie in at the well pad.
- g. The new segment of gas pipeline would be surface laid within a 30 foot wide pipeline corridor adjacent to the proposed access road. See 12.d below for disturbance estimates.
- h. Construction of the ROW would temporarily utilize the 30 foot disturbed width for the road for a total disturbed width of 60 foot for the road and pipeline corridors. The use of the proposed well pad and access roads would facilitate the staging of the pipeline construction.
- i. Pipeline construction methods and practices would be planned and conducted by BBC with the objective of enhancing reclamation and fostering the re-establishment of the native plant community.
- j. All permanent above-ground structures would be painted a flat, non-reflective Covert Green color, to match the standard environmental colors. All facilities would be painted the designated color at the time of installation.

Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.

- k. Site security guidelines identified in 43 CFR 3162.7-5 and Onshore Oil and Gas Order No. 3 would be adhered to. Any modifications to proposed facilities would be reflected in the site security diagram submitted.
- l. The site would require periodic maintenance to ensure that drainages are kept open and free of debris, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.

Bill Barrett Corporation
 Surface Use Plan
 5-33-46 DLB Pad
 Duchesne County, UT

5. Location and Type of Water Supply:

- a. Water for the drilling and completion would be trucked from any of the following locations:

Water Right No. and Application or Change No.	Applicant	Allocation	Date	Point of Diversion	Source
43-180	Duchesne City Water Service District	5 cfs	8/13/2004	Knight Diversion Dam	Duchesne River
43-1202, Change a13837	Myton City	5.49 cfr and 3967 acre feet	3/21/1986	Knight Diversion Dam	Duchesne River
43-10444, Appln A57477	Duchesne County Upper Country Water	2 cfs	1994	Ditch at Source	Cow Canyon Spring
43-10446, Appln F57432	Duchesne County Upper Country Water	1.58 cfs	1994	Ditch at Source	Cow Canyon Spring
43-1273, Appln A17462	J.J.N.P. Company	7 cfs	1946	Strawberry River	Strawberry River
43-1273, Appln t36590	J.J.N.P. Company	4 cfs	6/03/2010	Strawberry River	Strawberry River
43-2505, Appln t37379	McKinnon Ranch Properties, LC	1.3 cfs	4/28/2011	Pumped from Sec, 17, T4SR6W	Water Canyon Lake
43-12415, Change A17215a	Peatross Ranch, LLC	1.89 cfs	09/2011	Dugout Pond	Strawberry River

- b. No new water well is proposed with this application.
- c. Should additional water sources be pursued they would be properly permitted through the State of Utah – Division of Water Rights.
- d. Water use would vary in accordance with the formations to be drilled but would be up to approximately 5.41 acre feet for drilling and completion operations for each well.

6. Source of Construction Material:

- a. The use of materials would conform to 43 CFR 3610.2-3.
- b. No construction materials would be removed from the lease or EDA area.

Bill Barrett Corporation
 Surface Use Plan
 5-33-46 DLB Pad
 Duchesne County, UT

- c. If any additional gravel is required, it would be obtained from a local supplier having a permitted source of materials within the general area.

7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application would be contained and disposed of utilizing approved facilities.
- b. The reserve pit would be constructed so as not to leak, break or allow any discharge.
- c. The reserve would be lined with 12 mil (minimum) thickness polyethylene nylon reinforced liner material. The liner(s) would overlay straw, dirt and/or bentonite if rock is encountered during excavation. The liner would overlap the pit walls and be covered with dirt and/or rocks to hold them in place. No trash, scrap pipe, or other materials that could puncture the liner would be discarded in the pit. A minimum of two feet of free board would be maintained between the maximum fluid level and the top of the reserve pit at all times.
- d. To deter livestock from entering the pit, the three sides exterior to the location would be fenced before drilling starts. Following the conclusion of drilling and completion activities, the fourth side would also be fenced.
- e. Drill cuttings would be contained in the pit and buried on-site for a period not to exceed six months, weather permitting
- f. Produced fluids from the wells other than water would be decanted into steel test tank(s) until such time as construction of production facilities is completed. Any oil that may be accumulated would be transferred to a permanent production tank. Produced water may be used in further drilling and completion activities, evaporated in the pit, or would be hauled to one of the state-approved disposal facilities below:

Disposal Facilities
1. RNI Industries, Inc. – Pleasant Valley Disposal Pits, Sec. 25, 26, 35 & 36, T4S-R3W
2. Pro Water LLC – Blue Bench 13-1 Disposal Well (43-013-30971) NENE, Sec. 13, T3S-R5W
3. RN Industries, Inc. – Bluebell Disposal Ponds, Sec. 2, 4 & 9, T2S-R2W
4. Water Disposal, Inc. – Harmston 1-32-A1 Disposal Well (43-013-30224), UTR #00707, Sec. 32, T1S-R1W
5. Unified Water Pits – Sec. 31, T2S-R4W
6. Iowa Tank Line Pits – 8500 BLM Fence Road, Pleasant Valley

- g. Any salts and/or chemicals, which are an integral part of the drilling system, would be disposed of in the same manner as the drilling fluid.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

- h. Any spills of oil, condensate, produced or frac water, drilling fluids, or other potentially deleterious substances would be recovered and either returned to its origin or disposed of at an approved disposal site, most likely in Duchesne, Utah.
- i. Chemicals on the EPA's Consolidated List of Chemicals subject to reporting under Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) may be used or stored in quantities over reportable quantities. In the course of drilling, BBC could potentially store and use diesel fuel, sand (silica), hydrochloric acid, and CO₂ gas, all described as hazardous substances in 40 CFR Part 302, Section 302.4, in quantities exceeding 10,000 pounds. In addition, natural gas condensate and crude oil and methanol may be stored or used in reportable quantities. Small quantities of retail products (paint/spray paints, solvents {e.g., WD-40}, and lubrication oil) containing non-reportable volumes of hazardous substances may be stored and used on site at any time. No extremely hazardous substances, as defined in 40 CFR 355, would be used, produced, stored, transported or disposed of in association with the drilling, testing or completion of the wells.
- j. Portable toilets and trash containers would be located onsite during drilling and completion operations. A commercial supplier would install and maintain portable toilets and equipment and would be responsible for removing sanitary waste. Sanitary waste facilities (i.e. toilet holding tanks) would be regularly pumped and their contents disposed of at approved sewage disposal facilities in Duchesne, and/or Uintah Counties, in accordance with applicable rules and regulations regarding sewage treatment and disposal. Accumulated trash and nonflammable waste materials would be hauled to an approved landfill once a week or as often as necessary. All debris and waste materials not contained in the trash containers would be cleaned up, removed from the construction ROW, well pad, or worker housing location, and disposed of at an approved landfill. Trash would be cleaned up everyday.
- k. Sanitary waste equipment and trash bins would be removed from the Project Area upon completion of access road or pipeline construction; following drilling and completion operations at an individual well pad; when worker housing is no longer needed; or as required.
- l. A flare pit may be constructed a minimum of 110 feet from the wellhead(s) and may be used during completion work. In the event a flare pit proves to be unworkable, a temporary flare stack or open top tank would be installed. BBC would flow back as much fluid and gas as possible into pressurized vessels, separating the fluids from the gas. In some instances, due to the completion fluids utilized within the Project Area, it is not feasible to direct the flow stream from the wellbore through pressurized vessels. In such instances BBC proposes to direct the flow to the open top tanks until flow through the pressurized vessels is feasible. At which point the fluid would either be returned to the reserve pit or placed into a tank(s). The gas would be directed to the flare pit, flare stack (each with a constant source of ignition), or may be directed into the sales pipeline.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

- m. Hydrocarbons would be removed from the reserve pit as soon as practical. In the event immediate removal is not practical, the reserve pit would be flagged overhead or covered with wire or plastic mesh to protect migrating birds.

8. Ancillary Facilities:

- a. Garbage containers and portable toilets would be located on the well pad.
- b. On well pads where active drilling and completion is occurring, temporary housing would be provided on location for the well pad supervisor, geologist, tool pusher, and others that are required to be on location at all times. The well pad could include up to five single wide mobile homes or fifth wheel campers/trailers.
- c. A powerline corridor is not proposed at this time.

9. Well pad Layout:

- a. Each well would be properly identified in accordance with 43 CFR 3162.6.
- b. The pad layout is enclosed (see Figure 1).
- c. The pad and road designs are consistent with industry specifications.
- d. The pad is existing. No new disturbance is necessary.
- e. Within the approved well pad location, a crawler tractor would strip whatever topsoil is present and stockpile it along the edge of the well pad for use during reclamation. Vegetation would be distributed along the sides of the well pad.
- f. Fill from pit excavation would be stockpiled along the edge of the pit and the adjacent edge of the well pad.
- g. Use of erosion control measures, including proper grading to minimize slopes, diversion terraces and ditches, mulching, terracing, riprap, fiber matting, temporary sediment traps, and broad-based drainage dips or low water crossings would be employed by BBC as necessary and appropriate to minimize erosion and surface runoff during well pad construction and operation. Cut and fill slopes would be constructed such that stability would be maintained for the life of the activity.
- h. All cut and fill slopes would be such that stability can be maintained for the life of the activity.
- i. Diversion ditches would be constructed, if necessary, around the well pad to prevent surface waters from entering the well pad area.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

- j. Water application may be implemented if necessary to minimize the amount of fugitive dust.
- k. All surface disturbing activities would be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.

10. Plan for Restoration of the Surface:

- a. A site specific reclamation plan would be submitted, if requested, within 90 days of location construction to the surface owner.
- b. Site reclamation would be accomplished for portions of the well pad not required for the continued operation of the wells on this pad within six months of completion, weather permitting.
- c. The operator would control noxious weeds along access road use authorizations and well pad by spraying or mechanical removal, according to the Utah Noxious Weed Act and as set forth in the approved surface damage agreements.
- d. Rat and mouse holes would be filled and compacted from bottom to top immediately upon release of the drilling rig from location. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. The reserve pit would be allowed to dry prior to the commencement of backfilling work. No attempts would be made to backfill the reserve pit until it is free of standing water. Once dry, the liner would be torn and perforated before backfilling.
- e. The reserve pit and that portion of the location not needed for production facilities/operations would be recontoured to the approximate natural contours. Areas not used for production purposes would be backfilled and blended into the surrounding terrain, reseeded and erosion control measures installed. Mulching, erosion control measures and fertilization may be required to achieve acceptable stabilization. Back slopes and fore slopes would be reduced as practical and scarified with the contour. The reserved topsoil would be evenly distributed over the slopes and scarified along the contour. Slopes would be seeded with the Ute Tribe specified seed mix.
- f. Topsoil salvaged from the drill site and stored for more than one year would be placed at the location indicated on the well pad layout drawing and graded to a depth optimum to maintain topsoil viability, seeded with the surface owner prescribed seed mixture and covered with mulch for protection from wind and water erosion and to discourage the invasion of weeds.

Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

11. Surface and Mineral Ownership:

- a. Surface ownership –
-Cory M. Powell – 4560 Stratton Drive; Holladay, UT 84117
-Sterling and Debbie Geesey – PO Box 502, Mayfield, UT 84643
- b. Mineral ownership – Ute Indian Tribe - 988 South 7500 East; Ft. Duchesne, Utah 84026; 435-725-4982.

12. Other Information:

- a. Montgomery Archeological Consultants has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Montgomery as MOAC Report No. 10-119 dated July 19, 2010.
- b. BBC would require that their personnel, contractors, and subcontractors to comply with Federal regulations intended to protect archeological and cultural resources.
- c. Project personnel and contractors would be educated on and subject to the following requirements:
 - No dogs or firearms within the Project Area.
 - No littering within the Project Area.
 - Smoking within the Project Area would only be allowed in off-operator active locations or in specifically designated smoking areas. All cigarette butts would be placed in appropriate containers and not thrown on the ground or out windows of vehicles; personnel and contractors would abide by all fire restriction orders.
 - Campfires or uncontained fires of any kind would be prohibited.
 - Portable generators used in the Project Area would have spark arrestors.

** No new Disturbance will be necessary


Bill Barrett Corporation
Surface Use Plan
5-33-46 DLB Pad
Duchesne County, UT

OPERATOR CERTIFICATION

Certification:

I hereby certify that I, or someone under my direction supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein would be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application and that bond coverage is provided under Bill Barrett Corporations federal nationwide bond. These statements are subject to the provisions of 18 U.S.C. 1001 for the filings of false statements.


Executed this 24th day of February 2012
Name: Venessa Langmacher
Position Title: Senior Permit Analyst
Address: 1099 18th Street, Suite 2300, Denver, CO 80202
Telephone: 303-312-8172
E-mail: vlangmacher@billbarrettcorp.com
Field Representative Kary Eldredge / Bill Barrett Corporation
Address: 1820 W. Highway 40, Roosevelt, UT 84066
Telephone: 435-725-3515 (office); 435-724-6789 (mobile)
E-mail: keldredge@billbarrettcorp.com



Venessa Langmacher, Senior Permit Analyst


BILL BARRETT CORPORATION

TYPICAL 5,000 p.s.i. BLOWOUT PREVENTER



BILL BARRETT CORPORATION

TYPICAL 5,000 p.s.i. CHOKE MANIFOLD





February 24, 2012

Ms. Diana Mason, Petroleum Technician
State of Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Exception Location
LC Tribal #1H-33-46
Section 33, T4S-R6W, U.S.B.&M.
Duchesne County, Utah
Surface Hole Location: 559' FNL & 570' FWL, NWNW, 33-T4S-R6W, USB&M
Bottom Hole Location: 700' FNL & 700' FEL, NENE, 33-T4S-R6W, USB&M

Dear Ms. Mason:


Bill Barrett Corporation ("BBC") hereby submits an exception location letter in accordance with Oil & Gas Conservation Order #139-87, requesting an exception well location, supported by the following information:

- The location is within our Lake Canyon Area.
- BBC is requesting an exception to Spacing Order #139-87 by drilling multiple well bores from a single well pad where the horizontal wellbore will strictly produce hydrocarbons from the Uteland Butte formation and the other wellbore will produce from formations excluding the Uteland Butte. This well configuration results in the wellbores being closer than the 1,320 feet allowed by spacing order.
- This will allow for a more efficient drainage of the reservoir formation being targeted.
- The exception location is due to topography requirements and to minimize surface disturbance.
- BBC certifies that it is the working interest owner along with Ute Energy, LLC (who also consent to this exception location request), and together we own 100% of the working interest within 460 feet of the proposed well location.
- Our rights are owned under an Exploration and Development Agreement with the Ute Indian Tribe and Ute Distribution Corporation which provides for the drilling of exploratory wells. This agreement provides that we consult with these owners regarding the drilling of this well.

Based on the information provided, BBC requests the Division grant this exception to the locating, siting and spacing requirements of Order #139-87. Should you have any questions or need further information, please contact me at 303-312-8544.

Sincerely,

BILL BARRETT CORPORATION


David Watts
Landman

1099 18TH STREET
SUITE 2300
DENVER, CO 80202
P 303.293.9100
F 303.291.0420

BILL BARRETT CORPORATION

LOCATION LAYOUT FOR

LC TRIBAL #1H-33-46

SECTION 33, T4S, R6W, U.S.B.&M.




559' FNL 570' FWL

FIGURE #1

SCALE: 1" = 60'

DATE: 08-23-11

DRAWN BY: J.I.



APPROXIMATE ACREAGES
WELL SITE DISTURBANCE = ± 1.675 ACRES

Elev. Graded Ground at #1H-33-46 Location Stake = **6304.4'**

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

RECEIVED: February 24, 2012



TURNER PETROLEUM
LAND SERVICES, INC.
7026 South 900 East, Suite B
Midvale, UT 84047
(801) 878-9324

December 26, 2011

Mr. and Mrs. Sterling E. Geesey
PO Box 502
Mayfield, UT 84643

RE Surface Use Agreement, Duchesne County, Utah

Dear Mr. and Mrs. Geesey:

By Surface Use Agreement dated February 11, 2010, you granted to Bill Barrett Corporation an Easement to drill and oil and gas well on your land described as Lot 11, Plat "A" Lake Canyon Estates located in the NW1/4 of Sec. 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah.

Bill Barrett Corporation now desires to drill a second well located on the same wellsite location as the above referenced well is located on. No more disturbance will occur to your land.

Recently Gary Carlson of our office talked to you about this second well and told you that for this second well Bill Barrett Corporation will pay to you an additional _____ Mr. Carlson indicated to us that you agreed to this.

Please show your acceptance of Bill Barrett Corporation drilling this second well and your acceptance of the _____ as additional compensation for this second well by signing in the space provided below and returning two copies of this letter to us in the enclosed stamped, self-addressed envelope. The copy is for your records.

Enclosed also please find a check in the amount of _____ representing the additional compensation.

Very truly yours,

Clint W. Turner
Agent for Bill Barrett Corporation

Accepted and Agreed To:

Sterling E. Geesey
Debbie J. Geesey

Date: 1-4-12

Re-recorded to show correct description.

Ent 424490 Bk A595 Pg 528
Date: 20-MAY-2010 9:44:57AM
Fee: \$18.00 Check
Filed By: CBM
CAROLYNE MADSEN, Recorder
DUCHESNE COUNTY CORPORATION
For: TURNER PETROLEUM LAND

SURFACE DAMAGE AND RIGHT-OF-WAY SETTLEMENT AGREEMENT

This Agreement, made and entered into this the 11th day of February, 2010, by and between Sterling E. Geesey and Debbie J. Geesey, PO Box 502, Mayfield, UT 84643 ("Surface Owner") and Bill Barrett Corporation, 1099 18th Street, Suite 2300, Denver CO 80202, ("BBC").

Ent 425422 Bk M347 Pg 152
Date: 23-JUN-2010 10:52:31AM
Fee: \$18.00 Check
Filed By: CC
CAROLYNE MADSEN, Recorder
DUCHESNE COUNTY CORPORATION
For: TURNER PETROLEUM LAND

WITNESSETH THAT:

WHEREAS, BBC owns undivided interests in certain oil and gas leases (leases) covering and affecting All of Section 33, Township 4 South, Range 6 West, USM, of Duchesne County, Utah; and,

WHEREAS, such leases grant to BBC the right and privilege of ingress, egress, exploring, drilling, mining, operating for, producing and owning oil and gas and all other products produced therewith, together with the right to make surveys on said lands, lay pipelines, construct roads and bridges, dig canals, build power stations, telephone lines, employee houses and other structures on said lands, necessary or useful in BBC's operations; and,

WHEREAS, BBC, pursuant to its rights under the Leases, intends to drill the #4-33-46 DLB well at a legal drill-site location in the NW1/4NW1/4 of Section 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah; and,

WHEREAS, Surface Owner warrants ownership to the surface of at least specific portions of Lot 11, Plat "A", Lake Canyon Estates located in the NW1/4 of Section 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah, and which warranted ownership is further subject to all oil, gas and other mineral rights which are reserved for the use and benefit of the owners thereof; and,

WHEREAS, BBC has agreed to reimburse Surface Owner for actual damages and injuries to all crops, timber, fences and other improvements located on the surface which results from BBC's operations hereunder, provided that BBC shall not be held liable or responsible for acts of providence or occurrences beyond BBC's control, such payment to be made upon commencement of operations to construct the wellsite pad; so,

Surface Owner hereby releases BBC, its successors and assigns, from any and all damages and claims asserted. The consideration paid by BBC to Surface Owner is accepted by Surface Owner as full and final satisfaction for any and all damages and claims for damages to the surface which result from any of BBC's operations and privileges granted under the above Leases. Surface Owner hereby waives the right to collect any further and additional damages that may hereafter be asserted in connection with BBC's use of the land as further described on Exhibit "A attached hereto and agrees

to accept in lieu of any such future claims the agreed upon payment provided for in this Agreement.

Ent 424490 Bk A0595 Pg 0529

Nothing herein shall alter or affect the rights of either party hereto with respect to surface use or disturbance of Surface Owner's land surrounding the drillsite locations, respectively, and BBC agrees to give Surface Owner advance notice of its intended use of any such surrounding land before commencing any operations thereon pursuant to its rights. Compensation for the use of any additional lands used by BBC shall be mutually agreed upon.

Ent 425422 Bk M0347 Pg 0153

Surface Owner and BBC do hereby release, discharge and acquit the other from any and all liability, and shall indemnify the other against any and all claims and demands for damages, attorneys fees, injury or loss, existing now or done hereafter, to the surface of said lands or to any third parties arising out of or being the result of their or their agents, contractors licensees, permittees, successors and assigns own activities on or use of the subject property. However, such parties' potential liability under this paragraph to the other shall be limited to the acts and/or omission of its, or its predecessors, agents, contractors, licensees, permittees, successor and assigns, and shall not include any acts and/or omissions of the other party, it agents, contractors, licensees, permittees, successors or assigns. BBC shall reasonably maintain the subject property in order to prevent unnecessary deterioration of the surface and to keep the property in an uncluttered condition.

Any topsoil which is removed by BBC on Surface Owner's land will be stockpiled at the drillsite and will be redistributed on the drillsite upon completion of all operations, and the land reseeded with grasses and/or native plants by BBC upon written request by Surface Owner. All mud pits will be filled and material and debris will be removed from the drillsite upon completion of operations. BBC shall remove from the lands covered hereby, at any time during the term hereof or within six (6) months after the plugging and abandonment of the well drilled pursuant to this Agreement, any or all structures, pipes, equipment and other facilities placed on, over, under, through and across any lands covered hereby, excepting fences, culverts, and other land improvements required by the Surface Owner, and title thereto shall be vested in BBC at all times, and shall in no event be considered or construed as fixtures thereto.

BBC shall repair any fences damaged by them during the course of their operations on the lands subject to this Agreement.


This Agreement shall inure to the benefit of the parties hereto, their heirs, successors and assigns and shall be a burden running with the land.


This Agreement may be executed in any number of counterparts and all such counterparts shall be deemed to constitute a single Agreement and the execution of one counterpart by any party hereto shall have the same force and effect as if said party had signed all other counterparts.


IN WITNESS WHEREOF, the parties have executed this Surface Damage Settlement Agreement effective as of the 11th day of February, 2010.

SURFACE OWNER :

BILL BARRETT CORPORATION

By: 
Sterling E. Geesey


By: 
Clint W. Turner
As Agent for Bill Barrett Corporation

By: 
Debbie J. Geesey

STATE OF UTAH)
COUNTY OF Salt Lake)

Ent 424490 Bk A0595 Pg 0530

On the 29th day of April, 2010, personally appeared before me Sterling E. Geesey and Debbie J. Geesey known to me to be the persons whose names are subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purpose and consideration therein expressed.




Mary Jose Smith
Notary Public
Residing at: West Valley, UT

My Commission Expires: July 18, 2010

Ent 425422 Bk M0347 Pg 0154

STATE OF UTAH)
COUNTY OF SALT LAKE)

On the 19 day of May, 2010, personally appeared before me Clint W. Turner, who, being by me duly sworn, did say that he is the Agent of Bill Barrett Corporation and that said instrument was signed in behalf of said corporation by authority of a resolution of its Board of Directors and said Clint W. Turner acknowledged to me that said corporation executed the same.



Dan Costley
Notary Public
Residing at:

My Commission Expires: 10-24-2010



TURNER PETROLEUM
LAND SERVICES, INC.
7026 South 900 East, Suite B
Midvale, UT 84047
(801) 878-9324

December 26, 2011

Cory M. Powell
4560 Stratton Drive
Holladay, UT 84117

RE Surface Use Agreement, Duchesne County, Utah

Dear Mr. Powell:

By Surface Use Agreement dated February 11, 2010, you granted to Bill Barrett Corporation an Easement to drill and oil and gas well on your land described as Lots 9 and 10, Plat "A" lake Canyon Estates located in the NW1/4 of Sec. 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah.

Bill Barrett Corporation now desires to drill a second well located on the same wellsite location as the above referenced well is located on. No more disturbance will occur to your land.

Recently Gary Carlson of our office talked to you about this second well and told you that for this second well Bill Barrett Corporation will pay to you an additional *Mr. Carlson indicated to us that you agreed to this.*

Please show your acceptance of Bill Barrett Corporation drilling this second well and your acceptance of the *additional* compensation for this second well by signing in the space provided below and returning two copies of this letter to us in the enclosed stamped, self-addressed envelope. The copy is for your records.

Enclosed also please find a check in the amount of *presenting the additional compensation.*

Very truly yours,

Clint W. Turner
Agent for Bill Barrett Corporation

Accepted and Agreed To:

Cory M. Powell

Date: 1-10-12

Re-recorded to correct the description of the lands covered by this Agreement!

Ent 422697 Bk A591 Pg 170
Date: 15-MAR-2010 10:30AM
Fee: \$18.00 Check
Filed By: CEM
CAROLYNE MADSEN, Recorder
DUCHESE COUNTY CORPORATION
PUBLIC CLERK, DISTRICT LAND SERVICE

SURFACE DAMAGE AND RIGHT-OF-WAY SETTLEMENT AGREEMENT

This Agreement, made and entered into this the 11th day of February, 2010, by and between Cory M. Powell, 4560 Stratton Drive, Holladay, UT 84117 ("Surface Owner") and Bill Barrett Corporation, 1099 18th Street, Suite 2300, Denver CO 80202, ("BBC").

Ent 423196 Bk A592 Pg 334
Date: 02-APR-2010 8:36:00AM
Fee: \$18.00 Check
Filed By: CEM
CAROLYNE MADSEN, Recorder
DUCHESE COUNTY CORPORATION
PUBLIC CLERK, DISTRICT LAND SERVICE

WITNESSETH THAT:

WHEREAS, BBC owns undivided interests in certain oil and gas leases (Leases) covering and affecting All of Section ~~36~~ 33, Township ~~4~~ 4 South, Range 6 West, USM, of Duchesne County, Utah; and,

WHEREAS, such leases grant to BBC the right and privilege of ingress, egress, exploring, drilling, mining, operating for, producing and owning oil and gas and all other products produced therewith, together with the right to make surveys on said lands, lay pipelines, construct roads and bridges, dig canals, build power stations, telephone lines, employee houses and other structures on said lands, necessary or useful in BBC's operations; and,

WHEREAS, BBC, pursuant to its rights under the Leases, intends to drill the #4-33-46 DLB well at a legal drill-site location in the NW1/4NW1/4 of Section 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah; and,

WHEREAS, Surface Owner warrants ownership to the surface of at least specific portions of Lots 9 and 10, Plat "A", Lake Canyon Estates located in the NW1/4 of Section 33, Township 4 South, Range 6 West, USM, Duchesne County, Utah, and which warranted ownership is further subject to all oil, gas and other mineral rights which are reserved for the use and benefit of the owners thereof; and,

WHEREAS, BBC has agreed to reimburse Surface Owner for actual damages and injuries to all crops, timber, fences and other improvements located on the surface which results from BBC's operations hereunder, provided that BBC shall not be held liable or responsible for acts of providence or occurrences beyond BBC's control, such payment to be made upon commencement of operations to construct the wellsite pad; so,

Surface Owner hereby releases BBC, its successors and assigns, from any and all damages and claims asserted. The consideration paid by BBC to Surface Owner is accepted by Surface Owner as full and final satisfaction for any and all damages and claims for damages to the surface which result from any of BBC's operations and privileges granted under the above Leases. Surface Owner hereby waives the right to collect any further and additional damages that may hereafter be asserted in connection

with BBC's use of the land as further described on Exhibit "A attached hereto and agrees to accept in lieu of any such future claims the agreed upon payment provided for in this Agreement.

Ent 422697 Bk A0591 Pg 0171

Nothing herein shall alter or affect the rights of either party hereto with respect to surface use or disturbance of Surface Owner's land surrounding the drillsite locations, respectively, and BBC agrees to give Surface Owner advance notice of its intended use of any such surrounding land before commencing any operations thereon pursuant to its rights. Compensation for the use of any additional lands used by BBC shall be mutually agreed upon.

Ent 422697 Bk A0591 Pg 0335

Surface Owner and BBC do hereby release, discharge and acquit the other from any and all liability, and shall indemnify the other against any and all claims and demands for damages, attorneys fees, injury or loss, existing now or done hereafter, to the surface of said lands or to any third parties arising out of or being the result of their or their agents, contractors licensees, permittees, successors and assigns own activities on or use of the subject property. However, such parties' potential liability under this paragraph to the other shall be limited to the acts and/or omission of its, or its predecessors, agents, contractors, licensees, permittees, successor and assigns, and shall not include any acts and/or omissions of the other party, it agents, contractors, licensees, permittees, successors or assigns. BBC shall reasonably maintain the subject property in order to prevent unnecessary deterioration of the surface and to keep the property in an uncluttered condition.

Any topsoil which is removed by BBC on Surface Owner's land will be stockpiled at the drillsite and will be redistributed on the drillsite upon completion of all operations, and the land reseeded with grasses and/or native plants by BBC upon written request by Surface Owner. All mud pits will be filled and material and debris will be removed from the drillsite upon completion of operations. BBC shall remove from the lands covered hereby, at any time during the term hereof or within six (6) months after the plugging and abandonment of the well drilled pursuant to this Agreement, any or all structures, pipes, equipment and other facilities placed on, over, under, through and across any lands covered hereby, excepting fences, culverts, and other land improvements required by the Surface Owner, and title thereto shall be vested in BBC at all times, and shall in no event be considered or construed as fixtures thereto.

BBC shall maintain all roads used pursuant to this Agreement and shall install culverts where necessary to insure adequate drainage from all roads.

BBC shall repair any fences damaged by them during the course of their operations on the lands subject to this Agreement.

Surface Owner and their heirs or assigns shall have full access and use of the road built pursuant to this Agreement.

This Agreement shall inure to the benefit of the parties hereto, their heirs, successors and assigns and shall be a burden running with the land.

This Agreement may be executed in any number of counterparts and all such counterparts shall be deemed to constitute a single Agreement and the execution of one counterpart by any party hereto shall have the same force and effect as if said party had signed all other counterparts.

IN WITNESS WHEREOF, the parties have executed this Surface Damage Settlement Agreement effective as of the 11th day of February, 2010.

SURFACE OWNER :
By: Cory M. Powell
Cory M. Powell

BILL BARRETT CORPORATION
By: Clint W. Turner
Clint W. Turner
As Agent for Bill Barrett Corporation

Surface Damage + Right-Of-Way

Ent 422697 Bk A0591 Pg 0172

STATE OF UTAH)
)
COUNTY OF SALT LAKE)

On the 3rd day of MARCH, 2010, personally appeared before me _____
Cory M. Powell known to me to be the person whose name is subscribed to the
foregoing instrument and acknowledged to me that he executed the same for the purpose
and consideration therein expressed.

[Signature]


Notary Public
Residing at:

My Commission Expires: 12-13-2010

Ent 423196 Bk A0592 Pg 0336

STATE OF UTAH)
)
COUNTY OF SALT LAKE)

On the 12 day of March, 2010, personally appeared before me _____
Clint W. Turner, who, being by me duly sworn, did say that he is the _____
Agent of Bill Barrett Corporation and that said instrument was signed in behalf of said
corporation by authority of a resolution of its Board of Directors and said
Clint W. Turner acknowledged to me that said corporation executed the same.



[Signature]

Notary Public
Residing at:

My Commission Expires: 10-24-2010



SITE DETAILS: LC Tribal 1H-33-46

Site Latitude: 40° 5' 43.411 N

Site Longitude: 110° 34' 28.009 W

Positional Uncertainty: 0.0
 Convergence: 0.59
 Local North: True

WELL DETAILS: LC Tribal 1H-33-46

Ground Level: 6304.0

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.0	0.0	643131.30	2258923.19	40° 5' 43.411 N	110° 34' 28.009 W	

COMPANY DETAILS: BILL BARRETT CORP

Calculation Method: Minimum Curvature
 Error System: ISCWSA
 Scan Method: Closest Approach 3D
 Error Surface: Elliptical Conic
 Warning Method: Error Ratio

WELLBORE TARGET DETAILS (LAT/LONG)

Name	TVD	+N/-S	+E/-W	Latitude	Longitude	Shape
LC 1H-33-46 PBHL	4829.0	-142.2	3970.9	40° 5' 42.003 N	110° 33' 36.911 W	Rectangle (Sides: L200.0 W200.0)

SECTION DETAILS



Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	4181.2	0.00	0.00	4181.2	0.0	0.0	0.00	0.00	0.0	
3	5068.6	88.74	92.05	4754.0	-20.1	560.0	10.00	92.05	560.4	
4	8482.5	88.74	92.05	4829.0	-142.2	3970.9	0.00	0.00	3973.4	
5	8482.5	0.00	0.00	4829.0	-142.2	3970.9	0.00	180.00	3973.4	LC 1H-33-46 PBHL

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
		CR 1A BASE
844.0	844.0	GREEN RIVER
1379.0	1379.0	MAHOGANY
2584.0	2584.0	TGR3
3379.0	3379.0	DOUGLAS CRK
3734.0	3734.0	3PT MKR
4064.0	4064.0	BLACK SHALE FACIES
4339.5	4341.6	CASTLE PEAK
4675.2	4776.9	UTELAND BUTTE
4727.8	4906.8	CR 1

CASING DETAILS

No casing data is available



Azimuths to True North
 Magnetic North: 11.44°

Magnetic Field
 Strength: 52152.5nT
 Dip Angle: 65.72°
 Date: 2/10/2012
 Model: IGRF2010

BILL BARRETT CORP

DUCHESNE COUNTY, UT (NAD 27)

LC Tribal 1H-33-46

LC Tribal 1H-33-46

LC Tribal 1H-33-46

Plan: Design #1

Standard Planning Report

10 February, 2012

Bill Barrett Corp

Planning Report

Database:	Compass	Local Co-ordinate Reference:	Well LC Tribal 1H-33-46
Company:	BILL BARRETT CORP	TVD Reference:	KB @ 6320.0ft (Original Well Elev)
Project:	DUCHESNE COUNTY, UT (NAD 27)	MD Reference:	KB @ 6320.0ft (Original Well Elev)
Site:	LC Tribal 1H-33-46	North Reference:	True
Well:	LC Tribal 1H-33-46	Survey Calculation Method:	Minimum Curvature
Wellbore:	LC Tribal 1H-33-46		
Design:	Design #1		

Project	DUCHESNE COUNTY, UT (NAD 27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Ground Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	Utah Central 4302		

Site	LC Tribal 1H-33-46				
Site Position:		Northing:	643,131.31 ft	Latitude:	40° 5' 43.411 N
From:	Lat/Long	Easting:	2,258,923.19 ft	Longitude:	110° 34' 28.009 W
Position Uncertainty:	0.0 ft	Slot Radius:	"	Grid Convergence:	0.59 °

Well	LC Tribal 1H-33-46					
Well Position	+N/-S	0.0 ft	Northing:	643,131.30 ft	Latitude:	40° 5' 43.411 N
	+E/-W	0.0 ft	Easting:	2,258,923.19 ft	Longitude:	110° 34' 28.009 W
Position Uncertainty		0.0 ft	Wellhead Elevation:	ft	Ground Level:	6,304.0 ft

Wellbore	LC Tribal 1H-33-46				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	2/10/2012	11.44	65.72	52,153

Design	Design #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.0	0.0	0.0	92.05

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
4,181.2	0.00	0.00	4,181.2	0.0	0.0	0.00	0.00	0.00	0.00	
5,068.6	88.74	92.05	4,754.0	-20.1	560.0	10.00	10.00	0.00	92.05	
8,482.5	88.74	92.05	4,829.0	-142.2	3,970.9	0.00	0.00	0.00	0.00	
8,482.5	0.00	0.00	4,829.0	-142.2	3,970.9	0.00	0.00	0.00	180.00	LC 1H-33-46 PBHL

Bill Barrett Corp

Planning Report

Database:	Compass	Local Co-ordinate Reference:	Well LC Tribal 1H-33-46
Company:	BILL BARRETT CORP	TVD Reference:	KB @ 6320.0ft (Original Well Elev)
Project:	DUCHESNE COUNTY, UT (NAD 27)	MD Reference:	KB @ 6320.0ft (Original Well Elev)
Site:	LC Tribal 1H-33-46	North Reference:	True
Well:	LC Tribal 1H-33-46	Survey Calculation Method:	Minimum Curvature
Wellbore:	LC Tribal 1H-33-46		
Design:	Design #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
844.0	0.00	0.00	844.0	0.0	0.0	0.0	0.00	0.00	0.00
GREEN RIVER									
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,379.0	0.00	0.00	1,379.0	0.0	0.0	0.0	0.00	0.00	0.00
MAHOGANY									
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00
2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.0	0.00	0.00	0.00
2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.0	0.00	0.00	0.00
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00
2,584.0	0.00	0.00	2,584.0	0.0	0.0	0.0	0.00	0.00	0.00
TGR3									
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.0	0.00	0.00	0.00
3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.0	0.00	0.00	0.00
3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.0	0.00	0.00	0.00
3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.0	0.00	0.00	0.00
3,379.0	0.00	0.00	3,379.0	0.0	0.0	0.0	0.00	0.00	0.00
DOUGLAS CRK									
3,400.0	0.00	0.00	3,400.0	0.0	0.0	0.0	0.00	0.00	0.00
3,500.0	0.00	0.00	3,500.0	0.0	0.0	0.0	0.00	0.00	0.00
3,600.0	0.00	0.00	3,600.0	0.0	0.0	0.0	0.00	0.00	0.00
3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.0	0.00	0.00	0.00
3,734.0	0.00	0.00	3,734.0	0.0	0.0	0.0	0.00	0.00	0.00
3PT MKR									
3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.0	0.00	0.00	0.00
3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.0	0.00	0.00	0.00
4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.0	0.00	0.00	0.00
4,064.0	0.00	0.00	4,064.0	0.0	0.0	0.0	0.00	0.00	0.00
BLACK SHALE FACIES									

Bill Barrett Corp

Planning Report

Database:	Compass	Local Co-ordinate Reference:	Well LC Tribal 1H-33-46
Company:	BILL BARRETT CORP	TVD Reference:	KB @ 6320.0ft (Original Well Elev)
Project:	DUCHESNE COUNTY, UT (NAD 27)	MD Reference:	KB @ 6320.0ft (Original Well Elev)
Site:	LC Tribal 1H-33-46	North Reference:	True
Well:	LC Tribal 1H-33-46	Survey Calculation Method:	Minimum Curvature
Wellbore:	LC Tribal 1H-33-46		
Design:	Design #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.0	0.00	0.00	0.00
4,181.2	0.00	0.00	4,181.2	0.0	0.0	0.0	0.00	0.00	0.00
4,200.0	1.88	92.05	4,200.0	0.0	0.3	0.3	10.00	10.00	0.00
4,300.0	11.88	92.05	4,299.2	-0.4	12.3	12.3	10.00	10.00	0.00
4,341.6	16.04	92.05	4,339.5	-0.8	22.3	22.3	10.00	10.00	0.00
CASTLE PEAK									
4,400.0	21.88	92.05	4,394.7	-1.5	41.2	41.3	10.00	10.00	0.00
4,500.0	31.88	92.05	4,483.8	-3.1	86.4	86.4	10.00	10.00	0.00
4,600.0	41.88	92.05	4,563.7	-5.2	146.3	146.4	10.00	10.00	0.00
4,700.0	51.88	92.05	4,632.0	-7.8	219.1	219.3	10.00	10.00	0.00
4,776.9	59.57	92.05	4,675.2	-10.1	282.6	282.7	10.00	10.00	0.00
UTELAND BUTTE									
4,800.0	61.88	92.05	4,686.5	-10.8	302.7	302.9	10.00	10.00	0.00
4,900.0	71.88	92.05	4,725.7	-14.1	394.5	394.8	10.00	10.00	0.00
4,906.8	72.56	92.05	4,727.8	-14.4	401.0	401.3	10.00	10.00	0.00
CR 1									
5,000.0	81.88	92.05	4,748.4	-17.6	491.7	492.0	10.00	10.00	0.00
5,068.6	88.74	92.05	4,754.0	-20.1	560.0	560.4	10.00	10.00	0.00
5,100.0	88.74	92.05	4,754.7	-21.2	591.4	591.8	0.00	0.00	0.00
5,200.0	88.74	92.05	4,756.9	-24.8	691.3	691.7	0.00	0.00	0.00
5,300.0	88.74	92.05	4,759.1	-28.3	791.2	791.7	0.00	0.00	0.00
5,400.0	88.74	92.05	4,761.3	-31.9	891.1	891.7	0.00	0.00	0.00
5,500.0	88.74	92.05	4,763.5	-35.5	991.0	991.7	0.00	0.00	0.00
5,600.0	88.74	92.05	4,765.7	-39.1	1,090.9	1,091.6	0.00	0.00	0.00
5,700.0	88.74	92.05	4,767.9	-42.6	1,190.8	1,191.6	0.00	0.00	0.00
5,800.0	88.74	92.05	4,770.1	-46.2	1,290.8	1,291.6	0.00	0.00	0.00
5,900.0	88.74	92.05	4,772.3	-49.8	1,390.7	1,391.6	0.00	0.00	0.00
6,000.0	88.74	92.05	4,774.5	-53.4	1,490.6	1,491.5	0.00	0.00	0.00
6,100.0	88.74	92.05	4,776.7	-56.9	1,590.5	1,591.5	0.00	0.00	0.00
6,200.0	88.74	92.05	4,778.9	-60.5	1,690.4	1,691.5	0.00	0.00	0.00
6,300.0	88.74	92.05	4,781.1	-64.1	1,790.3	1,791.5	0.00	0.00	0.00
6,400.0	88.74	92.05	4,783.3	-67.7	1,890.2	1,891.4	0.00	0.00	0.00
6,500.0	88.74	92.05	4,785.5	-71.3	1,990.1	1,991.4	0.00	0.00	0.00
6,600.0	88.74	92.05	4,787.7	-74.8	2,090.0	2,091.4	0.00	0.00	0.00
6,700.0	88.74	92.05	4,789.9	-78.4	2,190.0	2,191.4	0.00	0.00	0.00
6,800.0	88.74	92.05	4,792.0	-82.0	2,289.9	2,291.3	0.00	0.00	0.00
6,900.0	88.74	92.05	4,794.2	-85.6	2,389.8	2,391.3	0.00	0.00	0.00
7,000.0	88.74	92.05	4,796.4	-89.1	2,489.7	2,491.3	0.00	0.00	0.00
7,100.0	88.74	92.05	4,798.6	-92.7	2,589.6	2,591.3	0.00	0.00	0.00
7,200.0	88.74	92.05	4,800.8	-96.3	2,689.5	2,691.2	0.00	0.00	0.00
7,300.0	88.74	92.05	4,803.0	-99.9	2,789.4	2,791.2	0.00	0.00	0.00
7,400.0	88.74	92.05	4,805.2	-103.5	2,889.3	2,891.2	0.00	0.00	0.00
7,500.0	88.74	92.05	4,807.4	-107.0	2,989.3	2,991.2	0.00	0.00	0.00
7,600.0	88.74	92.05	4,809.6	-110.6	3,089.2	3,091.1	0.00	0.00	0.00
7,700.0	88.74	92.05	4,811.8	-114.2	3,189.1	3,191.1	0.00	0.00	0.00
7,800.0	88.74	92.05	4,814.0	-117.8	3,289.0	3,291.1	0.00	0.00	0.00
7,900.0	88.74	92.05	4,816.2	-121.3	3,388.9	3,391.1	0.00	0.00	0.00
8,000.0	88.74	92.05	4,818.4	-124.9	3,488.8	3,491.1	0.00	0.00	0.00
8,100.0	88.74	92.05	4,820.6	-128.5	3,588.7	3,591.0	0.00	0.00	0.00
8,200.0	88.74	92.05	4,822.8	-132.1	3,688.6	3,691.0	0.00	0.00	0.00
8,300.0	88.74	92.05	4,825.0	-135.6	3,788.6	3,791.0	0.00	0.00	0.00
8,400.0	88.74	92.05	4,827.2	-139.2	3,888.5	3,891.0	0.00	0.00	0.00
8,482.5	0.00	0.00	4,829.0	-142.2	3,970.9	3,973.4	107.59	-107.59	0.00


Bill Barrett Corp

Planning Report

Database:	Compass	Local Co-ordinate Reference:	Well LC Tribal 1H-33-46
Company:	BILL BARRETT CORP	TVD Reference:	KB @ 6320.0ft (Original Well Elev)
Project:	DUCHESNE COUNTY, UT (NAD 27)	MD Reference:	KB @ 6320.0ft (Original Well Elev)
Site:	LC Tribal 1H-33-46	North Reference:	True
Well:	LC Tribal 1H-33-46	Survey Calculation Method:	Minimum Curvature
Wellbore:	LC Tribal 1H-33-46		
Design:	Design #1		

Formations



Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
844.0	844.0	GREEN RIVER		1.26	92.05
1,379.0	1,379.0	MAHOGANY		1.26	92.05
2,584.0	2,584.0	TGR3		1.26	92.05
3,379.0	3,379.0	DOUGLAS CRK		1.26	92.05
3,734.0	3,734.0	3PT MKR		1.26	92.05
4,064.0	4,064.0	BLACK SHALE FACIES		1.26	92.05
4,341.6	4,339.0	CASTLE PEAK		1.26	92.05
4,776.9	4,669.0	UTELAND BUTTE		1.26	92.05
4,906.8	4,719.0	CR 1		1.26	92.05
	4,759.0	CR 1A BASE		1.26	92.05



API Number: 4301351257
Well Name: LC Tribal 1H-33-46
Township T0.4 . Range R0.6 . Section 33
Meridian: UBM
Operator: BILL BARRETT CORP

Map Prepared:
 Map Produced by Diana Mason

Units STATUS	Wells Query Status
ACTIVE	APD - Approved Permit
EXPLORATORY	DRL - Spudded (Drilling Commenced)
GAS STORAGE	GIW - Gas Injection
NF PP OIL	GS - Gas Storage
NF SECONDARY	LA - Location Abandoned
PI OIL	LOC - New Location
PP GAS	OPS - Operation Suspended
PP GEOTHERMAL	PA - Plugged Abandoned
PP OIL	PGW - Producing Gas Well
SECONDARY	POW - Producing Oil Well
TERMINATED	RET - Returned APD
Unknown	SGW - Shut-in Gas Well
ABANDONED	SOW - Shut-in Oil Well
ACTIVE	TA - Temp. Abandoned
COMBINED	TW - Test Well
INACTIVE	WDW - Water Disposal
STORAGE	WW - Water Injection Well
TERMINATED	WSW - Water Supply Well



No vegetation at this time as this is an existing pad.

Vegetation includes big sagebrush, greasewood, native thistle, blue gramma, Indian ricegrass, rabbitbrush, aster, 4-winged sagebrush, halogeton, cheatgrass, salina wild rye, slender wheatgrass and kochia.

Deer, elk, coyote, smaller mammals and birds.

Soil Type and Characteristics

Sandy alluvium

Erosion Issues N

Sedimentation Issues N

Site Stability Issues N

Drainage Diversion Required? Y

Existing pad, diversion was built and appears to be working

Berm Required? N

Erosion Sedimentation Control Required? N

Paleo Survey Run? N **Paleo Potential Observed?** N **Cultural Survey Run?** N **Cultural Resources?** N

Reserve Pit

Site-Specific Factors		Site Ranking
Distance to Groundwater (feet)	75 to 100	10
Distance to Surface Water (feet)	300 to 1000	2
Dist. Nearest Municipal Well (ft)	>5280	0
Distance to Other Wells (feet)	>1320	0
Native Soil Type	High permeability	20
Fluid Type	Fresh Water	5
Drill Cuttings	Normal Rock	0
Annual Precipitation (inches)	10 to 20	5
Affected Populations		
Presence Nearby Utility Conduits	Not Present	0
Final Score		42
		1 Sensitivity Level

Characteristics / Requirements

A reserve pit is planned in an area of cut in the southwest corner of the location.

Dimensions are 70' x 180' x 8' deep. A minimum of a 20-mil liner with a sub-liner of felt is required.

Closed Loop Mud Required? N **Liner Required?** Y **Liner Thickness** 20 **Pit Underlayment Required?** Y

API Well Number: 43013512570000

Other Observations / Comments

Richard Powell
Evaluator

3/21/2012
Date / Time

RECEIVED: April 05, 2012

Application for Permit to Drill Statement of Basis

4/5/2012

Utah Division of Oil, Gas and Mining

Page 1

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
5361	43013512570000	LOCKED	OW	P	No
Operator	BILL BARRETT CORP		Surface Owner-APD	Cory M. Powell	
Well Name	LC Tribal 1H-33-46		Unit		
Field	ALTAMONT		Type of Work	DRILL	
Location	NWNW 33 4S 6W U 559 FNL	570 FWL	GPS Coord		
	(UTM) 536223E	4438424N			

Geologic Statement of Basis

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill
APD Evaluator

4/5/2012
Date / Time

Surface Statement of Basis

This well is on fee surface with Indian minerals. It shares a pad with the existing producing oil well 5-33-46-DLB. The land owners were not present but during the previous onsite for the existing 5-33-46 DLB well their concerns seem to have been met. The reserve pit will be the same size and in the same location as it was previously for the existing well and it will again require a 20 mil liner and felt subliner.

Richard Powell
Onsite Evaluator

3/21/2012
Date / Time

Conditions of Approval / Application for Permit to Drill

Category	Condition
Pits	A synthetic liner with a minimum thickness of 20 mils with a felt subliner shall be properly installed and maintained in the reserve pit.
Surface	The reserve pit shall be fenced upon completion of drilling operations.
Surface	The well site shall be bermed to prevent fluids from leaving the pad.

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 2/24/2012

API NO. ASSIGNED: 43013512570000

WELL NAME: LC Tribal 1H-33-46

OPERATOR: BILL BARRETT CORP (N2165)

PHONE NUMBER: 303 312-8172

CONTACT: Venessa Langmacher

PROPOSED LOCATION: NWNW 33 040S 060W

Permit Tech Review:

SURFACE: 0559 FNL 0570 FWL

Engineering Review:

BOTTOM: 0700 FNL 0700 FEL

Geology Review:

COUNTY: DUCHESNE

LATITUDE: 40.09533

LONGITUDE: -110.57505

UTM SURF EASTINGS: 536223.00

NORTHINGS: 4438424.00

FIELD NAME: ALTAMONT

LEASE TYPE: 2 - Indian

LEASE NUMBER: 1420H626304

PROPOSED PRODUCING FORMATION(S): GREEN RIVER

SURFACE OWNER: 4 - Fee

COALBED METHANE: NO

RECEIVED AND/OR REVIEWED:

- PLAT
- Bond: INDIAN - LPM8874725
- Potash
- Oil Shale 190-5
- Oil Shale 190-3
- Oil Shale 190-13
- Water Permit: 43-180
- RDCC Review:
- Fee Surface Agreement
- Intent to Commingle

Commingling Approved

LOCATION AND SITING:

- R649-2-3.
- Unit:
- R649-3-2. General
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: Cause 139-87
- Effective Date: 12/6/2011
- Siting: 4 Prod LGRRV-WSTC Per Sectional Drilling Units
- R649-3-11. Directional Drill

Comments: Presite Completed

Stipulations: 4 - Federal Approval - dmason
5 - Statement of Basis - bhll
27 - Other - bhll



GARY R. HERBERT
Governor

GREGORY S. BELL
Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: LC Tribal 1H-33-46
API Well Number: 43013512570000
Lease Number: 1420H626304
Surface Owner: FEE (PRIVATE)
Approval Date: 4/9/2012

Issued to:

BILL BARRETT CORP, 1099 18th Street Ste 2300, Denver, CO 80202

Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 139-87. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-21, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well - contact Carol Daniels at 801-538-5284

(please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website
at <http://oilgas.ogm.utah.gov>

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) - due within 5 days of spudding the well
- Monthly Status Report (Form 9) - due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) - due prior to implementation
- Written Notice of Emergency Changes (Form 9) - due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) - due prior to implementation
- Report of Water Encountered (Form 7) - due within 30 days after completion
- Well Completion Report (Form 8) - due within 30 days after completion or plugging

Approved By:

A handwritten signature in black ink, appearing to read "John Rogers", written over a horizontal line.

For John Rogers
Associate Director, Oil & Gas

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FEB 24 2012

FORM APPROVED
OMB No. 1004-0136
Expires July 31, 2010

APPLICATION FOR PERMIT TO DRILL OR REENTER

BLM

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. 1420H626304
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input checked="" type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator BILL BARRETT CORPORATION Contact: VENESSA LANGMACHER E-Mail: vlangmacher@billbarrettcorp.com		7. If Unit or CA Agreement, Name and No.
3a. Address 1099 18TH STREET SUITE 2300 DENVER, CO 80202	3b. Phone No. (include area code) Ph: 303-312-8172 Fx: 303-291-0420	8. Lease Name and Well No. LC TRIBAL 1H-33-46
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface NWNW 559FNL 570FWL 40.095350 N Lat, 110.575158 W Lon At proposed prod. zone NENE 700FNL 700FEL 40.094967 N Lat, 110.560964 W Lon		9. API Well No. 43-013-51257
14. Distance in miles and direction from nearest town or post office* 17.8 MILES SOUTHWEST OF DUCHESNE, UT	10. Field and Pool, or Exploratory ALTAMONT	11. Sec., T., R., M., or Blk. and Survey or Area Sec 33 T4S R6W Mer UBM
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 700' (BTM. HOLE)	16. No. of Acres in Lease 640.00	12. County or Parish DUCHESNE
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 1792'	19. Proposed Depth 8482 MD 4829 TVD	13. State UT
21. Elevations (Show whether DF, KB, RT, GL, etc.) 6304 GL	22. Approximate date work will start 06/01/2012	17. Spacing Unit dedicated to this well 640.00
		20. BLM/BIA Bond No. on file LPM8874725
		23. Estimated duration 60 DAYS (D&C)

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature (Electronic Submission)	Name (Printed/Typed) VENESSA LANGMACHER Ph: 303-312-8172	Date 02/24/2012
Title SENIOR PERMIT ANALYST		
Approved by (Signature) 	Name (Printed/Typed) Jerry Kenczka	Date OCT 23 2012
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

Electronic Submission #131581 verified by the BLM Well Information System
For BILL BARRETT CORPORATION, sent to the Vernal
Committed to AFMSS for processing by LESLIE ROBINSON on 02/27/2012 ()

UDOGM

**NOTICE OF APPROVAL
CONDITIONS OF APPROVAL ATTACHED**

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

RECEIVED

NOV 13 2012

DIV. OF OIL, GAS & MINING

NO NOS

712017210AS



UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE
VERNAL, UT 84078

170 South 500 East

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Bill Barrett Corporation
Well No: LC Tribal 1H-33-46
API No: 43-013-51257

Location: NWNW, Sec.33,T4S R6W
Lease No: 14-20-H62-6304
Agreement: N/A

OFFICE NUMBER: (435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

CONDITIONS OF APPROVAL

- Any deviation of submitted APD's, which includes BBCs surface use plan, and ROW applications the operator will notify the BLM in writing and will receive written authorization of any such change with appropriate authorization.
- The operator will implement "Safety and Emergency Plan." The operator's safety director will ensure its compliance.
- All operator employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's, COAs, and ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations should be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- Noxious weeds will be treated, monitored, and controlled along both the access road, pipeline route, and on the well pad itself.
- Insure topsoil stability on location and use topsoil for interim reclamation as soon as possible to maintain viability of the topsoil resource. If stored for a longer period of time then topsoil should be maintained to increase viability until the resource can be used for reclamation purposes only.
- All above ground production facilities will be painted Beetle Green on all locations to help blend in with the surrounding habitat, unless otherwise directed by the BLM.
- The operator must conduct operations to minimize adverse effects to surface and subsurface resources, prevent unnecessary surface disturbance, and conform to currently available technologies and practices.
- Site reclamation would be accomplished for portions of the well pad not needed for production, within 6 months of completion, weather permitting. This also includes any roads, and pipeline areas that have been disturbed as well. Road areas not being used and pipeline disturbances can undergo reclamation immediately after the pipeline is installed and after the roads are built. Please contact the BLM for seed mixes that work in the area. Seeds should be planted in August and prior to ground freeze. Non-natives can be used; however lbs/ac must be kept low to minimize the chance of a monoculture.

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- Production casing cement shall be brought up and into the surface casing. The minimum cement top is 400 ft above the surface casing shoe.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person

making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to BLM_UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location ($\frac{1}{4}$ $\frac{1}{4}$, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and

Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent

Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5.LEASE DESIGNATION AND SERIAL NUMBER: 1420H626304
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Uintah
1. TYPE OF WELL Oil Well		7.UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: BILL BARRETT CORP		8. WELL NAME and NUMBER: LC TRIBAL 1H-33-46
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300 , Denver, CO, 80202		9. API NUMBER: 43013512570000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0559 FNL 0570 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 33 Township: 04.0S Range: 06.0W Meridian: U		9. FIELD and POOL or WILDCAT: ALTAMONT
		COUNTY: DUCHESNE
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 3/1/2014	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width:100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

BBC hereby requests a one year extension for the subject APD.

**Approved by the
Utah Division of
Oil, Gas and Mining**

Date: March 20, 2013

By: 

NAME (PLEASE PRINT) Venessa Langmacher	PHONE NUMBER 303 312-8172	TITLE Senior Permit Analyst
SIGNATURE N/A	DATE 3/20/2013	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013512570000

API: 43013512570000

Well Name: LC TRIBAL 1H-33-46

Location: 0559 FNL 0570 FWL QTR NWNW SEC 33 TWNP 040S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 4/9/2012

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No

- Has the approved source of water for drilling changed? Yes No

- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

- Is bonding still in place, which covers this proposed well? Yes No

Signature: Venessa Langmacher

Date: 3/20/2013

Title: Senior Permit Analyst Representing: BILL BARRETT CORP

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/29/2014

FROM: (Old Operator): DEVON ENERGY PRODUCTION COMPANY L.P. N1275 333 WEST SHERIDAN AVENUE OKLAHOMA CITY OK 73102-5015	TO: (New Operator): LINN OPERATING INC N4115 1999 BROADWAY STE 3700 DENVER CO 80202 303-999-4275
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List									

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/16/2014
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/16/2014
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 10/8/2014
- Is the new operator registered in the State of Utah: Business Number: 9031632-0143
- (R649-9-2)Waste Management Plan has been received on: Yes
- Inspections of LA PA state/fee well sites complete on: N/A
- Reports current for Production/Disposition & Sundries on: 10/8/2014
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM NOT YET BIA NOT YET
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/24/2014

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 10/8/2014
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/8/2014
- Bond information entered in RBDMS on: 10/8/2014
- Fee/State wells attached to bond in RBDMS on: 10/8/2014
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 10/8/2014
- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: 9/16/2014

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: NMB000501
- Indian well(s) covered by Bond Number: NMB000501
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number LPM9149893
- The **FORMER** operator has requested a release of liability from their bond on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 10/8/2014

COMMENTS:

Devon Energy Production Company, L.P. N1275 to Linn Operating, Inc N4115
Effective 8/29/2014

Well Name	Section	Township	Range AP	API Number	Entity	Mineral Lease	Well Type	Well Status
SWD 4-11A2	11	010S	020W	4301320255	99990	Fee	WD	A
VIRGIL MECHAM 1-11A2	11	010S	020W	4301330009	5760	Fee	WD	A
1-3A2	3	010S	020W	4301330021	99990	Fee	WD	A
BLUEBELL 2-28A2	28	010S	020W	4301330346	99990	Fee	WD	A
SALERATUS 2-17C5	17	030S	050W	4301330388	99990	Fee	WD	A
CENTRAL BLUEBELL 2-26A2	26	010S	020W	4301330389	99990	Fee	WD	A
BALLARD 2-15B1	15	020S	010W	4304732351	11476	Fee	WD	A
GALLOWAY #3-14B2	14	020S	020W	4301351741		Fee	OW	APD
GALLOWAY #3-12B2	12	020S	020W	4301351742		Fee	OW	APD
GALLOWAY 4-14B2	14	020S	020W	4301351818		Fee	OW	APD
MORRIS #3-8B1	8	020S	010W	4301351836		State	OW	APD
FRITZ #3-24A2	24	010S	020W	4301351837		Fee	OW	APD
GALLOWAY #2-14B2	14	020S	020W	4301351739	19044	Fee	OW	DRL
EMERALD 2-32A1	32	010S	010W	4301350059	17980	Fee	OW	OPS
CLYDE MURRAY 1-2A2	2	010S	020W	4301330005	5876	Fee	OW	P
VICTOR C BROWN 1-4A2	4	010S	020W	4301330011	5780	Fee	OW	P
DOUG BROWN 2-4A2	4	010S	020W	4301330017	5840	Fee	OW	P
L BOREN U 3-15A2	15	010S	020W	4301330086	5755	Fee	OW	P
LAMICQ-URTY U 3-17A2	17	010S	020W	4301330099	5745	Fee	OW	P
L BOREN U 5-22A2	22	010S	020W	4301330107	5900	Fee	OW	P
L BOREN U 4-23A2	23	010S	020W	4301330115	5905	Fee	OW	P
TOMLINSON FED 1-25A2	25	010S	020W	4301330120	5535	Federal	OW	P
WOODWARD 1-21A2	21	010S	020W	4301330130	5665	Fee	OW	P
LAMICQ 1-20A2	20	010S	020W	4301330133	5400	Fee	GW	P
L RBRTSN ST 1-1B2	1	020S	020W	4301330200	5410	State	OW	P
SMITH ALBERT 1-8C5	8	030S	050W	4301330245	5490	Fee	OW	P
FRESTON ST 1-8B1	8	020S	010W	4301330294	5345	Fee	OW	P
GEORGE MURRAY 1-16B1	16	020S	010W	4301330297	5950	Fee	OW	P
LAMICQ-URTY U 4-5A2	5	010S	020W	4301330347	5845	Fee	OW	P
H G COLTHARP 1-15B1	15	020S	010W	4301330359	5945	Fee	OW	P
STATE 3-18A1	18	010S	010W	4301330369	5810	Fee	OW	P
LAMICQ 2-6B1	6	020S	010W	4301330809	2301	Fee	OW	P
DILLMAN 2-28A2	28	010S	020W	4301330821	5666	Fee	OW	P
HAMBLIN 2-26-A2	26	010S	020W	4301330903	5361	Fee	OW	P
JOHN 2-3-B2	3	020S	020W	4301330975	5387	Fee	OW	P
LAMICQ-ROBERTSON ST 2-1B2	1	020S	020W	4301330995	5412	Fee	OW	P
UTE TRIBAL 2-7A2	7	010S	020W	4301331009	5836	Indian	OW	P
HATCH 2-3B1	3	020S	010W	4301331147	10615	Fee	OW	P
NORLING 2-9B1	9	020S	010W	4301331151	10616	Fee	OW	P
SHAW 2-27A2	27	010S	020W	4301331184	10753	Fee	OW	P
LAMICQ-URRITY 4-17A2	17	010S	020W	4301331190	10764	Fee	OW	P
LAMICQ 2-20A2	20	010S	020W	4301331191	10794	Fee	OW	P
FRESTON 2-8B1	8	020S	010W	4301331203	10851	Fee	OW	P
WISSE 3-35A2	35	010S	020W	4301331215	10925	Fee	OW	P
MECCA 2-8A2	8	010S	020W	4301331231	10981	Fee	OW	P
SWYKES 2-21A2	21	010S	020W	4301331235	10998	Fee	OW	P
SHERMAN 2-12B2	12	020S	020W	4301331238	11009	Fee	OW	P
DUNCAN 4-2A2	2	010S	020W	4301331276	11258	Fee	GW	P
HAMBLIN 3-9A2	9	010S	020W	4301331278	11094	Fee	GW	P
BAR-F 2-5B1	5	020S	010W	4301331286	11113	Fee	OW	P
SMITH 2-9C5	9	030S	050W	4301331321	11245	Fee	OW	P
LORANGER 2-24A2	24	010S	020W	4301331322	11244	Fee	OW	P
UTE 2-6B3	6	020S	030W	4301331325	11446	Indian	OW	P
MCELPRANG 2-30A1	30	010S	010W	4301331326	11252	Fee	OW	P

Devon Energy Production Company, L.P. N1275 to Linn Operating, Inc N4115
 Effective 8/29/2014

Well Name	Section	Township	Range AP	API Number	Entity	Mineral Lease	Well Type	Well Status
SMITH 2-7C5	7	030S	050W	4301331327	11324	Indian	OW	P
SMITH 2-18C5	18	030S	050W	4301331328	11336	Indian	OW	P
UTE 2-24A3	24	010S	030W	4301331329	11339	Indian	OW	P
UTE 5-19A2	19	010S	020W	4301331330	11277	Indian	OW	P
EDWARDS 3-10B1	10	020S	010W	4301331332	11264	Fee	OW	P
SUNDANCE 4-15A2	15	010S	020W	4301331333	11269	Fee	OW	P
LORANGER 6-22A2	22	010S	020W	4301331334	11335	Fee	OW	P
COX 2-36A2	36	010S	020W	4301331335	11330	Fee	OW	P
SMITH 2-6C5	6	030S	050W	4301331338	11367	Indian	OW	P
FRESTON 2-7B1	7	020S	010W	4301331341	11338	Fee	OW	P
PEARSON 2-11B2	11	020S	020W	4301331356	11359	Fee	OW	P
CHAPMAN 2-4B2	4	020S	020W	4301331378	11485	Fee	OW	P
LAMB 2-16A2	16	010S	020W	4301331390	11487	Fee	OW	P
LABRUM 2-23A2	23	010S	020W	4301331393	11514	Fee	OW	P
POWELL 2-16B1	16	020S	010W	4301331820	12342	Fee	OW	P
BOWMAN 5-5A2	5	010S	020W	4301332202	13043	Fee	OW	P
BOREN 4-9A2	9	010S	020W	4301332203	13079	Fee	OW	P
BLANCHARD 3-10A2	10	010S	020W	4301332223	13149	Fee	OW	P
SQUIRES 3-8A2	8	010S	020W	4301332227	13176	Fee	OW	P
BROWN 3-4A2	4	010S	020W	4301332684	14673	Fee	OW	P
GALLOWAY 3-11B2	11	020S	020W	4301334304	18527	Fee	OW	P
OWL AND THE HAWK 3-9C5	9	030S	050W	4301351214	18649	Fee	OW	P
Bingham #3-4B1	4	020S	010W	4301351464	18825	Fee	OW	P
RED MOUNTAIN 3-5B1	5	020S	010W	4301351632	18954	Fee	OW	P
MECHAM #3-1B2	1	020S	020W	4301351844	19082	State	OW	P
MIKE AND SHELLEY #3-4B2	4	020S	020W	4301351845	19083	Fee	OW	P
RBRTSN UTE ST 1-12B1	12	020S	010W	4304730164	5475	Fee	OW	P
MAY UTE FED 1-13B1	13	020S	010W	4304730176	5435	Fee	OW	P
COOK 1-26B1	26	020S	010W	4304731981	11212	Fee	OW	P
CHRISTIANSEN 2-12B1	12	020S	010W	4304732178	11350	Fee	OW	P
RICH 2-13B1	13	020S	010W	4304732744	12046	Fee	OW	P
THOMAS 4-10B1	10	020S	010W	4304734080	13284	Fee	OW	P
HAMAKER 3-12B1	12	020S	010W	4304752294	18650	Fee	OW	P
BETTS 2-26B1	26	020S	010W	4304752435	18698	Fee	OW	P
STATE 1-10A2 (3-10C)	10	010S	020W	4301330006	5860	State	GW	S
L BOREN U 6-16A2	16	010S	020W	4301330123	5750	Fee	OW	S
UTE TRIBAL 1-6B3	6	020S	030W	4301330136	5705	Indian	OW	S
MAUREL TAYLOR FEE 1-36A2	36	010S	020W	4301330143	5525	Fee	OW	S
CAMPBELL UTE ST 1-7B1	7	020S	010W	4301330236	5295	Indian	OW	S
D L GALLOWAY 1-14B2	14	020S	020W	4301330564	5965	Fee	OW	S
MARK 2-25A2	25	010S	020W	4301331232	10986	Fee	OW	S
MITCHELL 2-4B1	4	020S	010W	4301331317	11231	Fee	OW	S

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See Attached Well List</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attached Well List</u>
2. NAME OF OPERATOR: <u>LINN OPERATING, INC</u> <u>N4115</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: <u>1999 Broadway, Suite 3700</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____		8. WELL NAME and NUMBER: <u>See Attached Well List</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		9. API NUMBER:
COUNTY: <u>Duchsene/Uintah</u>		10. FIELD AND POOL, OR WILDCAT: <u>Bluebell/Altamont</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective 08/29/2014, Change of Operator from Devon Energy Production Company, LP, to Linn Operating, Inc. is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under their blanket state bond number LPM9149893.

Attached is a list of wells that are associated with this Change of Operator.

Devon Energy Production Company, LP N1275
333 West Sheridan Avenue
Oklahoma City, OK 73102-5015



John D. Raines
Vice President

RECEIVED
SEP 16 2014
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) Russell des Cognets II TITLE Asset Manager
SIGNATURE Russell des Cognets DATE 9/8/14

(This space for State use only)
APPROVED
OCT 08 2014
DIV. OIL GAS & MINING
BY: Rachael Medina

(See Instructions on Reverse Side)

Devon Energy Production Company, LP
Existing Well List for State/Fee/Indian Leases

Well Name	API #	Legal Location	Producing Status	Well Type	Lease Type	Field	State	County
BAR F 2-5B1	430133128600	005-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BINGHAM 3-4B1	430135146400	004-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BLANCHARD 3-10A2	430133222300	010-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 1-14A2	430133003500	014-001S-002W	Shut-In	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 3-11A2	430133119200	011-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 3-15A2	430133008600	015-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 4-23A2	430133011500	023-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 4-9A2	430133220300	009-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 5-22A2	430133010700	022-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOREN 6-16A2	430133012300	016-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BOWMAN 5-5A2	430133220200	005-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BROWN DOUG 2-4A2	430133001700	004-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BROWN VICTOR C 1-4A2	430133001100	004-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BROWN 3-4A2	430133268400	004-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
CAMPBELL UTE ST 1-7B1	430133023600	007-002S-001W	Shut-In	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
CHAPMAN 2-4B2	430133137800	004-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
CLYDE MURRAY 1-2A2	430133000500	002-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
COLTHARP 1-15B1	430133035900	015-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
CORNABY 2-14A2 (RECOMP)	430133129900	014-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
COX 2-36A2	430133133500	036-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
DILLMAN 2-28A2	430133082100	028-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
DUNCAN 4-2A2	430133127600	002-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
EDWARDS 3-10B1	430133133200	010-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
FRESTON STATE 1-8B1	430133029400	008-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
FRESTON 2-7B1	430133134100	007-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
FRESTON 2-8B1	430133120300	008-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
GALLOWAY 1-14B2	430133056400	014-002S-002W	Shut-In	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
GALLOWAY 3-11B2	430133430400	011-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
HAMBLIN 2-26A2	430133090300	026-001S-002W	Shut-In	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
HAMBLIN 3-9A2	430133127800	009-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
HATCH 2-3B1	430133114700	003-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
JOHN 2-3B2	430133097500	003-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LABRUM 2-23A2	430133139300	023-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMB 2 16A2	430133139000	016-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ ROBERTSON 1-1B2	430133020000	001-002S-002W	Producing	OIL	STATE	BLUEBELL ALTAMONT	UT	DUCHESNE

RECEIVED

SEP 16 2014

LAMICQ ROBERTSON 2-1B2	430133099500	001-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ URRUTY 3-17A2	430133009900	017-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ URRUTY 4-17A2	430133119000	017-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ URRUTY 4-5A2	430133034700	005-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ 1-20A2	430133013300	020-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ 2-20A2	430133119100	020-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LAMICQ 2-6B1	430133080900	006-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LORANGER 2-24A2	430133132200	024-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
LORANGER 6-22A2	430133133400	022-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MARK 2 25A2	430133123200	025-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MCCELPRANG 2-30A1	430133132600	030-001S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MECCA 2-8A2	430133123100	008-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MECHAM VIRGIL B 1-11A2 SWD	430133000900	011-001S-002W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MECHAM 3-1B2	430135184400	1-2S-2W	Producing	OIL	STATE	BLUEBELL ALTAMONT	UT	DUCHESNE
MIKE AND SHELLEY 3-4B2	430135184500	4-2S-2W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MITCHELL 2-4B1	430133131700	004-002S-001W	Shut-in	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MURRAY GEORGE 1-16B1	430133029700	016-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
NORLING 2-9B1	430133115100	009-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
OWL AND THE HAWK 3-9C5	430135121400	9-003S-005W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
PEARSON 2-11B2	430133135600	011-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
POWELL 2 16B1	430133182000	016-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
RED MOUNTAIN 3-5B1	430135163200	05-2S-1W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SHAW 2-27A2	430133118400	027-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SHERMAN 2-12B2	430133123800	012-002S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SMITH ALBERT 1-8C5	430133024500	008-003S-005W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SMITH 2-18C5	430133132800	018-003S-005W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
SMITH 2-6C5	430133133800	006-003S-005W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
SMITH 2-7C5	430133132700	007-003S-005W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
SMITH 2-9C5	430133132100	009-003S-005W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SQUIRES 3-8A2	430133222700	008-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
STATE 1-10A2	430133000600	010-001S-002W	Producing	OIL	STATE	BLUEBELL ALTAMONT	UT	DUCHESNE
STATE 3-18A1	430133036900	018-001S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SUNDANCE 4 15A2 (BOREN)	430133133300	015-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SWD ANDERSON 2-28A2	430133034600	028-001S-002W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SWD HAMBLIN 2-26A2	430133038900	026-001S-002W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SWD SALERATUS 2-17C5	430133038800	017-003S-005W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SWD 1-3A2	430133002100	003-001S-002W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
SWD 4-11A2	430132025500	011-001S-002W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE

RECEIVED

SEP 16 2014

DIV. OF OIL, GAS & MINING

SWYKES 2 21A2	430133123500	021-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
TAYLOR MAUREL FEE 1-36A2	430133014300	036-001S-002W	Shut-In	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
TOMLINSON 1 25A2	430133012000	025-001S-002W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
UTE TRIBAL 2-7A2	430133100900	007-001S-002W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
UTE TRIBAL 5-19A2	430133133000	019-001S-002W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
UTE 1-6B3	430133013600	006-002S-003W	Shut-In	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
UTE 2-24A3	430133132900	024-001S-003W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
UTE 2-6B3	430133132500	006-002S-003W	Producing	OIL	INDIAN	BLUEBELL ALTAMONT	UT	DUCHESNE
WISSE 3-35A2	430133121500	035-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
WOODWARD 1-21A2	430133013000	021-001S-002W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
BALLARD 2-15B1 SWD	430473235100	015-002S-001W	Injecting	SWD	FEE	BLUEBELL ALTAMONT	UT	UINTAH
BETTS 2-26B1	430475243500	26-2S-1W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
CHRISTENSEN 2-12B1	430473217800	012-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
COOK 1-26B1	430473198100	026-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
HAMAKER 3-12B1	430475229400	12-2S-1W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
MAY UTE FED 1-13B1	430473017600	013-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
RICH 2-13B1	430473274400	013-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
ROBERTSON UTE STATE 1-12B1	430473016400	012-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH
THOMAS 4-10B1	430473408000	010-002S-001W	Producing	OIL	FEE	BLUEBELL ALTAMONT	UT	UINTAH

RECEIVED

SEP 16 2014

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached Well List
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See Attached Well List</u>		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: LINN OPERATING, INC		8. WELL NAME and NUMBER: See Attached Well List
3. ADDRESS OF OPERATOR: 1999 Broadway, Suite 3700 CITY: Denver STATE: CO ZIP: 80202		9. API NUMBER:
PHONE NUMBER: (303) 999-4275		10. FIELD AND POOL, OR WILDCAT: Bluebell/Altamont
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____		COUNTY: Duchsene
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		STATE: UTAH


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: CHANGE OF OPERATOR
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective 08/29/2014, Change of Operator from Devon Energy Production Company, LP, to Linn Operating, Inc. is responsible under the terms and conditions of the leases for operations conducted on the leased lands or a portion thereof under their blanket state bond number LPM9149893 .

Attached is a list of Applications for Permit to Drill (APD) that are associated with this Change of Operator.

Devon Energy Production Company, LP
333 West Sheridan Avenue
Oklahoma City, OK 73102-5015



John D. Raines
Vice President

NAME (PLEASE PRINT) <u>Russell des Cognets II</u>	TITLE <u>Asset Manager</u>
SIGNATURE 	DATE <u>9/16/14</u>

(This space for State use only)

APPROVED

OCT 08 2014

DIV. OIL GAS & MINING

BY: Rachael Medina

RECEIVED
SEP 16 2014
DIV. OF OIL, GAS & MINING

(5/2000) (See Instructions on Reverse Side)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	See Attached List of Wells
API number:	
Location:	Qtr-Qtr: Section: Township: Range:
Company that filed original application:	Devon Energy Production Company, LP
Date original permit was issued:	
Company that permit was issued to:	Linn Operating, Inc.

Check one	Desired Action:
	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If so, has the surface agreement been updated?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. <u>LPM9149893</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) <u>Russell des Cognets II</u>	Title <u>Asset Manager</u>	RECEIVED
Signature <u><i>Russell des Cognets</i></u>	Date <u>9-8-14</u>	SEP 16 2014
Representing (company name) <u>Linn Operating, Inc.</u>		

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

DIV. OF OIL, GAS & MINING

Devon Energy Production Company, LP
Existing Well List of Application for Permit to Drill (APD's)

Well Name	API #	Legal Location	Producing Status	APD Approval Date	APD Extension Filed	Well Type	Lease Type	Divest Description	State	County
GALLOWAY #3-14B2	4301351741	014-020S-020W	APD	12/10/2012	12/11/2013	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
GALLOWAY #3-12B2	4301351742	012-020S-020W	APD	12/10/2012	12/11/2013	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
GALLOWAY 4-14B2	4301351818	014-020S-020W	APD	1/11/2013	12/11/2013	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MORRIS #3-8B1	4301351836	008-020S-010W	APD	4/1/2013	3/12/2014	OIL	STATE	BLUEBELL ALTAMONT	UT	DUCHESNE
FRITZ #3-24A2	4301351837	024-010S-020W	APD	4/1/2013	3/12/2014	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE
MIKE AND SHELLEY #4-14A2	4301351846	014-010S-020W	APD	2/6/2013	2/4/2014	OIL	FEE	BLUEBELL ALTAMONT	UT	DUCHESNE

RECEIVED
 SEP 16 2014
 DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number VIRGIL MECHAM 1-11A2 SWD	API Number 4301330009
Location of Well Footage : 1320' FNL & 1445' FEL County : DUCHESNE	Field or Unit Name BLUEBELL ALTAMONT
QQ, Section, Township, Range: SWNE 11 1S 2W State : UTAH	Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014


CURRENT OPERATOR

Company: DEVON ENERGY PRODUCTION CO., L.P.
Address: 333 WEST SHERIDAN AVENUE
city OKLAHOMA CITY state OK zip 73102-5015
Phone: (405) 228-4480
Comments:

Name: JOHN D. RAINES
Signature: 
Title: VICE PRESIDENT
Date:

NEW OPERATOR

Company: LINN OPERATING, INC.
Address: 1999 BROADWAY, SUITE 3700
city DENVER state CO zip 80202
Phone: (303) 999-4275
Comments:

Name: Russell des Cognets II
Signature: 
Title: ASSET MANAGER
Date: 9/15/14

(This space for State use only)

Transfer approved by: 
Title: Environment Manager

Approval Date: 9/24/14

Comments:

RECEIVED

SEP 16 2014

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number BLUEBELL 2-28A2	API Number 4301330346
Location of Well Footage : 2496' FSL & 1549' FEL County : DUCHESNE	Field or Unit Name BLUEBELL ALTAMONT
QQ, Section, Township, Range: NWSE 28 1S 2W State : UTAH	Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014


CURRENT OPERATOR

Company: DEVON ENERGY PRODUCTION CO., L.P.
Address: 333 WEST SHERIDAN AVENUE
city OKLAHOMA CITY state OK zip 73102-5015
Phone: (405) 228-4480
Comments:


Name: JOHN D. RAINES
Signature: 
Title: VICE PRESIDENT
Date:

NEW OPERATOR

Company: LINN OPERATING, INC.
Address: 1999 BROADWAY, SUITE 3700
city DENVER state CO zip 80202
Phone: (303) 999-4275
Comments:

Name: Russell des Cognets II
Signature: 
Title: ASSET MANAGER
Date: 9/15/14

(This space for State use only)

Transfer approved by: 
Title: Environmental Manager
Comments:

Approval Date: 9/24/14

RECEIVED

SEP 16 2014

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number CENTRAL BLUEBELL 2-26A2	API Number 4301330389
Location of Well Footage : 1812' FSL & 2083' FWL County : DUCHESNE QQ, Section, Township, Range: SESW 26 1S 2W State : UTAH	Field or Unit Name BLUEBELL ALTAMONT Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014

CURRENT OPERATOR


Company: DEVON ENERGY PRODUCTION CO., L.P.
Address: 333 WEST SHERIDAN AVENUE
city OKLAHOMA CITY state OK zip 73102-5015
Phone: (405) 228-4480
Comments:

Name: JOHN D. RAINES
Signature: 
Title: VICE PRESIDENT
Date:

JS


NEW OPERATOR

Company: LINN OPERATING, INC.
Address: 1999 BROADWAY, SUITE 3700
city DENVER state CO zip 80202
Phone: (303) 999-4275
Comments:

Name: Russell des Cognets II
Signature: 
Title: ASSET MANAGER
Date: 9/15/14

cy

(This space for State use only)

Transfer approved by: 
Title: Environmental Manager

Approval Date: 9/24/14

Comments:


RECEIVED
SEP 16 2014

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number SALERATUS 2-17C5	API Number 4301330388
Location of Well Footage : 1374' FNL & 1174' FEL	Field or Unit Name BLUEBELL ALTAMONT
County : DUCHESNE	Lease Designation and Number FEE
QQ, Section, Township, Range: NWNE 17 3S 5W	State : UTAH


EFFECTIVE DATE OF TRANSFER: 8/29/2014

CURRENT OPERATOR

Company: <u>DEVON ENERGY PRODUCTION CO., L.P.</u>	Name: <u>JOHN D. RAINES</u>
Address: <u>333 WEST SHERIDAN AVENUE</u>	Signature: 
city <u>OKLAHOMA CITY</u> state <u>OK</u> zip <u>73102-5015</u>	Title: <u>VICE PRESIDENT</u>
Phone: <u>(405) 228-4480</u>	Date: _____
Comments: _____	

gs

NEW OPERATOR

Company: <u>LINN OPERATING, INC.</u>	Name: <u>Russell des Cognets II</u>
Address: <u>1999 BROADWAY, SUITE 3700</u>	Signature: 
city <u>DENVER</u> state <u>CO</u> zip <u>80202</u>	Title: <u>ASSET MANAGER</u>
Phone: <u>(303) 999-4275</u>	Date: <u>9/15/14</u>
Comments: _____	

89

(This space for State use only)

Transfer approved by:  Approval Date: 9/24/14

Title: Environmental Manager

Comments: _____

RECEIVED
SEP 16 2014

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING


UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number SWD 1-3A2	API Number 4301330021
Location of Well Footage: 348' FSL & 315' FEL County: DUCHESNE QQ, Section, Township, Range: SESE 3 1S 2W State: UTAH	Field or Unit Name BLUEBELL ALTAMONT Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014


CURRENT OPERATOR

Company: DEVON ENERGY PRODUCTION CO., L.P.	Name: JOHN D. RAINES
Address: 333 WEST SHERIDAN AVENUE	Signature: 
city OKLAHOMA CITY state OK zip 73102-5015	Title: VICE PRESIDENT
Phone: (405) 228-4480	Date:
Comments:	

NEW OPERATOR

Company: LINN OPERATING, INC.	Name: Russell des Cognets II
Address: 1999 BROADWAY, SUITE 3700	Signature: 
city DENVER state CO zip 80202	Title: ASSET MANAGER
Phone: (303) 999-4275	Date: 9/15/14
Comments:	

(This space for State use only)

Transfer approved by:  Approval Date: 9/24/14

Title: Environmental Manager

Comments:

RECEIVED
SEP 16 2014

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number SWD 4-11A2	API Number 4301320255
Location of Well Footage : 585' FNL & 733' FWL County : DUCHESNE QQ, Section, Township, Range: NWNW 11 1S 2W State : UTAH	Field or Unit Name BLUEBELL ALTAMONT Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014


CURRENT OPERATOR

Company: DEVON ENERGY PRODUCTION CO., L.P.
Address: 333 WEST SHERIDAN AVENUE
city OKLAHOMA CITY state OK zip 73102-5015
Phone: (405) 228-4480
Comments:


Name: JOHN D. RAINES
Signature: 
Title: VICE PRESIDENT
Date:

NEW OPERATOR

Company: LINN OPERATING, INC.
Address: 1999 BROADWAY, SUITE 3700
city DENVER state CO zip 80202
Phone: (303) 999-4275
Comments:

Name: Russell des Cognets II
Signature: 
Title: ASSET MANAGER
Date: 9/15/14

(This space for State use only)

Transfer approved by: 
Title: Environmental Manager

Approval Date: 9/24/14

Comments:

RECEIVED

SEP 16 2014


DIV. OF OIL, GAS & MINING

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number BALLARD 2-15B1	API Number 4304732351
Location of Well Footage: 1801' FNL & 660' FEL County: UINTAH	Field or Unit Name BLUEBELL ALTAMONT
QQ, Section, Township, Range: SENE 15 2S 1W State: UTAH	Lease Designation and Number FEE

EFFECTIVE DATE OF TRANSFER: 8/29/2014


CURRENT OPERATOR

Company: <u>DEVON ENERGY PRODUCTION CO., L.P.</u>	Name: <u>JOHN D. RAINES</u>
Address: <u>333 WEST SHERIDAN AVENUE</u>	Signature: 
city <u>OKLAHOMA CITY</u> state <u>OK</u> zip <u>73102-5015</u>	Title: <u>VICE PRESIDENT</u>
Phone: <u>(405) 228-4480</u>	Date: _____
Comments: _____	

NEW OPERATOR

Company: <u>LINN OPERATING, INC.</u>	Name: <u>Russell des Cognets II</u>
Address: <u>1999 BROADWAY, SUITE 3700</u>	Signature: 
city <u>DENVER</u> state <u>CO</u> zip <u>80202</u>	Title: <u>ASSET MANAGER</u>
Phone: <u>(303) 999-4275</u>	Date: <u>9/15/14</u>
Comments: _____	

(This space for State use only)

Transfer approved by:  Approval Date: 9/24/14

Title: Environment Manager

Comments: _____

RECEIVED
SEP 16 2014
DIV. OF OIL, GAS & MINING



NASDAQ:LINE
 NASDAQ:LNCO

1999 Broadway, Suite 3700
 Denver, CO 80202

Phone: (303) 999-4400

9/30/14 Division met w/Linn.
 Per DKD plan is accepted.
 Linn will wait 6 months
 then MIT or submit new
 details on next plan.
 -Rm

September 29, 2014

TRANSMITTED VIA FEDERAL EXPRESS 8053-5746-2397

Mr. Dustin Doucet
 Utah Division of Oil, Gas & Mining
 1594 West North Temple
 Salt Lake City, Utah 84116

RE: Extended Shut-in and Temporary Abandoned Well Requirements for Fee or State Leases

Dear Mr. Doucet:

LINN Operating, Inc. ("LINN") recently acquired Devon properties in Utah. We are in the process of changing operator, obtaining well files and evaluating wells. In response to your letter dated September 4, 2014, the following information is provided:

1. **FLY/DIA BOREN 1-14A2** (API 43-013-30035)
 The Devon transaction to Linn allowed EP Energy to exercise their preferential right to purchase the leases and wells in Sections 11 and 14 of T1S, 2W so EP Energy now owns this well.
2. **D L GALLOWAY 1-14B2** (API 43-013-30564)
 We intend to submit four (4) sets of fluid shot data and casing/tubing pressure readings within a week. Attached is the first set of data and the wellbore diagram.

9/24/14 800# csg / tubing O# / FL at surface

We will provide the last casing pressure test information if it is available when we receive Devon's well files. Over the next six months, we will be reviewing the well history to determine the condition and potential of the wellbore. We plan to conduct the MIT within the next six months and will provide the results.

Per your request, an individual bond has been requested.

3. **EMERALD 2-32A1** (API 43-013-50059)
 This well is currently capped at surface and the cellar is covered with a metal grate (photo attached). We would like to evaluate the drilling potential of this well over the next six months and submit a plan to either develop the well or plug it.

Per your request, an individual bond has been requested.

Mr. Dustin Doucet
September 29, 2014
Page 2

4. **MAUREL TAYLOR FEE 1-36A2** (API 43-013-30143)

We intend to submit four (4) sets of fluid shot data and casing/tubing pressure readings within a week. Attached is the first set of data and the wellbore diagram.

9/23/14 200# csg / tubing 0# / FL at surface

We will provide the last casing pressure test information if it is available when we receive Devon's well files. Over the next six months, we will be reviewing the well history to determine the condition and potential of the wellbore. We plan to conduct the MIT within the next six months and will provide the results.

Per your request, an individual bond has been requested.

It is LINN's intention to bring these wells into full compliance but we feel we need an extension of six months due to the timing of the recent acquisition so we can determine our course of action (ie workover, return to production, P&A).

Please feel free to contact me at 303-999-4016 should you have any questions or need additional information.


Sincerely,



Debbie Ghani
Regulatory Compliance Supervisor

/dg


Group: Neola Well: Galloway 1-14B2 (acquired on: 09/24/14 08:38:14)



Time 0.001 sec
 Joints 0.0187114 Jts
 Depth 0.58 ft


Liquid level calculated with
 user supplied Acoustic Velocity

Acoustic Velocity 1150 ft/s



Analysis Method: Acoustic Velocity

Group: Neola Well: Galloway 1-14B2 (acquired on: 09/24/14 08:38:14)



Change in Pressure 0.03 psi PT14983
 Change in Time 2.25 min Range 0 - 7 psi

Group: Neola Well: Galloway 1-14B2 (acquired on: 09/24/14 08:38:14)

Production Current Potential
 Oil 5 -*- BBL/D
 Water 41 -*- BBL/D
 Gas 12.0 -*- Mscf/D

IPR Method Vogel
 PBHP/SBHP -*-
 Production Efficiency 0.0

Oil 38 deg.API
 Water 1.01 Sp.Gr.H2O
 Gas 0.78 Sp.Gr.AIR

Acoustic Velocity 1150 ft/s

Casing Pressure 799.9 psi (g)
 Casing Pressure Buildup 0.032 psi
 2.25 min
 Gas/Liquid Interface Pressure 799.9 psi (g)

Liquid Level Depth 0.58 ft

Pump Intake Depth 9526.00 ft
 Formation Depth 8620.00 ft



Producing Annular Gas Flow 0 Mscf/D
 % Liquid 100 %

Pump Intake 3474.8 psi (g)
 Producing BHP 3246.7 psi (g)
 Static BHP 1985.3 psi (g)

Formation Submergence
 Total Gaseous Liquid Column HT (TVD) 9525 ft
 Equivalent Gas Free Liquid HT (TVD) 9525 ft


Acoustic Test


Group: Neola Well: Galloway 1-14B2 (acquired on: 09/24/14 08:38:14)

Entered Acoustic Velocity for Liquid Level depth determination


OH, 9/24/2014 10:56:41 AM

Vertical schematic (actual)







Group: Neola Well: Taylor 1-36A2 (acquired on: 09/23/14 15:15:37)




Filter Type High Pass Automatic Collar Count Yes Time 0.001 sec
 Manual Acoustic Velo 818.548 ft/s Manual JTS/sec 13.4409 Joints 0.0134409 Jts
 Depth 0.41 ft

[0.0 to 1.0 (Sec)]



Analysis Method: Automatic

Group: Neola Well: Taylor 1-36A2 (acquired on: 09/23/14 15:15:37)



Change in Pressure -0.01 psi PT14983
 Range 0 - 7 psi
 Change in Time 1.25 min

Group: Neola Well: Taylor 1-36A2 (acquired on: 09/23/14 15:15:37)

Production
 Current Potential
 Oil 10 - *- BBL/D
 Water 60 - *- BBL/D
 Gas 38.0 - *- Msc/D
 IPR Method Vogel
 PBHP/SBHP - *-
 Production Efficiency 0.0
 Oil 40 deg.API
 Water 1.01 Sp.Gr.H2O
 Gas 1.13 Sp.Gr.AIR
 Acoustic Velocity 818.548 ft/s

Casing Pressure 0.9 psi (g)
 Casing Pressure Buildup -0.013 psi
 1.25 min
 Gas/Liquid Interface Pressure 0.9 psi (g)
 Liquid Level Depth 0.41 ft
 Pump Intake Depth 11206.00 ft
 Formation Depth 9290.00 ft



Producing
 Annular Gas Flow 0 Msc/D
 % Liquid 100 %
 Pump Intake 3094.7 psi (g)
 Producing BHP 2645.7 psi (g)
 Static BHP 1985.3 psi (g)


Formation Submergence
 Total Gaseous Liquid Column HT (TVD) 11206 ft
 Equivalent Gas Free Liquid HT (TVD) 11206 ft
 Acoustic Test

Group: Neola Well: Taylor 1-36A2 (acquired on: 09/23/14 15:15:37)

No Collar Count Data Available

OH, 9/24/2014 11:04:20 AM

Vertical schematic (actual)



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
Misc.

9. API NUMBER:

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
LINN OPERATING, INC.

3. ADDRESS OF OPERATOR: PHONE NUMBER:
1999 Broadway, Ste #3700 Denver CO 80202 (303) 999-4016

4. LOCATION OF WELL COUNTY: **UINTAH**
FOOTAGES AT SURFACE:

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **14 1S 2W** STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Excluded wells from</u> <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Do not process Change of Operator from Devon Energy Production Company, LP to LINN Operating, Inc. for the following wells.

- 43-013-31192 BOREN 3-11A2 Oil Well Producing BLUEBELL DUCHESNE 1S-2W Sec 11
- 43-013-51846 MIKE AND SHELLEY #4-14A2 Oil Well Approved permit (APD) BLUEBELL DUCHESNE 1S-2W Sec14
- 43-013-31299 CORNABY 2-14A2 Oil Well Producing BLUEBELL DUCHESNE 1S-2W Sec 14
- 43-013-30035 FLY/DIA L BOREN 1-14A2 Oil Well Shut-In BLUEBELL DUCHESNE 1S-2W Sec 14

The Devon transaction to Linn Energy allowed EP Energy to exercise their preferential right to purchase the leases and wells in Sections 11 and 14 of T1S, 2W so EP Energy now owns these wells.

NAME (PLEASE PRINT) Debbie Chan TITLE Reg. Compliance Supervisor
SIGNATURE  DATE 9/23/2014

(This space for State use only)

RECEIVED
SEP 23 2014
Div. of Oil, Gas & Mining

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

AUG 19 2014

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

BLM

5. Lease Serial No.
1420H626304

6. If Indian, Allottee or Tribe Name
UINTAH AND OURAY

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. LC TRIBAL 1H-33-46	
2. Name of Operator BILL BARRETT CORPORATION		9. API Well No. 43-013-51257-00-X1	
3a. Address 1099 18TH STREET SUITE 2300 DENVER, CO 80202		3b. Phone No. (include area code) Ph: 303-312-8597 Fx: 303-291-0420	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 33 T4S R6W NWNW 559FNL 570FWL 40.095350 N Lat, 110.575158 W Lon		10. Field and Pool, or Exploratory ALTAMONT	
		11. County or Parish, and State DUCHESNE COUNTY, UT	

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change to Original APD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

BBC is submitting this sundry to request a two year extension from the date the existing APD expires of 10/22/2014

APD Appr: 10/23/12
NEPA: 2013-007

VERNAL FIELD OFFICE
ENG. <u>RPM 9/15/14</u>
GEOL. _____
E.S. _____
PET. _____
RECI _____

CONDITIONS OF APPROVAL ATTACHED

RECEIVED

SEP 29 2014

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #267521 verified by the BLM Well Information System For BILL BARRETT CORPORATION, sent to the Vernal Committed to AFMSS for processing by JOHNETTA MAGEE on 08/28/2014 (14JM1435SE)

Name (Printed/Typed) CHRISTINA HIRTLER	Title PERMIT ANALYST
Signature (Electronic Submission)	Date 08/19/2014

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <u>[Signature]</u>	Assistant Field Manager Lands & Mineral Resources	SEP 17 2014
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	VERNAL FIELD OFFICE	
	Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED

UDOGM

CONDITIONS OF APPROVAL

Bill Barrett Corporation

Notice of Intent APD Extension

Lease: 1420H626304
Well: LC Tribal 1H-33-46
Location: NWNW Sec 33-T4S-R6W

An extension for the referenced APD is granted with the following conditions:

1. The extension and APD shall expire on 10/23/2016.
2. No other extensions shall be granted.

If you have any other questions concerning this matter, please contact Robin L Hansen of this office at (435) 781-2777

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
5. LEASE DESIGNATION AND SERIAL NUMBER: 1420H626304	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: LC TRIBAL 1H-33-46
2. NAME OF OPERATOR: BILL BARRETT CORP	9. API NUMBER: 43013512570000
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300 , Denver, CO, 80202	PHONE NUMBER: 303 312-8134 Ext
9. FIELD and POOL or WILDCAT: ALTAMONT	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0559 FNL 0570 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 33 Township: 04.0S Range: 06.0W Meridian: U	
COUNTY: DUCHESNE	
STATE: UTAH	

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 4/9/2015	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

BBC hereby requests a one year extension for APD

Approved by the
Feb Davis, 2015
Oil, Gas and Mining

Date: _____

By: 

NAME (PLEASE PRINT) Christina Hirtler	PHONE NUMBER 303 312-8597	TITLE Administrative Assistant
SIGNATURE N/A	DATE 2/11/2015	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013512570000

API: 43013512570000

Well Name: LC TRIBAL 1H-33-46

Location: 0559 FNL 0570 FWL QTR NWNW SEC 33 TWNP 040S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 4/9/2012

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No

- Has the approved source of water for drilling changed? Yes No

- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

- Is bonding still in place, which covers this proposed well? Yes No

Signature: Christina Hirtler

Date: 2/11/2015

Title: Administrative Assistant Representing: BILL BARRETT CORP

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9 5.LEASE DESIGNATION AND SERIAL NUMBER: 1420H626304
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
1. TYPE OF WELL Oil Well		7.UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: BILL BARRETT CORP		8. WELL NAME and NUMBER: LC TRIBAL 1H-33-46
3. ADDRESS OF OPERATOR: 1099 18th Street Ste 2300 , Denver, CO, 80202		9. API NUMBER: 43013512570000
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0559 FNL 0570 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 33 Township: 04.0S Range: 06.0W Meridian: U		9. FIELD and POOL or WILDCAT: ALTAMONT
		COUNTY: DUCHESNE
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 4/9/2017	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input checked="" type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 BBC is hereby requesting a one year extension for this APD until 4/9/2017

Approved by the
Feb 01, 2016
Oil, Gas and Mining

Date: _____
By: Brady Riley

NAME (PLEASE PRINT) Brady Riley	PHONE NUMBER 303 312-8115	TITLE Permit Analyst
SIGNATURE N/A	DATE 2/1/2016	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43013512570000

API: 43013512570000

Well Name: LC TRIBAL 1H-33-46

Location: 0559 FNL 0570 FWL QTR NWNW SEC 33 TWNP 040S RNG 060W MER U

Company Permit Issued to: BILL BARRETT CORP

Date Original Permit Issued: 4/9/2012

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

- If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
- Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
- Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
- Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
- Has the approved source of water for drilling changed? Yes No
- Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
- Is bonding still in place, which covers this proposed well? Yes No

Signature: Brady Riley

Date: 2/1/2016

Title: Permit Analyst Representing: BILL BARRETT CORP

Division of Oil, Gas and Mining
 Operator Change/Name Change Worksheet-for State use only

Effective Date: 11/1/2016

FORMER OPERATOR:	NEW OPERATOR:
Bill Barrett Corporation 1099 18th Street, Suite 2300 Denver, CO 80202	Rig II, LLC 1582 West 2600 South Woods Cross, UT 84087
CA Number(s):	Unit(s):

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 10/21/2016
- Sundry or legal documentation was received from the **NEW** operator on: 10/21/2016
- New operator Division of Corporations Business Number: 8256968-0160

REVIEW:

- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
- Receipt of Acceptance of Drilling Procedures for APD on: 10/21/2016
- Reports current for Production/Disposition & Sundries: 11/2/2016
- OPS/SI/TA well(s) reviewed for full cost bonding: 11/3/2016
- UIC5 on all disposal/injection/storage well(s) approved on: 11/3/2016
- Surface Facility(s) included in operator change: None
- Inspections of PA state/fee well sites complete on (only upon operators request): 11/3/2016

NEW OPERATOR BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000712
- Indian well(s) covered by Bond Number: LPM 922467
- State/fee well(s) covered by Bond Number(s): 9219529

DATA ENTRY:

- Well(s) update in the **OGIS** on: 11/7/2016
- Entity Number(s) updated in **OGIS** on: 11/7/2016
- Unit(s) operator number update in **OGIS** on: N/A
- Surface Facilities update in **OGIS** on: N/A
- State/Fee well(s) attached to bond(s) in **RBDMS** on: 11/7/2016
- Surface Facilities update in **RBDMS** on: N/A

COMMENTS:

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral	Surface	Type	Status
SWD 9-36 BTR	9	030S	060W	4301350646	18077	Indian	Fee	WD	A
16-6D-46 BTR SWD	6	040S	060W	4301350781	18327	Indian	Fee	WD	A
6-32-36 BTR SWD	32	030S	060W	4301350921	18329	Indian	Fee	WD	A
LC TRIBAL 8-26D-47	26	040S	070W	4301334024		Indian	Indian	OW	APD
16-21D-37 BTR	21	030S	070W	4301350758		Indian	Fee	OW	APD
14-11D-37 BTR	11	030S	070W	4301350862		Indian	Fee	OW	APD
7-17D-46 BTR	17	040S	060W	4301350883		Indian	Indian	OW	APD
14-12D-37 BTR	12	030S	070W	4301350894		Indian	Fee	OW	APD
1-18D-36 BTR	18	030S	060W	4301350922		Indian	Fee	OW	APD
13-2D-45 BTR	2	040S	050W	4301350931		Indian	Indian	OW	APD
5H-16-46 BTR	16	040S	060W	4301350992		Indian	Indian	OW	APD
9H-17-45 BTR	17	040S	050W	4301351098		Indian	Indian	OW	APD
13H-8-46 BTR UB	8	040S	060W	4301351124		Indian	Indian	OW	APD
8H-9-46 BTR	9	040S	060W	4301351140		Indian	Indian	OW	APD
LC TRIBAL 7-31D-37	31	030S	070W	4301351147		Indian	Fee	OW	APD
14-16D-45 BTR	16	040S	050W	4301351178		Indian	Indian	OW	APD
16-19D-37 BTR	19	030S	070W	4301351179		Indian	Fee	OW	APD
6-2D-45 BTR	2	040S	050W	4301351234		Indian	Indian	OW	APD
2-2D-45 BTR	2	040S	050W	4301351235		Indian	Indian	OW	APD
10-26-35 BTR	26	030S	050W	4301351248		Indian	Fee	OW	APD
LC TRIBAL 1H-33-46	33	040S	060W	4301351257		Indian	Fee	OW	APD
LC TRIBAL 9-25D-46	25	040S	060W	4301351276		Indian	Indian	OW	APD
LC TRIBAL 8H-30-45	30	040S	050W	4301351277		Indian	Indian	OW	APD
LC TRIBAL 16H-30-45	30	040S	050W	4301351279		Indian	Indian	OW	APD
LC TRIBAL 13-30D-45	30	040S	050W	4301351282		Indian	Indian	OW	APD
LC TRIBAL 16H-36-46	36	040S	060W	4301351291		Indian	Indian	OW	APD
LC TRIBAL 13H-30-46	30	040S	060W	4301351321		Indian	Indian	OW	APD
LC TRIBAL 13H-31-46	31	040S	060W	4301351326		Indian	Indian	OW	APD
LC TRIBAL 16-31D-46	31	040S	060W	4301351328		Indian	Indian	OW	APD
LC TRIBAL 5H-26-47	26	040S	070W	4301351337		Indian	Indian	OW	APD
LC TRIBAL 5H-19-45	20	040S	050W	4301351349		Indian	Indian	OW	APD
LC TRIBAL 16-36D-47	36	040S	070W	4301351363		Indian	Indian	OW	APD
15-4D-47 BTR	4	040S	070W	4301351377		Indian	Fee	OW	APD
16-23D-46 LC TRIBAL	23	040S	060W	4301351396		Indian	Fee	OW	APD
15-2D-36 BTR	2	030S	060W	4301351419		Indian	Fee	OW	APD
16-23D-37 BTR	23	030S	070W	4301351420		Indian	Fee	OW	APD
11-9D-47 BTR	9	040S	070W	4301351422		Indian	Fee	OW	APD
15-13D-47 BTR	13	040S	070W	4301351424		Indian	Indian	OW	APD
LC TRIBAL 15-19D-46	19	040S	060W	4301351426		Indian	Indian	OW	APD
16-13D-45 BTR	13	040S	050W	4301351428		Indian	Indian	OW	APD

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

14-12D-45 BTR	12	040S	050W	4301351444		Indian	Indian	OW	APD
16-14D-45 BTR	14	040S	050W	4301351445		Indian	Indian	OW	APD
5-13D-45 BTR	13	040S	050W	4301351446		Indian	Indian	OW	APD
LC TRIBAL 16-26D-46	26	040S	060W	4301351450		Indian	State	OW	APD
LC TRIBAL 16-34D-46	34	040S	060W	4301351451		Indian	State	OW	APD
16-12D-45 BTR	12	040S	050W	4301351452		Indian	Indian	OW	APD
8-12D-45 BTR	12	040S	050W	4301351453		Indian	Indian	OW	APD
LC TRIBAL 1-35D-46	35	040S	060W	4301351454		Indian	Fee	OW	APD
16-25D-37 BTR	25	030S	070W	4301351455		Indian	Fee	OW	APD
LC TRIBAL 13H-29-46	28	040S	060W	4301351462		Indian	Fee	OW	APD
LC TRIBAL 14-30D-37	30	030S	070W	4301351494		Indian	Fee	OW	APD
7-13D-45 BTR	13	040S	050W	4301351497		Indian	Indian	OW	APD
LC TRIBAL 4H-35-46	35	040S	060W	4301351515		Indian	Fee	OW	APD
LC TRIBAL 13H-19-46	19	040S	060W	4301351543		Indian	Indian	OW	APD
16-26D-37 BTR	26	030S	070W	4301351598		Indian	Fee	OW	APD
LC TRIBAL 16-31D-37	31	030S	070W	4301351610		Indian	Fee	OW	APD
5-4-35 BTR	4	030S	050W	4301351613		Indian	Fee	OW	APD
LC TRIBAL 16-31D-47	31	040S	070W	4301351616		Indian	Indian	OW	APD
LC TRIBAL 13H-31-47	31	040S	070W	4301351617		Indian	Indian	OW	APD
LC TRIBAL 13-32D-47	32	040S	070W	4301351619		Indian	Indian	OW	APD
LC TRIBAL 16H-32-47	32	040S	070W	4301351620		Indian	Indian	OW	APD
LC TRIBAL 1-32D-47	32	040S	070W	4301351624		Indian	Indian	OW	APD
LC TRIBAL 4H-32-47	32	040S	070W	4301351625		Indian	Indian	OW	APD
LC TRIBAL 13-28D-47	28	040S	070W	4301351627		Indian	Indian	OW	APD
LC TRIBAL 13H-29-47	28	040S	070W	4301351628		Indian	Indian	OW	APD
LC TRIBAL 16H-28-47	28	040S	070W	4301351629		Indian	Indian	OW	APD
LC TRIBAL 1-28D-47	28	040S	070W	4301351639		Indian	Indian	OW	APD
LC TRIBAL 1H-27-47	28	040S	070W	4301351640		Indian	Indian	OW	APD
LC TRIBAL 4H-28-47	28	040S	070W	4301351641		Indian	Indian	OW	APD
LC TRIBAL 7-25D-58	25	050S	080W	4301351643		Indian	Indian	OW	APD
LC TRIBAL 6-25D-58	25	050S	080W	4301351644		Indian	Indian	OW	APD
LC TRIBAL 13H-24-58	24	050S	080W	4301351645		Indian	Indian	OW	APD
LC TRIBAL 16-24D-58	24	050S	080W	4301351646		Indian	Indian	OW	APD
LC Tribal 8-23D-46	23	040S	060W	4301351654		Indian	Fee	OW	APD
LC Tribal 16-35D-45	35	040S	050W	4301351656		Indian	Fee	OW	APD
LC Tribal 13H-35-45	35	040S	050W	4301351657		Indian	Fee	OW	APD
LC Tribal 16-36D-45	36	040S	050W	4301351658		Indian	Fee	OW	APD
LC Tribal 13H-36-45	36	040S	050W	4301351659		Indian	Fee	OW	APD
LC Tribal 5-36D-45	36	040S	050W	4301351661		Indian	Fee	OW	APD
LC Tribal 8-26D-46	26	040S	060W	4301351663		Indian	Fee	OW	APD
3-29D-36 BTR	29	030S	060W	4301351665		Indian	Fee	OW	APD

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

LC Tribal 5-35D-45	35	040S	050W	4301351666	Indian	Fee	OW	APD
LC Tribal 5-24D-46	24	040S	060W	4301351668	Indian	Indian	OW	APD
LC TRIBAL 6-12D-58	12	050S	080W	4301351696	Indian	Indian	OW	APD
LC TRIBAL 8-12D-58	12	050S	080W	4301351697	Indian	Indian	OW	APD
LC TRIBAL 16H-22-47	21	040S	070W	4301351700	Indian	Indian	OW	APD
5-25D-37 BTR	25	030S	070W	4301351803	Indian	Fee	OW	APD
8-3D-36 BTR	3	030S	060W	4301351804	Indian	Fee	OW	APD
14-26D-37 BTR	26	030S	070W	4301351805	Indian	Fee	OW	APD
9-4-35 BTR	4	030S	050W	4301351806	Indian	Fee	OW	APD
11-4D-35 BTR	4	030S	050W	4301351807	Indian	Fee	OW	APD
16-27D-37 BTR	27	030S	070W	4301351808	Indian	Fee	OW	APD
14-27D-37 BTR	27	030S	070W	4301351809	Indian	Fee	OW	APD
14-16D-46 BTR	16	040S	060W	4301351812	Indian	Indian	OW	APD
LC Tribal 16-35D-48	35	040S	080W	4301351847	Indian	Indian	OW	APD
LC Tribal 13H-35-48	35	040S	080W	4301351848	Indian	Indian	OW	APD
LC Tribal 13-2D-58	11	050S	080W	4301351850	Indian	Indian	OW	APD
5-13D-36 BTR	13	030S	060W	4301351862	Indian	Fee	OW	APD
5-8D-36 BTR	8	030S	060W	4301351871	Indian	Fee	OW	APD
16-1D-36 BTR	1	030S	060W	4301351872	Indian	Fee	OW	APD
8-18D-46 BTR	18	040S	060W	4301351897	Indian	Fee	OW	APD
LC Tribal 5-36D-46	36	040S	060W	4301351905	Indian	Indian	OW	APD
LC Tribal 5-26D-45	26	040S	050W	4301351907	Indian	Indian	OW	APD
14-13D-45 BTR	13	040S	050W	4301351974	Indian	Indian	OW	APD
14-34D-46 DLB	34	040S	060W	4301351975	Indian	Fee	OW	APD
LC Tribal 5-21D-45	21	040S	050W	4301352001	Indian	Indian	OW	APD
LC Tribal 8-22D-45	22	040S	050W	4301352002	Indian	Indian	OW	APD
LC Tribal 8-25D-45	25	040S	050W	4301352007	Indian	Indian	OW	APD
LC Tribal 16-25D-45	25	040S	050W	4301352008	Indian	Indian	OW	APD
LC Tribal 16-22D-45	22	040S	050W	4301352009	Indian	Indian	OW	APD
LC Tribal 16-26D-45	26	040S	050W	4301352010	Indian	Indian	OW	APD
LC Tribal 14-31D-37	31	030S	070W	4301352016	Indian	Fee	OW	APD
5-12D-45 BTR	12	040S	050W	4301352030	Indian	Indian	OW	APD
LC Tribal 9-20D-45	20	040S	050W	4301352031	Indian	Indian	OW	APD
LC Tribal 13-35D-47	35	040S	070W	4301352055	Indian	Indian	OW	APD
LC Tribal 1-23D-47	23	040S	070W	4301352057	Indian	Indian	OW	APD
9-17D-46 BTR	17	040S	060W	4301352059	Indian	Indian	OW	APD
11-18D-46 BTR	18	040S	060W	4301352060	Indian	Indian	OW	APD
9-10D-47 BTR	10	040S	070W	4301352092	Indian	Fee	OW	APD
LC Tribal 1-17D-47	17	040S	070W	4301352096	Indian	Fee	OW	APD
7-35D-37 BTR	35	030S	070W	4301352115	Indian	Fee	OW	APD
14-25D-37 BTR	25	030S	070W	4301352116	Indian	Fee	OW	APD

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

LC Tribal 5-25-46	25	040S	060W	4301352126		Indian	Indian	OW	APD
8-33D-35 BTR	33	030S	050W	4301352161		Indian	Fee	OW	APD
5-4D-36 BTR	4	030S	060W	4301352175		Indian	Fee	OW	APD
7-4D-36 BTR	4	030S	060W	4301352176		Indian	Fee	OW	APD
LC Tribal 4-36D-47	36	040S	070W	4301352186		Indian	Indian	OW	APD
LC Tribal 4-22D-46	22	040S	060W	4301352944		Indian	Indian	OW	APD
LC Tribal 16-22D-46	22	040S	060W	4301352945		Indian	Indian	OW	APD
LC Tribal 11-19D-46	19	040S	060W	4301352946		Indian	Indian	OW	APD
LC Tribal 7-20D-45	20	040S	050W	4301352947		Indian	Indian	OW	APD
15-11D-35 BTR	11	030S	050W	4301353056		Indian	Fee	OW	APD
13-11D-35 BTR	11	030S	050W	4301353057		Indian	Fee	OW	APD
BTR 16-36D-37	36	030S	070W	4301353059		Indian	Fee	OW	APD
4-29D-35 BTR	30	030S	050W	4301353060		Indian	Fee	OW	APD
1-30D-35 BTR	30	030S	050W	4301353061		Fee	Fee	OW	APD
LC TRIBAL 3-23D-46	23	040S	060W	4301353066		Indian	State	OW	APD
LC Tribal 14-23D-46	23	040S	060W	4301353067		Indian	State	OW	APD
LC Tribal 13-25D-46	25	040S	060W	4301353068		Indian	Indian	OW	APD
LC Tribal 14-26D-46	26	040S	060W	4301353069		Indian	State	OW	APD
LC Tribal 5-26D-46	26	040S	060W	4301353070		Indian	State	OW	APD
LC Tribal 11-35D-45	35	040S	050W	4301353071		Indian	State	OW	APD
LC Tribal 7-35D-45	35	040S	050W	4301353072		Indian	State	OW	APD
LC Tribal 3-35D-45	35	040S	050W	4301353075		Indian	State	OW	APD
LC Tribal 14-36D-45	36	040S	050W	4301353076		Indian	State	OW	APD
LC Tribal 13-36D-45	36	040S	050W	4301353077		Indian	State	OW	APD
LC Tribal 10-36D-45	36	040S	050W	4301353078		Indian	State	OW	APD
LC Tribal 8-36D-45	36	040S	050W	4301353079		Indian	State	OW	APD
LC Tribal 6-36D-45	36	040S	050W	4301353080		Indian	State	OW	APD
LC Tribal 1-34D-46	34	040S	060W	4301353081		Indian	State	OW	APD
LC Tribal 9-27D-46	27	040S	060W	4301353082		Indian	State	OW	APD
LC Tribal 13-35D-45	35	040S	050W	4301353083		Indian	State	OW	APD
LC Tribal 8-35D-45	35	040S	050W	4301353084		Indian	State	OW	APD
LC Tribal 15-35D-45	35	040S	050W	4301353085		Indian	State	OW	APD
LC Tribal 12-25D-45	25	040S	050W	4301353122		Indian	Indian	OW	APD
LC Tribal 14-25D-45	25	040S	050W	4301353123		Indian	Indian	OW	APD
LC Tribal 10-25D-45	25	040S	050W	4301353124		Indian	Indian	OW	APD
LC Tribal 11-26-45	26	040S	050W	4301353125		Indian	Indian	OW	APD
LC Tribal 13-26D-45	26	040S	050W	4301353126		Indian	Indian	OW	APD
LC Tribal 7-31D-46	31	040S	060W	4301353127		Indian	Indian	OW	APD
LC Tribal 7-19D-45	19	040S	050W	4301353128		Indian	Indian	OW	APD
LC Tribal 5-19D-45	19	040S	050W	4301353130		Indian	Indian	OW	APD
LC Tribal 7-25D-46	25	040S	060W	4301353132		Indian	Indian	OW	APD

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

LC Tribal 7-24D-46	24	040S	060W	4301353134		Indian	Indian	OW	APD
LC Tribal 14-31D-46	31	040S	060W	4301353135		Indian	Indian	OW	APD
LC Tribal 14-30D-46	30	040S	060W	4301353136		Indian	Indian	OW	APD
13-4-35 BTR SWD	4	030S	050W	4301353293		Fee	Fee	OW	APD
LC FEE 14-26D-47	26	040S	070W	4301353294		Fee	Indian	OW	APD
LC Fee 5-25D-47	25	040S	070W	4301353295		Fee	Indian	OW	APD
7-35-46 LC SWD	35	040S	060W	4301353296		Fee	Fee	OW	APD
LC Fee 1H-33-47	32	040S	070W	4301353309		Fee	Indian	OW	APD
LC FEE 14-2D-58	2	050S	080W	4301353312		Fee	Indian	OW	APD
LC FEE 13H-21-47	21	040S	070W	4301353313		Fee	Indian	OW	APD
LC Fee 16-21D-47	21	040S	070W	4301353326		Fee	Indian	OW	APD
16-7D-46 BTR	7	040S	060W	4301353328		Fee	Indian	OW	APD
LC Fee 15-26D-47	26	040S	070W	4301353331		Fee	Indian	OW	APD
LC Fee 4-24D-47	23	040S	070W	4301353332		Fee	Indian	OW	APD
LC Fee 5-34D-47	34	040S	070W	4301353333		Fee	Indian	OW	APD
LC Fee 5-35D-47	35	040S	070W	4301353334		Fee	Indian	OW	APD
13-34D-47 LC Fee	34	040S	070W	4301353337		Fee	Indian	OW	APD
14-35D-35 BTR	35	030S	050W	4301352120		Fee	Fee	OW	DRL
6-17D-46 BTR	17	040S	060W	4301351078		Indian	Indian	OW	OPS
5-34D-35 BTR	34	030S	050W	4301351187		Indian	Fee	OW	OPS
5-10D-45 BTR	10	040S	050W	4301351221		Indian	Indian	OW	OPS
5-3D-45 BTR	3	040S	050W	4301351810		Indian	Indian	OW	OPS
9-34D-35 BTR	34	030S	050W	4301352117		Fee	Fee	OW	OPS
5-35D-35 BTR	35	030S	050W	4301352118		Fee	Fee	OW	OPS
1-2D-46 BTR	2	040S	060W	4301353086		Indian	Fee	OW	OPS
7-21-46 DLB	21	040S	060W	4301333567	16526	Indian	Indian	OW	P
LC TRIBAL 1H-27-46	27	040S	060W	4301333568	18175	Indian	Fee	GW	P
7-29-46 DLB	29	040S	060W	4301333584	17603	Indian	Fee	GW	P
LC TRIBAL 12H-28-46	28	040S	060W	4301333631	18132	Indian	Indian	GW	P
LC TRIBAL 13H-21-46	21	040S	060W	4301333632	18107	Indian	Indian	GW	P
12-36-36 BTR	36	030S	060W	4301333638	16336	Indian	Fee	GW	P
5-5-46 BTR	5	040S	060W	4301333639	16542	Indian	Fee	OW	P
5-23-36 BTR	23	030S	060W	4301333642	16675	Indian	Fee	GW	P
14-29-36 BTR	29	030S	060W	4301333643	16725	Indian	Fee	OW	P
14-30-36 BTR	30	030S	060W	4301333644	16701	Indian	Fee	GW	P
7-20-46 DLB	20	040S	060W	4301333657	16584	Indian	Indian	OW	P
LC TRIBAL 5-21D-46	21	040S	060W	4301333658	18887	Indian	Indian	OW	P
5-20-46 DLB	20	040S	060W	4301333659	18750	Indian	Indian	GW	P
LC TRIBAL 13H-20-46	20	040S	060W	4301333678	17979	Indian	Indian	GW	P
14-7-46 BTR	7	040S	060W	4301333806	16890	Indian	Indian	GW	P
7-8-45 BTR	8	040S	050W	4301333820	16974	Indian	Indian	OW	P

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

1-5-45 BTR	5	040S	050W	4301333868	16931	Indian	Indian	OW	P
5-16-36 BTR	16	030S	060W	4301333970	17195	Indian	Fee	OW	P
5-29-36 BTR	29	030S	060W	4301333972	17557	Indian	Fee	OW	P
4-30-36 BTR	30	030S	060W	4301333973	17249	Indian	Fee	OW	P
7-19-46 DLB	19	040S	060W	4301334004	19018	Indian	Indian	OW	P
5-25-36 BTR	25	030S	060W	4301334021	17126	Fee	Fee	OW	P
5-4-45 BTR	4	040S	050W	4301334089	17507	Indian	Indian	OW	P
13-2-46 BTR	2	040S	060W	4301334090	18618	Indian	Indian	OW	P
2-3-45 BTR	3	040S	050W	4301334099	17932	Indian	Indian	OW	P
7-6-45 BTR	6	040S	050W	4301334100	17653	Indian	Indian	OW	P
1-9-45 BTR	9	040S	050W	4301334101	17910	Indian	Indian	OW	P
8-10-45 BTR	10	040S	050W	4301334102	17530	Indian	Indian	OW	P
7-17-45 BTR	17	040S	050W	4301334104	17933	Indian	Indian	OW	P
16-7-45 BTR	7	040S	050W	4301334111	17665	Indian	Indian	OW	P
15-18-45 BTR	18	040S	050W	4301334112	17832	Indian	Indian	OW	P
6-12-46 BTR	12	040S	060W	4301334114	17964	Indian	Indian	OW	P
5-13-46 BTR	13	040S	060W	4301334115	17833	Indian	Indian	OW	P
16-26-36 BTR	26	030S	060W	4301334132	18028	Indian	Fee	OW	P
1-23-36 BTR	23	030S	060W	4301334136	17722	Indian	Fee	OW	P
15-10-36 BTR	10	030S	060W	4301334277	17419	Indian	Fee	OW	P
14-5-46 BTR	5	040S	060W	4301350307	17624	Fee	Fee	OW	P
14X-22-46 DLB	22	040S	060W	4301350351	17604	Indian	Indian	OW	P
16-13-36 BTR	13	030S	060W	4301350372	17853	Indian	Fee	OW	P
5-33-46 DLB	33	040S	060W	4301350397	17765	Indian	Fee	OW	P
5-34-46 DLB	34	040S	060W	4301350415	17801	Indian	State	GW	P
LC FEE 12H-32-46	32	040S	060W	4301350431	18003	Fee	Fee	OW	P
1-13D-47 BTR	13	040S	070W	4301350445	18205	Indian	Fee	OW	P
16-8D-45 BTR	8	040S	050W	4301350466	18799	Indian	Indian	OW	P
7-13D-46 BTR	13	040S	060W	4301350470	18076	Indian	Indian	OW	P
14-8D-45 BTR	8	040S	050W	4301350567	18207	Indian	Indian	OW	P
14-5D-45 BTR	5	040S	050W	4301350568	18108	Indian	Indian	OW	P
16-31D-36 BTR	31	030S	060W	4301350573	18004	Indian	Fee	OW	P
5-7D-46 BTR	7	040S	060W	4301350574	18176	Indian	Indian	OW	P
LC TRIBAL 13H-33-46	34	040S	060W	4301350575	18223	Indian	State	OW	P
5-8-45 BTR	8	040S	050W	4301350607	18279	Indian	Indian	OW	P
16-6D-45 BTR	6	040S	050W	4301350610	18177	Indian	Indian	OW	P
5-18D-45 BTR	18	040S	050W	4301350611	18300	Indian	Indian	OW	P
7-26-37 BTR	26	030S	070W	4301350641	18131	Indian	Fee	OW	P
3-11D-36 BTR	11	030S	060W	4301350642	18299	Indian	Fee	OW	P
16-1D-46 BTR	1	040S	060W	4301350675	18525	Indian	Indian	OW	P
14-3-45 BTR	3	040S	050W	4301350676	18363	Indian	Indian	OW	P

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

4-17D-45 BTR	17	040S	050W	4301350687	18517	Indian	Indian	OW	P
5-6D-45 BTR	6	040S	050W	4301350688	18726	Indian	Indian	OW	P
7-7D-45 BTR	7	040S	050W	4301350689	18380	Indian	Indian	OW	P
14-10D-45 BTR	10	040S	050W	4301350754	18447	Indian	Indian	OW	P
14-9D-45 BTR	9	040S	050W	4301350755	18379	Indian	Indian	OW	P
13-16D-36 BTR	16	030S	060W	4301350757	18206	Indian	State	OW	P
5-9D-36 BTR	9	030S	060W	4301350843	18381	Indian	Fee	OW	P
16-5D-46 BTR	5	040S	060W	4301350844	18280	Fee	Fee	OW	P
5-27D-37 BTR	27	030S	070W	4301350847	18526	Indian	Fee	OW	P
7-4D-45 BTR	4	040S	050W	4301350884	18562	Indian	Indian	OW	P
2-16D-45 BTR	16	040S	050W	4301350899	18619	Indian	Indian	OW	P
16-10D-45 BTR	10	040S	050W	4301350902	18725	Indian	Indian	OW	P
5-2D-36 BTR	2	030S	060W	4301350913	18886	Indian	Fee	OW	P
13H-27-36 BTR	27	030S	060W	4301350918	18445	Indian	State	OW	P
8-16D-46 BTR	16	040S	060W	4301350953	19027	Indian	Indian	OW	P
16-16D-46 BTR	16	040S	060W	4301350956	19028	Indian	Indian	OW	P
16-9D-45 BTR	9	040S	050W	4301350962	18662	Indian	Indian	OW	P
14-31D-36 BTR	31	030S	060W	4301350973	18524	Indian	Fee	OW	P
5-10D-36 BTR	10	030S	060W	4301350978	18989	Indian	Fee	OW	P
1-32D-36 BTR	32	030S	060W	4301350979	18648	Indian	Fee	OW	P
16-12D-36 BTR	12	030S	060W	4301350980	18748	Indian	Fee	OW	P
2-18D-45 BTR	18	040S	050W	4301350991	18776	Indian	Indian	OW	P
3-1-46 BTR	1	040S	060W	4301351017	18777	Indian	Fee	OW	P
10-5-45 BTR	5	040S	050W	4301351062	18724	Indian	Indian	OW	P
12-4D-45 BTR	4	040S	050W	4301351063	18813	Indian	Indian	OW	P
1-10D-45 BTR	10	040S	050W	4301351064	18966	Indian	Indian	OW	P
16-2D-46 BTR	2	040S	060W	4301351079	18830	Indian	Indian	OW	P
9H-4-45 BTR	4	040S	050W	4301351092	18814	Indian	Indian	OW	P
12-17-45 BTR	17	040S	050W	4301351097	18984	Indian	Indian	OW	P
5-9D-46 BTR	9	040S	060W	4301351109	19313	Indian	Fee	OW	P
14-9D-36 BTR	9	030S	060W	4301351144	19004	Indian	Fee	OW	P
5-31D-36 BTR	31	030S	060W	4301351146	18691	Indian	Fee	OW	P
4-9D-45 BTR	9	040S	050W	4301351157	18883	Indian	Indian	OW	P
8-12D-46 BTR	12	040S	060W	4301351159	18911	Indian	Indian	OW	P
LC TRIBAL 16-23D-47	23	040S	070W	4301351180	18617	Indian	Indian	OW	P
14-7D-45 BTR	7	040S	050W	4301351222	18949	Indian	Indian	OW	P
5-16D-45 BTR	16	040S	050W	4301351223	18987	Indian	Indian	OW	P
4-5D-45 BTR	5	040S	050W	4301351242	18882	Indian	Indian	OW	P
LC TRIBAL 16H-19-45	19	040S	050W	4301351278	18627	Indian	Indian	OW	P
LC TRIBAL 13-19D-45	19	040S	050W	4301351280	18628	Indian	Indian	OW	P
LC TRIBAL 5-30D-45	30	040S	050W	4301351281	19448	Indian	Indian	OW	P

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

LC TRIBAL 15-24D-46	24	040S	060W	4301351283	18626	Indian	Indian	OW	P
LC TRIBAL 13H-24-46	19	040S	050W	4301351289	18629	Indian	Indian	OW	P
7-16-47 BTR	16	040S	070W	4301351296	18950	Indian	Fee	OW	P
14-18D-45 BTR	18	040S	050W	4301351313	19005	Indian	Indian	OW	P
LC TRIBAL 16-30D-46	30	040S	060W	4301351320	19006	Indian	Indian	OW	P
LC TRIBAL 5-20D-45	20	040S	050W	4301351331	19449	Indian	Indian	OW	P
11-8D-46 BTR	8	040S	060W	4301351336	19314	Indian	Indian	OW	P
5-7D-45 BTR	7	040S	050W	4301351350	18951	Indian	Indian	OW	P
7-5-35 BTR	5	030S	050W	4301351599	19078	Indian	Fee	OW	P
13-5D-35 BTR	5	030S	050W	4301351600	18996	Indian	Fee	OW	P
11-5D-35 BTR	5	030S	050W	4301351601	19061	Fee	Fee	OW	P
15-5D-35 BTR	5	030S	050W	4301351602	19062	Fee	Fee	OW	P
9-5D-35 BTR	5	030S	050W	4301351609	19029	Indian	Fee	OW	P
3-5D-35 BTR	5	030S	050W	4301351638	19079	Indian	Fee	OW	P
7-8-46 BTR	8	040S	060W	4301351702	19315	Indian	Indian	OW	P
7-30-46 DLB	30	040S	060W	4301351703	18997	Fee	Indian	OW	P
3-13D-46 BTR	13	040S	060W	4301351718	18881	Indian	Indian	OW	P
2-13D-46 BTR	13	040S	060W	4301351719	18885	Indian	Indian	OW	P
12-12D-46 BTR	12	040S	060W	4301351720	18867	Indian	Indian	OW	P
10-12D-46 BTR	12	040S	060W	4301351721	18856	Indian	Indian	OW	P
11-11D-47 BTR	11	040S	070W	4301352091	19633	Fee	Fee	OW	P
7-12D-47 BTR	12	040S	070W	4301352094	19600	Indian	Fee	OW	P
5-12D-47 BTR	12	040S	070W	4301352095	19634	Indian	Fee	OW	P
14-33D-35 BTR	33	030S	050W	4301352162	19450	Indian	Fee	OW	P
16-33D-35 BTR	33	030S	050W	4301352163	19451	Indian	Fee	OW	P
14-22-46 DLB	22	040S	060W	4301333660	17604	Indian	Indian	D	PA
13H-31-36 BTR	31	030S	060W	4301350465	18485	Indian	Fee	OW	PA
16X-23D-36 BTR	23	030S	060W	4301350623	18007	Indian	State	OW	PA
8-6-45 BTR	6	040S	050W	4301350900	18561	Indian	Indian	OW	PA
13-13-36 BTR	13	030S	060W	4301350919	18364	Indian	Fee	OW	PA
7-28-46 DLB	28	040S	060W	4301333569	16460	Indian	Indian	OW	S
5-21-36 BTR	21	030S	060W	4301333641	16674	Indian	Fee	GW	S
13-26-36 BTR	26	030S	060W	4301333980	17569	Indian	Fee	OW	S
14-1-46 BTR	1	040S	060W	4301334113	18516	Indian	Indian	OW	S
16-21-36 BTR	21	030S	060W	4301334130	17721	Indian	Fee	OW	S
14-21-36 BTR	21	030S	060W	4301334131	18006	Indian	Fee	OW	S
7-16-36 BTR	16	030S	060W	4301334133	17834	Indian	Fee	OW	S
1-30-36 BTR	30	030S	060W	4301334134	17905	Indian	Fee	OW	S
16-30-36 BTR	30	030S	060W	4301334135	18005	Indian	Fee	OW	S
3-23-36 BTR	23	030S	060W	4301334137	17860	Indian	Fee	OW	S
16-16-36 BTR	16	030S	060W	4301334138	17666	Indian	Fee	OW	S

From: Bill Barrett Corporation

To: Rig II, LLC

Effective 11/1/2016

4-26-36 BTR	26	030S	060W	4301334139	17620	Fee	Fee	OW	S
9-11-36 BTR	11	030S	060W	4301334276	17451	Indian	Fee	OW	S
3-36-36 BTR	36	030S	060W	4301350398	17955	Indian	Fee	OW	S
7-10-36 BTR	10	030S	060W	4301350437	18052	Indian	Fee	OW	S
16-12D-46 BTR	12	040S	060W	4301350467	18051	Indian	Indian	OW	S
13H-13-46 BTR	13	040S	060W	4301350468	18208	Indian	Indian	OW	S
13-12-46 BTR	12	040S	060W	4301350469	18233	Indian	Indian	OW	S
14-8D-36 BTR	8	030S	060W	4301350612	18163	Indian	Fee	OW	S
14-7D-36 BTR	7	030S	060W	4301350613	18330	Indian	Fee	OW	S
16-9-36 BTR	9	030S	060W	4301350645	18078	Indian	Fee	OW	S
7-27-37 BTR	27	030S	070W	4301350647	18090	Indian	Fee	OW	S
16-12D-37 BTR	12	030S	070W	4301350785	18446	Indian	Fee	OW	S
14-21D-37 BTR	21	030S	070W	4301350859	18548	Indian	Fee	OW	S
10-18D-36 BTR	18	030S	060W	4301350915	18884	Indian	Fee	OW	S
5-27D-36	27	030S	060W	4301350917	18482	Indian	State	OW	S
10-36D-36 BTR	36	030S	060W	4301351005	18523	Indian	Fee	OW	S
14-6D-45 BTR	6	040S	050W	4301351158	18967	Indian	Indian	OW	S
5H-1-46 BTR UTELAND BUTTE	6	040S	050W	4301351215	18728	Indian	Indian	OW	S
5H-1-46 BTR WASATCH	6	040S	050W	4301351216	18727	Indian	Indian	OW	S
1-25D-36 BTR	25	030S	060W	4301351294	18798	Indian	Fee	OW	S
5-5D-35 BTR	5	030S	050W	4301351605	19055	Indian	Fee	OW	S
16-23-36 BTR	23	030S	060W	4301333971	17182	Indian	Fee	OW	TA
LC TRIBAL 14-23D-47	23	040S	070W	4301334022	18616	Indian	Indian	OW	TA
5-32D-36 BTR	32	030S	060W	4301350756	18328	Indian	Fee	OW	TA



October 20, 2016

Re: Bill Barrett Corporation Transfer to New Operator

Dear Ms. Medina:

Attached please find the change of operation Form 9, Form 5's and Request to Transfer APD form changing the operator from Bill Barrett Corporation to RIG II, LLC, effective 11/1/2016. Badlands Energy – Utah, LLC will be a sub-operator.

New Operator Contact information:

RIG II, LLC
1582 West 2600 South
Woods Cross, Utah 84087-0298
Telephone:(801) 683-4245
Fax:(801) 298-9889

Upon reviewing the attached, please contact myself with any questions at 303-312-8115.

Sincerely,

Bill Barrett Corporation

A handwritten signature in black ink that reads 'Brady Riley'.

Brady Riley
Permit Analyst

RECEIVED
OCT 21 2016
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: (see attached well list)
2. NAME OF OPERATOR: RIG II, LLC <u>N14055</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
3. ADDRESS OF OPERATOR: 1582 West 2600 South CITY Wood Cross STATE UT ZIP 84087		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (801) 683-4245		8. WELL NAME and NUMBER: (see attached well list)
4. LOCATION OF WELL FOOTAGES AT SURFACE: (see attached well list) COUNTY:		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH		10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit In Duplicate) Approximate date work will start: <u>11/1/2016</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

RIG II, LLC IS SUBMITTING THIS SUNDRY AS NOTIFICATION THAT THE WELLS LISTED ON THE ATTACHED LIST HAVE BEEN SOLD TO RIG II, LLC BY BILL BARRETT CORPORATION EFFECTIVE 11/1/2016. PLEASE REFER ALL FUTURE CORRESPONDENCE TO THE ADDRESS BELOW.

RIG II, LLC
1582 West 2600 South
Woods Cross, Utah 84087-0298
801-683-4245
(STATE/FEE BOND # 9219529/ BLM BOND # UTB000712/ BIA BOND # LPM9224670)

BILL BARRETT CORPORATION N21165
Duana Zavala NAME (PLEASE PRINT)
Duana Zavala SIGNATURE
Senior Vice President -
EH&S, Government and Regulatory Affairs

RIG II, LLC
Jesse McSwain NAME (PLEASE PRINT)
Jesse McSwain SIGNATURE
Manager

NAME (PLEASE PRINT) Jesse McSwain TITLE Manager
SIGNATURE Jesse McSwain DATE 10/20/16

(This space for State use only)

APPROVED

NOV 07 2016

DIV. OIL GAS & MINING
BY: Rachael Medina

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill


(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	(See attached list)
API number:	
Location:	Qtr-Qtr: Section: Township: Range:
Company that filed original application:	Bill Barrett Corporation
Date original permit was issued:	
Company that permit was issued to:	Bill Barrett Corporation

Check one	Desired Action:
<input type="checkbox"/>	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?	✓	
If so, has the surface agreement been updated?		✓
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		✓
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		✓
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?		✓
Has the approved source of water for drilling changed?		✓
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		✓
Is bonding still in place, which covers this proposed well? Bond No. <small>9219529-UDOGM / UTB000712-BLM / LPM9224670-BIA</small>	✓	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Jesse McSwain Title Manager
 Signature  Date 10/20/16
 Representing (company name) RIG II, LLC

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5


TRANSFER OF AUTHORITY TO INJECT

Well Name and Number 6-32-36 BTR SWD	API Number 4301350921
Location of Well Footage : 1628 FNL 1553 FWL County : DUCHENSE QQ, Section, Township, Range: SENW 32 3S 6W State : UTAH	Field or Unit Name CEDAR RIM Lease Designation and Number 2OG0005608

EFFECTIVE DATE OF TRANSFER: 11/1/2016


CURRENT OPERATOR

Company: BILL BARRETT CORPORATION
Address: 1099 18th Street Ste 2300
city DENVER state CO zip 80202
Phone: (303) 293-9100
Comments:


Name: Duane Zavadil
Signature: 
Senior Vice President -
Title: EH&S, Government and Regulatory Affairs
Date: 10/20/16

NEW OPERATOR

Company: RIG II, LLC
Address: 1582 West 2600 South
city Wood Cross state UT zip 84087
Phone: (801) 683-4245
Comments:

Name: Jesse McSwain
Signature: 
Title: Manager
Date: 10/20/16

(This space for State use only)

Transfer approved by: 
Title: VIC Geologist

Approval Date: 11/3/16

Comments:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING


UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number 16-6D-46 BTR SWD	API Number 4301350781
Location of Well Footage : 0200 FSL 0099 FEL County : DUCHESNE QQ, Section, Township, Range: SESE 6 4S 6W State : UTAH	Field or Unit Name ALTAMONT Lease Designation and Number 2OG0005608

EFFECTIVE DATE OF TRANSFER: 11/1/2016

CURRENT OPERATOR

Company: <u>BILL BARRETT CORPORATION</u>	Name: <u>Duane Zavadil</u>
Address: <u>1099 18th Street Ste 2300</u>	Signature: <u></u>
city <u>DENVER</u> state <u>CO</u> zip <u>80202</u>	Title: <u>Senior Vice President -</u>
Phone: <u>(303) 293-9100</u>	Date: <u>10/20/16</u>
Comments:	

NEW OPERATOR

Company: <u>RIG II, LLC</u>	Name: <u>Jesse McSwain</u>
Address: <u>1582 West 2600 South</u>	Signature: <u></u>
city <u>Wood Cross</u> state <u>UT</u> zip <u>84087</u>	Title: <u>Manager</u>
Phone: <u>(801) 683-4245</u>	Date: <u>10/20/16</u>
Comments:	

(This space for State use only)

Transfer approved by: 
Title: VIC

Approval Date: 11/3/16

Comments:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING


UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number SWD 9-36 BTR	API Number 4301350646
Location of Well Footage : 0539 FSL 0704 FEL County : DUCHESNE	Field or Unit Name CEDAR RIM
	Lease Designation and Number 2OG0005608
QQ, Section, Township, Range: SESE 9 3S 6W	State : UTAH

EFFECTIVE DATE OF TRANSFER: 11/1/2016

CURRENT OPERATOR

Company: <u>BILL BARRETT CORPORATION</u>	Name: <u>Duane Zavadil</u>
Address: <u>1099 18th Street Ste 2300</u>	Signature: 
city <u>DENVER</u> state <u>CO</u> zip <u>80202</u>	Title: <u>Senior Vice President - EH&S, Government and Regulatory Affairs</u>
Phone: <u>(303) 293-9100</u>	Date: <u>10/20/16</u>
Comments:	

NEW OPERATOR

Company: <u>RIG II, LLC</u>	Name: <u>Jesse McSwain</u>
Address: <u>1582 West 2600 South</u>	Signature: 
city <u>Wood Cross</u> state <u>UT</u> zip <u>84087</u>	Title: <u>Manager</u>
Phone: <u>(801) 683-4245</u>	Date: <u>10/20/16</u>
Comments:	

(This space for State use only)

Transfer approved by: _____ Approval Date: _____

Title: _____

Comments:

This well was approved by USEPA.
EPA approval will be required.