

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT

<b>APPLICATION FOR PERMIT TO DRILL</b>						<b>1. WELL NAME and NUMBER</b> Heiner Tribal 5-11D-54				
<b>2. TYPE OF WORK</b> DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/>						<b>3. FIELD OR WILDCAT</b> BRUNDAGE CANYON				
<b>4. TYPE OF WELL</b> Oil Well <input type="checkbox"/> Coalbed Methane Well: NO <input type="checkbox"/>						<b>5. UNIT or COMMUNITIZATION AGREEMENT NAME</b>				
<b>6. NAME OF OPERATOR</b> BERRY PETROLEUM COMPANY						<b>7. OPERATOR PHONE</b> 303 999-4044				
<b>8. ADDRESS OF OPERATOR</b> 4000 South 4028 West Rt 2 Box 7735, Roosevelt, UT, 84066						<b>9. OPERATOR E-MAIL</b> kao@bry.com				
<b>10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)</b> 1420H625032			<b>11. MINERAL OWNERSHIP</b> FEDERAL <input type="checkbox"/> INDIAN <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/>			<b>12. SURFACE OWNERSHIP</b> FEDERAL <input type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>				
<b>13. NAME OF SURFACE OWNER (if box 12 = 'fee')</b> Dirk Heiner						<b>14. SURFACE OWNER PHONE (if box 12 = 'fee')</b> 803-802-2959				
<b>15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')</b> 995 W 1650 N, Ogden, UT 84404						<b>16. SURFACE OWNER E-MAIL (if box 12 = 'fee')</b>				
<b>17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')</b> Ute Indian Tribe			<b>18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS</b> YES <input checked="" type="checkbox"/> (Submit Commingling Application) NO <input type="checkbox"/>			<b>19. SLANT</b> VERTICAL <input type="checkbox"/> DIRECTIONAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/>				
<b>20. LOCATION OF WELL</b>		<b>FOOTAGES</b>		<b>QTR-QTR</b>	<b>SECTION</b>	<b>TOWNSHIP</b>	<b>RANGE</b>	<b>MERIDIAN</b>		
LOCATION AT SURFACE		509 FNL 595 FWL		NWNW	11	5.0 S	4.0 W	U		
Top of Uppermost Producing Zone		1705 FNL 667 FWL		SWNW	11	5.0 S	4.0 W	U		
At Total Depth		1968 FNL 651 FWL		SWNW	11	5.0 S	4.0 W	U		
<b>21. COUNTY</b> DUCHESNE			<b>22. DISTANCE TO NEAREST LEASE LINE (Feet)</b> 509			<b>23. NUMBER OF ACRES IN DRILLING UNIT</b> 640				
<b>25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed)</b> 20			<b>26. PROPOSED DEPTH</b> MD: 7376 TVD: 7143			<b>29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE</b> 43-12400				
<b>27. ELEVATION - GROUND LEVEL</b> 6175			<b>28. BOND NUMBER</b> RLB0005647							
<b>Hole, Casing, and Cement Information</b>										
<b>String</b>	<b>Hole Size</b>	<b>Casing Size</b>	<b>Length</b>	<b>Weight</b>	<b>Grade &amp; Thread</b>	<b>Max Mud Wt.</b>	<b>Cement</b>	<b>Sacks</b>	<b>Yield</b>	<b>Weight</b>
Surf	12.25	8.625	0 - 350	24.0	J-55 ST&C	9.5	Class G	225	1.15	15.8
Prod	7.875	5.5	0 - 7376	17.0	N-80 LT&C	9.5	Type V	200	3.82	11.0
							Class G	480	1.7	13.1
<b>ATTACHMENTS</b>										
<b>VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES</b>										
<input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER					<input checked="" type="checkbox"/> COMPLETE DRILLING PLAN					
<input checked="" type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					<input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER					
<input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					<input checked="" type="checkbox"/> TOPOGRAPHICAL MAP					
<b>NAME</b> Krista Mecham				<b>TITLE</b> Regulatory Permitting Tech				<b>PHONE</b> 435 722-1325		
<b>SIGNATURE</b>				<b>DATE</b> 04/29/2013				<b>EMAIL</b> kmm@bry.com		
<b>API NUMBER ASSIGNED</b> 43013521670000				<b>APPROVAL</b>   Permit Manager						

BERRY PETROLEUM COMPANY  
 Heiner Tribal 5-11D-54  
 Section 11, T5S, R4W, U.S.B.&M.  
 Surface: 509' FNL & 595' FWL (NW/4NW/4)  
 BHL: 1968' FNL & 651' FWL (SW/4NW/4)  
 Duchesne County, Utah

ONSHORE ORDER NO. 1

DRILLING PROGRAM

**A,B Estimated Tops of Geological Markers and Formations Expected to Contain Water, Oil and Gas and Other Minerals**

FORMATION	DRILL DEPTH * @ SHL (TVD)	DRILL DEPTH* @ BHL (TVD)	Measured Depth
Uinta Fm	Surface	Surface	Surface
Green River	1405'	1385'	1412'
Green River Fouch Marker	2048'	2028'	2085'
Mahogany	2725'	2698'	2801'
Tgr3	3816'	3780'	3954'
*Douglas Creek	4598'	4558'	4780'
Black Shale	5270'	5222'	5466'
*Castle Peak	5535'	5494'	5732'
*Uteland Butte	5961'	5923'	6158'
*Wasatch	6179'	6143'	6376'
CR-4A	7129'	7093'	7326'
TD	7179'	7143'	7376'
Base of Moderate Saline Water	203'	232'	

\*PROSPECTIVE PAY

**Berry is locating the well at the proposed surface location and directionally drilling to the proposed bottom hole location. By drilling directionally, Berry Petroleum Company will improve field development efficiency by potentially combining multiple surface hole locations together. This will significantly reduce total surface disturbance plus combine the use of access roads and existing pipelines.**

**Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.**

**C Pressure Control Equipment :** (Schematic Attached)

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc. A 3M system will be utilized. The attached diagram depicts the use of an annular in conjunction with double rams. However, an annular, double rams or both may be used depending on the drilling rig contracted.

Chart recorders will be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a representative upon request.

Mud volumes will be monitored visually.  
Upper and Lower Kelly cocks will be utilized.  
A gas buster will be utilized, if necessary.

<u>Depth Intervals</u>	<u>BOP Equipment</u>
0 – 350'	No Pressure Control
350' – 7376'	11" 3000# Ram Type BOP 11" 3000# Annular BOP

**D,E Proposed Casing and Cementing Program**

<u>Purpose</u>	<u>Depth</u>	<u>Hole Size</u>	<u>Casing Size</u>	<u>Type</u>	<u>Connection</u>	<u>Weight</u>
Surface	350'	12.25"	8-5/8"	J-55	ST&C	24#
Production	7376'	7.875"	5-1/2"	N-80 or LIDA-80	LT&C	17#

<u>Surface</u>	<u>Type &amp; Amount</u>
----------------	--------------------------

0' – 350'	Approx. 225 SX Premium Class G, plus additives or a similar slurry with a minimum weight of 15.8 #/gal and approximate yield of 1.15 cuft/sx, minimum 24 hr compressive strength = 500 psi (Cement will be circulated to surface and topped off, if necessary.)
-----------	---

<u>Production</u>	<u>Type &amp; Amount</u>
-------------------	--------------------------

0' – 3500'	Lead: +/- 200 sx Premium Type V + additives or similar slurry with a minimum weight of 11.0 #/gal and approximate yield of 3.82 cuft/sx
3500' – 7376'	Tail: +/- 480 sx Premium Class G + additives or similar slurry with a minimum weight of 13.1 #/gal and approximate yield of 1.70cuft/sk.

For production casing, actual cement volumes will be determined from the caliper log plus a minimum of 15% excess.

**F Drilling Fluids Program**

Interval	Weight	Viscosity	Fluid Loss	Remarks
0' – 350'	8.4 – 9.5	27	NC	DAP Mud
350'–7376'	8.4 – 9.5	27	NC	DAP Water

**G Evaluation Program**

Logging Program:	HRI-GR-SP with SDL-DSN-PE: surface casing to TD. Preserve samples from all show intervals.
Sampling:	10' dry cut samples: Douglas Creek to TD. Preserve samples From all show intervals.
Surveys:	As deemed necessary
Mud Logger:	As deemed necessary
Drill Stem Tests:	As deemed necessary
Cores:	As deemed necessary

**H Anticipated Abnormal Pressures or Temperatures**

No abnormal temperatures or pressures or other hazards are anticipated.

Shallow gas and/or water flows are possible below surface casing.

Maximum anticipated bottom hole pressure equals approximately 3644 psi\* and maximum anticipated surface pressure equals approximately 2022\*\*psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

\*Max Mud Wt x 0.052 x TD = A (bottom hole pressure)

\*\*Maximum surface pressure = A – (0.22xTD)

**I Anticipated Starting Dates and Notification of Operations**


Drilling Activity:

Anticipated Commencement Date:	Upon approval of the APD.
Drilling Days:	Approximately 10 days.
Completion Days:	Approximately 7 days.



**T5S, R4W, U.S.B.&M.**

**BERRY PETROLEUM COMPANY**

WELL LOCATION, HEINER TRIBAL 5-11D-54, LOCATED AS SHOWN IN THE NW 1/4 NW 1/4 OF SECTION 11, T5S, R4W, U.S.B.&M. DUCHESNE COUNTY, UTAH.



- NOTES:**
- Well footages are measured at right angles to the Section Lines.
  - Bearings are based on Global Positioning Satellite observations.



THIS IS TO CERTIFY THAT THE ABOVE PROPERTY WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR  
STACY W. STEWART  
REGISTRATION NO. 01-02-13  
STATE OF UTAH


**TRI STATE LAND SURVEYING & CONSULTING**  
180 NORTH VERNAL AVE. - VERNAL, UTAH 84078  
(4-35) 781-2501

DATE SURVEYED: 12-21-12	SURVEYED BY: Q.M.
DATE DRAWN: 01-02-13	DRAWN BY: L.C.S.
REVISED:	SCALE: 1" = 1000'

<b>NAD 83 (SURFACE LOCATION)</b>	LATITUDE = 40°04'00.24" (40.066733)
	LONGITUDE = 110°18'37.41" (110.310390)
<b>NAD 27 (SURFACE LOCATION)</b>	LATITUDE = 40°04'00.38" (40.066772)
	LONGITUDE = 110°18'34.85" (110.309681)
<b>NAD 83 (BOTTOM HOLE LOCATION)</b>	LATITUDE = 40°03'45.83" (40.062731)
	LONGITUDE = 110°18'36.57" (110.310158)
<b>NAD 27 (BOTTOM HOLE LOCATION)</b>	LATITUDE = 40°03'45.97" (40.062770)
	LONGITUDE = 110°18'34.02" (110.309449)

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are base on an N.G.S. OPUS Correction. LOCATION: LAT. 39°58'55.06" LONG. 110°22'05.00" (Tristate Aluminum Cap) Elev. 7307.99'



**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Proposed Road (30' Wide R-O-W)

**HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54**

**Tri State  
Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518




**BERRY PETROLEUM COMPANY**  
HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	A.P.C.
DATE:	01-18-2013
SCALE:	1:100,000

**TOPOGRAPHIC MAP**

SHEET  
**A**



# Berry Petroleum Company

Duchesne Co., UT (UT27C)

Sec.11-T5S-R4W

Heiner Tribal 5-11D-54

Wellbore #1

Plan: Design #1

## Standard Planning Report

12 April, 2013

**CONFIDENTIAL**

# Archer




Project: Duchesne Co., UT (UT27C)  
 Site: Sec.11-T5S-R4W  
 Well: Heiner Tribal 5-11D-54  
 Wellbore: Wellbore #1  
 Design: Design #1  
 Latitude: 40° 4' 0.379 N  
 Longitude: 110° 18' 34.852 W  
 Ground Level: 6174.00  
 WELL @ 6194.00usft

# Archer

PROJECT DETAILS: Duchesne Co., UT (UT27C)	
Geodetic System:	US State Plane 1927 (Exact solution)
Datum:	NAD 1927 (NADCON CONUS)
Ellipsoid:	Clarke 1866
Zone:	Utah Central 4302
System Datum:	Mean Sea Level

REFERENCE INFORMATION	
Co-ordinate (N/E) Reference:	Well Heiner Tribal 5-11D-54, True North
Vertical (TVD) Reference:	WELL @ 6194.00usft
Section (VS) Reference:	Slot - (0.00N, 0.00E)
Measured Depth Reference:	WELL @ 6194.00usft
Calculation Method:	Minimum Curvature




WELL DETAILS: Heiner Tribal 5-11D-54						
+N/-S	+E/-W	Northing	Ground Level: Easting	6174.00	Latitude	Slot
0.00	0.00	633583.412	2333126.251	40° 4' 0.379 N	110° 18' 34.852 W	

DESIGN TARGET DETAILS						
Name	TVD	+N/-S	+E/-W	Latitude	Longitude	Shape Point
HT 5-11D-54 Tgt	7143.00	-1457.71	64.93	40° 3' 45.972 N	110° 18' 34.016 W	


SECTION DETAILS										
MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	V Sect	Annotation	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Start Build 1.50	
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	Start 2815.10 hold at 1809.11 MD	
1809.11	20.39	177.45	1780.62	-239.02	10.65	1.50	177.45	239.26	Start Drop -1.50	
4624.21	20.39	177.45	4419.38	-1218.70	54.29	0.00	0.00	1219.91	Start 1393.00 hold at 5983.32 MD	
5983.32	0.00	0.00	5750.00	-1457.72	64.93	1.50	180.00	1459.16	TD at 7376.32	
7376.32	0.00	0.00	7143.00	-1457.72	64.93	0.00	0.00	1459.16		

FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
1402.03	1412.18	Green River
2039.74	2085.55	GR Fouch Mkr
2710.60	2801.25	Mahogany
3791.71	3954.60	Tgr3
4566.71	4780.24	Douglas Creek
5234.94	5466.69	Upr. Black Shale
5499.29	5732.43	Castle Peak
5925.08	6158.41	Uteland Butte
6143.08	6376.41	Wasatch
7093.08	7326.41	CR-4A



**Azimuths to True North**  
 Magnetic North: 11.18°

**Magnetic Field**  
 Strength: 52062.4snT  
 Dip Angle: 65.72°  
 Date: 2013/04/10  
 Model: IGRF2010



**Plan: Design #1 (Heiner Tribal 5-11D-54/Wellbore #1)**

Created By: Bret Wolford Date: 11:38, April 12 2013

RECEIVED - APRIL 29, 2013



<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #1		

<b>Project</b>	Duchesne Co., UT (UT27C)		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Utah Central 4302		

<b>Site</b>	Sec.11-T5S-R4W				
<b>Site Position:</b>		<b>Northing:</b>	633,760.445 usft	<b>Latitude:</b>	40° 4' 1.758 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	2,335,932.076 usft	<b>Longitude:</b>	110° 17' 58.733 W
<b>Position Uncertainty:</b>	0.00 usft	<b>Slot Radius:</b>	13-3/16"	<b>Grid Convergence:</b>	0.77 °

<b>Well</b>	Heiner Tribal 5-11D-54					
<b>Well Position</b>	<b>+N/-S</b>	-139.36 usft	<b>Northing:</b>	633,583.412 usft	<b>Latitude:</b>	40° 4' 0.379 N
	<b>+E/-W</b>	-2,807.95 usft	<b>Easting:</b>	2,333,126.251 usft	<b>Longitude:</b>	110° 18' 34.852 W
<b>Position Uncertainty</b>		0.00 usft	<b>Wellhead Elevation:</b>	usft	<b>Ground Level:</b>	6,174.00 usft

<b>Wellbore</b>	Wellbore #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF2010	04/10/13	11.18	65.72	52,062

<b>Design</b>	Design #1			
<b>Audit Notes:</b>				
<b>Version:</b>	<b>Phase:</b>	PLAN	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N/-S (usft)</b>	<b>+E/-W (usft)</b>	<b>Direction (°)</b>
	0.00	0.00	0.00	177.45

<b>Plan Sections</b>										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,809.11	20.39	177.45	1,780.62	-239.02	10.65	1.50	1.50	0.00	177.45	
4,624.21	20.39	177.45	4,419.38	-1,218.70	54.29	0.00	0.00	0.00	0.00	
5,983.32	0.00	0.00	5,750.00	-1,457.72	64.93	1.50	-1.50	0.00	180.00	
7,376.32	0.00	0.00	7,143.00	-1,457.72	64.93	0.00	0.00	0.00	0.00	



<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>8 5/8" Csg.</b>										
350.00	0.00	0.00	350.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Start Build 1.50</b>										
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.75	177.45	500.00	-0.33	0.01	0.33	1.50	1.50	1.50	0.00
600.00	2.25	177.45	599.96	-2.94	0.13	2.94	1.50	1.50	1.50	0.00
700.00	3.75	177.45	699.82	-8.17	0.36	8.18	1.50	1.50	1.50	0.00
800.00	5.25	177.45	799.51	-16.01	0.71	16.02	1.50	1.50	1.50	0.00
900.00	6.75	177.45	898.96	-26.45	1.18	26.48	1.50	1.50	1.50	0.00
1,000.00	8.25	177.45	998.10	-39.49	1.76	39.53	1.50	1.50	1.50	0.00
1,100.00	9.75	177.45	1,096.87	-55.12	2.46	55.17	1.50	1.50	1.50	0.00
1,200.00	11.25	177.45	1,195.19	-73.32	3.27	73.39	1.50	1.50	1.50	0.00
1,300.00	12.75	177.45	1,293.00	-94.09	4.19	94.19	1.50	1.50	1.50	0.00
1,400.00	14.25	177.45	1,390.24	-117.41	5.23	117.53	1.50	1.50	1.50	0.00
<b>Green River</b>										
1,412.18	14.43	177.45	1,402.03	-120.43	5.36	120.55	1.50	1.50	1.50	0.00
1,500.00	15.75	177.45	1,486.83	-143.27	6.38	143.41	1.50	1.50	1.50	0.00
1,600.00	17.25	177.45	1,582.71	-171.64	7.65	171.81	1.50	1.50	1.50	0.00
1,700.00	18.75	177.45	1,677.81	-202.51	9.02	202.71	1.50	1.50	1.50	0.00
<b>Start 2815.10 hold at 1809.11 MD</b>										
1,809.11	20.39	177.45	1,780.62	-239.02	10.65	239.26	1.50	1.50	1.50	0.00
1,900.00	20.39	177.45	1,865.81	-270.65	12.06	270.92	0.00	0.00	0.00	0.00
2,000.00	20.39	177.45	1,959.55	-305.45	13.61	305.75	0.00	0.00	0.00	0.00
<b>GR Fouch Mkr</b>										
2,085.55	20.39	177.45	2,039.74	-335.22	14.93	335.56	0.00	0.00	0.00	0.00
2,100.00	20.39	177.45	2,053.28	-340.25	15.16	340.59	0.00	0.00	0.00	0.00
2,200.00	20.39	177.45	2,147.02	-375.05	16.71	375.42	0.00	0.00	0.00	0.00
2,300.00	20.39	177.45	2,240.75	-409.85	18.26	410.26	0.00	0.00	0.00	0.00
2,400.00	20.39	177.45	2,334.49	-444.65	19.81	445.09	0.00	0.00	0.00	0.00
2,500.00	20.39	177.45	2,428.23	-479.45	21.36	479.93	0.00	0.00	0.00	0.00
2,600.00	20.39	177.45	2,521.96	-514.26	22.91	514.77	0.00	0.00	0.00	0.00
2,700.00	20.39	177.45	2,615.70	-549.06	24.46	549.60	0.00	0.00	0.00	0.00
2,800.00	20.39	177.45	2,709.44	-583.86	26.01	584.44	0.00	0.00	0.00	0.00
<b>Mahogany</b>										
2,801.25	20.39	177.45	2,710.60	-584.29	26.03	584.87	0.00	0.00	0.00	0.00
2,900.00	20.39	177.45	2,803.17	-618.66	27.56	619.27	0.00	0.00	0.00	0.00
3,000.00	20.39	177.45	2,896.91	-653.46	29.11	654.11	0.00	0.00	0.00	0.00
3,100.00	20.39	177.45	2,990.65	-688.26	30.66	688.94	0.00	0.00	0.00	0.00
3,200.00	20.39	177.45	3,084.38	-723.06	32.21	723.78	0.00	0.00	0.00	0.00
3,300.00	20.39	177.45	3,178.12	-757.86	33.76	758.61	0.00	0.00	0.00	0.00
3,400.00	20.39	177.45	3,271.85	-792.66	35.31	793.45	0.00	0.00	0.00	0.00
3,500.00	20.39	177.45	3,365.59	-827.46	36.86	828.28	0.00	0.00	0.00	0.00
3,600.00	20.39	177.45	3,459.33	-862.26	38.41	863.12	0.00	0.00	0.00	0.00
3,700.00	20.39	177.45	3,553.06	-897.07	39.96	897.96	0.00	0.00	0.00	0.00
3,800.00	20.39	177.45	3,646.80	-931.87	41.51	932.79	0.00	0.00	0.00	0.00
3,900.00	20.39	177.45	3,740.54	-966.67	43.06	967.63	0.00	0.00	0.00	0.00
<b>Tgr3</b>										
3,954.60	20.39	177.45	3,791.71	-985.67	43.91	986.65	0.00	0.00	0.00	0.00



<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
4,000.00	20.39	177.45	3,834.27	-1,001.47	44.61	1,002.46	0.00	0.00	0.00	
4,100.00	20.39	177.45	3,928.01	-1,036.27	46.16	1,037.30	0.00	0.00	0.00	
4,200.00	20.39	177.45	4,021.74	-1,071.07	47.71	1,072.13	0.00	0.00	0.00	
4,300.00	20.39	177.45	4,115.48	-1,105.87	49.26	1,106.97	0.00	0.00	0.00	
4,400.00	20.39	177.45	4,209.22	-1,140.67	50.81	1,141.80	0.00	0.00	0.00	
4,500.00	20.39	177.45	4,302.95	-1,175.47	52.36	1,176.64	0.00	0.00	0.00	
4,600.00	20.39	177.45	4,396.69	-1,210.27	53.91	1,211.47	0.00	0.00	0.00	
<b>Start Drop -1.50</b>										
4,624.21	20.39	177.45	4,419.38	-1,218.70	54.29	1,219.91	0.00	0.00	0.00	
4,700.00	19.25	177.45	4,490.68	-1,244.37	55.43	1,245.60	1.50	-1.50	0.00	
<b>Douglas Creek</b>										
4,780.24	18.05	177.45	4,566.71	-1,270.00	56.57	1,271.26	1.50	-1.50	0.00	
4,800.00	17.75	177.45	4,585.51	-1,276.07	56.84	1,277.33	1.50	-1.50	0.00	
4,900.00	16.25	177.45	4,681.14	-1,305.27	58.14	1,306.57	1.50	-1.50	0.00	
5,000.00	14.75	177.45	4,777.50	-1,331.97	59.33	1,333.29	1.50	-1.50	0.00	
5,100.00	13.25	177.45	4,874.53	-1,356.14	60.41	1,357.48	1.50	-1.50	0.00	
5,200.00	11.75	177.45	4,972.15	-1,377.76	61.37	1,379.13	1.50	-1.50	0.00	
5,300.00	10.25	177.45	5,070.31	-1,396.82	62.22	1,398.21	1.50	-1.50	0.00	
5,400.00	8.75	177.45	5,168.94	-1,413.31	62.96	1,414.71	1.50	-1.50	0.00	
<b>Upr. Black Shale</b>										
5,466.69	7.75	177.45	5,234.94	-1,422.87	63.38	1,424.28	1.50	-1.50	0.00	
5,500.00	7.25	177.45	5,267.96	-1,427.21	63.57	1,428.63	1.50	-1.50	0.00	
5,600.00	5.75	177.45	5,367.32	-1,438.52	64.08	1,439.95	1.50	-1.50	0.00	
5,700.00	4.25	177.45	5,466.94	-1,447.23	64.47	1,448.66	1.50	-1.50	0.00	
<b>Castle Peak</b>										
5,732.43	3.76	177.45	5,499.29	-1,449.49	64.57	1,450.93	1.50	-1.50	0.00	
5,800.00	2.75	177.45	5,566.75	-1,453.33	64.74	1,454.77	1.50	-1.50	0.00	
5,900.00	1.25	177.45	5,666.68	-1,456.81	64.89	1,458.26	1.50	-1.50	0.00	
<b>Start 1393.00 hold at 5983.32 MD</b>										
5,983.32	0.00	0.00	5,750.00	-1,457.72	64.93	1,459.16	1.50	-1.50	0.00	
6,000.00	0.00	0.00	5,766.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,100.00	0.00	0.00	5,866.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
<b>Uteland Butte</b>										
6,158.41	0.00	0.00	5,925.08	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,200.00	0.00	0.00	5,966.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,300.00	0.00	0.00	6,066.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
<b>Wasatch</b>										
6,376.41	0.00	0.00	6,143.08	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,400.00	0.00	0.00	6,166.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,500.00	0.00	0.00	6,266.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,600.00	0.00	0.00	6,366.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,700.00	0.00	0.00	6,466.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,800.00	0.00	0.00	6,566.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
6,900.00	0.00	0.00	6,666.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
7,000.00	0.00	0.00	6,766.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
7,100.00	0.00	0.00	6,866.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
7,200.00	0.00	0.00	6,966.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
7,300.00	0.00	0.00	7,066.68	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
<b>CR-4A</b>										
7,326.41	0.00	0.00	7,093.08	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	
<b>TD at 7376.32 - HT 5-11D-54 Tgt</b>										
7,376.32	0.00	0.00	7,143.00	-1,457.72	64.93	1,459.16	0.00	0.00	0.00	



<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #1		

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
- Shape									
HT 5-11D-54 Tgt	0.00	0.00	7,143.00	-1,457.71	64.93	632,126.690	2,333,210.578	40° 3' 45.972 N	110° 18' 34.016 W
- plan hits target center									
- Point									

Casing Points					
Measured Depth	Vertical Depth	Name	Casing Diameter	Hole Diameter	
(usft)	(usft)		(")	(")	
350.00	350.00	8 5/8" Csg.	8-5/8	11	

Formations						
Measured Depth	Vertical Depth	Name	Lithology	Dip	Dip Direction	
(usft)	(usft)			(°)	(°)	
1,412.18	1,405.00	Green River		-1.41	177.45	
2,085.55	2,048.00	GR Fouch Mkr		-1.41	177.45	
2,801.25	2,725.00	Mahogany		-1.41	177.45	
3,954.60	3,816.00	Tgr3		-1.41	177.45	
4,780.24	4,598.00	Douglas Creek		-1.41	177.45	
5,466.69	5,270.00	Upr.Black Shale		-1.41	177.45	
5,732.43	5,535.00	Castle Peak		-1.41	177.45	
6,158.41	5,961.00	Uteland Butte		-1.41	177.45	
6,376.41	6,179.00	Wasatch		-1.41	177.45	
7,326.41	7,129.00	CR-4A		-1.41	177.45	

Plan Annotations					
Measured Depth	Vertical Depth	Local Coordinates		Comment	
(usft)	(usft)	+N/-S	+E/-W		
		(usft)	(usft)		
450.00	450.00	0.00	0.00	Start Build 1.50	
1,809.11	1,780.62	-239.02	10.65	Start 2815.10 hold at 1809.11 MD	
4,624.21	4,419.38	-1,218.70	54.29	Start Drop -1.50	
5,983.32	5,750.00	-1,457.72	64.93	Start 1393.00 hold at 5983.32 MD	
7,376.32	7,143.00	-1,457.72	64.93	TD at 7376.32	



# Berry Petroleum Company

Duchesne Co., UT (UT27C)

Sec.11-T5S-R4W

Heiner Tribal 5-11D-54

Wellbore #1

Design #1

## Anticollision Report

12 April, 2013

**CONFIDENTIAL**

# Archer



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

<b>Reference</b>	Design #1		
<b>Filter type:</b>	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
<b>Interpolation Method:</b>	Stations	<b>Error Model:</b>	ISCWSA
<b>Depth Range:</b>	Unlimited	<b>Scan Method:</b>	Closest Approach 3D
<b>Results Limited by:</b>	Maximum center-center distance of 9,999.98 usft	<b>Error Surface:</b>	Elliptical Conic
<b>Warning Levels Evaluated at:</b>	2.00 Sigma	<b>Casing Method:</b>	Not applied

<b>Survey Tool Program</b>	<b>Date</b>	04/12/13		
<b>From (usft)</b>	<b>To (usft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>
0.00	7,376.32	Design #1 (Wellbore #1)	MWD	MWD - Standard

Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
<b>Summary</b>						
Sec.11-T5S-R4W						
Heiner Tribal 3-11D-54 - Wellbore #1 - Design #1	450.00	450.00	40.07	38.32	22.857	CC, ES
Heiner Tribal 3-11D-54 - Wellbore #1 - Design #1	700.00	699.96	47.65	44.90	17.289	SF
Heiner Tribal 4-11-54 - Wellbore #1 - Design #1	450.00	450.00	20.04	18.29	11.432	CC, ES
Heiner Tribal 4-11-54 - Wellbore #1 - Design #1	600.00	599.96	22.99	20.61	9.689	SF

Offset Design													Offset Site Error:	0.00 usft	
Survey Program: 0-MWD													Offset Well Error:		0.00 usft
Reference		Offset		Semi Major Axis			Distance						Warning		
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor			
0.00	0.00	0.00	0.00	0.00	0.00	-1.20	40.06	-0.84	40.07						
100.00	100.00	100.00	100.00	0.09	0.09	-1.20	40.06	-0.84	40.07	39.89	0.18	222.853			
200.00	200.00	200.00	200.00	0.31	0.31	-1.20	40.06	-0.84	40.07	39.44	0.63	63.672			
300.00	300.00	300.00	300.00	0.54	0.54	-1.20	40.06	-0.84	40.07	38.99	1.08	37.142			
400.00	400.00	400.00	400.00	0.76	0.76	-1.20	40.06	-0.84	40.07	38.54	1.53	26.218			
450.00	450.00	450.00	450.00	0.88	0.88	-1.20	40.06	-0.84	40.07	38.32	1.75	22.857	CC, ES		
500.00	500.00	500.08	500.08	0.97	0.98	-0.75	40.02	-0.51	40.35	38.39	1.96	20.621			
600.00	599.96	600.15	600.11	1.16	1.18	2.63	39.67	2.09	42.66	40.32	2.34	18.211			
700.00	699.82	699.96	699.78	1.36	1.40	8.33	38.98	7.26	47.65	44.90	2.76	17.289	SF		
800.00	799.51	799.35	798.87	1.58	1.63	14.82	37.95	14.99	55.82	52.62	3.20	17.457			
900.00	898.96	898.16	897.14	1.83	1.88	20.85	36.59	25.19	67.48	63.81	3.67	18.388			
1,000.00	998.10	996.23	994.37	2.11	2.16	25.85	34.91	37.81	82.75	78.58	4.18	19.807			
1,100.00	1,096.87	1,093.41	1,090.37	2.42	2.47	29.74	32.91	52.75	101.59	96.86	4.73	21.493			
1,200.00	1,195.19	1,189.55	1,184.94	2.77	2.81	32.66	30.62	69.90	123.90	118.58	5.32	23.289			
1,300.00	1,293.00	1,284.51	1,277.89	3.17	3.18	34.82	28.05	89.16	149.56	143.60	5.96	25.091			
1,400.00	1,390.24	1,378.18	1,369.07	3.60	3.58	36.40	25.22	110.39	178.47	171.82	6.65	26.833			
1,500.00	1,486.83	1,470.43	1,458.34	4.08	4.02	37.53	22.14	133.46	210.53	203.14	7.39	28.481			
1,600.00	1,582.71	1,561.16	1,545.56	4.61	4.50	38.33	18.84	158.23	245.64	237.46	8.18	30.021			
1,700.00	1,677.81	1,650.28	1,630.62	5.19	5.01	38.86	15.33	184.55	283.71	274.68	9.03	31.431			
1,809.11	1,780.62	1,748.04	1,723.33	5.86	5.60	39.28	11.22	215.31	328.31	318.31	10.00	32.815			
1,900.00	1,865.81	1,830.55	1,801.50	6.46	6.12	39.49	7.73	241.46	366.41	355.54	10.87	33.699			
2,000.00	1,959.55	1,921.32	1,887.52	7.12	6.70	39.68	3.89	270.23	408.33	396.49	11.84	34.477			
2,100.00	2,053.28	2,012.10	1,973.53	7.79	7.28	39.83	0.05	299.00	450.26	437.43	12.83	35.102			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

Offset Design													Offset Site Error:	0.00 usft
Survey Program: 0-MWD													Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
2,200.00	2,147.02	2,102.88	2,059.54	8.46	7.87	39.96	-3.78	327.77	492.19	478.37	13.82	35.612		
2,300.00	2,240.76	2,193.66	2,145.56	9.13	8.46	40.06	-7.62	356.54	534.12	519.30	14.82	36.033		
2,400.00	2,334.49	2,284.44	2,231.57	9.81	9.05	40.16	-11.46	385.31	576.06	560.22	15.83	36.386		
2,500.00	2,428.23	2,375.22	2,317.58	10.49	9.65	40.23	-15.30	414.08	617.99	601.14	16.85	36.685		
2,600.00	2,521.96	2,466.00	2,403.60	11.17	10.25	40.30	-19.14	442.85	659.93	642.06	17.86	36.942		
2,700.00	2,615.70	2,556.78	2,489.61	11.86	10.85	40.36	-22.98	471.62	701.86	682.98	18.89	37.163		
2,800.00	2,709.44	2,647.55	2,575.62	12.55	11.46	40.42	-26.82	500.39	743.80	723.89	19.91	37.356		
2,900.00	2,803.17	2,738.33	2,661.64	13.23	12.06	40.47	-30.66	529.16	785.74	764.80	20.94	37.525		
3,000.00	2,896.91	2,829.11	2,747.65	13.92	12.67	40.51	-34.50	557.93	827.68	805.71	21.97	37.674		
3,100.00	2,990.65	2,919.89	2,833.66	14.61	13.27	40.55	-38.34	586.70	869.61	846.61	23.00	37.807		
3,200.00	3,084.38	3,010.67	2,919.68	15.30	13.88	40.58	-42.17	615.47	911.55	887.52	24.04	37.925		
3,300.00	3,178.12	3,101.45	3,005.69	15.99	14.49	40.62	-46.01	644.24	953.49	928.42	25.07	38.031		
3,400.00	3,271.85	3,192.23	3,091.70	16.68	15.09	40.65	-49.85	673.01	995.43	969.32	26.11	38.127		
3,500.00	3,365.59	3,283.01	3,177.72	17.37	15.70	40.67	-53.69	701.78	1,037.37	1,010.23	27.15	38.213		
3,600.00	3,459.33	3,373.78	3,263.73	18.06	16.31	40.70	-57.53	730.55	1,079.31	1,051.13	28.19	38.292		
3,700.00	3,553.06	3,464.56	3,349.75	18.76	16.92	40.72	-61.37	759.32	1,121.25	1,092.03	29.23	38.364		
3,800.00	3,646.80	3,555.34	3,435.76	19.45	17.53	40.74	-65.21	788.09	1,163.19	1,132.93	30.27	38.430		
3,900.00	3,740.54	3,646.12	3,521.77	20.14	18.14	40.76	-69.05	816.86	1,205.14	1,173.83	31.31	38.490		
4,000.00	3,834.27	3,736.90	3,607.79	20.84	18.75	40.78	-72.89	845.63	1,247.08	1,214.72	32.35	38.546		
4,100.00	3,928.01	3,827.68	3,693.80	21.53	19.36	40.80	-76.72	874.40	1,289.02	1,255.62	33.40	38.597		
4,200.00	4,021.74	3,918.46	3,779.81	22.22	19.98	40.82	-80.56	903.17	1,330.96	1,296.52	34.44	38.645		
4,300.00	4,115.48	4,009.24	3,865.83	22.92	20.59	40.83	-84.40	931.94	1,372.90	1,337.41	35.49	38.689		
4,400.00	4,209.22	4,100.01	3,951.84	23.61	21.20	40.85	-88.24	960.71	1,414.84	1,378.31	36.53	38.730		
4,500.00	4,302.95	4,190.79	4,037.85	24.30	21.81	40.86	-92.08	989.49	1,456.78	1,419.21	37.58	38.768		
4,600.00	4,396.69	4,281.57	4,123.87	25.00	22.42	40.87	-95.92	1,018.26	1,498.73	1,460.10	38.62	38.804		
4,624.21	4,419.38	4,303.55	4,144.69	25.17	22.57	40.88	-96.85	1,025.22	1,508.88	1,470.00	38.88	38.812		
4,700.00	4,490.68	4,372.55	4,210.07	25.61	23.04	40.90	-99.77	1,047.09	1,540.21	1,500.51	39.70	38.796		
4,800.00	4,585.51	4,464.19	4,296.90	26.07	23.65	41.00	-103.64	1,076.13	1,580.14	1,539.43	40.71	38.818		
4,900.00	4,681.14	4,556.45	4,384.32	26.51	24.28	41.16	-107.54	1,105.37	1,618.44	1,576.74	41.70	38.813		
5,000.00	4,777.50	4,649.26	4,472.25	26.92	24.90	41.39	-111.47	1,134.78	1,655.11	1,612.44	42.67	38.786		
5,100.00	4,874.53	4,742.55	4,560.65	27.31	25.53	41.66	-115.41	1,164.35	1,690.15	1,646.52	43.63	38.741		
5,200.00	4,972.15	4,863.07	4,675.26	27.66	26.20	42.19	-120.34	1,201.28	1,722.97	1,678.38	44.59	38.642		
5,300.00	5,070.31	4,993.00	4,800.06	27.98	26.82	42.73	-125.12	1,237.10	1,752.31	1,706.84	45.47	38.538		
5,400.00	5,168.94	5,125.53	4,928.54	28.27	27.38	43.22	-129.42	1,269.28	1,778.03	1,731.76	46.27	38.424		
5,500.00	5,267.96	5,260.37	5,060.34	28.52	27.87	43.64	-133.18	1,297.47	1,800.04	1,753.04	47.00	38.300		
5,600.00	5,367.32	5,397.22	5,195.05	28.75	28.31	44.00	-136.36	1,321.35	1,818.25	1,770.61	47.64	38.166		
5,700.00	5,466.94	5,535.75	5,332.19	28.94	28.68	44.29	-138.94	1,340.64	1,832.59	1,784.40	48.19	38.030		
5,800.00	5,566.75	5,675.58	5,471.25	29.09	28.98	44.51	-140.87	1,355.09	1,843.01	1,794.36	48.65	37.886		
5,900.00	5,666.68	5,816.33	5,611.67	29.21	29.22	44.67	-142.13	1,364.53	1,849.46	1,800.45	49.01	37.736		
5,983.32	5,750.00	5,934.03	5,729.30	29.29	29.36	44.75	-142.65	1,368.49	1,851.78	1,802.53	49.25	37.600		
6,000.00	5,766.68	5,957.61	5,752.87	29.31	29.38	44.76	-142.70	1,368.85	1,851.93	1,802.64	49.29	37.571		
6,100.00	5,866.68	6,071.41	5,866.68	29.38	29.49	44.76	-142.74	1,369.14	1,852.06	1,802.56	49.50	37.414		
6,200.00	5,966.68	6,171.41	5,966.68	29.46	29.58	44.76	-142.74	1,369.14	1,852.06	1,802.36	49.70	37.265		
6,300.00	6,066.68	6,271.41	6,066.68	29.54	29.67	44.76	-142.74	1,369.14	1,852.06	1,802.16	49.90	37.114		
6,400.00	6,166.68	6,371.41	6,166.68	29.62	29.77	44.76	-142.74	1,369.14	1,852.06	1,801.95	50.11	36.962		
6,500.00	6,266.68	6,471.41	6,266.68	29.70	29.86	44.76	-142.74	1,369.14	1,852.06	1,801.74	50.32	36.808		
6,600.00	6,366.68	6,571.41	6,366.68	29.79	29.96	44.76	-142.74	1,369.14	1,852.06	1,801.53	50.53	36.654		
6,700.00	6,466.68	6,671.41	6,466.68	29.87	30.06	44.76	-142.74	1,369.14	1,852.06	1,801.31	50.74	36.499		
6,800.00	6,566.68	6,771.41	6,566.68	29.96	30.16	44.76	-142.74	1,369.14	1,852.06	1,801.10	50.96	36.342		
6,900.00	6,666.68	6,871.41	6,666.68	30.05	30.26	44.76	-142.74	1,369.14	1,852.06	1,800.88	51.18	36.185		
7,000.00	6,766.68	6,971.41	6,766.68	30.14	30.36	44.76	-142.74	1,369.14	1,852.06	1,800.65	51.41	36.028		
7,100.00	6,866.68	7,071.41	6,866.68	30.23	30.47	44.76	-142.74	1,369.14	1,852.06	1,800.42	51.63	35.869		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

<b>Offset Design</b> Sec.11-T5S-R4W - Heiner Tribal 3-11D-54 - Wellbore #1 - Design #1												<b>Offset Site Error:</b>	0.00 usft
Survey Program: 0-MWD												<b>Offset Well Error:</b>	0.00 usft
Reference		Offset		Semi Major Axis			Distance				Warning		
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)		Minimum Separation (usft)	Separation Factor
7,200.00	6,966.68	7,171.41	6,966.68	30.32	30.57	44.76	-142.74	1,369.14	1,852.06	1,800.19	51.86	35.710	
7,300.00	7,066.68	7,271.41	7,066.68	30.41	30.68	44.76	-142.74	1,369.14	1,852.06	1,799.96	52.10	35.551	
7,376.32	7,143.00	7,347.73	7,143.00	30.48	30.76	44.76	-142.74	1,369.14	1,852.06	1,799.78	52.28	35.429	

CONFIDENTIAL



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

Offset Design													Offset Site Error:	0.00 usft
Survey Program: 0-MWD													Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.00	0.00	0.00	0.00	0.00	0.00	-1.60	20.03	-0.56	20.04					
100.00	100.00	100.00	100.00	0.09	0.09	-1.60	20.03	-0.56	20.04	19.86	0.18	111.458		
200.00	200.00	200.00	200.00	0.31	0.31	-1.60	20.03	-0.56	20.04	19.41	0.63	31.845		
300.00	300.00	300.00	300.00	0.54	0.54	-1.60	20.03	-0.56	20.04	18.96	1.08	18.576		
400.00	400.00	400.00	400.00	0.76	0.76	-1.60	20.03	-0.56	20.04	18.51	1.53	13.113		
450.00	450.00	450.00	450.00	0.88	0.88	-1.60	20.03	-0.56	20.04	18.29	1.75	11.432 CC, ES		
500.00	500.00	500.00	500.00	0.97	0.99	-1.62	20.03	-0.56	20.37	18.40	1.96	10.369		
600.00	599.96	599.96	599.96	1.16	1.21	-1.72	20.03	-0.56	22.99	20.61	2.37	9.689 SF		
700.00	699.82	699.82	699.82	1.36	1.44	-1.88	20.03	-0.56	28.22	25.43	2.79	10.100		
800.00	799.51	799.51	799.51	1.58	1.66	-2.02	20.03	-0.56	36.06	32.84	3.22	11.189		
900.00	898.96	898.96	898.96	1.83	1.89	-2.14	20.03	-0.56	46.52	42.86	3.66	12.718		
1,000.00	998.10	998.10	998.10	2.11	2.11	-2.23	20.03	-0.56	59.57	55.47	4.10	14.545		
1,100.00	1,096.87	1,096.87	1,096.87	2.42	2.33	-2.30	20.03	-0.56	75.21	70.68	4.54	16.581		
1,200.00	1,195.19	1,195.19	1,195.19	2.77	2.55	-2.35	20.03	-0.56	93.43	88.46	4.98	18.766		
1,300.00	1,293.00	1,293.00	1,293.00	3.17	2.77	-2.38	20.03	-0.56	114.22	108.80	5.42	21.060		
1,400.00	1,390.24	1,390.24	1,390.24	3.60	2.99	-2.41	20.03	-0.56	137.57	131.70	5.87	23.433		
1,500.00	1,486.83	1,486.83	1,486.83	4.08	3.21	-2.43	20.03	-0.56	163.45	157.13	6.32	25.864		
1,600.00	1,582.71	1,582.71	1,582.71	4.61	3.42	-2.45	20.03	-0.56	191.85	185.08	6.77	28.337		
1,700.00	1,677.81	1,677.81	1,677.81	5.19	3.64	-2.47	20.03	-0.56	222.75	215.53	7.22	30.839		
1,809.11	1,780.62	1,780.62	1,780.62	5.86	3.87	-2.48	20.03	-0.56	259.30	251.58	7.72	33.593		
1,900.00	1,865.81	1,865.81	1,865.81	6.46	4.06	-2.49	20.03	-0.56	290.96	282.79	8.17	35.610		
2,000.00	1,959.55	1,959.55	1,959.55	7.12	4.27	-2.49	20.03	-0.56	325.79	317.12	8.67	37.567		
2,100.00	2,053.28	2,053.28	2,053.28	7.79	4.48	-2.50	20.03	-0.56	360.63	351.45	9.18	39.293		
2,200.00	2,147.02	2,147.02	2,147.02	8.46	4.69	-2.50	20.03	-0.56	395.46	385.78	9.69	40.824		
2,300.00	2,240.76	2,240.76	2,240.76	9.13	4.90	-2.51	20.03	-0.56	430.30	420.10	10.20	42.191		
2,400.00	2,334.49	2,334.49	2,334.49	9.81	5.11	-2.51	20.03	-0.56	465.13	454.42	10.71	43.418		
2,500.00	2,428.23	2,428.23	2,428.23	10.49	5.32	-2.51	20.03	-0.56	499.97	488.74	11.23	44.524		
2,600.00	2,521.96	2,521.96	2,521.96	11.17	5.53	-2.51	20.03	-0.56	534.80	523.06	11.75	45.527		
2,700.00	2,615.70	2,615.70	2,615.70	11.86	5.74	-2.52	20.03	-0.56	569.64	557.37	12.27	46.439		
2,800.00	2,709.44	2,709.44	2,709.44	12.55	5.96	-2.52	20.03	-0.56	604.48	591.69	12.79	47.272		
2,900.00	2,803.17	2,803.17	2,803.17	13.23	6.17	-2.52	20.03	-0.56	639.31	626.00	13.31	48.036		
3,000.00	2,896.91	2,896.91	2,896.91	13.92	6.38	-2.52	20.03	-0.56	674.15	660.31	13.83	48.739		
3,100.00	2,990.65	2,990.65	2,990.65	14.61	6.59	-2.52	20.03	-0.56	708.98	694.63	14.36	49.387		
3,200.00	3,084.38	3,084.38	3,084.38	15.30	6.80	-2.52	20.03	-0.56	743.82	728.94	14.88	49.987		
3,300.00	3,178.12	3,178.12	3,178.12	15.99	7.01	-2.53	20.03	-0.56	778.65	763.25	15.41	50.543		
3,400.00	3,271.85	3,271.85	3,271.85	16.68	7.22	-2.53	20.03	-0.56	813.49	797.56	15.93	51.060		
3,500.00	3,365.59	3,365.59	3,365.59	17.37	7.43	-2.53	20.03	-0.56	848.32	831.86	16.46	51.543		
3,600.00	3,459.33	3,459.33	3,459.33	18.06	7.64	-2.53	20.03	-0.56	883.16	866.17	16.99	51.994		
3,700.00	3,553.06	3,553.06	3,553.06	18.76	7.85	-2.53	20.03	-0.56	917.99	900.48	17.51	52.416		
3,800.00	3,646.80	3,646.80	3,646.80	19.45	8.06	-2.53	20.03	-0.56	952.83	934.79	18.04	52.812		
3,900.00	3,740.54	3,740.54	3,740.54	20.14	8.27	-2.53	20.03	-0.56	987.67	969.09	18.57	53.184		
4,000.00	3,834.27	3,834.27	3,834.27	20.84	8.48	-2.53	20.03	-0.56	1,022.50	1,003.40	19.10	53.534		
4,100.00	3,928.01	3,928.01	3,928.01	21.53	8.69	-2.53	20.03	-0.56	1,057.34	1,037.71	19.63	53.864		
4,200.00	4,021.74	4,021.74	4,021.74	22.22	8.90	-2.53	20.03	-0.56	1,092.17	1,072.01	20.16	54.176		
4,300.00	4,115.48	4,115.48	4,115.48	22.92	9.12	-2.53	20.03	-0.56	1,127.01	1,106.32	20.69	54.471		
4,400.00	4,209.22	4,209.22	4,209.22	23.61	9.33	-2.53	20.03	-0.56	1,161.84	1,140.62	21.22	54.750		
4,500.00	4,302.95	4,302.95	4,302.95	24.30	9.54	-2.53	20.03	-0.56	1,196.68	1,174.93	21.75	55.015		
4,600.00	4,396.69	4,396.69	4,396.69	25.00	9.75	-2.54	20.03	-0.56	1,231.51	1,209.23	22.28	55.267		
4,624.21	4,419.38	4,419.38	4,419.38	25.17	9.80	-2.54	20.03	-0.56	1,239.95	1,217.54	22.41	55.326		
4,700.00	4,490.68	4,490.68	4,490.68	25.61	9.96	-2.54	20.03	-0.56	1,265.64	1,242.78	22.86	55.354		
4,800.00	4,585.51	4,585.51	4,585.51	26.07	10.17	-2.54	20.03	-0.56	1,297.37	1,273.94	23.43	55.375		
4,900.00	4,681.14	4,681.14	4,681.14	26.51	10.39	-2.54	20.03	-0.56	1,326.61	1,302.63	23.97	55.338		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum


Offset Design													Offset Site Error:	0.00 usft
Survey Program: 0-MWD													Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis			Distance						Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
5,000.00	4,777.50	4,777.50	4,777.50	26.92	10.60	-2.54	20.03	-0.56	1,353.33	1,328.83	24.50	55.247		
5,100.00	4,874.53	4,874.53	4,874.53	27.31	10.82	-2.54	20.03	-0.56	1,377.52	1,352.52	25.00	55.107		
5,200.00	4,972.15	4,972.15	4,972.15	27.66	11.04	-2.54	20.03	-0.56	1,399.16	1,373.69	25.48	54.922		
5,300.00	5,070.31	5,070.31	5,070.31	27.98	11.26	-2.54	20.03	-0.56	1,418.25	1,392.31	25.93	54.694		
5,400.00	5,168.94	5,168.94	5,168.94	28.27	11.48	-2.54	20.03	-0.56	1,434.75	1,408.39	26.36	54.427		
5,500.00	5,267.96	5,267.96	5,267.96	28.52	11.71	-2.54	20.03	-0.56	1,448.67	1,421.90	26.77	54.122		
5,600.00	5,367.32	5,367.32	5,367.32	28.75	11.93	-2.54	20.03	-0.56	1,459.99	1,432.84	27.15	53.782		
5,700.00	5,466.94	5,466.94	5,466.94	28.94	12.15	-2.54	20.03	-0.56	1,468.70	1,441.20	27.50	53.406		
5,800.00	5,566.75	5,566.75	5,566.75	29.09	12.38	-2.54	20.03	-0.56	1,474.81	1,446.98	27.83	52.996		
5,900.00	5,666.68	5,666.68	5,666.68	29.21	12.60	-2.54	20.03	-0.56	1,478.29	1,450.16	28.13	52.553		
5,983.32	5,750.00	5,750.00	5,750.00	29.29	12.79	-2.54	20.03	-0.56	1,479.20	1,450.84	28.37	52.143		
6,000.00	5,766.68	5,766.68	5,766.68	29.31	12.83	-2.54	20.03	-0.56	1,479.20	1,450.77	28.43	52.028		
6,100.00	5,866.68	5,866.68	5,866.68	29.38	13.05	-2.54	20.03	-0.56	1,479.20	1,450.40	28.80	51.358		
6,200.00	5,966.68	5,966.68	5,966.68	29.46	13.28	-2.54	20.03	-0.56	1,479.20	1,450.03	29.17	50.702		
6,300.00	6,066.68	6,066.68	6,066.68	29.54	13.50	-2.54	20.03	-0.56	1,479.20	1,449.66	29.55	50.060		
6,400.00	6,166.68	6,166.68	6,166.68	29.62	13.73	-2.54	20.03	-0.56	1,479.20	1,449.28	29.92	49.431		
6,500.00	6,266.68	6,266.68	6,266.68	29.70	13.95	-2.54	20.03	-0.56	1,479.20	1,448.90	30.30	48.815		
6,600.00	6,366.68	6,366.68	6,366.68	29.79	14.18	-2.54	20.03	-0.56	1,479.20	1,448.52	30.68	48.212		
6,700.00	6,466.68	6,466.68	6,466.68	29.87	14.40	-2.54	20.03	-0.56	1,479.20	1,448.14	31.06	47.620		
6,800.00	6,566.68	6,566.68	6,566.68	29.96	14.62	-2.54	20.03	-0.56	1,479.20	1,447.76	31.44	47.041		
6,900.00	6,666.68	6,666.68	6,666.68	30.05	14.85	-2.54	20.03	-0.56	1,479.20	1,447.37	31.83	46.474		
7,000.00	6,766.68	6,766.68	6,766.68	30.14	15.07	-2.54	20.03	-0.56	1,479.20	1,446.99	32.21	45.918		
7,100.00	6,866.68	6,866.68	6,866.68	30.23	15.30	-2.54	20.03	-0.56	1,479.20	1,446.60	32.60	45.373		
7,200.00	6,966.68	6,966.68	6,966.68	30.32	15.52	-2.54	20.03	-0.56	1,479.20	1,446.21	32.99	44.839		
7,300.00	7,066.68	7,066.68	7,066.68	30.41	15.75	-2.54	20.03	-0.56	1,479.20	1,445.82	33.38	44.315		
7,376.32	7,143.00	7,143.00	7,143.00	30.48	15.92	-2.54	20.03	-0.56	1,479.20	1,445.53	33.68	43.923		



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

Reference Depths are relative to WELL @ 6194.00usft  
 Offset Depths are relative to Offset Datum  
 Central Meridian is 111° 30' 0.000 W

Coordinates are relative to: Heiner Tribal 5-11D-54  
 Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302  
 Grid Convergence at Surface is: 0.76°





<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #1	<b>Offset TVD Reference:</b>	Reference Datum

Reference Depths are relative to WELL @ 6194.00usft


Offset Depths are relative to Offset Datum

Central Meridian is 111° 30' 0.000 W

Coordinates are relative to: Heiner Tribal 5-11D-54

Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302

Grid Convergence at Surface is: 0.76°



#### LEGEND

- Heiner Tribal 3-11D-54, Wellbore #1, Design #1 V0
- ▲ Heiner Tribal 4-11-54, Wellbore #1, Design #1 V0

**AFFIDAVIT OF SURFACE DAMAGE AGREEMENT**

SHAWN HAWK, the Affiant herein, is a Field Landman for Berry Petroleum Company, a Delaware corporation, with an office located at 4000 S 4028 W, Rt 2 Box 7735, Roosevelt, Utah 84066, being of lawful age and duly sworn upon his oath and being duly authorized to make this affidavit on behalf of said corporation hereby deposes and states to the best of his knowledge as follows:

That Berry Petroleum Company has a Surface Damage Agreement signed by the current surface owner covering the following described property, hereinafter referred to as the Land:

**TOWNSHIP 5 SOUTH, RANGE 4 WEST, USB&M**  
Section 11 NW¼ NW ¼

Affiant further states said Surface Damage Agreement GRANTS, SELLS, and CONVEYS unto Berry Petroleum Company an easement for ingress and egress to, along with a right to use, that portion of the herein described property as may be necessary to construct, use, and maintain a well site or well sites (including location of additional wells on each well site in the case of directional or horizontal drilling) for the drilling, completion and operation of an oil and gas well or wells (including but not limited to pumping facilities and tank batteries) over, under and through the herein described Land.

Affiant further states said Surface Damage Agreement GRANTS, SELLS, and CONVEYS unto Berry Petroleum Company the right to construct, entrench, maintain, operate, replace, remove, protect, or abandon a pipeline or pipelines for water or gas with appurtenances thereto, including, but not limited to, valves, metering equipment, and cathodic equipment; to construct, maintain, relocate, or abandon a road (said well sites, pipelines, appurtenance, valves, metering equipment, cathodic equipment and road being sometimes collectively call the "facilities") over, under, and through the herein described Land.

Executed and effective as of this 23rd day of April, 2013.

**Berry Petroleum Company**

By: Shawn Hawk  
Shawn Hawk  
Field Landman

**SURFACE USE PLAN of OPERATIONS**

***Attachment for Permit to Drill:***

**Name of Operator:** Berry Petroleum Company  
**Address:** 4000 South 4028 West/Rt. 2 Box 7735  
 Roosevelt, Utah 80466  
**Well Location:** Heiner Tribal 5-11D-54  
*Surface:* 509' FNL & 595' FWL  
*Target:* 1968' FNL & 651' FWL  
 NW/4NW/4 of Sec.11, T5S, R4W.

The surface owner or surface owner representative and dirt contractor will be proved with an approved copy of the surface use plan of operations and approved conditions of approval before initiating construction.

The onsite inspection for the referenced well will be conducted per UDOGM

**A Existing Roads**

To reach the Berry Petroleum Company well, Heiner Tribal 5-11D-54, in Section 11-T5S-R4W:

The proposed well site is approximately 15 miles southwest of Duchesne, Utah.

Proceed in a southerly direction from Duchesne, Utah, along US Highway 191 for approximately 2.3 miles to the junction of this road and the existing Sowers Canyon access road to the south. Turn left and proceed in a southerly thence easterly direction for approximately 1.8 miles to the junction of this road and County Road 25 to the southwest. Turn right and proceed in a southwesterly thence southeasterly thence southwesterly direction for approximately 6.5 miles to the junction of this road and the Cottonwood Ridge Road to the east. Turn left and proceed in an easterly direction for approximately 4.2 miles to the beginning of the proposed access. Follow the road flags in a southerly thence southwesterly direction for approximately 1,047 feet (0.2 miles) to the proposed Heiner Tribal 3-11D-54, 4-11-54 and 5-11D-54 location.

Berry Petroleum Company will improve or maintain existing roads in a condition the same or better than before operations began. Best Management Practices will be considered when improving or maintaining existing roads. In general this would involve the need for some surface material or fill to prevent or repair holes in the road due to heavy truck traffic during the drilling and completion operations. If repairs are made the operator will secure the appropriate material from private sources.

**B New or Reconstructed Access Roads**

See Topographic Map "A & B" for the location of the proposed access road. Berry Petroleum Company will construct a new access road for approximately 1,047 feet (0.2 miles) to the proposed Heiner Tribal 3-11D-54, 4-11-54, and 5-11D-54 location.

**C Location of Existing Wells**

See Topographic Map "D" for the location of existing wells within a 1mile radius.

**D Location of Tank Batteries, Production Facilities and Production Gathering and Service Lines**

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). This dike will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank. The site specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded with the Authorized Agency Officer's approval to meet SPCC requirements.

The proposed pipeline will tie in at an existing pipeline. Map "C" illustrating the proposed route is attached. The proposed pipeline will be 4"-6" polypipe and be placed above ground. The pipeline will run in the same corridor as the above proposed access road.

All site security guidelines identified in Federal regulation 43 CFR 3126.7, will be adhered to. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease production will have prior written approval from the Authorized Agency Officer.

Gas meter runs will be located approximately 100 feet from the wellhead. Where necessary, the gas line will be anchored down from the wellhead to the meter.

**E Location and Type of Water Supply**

Water for the drilling and completion will be pumped or trucked from one of the following Berry source wells:

- Water Permit # 43-12400, Sec. 23, T5S, R5W
- Water Permit # 43-12400, Sec. 24, T5S, R5W
- Water Permit # 43-1221, Sec. 30, T3S, R8W
- Water Permit # 43-1226, Sec. 30, T3S, R8W
- Water Permit # 43-1627, Sec. 30, T3S, R8W
- Water Permit # 43-1628, Sec. 12, T5S, R6W (Douglas E. & Yordis Nielsen )
- Duchesne City Culinary Water Dock located in Sec. 1, T4S, R5W
- East Duchesne Water, Arcadia Feedlot, Sec. 28, T3S, R3W
- Petroglyph Operating Company 08-04 Waterplant, Sec. 8, T5S, R3W.

**F Source of Construction Materials**

All construction materials for this location site and access road shall be borrow material accumulated during the construction of the location site and access road.

Additional gravel or pit lining material will be obtained from a private source.

The use of materials under Authorized Agency jurisdiction will conform to 43 CFR 3610.2-3.

**G Methods of Handling Waste Materials**

Drill fluids will be contained in a closed loop system. Cuttings will be contained on site and buried in a pit or used on location and/or access roads, whichever is deemed appropriate by the authorized agency.

After first production, produced wastewater from Berry Petroleum Company wells will be used for injection in our enhanced oil recovery project(s) in the Brundage Canyon Field or they will be trucked to one of the following approved waste water disposal sites:

- R.N. Industries, Inc. Sec. 4, T2S, R2W, Bluebell
- MC & MC Disposal Sec. 12, T6S, R19E, Vernal
- LaPoint Recycle & Storage Sec. 12, T5S, R19E, LaPoint
- Water Disposal Inc. Sec. 32, T1S, R1W, Roosevelt
- ITL 4461 W 3000 So Roosevelt Location Pleasant Valley
- IWM PO Box 430 Altamont or 20250 W 2000 S Duchesne Location – Blue Bench
- Pro Water 12223 Highland Ave Ste B503 Rancho Cucamonga CA 91739 Location – Blue Bench

Should operations of the field be prohibited by the Authorized Officer, the wastewater shall be confined to the approved pit or storage tank for a period not to exceed 90 days. The use of such pit is hereby approved as part of this Application for Permit to Drill.

Production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites. Produced water, oil, and other byproducts will not be applied to roads or well pads for control of dust or weeds. The indiscriminate dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical portable toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location.

All debris and other waste materials not contained in the trash cage will be cleaned up and removed from the location promptly after removal of the completion rig (weather permitting).

Any open pits will be fenced during the operations. The fencing will be maintained with best efforts until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas.

#### **H Ancillary Facilities**

There are no ancillary facilities planned for at this time and none are foreseen in the future.

#### **I Well site Layout**

The attached Location Layout diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s) and surface material stockpile(s)

**J Plans for Restoration of the Surface**

**Interim**

The dirt contractor will be provided with approved copies of the Surface Use Plan prior to construction activities.

Upon well completion, within a reasonable time, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions may include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and the re-establishment of vegetation as specified.

All disturbed areas will be re-contoured to the approximate natural contours.

Any drainage rerouted during the construction activities shall be restored to its original line of flow or as near as possible.

All areas of disturbance (including surface pipelines) must have appropriate surface use agreements or approvals in place with the proper owner and/or agency before such action is started.

The conditions of approval, as set forth by those owners and/or agencies, shall be adhered to.

Interim Reclamation consisting of minimizing the footprint of disturbance shall be accomplished by reclaiming all portions of the well site not needed for safe production operations. The portions of the well site not needed for operational and safety purposes will be recontoured to a final appearance that blends with the surrounding topography. Topsoil will be spread over these areas. The operator will spread the topsoil over the entire location except where an all-weather surface, access route or turnaround is needed. Production facilities should be clustered or placed offsite to maximize the opportunity for interim reclamation. Any incidental use on interim reclamation may require restoration of damage. This may require recontouring and seeding of the damaged area.

Paint all production facilities and equipment, not otherwise regulated (OSHA, etc.), Yuma Green.

Install Hospital muffler to the Pump-jack to minimize engine noise.

**Final**

Prior to the construction of the location, the top 12 inches of soil material (if present) will be stripped and stockpiled. Placement of the topsoil is noted on the location plat attached. Topsoil shall be stockpiled separately from subsoil materials. Topsoil salvaged from the reserve pit shall be stockpiled separately near the reserve pit.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas, including the old access road will be scarified and left with a rough surface.

The Authorized Agency Officer shall be contacted for the required seed mixture. Seed will be broadcast and the amount of seed mixture per acre will be doubled. The seeded area will then be "walked" with a dozer to assure coverage of the seeds. The seed mixture will reflect the recommendation from the Archeology study done.

At final abandonment, all casing shall be cut off at the base of the cellar or 3 feet below final restored ground level, whichever is deeper, and cap the casing with a metal plate a minimum of 0.25 inches thick. The cap will be welded in place and the well location and identity will be permanently inscribed on the cap. The cap also will be constructed with a weep hole.

**K Well Surface & Access Ownership:**

Dirk Heiner  
995 W 1650 N  
Ogden, UT 84404  
803-802-2959

**L Other information**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

Berry will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites or other applicable facilities. A list of noxious weeds may be obtained from the Authorized Agency or the appropriate County Extension Office.

Drilling rigs and/or equipment used during drilling operations on this location will not be stacked or stored on administered lands after the conclusion of drilling operations or at any other time without authorization by the Authorized Agency Officer. If authorization is obtained, such storage is only a temporary measure.

Travel is restricted to approved routes only.

Outlaw Engineering Inc. has conducted a Class III archaeological survey. A copy of this report has been submitted under separate cover by Outlaw Engineering Inc. to the appropriate agencies.

All personnel will refrain from collecting artifacts and from disturbing any significant cultural resources in the area. The operator is responsible for informing all persons in the area who are associated with this project that they may be subject to prosecution for knowingly disturbing historic or archaeological sites or for collecting artifacts. All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to the areas examined, as referenced in the archaeological report, and to the existing roadways and/or evaluated access routes. If historic or archaeological materials are uncovered during construction, Berry Petroleum Company is to immediately stop work that might further disturb such materials and contact the Authorized Agency Officer.

Within five working days, the Authorized Agency Officer will inform the operator as to:

- Whether the materials appear eligible for the National Historic Register of Historic Places;
- The mitigation measures Berry will likely have to undertake before the site can be used (assuming in-situ preservation is not necessary); and a time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that the mitigation measures are appropriate.

If Berry wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Agency Officer and/or the surface owner will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise the operator will be responsible for mitigation costs. The Authorized Agency Officer and/or the surface owner will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Agency Officer that required mitigation has been completed, Berry will then be allowed to resume construction.

All Surface Use Conditions of Approval associated with the Landowner Surface Use Agreement and Environmental Analysis Mitigation Stipulations will be adhered to.

All well site locations will have appropriate signs indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (footages or the quarter/quarter section, the section, township, and range).

#### M. Annual Air Emissions

Table 4-1. Proposed Action Annual Emissions  
(tons/year)<sup>1</sup>

Pollutant	Development	Production	Total
NO <sub>x</sub>	5.7	8.1	13.8
CO	3.9	7.5	11.4
VOC	1.5	59.7	60.6
SO <sub>2</sub>	0.009	0.42	0.429
PM <sub>10</sub>	2.7	0.78	3.48
PM <sub>2.5</sub>	0.9	0.78	1.68
Benzene	0.03	0.3	0.33
Toluene	0.012	0.606	0.618
Ethylbenzene	0.003	0.582	0.585
Xylene	0.009	0.981	0.99
n-Hexane	0	3.21	3.21
Formaldehyde	0.09	0.489	0.579

<sup>1</sup> Emissions include 3 producing wells and associated operations traffic during the year in which the project is developed.

**BERRY PETROLEUM COMPANY**

**HEINER TRIBAL 3-11D-54, 4-11-54 & 5-11D-54**

**SECTION 11, T5S, R4W, U.S.B.&M.**

PROCEED IN A SOUTHERLY DIRECTION FROM DUCHESNE, UTAH ALONG U.S. HIGHWAY 191 APPROXIMATELY 2.3 MILES TO THE JUNCTION OF THIS ROAD AND THE EXISTING SOWERS CANYON ACCESS ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY THENCE EASTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND COUNTY ROAD 25 TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY THENCE SOUTHEASTERLY THENCE SOUTHWESTERLY DIRECTION APPROXIMATELY 6.5 MILES TO THE JUNCTION OF THIS ROAD AND COTTONWOOD RIDGE ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 4.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE HEINER TRIBAL 3-11D-54, 4-11-54 & 5-11D-54; FOLLOW THE PROPOSED ACCESS FLAGS IN A SOUTHERLY THENCE SOUTHWESTERLY DIRECTION APPROXIMATELY 1,047' TO THE PROPOSED LOCATION.


**CONFIDENTIAL**

# BERRY PETROLEUM COMPANY

## WELL PAD INTERFERENCE PLAT

**HEINER TRIBAL 3-11D-54 (Proposed Well)**  
**HEINER TRIBAL 4-11-54 (Proposed Well)**  
**HEINER TRIBAL 5-11D-54 (Proposed Well)**

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.




**TOP HOLE FOOTAGES**

3-11D-54 (PROPOSED)  
 469' FNL & 594' FWL  
4-11-54 (PROPOSED)  
 489' FNL & 595' FWL  
5-11D-54 (PROPOSED)  
 509' FNL & 595' FWL

**BOTTOM HOLE FOOTAGES**

3-11D-54 (PROPOSED)  
 656' FNL & 1964' FWL  
4-11-54 (PROPOSED)  
 VERTICAL  
5-11D-54 (PROPOSED)  
 1968' FNL & 651' FWL



**Note:**

Bearings are based on GPS Observations.

RELATIVE COORDINATES From top hole to bottom hole		
WELL	NORTH	EAST
3-11D-54	-165'	1,373'
4-11-54	VERTICAL	VERTICAL
5-11D-54	-1,457'	84'

LATITUDE & LONGITUDE Surface position of Wells (NAD 27)		
WELL	LATITUDE	LONGITUDE
3-11D-54	40.066882°	110.309684°
4-11-54	40.066827°	110.309683°
5-11D-54	40.066772°	110.309681°

SURVEYED BY: Q.M.	DATE SURVEYED: 12-21-12
DRAWN BY: L.C.S.	DATE DRAWN: 01-02-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
 Land Surveying, Inc.  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY



## LOCATION LAYOUT

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



SURVEYED BY: Q.M.	DATE SURVEYED: 12-21-12
DRAWN BY: L.C.S.	DATE DRAWN: 01-02-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
 Land Surveying, Inc.  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY





## CROSS SECTIONS

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



CONFIDENTIAL

NOTE:  
UNLESS OTHERWISE NOTED  
CUT SLOPES ARE AT 1:1  
FILL SLOPES ARE AT 1.5:1

ESTIMATED EARTHWORK QUANTITIES (No Shrink or swell adjustments have been used) (Expressed in Cubic Yards)				
ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	3,950	3,950	Topsail is not included in Pad Cut	0
PIT	0	0		0
<b>TOTALS</b>	<b>3,950</b>	<b>3,950</b>	<b>1,240</b>	<b>0</b>

SURVEYED BY: Q.M.	DATE SURVEYED: 12-21-12
DRAWN BY: L.C.S.	DATE DRAWN: 01-02-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY



## TYPICAL RIG LAYOUT

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



*Note:*  
Flare pit is to be located a minimum of 100' from well head.

SURVEYED BY: Q.M.	DATE SURVEYED: 12-21-12
DRAWN BY: L.C.S.	DATE DRAWN: 01-02-13
SCALE: 1" = 50'	REVISED:

**Tri State Land Surveying, Inc.** (435) 781-2501  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY



## INTERIM RECLAMATION PLAN

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



CONFIDENTIAL

*Note:*  
Flare pit is to be located a minimum of 100' from well head.

**APPROXIMATE ACREAGE**  
UN-RECLAIMED = ±2.329 ACRES


Proposed Surface Disturbance Boundary (Approx. 2.329 Acres)

SURVEYED BY: Q.M.	DATE SURVEYED: 12-21-12
DRAWN BY: L.C.S.	DATE DRAWN: 02-01-13
SCALE: 1" = 50'	REVISED:

**Tri State Land Surveying, Inc.** (435) 781-2501  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078







**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Proposed Road (30' Wide R-O-W)

HEINER TRIBAL 3-11D-54  
 HEINER TRIBAL 4-11-54  
 HEINER TRIBAL 5-11D-54

**Tri State**  
**Land Surveying, Inc.**  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
 F: (435) 781-2518




**BERRY PETROLEUM COMPANY**  
 HEINER TRIBAL 3-11D-54  
 HEINER TRIBAL 4-11-54  
 HEINER TRIBAL 5-11D-54  
 SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	A.P.C.
DATE:	01-18-2013
SCALE:	1:100,000

**TOPOGRAPHIC MAP**

SHEET  
**A**



**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Proposed Road (Existing County Road R-O-W)
- Proposed Road (30' Wide R-O-W)

THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION. A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.



**Tri State  
Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518



**BERRY PETROLEUM COMPANY**



HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	A.P.C.
DATE:	01-18-2013
SCALE:	1" = 2,000'

**TOPOGRAPHIC MAP**

SHEET  
**B**

**Proposed Pipeline Map**



**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Proposed Pipeline (Existing County R-O-W)
- Proposed Pipeline (30' Wide R-O-W)
- Previously Proposed Pipeline

THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION, A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.

**Tri State Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518



**BERRY PETROLEUM COMPANY**

HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.


DRAWN BY:	A.P.C.
DATE:	01-18-2013
SCALE:	1" = 2,000'

**TOPOGRAPHIC MAP**

SHEET  
**C**

**Exhibit "B" Map**

**HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54**



**Legend**

- 1 Mile Radius
- Surface Hole

**DNR Well Status**

- Approved Permit
- Spudded Drilling
- Location Abandoned
- New Location
- Drilling Operations Suspended
- Plugged Abandoned
- Producing Gas Well
- Producing Oil Well
- Returned APD
- Shut-In Gas Well
- Shut-In Water Well
- Temporarily Abandoned
- Water Disposal Well
- Water Injection Well

THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION. A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.

**Tri State  
Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518



**BERRY PETROLEUM COMPANY**  
HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	A.P.C.
DATE:	01-18-2013
SCALE:	1" = 2,000'

**TOPOGRAPHIC MAP**

SHEET  
**D**

**Location  
Photos**

**Center Stake  
Looking Southerly**

Date Photographed: 12/27/2012

Photographed By: S. Young



**Access  
Looking Westerly**

Date Photographed: 12/27/2012

Photographed By: S. Young



**Tri State  
Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518

**BERRY PETROLEUM COMPANY**



HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY: A.P.C.  
DATE: 01-18-2013

**COLOR PHOTOGRAPHS**

SHEET  
**P**

### SCHEMATIC DIAGRAM OF 3,000 PSI BOP STACK



## AFFIDAVIT OF NOTICE

I, Krista Mecham, the affiant herein, being of lawful age and duly sworn upon his oath deposes and states as follows:

Krista Mecham is a Sr. Regulatory & Permitting Tech. for **Berry Petroleum Company**, a Delaware Corporation, with headquarters located at 1999 Broadway, Suite 3700, Denver, Colorado 80202, and is duly authorized to make this affidavit on behalf of said corporation.

Berry Petroleum Company has submitted notices to commingle production from the Wasatch and Green River formations in the following wells lying within the boundaries of the Ute Tribal Exploration and Development Agreement – BIA Lease # 14-20-H62-5032:

Heiner Tribal 3-11D-54  
Heiner Tribal 4-11-54  
Heiner Tribal 5-11D-54  
Conolly Tribal 1-11D-54  
Conolly Tribal 2-11D-54  
Conolly Tribal 7-11D-54  
Conolly Tribal 8-11D-54

This Affidavit is made in accordance with Utah's Oil, Gas and Mining regulation R649-3-22. As operator, Berry Petroleum Company has provided notices to the owner(s) of all contiguous oil and gas leases or drilling units overlying the pool for the aforementioned wells to the parties listed below:

Petroglyph Operating Company Inc  
PO Box 607  
Roosevelt, Utah 84066  
Attn: Land Manager

Homeland Gas & Oil, Inc  
3980 E. Main St. Hwy 40  
Ballard, UT 84066


This instrument is executed this 24th day of April, 2013.

**Berry Petroleum Company**

By: Krista Mecham

CONFIDENTIAL

11



★ Well of Interest  
☆ Berry Ute Tribal Leases  
▨ Drilling Units to Commingle


Berry Petroleum Company

Statewide Utah

Commingle Map



April 5, 2013



# Berry Petroleum Company

Rt 2 Box 7735  
4000 S. 4028 W  
Roosevelt, Utah 84066  
Phone (435) 722-1325  
Fax (435) 722-1321

April 29, 2013

Ms. Diana Whitney  
State of Utah  
Division of Oil, Gas and Mining  
P.O. Box 145801  
Salt Lake City, UT 84115-5801

Re: Directional Drilling R649-3-11  
HEINER TRIBAL 5-11D-54

509' FNL & 595' FWL (NWNW - SHL)  
1968' FNL & 651' FWL (SWNW - BHL)

Section 11, T5S-R4W  
Duchesne, County, Utah

Dear Ms. Whitney:

Pursuant to the filing of Berry Petroleum's Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- The Heiner Tribal 5-11D-54 well is to be located within the Brundage Canyon Field Area.
- Berry is locating the well at the surface location and directionally drilling from this location to minimize surface disturbance and Berry will be able to utilize the existing road and pipelines in the area.
- Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.

Therefore, based on the above stated information Berry Petroleum Company requests the permit be granted pursuant to R649-3-11.

Respectfully Submitted,

Krista Mecham  
Sr. Regulatory & Permitting Technician

SELF-CERTIFICATION STATEMENT

The following self -certification statement is provided per federal requirements dated May 7, 2007.

Please be advised that Berry Petroleum Company is considered to be the operator of the following well.

Heiner Tribal 5-11D-54  
 Section 11, T5S, R4W, U.S.B.& M.  
 SHL: 509' FNL & 595' FWL (NW/4NW/4)  
 BHL: 1968' FNL & 651' FWL (SW/4NW/4)  
 Duchesne, County, Utah

Berry Petroleum Company is responsible under the terms of the lease for the operations conducted upon the lease lands.

**Operator's Representative and Certification**

A) Representative  
 NAME: Krista M. Mecham  
 ADDRESS: Berry Petroleum Company  
 4000 South 4028 West  
 Route 2, Box 7735  
 Roosevelt, Utah 84066  
 PHONE: 435-722-1325

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations and onshore oil and gas orders. Berry Petroleum Company is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

The drilling permit will be valid for a period of two years from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

## B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with the operations proposed herein will be performed by Berry Petroleum Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

4/29/2013  
 DATE

Krista Mecham  
 Krista M. Mecham  
 Sr. Regulatory & Permitting Tech.



# ON-SITE PREDRILL EVALUATION

## Utah Division of Oil, Gas and Mining

**Operator** BERRY PETROLEUM COMPANY  
**Well Name** Heiner Tribal 5-11D-54  
**API Number** 43013521670000      **APD No** 7901      **Field/Unit** BRUNDAGE CANYON  
**Location: 1/4,1/4** NWNW      **Sec** 11      **Tw** 5.0S      **Rng** 4.0W      509 FNL 595 FWL  
**GPS Coord (UTM)**      **Surface Owner** Dirk Heiner

### Participants

Shay Young (surveyor), Brian Barnett (BLM), Shawn Hawk and Brad Meacham (Berry Petroleum)

### Regional/Local Setting & Topography

This proposed 3 well drill sites on a small narrow ridge which extends off from the south side of a much larger north south running ridge between Cottonwood Canyon to the west and Antelope Canyon to the east. Duchesne is approximately 8 miles to the north west.

### Surface Use Plan

**Current Surface Use**  
Wildlife Habitat

<b>New Road Miles</b>	<b>Well Pad</b>	<b>Src Const Material</b>	<b>Surface Formation</b>
0.15	<b>Width</b> 210 <b>Length</b> 300	Offsite	UNTA

**Ancillary Facilities** N

**Waste Management Plan Adequate?** Y

### Environmental Parameters

**Affected Floodplains and/or Wetlands**

**Flora / Fauna**

Grasses, small sage, good vegetative cover

**Soil Type and Characteristics**

Sandy loam covered with fractured rock fragments

**Erosion Issues**

**Sedimentation Issues**

**Site Stability Issues**

**Drainage Diversion Required?**

**Berm Required?**

**Erosion Sedimentation Control Required?**

**Paleo Survey Run?    Paleo Potential Observed?    Cultural Survey Run?    Cultural Resources?**

**Reserve Pit****Site-Specific Factors****Site Ranking**

<b>Distance to Groundwater (feet)</b>	>200	0	
<b>Distance to Surface Water (feet)</b>	>1000	0	
<b>Dist. Nearest Municipal Well (ft)</b>	>5280	0	
<b>Distance to Other Wells (feet)</b>		20	
<b>Native Soil Type</b>	High permeability	20	
<b>Fluid Type</b>	TDS>10000	15	
<b>Drill Cuttings</b>	Normal Rock	0	
<b>Annual Precipitation (inches)</b>		0	
<b>Affected Populations</b>			
<b>Presence Nearby Utility Conduits</b>	Not Present	0	
	<b>Final Score</b>	55	1 Sensitivity Level

**Characteristics / Requirements**

No reserve pit proposed

**Closed Loop Mud Required? Y    Liner Required?    Liner Thickness    Pit Underlayment Required?**

**Other Observations / Comments**

This is proposed as a three well pad housing the following:  
 Heiner Tribal 3-11D-54  
 Heiner Tribal 4-11-54  
 Heiner Tribal 5-11D-54

Richard Powell  
**Evaluator**

6/12/2013  
**Date / Time**

**Application for Permit to Drill  
Statement of Basis  
Utah Division of Oil, Gas and Mining**

APD No	API WellNo	Status	Well Type	Surf Owner	CBM
7901	43013521670000	LOCKED	OW	P	No
<b>Operator</b>	BERRY PETROLEUM COMPANY		<b>Surface Owner-APD</b>	Dirk Heiner	
<b>Well Name</b>	Heiner Tribal 5-11D-54		<b>Unit</b>		
<b>Field</b>	BRUNDAGE CANYON		<b>Type of Work</b>	DRILL	
<b>Location</b>	NWNW 11 5S 4W U 509 FNL (UTM) 558794E 4435396N		595 FWL GPS Coord		

**Geologic Statement of Basis**

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill  
**APD Evaluator**

6/17/2013  
**Date / Time**

**Surface Statement of Basis**

This proposed 3 well pad is on fee surface with Indian Minerals. Surface owner Dirk Heiner stated that he planned to attend the onsite, but did not show up. When contacted he stated that he had a schedule conflict and was unable to attend but also stated that he had no concerns at this time as long as Berry Petroleum does as agreed to with Mr. Heiner previously. According to Mr. Heiner, he asked that the well site be moved to the east side of the property and it appears Berry has met Mr. Heiners request. The site is tucked against the east side property line.

No reserve pit is proposed for this site. Berry Petroleum plans to dispose of dry cuttings on location. The dry cuttings must be blended with existing soil and spread on location. Some minor drainage diversions may be needed but as staked no significant drainages are affected. Due to permeable soil and slopes this location must be bermed. This appears to be a good site for placement of this well.

Richard Powell  
**Onsite Evaluator**

6/12/2013  
**Date / Time**

**Conditions of Approval / Application for Permit to Drill**

Category	Condition
Pits	A closed loop mud circulation system is required for this location.
Surface	Drainages adjacent to the proposed pad shall be diverted around the location.
Surface	The well site shall be bermed to prevent fluids from leaving the pad.

## WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 4/29/2013

API NO. ASSIGNED: 43013521670000

WELL NAME: Heiner Tribal 5-11D-54

OPERATOR: BERRY PETROLEUM COMPANY (N2480)

PHONE NUMBER: 435 722-1325

CONTACT: Krista Mecham

PROPOSED LOCATION: NWNW 11 050S 040W

Permit Tech Review: 

SURFACE: 0509 FNL 0595 FWL

Engineering Review: 

BOTTOM: 1968 FNL 0651 FWL

Geology Review: 

COUNTY: DUCHESNE

LATITUDE: 40.06677

LONGITUDE: -110.31055

UTM SURF EASTINGS: 558794.00

NORTHINGS: 4435396.00

FIELD NAME: BRUNDAGE CANYON

LEASE TYPE: 2 - Indian

LEASE NUMBER: 1420H625032

PROPOSED PRODUCING FORMATION(S): WASATCH

SURFACE OWNER: 4 - Fee

COALBED METHANE: NO

## RECEIVED AND/OR REVIEWED:

- PLAT
- Bond: INDIAN - RLB0005647
- Potash
- Oil Shale 190-5
- Oil Shale 190-3
- Oil Shale 190-13
- Water Permit: 43-12400
- RDCC Review:
- Fee Surface Agreement
- Intent to Commingle

Commingling Approved

## LOCATION AND SITING:

- R649-2-3.
- Unit:
- R649-3-2. General
- R649-3-3. Exception
- Drilling Unit
- Board Cause No: R649-3-11
- Effective Date:
- Siting:
- R649-3-11. Directional Drill

Comments: Presite Completed

Stipulations: 1 - Exception Location - bhill  
 3 - Commingling - ddoucet  
 4 - Federal Approval - dmason  
 5 - Statement of Basis - bhill  
 15 - Directional - dmason  
 23 - Spacing - dmason



GARY R. HERBERT  
*Governor*

GREGORY S. BELL  
*Lieutenant Governor*

# State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER  
*Executive Director*

Division of Oil, Gas and Mining

JOHN R. BAZA  
*Division Director*

## Permit To Drill

\*\*\*\*\*

**Well Name:** Heiner Tribal 5-11D-54  
**API Well Number:** 43013521670000  
**Lease Number:** 1420H625032  
**Surface Owner:** FEE (PRIVATE)  
**Approval Date:** 6/19/2013

### Issued to:

BERRY PETROLEUM COMPANY, 4000 South 4028 West Rt 2 Box 7735, Roosevelt, UT 84066

### Authority:

Pursuant to Utah Code Ann. 40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-11. The expected producing formation or pool is the WASATCH Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

### Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

### Exception Location:

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

### Commingle:

Administrative approval for commingling the production from the Wasatch formation and the Green River formation in this well is hereby granted. Appropriate information has been submitted to DOGM in accordance with R649-3-22. No written objections from owners were received by DOGM.

### General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

### Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis (copy attached).

**Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well - contact Carol Daniels at 801-538-5284

(please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website

at <http://oilgas.ogm.utah.gov>

**Reporting Requirements:**

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) - due within 5 days of spudding the well
- Monthly Status Report (Form 9) - due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) - due prior to implementation
- Written Notice of Emergency Changes (Form 9) - due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) - due prior to implementation
- Report of Water Encountered (Form 7) - due within 30 days after completion
- Well Completion Report (Form 8) - due within 30 days after completion or plugging

**Approved By:**

**Approved by:**

A handwritten signature in black ink, appearing to read "J. Rogers", written in a cursive style.

For John Rogers  
Associate Director, Oil & Gas

# RECEIVED

Form 3160-3  
(August 2007)

APR 29 2013

FORM APPROVED  
OMB No. 1004-0136  
Expires July 31, 2010

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

## BLM

### APPLICATION FOR PERMIT TO DRILL OR REENTER

5. Lease Serial No. 1420H625662
6. If Indian, Allottee or Tribe Name UINTAH AND OURAY
7. If Unit or CA Agreement, Name and No.
8. Lease Name and Well No. HEINER TRIBAL 5-11D-54
9. API Well No. 4301352167
10. Field and Pool, or Exploratory UNKNOWN
11. Sec., T., R., M., or Blk. and Survey or Area Sec 11 T5S R4W Mer UBM SME: BIA
12. County or Parish DUCHESNE
13. State UT
17. Spacing Unit dedicated to this well 40.00
20. BLM/BIA Bond No. on file RLB0005647
23. Estimated duration 14 DAYS

# CONFIDENTIAL

1a. Type of Work:  DRILL  REENTER

1b. Type of Well:  Oil Well  Gas Well  Other  Single Zone  Multiple Zone

2. Name of Operator: BERRY PETROLEUM COMPANY  
Contact: KRISTA M MECHAM  
E-Mail: kmm@bry.com

3a. Address: 4000 SOUTH 4028 WEST  
ROOSEVELT, UT 84066

3b. Phone No. (include area code)  
Ph: 435-722-1325

4. Location of Well (Report location clearly and in accordance with any State requirements. \*)

At surface: NWNW 509FNL 595FWL 40.066733 N Lat, 110.310390 W Lon

At proposed prod. zone: SWNW 1968FNL 651FWL 40.062731 N Lat, 110.310158 W Lon

14. Distance in miles and direction from nearest town or post office\*  
15 MILES FROM DUCHESNE, UT

15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)  
509

16. No. of Acres in Lease  
640.00

18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft.  
20

19. Proposed Depth  
7376 MD  
7143 TVD

21. Elevations (Show whether DF, KB, RT, GL, etc.)  
6175 GL

22. Approximate date work will start  
09/01/2013

#### 24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification
- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature (Electronic Submission)	Name (Printed/Typed) KRISTA M MECHAM Ph: 435-722-1325	Date 04/29/2013
Title SR. REGULATORY & PERMITTING		
Approved by (Signature) 	Name (Printed/Typed) Jerry Kenczka	Date SEP 03 2013
Title Assistant Field Manager Lands & Mineral Resources	Office VERNAL FIELD OFFICE	

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.  
Conditions of approval, if any, are attached.

## CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Electronic Submission #205681 verified by the BLM Well Information System  
For BERRY PETROLEUM COMPANY, sent to the Vernal  
Committed to AFMSS for processing by JOHNETTA MAGEE on 05/06/2013 (13JM0959AE)

## NOTICE OF APPROVAL

# UDOGM

RECEIVED  
SEP 12 2013

DIV. OF OIL, GAS & MINING

\*\* BLM REVISED \*\*




**UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
VERNAL FIELD OFFICE**

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



**CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL**

<b>Company:</b>	<b>BERRY PETROLEUM COMPANY</b>	<b>Location:</b>	<b>NWNW, Sec. 11, T5S, R4W</b>
<b>Well No:</b>	<b>HEINER TRIBAL 5-11D-54</b>	<b>Lease No:</b>	<b>14-20-H62-5662</b>
<b>API No:</b>	<b>43-013-52167</b>	<b>Agreement:</b>	<b>N/A</b>

**OFFICE NUMBER: (435) 781-4400**

**OFFICE FAX NUMBER: (435) 781-3420**

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR  
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

**NOTIFICATION REQUIREMENTS**

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	- Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: <a href="mailto:blm_ut_vn_opreport@blm.gov">blm_ut_vn_opreport@blm.gov</a> .
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	- Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

***SURFACE USE PROGRAM  
CONDITIONS OF APPROVAL (COAs)***

- Paint all production facilities and equipment, not otherwise regulated (OSHA, etc.), Beetle.
- All areas of disturbance (including surface pipelines) must have appropriate surface use agreements or approvals in place with the proper owner and/or agency before such action is started.
- The conditions of approval, as set forth by those owners and/or agencies, shall be adhered to.

**DOWNHOLE PROGRAM  
CONDITIONS OF APPROVAL (COAs)**

**SITE SPECIFIC DOWNHOLE COAs:**

- Gamma Ray Log shall be run from Total Depth to Surface.
- To effectively protect useable water, cement for the long string is required to be brought 200 feet above the surface casing shoe.

**All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to.** The following items are emphasized:

**DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS**

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of

each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well by CD (compact disc). This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

## **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at [www.ONRR.gov](http://www.ONRR.gov).
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼ ¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - Unit agreement and/or participating area name and number, if applicable.
  - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>  <b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 1420H625032
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> Ute In  <b>7. UNIT or CA AGREEMENT NAME:</b>
<b>1. TYPE OF WELL</b> Oil Well	<b>8. WELL NAME and NUMBER:</b> Heiner Tribal 5-11D-54
<b>2. NAME OF OPERATOR:</b> BERRY PETROLEUM COMPANY	<b>9. API NUMBER:</b> 43013521670000
<b>3. ADDRESS OF OPERATOR:</b> 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066	<b>PHONE NUMBER:</b> 303 999-4044 Ext
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0400 FNL 0845 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NWNW Section: 11 Township: 05.0S Range: 04.0W Meridian: U	<b>9. FIELD and POOL or WILDCAT:</b> BRUNDAGE CANYON  <b>COUNTY:</b> DUCHESNE  <b>STATE:</b> UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start: <b>9/19/2013</b>  <input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:  <input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:  <input type="checkbox"/> <b>DRILLING REPORT</b> Report Date:	<input type="checkbox"/> ACIDIZE <input checked="" type="checkbox"/> <b>CHANGE TO PREVIOUS PLANS</b> <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


At the request of the surface owner of the Heiner Tribal 5-11D-54, the SHL will be relocated to 400' FNL & 845' FWL. No changes to the drilling program or BHL will occur. Please see revised plats and additional documents.

**Approved by the  
 Utah Division of  
 Oil, Gas and Mining**

**Date:** September 25, 2013

**By:** 


<b>NAME (PLEASE PRINT)</b> Krista Mecham	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory Permitting Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 9/19/2013	



**API Number: 4301352167**  
**Well Name: Heiner Tribal 5-11D-54**  
 Township: T05.0S Range: R04.0W Section: 11 Meridian: U  
 Operator: BERRY PETROLEUM COMPANY

Map Prepared: 9/25/2013  
 Map Produced by Diana Mason



Wells Query		Units	
◆	APD - Approved Permit	▨	ACTIVE
○	DRL - Spudded (Drilling Commenced)	▨	EXPLORATORY
+	GIW - Gas Injection	▨	GAS STORAGE
+	GS - Gas Storage	▨	NF PP OIL
+	LOC - New Location	▨	NF SECONDARY
+	OPS - Operation Suspended	▨	PI OIL
+	PA - Plugged Abandoned	▨	PP GAS
+	PGW - Producing Gas Well	▨	PP GEOTHERML
+	POW - Producing Oil Well	▨	PP OIL
+	SGW - Shut-in Gas Well	▨	SECONDARY
+	SOW - Shut-in Oil Well	▨	TERMINATED
+	TA - Temp. Abandoned		
○	TW - Test Well		
+	WOW - Water Disposal		
+	WW - Water Injection Well		
+	WSW - Water Supply Well		



# T5S, R4W, U.S.B.&M.

## BERRY PETROLEUM COMPANY

WELL LOCATION, HEINER TRIBAL 5-11D-54, LOCATED AS SHOWN IN THE NW 1/4 NW 1/4 OF SECTION 11, T5S, R4W, U.S.B.&M. DUCHESNE COUNTY, UTAH.




- NOTES:**
- Well footages are measured at right angles to the Section Lines.
  - Bearings are based on Global Positioning Satellite observations.

THIS IS TO CERTIFY THAT THE ABOVE REPORT WAS PREPARED FROM FIELD NOTES OF ACCURATE SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: **STACY W. STEWART**  
 REGISTERED LAND SURVEYOR  
 REGISTRATION NO. 09-16-13  
 STATE OF UTAH

**TRI STATE LAND SURVEYING & CONSULTING**  
 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078  
 (435) 781-2501

DATE SURVEYED: 03-04-13	SURVEYED BY: S.Y.
DATE DRAWN: 03-21-13	DRAWN BY: L.C.S.
REVISED: 09-16-13 D.COX	SCALE: 1" = 1000'



<b>NAD 83 (SURFACE LOCATION)</b>	LATITUDE = 40°04'01.33"	(40.067035)
	LONGITUDE = 110°18'34.20"	(110.309501)
<b>NAD 27 (SURFACE LOCATION)</b>	LATITUDE = 40°04'01.47"	(40.067074)
	LONGITUDE = 110°18'31.65"	(110.308792)
<b>NAD 83 (BOTTOM HOLE LOCATION)</b>	LATITUDE = 40°03'45.83"	(40.062731)
	LONGITUDE = 110°18'36.57"	(110.310158)
<b>NAD 27 (BOTTOM HOLE LOCATION)</b>	LATITUDE = 40°03'45.97"	(40.062770)
	LONGITUDE = 110°18'34.02"	(110.309449)

◆ = SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are base on an N.G.S. OPUS Correction. LOCATION: LAT. 39°58'55.06" LONG. 110°22'05.00" (Tristate Aluminum Cap) Elev. 7307.99'

**BERRY PETROLEUM COMPANY**

**HEINER TRIBAL 3-11D-54, 4-11-54 & 5-11D-54**

**SECTION 11, T5S, R4W, U.S.B.&M.**

PROCEED IN A SOUTHERLY DIRECTION FROM DUCHESNE, UTAH ALONG U.S. HIGHWAY 191 APPROXIMATELY 2.3 MILES TO THE JUNCTION OF THIS ROAD AND THE EXISTING SOWERS CANYON ACCESS ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY THENCE EASTERLY DIRECTION APPROXIMATELY 1.8 MILES TO THE JUNCTION OF THIS ROAD AND COUNTY ROAD 25 TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY THENCE SOUTHEASTERLY THENCE SOUTHWESTERLY DIRECTION APPROXIMATELY 6.5 MILES TO THE JUNCTION OF THIS ROAD AND COTTONWOOD RIDGE ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 4.2 MILES TO THE BEGINNING OF THE PROPOSED ACCESS FOR THE HEINER TRIBAL 3-11D-54, 4-11-54 & 5-11D-54; FOLLOW THE PROPOSED ACCESS FLAGS IN A SOUTHERLY THENCE SOUTHWESTERLY DIRECTION APPROXIMATELY 824' TO THE PROPOSED LOCATION.

# BERRY PETROLEUM COMPANY

## WELL PAD INTERFERENCE PLAT

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



**TOP HOLE FOOTAGES**

3-11D-54 (PROPOSED)

360' FNL & 839' FWL

4-11-54 (PROPOSED)

380' FNL & 842' FWL

5-11D-54 (PROPOSED)

400' FNL & 845' FWL

**BOTTOM HOLE FOOTAGES**

3-11D-54 (PROPOSED)


656' FNL & 1964' FWL

4-11-54 (PROPOSED)

VERTICAL

5-11D-54 (PROPOSED)

1968' FNL & 651' FWL



**Note:**

Bearings are based on GPS Observations.

RELATIVE COORDINATES From top hole to bottom hole		
WELL	NORTH	EAST
3-11D-54	-278'	1,130'
4-11-54	VERTICAL	VERTICAL
5-11D-54	-1,571'	-163'

LATITUDE & LONGITUDE Surface position of Wells (NAD 27)		
WELL	LATITUDE	LONGITUDE
3-11D-54	40.67183°	110.308812°
4-11-54	40.067128°	110.308802°
5-11D-54	40.067074°	110.308792°

SURVEYED BY: S.Y.	DATE SURVEYED: 03-04-13
DRAWN BY: L.C.S.	DATE DRAWN: 03-21-13
SCALE: 1" = 50'	REVISED: 09-16-13 D.COX

**Tri State** (435) 781-2501  
 Land Surveying, Inc.  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY



## LOCATION LAYOUT

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



*Note:*  
Flare pit is to be located a minimum of 100' from well head.

WELL HEAD:  
UNGRADED = 6180.1'  
FIN. GRADE = 6175.2'

Proposed Surface Disturbance Boundary  
(Approx. 2.268 Acres)

REFERENCE POINTS	
140' WESTERLY	6173.1'
190' WESTERLY	6174.7'
200' SOUTHERLY	6168.2'
240' SOUTHERLY	6165.0'

SURVEYED BY: S.Y.	DATE SURVEYED: 03-04-13
DRAWN BY: L.C.S.	DATE DRAWN: 03-21-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
*Land Surveying, Inc.*  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY





## CROSS SECTIONS

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



ESTIMATED EARTHWORK QUANTITIES  
(No Shrink or swell adjustments have been used)  
(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	5,630	5,630	Topsoil is not included in Pad Cut	0
PIT	0	0		0
TOTALS	5,630	5,630	1,300	0

NOTE:  
UNLESS OTHERWISE NOTED  
CUT SLOPES ARE AT 1:1  
FILL SLOPES ARE AT 1.5:1

SURVEYED BY: S.Y.	DATE SURVEYED: 03-04-13
DRAWN BY: L.C.S.	DATE DRAWN: 03-21-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY


## TYPICAL RIG LAYOUT

HEINER TRIBAL 3-11D-54 (Proposed Well)


HEINER TRIBAL 4-11-54 (Proposed Well)

HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



Property Line



*Note:*  
Flare pit is to be located a minimum of 100' from well head.

SURVEYED BY: S.Y.	DATE SURVEYED: 03-04-13
DRAWN BY: L.C.S.	DATE DRAWN: 03-21-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
 Land Surveying, Inc.  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078

# BERRY PETROLEUM COMPANY


## INTERIM RECLAMATION PLAN

HEINER TRIBAL 3-11D-54 (Proposed Well)

HEINER TRIBAL 4-11-54 (Proposed Well)


HEINER TRIBAL 5-11D-54 (Proposed Well)

Pad Location: NWNW Section 11, T5S, R4W, U.S.B.&M.



Toe of Fill Slope

Property Line



*Note:*  
Flare pit is to be located a minimum of 100' from well head.

FLARE PIT

Top of Cut Slope

Proposed Surface Disturbance Boundary  
(Approx. 2.268 Acres)

Existing Anchor (Typ.)

ACCESS ROAD


APPROXIMATE ACREAGE  
UN-RECLAIMED = ±2.268 ACRES

SURVEYED BY: S.Y.	DATE SURVEYED: 03-04-13
DRAWN BY: L.C.S.	DATE DRAWN: 03-21-13
SCALE: 1" = 50'	REVISED:

**Tri State** (435) 781-2501  
Land Surveying, Inc.  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078








**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Proposed Road (30' Wide R-O-W)

**HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54**

**Tri State Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518




**BERRY PETROLEUM COMPANY**  
HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	J.A.S.
DATE:	03-25-2013
SCALE:	1:100,000

**TOPOGRAPHIC MAP**

SHEET  
**A**



THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION. A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.

**Tri State Land Surveying, Inc.**  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078  
 P: (435) 781-2501  
 F: (435) 781-2518




**BERRY PETROLEUM COMPANY**  
 HEINER TRIBAL 3-11D-54  
 HEINER TRIBAL 4-11-54  
 HEINER TRIBAL 5-11D-54  
 SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	J.A.S.
DATE:	03-25-2013
SCALE:	1" = 2,000'

**TOPOGRAPHIC MAP** SHEET **B**

**Exhibit "B" Map**

**HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54**



**DNR Well Status**

- ◇ Approved Permit
- ⊙ Spudded Drilling
- ✕ Location Abandoned
- ⊕ New Location
- ⚠ Drilling Operations Suspended
- ⊖ Plugged Abandoned
- ☀ Producing Gas Well
- Producing Oil Well
- ⊙ Returned APD
- ⊖ Shut-in Gas Well
- ⊖ Shut-in Water Well
- ⊖ Temporarily Abandoned
- ⚡ Water Disposal Well
- ⚡ Water Injection Well

**Legend**


- Surface Hole
- 1 Mile Radius

THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION. A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.



**Tri State Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518




**BERRY PETROLEUM COMPANY**  
HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY: J.A.S.  
DATE: 03-25-2013  
SCALE: 1" = 2,000'

**TOPOGRAPHIC MAP**

SHEET  
**D**

**Proposed Pipeline Map**



**Legend**

- US Highway
- Major Road
- Minor Road
- Existing Road
- Pipeline
- Previously Proposed Pipeline

THE PARCEL INFORMATION SHOWN HAS NOT BEEN SURVEYED BY TRI-STATE LAND SURVEYING, INC. - TRI-STATE DOES NOT WARRANTY PROPERTY PARCEL DATA OR ANY ASSOCIATED INFORMATION. A PROPERTY SURVEY IS REQUIRED TO DETERMINE THE ACTUAL LOCATION OF PROPERTY LINES AND SHOW ACCURATE DISTANCES ACROSS PARCELS.

**Tri State Land Surveying, Inc.**  
 180 NORTH VERNAL AVE. VERNAL, UTAH 84078  
 P: (435) 781-2501  
 F: (435) 781-2518



**BERRY PETROLEUM COMPANY**

HEINER TRIBAL 3-11D-54  
 HEINER TRIBAL 4-11-54  
 HEINER TRIBAL 5-11D-54  
 SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

DRAWN BY:	J.A.S.
DATE:	03-25-2013
SCALE:	1" = 2,000'

**TOPOGRAPHIC MAP**

SHEET  
**C**

**Location  
Photos**

**Center Stake  
Looking Southerly**

Date Photographed:	12/27/2012
Photographed By :	S. Young



**Access  
Looking Westerly**

Date Photographed:	12/27/2012
Photographed By :	S. Young



**Tri State  
Land Surveying, Inc.**  
180 NORTH VERNAL AVE. VERNAL, UTAH 84078

P: (435) 781-2501  
F: (435) 781-2518

**BERRY PETROLEUM COMPANY**

HEINER TRIBAL 3-11D-54  
HEINER TRIBAL 4-11-54  
HEINER TRIBAL 5-11D-54  
SEC. 11, T5S, R4W, U.S.B.&M. Duchesne County, UT.

**COLOR PHOTOGRAPHS**

SHEET  
**P**

DRAWN BY:	J.A.S.
DATE:	03-25-2013

BERRY PETROLEUM COMPANY  
 Heiner Tribal 5-11D-54  
 Section 11, T5S, R4W, U.S.B.&M.  
 Surface: 400' FNL & 845' FWL (NW/4NW/4)  
 BHL: 1968' FNL & 651' FWL (SW/4NW/4)  
 Duchesne County, Utah

ONSHORE ORDER NO. 1

DRILLING PROGRAM

**A,B Estimated Tops of Geological Markers and Formations Expected to Contain Water, Oil and Gas and Other Minerals**

<b>FORMATION</b>	<b>DRILL DEPTH * @ SHL (TVD)</b>	<b>DRILL DEPTH* @ BHL (TVD)</b>	<b>Measured Depth</b>
Uinta Fm	Surface	Surface	Surface
Green River	1405'	1385'	1412'
Green River Fouch Marker	2048'	2028'	2085'
Mahogany	2725'	2698'	2801'
Tgr3	3816'	3780'	3954'
*Douglas Creek	4598'	4558'	4780'
Black Shale	5270'	5222'	5466'
*Castle Peak	5535'	5494'	5732'
*Uteland Butte	5961'	5923'	6158'
*Wasatch	6179'	6143'	6376'
CR-4A	7129'	7093'	7326'
TD	7179'	7143'	7376'
Base of Moderate Saline Water	203'	232'	

\*PROSPECTIVE PAY

**Berry is locating the well at the proposed surface location and directionally drilling to the proposed bottom hole location. By drilling directionally, Berry Petroleum Company will improve field development efficiency by potentially combining multiple surface hole locations together. This will significantly reduce total surface disturbance plus combine the use of access roads and existing pipelines.**

**Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.**

**C Pressure Control Equipment : (Schematic Attached)**

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc. A 3M system will be utilized. The attached diagram depicts the use of an annular in conjunction with double rams. However, an annular, double rams or both may be used depending on the drilling rig contracted.

Chart recorders will be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a representative upon request.

Mud volumes will be monitored visually.  
Upper and Lower Kelly cocks will be utilized.  
A gas buster will be utilized, if necessary.

<u>Depth Intervals</u>	<u>BOP Equipment</u>
0 – 350'	No Pressure Control
350' – 7376'	11" 3000# Ram Type BOP 11" 3000# Annular BOP

**D,E Proposed Casing and Cementing Program**

<u>Purpose</u>	<u>Depth</u>	<u>Hole Size</u>	<u>Casing Size</u>	<u>Type</u>	<u>Connection</u>	<u>Weight</u>
Surface	350'	12.25"	8-5/8"	J-55	ST&C	24#
Production	7376'	7.875"	5-1/2"	N-80 or LIDA-80	LT&C	17#

<u>Surface</u>	<u>Type &amp; Amount</u>
0' – 350'	Approx. 225 SX Premium Class G, plus additives or a similar slurry with a minimum weight of 15.8 #/gal and approximate yield of 1.15 cuft/sx, minimum 24 hr compressive strength = 500 psi (Cement will be circulated to surface and topped off, if necessary.)
<u>Production</u>	<u>Type &amp; Amount</u>
0' – 3500'	Lead: +/- 200 sx Premium Type V + additives or similar slurry with a minimum weight of 11.0 #/gal and approximate yield of 3.82 cuft/sx
3500' – 7376'	Tail: +/- 480 sx Premium Class G + additives or similar slurry with a minimum weight of 13.1 #/gal and approximate yield of 1.70cuft/sk.

For production casing, actual cement volumes will be determined from the caliper log plus a minimum of 15% excess.

**F Drilling Fluids Program**

Interval	Weight	Viscosity	Fluid Loss	Remarks
0' - 350'	8.4 - 9.5	27	NC	DAP Mud
350'-7376'	8.4 - 9.5	27	NC	DAP Water

**G Evaluation Program**

Logging Program:	HRI-GR-SP with SDL-DSN-PE: surface casing to TD. Preserve samples from all show intervals.
Sampling:	10' dry cut samples: Douglas Creek to TD. Preserve samples From all show intervals.
Surveys:	As deemed necessary
Mud Logger:	As deemed necessary
Drill Stem Tests:	As deemed necessary
Cores:	As deemed necessary

**H Anticipated Abnormal Pressures or Temperatures**

No abnormal temperatures or pressures or other hazards are anticipated.

Shallow gas and/or water flows are possible below surface casing.

Maximum anticipated bottom hole pressure equals approximately 3644 psi\* and maximum anticipated surface pressure equals approximately 2022\*\*psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).


\*Max Mud Wt x 0.052 x TD = A (bottom hole pressure)

\*\*Maximum surface pressure = A - (0.22xTD)

**I Anticipated Starting Dates and Notification of Operations**

Drilling Activity:

Anticipated Commencement Date:	Upon approval of the APD.
Drilling Days:	Approximately 10 days.
Completion Days:	Approximately 7 days.



## **Berry Petroleum Company**

**Duchesne Co., UT (UT27C)**

**Sec.11-T5S-R4W**

**Heiner Tribal 5-11D-54**


**Wellbore #1**

**Plan: Design #2**

## **Standard Planning Report**

**17 September, 2013**

# **Archer**



Project: Duchesne Co., UT (UT27C)  
 Site: Sec.11-T5S-R4W  
 Well: Heiner Tribal 5-11D-54  
 Wellbore: Wellbore #1  
 Design: Design #2  
 Latitude: 40° 4' 1.466 N  
 Longitude: 110° 18' 31.651 W  
 Ground Level: 6174.00  
 WELL @ 6194.00usft

# Archer

**PROJECT DETAILS: Duchesne Co., UT (UT27C)**

Geodetic System: US State Plane 1927 (Exact solution)  
 Datum: NAD 1927 (NADCON CONUS)  
 Ellipsoid: Clarke 1866  
 Zone: Utah Central 4302

System Datum: Mean Sea Level

**REFERENCE INFORMATION**

Co-ordinate (N/E) Reference: Well Heiner Tribal 5-11D-54, True North  
 Vertical (TVD) Reference: WELL @ 6194.00usft  
 Section (VS) Reference: Slot - (0.00N, 0.00E)  
 Measured Depth Reference: WELL @ 6194.00usft  
 Calculation Method: Minimum Curvature

**WELL DETAILS: Heiner Tribal 5-11D-54**

+N/-S	+E/-W	Northing	Ground Level:	6174.00	Latitude	Longitude	Slot
0.00	0.00	633696.722	Easting	2333373.569	40° 4' 1.466 N	110° 18' 31.651 W	

**DESIGN TARGET DETAILS**


Name	TVD	+N/-S	+E/-W	Latitude	Longitude	Shape
HT 5-11D-54 Tgt	7143.00	-1567.72	-183.89	40° 3' 45.972 N	110° 18' 34.016 W	Circle (Radius: 100.00)

**SECTION DETAILS**



MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Annotation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	Start Build 1.50
1967.33	22.76	186.69	1927.73	-295.40	-34.65	1.50	186.69	297.43	Start 2542.50 hold at 1967.33 MD
4509.83	22.76	186.69	4272.27	-1272.32	-149.24	0.00	0.00	1281.04	Start Drop -1.50
6027.16	0.00	0.00	5760.00	-1567.72	-183.89	1.50	180.00	1578.47	Start 1393.00 hold at 6027.16 MD
7420.16	0.00	0.00	7143.00	-1567.72	-183.89	0.00	0.00	1578.47	TD at 7420.16

**FORMATION TOP DETAILS**

TVDPath	MDPath	Formation
1402.24	1412.39	Green River
2040.12	2089.20	GR Fouch Mkr
2710.69	2816.39	Mahogany
3791.32	3988.27	Tgr3
4566.20	4823.54	Douglas Creek
5234.70	5510.28	Upr.Black Shale
5499.09	5776.07	Castle Peak
5924.90	6202.06	Uteland Butte
6142.90	6420.06	Wasatch
7092.90	7370.06	CR-4A



Azimuths to True North  
 Magnetic North: 11.13°  
 Magnetic Field  
 Strength: 52019.6snT  
 Dip Angle: 65.71°  
 Date: 09/17/2013  
 Model: IGRF2010



Plan: Design #2 (Heiner Tribal 5-11D-54/Wellbore #1)

Created By: Bret Wolford Date: 13:27, September 17 2013



**Archer**  
Planning Report

# Archer

<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #2		

<b>Project</b>	Duchesne Co., UT (UT27C)		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Utah Central 4302		

<b>Site</b>	Sec.11-T5S-R4W				
<b>Site Position:</b>		<b>Northing:</b>	633,760.445 usft	<b>Latitude:</b>	40° 4' 1.758 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	2,335,932.076 usft	<b>Longitude:</b>	110° 17' 58.733 W
<b>Position Uncertainty:</b>	0.00 usft	<b>Slot Radius:</b>	13-3/16"	<b>Grid Convergence:</b>	0.77 °

<b>Well</b>	Heiner Tribal 5-11D-54					
<b>Well Position</b>	<b>+N/-S</b>	-29.38 usft	<b>Northing:</b>	633,696.722 usft	<b>Latitude:</b>	40° 4' 1.466 N
	<b>+E/-W</b>	-2,559.13 usft	<b>Easting:</b>	2,333,373.569 usft	<b>Longitude:</b>	110° 18' 31.651 W
<b>Position Uncertainty</b>		0.00 usft	<b>Wellhead Elevation:</b>	usft	<b>Ground Level:</b>	6,174.00 usft

<b>Wellbore</b>	Wellbore #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF2010	09/17/13	11.13	65.71	52,020

<b>Design</b>	Design #2			
<b>Audit Notes:</b>				
<b>Version:</b>	<b>Phase:</b>	PLAN	<b>Tie On Depth:</b>	0.00
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N/-S (usft)</b>	<b>+E/-W (usft)</b>	<b>Direction (°)</b>
	0.00	0.00	0.00	186.69

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1,967.33	22.76	186.69	1,927.73	-295.40	-34.65	1.50	1.50	0.00	186.69	186.69
4,509.83	22.76	186.69	4,272.27	-1,272.32	-149.24	0.00	0.00	0.00	0.00	0.00
6,027.16	0.00	0.00	5,750.00	-1,567.72	-183.89	1.50	-1.50	0.00	180.00	180.00
7,420.16	0.00	0.00	7,143.00	-1,567.72	-183.89	0.00	0.00	0.00	0.00	0.00



Archer  
Planning Report

# Archer

<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>8 5/8" Csg.</b>									
350.00	0.00	0.00	350.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Start Build 1.50</b>									
450.00	0.00	0.00	450.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.75	186.69	500.00	-0.33	-0.04	0.33	1.50	1.50	0.00
600.00	2.25	186.69	599.96	-2.92	-0.34	2.94	1.50	1.50	0.00
700.00	3.75	186.69	699.82	-8.12	-0.95	8.18	1.50	1.50	0.00
800.00	5.25	186.69	799.51	-15.91	-1.87	16.02	1.50	1.50	0.00
900.00	6.75	186.69	898.96	-26.30	-3.08	26.48	1.50	1.50	0.00
1,000.00	8.25	186.69	998.10	-39.26	-4.60	39.53	1.50	1.50	0.00
1,100.00	9.75	186.69	1,096.87	-54.80	-6.43	55.17	1.50	1.50	0.00
1,200.00	11.25	186.69	1,195.19	-72.90	-8.55	73.39	1.50	1.50	0.00
1,300.00	12.75	186.69	1,293.00	-93.54	-10.97	94.19	1.50	1.50	0.00
1,400.00	14.25	186.69	1,390.24	-116.73	-13.69	117.53	1.50	1.50	0.00
<b>Green River</b>									
1,412.39	14.44	186.69	1,402.24	-119.78	-14.05	120.60	1.50	1.50	0.00
1,500.00	15.75	186.69	1,486.83	-142.43	-16.71	143.41	1.50	1.50	0.00
1,600.00	17.25	186.69	1,582.71	-170.64	-20.02	171.81	1.50	1.50	0.00
1,700.00	18.75	186.69	1,677.81	-201.33	-23.62	202.71	1.50	1.50	0.00
1,800.00	20.25	186.69	1,772.07	-234.48	-27.50	236.09	1.50	1.50	0.00
1,900.00	21.75	186.69	1,865.43	-270.08	-31.68	271.93	1.50	1.50	0.00
<b>Start 2542.50 hold at 1967.33 MD</b>									
1,967.33	22.76	186.69	1,927.73	-295.40	-34.65	297.43	1.50	1.50	0.00
2,000.00	22.76	186.69	1,957.86	-307.95	-36.12	310.07	0.00	0.00	0.00
<b>GR Fouch Mkr</b>									
2,089.20	22.76	186.69	2,040.12	-342.23	-40.14	344.58	0.00	0.00	0.00
2,100.00	22.76	186.69	2,050.08	-346.38	-40.63	348.75	0.00	0.00	0.00
2,200.00	22.76	186.69	2,142.29	-384.80	-45.14	387.44	0.00	0.00	0.00
2,300.00	22.76	186.69	2,234.51	-423.23	-49.64	426.13	0.00	0.00	0.00
2,400.00	22.76	186.69	2,326.72	-461.65	-54.15	464.81	0.00	0.00	0.00
2,500.00	22.76	186.69	2,418.93	-500.07	-58.66	503.50	0.00	0.00	0.00
2,600.00	22.76	186.69	2,511.15	-538.50	-63.16	542.19	0.00	0.00	0.00
2,700.00	22.76	186.69	2,603.36	-576.92	-67.67	580.88	0.00	0.00	0.00
2,800.00	22.76	186.69	2,695.57	-615.34	-72.18	619.56	0.00	0.00	0.00
<b>Mahogany</b>									
2,816.39	22.76	186.69	2,710.69	-621.64	-72.92	625.90	0.00	0.00	0.00
2,900.00	22.76	186.69	2,787.79	-653.77	-76.68	658.25	0.00	0.00	0.00
3,000.00	22.76	186.69	2,880.00	-692.19	-81.19	696.94	0.00	0.00	0.00
3,100.00	22.76	186.69	2,972.21	-730.61	-85.70	735.62	0.00	0.00	0.00
3,200.00	22.76	186.69	3,064.43	-769.04	-90.20	774.31	0.00	0.00	0.00
3,300.00	22.76	186.69	3,156.64	-807.46	-94.71	813.00	0.00	0.00	0.00
3,400.00	22.76	186.69	3,248.85	-845.89	-99.22	851.68	0.00	0.00	0.00
3,500.00	22.76	186.69	3,341.07	-884.31	-103.73	890.37	0.00	0.00	0.00
3,600.00	22.76	186.69	3,433.28	-922.73	-108.23	929.06	0.00	0.00	0.00
3,700.00	22.76	186.69	3,525.49	-961.16	-112.74	967.75	0.00	0.00	0.00
3,800.00	22.76	186.69	3,617.71	-999.58	-117.25	1,006.43	0.00	0.00	0.00
3,900.00	22.76	186.69	3,709.92	-1,038.00	-121.75	1,045.12	0.00	0.00	0.00
<b>Tgr3</b>									



Archer  
Planning Report

# Archer

<b>Database:</b>	EDM 5000.1 Single User Db	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Company:</b>	Berry Petroleum Company	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site:</b>	Sec.11-T5S-R4W	<b>North Reference:</b>	True
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Wellbore:</b>	Wellbore #1		
<b>Design:</b>	Design #2		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,988.27	22.76	186.69	3,791.32	-1,071.92	-125.73	1,079.27	0.00	0.00	0.00
4,000.00	22.76	186.69	3,802.13	-1,076.43	-126.26	1,083.81	0.00	0.00	0.00
4,100.00	22.76	186.69	3,894.35	-1,114.85	-130.77	1,122.49	0.00	0.00	0.00
4,200.00	22.76	186.69	3,986.56	-1,153.27	-135.27	1,161.18	0.00	0.00	0.00
4,300.00	22.76	186.69	4,078.77	-1,191.70	-139.78	1,199.87	0.00	0.00	0.00
4,400.00	22.76	186.69	4,170.99	-1,230.12	-144.29	1,238.55	0.00	0.00	0.00
<b>Start Drop -1.50</b>									
4,509.83	22.76	186.69	4,272.27	-1,272.32	-149.24	1,281.04	0.00	0.00	0.00
4,600.00	21.41	186.69	4,355.82	-1,305.99	-153.19	1,314.94	1.50	-1.50	0.00
4,700.00	19.91	186.69	4,449.39	-1,341.03	-157.30	1,350.22	1.50	-1.50	0.00
4,800.00	18.41	186.69	4,543.85	-1,373.62	-161.12	1,383.04	1.50	-1.50	0.00
<b>Douglas Creek</b>									
4,823.54	18.05	186.69	4,566.20	-1,380.93	-161.98	1,390.40	1.50	-1.50	0.00
4,900.00	16.91	186.69	4,639.13	-1,403.74	-164.65	1,413.37	1.50	-1.50	0.00
5,000.00	15.41	186.69	4,735.18	-1,431.38	-167.89	1,441.19	1.50	-1.50	0.00
5,100.00	13.91	186.69	4,831.92	-1,456.51	-170.84	1,466.50	1.50	-1.50	0.00
5,200.00	12.41	186.69	4,929.29	-1,479.12	-173.49	1,489.26	1.50	-1.50	0.00
5,300.00	10.91	186.69	5,027.23	-1,499.19	-175.85	1,509.46	1.50	-1.50	0.00
5,400.00	9.41	186.69	5,125.66	-1,516.70	-177.90	1,527.10	1.50	-1.50	0.00
5,500.00	7.91	186.69	5,224.52	-1,531.65	-179.66	1,542.15	1.50	-1.50	0.00
<b>Upr.Black Shale</b>									
5,510.28	7.75	186.69	5,234.70	-1,533.04	-179.82	1,543.55	1.50	-1.50	0.00
5,600.00	6.41	186.69	5,323.73	-1,544.03	-181.11	1,554.61	1.50	-1.50	0.00
5,700.00	4.91	186.69	5,423.24	-1,553.82	-182.25	1,564.47	1.50	-1.50	0.00
<b>Castle Peak</b>									
5,776.07	3.77	186.69	5,499.09	-1,559.53	-182.93	1,570.22	1.50	-1.50	0.00
5,800.00	3.41	186.69	5,522.98	-1,561.02	-183.10	1,571.72	1.50	-1.50	0.00
5,900.00	1.91	186.69	5,622.87	-1,565.62	-183.64	1,576.35	1.50	-1.50	0.00
6,000.00	0.41	186.69	5,722.84	-1,567.63	-183.87	1,578.37	1.50	-1.50	0.00
<b>Start 1393.00 hold at 6027.16 MD</b>									
6,027.16	0.00	0.00	5,750.00	-1,567.72	-183.89	1,578.47	1.50	-1.50	0.00
6,100.00	0.00	0.00	5,822.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,200.00	0.00	0.00	5,922.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
<b>Uteland Butte</b>									
6,202.06	0.00	0.00	5,924.90	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,300.00	0.00	0.00	6,022.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,400.00	0.00	0.00	6,122.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
<b>Wasatch</b>									
6,420.06	0.00	0.00	6,142.90	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,500.00	0.00	0.00	6,222.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,600.00	0.00	0.00	6,322.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,700.00	0.00	0.00	6,422.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,800.00	0.00	0.00	6,522.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
6,900.00	0.00	0.00	6,622.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
7,000.00	0.00	0.00	6,722.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
7,100.00	0.00	0.00	6,822.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
7,200.00	0.00	0.00	6,922.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
7,300.00	0.00	0.00	7,022.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
<b>CR-4A</b>									
7,370.06	0.00	0.00	7,092.90	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
7,400.00	0.00	0.00	7,122.84	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00
<b>TD at 7420.16 - HT 5-11D-54 Tgt</b>									
7,420.16	0.00	0.00	7,143.00	-1,567.72	-183.89	1,578.47	0.00	0.00	0.00



Archer  
Planning Report

# Archer

Database: EDM 5000.1 Single User Db  
Company: Berry Petroleum Company  
Project: Duchesne Co., UT (UT27C)  
Site: Sec.11-T5S-R4W  
Well: Heiner Tribal 5-11D-54  
Wellbore: Wellbore #1  
Design: Design #2

Local Co-ordinate Reference:  
TVD Reference:  
MD Reference:  
North Reference:  
Survey Calculation Method:

Well Heiner Tribal 5-11D-54  
WELL @ 6194.00usft  
WELL @ 6194.00usft  
True  
Minimum Curvature

### Design Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
HT 5-11D-54 Tgt - plan hits target center - Circle (radius 100.00)	0.00	0.00	7,143.00	-1,567.72	-183.89	632,126.690	2,333,210.578	40° 3' 45.972 N	110° 18' 34.016 W

### Casing Points


Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")
350.00	350.00	8 5/8" Csg.	8-5/8	11

### Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
1,412.39	1,405.00	Green River		-1.31	186.69
2,089.20	2,048.00	GR Fouch Mkr		-1.31	186.69
2,816.39	2,725.00	Mahogany		-1.31	186.69
3,988.27	3,816.00	Tgr3		-1.31	186.69
4,823.54	4,598.00	Douglas Creek		-1.31	186.69
5,510.28	5,270.00	Upr.Black Shale		-1.31	186.69
5,776.07	5,535.00	Castle Peak		-1.31	186.69
6,202.06	5,961.00	Uteland Butte		-1.31	186.69
6,420.06	6,179.00	Wasatch		-1.31	186.69
7,370.06	7,129.00	CR-4A		-1.31	186.69

### Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
450.00	450.00	0.00	0.00	Start Build 1.50
1,967.33	1,927.73	-295.40	-34.65	Start 2542.50 hold at 1967.33 MD
4,509.83	4,272.27	-1,272.32	-149.24	Start Drop -1.50
6,027.16	5,750.00	-1,567.72	-183.89	Start 1393.00 hold at 6027.16 MD
7,420.16	7,143.00	-1,567.72	-183.89	TD at 7420.16



# **Berry Petroleum Company**

**Duchesne Co., UT (UT27C)**

**Sec.11-T5S-R4W**

**Heiner Tribal 5-11D-54**

**Wellbore #1**

**Design #2**

## **Anticollision Report**

**17 September, 2013**

# **Archer**



**Archer**  
Anticollision Report



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

<b>Reference</b>	Design #2		
<b>Filter type:</b>	NO GLOBAL FILTER: Using user defined selection & filtering criteria		
<b>Interpolation Method:</b>	Stations	<b>Error Model:</b>	ISCWSA
<b>Depth Range:</b>	Unlimited	<b>Scan Method:</b>	Closest Approach 3D
<b>Results Limited by:</b>	Maximum center-center distance of 9,999.98 usft	<b>Error Surface:</b>	Elliptical Conic
<b>Warning Levels Evaluated at:</b>	2.00 Sigma	<b>Casing Method:</b>	Not applied

<b>Survey Tool Program</b>	Date 09/17/13	
<b>From (usft)</b>	<b>To (usft)</b>	<b>Survey (Wellbore)</b>
0.00	7,420.16	Design #2 (Wellbore #1)
		<b>Tool Name</b>
		MWD
		<b>Description</b>
		MWD - Standard

Summary						
Site Name	Reference Measured Depth (usft)	Offset Measured Depth (usft)	Distance Between Centres (usft)	Distance Between Ellipses (usft)	Separation Factor	Warning
Offset Well - Wellbore - Design						
Sec.11-T5S-R4W						
Heiner Tribal 3-11D-54 - Wellbore #1 - Design #2	400.00	400.00	40.10	38.57	26.234	CC
Heiner Tribal 3-11D-54 - Wellbore #1 - Design #2	500.00	500.20	40.29	38.33	20.596	ES
Heiner Tribal 3-11D-54 - Wellbore #1 - Design #2	800.00	800.14	52.92	49.73	16.595	SF
Heiner Tribal 4-11-54 - Wellbore #1 - Design #2	450.00	450.00	19.87	18.11	11.332	CC, ES
Heiner Tribal 4-11-54 - Wellbore #1 - Design #2	600.00	599.96	22.73	20.35	9.580	SF

Offset Design													Sec.11-T5S-R4W - Heiner Tribal 3-11D-54 - Wellbore #1 - Design #2		Offset Site Error: 0.00 usft	
Survey Program: 0-MWD															Offset Well Error: 0.00 usft	
Reference		Offset		Semi Major Axis			Distance						Warning			
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor				
0.00	0.00	0.00	0.00	0.00	0.00	-8.02	39.70	-5.60	40.10							
100.00	100.00	100.00	100.00	0.09	0.09	-8.02	39.70	-5.60	40.10	39.92	0.18	222.986				
200.00	200.00	200.00	200.00	0.31	0.31	-8.02	39.70	-5.60	40.10	39.47	0.63	63.710				
300.00	300.00	300.00	300.00	0.54	0.54	-8.02	39.70	-5.60	40.10	39.02	1.08	37.164				
400.00	400.00	400.00	400.00	0.76	0.76	-8.02	39.70	-5.60	40.10	38.57	1.53	26.234	CC			
450.00	450.00	450.00	450.00	0.88	0.88	-8.02	39.70	-5.60	40.10	38.34	1.75	22.870				
500.00	500.00	500.20	500.20	0.98	0.98	-7.47	39.62	-5.28	40.29	38.33	1.96	20.596	ES			
600.00	599.96	600.51	600.47	1.16	1.18	-3.26	38.96	-2.73	41.95	39.61	2.34	17.937				
700.00	699.82	700.55	700.37	1.36	1.40	4.13	37.64	2.35	45.88	43.13	2.75	16.684				
800.00	799.51	800.14	799.65	1.58	1.63	12.88	35.67	9.92	52.92	49.73	3.19	16.595	SF			
900.00	898.96	899.13	898.09	1.83	1.88	21.19	33.07	19.93	63.68	60.02	3.66	17.406				
1,000.00	998.10	997.33	995.46	2.10	2.16	28.09	29.86	32.29	78.40	74.23	4.16	18.829				
1,100.00	1,096.87	1,094.59	1,091.53	2.42	2.47	33.41	26.06	46.92	97.02	92.31	4.71	20.604				
1,200.00	1,195.19	1,190.76	1,186.13	2.77	2.80	37.37	21.70	63.71	119.38	114.08	5.30	22.537				
1,300.00	1,293.00	1,285.70	1,279.05	3.16	3.18	40.28	16.81	82.53	145.31	139.38	5.93	24.497				
1,400.00	1,390.24	1,379.27	1,370.14	3.60	3.59	42.39	11.42	103.27	174.67	168.05	6.61	26.406				
1,500.00	1,486.83	1,471.97	1,459.84	4.08	4.03	43.93	5.55	125.88	207.26	199.92	7.35	28.216				
1,600.00	1,582.71	1,565.59	1,550.28	4.61	4.50	44.87	-0.53	149.31	242.20	234.08	8.12	29.839				
1,700.00	1,677.81	1,658.56	1,640.08	5.18	4.97	45.21	-6.58	172.58	279.01	270.09	8.91	31.300				
1,800.00	1,772.07	1,750.79	1,729.18	5.79	5.45	45.16	-12.58	195.67	317.63	307.90	9.73	32.637				
1,900.00	1,865.43	1,842.24	1,817.51	6.46	5.93	44.85	-18.52	218.56	358.04	347.47	10.57	33.863				
1,967.33	1,927.73	1,903.33	1,876.53	6.93	6.25	44.53	-22.49	233.85	386.25	375.11	11.15	34.643				

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



**Archer**  
Anticollision Report



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Offset Design Sec.11-T5S-R4W - Heiner Tribal 3-11D-54 - Wellbore #1 - Design #2														Offset Site Error:	0.00 usft
Survey Program: 0-MWD														Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis				Distance				Warning			
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor	Warning		
2,000.00	1,957.86	1,932.89	1,905.07	7.16	6.41	44.37	-24.41	241.25	400.15	388.70	11.44	34.965			
2,100.00	2,050.08	2,023.33	1,992.44	7.89	6.89	43.93	-30.30	263.89	442.67	430.32	12.35	35.842			
2,200.00	2,142.29	2,113.78	2,079.81	8.62	7.38	43.57	-36.18	286.53	485.23	471.96	13.27	36.579			
2,300.00	2,234.51	2,204.23	2,167.18	9.35	7.86	43.27	-42.06	309.17	527.79	513.61	14.19	37.206			
2,400.00	2,326.72	2,294.67	2,254.55	10.09	8.35	43.01	-47.94	331.81	570.38	555.26	15.11	37.743			
2,500.00	2,418.93	2,385.12	2,341.92	10.83	8.84	42.79	-53.82	354.45	612.97	596.93	16.04	38.209			
2,600.00	2,511.15	2,475.57	2,429.29	11.58	9.33	42.60	-59.70	377.09	655.57	638.59	16.98	38.616			
2,700.00	2,603.36	2,566.01	2,516.66	12.32	9.82	42.43	-65.58	399.73	698.17	680.26	17.91	38.975			
2,800.00	2,695.57	2,656.46	2,604.03	13.07	10.32	42.28	-71.46	422.37	740.79	721.93	18.85	39.293			
2,900.00	2,787.79	2,746.90	2,691.40	13.82	10.81	42.15	-77.34	445.01	783.40	763.61	19.79	39.576			
3,000.00	2,880.00	2,837.35	2,778.77	14.57	11.30	42.03	-83.22	467.65	826.02	805.29	20.74	39.831			
3,100.00	2,972.21	2,927.80	2,866.14	15.32	11.80	41.92	-89.10	490.29	868.65	846.96	21.68	40.060			
3,200.00	3,064.43	3,018.24	2,953.51	16.08	12.29	41.82	-94.98	512.93	911.27	888.64	22.63	40.267			
3,300.00	3,156.64	3,108.69	3,040.88	16.83	12.79	41.73	-100.86	535.57	953.90	930.33	23.58	40.456			
3,400.00	3,248.85	3,199.14	3,128.25	17.59	13.29	41.65	-106.74	558.21	996.54	972.01	24.53	40.629			
3,500.00	3,341.07	3,289.58	3,215.61	18.34	13.78	41.58	-112.63	580.85	1,039.17	1,013.69	25.48	40.786			
3,600.00	3,433.28	3,380.03	3,302.98	19.10	14.28	41.51	-118.51	603.49	1,081.80	1,055.38	26.43	40.932			
3,700.00	3,525.49	3,470.48	3,390.35	19.85	14.78	41.44	-124.39	626.13	1,124.44	1,097.06	27.38	41.065			
3,800.00	3,617.71	3,560.92	3,477.72	20.61	15.27	41.39	-130.27	648.77	1,167.08	1,138.75	28.33	41.189			
3,900.00	3,709.92	3,651.37	3,565.09	21.36	15.77	41.33	-136.15	671.41	1,209.72	1,180.43	29.29	41.304			
4,000.00	3,802.13	3,741.81	3,652.46	22.12	16.27	41.28	-142.03	694.05	1,252.36	1,222.12	30.24	41.411			
4,100.00	3,894.35	3,832.26	3,739.83	22.88	16.77	41.23	-147.91	716.69	1,295.00	1,263.80	31.20	41.510			
4,200.00	3,986.56	3,922.71	3,827.20	23.64	17.27	41.19	-153.79	739.33	1,337.64	1,305.49	32.15	41.603			
4,300.00	4,078.77	4,013.15	3,914.57	24.39	17.77	41.15	-159.67	761.97	1,380.29	1,347.18	33.11	41.690			
4,400.00	4,170.99	4,103.60	4,001.94	25.15	18.26	41.11	-165.55	784.61	1,422.93	1,388.87	34.06	41.772			
4,509.83	4,272.27	4,202.94	4,097.90	25.98	18.81	41.07	-172.01	809.47	1,469.77	1,434.65	35.12	41.856			
4,600.00	4,355.82	4,284.85	4,177.02	26.56	19.26	41.06	-177.34	829.98	1,507.46	1,471.46	36.00	41.869			
4,700.00	4,449.39	4,376.48	4,265.54	27.06	19.77	41.11	-183.29	852.91	1,547.47	1,510.55	36.92	41.911			
4,800.00	4,543.85	4,468.89	4,354.80	27.55	20.28	41.21	-189.30	876.04	1,585.58	1,547.74	37.84	41.907			
4,900.00	4,639.13	4,562.01	4,444.75	28.00	20.79	41.36	-195.36	899.35	1,621.76	1,583.02	38.74	41.863			
5,000.00	4,735.18	4,655.77	4,535.33	28.43	21.31	41.57	-201.45	922.82	1,656.00	1,616.37	39.63	41.786			
5,100.00	4,831.92	4,750.12	4,626.46	28.83	21.83	41.82	-207.59	946.44	1,688.30	1,647.79	40.51	41.680			
5,200.00	4,929.29	4,844.99	4,718.10	29.20	22.36	42.11	-213.76	970.19	1,718.65	1,677.28	41.36	41.550			
5,300.00	5,027.23	4,940.31	4,810.18	29.54	22.88	42.44	-219.95	994.05	1,747.05	1,704.85	42.20	41.400			
5,400.00	5,125.66	5,063.29	4,929.45	29.84	23.41	42.97	-227.48	1,023.03	1,772.80	1,729.78	43.02	41.208			
5,500.00	5,224.52	5,188.98	5,052.29	30.11	23.87	43.44	-234.18	1,048.81	1,795.05	1,751.32	43.74	41.042			
5,600.00	5,323.73	5,316.56	5,177.79	30.35	24.28	43.83	-239.93	1,070.95	1,813.73	1,769.36	44.37	40.875			
5,700.00	5,423.24	5,445.72	5,305.56	30.56	24.63	44.16	-244.68	1,089.23	1,828.76	1,783.84	44.92	40.708			
5,800.00	5,522.98	5,576.16	5,435.16	30.72	24.93	44.42	-248.37	1,103.43	1,840.09	1,794.70	45.39	40.539			
5,900.00	5,622.87	5,707.54	5,566.14	30.86	25.18	44.61	-250.95	1,113.40	1,847.66	1,801.89	45.77	40.367			
6,000.00	5,722.84	5,839.53	5,697.99	30.96	25.36	44.73	-252.41	1,119.01	1,851.46	1,805.40	46.06	40.198			
6,027.16	5,750.00	5,875.43	5,733.88	30.98	25.40	44.75	-252.61	1,119.78	1,851.84	1,805.71	46.13	40.148			
6,100.00	5,822.84	5,964.40	5,822.84	31.04	25.50	44.76	-252.76	1,120.33	1,852.06	1,805.76	46.30	39.999			
6,200.00	5,922.84	6,064.40	5,922.84	31.11	25.60	44.76	-252.76	1,120.33	1,852.06	1,805.55	46.51	39.819			
6,300.00	6,022.84	6,164.40	6,022.84	31.19	25.70	44.76	-252.76	1,120.33	1,852.06	1,805.33	46.73	39.637			
6,400.00	6,122.84	6,264.40	6,122.84	31.26	25.81	44.76	-252.76	1,120.33	1,852.06	1,805.12	46.94	39.454			
6,500.00	6,222.84	6,364.40	6,222.84	31.34	25.92	44.76	-252.76	1,120.33	1,852.06	1,804.90	47.16	39.270			
6,600.00	6,322.84	6,464.40	6,322.84	31.42	26.03	44.76	-252.76	1,120.33	1,852.06	1,804.67	47.39	39.085			
6,700.00	6,422.84	6,564.40	6,422.84	31.50	26.14	44.76	-252.76	1,120.33	1,852.06	1,804.45	47.61	38.899			
6,800.00	6,522.84	6,664.40	6,522.84	31.58	26.25	44.76	-252.76	1,120.33	1,852.06	1,804.22	47.84	38.712			
6,900.00	6,622.84	6,764.40	6,622.84	31.66	26.37	44.76	-252.76	1,120.33	1,852.06	1,803.98	48.07	38.525			
7,000.00	6,722.84	6,864.40	6,722.84	31.75	26.48	44.76	-252.76	1,120.33	1,852.06	1,803.75	48.31	38.337			

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



**Archer**  
Anticollision Report

# Archer

<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Offset Design													Offset Site Error:	0.00 usft		
Survey Program: 0-MWD													Offset Well Error:	0.00 usft		
Reference													Distance		Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Semi Major Axis (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor			
7,100.00	6,822.84	6,964.40	6,822.84	31.83	26.60		44.76	-252.76	1,120.33	1,852.06	1,803.51	48.55	38.149			
7,200.00	6,922.84	7,064.40	6,922.84	31.92	26.72		44.76	-252.76	1,120.33	1,852.06	1,803.27	48.79	37.960			
7,300.00	7,022.84	7,164.40	7,022.84	32.01	26.84		44.76	-252.76	1,120.33	1,852.06	1,803.02	49.03	37.770			
7,400.00	7,122.84	7,264.40	7,122.84	32.10	26.96		44.76	-252.76	1,120.33	1,852.06	1,802.78	49.28	37.581			
7,420.16	7,143.00	7,284.55	7,143.00	32.12	26.98		44.76	-252.76	1,120.33	1,852.06	1,802.73	49.33	37.542			



Archer  
Anticollision Report



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Sec.11-T5S-R4W - Heiner Tribal 4-11-54 - Wellbore #1 - Design #2													Offset Site Error:	0.00 usft
Survey Program: 0-MWD													Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis			Distance		Minimum Separation		Separation Factor		Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N-S (usft)	+E-W (usft)	Between Centres (usft)	Between Ellipses (usft)	Minimum Separation (usft)	Separation Factor		
0.00	0.00	0.00	0.00	0.00	0.00	-8.10	19.67	-2.80	19.87					
100.00	100.00	100.00	100.00	0.09	0.09	-8.10	19.67	-2.80	19.87	19.69	0.18	110.490		
200.00	200.00	200.00	200.00	0.31	0.31	-8.10	19.67	-2.80	19.87	19.24	0.63	31.569		
300.00	300.00	300.00	300.00	0.54	0.54	-8.10	19.67	-2.80	19.87	18.79	1.08	18.415		
400.00	400.00	400.00	400.00	0.76	0.76	-8.10	19.67	-2.80	19.87	18.34	1.53	12.999		
450.00	450.00	450.00	450.00	0.88	0.88	-8.10	19.67	-2.80	19.87	18.11	1.75	11.332	CC, ES	
500.00	500.00	500.00	500.00	0.98	0.99	-7.86	19.67	-2.80	20.18	18.22	1.96	10.275		
600.00	599.96	599.96	599.96	1.16	1.21	-6.20	19.67	-2.80	22.73	20.35	2.37	9.580	SF	
700.00	699.82	699.82	699.82	1.36	1.44	-3.80	19.67	-2.80	27.85	25.06	2.79	9.968		
800.00	799.51	799.51	799.51	1.58	1.66	-1.50	19.67	-2.80	35.60	32.37	3.22	11.041		
900.00	898.96	898.96	898.96	1.83	1.89	0.36	19.67	-2.80	45.97	42.31	3.66	12.564		
1,000.00	998.10	998.10	998.10	2.10	2.11	1.76	19.67	-2.80	58.96	54.86	4.10	14.391		
1,100.00	1,096.87	1,096.87	1,096.87	2.42	2.33	2.79	19.67	-2.80	74.55	70.02	4.54	16.430		
1,200.00	1,195.19	1,195.19	1,195.19	2.77	2.55	3.56	19.67	-2.80	92.74	87.76	4.98	18.621		
1,300.00	1,293.00	1,293.00	1,293.00	3.16	2.77	4.13	19.67	-2.80	113.51	108.08	5.43	20.921		
1,400.00	1,390.24	1,390.24	1,390.24	3.60	2.99	4.57	19.67	-2.80	136.83	130.96	5.87	23.300		
1,500.00	1,486.83	1,486.83	1,486.83	4.08	3.21	4.90	19.67	-2.80	162.70	156.38	6.32	25.738		
1,600.00	1,582.71	1,582.71	1,582.71	4.61	3.42	5.17	19.67	-2.80	191.09	184.32	6.77	28.217		
1,700.00	1,677.81	1,677.81	1,677.81	5.18	3.64	5.38	19.67	-2.80	221.98	214.75	7.22	30.725		
1,800.00	1,772.07	1,772.07	1,772.07	5.79	3.85	5.55	19.67	-2.80	255.35	247.67	7.68	33.253		
1,900.00	1,865.43	1,865.43	1,865.43	6.46	4.06	5.69	19.67	-2.80	291.18	283.05	8.14	35.793		
1,967.33	1,927.73	1,927.73	1,927.73	6.93	4.20	5.77	19.67	-2.80	316.68	308.23	8.44	37.508		
2,000.00	1,957.86	1,957.86	1,957.86	7.16	4.27	5.81	19.67	-2.80	329.31	320.71	8.61	38.252		
2,100.00	2,050.08	2,050.08	2,050.08	7.89	4.47	5.90	19.67	-2.80	368.00	358.88	9.12	40.348		
2,200.00	2,142.29	2,142.29	2,142.29	8.62	4.68	5.98	19.67	-2.80	406.68	397.04	9.64	42.200		
2,300.00	2,234.51	2,234.51	2,234.51	9.35	4.89	6.04	19.67	-2.80	445.37	435.21	10.16	43.849		
2,400.00	2,326.72	2,326.72	2,326.72	10.09	5.09	6.09	19.67	-2.80	484.05	473.37	10.68	45.323		
2,500.00	2,418.93	2,418.93	2,418.93	10.83	5.30	6.13	19.67	-2.80	522.74	511.53	11.21	46.648		
2,600.00	2,511.15	2,511.15	2,511.15	11.58	5.51	6.17	19.67	-2.80	561.42	549.69	11.73	47.845		
2,700.00	2,603.36	2,603.36	2,603.36	12.32	5.72	6.21	19.67	-2.80	600.11	587.84	12.26	48.931		
2,800.00	2,695.57	2,695.57	2,695.57	13.07	5.92	6.24	19.67	-2.80	638.79	626.00	12.80	49.921		
2,900.00	2,787.79	2,787.79	2,787.79	13.82	6.13	6.26	19.67	-2.80	677.48	664.15	13.33	50.825		
3,000.00	2,880.00	2,880.00	2,880.00	14.57	6.34	6.28	19.67	-2.80	716.16	702.30	13.86	51.655		
3,100.00	2,972.21	2,972.21	2,972.21	15.32	6.55	6.28	19.67	-2.80	754.85	740.45	14.40	52.419		
3,200.00	3,064.43	3,064.43	3,064.43	16.08	6.75	6.32	19.67	-2.80	793.54	778.60	14.94	53.125		
3,300.00	3,156.64	3,156.64	3,156.64	16.83	6.96	6.34	19.67	-2.80	832.22	816.75	15.48	53.778		
3,400.00	3,248.85	3,248.85	3,248.85	17.59	7.17	6.36	19.67	-2.80	870.91	854.89	16.01	54.384		
3,500.00	3,341.07	3,341.07	3,341.07	18.34	7.37	6.37	19.67	-2.80	909.59	893.04	16.55	54.948		
3,600.00	3,433.28	3,433.28	3,433.28	19.10	7.58	6.38	19.67	-2.80	948.28	931.19	17.09	55.474		
3,700.00	3,525.49	3,525.49	3,525.49	19.85	7.79	6.40	19.67	-2.80	986.97	969.33	17.64	55.966		
3,800.00	3,617.71	3,617.71	3,617.71	20.61	8.00	6.41	19.67	-2.80	1,025.65	1,007.48	18.18	56.427		
3,900.00	3,709.92	3,709.92	3,709.92	21.36	8.20	6.42	19.67	-2.80	1,064.34	1,045.62	18.72	56.859		
4,000.00	3,802.13	3,802.13	3,802.13	22.12	8.41	6.43	19.67	-2.80	1,103.03	1,083.77	19.26	57.265		
4,100.00	3,894.35	3,894.35	3,894.35	22.88	8.62	6.44	19.67	-2.80	1,141.71	1,121.91	19.81	57.647		
4,200.00	3,986.56	3,986.56	3,986.56	23.64	8.83	6.44	19.67	-2.80	1,180.40	1,160.05	20.35	58.008		
4,300.00	4,078.77	4,078.77	4,078.77	24.39	9.03	6.45	19.67	-2.80	1,219.09	1,198.19	20.89	58.349		
4,400.00	4,170.99	4,170.99	4,170.99	25.15	9.24	6.46	19.67	-2.80	1,257.77	1,236.34	21.44	58.671		
4,509.83	4,272.27	4,272.27	4,272.27	25.98	9.47	6.47	19.67	-2.80	1,300.26	1,278.23	22.04	59.005		
4,600.00	4,355.82	4,355.82	4,355.82	26.56	9.66	6.47	19.67	-2.80	1,334.16	1,311.57	22.60	59.046		
4,700.00	4,449.39	4,449.39	4,449.39	27.06	9.87	6.48	19.67	-2.80	1,369.44	1,346.26	23.18	59.074		
4,800.00	4,543.85	4,543.85	4,543.85	27.55	10.08	6.48	19.67	-2.80	1,402.25	1,378.51	23.75	59.046		
4,900.00	4,639.13	4,639.13	4,639.13	28.00	10.29	6.49	19.67	-2.80	1,432.59	1,408.29	24.29	58.967		

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation



**Archer**  
Anticollision Report

# Archer

<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Sec.11-T5S-R4W - Heiner Tribal 4-11-54 - Wellbore #1 - Design #2													Offset Site Error:	0.00 usft
Survey Program: 0-MWD													Offset Well Error:	0.00 usft
Reference		Offset		Semi Major Axis			Distance				Minimum Separation (usft)	Separation Factor	Warning	
Measured Depth (usft)	Vertical Depth (usft)	Measured Depth (usft)	Vertical Depth (usft)	Reference (usft)	Offset (usft)	Azimuth from North (°)	Offset Wellbore Centre +N/-S (usft)	+E/-W (usft)	Between Centres (usft)	Between Ellipses (usft)				
5,000.00	4,735.18	4,735.18	4,735.18	28.43	10.51	6.49	19.67	-2.80	1,460.41	1,435.59	24.82	58.842		
5,100.00	4,831.92	4,831.92	4,831.92	28.83	10.73	6.49	19.67	-2.80	1,485.72	1,460.39	25.32	58.676		
5,200.00	4,929.29	4,929.29	4,929.29	29.20	10.94	6.50	19.67	-2.80	1,508.48	1,482.68	25.80	58.470		
5,300.00	5,027.23	5,027.23	5,027.23	29.54	11.16	6.50	19.67	-2.80	1,528.68	1,502.43	26.25	58.229		
5,400.00	5,125.66	5,125.66	5,125.66	29.84	11.39	6.50	19.67	-2.80	1,546.32	1,519.64	26.68	57.954		
5,500.00	5,224.52	5,224.52	5,224.52	30.11	11.61	6.50	19.67	-2.80	1,561.37	1,534.28	27.09	57.647		
5,600.00	5,323.73	5,323.73	5,323.73	30.35	11.83	6.51	19.67	-2.80	1,573.83	1,546.37	27.46	57.309		
5,700.00	5,423.24	5,423.24	5,423.24	30.56	12.05	6.51	19.67	-2.80	1,583.69	1,555.87	27.81	56.941		
5,800.00	5,522.98	5,522.98	5,522.98	30.72	12.28	6.51	19.67	-2.80	1,590.93	1,562.80	28.14	56.543		
5,900.00	5,622.87	5,622.87	5,622.87	30.86	12.50	6.51	19.67	-2.80	1,595.57	1,567.14	28.43	56.117		
6,000.00	5,722.84	5,722.84	5,722.84	30.96	12.73	6.51	19.67	-2.80	1,597.59	1,568.89	28.70	55.662		
6,027.16	5,750.00	5,750.00	5,750.00	30.98	12.79	6.51	19.67	-2.80	1,597.69	1,568.92	28.77	55.529		
6,100.00	5,822.84	5,822.84	5,822.84	31.04	12.95	6.51	19.67	-2.80	1,597.69	1,568.64	29.04	55.008		
6,200.00	5,922.84	5,922.84	5,922.84	31.11	13.18	6.51	19.67	-2.80	1,597.69	1,568.27	29.41	54.319		
6,300.00	6,022.84	6,022.84	6,022.84	31.19	13.40	6.51	19.67	-2.80	1,597.69	1,567.90	29.78	53.644		
6,400.00	6,122.84	6,122.84	6,122.84	31.26	13.63	6.51	19.67	-2.80	1,597.69	1,567.53	30.15	52.983		
6,500.00	6,222.84	6,222.84	6,222.84	31.34	13.85	6.51	19.67	-2.80	1,597.69	1,567.16	30.53	52.334		
6,600.00	6,322.84	6,322.84	6,322.84	31.42	14.08	6.51	19.67	-2.80	1,597.69	1,566.78	30.90	51.699		
6,700.00	6,422.84	6,422.84	6,422.84	31.50	14.30	6.51	19.67	-2.80	1,597.69	1,566.41	31.28	51.076		
6,800.00	6,522.84	6,522.84	6,522.84	31.58	14.53	6.51	19.67	-2.80	1,597.69	1,566.03	31.66	50.465		
6,900.00	6,622.84	6,622.84	6,622.84	31.66	14.75	6.51	19.67	-2.80	1,597.69	1,565.65	32.04	49.866		
7,000.00	6,722.84	6,722.84	6,722.84	31.75	14.98	6.51	19.67	-2.80	1,597.69	1,565.27	32.42	49.279		
7,100.00	6,822.84	6,822.84	6,822.84	31.83	15.20	6.51	19.67	-2.80	1,597.69	1,564.88	32.80	48.704		
7,200.00	6,922.84	6,922.84	6,922.84	31.92	15.43	6.51	19.67	-2.80	1,597.69	1,564.50	33.19	48.140		
7,300.00	7,022.84	7,022.84	7,022.84	32.01	15.65	6.51	19.67	-2.80	1,597.69	1,564.11	33.57	47.586		
7,400.00	7,122.84	7,122.84	7,122.84	32.10	15.87	6.51	19.67	-2.80	1,597.69	1,563.73	33.96	47.044		
7,420.16	7,143.00	7,143.00	7,143.00	32.12	15.92	6.51	19.67	-2.80	1,597.69	1,563.65	34.04	46.936		




**Archer**  
Anticollision Report



<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Reference Depths are relative to WELL @ 6194.00usft  
 Offset Depths are relative to Offset Datum  
 Central Meridian is 111° 30' 0.000 W

Coordinates are relative to: Heiner Tribal 5-11D-54  
 Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302  
 Grid Convergence at Surface is: 0.76°



**LEGEND**

- Heiner Tribal3-11D-54, Wellbore #1, Design #2 V0
- Heiner Tribal4-11-54, Wellbore #1, Design #2 V0




<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne Co., UT (UT27C)	<b>TVD Reference:</b>	WELL @ 6194.00usft
<b>Reference Site:</b>	Sec.11-T5S-R4W	<b>MD Reference:</b>	WELL @ 6194.00usft
<b>Site Error:</b>	0.00 usft	<b>North Reference:</b>	True
<b>Reference Well:</b>	Heiner Tribal 5-11D-54	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Well Error:</b>	0.00 usft	<b>Output errors are at</b>	2.00 sigma
<b>Reference Wellbore</b>	Wellbore #1	<b>Database:</b>	EDM 5000.1 Single User Db
<b>Reference Design:</b>	Design #2	<b>Offset TVD Reference:</b>	Reference Datum

Reference Depths are relative to WELL @ 6194.00usft  
 Offset Depths are relative to Offset Datum  
 Central Meridian is 111° 30' 0.000 W

Coordinates are relative to: Heiner Tribal 5-11D-54  
 Coordinate System is US State Plane 1927 (Exact solution), Utah Central 4302  
 Grid Convergence at Surface is: 0.76°

## Separation Factor Plot



### LEGEND

- Heiner Tribal 3-11D-54, Wellbore #1, Design #2 V0
- Heiner Tribal 4-11-54, Wellbore #1, Design #2 V0

## SURFACE USE PLAN of OPERATIONS

### *Attachment for Permit to Drill:*

**Name of Operator:** Berry Petroleum Company  
**Address:** 4000 South 4028 West/Rt. 2 Box 7735  
Roosevelt, Utah 80466  
**Well Location:** Heiner Tribal 5-11D-54  
*Surface:* 400' FNL & 845' FWL  
*Target:* 1968' FNL & 651' FWL  
NW/4NW/4 of Sec.11, T5S, R4W.

The surface owner or surface owner representative and dirt contractor will be proved with an approved copy of the surface use plan of operations and approved conditions of approval before initiating construction.

The onsite inspection for the referenced well will be conducted per UDOGM

#### **A Existing Roads**

To reach the Berry Petroleum Company well, Heiner Tribal 5-11D-54, in Section 11-T5S-R4W:

The proposed well site is approximately 15 miles southwest of Duchesne, Utah.

Proceed in a southerly direction from Duchesne, Utah, along US Highway 191 for approximately 2.3 miles to the junction of this road and the existing Sowers Canyon access road to the south. Turn left and proceed in a southerly thence easterly direction for approximately 1.8 miles to the junction of this road and County Road 25 to the southwest. Turn right and proceed in a southwesterly thence southeasterly thence southwesterly direction for approximately 6.5 miles to the junction of this road and the Cottonwood Ridge Road to the east. Turn left and proceed in an easterly direction for approximately 4.2 miles to the beginning of the proposed access. Follow the road flags in a southerly thence southwesterly direction for approximately 1,047 feet (0.2 miles) to the proposed Heiner Tribal 3-11D-54, 4-11-54 and 5-11D-54 location.

Berry Petroleum Company will improve or maintain existing roads in a condition the same or better than before operations began. Best Management Practices will be considered when improving or maintaining existing roads. In general this would involve the need for some surface material or fill to prevent or repair holes in the road due to heavy truck traffic during the drilling and completion operations. If repairs are made the operator will secure the appropriate material from private sources.

#### **B New or Reconstructed Access Roads**

See Topographic Map "A & B" for the location of the proposed access road. Berry Petroleum Company will construct a new access road for approximately 1,047 feet (0.2 miles) to the proposed Heiner Tribal 3-11D-54, 4-11-54, and 5-11D-54 location.

**C Location of Existing Wells**

See Topographic Map "D" for the location of existing wells within a 1mile radius.

**D Location of Tank Batteries, Production Facilities and Production Gathering and Service Lines**

A containment dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). This dike will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank. The site specific APD will address additional capacity if such is needed due to environmental concerns. The use of topsoil for the construction of dikes will not be allowed. If a Spill Prevention, Control, and Countermeasure (SPCC) Plan is required by the Environmental Protection Agency, the containment dike may be expanded with the Authorized Agency Officer's approval to meet SPCC requirements.

The proposed pipeline will tie in at an existing pipeline. Map "C" illustrating the proposed route is attached. The proposed pipeline will be 4"-6" polypipe and be placed above ground. The pipeline will run in the same corridor as the above proposed access road.

All site security guidelines identified in Federal regulation 43 CFR 3126.7, will be adhered to. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease production will have prior written approval from the Authorized Agency Officer.

Gas meter runs will be located approximately 100 feet from the wellhead. Where necessary, the gas line will be anchored down from the wellhead to the meter.

**E Location and Type of Water Supply**

Water for the drilling and completion will be pumped or trucked from one of the following Berry source wells:

- Water Permit # 43-12400, Sec. 23, T5S, R5W
- Water Permit # 43-12400, Sec. 24, T5S, R5W
- Water Permit # 43-1221, Sec. 30, T3S, R8W
- Water Permit # 43-1226, Sec. 30, T3S, R8W
- Water Permit # 43-1627, Sec. 30, T3S, R8W
- Water Permit # 43-1628, Sec. 12, T5S, R6W (Douglas E. & Yordis Nielsen )
- Duchesne City Culinary Water Dock located in Sec. 1, T4S, R5W
- East Duchesne Water, Arcadia Feedlot, Sec. 28, T3S, R3W
- Petroglyph Operating Company 08-04 Waterplant, Sec. 8, T5S, R3W.

**F Source of Construction Materials**

All construction materials for this location site and access road shall be borrow material accumulated during the construction of the location site and access road.

Additional gravel or pit lining material will be obtained from a private source.

The use of materials under Authorized Agency jurisdiction will conform to 43 CFR 3610.2-3.

**G Methods of Handling Waste Materials**

Drill fluids will be contained in a closed loop system. Cuttings will be contained on site and buried in a pit or used on location and/or access roads, whichever is deemed appropriate by the authorized agency.

After first production, produced wastewater from Berry Petroleum Company wells will be used for injection in our enhanced oil recovery project(s) in the Brundage Canyon Field or they will be trucked to one of the following approved waste water disposal sites:

- R.N. Industries, Inc. Sec. 4, T2S, R2W, Bluebell
- MC & MC Disposal Sec. 12, T6S, R19E, Vernal
- LaPoint Recycle & Storage Sec. 12, T5S, R19E, LaPoint
- Water Disposal Inc. Sec. 32, T1S, R1W, Roosevelt
- ITL 4461 W 3000 So Roosevelt Location Pleasant Valley
- IWM PO Box 430 Altamont or 20250 W 2000 S Duchesne Location – Blue Bench
- Pro Water 12223 Highland Ave Ste B503 Rancho Cucamonga CA 91739 Location – Blue Bench

Should operations of the field be prohibited by the Authorized Officer, the wastewater shall be confined to the approved pit or storage tank for a period not to exceed 90 days. The use of such pit is hereby approved as part of this Application for Permit to Drill.

Production fluids will be contained in leak-proof tanks. All production fluids will be disposed of at approved disposal sites. Produced water, oil, and other byproducts will not be applied to roads or well pads for control of dust or weeds. The indiscriminate dumping of produced fluids on roads, well sites, or other areas will not be allowed.

Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

A chemical portable toilet will be furnished with the drilling rig.

Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. Trash will not be burned on location.

All debris and other waste materials not contained in the trash cage will be cleaned up and removed from the location promptly after removal of the completion rig (weather permitting).

Any open pits will be fenced during the operations. The fencing will be maintained with best efforts until such time as the pits are backfilled.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of wells. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of wells within these areas.

## **H Ancillary Facilities**

There are no ancillary facilities planned for at this time and none are foreseen in the future.

## **I Well site Layout**

The attached Location Layout diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, pipe racks, trailer parking, spoil dirt stockpile(s) and surface material stockpile(s)

**J Plans for Restoration of the Surface**

**Interim**

The dirt contractor will be provided with approved copies of the Surface Use Plan prior to construction activities.

Upon well completion, within a reasonable time, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions may include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and the re-establishment of vegetation as specified.

All disturbed areas will be re-contoured to the approximate natural contours.

Any drainage rerouted during the construction activities shall be restored to its original line of flow or as near as possible.

All areas of disturbance (including surface pipelines) must have appropriate surface use agreements or approvals in place with the proper owner and/or agency before such action is started.

The conditions of approval, as set forth by those owners and/or agencies, shall be adhered to.

Interim Reclamation consisting of minimizing the footprint of disturbance shall be accomplished by reclaiming all portions of the well site not needed for safe production operations. The portions of the well site not needed for operational and safety purposes will be recontoured to a final appearance that blends with the surrounding topography. Topsoil will be spread over these areas. The operator will spread the topsoil over the entire location except where an all-weather surface, access route or turnaround is needed. Production facilities should be clustered or placed offsite to maximize the opportunity for interim reclamation. Any incidental use on interim reclamation may require restoration of damage. This may require recontouring and seeding of the damaged area.

Paint all production facilities and equipment, not otherwise regulated (OSHA, etc.), Yuma Green.

Install Hospital muffler to the Pump-jack to minimize engine noise.

**Final**

Prior to the construction of the location, the top 12 inches of soil material (if present) will be stripped and stockpiled. Placement of the topsoil is noted on the location plat attached. Topsoil shall be stockpiled separately from subsoil materials. Topsoil salvaged from the reserve pit shall be stockpiled separately near the reserve pit.

When restoration activities have been completed, the location site and new access road cuts and shoulders shall be reseeded. Prior to reseeding, all disturbed areas, including the old access road will be scarified and left with a rough surface.

The Authorized Agency Officer shall be contacted for the required seed mixture. Seed will be broadcast and the amount of seed mixture per acre will be doubled. The seeded area will then be "walked" with a dozer to assure coverage of the seeds. The seed mixture will reflect the recommendation from the Archeology study done.

At final abandonment, all casing shall be cut off at the base of the cellar or 3 feet below final restored ground level, whichever is deeper, and cap the casing with a metal plate a minimum of 0.25 inches thick. The cap will be welded in place and the well location and identity will be permanently inscribed on the cap. The cap also will be constructed with a weep hole.

**K Well Surface & Access Ownership:**

Dirk Heiner  
995 W 1650 N  
Ogden, UT 84404  
803-802-2959

**L Other information**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

Berry will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites or other applicable facilities. A list of noxious weeds may be obtained from the Authorized Agency or the appropriate County Extension Office.

Drilling rigs and/or equipment used during drilling operations on this location will not be stacked or stored on administered lands after the conclusion of drilling operations or at any other time without authorization by the Authorized Agency Officer. If authorization is obtained, such storage is only a temporary measure.

Travel is restricted to approved routes only.

Outlaw Engineering Inc. has conducted a Class III archaeological survey. A copy of this report has been submitted under separate cover by Outlaw Engineering Inc. to the appropriate agencies.

All personnel will refrain from collecting artifacts and from disturbing any significant cultural resources in the area. The operator is responsible for informing all persons in the area who are associated with this project that they may be subject to prosecution for knowingly disturbing historic or archaeological sites or for collecting artifacts. All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to the areas examined, as referenced in the archaeological report, and to the existing roadways and/or evaluated access routes. If historic or archaeological materials are uncovered during construction, Berry Petroleum Company is to immediately stop work that might further disturb such materials and contact the Authorized Agency Officer.

Within five working days, the Authorized Agency Officer will inform the operator as to:

- Whether the materials appear eligible for the National Historic Register of Historic Places;
- The mitigation measures Berry will likely have to undertake before the site can be used (assuming in-situ preservation is not necessary); and a time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that the mitigation measures are appropriate.

If Berry wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Agency Officer and/or the surface owner will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise the operator will be responsible for mitigation costs. The Authorized Agency Officer and/or the surface owner will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Agency Officer that required mitigation has been completed, Berry will then be allowed to resume construction.

All Surface Use Conditions of Approval associated with the Landowner Surface Use Agreement and Environmental Analysis Mitigation Stipulations will be adhered to.

All well site locations will have appropriate signs indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (footages or the quarter/quarter section, the section, township, and range).

#### M. Annual Air Emissions

Table 4-1. Proposed Action Annual Emissions  
(tons/year)<sup>1</sup>

Pollutant	Development	Production	Total
NO <sub>x</sub>	5.7	8.1	13.8
CO	3.9	7.5	11.4
VOC	1.5	59.7	60.6
SO <sub>2</sub>	0.009	0.42	0.429
PM <sub>10</sub>	2.7	0.78	3.48
PM <sub>2.5</sub>	0.9	0.78	1.68
Benzene	0.03	0.3	0.33
Toluene	0.012	0.606	0.618
Ethylbenzene	0.003	0.582	0.585
Xylene	0.009	0.981	0.99
n-Hexane	0	3.21	3.21
Formaldehyde	0.09	0.489	0.579

<sup>1</sup> Emissions include 3 producing wells and associated operations traffic during the year in which the project is developed.

SELF-CERTIFICATION STATEMENT

The following self -certification statement is provided per federal requirements dated May 7, 2007.

Please be advised that Berry Petroleum Company is considered to be the operator of the following well.

Heiner Tribal 5-11D-54  
Section 11, T5S, R4W, U.S.B.& M.  
SHL: 400' FNL & 845' FWL (NW/4NW/4)  
BHL: 1968' FNL & 651' FWL (SW/4NW/4)  
Duchesne, County, Utah

Berry Petroleum Company is responsible under the terms of the lease for the operations conducted upon the lease lands.

**Operator's Representative and Certification**

A) Representative  
NAME: Krista M. Mecham  
ADDRESS: Berry Petroleum Company  
4000 South 4028 West  
Route 2, Box 7735  
Roosevelt, Utah 84066  
PHONE: 435-722-1325

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations and onshore oil and gas orders. Berry Petroleum Company is fully responsible for the actions of its subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.


The drilling permit will be valid for a period of two years from the date of approval. After permit termination, a new application will be filed for approval for any future operations.

B) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge and belief, true and correct; and that the work associated with the operations proposed herein will be performed by Berry Petroleum Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

9/19/2013  
\_\_\_\_\_  
DATE

Krista Mecham  
\_\_\_\_\_  
Krista M. Mecham  
Sr. Regulatory & Permitting Tech.



# Berry Petroleum Company

Rt 2 Box 7735  
4000 S. 4028 W  
Roosevelt, Utah 84066  
Phone (435) 722-1325  
Fax (435) 722-1321

April 29, 2013

Ms. Diana Whitney  
State of Utah  
Division of Oil, Gas and Mining  
P.O. Box 145801  
Salt Lake City, UT 84115-5801

Re: Directional Drilling R649-3-11  
HEINER TRIBAL 5-11D-54

400' FNL & 845' FWL (NWNW - SHL)  
1968' FNL & 651' FWL (SWNW - BHL)

Section 11, T5S-R4W  
Duchesne, County, Utah

Dear Ms. Whitney:

Pursuant to the filing of Berry Petroleum's Application for Permit to Drill regarding the above referenced well, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- The Heiner Tribal 5-11D-54 well is to be located within the Brundage Canyon Field Area.
- Berry is locating the well at the surface location and directionally drilling from this location to minimize surface disturbance and Berry will be able to utilize the existing road and pipelines in the area.
- Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.

Therefore, based on the above stated information Berry Petroleum Company requests the permit be granted pursuant to R649-3-11.

Respectfully Submitted,

Krista Mecham  
Sr. Regulatory & Permitting Technician

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: 1420H625032
1. TYPE OF WELL Oil Well	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute In
2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY	7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066	8. WELL NAME and NUMBER: Heiner Tribal 5-11D-54
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0400 FNL 0845 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 11 Township: 05.0S Range: 04.0W Meridian: U	9. API NUMBER: 43013521670000
PHONE NUMBER: 303 999-4044 Ext	9. FIELD and POOL or WILDCAT: BRUNDAGE CANYON
	COUNTY: DUCHESNE
	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input checked="" type="checkbox"/> SPUD REPORT Date of Spud: <b>9/27/2013</b>	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The Heiner Tribal 5-11D-54 was spud on September 27, 2013 at 8:00 am. 5' of 14" conductor was set followed by 350' of 8 5/8" surface casing.

**Accepted by the**  
**Utah Division of**  
**Oil, Gas and Mining**  
**FOR RECORD ONLY**  
 October 01, 2013

<b>NAME (PLEASE PRINT)</b> Krista Mecham	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory Permitting Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 10/1/2013	



**Berry Petroleum Company**

RT 2 Box 7735  
3846 S Hwy 40  
Roosevelt, Utah  
(435) 722-1325

CONFIDENTIAL

October 8, 2013

State of Utah OG&M  
Carol Daniels  
Salt Lake City, Utah

Heiner Tribal ~~4~~<sup>5</sup>-11-54  
NW/NW 400 FNL, ~~825~~ FWL  
Sec 11, T5S, R4W <sup>845</sup>  
API Well no. 4301352167

Dear Ms. Daniels:

We will ~~spud~~<sup>BOPE TEST</sup> this well at approximately ~~20:00~~<sup>8:00 PM</sup> hours on October 9, 2013.  
If you have any questions, concerns, or require further information, please call me  
at 970-623-7085


Best regards,

Joe Eide  
Drilling Supervisor  
Berry Petroleum

RECEIVED

OCT 08 2013

DIV. OF OIL, GAS & MINING



**Berry Petroleum Company**

RT 2 Box 7735  
3846 S Hwy 40  
Roosevelt, Utah  
(435) 722-1325

CONFIDENTIAL

October 8, 2013

State of Utah OG&M  
Carol Daniels  
Salt Lake City, Utah

Heiner Tribal <sup>5</sup> ~~4~~-11-54  
NW/NW 400 FNL, <sup>825</sup> ~~825~~ FWL  
Sec 11, T5S, R4W <sup>845</sup>  
API Well no. 4301352167

Dear Ms. Daniels:

We will <sup>BOPE TEST</sup> ~~spud~~ this well at approximately <sup>8:00 PM</sup> ~~20:00~~ hours on October 9, 2013.  
If you have any questions, concerns, or require further information, please call me  
at 970-623-7085

Best regards,

Joe Eide  
Drilling Supervisor  
Berry Petroleum

RECEIVED

OCT 08 2013

DIV. OF OIL, GAS & MINING

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 1420H625032
		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> Ute In
<b>1. TYPE OF WELL</b> Oil Well		<b>7. UNIT or CA AGREEMENT NAME:</b>
<b>2. NAME OF OPERATOR:</b> BERRY PETROLEUM COMPANY		<b>8. WELL NAME and NUMBER:</b> Heiner Tribal 5-11D-54
<b>3. ADDRESS OF OPERATOR:</b> 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066		<b>9. API NUMBER:</b> 43013521670000
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0400 FNL 0845 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NWNW Section: 11 Township: 05.0S Range: 04.0W Meridian: U		<b>9. FIELD and POOL or WILDCAT:</b> BRUNDAGE CANYON
		<b>COUNTY:</b> DUCHESNE
		<b>STATE:</b> UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input checked="" type="checkbox"/> DRILLING REPORT Report Date: 11/26/2013	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input checked="" type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

The Heiner Tribal 5-11D-54 went to first sales on November 21, 2013.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY  
November 27, 2013**

<b>NAME (PLEASE PRINT)</b> Krista Mecham	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory Permitting Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 11/26/2013	

<b>STATE OF UTAH</b> DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		<b>FORM 9</b>
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b>  Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		<b>5. LEASE DESIGNATION AND SERIAL NUMBER:</b> 1420H625032
		<b>6. IF INDIAN, ALLOTTEE OR TRIBE NAME:</b> Ute In
<b>1. TYPE OF WELL</b> Oil Well		<b>7. UNIT or CA AGREEMENT NAME:</b>
<b>2. NAME OF OPERATOR:</b> BERRY PETROLEUM COMPANY		<b>8. WELL NAME and NUMBER:</b> Heiner Tribal 5-11D-54
<b>3. ADDRESS OF OPERATOR:</b> 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066		<b>9. API NUMBER:</b> 43013521670000
<b>4. LOCATION OF WELL</b> <b>FOOTAGES AT SURFACE:</b> 0400 FNL 0845 FWL <b>QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:</b> Qtr/Qtr: NWNW Section: 11 Township: 05.0S Range: 04.0W Meridian: U		<b>9. FIELD and POOL or WILDCAT:</b> BRUNDAGE CANYON
		<b>COUNTY:</b> DUCHESNE
		<b>STATE:</b> UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> <b>NOTICE OF INTENT</b> Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> <b>SUBSEQUENT REPORT</b> Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> <b>SPUD REPORT</b> Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input checked="" type="checkbox"/> <b>DRILLING REPORT</b> Report Date: 11/26/2013	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please see attached drilling history for the Heiner Tribal 5-11D-54.

**Accepted by the  
Utah Division of  
Oil, Gas and Mining  
FOR RECORD ONLY  
November 27, 2013**

<b>NAME (PLEASE PRINT)</b> Krista Mecham	<b>PHONE NUMBER</b> 435 722-1325	<b>TITLE</b> Regulatory Permitting Tech
<b>SIGNATURE</b> N/A	<b>DATE</b> 11/26/2013	



## OPERATIONS SUMMARY

**Well Name: HEINER TRIBAL 5-11D-54**

API 43013521670000	State Utah	Surface Legal Location NWNW Sec. 11 T5S-R4W		
Field Code 006721	Spud Date 10/5/2013	Rig Release Date 10/9/2013	KB-Ground Distance (ft) 17.00	Ground Elevation (ftKB) 6,179.00

**Daily Operations**
**10/4/2013 00:00 - 10/4/2013 06:00**

Operations at Report Time

Rigging down

Operations Summary

Complete rig down on Federal 1-7D-64

Operations Next 24 Hours

Complete move to Heiner Tribal 5-11D-54

**Time Log**

Com

Complete rig down on Fed 1-7D-64

**10/4/2013 06:00 - 10/5/2013 06:00**

Operations at Report Time

Drilling ahead

Operations Summary

Complete move to new end. R/U, N/U, &amp; test. Cut 100' drill line, p/u directional assembly. Drill shoe track, drill formation.

Operations Next 24 Hours

Drill ahead

**Time Log**

Com

Complete move to HT 5-11D-54. Trucks released at 1600.

Complete rig up on new end

N/U - function test stack

Test BOPE - rams, choke line, kill line, kelly valves, manifold to 3000 high / 250 low. Annular to 2500 / 250. Held 1500 psi on casing.

Cut 100' drill line

P/U directional assembly

Drill shoe track

Drill from 359' to 467' - 108' @ 108 fph - wob 10, pp 440, dp 125, gpm 344, rrpm 50, mrpm 95, total rpm 145

**10/5/2013 06:00 - 10/6/2013 06:00**

Operations at Report Time

Drilling ahead

Operations Summary

Trouble shoot MWD, drill from 467' to 1,871'. Rig service. Drilled from 1,871' to 3,205'.

Operations Next 24 Hours

Drill ahead

**Time Log**

Com

Trouble shoot MWD

Drill from 467' to 1,871' - 1,404' @ 127.6 fph - wob 11, pp 1155, dp 380, gpm 477, rrpm 55, mrpm 134, total rpm 189

Rig service

Drill from 1,871' to 3,205' - 1,334' @ 116 fph - wob 15, pp 1120, dp 350, gpm 429, rrpm 55, mrpm 120, total rpm 175

**10/6/2013 06:00 - 10/7/2013 06:00**

Operations at Report Time

Drilling ahead

Operations Summary

Drill from 3,205' to 4,470' - rig service - drill from 4,470' to 5,645'

Operations Next 24 Hours

Drill ahead to TD of ± 7,100'

**Time Log**

Com

Drill from 3,205' to 4,470' - 1,265' @ 110 fph - wob 20, pp 1550, dp 400, gpm 423, rrpm 59, mrpm 119, total rpm 178

Rig service

Drill from 4,470' to 5,645' 1,175' @ 97.7 fph - wob 17, pp 1600, dp 355, gpm 417, rrpm 58, mrpm 117, total rpm 175

**10/7/2013 06:00 - 10/8/2013 06:00**

Operations at Report Time

Laying down directional assembly

Operations Summary

Drilled from 5,645' to 6,660' - rig service - drilled from 6,660' to 7,098'. Swept hole clean, TOOH, L/D directional tools.

Operations Next 24 Hours

TIH, sweep hole clean, LDDP, log well, run long string, cement.

**Time Log**

Com

Drill from 5,645' to 6,660' - 1,015' - @ 84.6 fph - wob 21, pp 1715, dp 250, gpm 447, rrpm 55, mrpm 125, total rpm 180

Rig service

Drill from 6,660' to 7,098 - 438' @ 97.3 fph - wob 22, pp 1725, dp 300, gpm 423, rrpm 59, mrpm 119, total rpm 178

Sweep hole clean

Trip out to L/D directional tools

L/D directional assembly

**10/8/2013 06:00 - 10/9/2013 06:00**

Operations at Report Time

Cementing long string

Operations Summary

TIH on wiper run. LDDP, run open hole logs, run production casing, cement.

Operations Next 24 Hours

Complete cement job, N/D, jet pits, release rig. Skid to 4/11/54

**Time Log**

Com

Trip in hole

Safety wash 93' to TD



## OPERATIONS SUMMARY

**Well Name: HEINER TRIBAL 5-11D-54**

**Time Log**

Com

Sweep B/U (2)

AHSM - R/U Weatherford - LDDP

AHSM - R/U Halliburton - log up from 7,078' with triple combo.

AHSM - R/U Weatherford - run 185 joints of N-80, 17#, LT&C, with marker, mandrel, and landing joint to 7,055'.

AHSM - R/U Pro Petro - start pumping at 0445

**10/9/2013 06:00 - 10/10/2013 12:00**

Operations at Report Time

Preparing to skid rig to 4-11-54

Operations Next 24 Hours

Complete skid.

Operations Summary

Complete production cementing, back off landing joint, N/D, jet pits. Release rig at noon.

**Time Log**

Com

Cement - 20 bbl fresh spacer, pre-flush, 10 bbls Pro-Bond, 10 bbl spacer - lead 220 sx (149.6 bbl), 11.0 ppg, 3.82 yield, 23 g/s ratio - tail 490 sx (148.3 bbl) 13.1 ppg, 1.7 yield, 7.7 g/s ratio. Displaced with 163 bbls fresh water, bumped at 2500/1800, floats held, 30 bbls to surface.

N/D, jet pits

Complete R/D - ready to skid

Division of Oil, Gas and Mining  
**OPERATOR CHANGE WORKSHEET (for state use only)**

**ROUTING**  
 CDW

**X - Change of Operator (Well Sold)**

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

**12/16/2013**

<b>FROM:</b> (Old Operator): N2480-Berry Petolruem Company 1999 Broadway, Suite 3700 Denver, CO 80202 Phone: 1 (303) 999-4400	<b>TO:</b> ( New Operator): N4075-Berry Petroeleum Company, LLC 1999 Broadway, Suite 3700 Denver, CO 80202 Phone: 1 (303) 999-4400
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	Unit:	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See Attached List						N/A				

**OPERATOR CHANGES DOCUMENTATION**

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 1/31/2014
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 1/31/2014
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 2/11/2014
- a. Is the new operator registered in the State of Utah: \_\_\_\_\_ Business Number: 5307764-0161
- 5a. (R649-9-2)Waste Management Plan has been received on: Yes
- 5b. Inspections of LA PA state/fee well sites complete on: Yes
- 5c. Reports current for Production/Disposition & Sundries on: Yes
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA Not Yet
- Federal and Indian Units:**  
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**  
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

**DATA ENTRY:**

- Changes entered in the **Oil and Gas Database** on: 2/21/2014
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 2/21/2014
- Bond information entered in RBDMS on: 2/21/2014
- Fee/State wells attached to bond in RBDMS on: 2/21/2014
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 1/31/2014
- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: 1/31/2014

**BOND VERIFICATION:**

- Federal well(s) covered by Bond Number: UTB000035
- Indian well(s) covered by Bond Number: B0005647
- a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number RLB0005651
- b. The **FORMER** operator has requested a release of liability from their bond on: N/A

**LEASE INTEREST OWNER NOTIFICATION:**

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 2/24/2014

**COMMENTS:**

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

Well Name	Section	TWN	RNG	API Number	Entity	Mineral Lease	Well Type	Well Status
UTE TRIBAL 13-17D-55	17	050S	050W	4301333550		Indian	OW	APD
UTE TRIBAL 11-14D-54	14	050S	040W	4301333596		Indian	OW	APD
UTE TRIBAL 16-17D-55	17	050S	050W	4301333622		Indian	OW	APD
UTE TRIBAL 15-28D-55	28	050S	050W	4301333623		Indian	OW	APD
LC TRIBAL 14-16D-56	16	050S	060W	4301334283		Indian	OW	APD
FEDERAL 10-10D-65	10	060S	050W	4301350523		Federal	OW	APD
LC TRIBAL 9-16D-56	16	050S	060W	4301350600		Indian	OW	APD
LC TRIBAL 3-23D-56	23	050S	060W	4301350624		Indian	OW	APD
FEDERAL 2-1D-64	1	060S	040W	4301350765		Federal	OW	APD
FEDERAL 7-1D-64	1	060S	040W	4301350766		Federal	OW	APD
FEDERAL 9-1D-64	1	060S	040W	4301350767		Federal	OW	APD
LC TRIBAL 1-28D-56	28	050S	060W	4301350865		Indian	OW	APD
LC TRIBAL 13H-9-56	10	050S	060W	4301350874		Indian	OW	APD
CC FEE 8-24-38	24	030S	080W	4301350885		Fee	OW	APD
LC TRIBAL 4H-26-56	26	050S	060W	4301350951		Indian	OW	APD
LC FEE 4H-12-57	12	050S	070W	4301350952		Fee	OW	APD
CC TRIBAL 4-2-48	2	040S	080W	4301350964		Indian	OW	APD
LC TRIBAL 5H-34-45	34	040S	050W	4301350974		Indian	OW	APD
LC TRIBAL 11-34-45	34	040S	050W	4301350975		Indian	OW	APD
LC TRIBAL 7-2D-56	2	050S	060W	4301350988		Indian	OW	APD
LC TRIBAL 10-18D-56	18	050S	060W	4301350989		Indian	OW	APD
CC TRIBAL 4-30D-38	19	030S	080W	4301350993		Indian	OW	APD
FEDERAL 4-1-65	1	060S	050W	4301351016		Federal	OW	APD
LC TRIBAL 3-16D-56	16	050S	060W	4301351032		Indian	OW	APD
CC FEE 6-21-38	21	030S	080W	4301351059		Fee	OW	APD
LC TRIBAL 13H-28-45	28	040S	050W	4301351061		Indian	OW	APD
LC TRIBAL 5H-23-45	23	040S	050W	4301351071		Indian	OW	APD
LC TRIBAL 4H-27-45	27	040S	050W	4301351072		Indian	OW	APD
LC TRIBAL 16-27-45	27	040S	050W	4301351074		Indian	OW	APD
LC TRIBAL 12-27-45	27	040S	050W	4301351075		Indian	OW	APD
LC TRIBAL 16-23-45	23	040S	050W	4301351077		Indian	OW	APD
LC TRIBAL 12H-30-56	30	050S	060W	4301351133		Indian	OW	APD
LC TRIBAL 5-29D-56	29	050S	060W	4301351184		Indian	OW	APD
LC TRIBAL 12H-19-56	19	050S	060W	4301351193		Indian	OW	APD
LC FEE 15-11D-56	11	050S	060W	4301351197		Fee	OW	APD
LC TRIBAL 13H-10-56	11	050S	060W	4301351209		Indian	OW	APD
UTE TRIBAL 9-21D-55	21	050S	050W	4301351258		Indian	OW	APD
LC TRIBAL 2-31D-45	31	040S	050W	4301351261		Indian	OW	APD
LC TRIBAL 13H-24-45	24	040S	050W	4301351273		Indian	OW	APD
UTE TRIBAL 6-21D-55	21	050S	050W	4301351274		Indian	OW	APD
UTE TRIBAL 15-16D-55	16	050S	050W	4301351284		Indian	OW	APD
UTE TRIBAL 4H-15-55	15	050S	050W	4301351292		Indian	OW	APD
UTE TRIBAL 13H-14-54	14	050S	040W	4301351297		Indian	OW	APD
UTE TRIBAL 1-32-55	32	050S	050W	4301351298		Indian	OW	APD
UTE TRIBAL 4-21D-55	21	050S	050W	4301351299		Indian	OW	APD
LC TRIBAL 12-33-45	33	040S	050W	4301351301		Indian	OW	APD
UTE TRIBAL 16-15D-55	15	050S	050W	4301351302		Indian	OW	APD
UTE TRIBAL 2-24-55	24	050S	050W	4301351304		Indian	OW	APD
STATE TRIBAL 2-12D-55	12	050S	050W	4301351310		Indian	OW	APD
LC TRIBAL 11-32D-56	32	050S	060W	4301351315		Indian	OW	APD
LC TRIBAL 1-32D-56	32	050S	060W	4301351317		Indian	OW	APD
LC TRIBAL 5H-32-56	32	050S	060W	4301351318		Indian	OW	APD
LC TRIBAL 5H-33-45	33	040S	050W	4301351338		Indian	OW	APD
LC TRIBAL 14-28-45	28	040S	050W	4301351339		Indian	OW	APD
LC TRIBAL 16-32D-45	32	040S	050W	4301351340		Indian	OW	APD
LC TRIBAL 3-31-45	31	040S	050W	4301351347		Indian	OW	APD
UTE TRIBAL 7-10D-54	10	050S	040W	4301351365		Indian	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

LC TRIBAL 1-18D-56	18	050S	060W	4301351367	Indian	OW	APD
LC TRIBAL 9-18D-56	18	050S	060W	4301351368	Indian	OW	APD
LC FEE 9-23D-56	23	050S	060W	4301351380	Fee	OW	APD
LC TRIBAL 9-26D-56	26	050S	060W	4301351381	Indian	OW	APD
LC TRIBAL 1-34D-45	34	040S	050W	4301351382	Indian	OW	APD
LC TRIBAL 12-21D-56	21	050S	060W	4301351383	Indian	OW	APD
LC TRIBAL 7-29D-56	29	050S	060W	4301351386	Indian	OW	APD
UTE TRIBAL 6-15-55	15	050S	050W	4301351399	Indian	OW	APD
UTE TRIBAL 13H-21-55	21	050S	050W	4301351403	Indian	OW	APD
LC TRIBAL 6-16D-56	16	050S	060W	4301351406	Indian	OW	APD
LC TRIBAL 3-14D-56	14	050S	060W	4301351408	Indian	OW	APD
CC FEE 13-9D-37	9	030S	070W	4301351409	Fee	OW	APD
CC FEE 16-21D-38	21	030S	080W	4301351410	Fee	OW	APD
UTE TRIBAL 8-17D-55	17	050S	050W	4301351413	Indian	OW	APD
UTE TRIBAL 5H-10-54	10	050S	040W	4301351415	Indian	OW	APD
LC TRIBAL 13-6D-57	6	050S	070W	4301351417	Indian	OW	APD
LC TRIBAL 9-23-45	23	040S	050W	4301351432	Indian	OW	APD
LC TRIBAL 5-28D-56	29	050S	060W	4301351441	Indian	OW	APD
LC TRIBAL 15-20D-56	29	050S	060W	4301351443	Indian	OW	APD
LC FEE 14-1-56	1	050S	060W	4301351457	Fee	OW	APD
LC TRIBAL 5-3D-56	3	050S	060W	4301351459	Indian	OW	APD
LC Tribal 16-33-45	33	040S	050W	4301351463	Indian	OW	APD
LC TRIBAL 7-23D-56	23	050S	060W	4301351479	Indian	OW	APD
LC TRIBAL 4-7-56	7	050S	060W	4301351482	Indian	OW	APD
LC TRIBAL 3-2-56	2	050S	060W	4301351483	Indian	OW	APD
LC TRIBAL 12H-23-56	23	050S	060W	4301351488	Indian	OW	APD
CC TRIBAL 15-34D-38	2	040S	080W	4301351490	Indian	OW	APD
CC TRIBAL 14-35D-38	2	040S	080W	4301351491	Indian	OW	APD
CC TRIBAL 8-3D-48	2	040S	080W	4301351493	Indian	OW	APD
LC TRIBAL 12HH-31-45	32	040S	050W	4301351499	Indian	OW	APD
LC TRIBAL 1-10D-56	10	050S	060W	4301351510	Indian	OW	APD
LC TRIBAL 3-10D-56	10	050S	060W	4301351511	Indian	OW	APD
LC TRIBAL 7-10D-56	10	050S	060W	4301351512	Indian	OW	APD
LC TRIBAL 9-29D-56	29	050S	060W	4301351513	Indian	OW	APD
UTE TRIBAL 1-16-55	16	050S	050W	4301351519	Indian	OW	APD
CC Tribal 3-27D-38	27	030S	080W	4301351604	Indian	OW	APD
LC FEE 10-36D-56	36	050S	060W	4301351622	Fee	OW	APD
Myrin Fee 3-16D-55	16	050S	050W	4301351633	Fee	OW	APD
LC TRIBAL 12H-34-56	34	050S	060W	4301351634	Indian	OW	APD
UTE FEE 12-16D-55	16	050S	050W	4301351635	Fee	OW	APD
LC TRIBAL 15-27-56	27	050S	060W	4301351649	Indian	OW	APD
LC TRIBAL 11-27D-56	27	050S	060W	4301351650	Indian	OW	APD
LC TRIBAL 1-17-56	17	050S	060W	4301351704	Indian	OW	APD
LC TRIBAL 2-29D-45	29	040S	050W	4301351705	Indian	OW	APD
LC Tribal 13-11D-58	11	050S	080W	4301351708	Indian	OW	APD
LC Tribal 15-11D-58	11	050S	080W	4301351709	Indian	OW	APD
LC Tribal 4HW-8-56	8	050S	060W	4301351710	Indian	OW	APD
LC FEE 1-11D-56	11	050S	060W	4301351712	Fee	OW	APD
LC TRIBAL 3-11D-56	11	050S	060W	4301351713	Indian	OW	APD
LC TRIBAL 7-11D-56	11	050S	060W	4301351714	Indian	OW	APD
LC Tribal 8M-23-45	23	040S	050W	4301351722	Indian	OW	APD
LC TRIBAL 7-34D-45	34	040S	050W	4301351724	Indian	OW	APD
LC Tribal 3-14D-58	11	050S	080W	4301351726	Indian	OW	APD
LC Tribal 11-11D-58	11	050S	080W	4301351729	Indian	OW	APD
LC TAYLOR FEE 14-22D-56	22	050S	060W	4301351744	Fee	OW	APD
LC TRIBAL 13-34D-45	34	040S	050W	4301351747	Indian	OW	APD
LC Fee 2-6D-57	6	050S	070W	4301351749	Fee	OW	APD
LC Tribal 15-12D-58	12	050S	080W	4301351783	Indian	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

LC Tribal 9-12D-58	12	050S	080W	4301351784	Indian	OW	APD
LC Tribal 1-13D-58	12	050S	080W	4301351785	Indian	OW	APD
LC Tribal 13-7D-57	12	050S	080W	4301351786	Indian	OW	APD
LC Tribal 9-2D-58	2	050S	080W	4301351788	Indian	OW	APD
LC Tribal 1-2D-58	2	050S	080W	4301351789	Indian	OW	APD
LC Tribal 5-1D-58	2	050S	080W	4301351790	Indian	OW	APD
LC TRIBAL 12-31D-56	31	050S	060W	4301351799	Indian	OW	APD
LC TRIBAL 8-20D-56	20	050S	060W	4301351800	Indian	OW	APD
LC TRIBAL 6-31D-56	31	050S	060W	4301351801	Indian	OW	APD
LC Tribal 11-7D-57	7	050S	070W	4301351814	Indian	OW	APD
LC Tribal 5-7D-57	7	050S	070W	4301351815	Indian	OW	APD
LC Fee 15-6D-57	6	050S	070W	4301351816	Fee	OW	APD
LC Tribal 11-6D-57	6	050S	070W	4301351817	Indian	OW	APD
LC TRIBAL 9-27-56	27	050S	060W	4301351822	Indian	OW	APD
LC TRIBAL 7-27D-56	27	050S	060W	4301351823	Indian	OW	APD
LC Fee 7-31D-45	31	040S	050W	4301351857	Fee	OW	APD
LC Tribal 5-31D-45	31	040S	050W	4301351858	Indian	OW	APD
LC Tribal 8-33-45	33	040S	050W	4301351859	Indian	OW	APD
LC Tribal 16-31-45	31	040S	050W	4301351863	Indian	OW	APD
LC Tribal 7-23D-45	23	040S	050W	4301351865	Indian	OW	APD
LC Tribal 1-23D-56	23	050S	060W	4301351866	Indian	OW	APD
LC TRIBAL 1-19-56	19	050S	060W	4301351867	Indian	OW	APD
LC TRIBAL 7-19D-56	19	050S	060W	4301351868	Indian	OW	APD
LC TRIBAL 9-4D-56	4	050S	060W	4301351869	Indian	OW	APD
LC Tribal 14-32D-45	32	040S	050W	4301351879	Indian	OW	APD
LC TRIBAL 7-17D-56	17	050S	060W	4301351886	Indian	OW	APD
LC TRIBAL 5-17D-56	17	050S	060W	4301351887	Indian	OW	APD
LC FEE 4-32D-45	31	040S	050W	4301351892	Fee	OW	APD
LC TRIBAL 9-2D-56	2	050S	060W	4301351893	Indian	OW	APD
LC TRIBAL 1-2D-56	2	050S	060W	4301351894	Indian	OW	APD
LC Tribal 15-23D-45	23	040S	050W	4301351895	Indian	OW	APD
LC TRIBAL 11-34D-56	34	050S	060W	4301351900	Indian	OW	APD
LC TRIBAL 9-5D-56	4	050S	060W	4301351901	Indian	OW	APD
LC Tribal 6-29D-45	29	040S	050W	4301351902	Indian	OW	APD
LC Tribal 10-28D-45	28	040S	050W	4301351903	Indian	OW	APD
LC TRIBAL 13-20D-56	20	050S	060W	4301351904	Indian	OW	APD
Ute Tribal 14-17-55	17	050S	050W	4301351908	Indian	OW	APD
LC Tribal 3-27D-45	27	040S	050W	4301351911	Indian	OW	APD
LC TRIBAL 9-34D-56	34	050S	060W	4301351914	Indian	OW	APD
CC Fee 8R-9-37	9	030S	070W	4301351937	Fee	OW	APD
LC Tribal 10-33D-45	33	040S	050W	4301351939	Indian	OW	APD
LC Tribal 14-33D-45	33	040S	050W	4301351940	Indian	OW	APD
LC Tribal 10-27D-45	27	040S	050W	4301351941	Indian	OW	APD
LC Tribal 14-27D-45	27	040S	050W	4301351951	Indian	OW	APD
LC Tribal 6-33D-45	33	040S	050W	4301351955	Indian	OW	APD
LC Tribal 6-32D-45	32	040S	050W	4301351956	Indian	OW	APD
Federal 3-11D-65	11	060S	050W	4301351982	Federal	OW	APD
Federal 2-4-64	4	060S	040W	4301351983	Federal	OW	APD
Federal 5-11D-65	11	060S	050W	4301351984	Federal	OW	APD
Federal 7-4D-64	4	060S	040W	4301351985	Federal	OW	APD
Federal 3-4D-64	4	060S	040W	4301351986	Federal	OW	APD
Federal 8-4D-64	4	060S	040W	4301351988	Federal	OW	APD
Federal 6-4D-64	4	060S	040W	4301351989	Federal	OW	APD
Federal 7-9D-64	9	060S	040W	4301351990	Federal	OW	APD
Federal 4-4D-64	4	060S	040W	4301351991	Federal	OW	APD
Federal 9-4D-64	4	060S	040W	4301352004	Federal	OW	APD
Federal 10-4D-64	4	060S	040W	4301352011	Federal	OW	APD
Federal 3-9D-64	9	060S	040W	4301352015	Federal	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

Federal 1-9D-64	9	060S	040W	4301352020		Federal	OW	APD
Federal 6-9-64	9	060S	040W	4301352021		Federal	OW	APD
Federal 8-9D-64	9	060S	040W	4301352023		Federal	OW	APD
Federal 1-4D-64	4	060S	040W	4301352025		Federal	OW	APD
Federal 16-4D-64	4	060S	040W	4301352026		Federal	OW	APD
LC Tribal 10-23D-45	23	040S	050W	4301352029		Indian	OW	APD
Federal 15-4D-64	4	060S	040W	4301352032		Federal	OW	APD
Federal 5-9D-64	9	060S	040W	4301352035		Federal	OW	APD
Federal 9-9D-64	9	060S	040W	4301352036		Federal	OW	APD
Federal 11-9D-64	9	060S	040W	4301352037		Federal	OW	APD
Federal 12-9D-64	9	060S	040W	4301352038		Federal	OW	APD
Federal 13-9D-64	9	060S	040W	4301352039		Federal	OW	APD
FEDERAL 14-9D-64	9	060S	040W	4301352040		Federal	OW	APD
Federal 10-9D-64	9	060S	040W	4301352041		Federal	OW	APD
Federal 2-9D-64	9	060S	040W	4301352042		Federal	OW	APD
Federal 15-9D-64	9	060S	040W	4301352043		Federal	OW	APD
Federal 16-9D-64	9	060S	040W	4301352044		Federal	OW	APD
LC Tribal 10-32D-45	32	040S	050W	4301352065		Indian	OW	APD
LC Tribal 16-28D-45	28	040S	050W	4301352073		Indian	OW	APD
LC Tribal 15-24D-45	24	040S	050W	4301352074		Indian	OW	APD
LC Tribal 13-17D-56	17	050S	060W	4301352076		Indian	OW	APD
LC Tribal 15-17D-56	17	050S	060W	4301352077		Indian	OW	APD
LC Tribal 12-28D-45	28	040S	050W	4301352089		Indian	OW	APD
LC Tribal 5-26D-56	26	050S	060W	4301352097		Indian	OW	APD
LC Tribal 11-26D-56	26	050S	060W	4301352098		Indian	OW	APD
LC Tribal 13-26D-56	26	050S	060W	4301352099		Indian	OW	APD
LC Tribal 2-27D-45	27	040S	050W	4301352100		Indian	OW	APD
LC Tribal 8-27D-45	27	040S	050W	4301352101		Indian	OW	APD
LC Tribal 4-9D-56	9	050S	060W	4301352102		Indian	OW	APD
LC Tribal 8-32D-45	32	040S	050W	4301352135		Indian	OW	APD
UTE Tribal 15-24D-54	24	050S	040W	4301352156		Indian	GW	APD
UTE Tribal 9-24D-54	24	050S	040W	4301352157		Indian	GW	APD
UTE Tribal 1-25D-54	25	050S	040W	4301352173		Indian	GW	APD
UTE Tribal 9-25D-54	25	050S	040W	4301352177		Indian	GW	APD
Myrin Tribal 9-10D-55	10	050S	050W	4301352189		Indian	OW	APD
Myrin Tribal 16-10D-55	10	050S	050W	4301352190		Indian	OW	APD
Myrin Tribal 10-10D-55	10	050S	050W	4301352191		Indian	OW	APD
UTE Tribal 14-18D-54	18	050S	040W	4301352213		Indian	GW	APD
UTE Tribal 1-24D-54	24	050S	040W	4301352304		Indian	GW	APD
UTE Tribal 7-24D-54	24	050S	040W	4301352306		Indian	GW	APD
UTE Tribal 12-25D-54	25	050S	040W	4301352308		Indian	GW	APD
UTE Tribal 15-31D-55	31	050S	050W	4301352309		Indian	GW	APD
UTE Tribal 16-31D-55	31	050S	050W	4301352318		Indian	GW	APD
UTE Tribal 4-13D-54	13	050S	040W	4301352321		Indian	GW	APD
UTE Tribal 13-25D-54	25	050S	040W	4301352322		Indian	GW	APD
Abbott Fee 1-6D-54	6	050S	040W	4301352324		Fee	OW	APD
Abbott Fee 7-6D-54	6	050S	040W	4301352327		Fee	OW	APD
UTE Tribal 3-24D-54	24	050S	040W	4301352347		Indian	GW	APD
UTE Tribal 5-24D-54	24	050S	040W	4301352348		Indian	GW	APD
State Tribal 14-1D-55	1	050S	050W	4301352372		Indian	OW	APD
State Tribal 11-1D-55	1	050S	050W	4301352373		Indian	OW	APD
State Tribal 13-1D-55	1	050S	050W	4301352374		Indian	OW	APD
State Tribal 1-12D-55	12	050S	050W	4301352390		Indian	OW	APD
State Tribal 12-2D-55	2	050S	050W	4301352391		Indian	OW	APD
State Tribal 14-2D-55	2	050S	050W	4301352392		Indian	OW	APD
State Tribal 13-2D-55	2	050S	050W	4301352393		Indian	OW	APD
State Tribal 16-6D-54	6	050S	040W	4301352394		Indian	OW	APD
State Tribal 10-6D-54	6	050S	040W	4301352395		Indian	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

State Tribal 9-6D-54	6	050S	040W	4301352396	Indian	OW	APD
State Tribal 7-7D-54	7	050S	040W	4301352426	Indian	OW	APD
State Tribal 1-7D-54	7	050S	040W	4301352427	Indian	OW	APD
State Tribal 2-7D-54	7	050S	040W	4301352428	Indian	OW	APD
State Tribal 3-7D-54	7	050S	040W	4301352429	Indian	OW	APD
State Tribal 14-3D-55	3	050S	050W	4301352430	Indian	OW	APD
State Tribal 4-7D-54	7	050S	040W	4301352431	Indian	OW	APD
State Tribal 5-7D-54	7	050S	040W	4301352432	Indian	OW	APD
State Tribal 6-7D-54	7	050S	040W	4301352433	Indian	OW	APD
State Tribal 11-3D-55	3	050S	050W	4301352434	Indian	OW	APD
State Tribal 13-3D-55	3	050S	050W	4301352435	Indian	OW	APD
UTE TRIBAL 2-5D-55	5	050S	050W	4301352450	Indian	OW	APD
State Tribal 11-6D-54	6	050S	040W	4301352452	Indian	OW	APD
State Tribal 12-6D-54	6	050S	040W	4301352453	Indian	OW	APD
State Tribal 13-6D-54	6	050S	040W	4301352454	Indian	OW	APD
State Tribal 14-6D-54	6	050S	040W	4301352455	Indian	OW	APD
Ute Tribal 7-5-55	5	050S	050W	4301352459	Indian	OW	APD
Ute Tribal 3-16D-54	9	050S	040W	4301352467	Indian	OW	APD
State Tribal 1-3D-55	3	050S	050W	4301352471	Indian	OW	APD
State Tribal 2-3D-55	3	050S	050W	4301352472	Indian	OW	APD
State Tribal 7-3D-55	3	050S	050W	4301352473	Indian	OW	APD
State Tribal 8-3D-55	3	050S	050W	4301352474	Indian	OW	APD
UTE FEE 10-9D-54	9	050S	040W	4301352475	Fee	OW	APD
UTE FEE 12-9D-54	9	050S	040W	4301352476	Fee	OW	APD
UTE FEE 16-9D-54	9	050S	040W	4301352478	Fee	OW	APD
UTE TRIBAL 12-5D-54	5	050S	040W	4301352480	Indian	OW	APD
Ute Tribal 2-16D-54	9	050S	040W	4301352481	Indian	OW	APD
UTE TRIBAL 13-5D-54	5	050S	040W	4301352484	Indian	OW	APD
UTE TRIBAL 14-5D-54	5	050S	040W	4301352493	Indian	OW	APD
Federal 14-6D-65	6	060S	050W	4301352495	Federal	OW	APD
Federal 13-6D-65	6	060S	050W	4301352496	Federal	OW	APD
Federal 11-6D-65	6	060S	050W	4301352497	Federal	OW	APD
Federal 10-6D-65	6	060S	050W	4301352498	Federal	OW	APD
State Tribal 3-3D-55	3	050S	050W	4301352532	Indian	OW	APD
State Tribal 4-3D-55	3	050S	050W	4301352533	Indian	OW	APD
State Tribal 5-3D-55	3	050S	050W	4301352535	Indian	OW	APD
State Tribal 6-3D-55	3	050S	050W	4301352536	Indian	OW	APD
Federal 2-7D-65	7	060S	050W	4301352537	Federal	OW	APD
Federal 5-7D-65	7	060S	050W	4301352538	Federal	OW	APD
Federal 4-7D-65	7	060S	050W	4301352541	Federal	OW	APD
UTE FEE 11-9D-54	9	050S	040W	4301352544	Fee	OW	APD
UTE TRIBAL 15-12D-55	12	050S	050W	4301352549	Indian	OW	APD
UTE TRIBAL 6-5D-55	5	050S	050W	4301352556	Indian	OW	APD
UTE TRIBAL 5-5D-55	5	050S	050W	4301352557	Indian	OW	APD
UTE TRIBAL 4-5D-55	5	050S	050W	4301352558	Indian	OW	APD
UTE TRIBAL 3-5D-55	5	050S	050W	4301352559	Indian	OW	APD
Federal 3-7-65	7	060S	050W	4301352560	Federal	OW	APD
Ute Tribal 9-11D-55	11	050S	050W	4301352564	Indian	OW	APD
UTE TRIBAL 10-11D-55	11	050S	050W	4301352566	Indian	OW	APD
UTE TRIBAL 15-11D-55	11	050S	050W	4301352567	Indian	OW	APD
State Tribal 1-18D-54	18	050S	040W	4301352568	Indian	OW	APD
State Tribal 2-18D-54	18	050S	040W	4301352576	Indian	OW	APD
State Tribal 8-18D-54	18	050S	040W	4301352577	Indian	OW	APD
Federal 1-7D-65	6	060S	050W	4301352589	Federal	OW	APD
Federal 16-6D-65	6	060S	050W	4301352590	Federal	OW	APD
Federal 15-6D-65	6	060S	050W	4301352591	Federal	OW	APD
UTE TRIBAL 14-12D-55	12	050S	050W	4301352592	Indian	OW	APD
UTE TRIBAL 13-12D-55	12	050S	050W	4301352593	Indian	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 10-11D-54	11	050S	040W	4301352603	Indian	OW	APD
UTE TRIBAL 9-11D-54	11	050S	040W	4301352604	Indian	OW	APD
UTE TRIBAL 15-11-54	11	050S	040W	4301352605	Indian	OW	APD
UTE TRIBAL 16-11D-54	11	050S	040W	4301352606	Indian	OW	APD
State Tribal 4-18D-54	18	050S	040W	4301352607	Indian	OW	APD
State Tribal 3-18D-54	18	050S	040W	4301352608	Indian	OW	APD
State Tribal 6-18D-54	18	050S	040W	4301352609	Indian	OW	APD
UTE TRIBAL 14-11D-55	11	050S	050W	4301352610	Indian	OW	APD
UTE TRIBAL 13-11D-55	11	050S	050W	4301352611	Indian	OW	APD
UTE TRIBAL 12-11D-55	11	050S	050W	4301352612	Indian	OW	APD
UTE TRIBAL 11-11D-55	11	050S	050W	4301352613	Indian	OW	APD
State Tribal 5-12-55	12	050S	050W	4301352643	Indian	OW	APD
State Tribal 12-12D-55	12	050S	050W	4301352644	Indian	OW	APD
State Tribal 6-12D-55	12	050S	050W	4301352645	Indian	OW	APD
State Tribal 16-1D-55	1	050S	050W	4301352646	Indian	OW	APD
State Tribal 15-1D-55	1	050S	050W	4301352647	Indian	OW	APD
State Tribal 10-1D-55	1	050S	050W	4301352648	Indian	OW	APD
State Tribal 9-1D-55	1	050S	050W	4301352649	Indian	OW	APD
LC Tribal 2-22D-56	22	050S	060W	4301352663	Indian	OW	APD
LC Tribal 3-22D-56	22	050S	060W	4301352664	Indian	OW	APD
Federal 6-7D-65	7	060S	050W	4301352682	Federal	OW	APD
Federal 11-7D-65	7	060S	050W	4301352683	Federal	OW	APD
Federal 10-7D-65	7	060S	050W	4301352684	Federal	OW	APD
Federal 7-7D-65	7	060S	050W	4301352685	Federal	OW	APD
UTE TRIBAL 14-30D-55	30	050S	050W	4301352687	Indian	OW	APD
UTE TRIBAL 13-30D-55	30	050S	050W	4301352688	Indian	OW	APD
UTE TRIBAL 12-30D-55	30	050S	050W	4301352689	Indian	OW	APD
UTE TRIBAL 11-30D-55	30	050S	050W	4301352690	Indian	OW	APD
UTE TRIBAL 7-17D-55	17	050S	050W	4301352691	Indian	OW	APD
UTE TRIBAL 6-17D-55	17	050S	050W	4301352692	Indian	OW	APD
UTE TRIBAL 3-17D-55	17	050S	050W	4301352693	Indian	OW	APD
UTE TRIBAL 2-17D-55	17	050S	050W	4301352694	Indian	OW	APD
UTE TRIBAL 4-17D-55	17	050S	050W	4301352695	Indian	OW	APD
State Tribal 3-12D-55	12	050S	050W	4301352697	Indian	OW	APD
State Tribal 4-12D-55	12	050S	050W	4301352698	Indian	OW	APD
UTE TRIBAL 12-31D-55	31	050S	050W	4301352699	Indian	OW	APD
UTE TRIBAL 13-31D-55	31	050S	050W	4301352700	Indian	OW	APD
UTE TRIBAL 14-31D-55	31	050S	050W	4301352701	Indian	OW	APD
UTE TRIBAL 14-13D-54	13	050S	040W	4301352702	Indian	OW	APD
UTE TRIBAL 11-31-55	31	050S	050W	4301352703	Indian	OW	APD
State Tribal 3-11D-55	11	050S	050W	4301352704	Indian	OW	APD
State Tribal 4-11D-55	11	050S	050W	4301352705	Indian	OW	APD
State Tribal 5-11D-55	11	050S	050W	4301352706	Indian	OW	APD
State Tribal 6-11D-55	11	050S	050W	4301352707	Indian	OW	APD
State Tribal 8-11D-55	11	050S	050W	4301352708	Indian	OW	APD
State Tribal 7-11D-55	11	050S	050W	4301352709	Indian	OW	APD
State Tribal 2-11D-55	11	050S	050W	4301352710	Indian	OW	APD
State Tribal 1-11D-55	11	050S	050W	4301352711	Indian	OW	APD
UTE TRIBAL 9-4D-55	4	050S	050W	4301352713	Indian	OW	APD
State Tribal 2-10D-55	10	050S	050W	4301352714	Indian	OW	APD
State Tribal 7-10D-55	10	050S	050W	4301352715	Indian	OW	APD
State Tribal 8-10D-55	10	050S	050W	4301352716	Indian	OW	APD
UTE TRIBAL 10-4D-55	4	050S	050W	4301352717	Indian	OW	APD
UTE TRIBAL 15-4D-55	4	050S	050W	4301352718	Indian	OW	APD
State Tribal 1-10D-55	10	050S	050W	4301352720	Indian	OW	APD
UTE TRIBAL 16-4D-55	4	050S	050W	4301352721	Indian	OW	APD
State Tribal 3-10D-55	10	050S	050W	4301352723	Indian	OW	APD
State Tribal 4-10D-55	10	050S	050W	4301352724	Indian	OW	APD

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

State Tribal 5-10D-55	10	050S	050W	4301352725		Indian	OW	APD
State Tribal 6-10D-55	10	050S	050W	4301352726		Indian	OW	APD
UTE TRIBAL 11-5D-55	5	050S	050W	4301352727		Indian	OW	APD
UTE TRIBAL 12-5D-55	5	050S	050W	4301352728		Indian	OW	APD
UTE TRIBAL 13-5D-55	5	050S	050W	4301352729		Indian	OW	APD
UTE TRIBAL 14-5D-55	5	050S	050W	4301352730		Indian	OW	APD
UTE TRIBAL 9-30D-55	30	050S	050W	4301352731		Indian	OW	APD
State Tribal 15-2D-55	2	050S	050W	4301352732		Indian	OW	APD
State Tribal 16-2D-55	2	050S	050W	4301352733		Indian	OW	APD
State Tribal 10-2D-55	2	050S	050W	4301352734		Indian	OW	APD
State Tribal 9-2D-55	2	050S	050W	4301352735		Indian	OW	APD
UTE TRIBAL 10-30D-55	30	050S	050W	4301352736		Indian	OW	APD
UTE TRIBAL 15-30D-55	30	050S	050W	4301352737		Indian	OW	APD
UTE TRIBAL 16-30D-55	30	050S	050W	4301352738		Indian	OW	APD
Myrin Tribal 9-19D-55	19	050S	050W	4301352739		Indian	OW	APD
State Tribal 16-3D-55	3	050S	050W	4301352740		Indian	OW	APD
State Tribal 15-3D-55	3	050S	050W	4301352741		Indian	OW	APD
State Tribal 10-3D-55	3	050S	050W	4301352742		Indian	OW	APD
State Tribal 9-3D-55	3	050S	050W	4301352743		Indian	OW	APD
Myrin Tribal 15-19D-55	19	050S	050W	4301352744		Indian	OW	APD
Myrin Tribal 13-19D-55	19	050S	050W	4301352745		Indian	OW	APD
Myrin Tribal 12-19D-55	19	050S	050W	4301352746		Indian	OW	APD
UTE TRIBAL 5-4D-55	4	050S	050W	4301352747		Indian	OW	APD
UTE TRIBAL 4-4D-55	4	050S	050W	4301352748		Indian	OW	APD
UTE TRIBAL 3-4D-55	4	050S	050W	4301352749		Indian	OW	APD
UTE TRIBAL 6-4D-55	4	050S	050W	4301352754		Indian	OW	APD
UTE TRIBAL 3-31D-55	31	050S	050W	4301352757		Indian	OW	APD
UTE TRIBAL 5-31D-55	31	050S	050W	4301352758		Indian	OW	APD
UTE TRIBAL 6-31D-55	31	050S	050W	4301352759		Indian	OW	APD
UTE TRIBAL 7-31D-55	31	050S	050W	4301352764		Indian	OW	APD
Myrin Tribal 11-19D-55	19	050S	050W	4301352765		Indian	OW	APD
Federal 8-14D-65	14	060S	050W	4301352767		Federal	OW	APD
Federal 7-14D-65	14	060S	050W	4301352768		Federal	OW	APD
Federal 2-14D-65	14	060S	050W	4301352769		Federal	OW	APD
Federal 1-14D-65	14	060S	050W	4301352770		Federal	OW	APD
UTE TRIBAL 8-5D-55	5	050S	050W	4301352773		Indian	OW	APD
UTE TRIBAL 13-3R-54	3	050S	040W	4301330924	9488	Indian	OW	DRL
BERRY TRIBAL 2-23D-54	23	050S	040W	4301333805	18546	Indian	OW	DRL
UTE TRIBAL 16-28D-55	28	050S	050W	4301333887	18594	Indian	OW	DRL
UTE TRIBAL 6-20D-55	20	050S	050W	4301333910	18481	Indian	OW	DRL
UTE TRIBAL 12-20-55	20	050S	050W	4301333911	18520	Indian	OW	DRL
UTE TRIBAL 6-28D-55	28	050S	050W	4301334056	18593	Indian	OW	DRL
MOON TRIBAL 9-27D-54	27	050S	040W	4301334108	19095	Indian	OW	DRL
LC FEE 8-15D-56	15	050S	060W	4301350597	19347	Fee	OW	DRL
FEDERAL 6-4D-65	4	060S	050W	4301350783	19162	Federal	OW	DRL
FEDERAL 12-4D-65	4	060S	050W	4301350784	19171	Federal	OW	DRL
SFW FEE 13-10D-54	10	050S	040W	4301350892	19186	Fee	OW	DRL
SFW TRIBAL 11-10D-54	10	050S	040W	4301350893	19215	Indian	OW	DRL
LC TRIBAL 16-34D-45	34	040S	050W	4301350977	18658	Indian	OW	DRL
LC TRIBAL 3-4D-56	4	050S	060W	4301351000	18852	Indian	OW	DRL
FEDERAL 1-5D-64	5	060S	040W	4301351012	18720	Federal	OW	DRL
FEDERAL 2-5D-64	5	060S	040W	4301351013	18723	Federal	OW	DRL
FEDERAL 7-5D-64	5	060S	040W	4301351014	18722	Federal	OW	DRL
FEDERAL 8-5D-64	5	060S	040W	4301351015	18721	Federal	OW	DRL
FEDERAL 7-12D-65	12	060S	050W	4301351058	18717	Federal	OW	DRL
LC TRIBAL 8-22D-56	22	050S	060W	4301351069	19233	Indian	OW	DRL
FEDERAL 15-6D-64	6	060S	040W	4301351219	18793	Federal	OW	DRL
FEE TRIBAL 4-5-54	5	050S	040W	4301351303	19187	Indian	OW	DRL

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

LC TRIBAL 9-32D-56	32	050S	060W	4301351316	19228	Indian	OW	DRL
LC TRIBAL 9-7D-56	7	050S	060W	4301351346	18773	Indian	OW	DRL
LC TRIBAL 14-21D-56	21	050S	060W	4301351384	18877	Indian	OW	DRL
LC TRIBAL 2-33D-45	33	040S	050W	4301351402	18854	Indian	OW	DRL
LC TRIBAL 2-21D-56	16	050S	060W	4301351418	19252	Indian	OW	DRL
LC TRIBAL 9-24D-45	24	040S	050W	4301351431	18861	Indian	OW	DRL
LC TRIBAL 9-3D-56	3	050S	060W	4301351514	18948	Indian	OW	DRL
LC TRIBAL 5-15D-56	15	050S	060W	4301351562	19253	Indian	OW	DRL
LC TRIBAL 1-34D-56	34	050S	060W	4301351660	18988	Indian	OW	DRL
LC TRIBAL 3-33-56	33	050S	060W	4301351711	19242	Indian	OW	DRL
LC FEE 14-6D-56	6	050S	060W	4301351787	18910	Fee	OW	DRL
LC FEE 15-6-56	6	050S	060W	4301351792	19334	Fee	OW	DRL
LC Fee 14-36D-56	36	050S	060W	4301351878	99999	Fee	OW	DRL
LC Fee 12-36-56	36	050S	060W	4301351883	99999	Fee	OW	DRL
Federal 15-12D-65	12	060S	050W	4301351992	19051	Federal	OW	DRL
Federal 10-12D-65	12	060S	050W	4301351999	19052	Federal	OW	DRL
Federal 9-12D-65	12	060S	050W	4301352000	19053	Federal	OW	DRL
Federal 16-12D-65	12	060S	050W	4301352003	19054	Federal	OW	DRL
Federal 4-6D-65	6	060S	050W	4301352005	19173	Federal	OW	DRL
Federal 12-6D-65	6	060S	050W	4301352006	19174	Federal	OW	DRL
Federal 1-6D-65	6	060S	050W	4301352012	19189	Federal	OW	DRL
Federal 3-6D-65	6	060S	050W	4301352014	19190	Federal	OW	DRL
Federal 2-6-65	6	060S	050W	4301352017	19191	Federal	OW	DRL
Federal 7-6D-65	6	060S	050W	4301352018	19192	Federal	OW	DRL
LC Tribal 3-34D-56	34	050S	060W	4301352087	19234	Indian	OW	DRL
LC Tribal 7-34D-56	34	050S	060W	4301352088	19235	Indian	OW	DRL
LC Tribal 2-32D-45	32	040S	050W	4301352113	19348	Indian	OW	DRL
LC Tribal 16-29D-45	32	040S	050W	4301352114	19349	Indian	OW	DRL
Lamplugh Tribal 6-3D-54	3	050S	040W	4301352148	19289	Indian	OW	DRL
Lamplugh Tribal 5-3D-54	3	050S	040W	4301352149	19290	Indian	GW	DRL
Lamplugh Tribal 4-3D-54	3	050S	040W	4301352150	19291	Indian	OW	DRL
Lamplugh Tribal 3-3D-54	3	050S	040W	4301352151	19292	Indian	OW	DRL
UTE Tribal 6-35D-54	35	050S	040W	4301352158	19254	Indian	GW	DRL
UTE Tribal 4-35D-54	35	050S	040W	4301352159	19255	Indian	GW	DRL
Conolly Tribal 1-11D-54	11	050S	040W	4301352168	19270	Indian	OW	DRL
Conolly Tribal 2-11D-54	11	050S	040W	4301352169	19197	Indian	OW	DRL
Conolly Tribal 7-11D-54	11	050S	040W	4301352170	19280	Indian	OW	DRL
Conolly Tribal 8-11D-54	11	050S	040W	4301352171	19281	Indian	OW	DRL
Casper Tribal 1-5D-54	5	050S	040W	4301352180	19198	Indian	OW	DRL
Fee Tribal 6-5D-54	5	050S	040W	4301352181	19199	Indian	OW	DRL
Fee Tribal 5-5D-54	5	050S	040W	4301352182	19200	Indian	OW	DRL
Fee Tribal 3-5D-54	5	050S	040W	4301352184	19201	Indian	OW	DRL
Casper Tribal 7-5D-54	5	050S	040W	4301352185	19202	Indian	OW	DRL
UTE Tribal 10-35D-54	35	050S	040W	4301352198	19320	Indian	GW	DRL
UTE Tribal 14-35D-54	35	050S	040W	4301352199	19311	Indian	GW	DRL
UTE Tribal 12-35D-54	35	050S	040W	4301352200	19312	Indian	GW	DRL
UTE Tribal 16-35D-54	35	050S	040W	4301352230	19321	Indian	GW	DRL
Evans Tribal 1-3-54	3	050S	040W	4301352234	19264	Indian	OW	DRL
Evans Tribal 2-3D-54	3	050S	040W	4301352235	19265	Indian	OW	DRL
Evans Tribal 7-3D-54	3	050S	040W	4301352236	19256	Indian	OW	DRL
Evans Tribal 8-3D-54	3	050S	040W	4301352237	19257	Indian	OW	DRL
Ute Tribal 9-3D-54	3	050S	040W	4301352249	19236	Indian	OW	DRL
Ute Tribal 15-3D-54	3	050S	040W	4301352250	19237	Indian	OW	DRL
Ute Tribal 10-3-54	3	050S	040W	4301352251	19238	Indian	OW	DRL
Ute Tribal 14-3D-54	3	050S	040W	4301352298	19258	Indian	OW	DRL
Ute Tribal 12-3D-54	3	050S	040W	4301352299	19259	Indian	OW	DRL
Ute Tribal 11-3D-54	3	050S	040W	4301352300	19260	Indian	OW	DRL
Ute Tribal 16-4D-54	4	050S	040W	4301352302	19350	Indian	OW	DRL

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

Ute Tribal 15-4D-54	4	050S	040W	4301352303	19293	Indian	OW	DRL
Ute Tribal 9-4D-54	4	050S	040W	4301352305	19304	Indian	OW	DRL
Ute Tribal 10-4D-54	4	050S	040W	4301352307	19294	Indian	OW	DRL
UTE Tribal 2-35D-54	35	050S	040W	4301352319	19322	Indian	GW	DRL
UTE Tribal 8-35D-54	35	050S	040W	4301352320	19323	Indian	GW	DRL
Abbott Fee 5-6D-54	6	050S	040W	4301352326	19351	Fee	OW	DRL
Ute Tribal 6-11D-54	11	050S	040W	4301352330	19243	Indian	OW	DRL
Ute Tribal 12-11D-54	11	050S	040W	4301352331	19244	Indian	OW	DRL
Ute Tribal 14-11D-54	11	050S	040W	4301352332	19245	Indian	OW	DRL
Ute Tribal 11-4D-54	4	050S	040W	4301352343	19305	Indian	OW	DRL
Ute Tribal 12-4D-54	4	050S	040W	4301352344	19352	Indian	OW	DRL
Ute Tribal 13-4D-54	4	050S	040W	4301352345	19353	Indian	OW	DRL
Ute Tribal 14-4D-54	4	050S	040W	4301352346	19306	Indian	OW	DRL
Ute Tribal 5-9D-54	9	050S	040W	4301352463	19354	Indian	OW	DRL
Ute Tribal 3-9D-54	9	050S	040W	4301352464	19355	Indian	OW	DRL
Ute Tribal 1-9D-54	9	050S	040W	4301352465	19356	Indian	OW	DRL
Ute Tribal 7-9D-54	9	050S	040W	4301352466	19357	Indian	OW	DRL
Ute Tribal 16-5D-54	5	050S	040W	4301352545	19335	Indian	OW	DRL
Ute Tribal 15-5D-54	5	050S	040W	4301352546	19358	Indian	OW	DRL
Ute Tribal 10-5D-54	5	050S	040W	4301352547	19359	Indian	OW	DRL
Ute Tribal 8-5D-54	5	050S	040W	4301352548	19336	Indian	OW	DRL
SCOFIELD-THORPE 26-24	26	120S	070E	4300730986		Fee	GW	LA
ANDERSON-THORPE 25-32	25	120S	070E	4300730988		Fee	GW	LA
SCOFIELD-THORPE 35-21	35	120S	070E	4300730989		Fee	GW	LA
SCOFIELD-THORPE 36-22	36	120S	070E	4300730992		Fee	GW	LA
SCOFIELD-THORPE 25-43	25	120S	070E	4300731002		Fee	GW	LA
SCOFIELD-THORPE 35-41	35	120S	070E	4300731003		Fee	GW	LA
WILCOX FEE 14-16D-56	16	050S	060W	4301333209		Fee	OW	LA
WILCOX FEE 13-16D-56	16	050S	060W	4301333210		Fee	OW	LA
LC FEE 1-12D-57	12	050S	070W	4301333656		Fee	OW	LA
LC TRIBAL 9-34D-45	34	040S	050W	4301351717		Indian	OW	NEW
LC TRIBAL 4-34D-45	34	040S	050W	4301351723		Indian	OW	NEW
LC TRIBAL 4H-31-56	31	050S	060W	4301351738		Indian	OW	NEW
LC TRIBAL 8-31D-56	31	050S	060W	4301351746		Indian	OW	NEW
LC TRIBAL 3-32D-56	31	050S	060W	4301351910		Indian	OW	NEW
LC Fee 11-22-57	22	050S	070W	4301352127		Fee	OW	NEW
LC Fee 13-22D-57	22	050S	070W	4301352131		Fee	OW	NEW
LC Tribal 5-22D-57	22	050S	070W	4301352133		Indian	OW	NEW
LC Tribal 15-22D-57	22	050S	070W	4301352134		Indian	OW	NEW
LC Tribal 11-18D-56	18	050S	060W	4301352140		Indian	OW	NEW
LC Tribal 13-18D-56	18	050S	060W	4301352141		Indian	OW	NEW
LC Tribal 15-18D-56	18	050S	060W	4301352142		Indian	OW	NEW
LC Tribal 7-18D-56	18	050S	060W	4301352153		Indian	OW	NEW
LC Tribal 5-18D-56	18	050S	060W	4301352154		Indian	OW	NEW
LC Tribal 3-18-56	18	050S	060W	4301352155		Indian	OW	NEW
LC Tribal 6-19D-56	19	050S	060W	4301352247		Indian	OW	NEW
LC Tribal 4-19D-56	19	050S	060W	4301352248		Indian	OW	NEW
Abbott Fee 3-6D-54	6	050S	040W	4301352325		Fee	OW	NEW
State Tribal 7-12D-55	12	050S	050W	4301352369		Indian	OW	NEW
LC Fee 9-11D-56	11	050S	060W	4301352479		Fee	OW	NEW
State Tribal 13-11D-54	10	050S	040W	4301352561		Indian	OW	NEW
Williams Tribal 8-4D-54	4	050S	040W	4301352650		Indian	OW	NEW
Williams Tribal 7-4D-54	4	050S	040W	4301352651		Indian	OW	NEW
Williams Tribal 2-4D-54	4	050S	040W	4301352652		Indian	OW	NEW
Williams Tribal 1-4D-54	4	050S	040W	4301352653		Indian	OW	NEW
LC FEE 16-15D-56	14	050S	060W	4301352655		Fee	OW	NEW
UTE TRIBAL 4-31D-55	31	050S	050W	4301352795		Indian	OW	NEW
UTE TRIBAL 4-30D-55	30	050S	050W	4301352796		Indian	OW	NEW

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 5-30D-55	30	050S	050W	4301352797		Indian	OW	NEW
UTE TRIBAL 7-30D-55	30	050S	050W	4301352799		Indian	OW	NEW
Federal 1-13D-65	13	060S	050W	4301352800		Federal	OW	NEW
Federal 2-13-65	13	060S	050W	4301352801		Federal	OW	NEW
Federal 7-13D-65	13	060S	050W	4301352802		Federal	OW	NEW
Federal 8-13D-65	13	060S	050W	4301352803		Federal	OW	NEW
UTE TRIBAL 1-30D-55	30	050S	050W	4301352809		Indian	OW	NEW
LC TRIBAL 6-25D-56	25	050S	060W	4301352810		Indian	OW	NEW
LC TRIBAL 4-25D-56	25	050S	060W	4301352812		Indian	OW	NEW
Federal 6-13D-65	13	060S	050W	4301352813		Federal	OW	NEW
Federal 4-13D-65	13	060S	050W	4301352814		Federal	OW	NEW
Federal 3-13D-65	13	060S	050W	4301352815		Federal	OW	NEW
Federal 3-16D-64	16	060S	040W	4301352823		Federal	OW	NEW
Federal 4-16D-64	16	060S	040W	4301352824		Federal	OW	NEW
Federal 5-16D-64	16	060S	040W	4301352825		Federal	OW	NEW
Federal 6-16D-64	16	060S	040W	4301352826		Federal	OW	NEW
Federal 5-13D-65	13	060S	050W	4301352827		Federal	OW	NEW
Federal 12-8D-64	7	060S	040W	4301352832		Federal	OW	NEW
Federal 5-8D-64	7	060S	040W	4301352833		Federal	OW	NEW
Federal 4-8D-64	7	060S	040W	4301352834		Federal	OW	NEW
LC TRIBAL 1-25D-56	25	050S	060W	4301352835		Indian	OW	NEW
LC TRIBAL 2-25D-56	25	050S	060W	4301352836		Indian	OW	NEW
LC TRIBAL 8-25D-56	25	050S	060W	4301352837		Indian	OW	NEW
UTE FEE 1-13D-55	13	050S	050W	4301352838		Fee	OW	NEW
LC TRIBAL 9-25D-56	25	050S	060W	4301352840		Indian	OW	NEW
LC TRIBAL 15-25-56	25	050S	060W	4301352844		Indian	OW	NEW
Federal 3-8D-64	5	060S	040W	4301352845		Federal	OW	NEW
Federal 9-5D-65	5	060S	050W	4301352846		Federal	OW	NEW
Federal 10-5D-65	5	060S	050W	4301352847		Federal	OW	NEW
LC TRIBAL 16-25D-56	25	050S	060W	4301352848		Indian	OW	NEW
LC TRIBAL 10-25D-56	25	050S	060W	4301352849		Indian	OW	NEW
UTE TRIBAL 8-30D-55	29	050S	050W	4301352855		Indian	OW	NEW
UTE TRIBAL 3-20D-55	20	050S	050W	4301333280	18424	Indian	OW	OPS
LC TRIBAL 4H-17-56	17	050S	060W	4301333540	18067	Indian	OW	OPS
LC TRIBAL 16-21-46	21	040S	060W	4301333575	16156	Indian	OW	OPS
LC TRIBAL 7-7D-56	7	050S	060W	4301333607	18038	Indian	OW	OPS
UTE TRIBAL 8-20D-55	20	050S	050W	4301333676	17308	Indian	OW	OPS
UTE TRIBAL 14-14D-55	14	050S	050W	4301333699	18409	Indian	OW	OPS
UTE TRIBAL 5-29D-55	29	050S	050W	4301333740	17306	Indian	OW	OPS
UTE TRIBAL 7-32D-55	32	050S	050W	4301333794	18359	Indian	OW	OPS
UTE TRIBAL 12-27D-55	27	050S	050W	4301333798	18360	Indian	OW	OPS
FOY 9-33D-55	33	050S	050W	4301333802	17125	Fee	OW	OPS
UTE TRIBAL 13-29D-55	29	050S	050W	4301333807	18378	Indian	OW	OPS
LC TRIBAL 5HH-5-56	4	050S	060W	4301350927	18463	Indian	OW	OPS
BC UTE TRIBAL 4-22	22	050S	040W	4301330755	2620	Indian	OW	P
B C UTE TRIBAL 16-16	16	050S	040W	4301330841	9489	Indian	OW	P
B C UTE TRIBAL 14-15	15	050S	040W	4301330842	9440	Indian	OW	P
UTE TRIBAL 1-32R	32	050S	040W	4301330872	13020	Indian	OW	P
TABBY CYN UTE TRIBAL 1-25	25	050S	050W	4301330945	9722	Indian	OW	P
S BRUNDAGE UTE TRIBAL 1-30	30	050S	040W	4301330948	9850	Indian	OW	P
SOWERS CYN UTE TRIBAL 3-26	26	050S	050W	4301330955	10423	Indian	OW	P
UTE TRIBAL 3-24R-55 (REENTRY)	24	050S	050W	4301330960	15173	Indian	OW	P
UTE TRIBAL 1-20	20	050S	040W	4301330966	9925	Indian	OW	P
T C UTE TRIBAL 9-23X	23	050S	050W	4301330999	9720	Indian	OW	P
UTE TRIBAL 15-24R	24	050S	050W	4301331129	11985	Indian	OW	P
S BRUNDAGE CYN UTE TRIBAL 4-27	27	050S	040W	4301331131	9851	Indian	OW	P
UTE TRIBAL 5-13	13	050S	050W	4301331152	10421	Indian	OW	P
UTE TRIBAL 7-20R-54	20	050S	040W	4301331281	14088	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 13-19	19	050S	040W	4301331284	11134	Indian	OW	P
Z and T UTE TRIBAL 7-25	25	050S	050W	4301331310	11416	Indian	OW	P
UTE TRIBAL 11-19	19	050S	040W	4301331547	11920	Indian	OW	P
UTE TRIBAL 13-22	22	050S	040W	4301331548	11926	Indian	OW	P
UTE TRIBAL 1-28	28	050S	040W	4301331549	11925	Indian	OW	P
UTE TRIBAL 4-30	30	050S	040W	4301331550	11914	Indian	OW	P
UTE TRIBAL 15-16	16	050S	040W	4301331648	11951	Indian	OW	P
UTE TRIBAL 5-20	20	050S	040W	4301331651	11957	Indian	OW	P
UTE TRIBAL 15-23	23	050S	050W	4301331671	11989	Indian	OW	P
TABBY CANYON 1-21	21	050S	050W	4301331699	12225	Indian	OW	P
TABBY CANYON 8-22	22	050S	050W	4301331700	12008	Indian	OW	P
SOWERS CANYON 9-27	27	050S	050W	4301331701	11997	Indian	OW	P
UTE TRIBAL 3-19	19	050S	040W	4301331830	12197	Indian	OW	P
UTE TRIBAL 9-19	19	050S	040W	4301331831	12175	Indian	OW	P
UTE TRIBAL 15-19	19	050S	040W	4301331832	12180	Indian	OW	P
UTE TRIBAL 2-25	25	050S	050W	4301331833	12153	Indian	OW	P
UTE TRIBAL 3-25	25	050S	050W	4301331834	12152	Indian	OW	P
UTE TRIBAL 11-24	24	050S	050W	4301331909	12190	Indian	OW	P
UTE TRIBAL 13-24	24	050S	050W	4301331910	12217	Indian	OW	P
UTE TRIBAL 11-25	25	050S	050W	4301331911	12182	Indian	OW	P
UTE TRIBAL 1-26	26	050S	050W	4301331912	12235	Indian	OW	P
UTE TRIBAL 6-25H	25	050S	050W	4301332143	12750	Indian	OW	P
UTE TRIBAL 6-22	22	050S	040W	4301332163	12974	Indian	OW	P
UTE TRIBAL 6-21	21	050S	040W	4301332164	12994	Indian	OW	P
UTE TRIBAL 7-28	28	050S	040W	4301332166	12995	Indian	OW	P
UTE TRIBAL 7-30	30	050S	040W	4301332167	12945	Indian	OW	P
UTE TRIBAL 11-20	20	050S	040W	4301332168	12946	Indian	OW	P
UTE TRIBAL 13-25	25	050S	050W	4301332169	12857	Indian	OW	P
UTE TRIBAL 2-27	27	050S	040W	4301332179	12975	Indian	OW	P
UTE TRIBAL 1-33	33	050S	040W	4301332185	13024	Indian	OW	P
UTE TRIBAL 1-34	34	050S	040W	4301332186	13121	Indian	OW	P
UTE TRIBAL 2-35	35	050S	050W	4301332187	13021	Indian	OW	P
UTE TRIBAL 4-36	36	050S	050W	4301332188	13063	Indian	OW	P
UTE TRIBAL 5-28	28	050S	040W	4301332189	13026	Indian	OW	P
UTE TRIBAL 5-31	31	050S	040W	4301332190	13080	Indian	OW	P
UTE TRIBAL 9-26	26	050S	040W	4301332191	13101	Indian	OW	P
UTE TRIBAL 11-28	28	050S	040W	4301332192	13022	Indian	OW	P
UTE TRIBAL 3-29	29	050S	040W	4301332193	13042	Indian	OW	P
UTE TRIBAL 5-19	19	050S	040W	4301332204	13090	Indian	OW	P
UTE TRIBAL 12-15	15	050S	040W	4301332205	13100	Indian	OW	P
UTE TRIBAL 13-20	20	050S	040W	4301332206	13048	Indian	OW	P
UTE TRIBAL 1-24-55	24	050S	050W	4301332259	13618	Indian	OW	P
UTE TRIBAL 3-28-54	28	050S	040W	4301332261	13644	Indian	OW	P
UTE TRIBAL 5-24-55	24	050S	050W	4301332263	13621	Indian	OW	P
UTE TRIBAL 5-26-55	26	050S	050W	4301332264	13642	Indian	OW	P
UTE TRIBAL 6-36-55	36	050S	050W	4301332265	13600	Indian	OW	P
UTE TRIBAL 8-35-55	35	050S	050W	4301332267	13571	Indian	OW	P
UTE TRIBAL 9-24-55	24	050S	050W	4301332268	13620	Indian	OW	P
UTE TRIBAL 11-23-55	23	050S	050W	4301332269	13572	Indian	OW	P
UTE TRIBAL 15-25-55	25	050S	050W	4301332271	13566	Indian	OW	P
UTE TRIBAL 16-14-55	14	050S	050W	4301332272	13567	Indian	OW	P
UTE TRIBAL 15-27-55	27	050S	050W	4301332339	14020	Indian	OW	P
UTE TRIBAL 5-15-55	15	050S	050W	4301332344	13606	Indian	OW	P
UTE TRIBAL 10-16-55	16	050S	050W	4301332345	13693	Indian	OW	P
UTE TRIBAL 7-20-55	20	050S	050W	4301332346	13607	Indian	OW	P
MOON TRIBAL 12-23-54	23	050S	040W	4301332347	14008	Indian	OW	P
UTE TRIBAL 14-28-55	28	050S	050W	4301332348	13580	Indian	OW	P
UTE TRIBAL 16-29-55	29	050S	050W	4301332349	13581	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 2-32-55	32	050S	050W	4301332350	13695	Indian	OW	P
FOY TRIBAL 11-34-55	34	050S	050W	4301332351	13648	Indian	OW	P
UTE TRIBAL 16-35-55	35	050S	050W	4301332352	14267	Indian	OW	P
UTE TRIBAL 10-35-55	35	050S	050W	4301332353	13645	Indian	OW	P
UTE TRIBAL 12-36-55	36	050S	050W	4301332354	13643	Indian	OW	P
UTE TRIBAL 14-36-55	36	050S	050W	4301332355	14262	Indian	OW	P
UTE TRIBAL 16-36-55	36	050S	050W	4301332356	14122	Indian	OW	P
UTE TRIBAL 4-33-55	33	050S	050W	4301332357	13685	Indian	OW	P
UTE TRIBAL 15-17-55	17	050S	050W	4301332358	13698	Indian	OW	P
UTE TRIBAL 12-14-54	14	050S	040W	4301332369	13647	Indian	OW	P
UTE TRIBAL 4-21-54	21	050S	040W	4301332378	13907	Indian	OW	P
UTE TRIBAL 9-20-54	20	050S	040W	4301332379	13906	Indian	OW	P
UTE TRIBAL 5-30-54	30	050S	040W	4301332380	13905	Indian	OW	P
UTE TRIBAL 15-30-54	30	050S	040W	4301332382	13944	Indian	OW	P
UTE TRIBAL 9-30-54	30	050S	040W	4301332383	14050	Indian	OW	P
UTE TRIBAL 14-21-54	21	050S	040W	4301332384	13946	Indian	OW	P
UTE TRIBAL 12-21-54	21	050S	040W	4301332385	13928	Indian	OW	P
UTE TRIBAL 15-20-54	20	050S	040W	4301332386	13911	Indian	OW	P
UTE TRIBAL 13-28-54	28	050S	040W	4301332387	13908	Indian	OW	P
UTE TRIBAL 9-28-54	28	050S	040W	4301332388	13910	Indian	OW	P
UTE TRIBAL 15-28-54	28	050S	040W	4301332389	13909	Indian	OW	P
UTE TRIBAL 9-25-55	25	050S	050W	4301332390	13715	Indian	OW	P
MOON TRIBAL 6-27-54	27	050S	040W	4301332407	13969	Indian	OW	P
MOON TRIBAL 14-27-54	27	050S	040W	4301332408	13998	Indian	OW	P
UTE TRIBAL 13-30-54	30	050S	040W	4301332409	13968	Indian	OW	P
UTE TRIBAL 3-32-54	32	050S	040W	4301332410	13949	Indian	OW	P
UTE TRIBAL 7-32-54	32	050S	040W	4301332411	13936	Indian	OW	P
UTE TRIBAL 3-33-54	33	050S	040W	4301332412	13938	Indian	OW	P
UTE TRIBAL 7-33-54	33	050S	040W	4301332413	13945	Indian	OW	P
UTE TRIBAL 11-20-55	20	050S	050W	4301332415	14269	Indian	OW	P
UTE TRIBAL 1-27-55	27	050S	050W	4301332416	13947	Indian	OW	P
UTE TRIBAL 3-27-55	27	050S	050W	4301332417	14022	Indian	OW	P
UTE TRIBAL 7-27-55	27	050S	050W	4301332418	13948	Indian	OW	P
UTE TRIBAL 10-28-55	28	050S	050W	4301332419	14580	Indian	OW	P
UTE TRIBAL 6-32-55	32	050S	050W	4301332420	14895	Indian	OW	P
UTE TRIBAL 8-32-55	32	050S	050W	4301332421	14896	Indian	OW	P
UTE TRIBAL 2-36-55	36	050S	050W	4301332422	13937	Indian	OW	P
UTE TRIBAL 8-36-55	36	050S	050W	4301332423	14021	Indian	OW	P
UTE TRIBAL 13-16-54	16	050S	040W	4301332511	13981	Indian	OW	P
UTE TRIBAL 13-23-55	23	050S	050W	4301332513	13975	Indian	OW	P
UTE TRIBAL 7-23-55	23	050S	050W	4301332514	13976	Indian	OW	P
UTE TRIBAL 5-33-54	33	050S	040W	4301332521	14060	Indian	OW	P
UTE TRIBAL 11-33-54	33	050S	040W	4301332522	14061	Indian	OW	P
UTE TRIBAL 14-32-54	32	050S	040W	4301332523	14062	Indian	OW	P
UTE TRIBAL 1-23-55	23	050S	050W	4301332524	14044	Indian	OW	P
UTE TRIBAL 5-29-54	29	050S	040W	4301332525	14045	Indian	OW	P
UTE TRIBAL 1-31-54	31	050S	040W	4301332526	14116	Indian	OW	P
UTE TRIBAL 3-31-54	31	050S	040W	4301332527	14109	Indian	OW	P
UTE TRIBAL 7-31-54	31	050S	040W	4301332528	14160	Indian	OW	P
UTE TRIBAL 9-31-54	31	050S	040W	4301332529	14177	Indian	OW	P
UTE TRIBAL 11-31-54	31	050S	040W	4301332530	14163	Indian	OW	P
UTE TRIBAL 3-23-55	23	050S	050W	4301332536	14077	Indian	OW	P
UTE TRIBAL 5-23-55	23	050S	050W	4301332537	14108	Indian	OW	P
UTE TRIBAL 9-32-54	32	050S	040W	4301332538	14199	Indian	OW	P
UTE TRIBAL 5-32-54	32	050S	040W	4301332539	14112	Indian	OW	P
MOON TRIBAL 10-27-54	27	050S	040W	4301332540	14195	Indian	OW	P
MOON TRIBAL 12-27-54	27	050S	040W	4301332541	14161	Indian	OW	P
MOON TRIBAL 8-27-54	27	050S	040W	4301332543	14139	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 9-33-54	33	050S	040W	4301332549	14162	Indian	OW	P
WILLIAMSON TRIBAL 3-34-54	34	050S	040W	4301332550	14222	Indian	OW	P
WILLIAMSON TRIBAL 5-34-54	34	050S	040W	4301332551	14235	Indian	OW	P
FEDERAL 6-2-65	2	060S	050W	4301332557	14655	Federal	OW	P
UTE TRIBAL 15-29-54	29	050S	040W	4301332561	14316	Indian	OW	P
UTE TRIBAL 7-29-54	29	050S	040W	4301332562	14354	Indian	OW	P
UTE TRIBAL 11-29-54	29	050S	040W	4301332563	14337	Indian	OW	P
UTE TRIBAL 13-29-54	29	050S	040W	4301332564	14315	Indian	OW	P
UTE TRIBAL 4-29-54	29	050S	040W	4301332565	14367	Indian	OW	P
UTE TRIBAL 9-29-54	29	050S	040W	4301332566	14369	Indian	OW	P
UTE TRIBAL 1-35-54	35	050S	040W	4301332567	14266	Indian	OW	P
UTE TRIBAL 11-13-54	13	050S	040W	4301332568	14281	Indian	OW	P
UTE TRIBAL 2-24-54	24	050S	040W	4301332569	14314	Indian	OW	P
UTE TRIBAL 6-24-54	24	050S	040W	4301332570	14299	Indian	OW	P
UTE TRIBAL 13-18-54	18	050S	040W	4301332571	14388	Indian	OW	P
UTE TRIBAL 12-29-54	29	050S	040W	4301332572	14336	Indian	OW	P
UTE TRIBAL 4-24-54	24	050S	040W	4301332573	14247	Indian	OW	P
UTE TRIBAL 6-14-54	14	050S	040W	4301332586	15270	Indian	OW	P
UTE TRIBAL 10-15-54	15	050S	040W	4301332587	14194	Indian	OW	P
UTE TRIBAL 16-15-54	15	050S	040W	4301332588	14311	Indian	OW	P
UTE TRIBAL 11-16-54	16	050S	040W	4301332589	14178	Indian	OW	P
UTE TRIBAL 8-22-54	22	050S	040W	4301332590	14219	Indian	OW	P
UTE TRIBAL 2-22-54	22	050S	040W	4301332591	14328	Indian	OW	P
UTE TRIBAL 10-22-54	22	050S	040W	4301332592	14218	Indian	OW	P
UTE TRIBAL 14-22-54	22	050S	040W	4301332593	14220	Indian	OW	P
UTE TRIBAL 13-13-55	13	050S	050W	4301332599	15134	Indian	OW	P
UTE TRIBAL 13-14-55	14	050S	050W	4301332600	14236	Indian	OW	P
UTE TRIBAL 13-15-55	15	050S	050W	4301332602	14263	Indian	OW	P
UTE TRIBAL 10-21-55	21	050S	050W	4301332603	14385	Indian	OW	P
UTE TRIBAL 2-22-55	22	050S	050W	4301332604	14268	Indian	OW	P
UTE TRIBAL 3-22-55	22	050S	050W	4301332605	14298	Indian	OW	P
UTE TRIBAL 9-22-55	22	050S	050W	4301332606	14330	Indian	OW	P
UTE TRIBAL 11-22-55	22	050S	050W	4301332607	14329	Indian	OW	P
MOON TRIBAL 3-27-54	27	050S	040W	4301332613	14416	Indian	OW	P
UTE TRIBAL 5-27-55	27	050S	050W	4301332614	14881	Indian	OW	P
UTE TRIBAL 11-27-55	27	050S	050W	4301332615	14882	Indian	OW	P
UTE TRIBAL 12-22-55	22	050S	050W	4301332616	14370	Indian	OW	P
UTE TRIBAL 15-22-55	22	050S	050W	4301332617	14921	Indian	OW	P
UTE TRIBAL 8-25-55	25	050S	050W	4301332620	14365	Indian	OW	P
UTE TRIBAL 5-22-54	22	050S	040W	4301332624	14547	Indian	OW	P
UTE TRIBAL 3-30-54	30	050S	040W	4301332625	14364	Indian	OW	P
UTE TRIBAL 3-10-54	10	050S	040W	4301332663	14414	Indian	OW	P
UTE TRIBAL 11-5-54	5	050S	040W	4301332664	14415	Indian	OW	P
UTE TRIBAL 15-32-54	32	050S	040W	4301332666	14460	Indian	OW	P
UTE TRIBAL 8-31-55	31	050S	050W	4301332673	14407	Indian	OW	P
UTE TRIBAL 3-35-54	35	050S	040W	4301332675	14656	Indian	OW	P
UTE TRIBAL 2-30-55	30	050S	050W	4301332680	14427	Indian	OW	P
UTE TRIBAL 9-17-54	17	050S	040W	4301332687	15309	Indian	OW	P
UTE TRIBAL 13-31-54	31	050S	040W	4301332688	14517	Indian	OW	P
UTE TRIBAL 14-19-54	19	050S	040W	4301332690	14546	Indian	OW	P
UTE TRIBAL 16-19-54	19	050S	040W	4301332691	14491	Indian	OW	P
UTE TRIBAL 13-32-54	32	050S	040W	4301332692	14490	Indian	OW	P
UTE TRIBAL 11-14-55	14	050S	050W	4301332693	15136	Indian	OW	P
UTE TRIBAL 8-28-55	28	050S	050W	4301332694	14574	Indian	OW	P
FEDERAL 6-1-65	1	060S	050W	4301332699	15776	Federal	OW	P
UTE TRIBAL 9-15-55	15	050S	050W	4301332701	14573	Indian	OW	P
UTE TRIBAL 14-20-54	20	050S	040W	4301332702	14459	Indian	OW	P
#1 DLB 12-15-56	15	050S	060W	4301332710	14943	Fee	GW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 12-19-54	19	050S	040W	4301332716	14627	Indian	OW	P
UTE TRIBAL 10-19-54	19	050S	040W	4301332717	14628	Indian	OW	P
UTE TRIBAL 16-30-54	30	050S	040W	4301332718	14604	Indian	OW	P
UTE TRIBAL 11-12-55	12	050S	050W	4301332721	14605	Indian	OW	P
NIELSEN MARSING 13-14-56	14	050S	060W	4301332737	15060	Fee	OW	P
TAYLOR HERRICK 10-22-56	22	050S	060W	4301332738	15058	Fee	OW	P
UTE TRIBAL 16-20-54	20	050S	040W	4301332739	14671	Indian	OW	P
UTE TRIBAL 10-20-54	20	050S	040W	4301332740	14691	Indian	OW	P
UTE TRIBAL 4-28-54	28	050S	040W	4301332741	14672	Indian	OW	P
UTE TRIBAL 13-33-54	33	050S	040W	4301332742	14736	Indian	OW	P
UTE TRIBAL 15-31-54	31	050S	040W	4301332743	14690	Indian	OW	P
UTE TRIBAL 8-30-54	30	050S	040W	4301332746	15583	Indian	OW	P
UTE TRIBAL 10-25-55	25	050S	050W	4301332749	14758	Indian	OW	P
UTE TRIBAL 14-25-55	25	050S	050W	4301332750	14798	Indian	OW	P
UTE TRIBAL 3-36-55	36	050S	050W	4301332751	14842	Indian	OW	P
UTE TRIBAL 16-16-55	16	050S	050W	4301332757	14865	Indian	OW	P
UTE TRIBAL 3-21-55	21	050S	050W	4301332758	15112	Indian	OW	P
UTE TRIBAL 16-25-55	25	050S	050W	4301332759	14821	Indian	OW	P
UTE TRIBAL 1-36-55	36	050S	050W	4301332760	14822	Indian	OW	P
UTE TRIBAL 7-22-54	22	050S	040W	4301332761	15661	Indian	OW	P
UTE TRIBAL 2-31-54	31	050S	040W	4301332762	14845	Indian	OW	P
UTE TRIBAL 2-28-54	28	050S	040W	4301332763	14723	Indian	OW	P
UTE TRIBAL 10-28-54	28	050S	040W	4301332764	14722	Indian	OW	P
UTE TRIBAL 12-28-54	28	050S	040W	4301332765	14701	Indian	OW	P
UTE TRIBAL 8-28-54	28	050S	040W	4301332766	14777	Indian	OW	P
UTE TRIBAL 4-31-54	31	050S	040W	4301332767	14494	Indian	OW	P
UTE TRIBAL 15-33-54	33	050S	040W	4301332768	15210	Indian	OW	P
UTE TRIBAL 12-25-55	25	050S	050W	4301332769	14799	Indian	OW	P
UTE TRIBAL 7-35-54	35	050S	040W	4301332774	15019	Indian	OW	P
UTE TRIBAL 16-24-54	24	050S	040W	4301332775	14762	Indian	OW	P
UTE TRIBAL 14-25-54	25	050S	040W	4301332776	14753	Indian	OW	P
UTE TRIBAL 16-25-54	25	050S	040W	4301332779	15078	Indian	OW	P
UTE TRIBAL 8-25-54	25	050S	040W	4301332780	15280	Indian	OW	P
UTE TRIBAL 9-35-54	35	050S	040W	4301332781	15535	Indian	OW	P
MYRIN TRIBAL 14-19-55	19	050S	050W	4301332782	15184	Indian	OW	P
UTE TRIBAL 6-30-55	30	050S	050W	4301332783	15163	Indian	OW	P
MOON TRIBAL 4-23-54	23	050S	040W	4301332800	14985	Indian	OW	P
MOON TRIBAL 13-27-54	27	050S	040W	4301332801	15057	Indian	OW	P
MOON TRIBAL 5-27-54	27	050S	040W	4301332802	14984	Indian	OW	P
UTE TRIBAL 2-32-54	32	050S	040W	4301332803	15151	Indian	OW	P
UTE TRIBAL 15-35-54	35	050S	040W	4301332804	15185	Indian	OW	P
UTE TRIBAL 5-35-54	35	050S	040W	4301332805	15485	Indian	OW	P
UTE TRIBAL 13-35-54	35	050S	040W	4301332806	15292	Indian	OW	P
UTE TRIBAL 11-35-54	35	050S	040W	4301332807	15317	Indian	OW	P
UTE TRIBAL 13-20-55	20	050S	050W	4301332841	15097	Indian	OW	P
UTE TRIBAL 16-22-54	22	050S	040W	4301332842	15015	Indian	OW	P
MOON TRIBAL 6-23-54	23	050S	040W	4301332843	15113	Indian	OW	P
UTE TRIBAL 11-26-54	26	050S	040W	4301332844	15233	Indian	OW	P
MOON TRIBAL 15-27-54	27	050S	040W	4301332846	15115	Indian	OW	P
UTE TRIBAL 10-31-54	31	050S	040W	4301332847	14956	Indian	OW	P
ST TRIBAL 6-15-54	15	050S	040W	4301332848	16656	Indian	OW	P
ST TRIBAL 2-15-54	15	050S	040W	4301332849	16959	Indian	OW	P
ST TRIBAL 4-15-54	15	050S	040W	4301332850	17478	Indian	OW	P
ST TRIBAL 8-15-54	15	050S	040W	4301332851	16279	Indian	OW	P
UTE TRIBAL 11-25-54	25	050S	040W	4301332856	15430	Indian	OW	P
UTE TRIBAL 3-30-55	30	050S	050W	4301332862	15340	Indian	OW	P
UTE TRIBAL 7-19-55	19	050S	050W	4301332863	15279	Indian	OW	P
UTE TRIBAL 8-19-55	19	050S	050W	4301332864	15241	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 6-19-54	19	050S	040W	4301332865	14947	Indian	OW	P
UTE TRIBAL 12-20-54	20	050S	040W	4301332866	14924	Indian	OW	P
UTE TRIBAL 3-21-54	21	050S	040W	4301332867	15554	Indian	OW	P
UTE TRIBAL 2-26-54	26	050S	040W	4301332868	15231	Indian	OW	P
UTE TRIBAL 8-31-54	31	050S	040W	4301332869	14970	Indian	OW	P
UTE TRIBAL 8-32-54	32	050S	040W	4301332870	15152	Indian	OW	P
UTE TRIBAL 4-33-54	33	050S	040W	4301332871	15040	Indian	OW	P
UTE TRIBAL 6-33-54	33	050S	040W	4301332872	15059	Indian	OW	P
UTE TRIBAL 9-22-54	22	050S	040W	4301332889	15607	Indian	OW	P
UTE TRIBAL 5-26-54	26	050S	040W	4301332890	15268	Indian	OW	P
UTE TRIBAL 13-26-54	26	050S	040W	4301332891	15287	Indian	OW	P
UTE TRIBAL 6-28D-54	28	050S	040W	4301332892	15232	Indian	OW	P
UTE TRIBAL 2-30D-54	30	050S	040W	4301332894	15298	Indian	OW	P
UTE TRIBAL 4-32-54	32	050S	040W	4301332896	15555	Indian	OW	P
UTE TRIBAL 6-32D-54	32	050S	040W	4301332897	15312	Indian	OW	P
UTE TRIBAL 2-33D-54	33	050S	040W	4301332898	15271	Indian	OW	P
UTE TRIBAL 12-32-54	32	050S	040W	4301332925	15503	Indian	OW	P
UTE TRIBAL 16-32D-54	32	050S	040W	4301332926	16971	Indian	OW	P
MOON TRIBAL 16-23-54	23	050S	040W	4301332927	15219	Indian	OW	P
UTE TRIBAL 4-25-55	25	050S	050W	4301332928	15421	Indian	OW	P
UTE TRIBAL 7-36-55	36	050S	050W	4301332929	15341	Indian	OW	P
UTE TRIBAL 5-36-55	36	050S	050W	4301332930	15301	Indian	OW	P
MOON TRIBAL 10-2-54	2	050S	040W	4301332931	15429	Indian	OW	P
UTE TRIBAL 10-24-54	24	050S	040W	4301332932	15364	Indian	OW	P
MYRIN TRIBAL 16-19-55	19	050S	050W	4301332934	15339	Indian	OW	P
UTE TRIBAL 2-31-55	31	050S	050W	4301332935	15428	Indian	OW	P
UTE TRIBAL 10-31-55	31	050S	050W	4301332936	15354	Indian	OW	P
MOON TRIBAL 1-27-54	27	050S	040W	4301332937	15308	Indian	OW	P
MOON TRIBAL 5-23-54	23	050S	040W	4301332938	15584	Indian	OW	P
ST TRIBAL 7-18-54	18	050S	040W	4301332952	15724	Indian	OW	P
ST TRIBAL 5-18-54	18	050S	040W	4301332953	15781	Indian	OW	P
UTE TRIBAL 15-15-54	15	050S	040W	4301332971	15310	Indian	OW	P
UTE TRIBAL 4-19-54	19	050S	040W	4301332972	15382	Indian	OW	P
UTE TRIBAL 8-20-54	20	050S	040W	4301332973	15245	Indian	OW	P
UTE TRIBAL 2-20-54	20	050S	040W	4301332974	15269	Indian	OW	P
UTE TRIBAL 7-15-55	15	050S	050W	4301332976	15311	Indian	OW	P
UTE TRIBAL 10-15-55	15	050S	050W	4301332977	15380	Indian	OW	P
UTE TRIBAL 1-15-55	15	050S	050W	4301332978	15299	Indian	OW	P
UTE TRIBAL 14-15-55	15	050S	050W	4301332979	15369	Indian	OW	P
UTE TRIBAL 11-15-55	15	050S	050W	4301332980	15342	Indian	OW	P
UTE TRIBAL 14-18-55	18	050S	050W	4301332984	15671	Indian	OW	P
UTE TRIBAL 14-24-56	24	050S	060W	4301332988	15740	Indian	OW	P
UTE TRIBAL 7-24-56	24	050S	060W	4301332989	15782	Indian	OW	P
UTE TRIBAL 11-25-56	25	050S	060W	4301332990	15627	Indian	OW	P
UTE TRIBAL 7-25-56	25	050S	060W	4301332991	15617	Indian	OW	P
UTE TRIBAL 5-25-56	25	050S	060W	4301332992	15648	Indian	OW	P
UTE TRIBAL 3-25-56	25	050S	060W	4301332993	15561	Indian	OW	P
UTE TRIBAL 13-15D-54	15	050S	040W	4301333039	15368	Indian	OW	P
UTE TRIBAL 16-28D-54	28	050S	040W	4301333041	15377	Indian	OW	P
UTE TRIBAL 14-31D-54	31	050S	040W	4301333042	15419	Indian	OW	P
UTE TRIBAL 4-22-55	22	050S	050W	4301333044	15381	Indian	OW	P
UTE TRIBAL 2-23-55	23	050S	050W	4301333045	15416	Indian	OW	P
UTE TRIBAL 16-23-55	23	050S	050W	4301333046	15211	Indian	OW	P
UTE TRIBAL 9-35-55	35	050S	050W	4301333047	15378	Indian	OW	P
UTE TRIBAL 7-35-55	35	050S	050W	4301333048	15367	Indian	OW	P
UTE TRIBAL 15-36-55	36	050S	050W	4301333049	15379	Indian	OW	P
UTE TRIBAL 10-12-55	12	050S	050W	4301333055	15618	Indian	OW	P
UTE TRIBAL 5-13-54	13	050S	040W	4301333075	15873	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 16-29-54	29	050S	040W	4301333076	17074	Indian	OW	P
UTE TRIBAL 12-18-54	18	050S	040W	4301333077	15575	Indian	OW	P
UTE TRIBAL 8-33-54	33	050S	040W	4301333089	15398	Indian	OW	P
UTE TRIBAL 12-33-54	33	050S	040W	4301333090	15417	Indian	OW	P
UTE TRIBAL 16-33-54	33	050S	040W	4301333091	15397	Indian	OW	P
UTE TRIBAL 10-33-54	33	050S	040W	4301333092	15418	Indian	OW	P
UTE TRIBAL 14-33-54	33	050S	040W	4301333093	15399	Indian	OW	P
UTE TRIBAL 2-14-54	14	050S	040W	4301333111	16832	Indian	OW	P
UTE TRIBAL 14-14-54	14	050S	040W	4301333112	15440	Indian	OW	P
UTE TRIBAL 13-21-54	21	050S	040W	4301333113	15471	Indian	OW	P
UTE TRIBAL 11-21-54	21	050S	040W	4301333115	15470	Indian	OW	P
UTE TRIBAL 11-22-54	22	050S	040W	4301333116	15662	Indian	OW	P
UTE TRIBAL 2-21-55	21	050S	050W	4301333117	15582	Indian	OW	P
UTE TRIBAL 4-28-55	28	050S	050W	4301333118	15506	Indian	OW	P
UTE TRIBAL 8-29-55	29	050S	050W	4301333119	15507	Indian	OW	P
UTE TRIBAL 6-29-55	29	050S	050W	4301333120	15504	Indian	OW	P
TAYLOR FEE 13-22-56	22	050S	060W	4301333121	15525	Fee	OW	P
WILCOX ELIASON 7-15-56	15	050S	060W	4301333122	15526	Fee	OW	P
UTE TRIBAL 14-16-54	16	050S	040W	4301333123	15639	Indian	OW	P
UTE TRIBAL 1-16-54	16	050S	040W	4301333128	15420	Indian	OW	P
UTE TRIBAL 10-16-54	16	050S	040W	4301333129	15454	Indian	OW	P
UTE TRIBAL 7-16-54	16	050S	040W	4301333130	15455	Indian	OW	P
UTE TRIBAL 12-16-54	16	050S	040W	4301333131	15456	Indian	OW	P
UTE TRIBAL 16-17-54	17	050S	040W	4301333132	15524	Indian	OW	P
UTE TRIBAL 10-17-54	17	050S	040W	4301333133	15581	Indian	OW	P
UTE TRIBAL 12-24D-55	24	050S	050W	4301333134	15567	Indian	OW	P
WILCOX FEE 1-20-56	20	050S	060W	4301333150	15745	Fee	OW	P
NIELSEN FEE 13-11-56	11	050S	060W	4301333152	15600	Fee	OW	P
UTE TRIBAL 2-29-54	29	050S	040W	4301333153	15919	Indian	OW	P
UTE TRIBAL 14-29-54	29	050S	040W	4301333154	15831	Indian	OW	P
UTE TRIBAL 10-29-54	29	050S	040W	4301333155	15847	Indian	OW	P
UTE TRIBAL 10-24D-55	24	050S	050W	4301333156	15556	Indian	OW	P
UTE TRIBAL 10-29D-55	29	050S	050W	4301333157	15505	Indian	OW	P
UTE TRIBAL 6-29-54	29	050S	040W	4301333172	15846	Indian	OW	P
UTE TRIBAL 12Q-25-55	25	050S	050W	4301333184	15744	Indian	OW	P
UTE TRIBAL 3G-31-54	31	050S	040W	4301333185	15746	Indian	OW	P
UTE TRIBAL 11-36-55	36	050S	050W	4301333186	15865	Indian	OW	P
UTE TRIBAL 6-23D-55	23	050S	050W	4301333187	15996	Indian	OW	P
UTE TRIBAL 8-14-54	14	050S	040W	4301333204	15656	Indian	OW	P
UTE TRIBAL 10-14-54	14	050S	040W	4301333205	15680	Indian	OW	P
UTE TRIBAL 11-15-54	15	050S	040W	4301333206	15643	Indian	OW	P
UTE TRIBAL 9-16-54	16	050S	040W	4301333207	15660	Indian	OW	P
UTE TRIBAL 3-22-54	22	050S	040W	4301333208	15640	Indian	OW	P
UTE TRIBAL 15-13D-55	13	050S	050W	4301333212	15642	Indian	OW	P
UTE TRIBAL 6-22D-55	22	050S	050W	4301333213	16831	Indian	OW	P
UTE TRIBAL 11-36D-55	36	050S	050W	4301333214	15702	Indian	OW	P
UTE TRIBAL 1-22D-54	22	050S	040W	4301333215	15641	Indian	OW	P
BERRY TRIBAL 1-23-54	23	050S	040W	4301333216	15931	Indian	OW	P
BERRY TRIBAL 15-23-54	23	050S	040W	4301333217	15932	Indian	OW	P
UTE TRIBAL 9-36D-55	36	050S	050W	4301333239	15933	Indian	OW	P
UTE TRIBAL 9S-25-55	25	050S	050W	4301333245	15962	Indian	OW	P
UTE TRIBAL 12-32-55	32	050S	050W	4301333266	15681	Indian	OW	P
UTE TRIBAL 16-22D-55	22	050S	050W	4301333267	15703	Indian	OW	P
UTE TRIBAL 11-13-55	13	050S	050W	4301333268	15692	Indian	OW	P
UTE TRIBAL 7-14-55	14	050S	050W	4301333269	15693	Indian	OW	P
UTE TRIBAL 4-14D-54	14	050S	040W	4301333270	15679	Indian	OW	P
UTE TRIBAL 9S-19-54	19	050S	040W	4301333276	16153	Indian	OW	P
UTE TRIBAL 14Q-28-54	28	050S	040W	4301333277	15818	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

UTE TRIBAL 14-28D-54	28	050S	040W	4301333278	15817	Indian	OW	P
UTE TRIBAL 1-14D-55	14	050S	050W	4301333279	18408	Indian	OW	P
UTE TRIBAL 10-18-54	18	050S	040W	4301333300	15747	Indian	OW	P
UTE TRIBAL 5-21-54	21	050S	040W	4301333324	15748	Indian	OW	P
UTE TRIBAL 6-31D-54	31	050S	040W	4301333325	16185	Indian	OW	P
UTE TRIBAL 16-31D-54	31	050S	040W	4301333326	15800	Indian	OW	P
UTE TRIBAL 16-13D-55	13	050S	050W	4301333327	15891	Indian	OW	P
UTE TRIBAL 9-13D-55	13	050S	050W	4301333328	15892	Indian	OW	P
UTE TRIBAL 15-21-55	21	050S	050W	4301333357	15791	Indian	OW	P
UTE TRIBAL 10-23D-55	23	050S	050W	4301333358	15799	Indian	OW	P
UTE TRIBAL 9-26D-55	26	050S	050W	4301333359	15853	Indian	OW	P
UTE TRIBAL 10-26D-55	26	050S	050W	4301333360	15852	Indian	OW	P
UTE TRIBAL 14-26D-55	26	050S	050W	4301333361	15938	Indian	OW	P
UTE TRIBAL 15-26D-55	26	050S	050W	4301333362	15869	Indian	OW	P
UTE TRIBAL 3-32D-55	32	050S	050W	4301333363	15936	Indian	OW	P
UTE TRIBAL 13-14-54	14	050S	040W	4301333364	15790	Indian	OW	P
MOON TRIBAL 7-27D-54	27	050S	040W	4301333365	15935	Indian	OW	P
14-11-56 DLB	11	050S	060W	4301333378	15801	Fee	OW	P
UTE TRIBAL 4-32-55	32	050S	050W	4301333379	15819	Indian	OW	P
UTE TRIBAL 13H-16-55	16	050S	050W	4301333380	18357	Indian	OW	P
BERRY TRIBAL 7-23-54	23	050S	040W	4301333381	15934	Indian	OW	P
BERRY TRIBAL 9-34-54	34	050S	040W	4301333382	16024	Indian	OW	P
BERRY TRIBAL 7-34-54	34	050S	040W	4301333383	16102	Indian	OW	P
BERRY TRIBAL 4-34-54	34	050S	040W	4301333384	16588	Indian	OW	P
FEDERAL 2-2-65	2	060S	050W	4301333385	16150	Federal	OW	P
FEDERAL 10-3-65	3	060S	050W	4301333386	16297	Federal	OW	P
FEDERAL 5-4-65	4	060S	050W	4301333387	17599	Federal	OW	P
UTE TRIBAL 1A-29-54	29	050S	040W	4301333393	17075	Indian	OW	P
BERRY TRIBAL 15-34-54	34	050S	040W	4301333411	16037	Indian	OW	P
BERRY TRIBAL 8-23D-54	23	050S	040W	4301333417	16101	Indian	OW	P
UTE TRIBAL 12-29D-55	29	050S	050W	4301333418	17307	Indian	OW	P
UTE TRIBAL 8-24-55	24	050S	050W	4301333420	15997	Indian	OW	P
UTE TRIBAL 5-25D-55	25	050S	050W	4301333421	16589	Indian	OW	P
BERRY TRIBAL 10-34D-54	34	050S	040W	4301333422	16038	Indian	OW	P
1-15-56 DLB	15	050S	060W	4301333447	15854	Fee	OW	P
FEDERAL 5-3-64	3	060S	040W	4301333448	16098	Federal	OW	P
FEDERAL 8-1-64	1	060S	040W	4301333449	16152	Federal	OW	P
FEDERAL 5-4-64	4	060S	040W	4301333450	17851	Federal	OW	P
FEDERAL 11-10-65	10	060S	050W	4301333451	16281	Federal	OW	P
BERRY TRIBAL 16-34D-54	34	050S	040W	4301333464	16280	Indian	OW	P
BERRY TRIBAL 9-23-54	23	050S	040W	4301333465	16590	Indian	OW	P
UTE TRIBAL 6-26D-55	26	050S	050W	4301333476	16657	Indian	OW	P
UTE TRIBAL 7-26D-55	26	050S	050W	4301333477	16658	Indian	OW	P
UTE TRIBAL 11-26D-55	26	050S	050W	4301333478	16659	Indian	OW	P
UTE TRIBAL 14Q-30-54	30	050S	040W	4301333479	16151	Indian	OW	P
FEDERAL 5-6-65	6	060S	050W	4301333489	17852	Federal	OW	P
FEDERAL 16-5-65	5	060S	050W	4301333490	16833	Federal	OW	P
FEDERAL 6-11-65	11	060S	050W	4301333491	16335	Federal	OW	P
LC TRIBAL 14-2-56	2	050S	060W	4301333492	18358	Indian	OW	P
UTE TRIBAL 1-31-55	31	050S	050W	4301333501	17104	Indian	OW	P
UTE TRIBAL 9-31-55	31	050S	050W	4301333508	17103	Indian	OW	P
BERRY TRIBAL 11-34D-54	34	050S	040W	4301333529	16099	Indian	OW	P
LC TRIBAL 2-16D-56	16	050S	060W	4301333538	17305	Indian	OW	P
LC TRIBAL 4-16-56	16	050S	060W	4301333539	16272	Indian	OW	P
LC TRIBAL 3-17-56	17	050S	060W	4301333541	16459	Indian	OW	P
FEDERAL 10-2-65	2	060S	050W	4301333542	16181	Federal	OW	P
UTE TRIBAL 4-20D-55	20	050S	050W	4301333549	18075	Indian	OW	P
UTE TRIBAL 8-23D-55	23	050S	050W	4301333552	16662	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

LC TRIBAL 8-28-46	28	040S	060W	4301333576	16155	Indian	OW	P
LC TRIBAL 7-3-56	3	050S	060W	4301333577	16379	Indian	OW	P
LC TRIBAL 3-5-56	5	050S	060W	4301333580	17082	Indian	OW	P
FEDERAL 8-2D-64	2	060S	040W	4301333581	16100	Federal	OW	P
LC TRIBAL 13H-3-56	3	050S	060W	4301333591	18129	Indian	OW	P
LC FEE 6-12-57	12	050S	070W	4301333593	17083	Fee	OW	P
UTE TRIBAL 4-26D-54	26	050S	040W	4301333595	16591	Indian	OW	P
LC TRIBAL 8-4-56	4	050S	060W	4301333605	17046	Indian	OW	P
LC TRIBAL 12H-6-56	6	050S	060W	4301333606	18037	Indian	OW	P
LC TRIBAL 1-9-56	9	050S	060W	4301333608	16380	Indian	OW	P
UTE TRIBAL 5-14-54	14	050S	040W	4301333619	16945	Indian	OW	P
UTE TRIBAL 10-26D-54	26	050S	040W	4301333620	16663	Indian	OW	P
UTE TRIBAL 7-26D-54	26	050S	040W	4301333621	16664	Indian	OW	P
UTE TRIBAL 13-36D-55	36	050S	050W	4301333624	17744	Indian	OW	P
UTE TRIBAL 6-26D-54	26	050S	040W	4301333625	16619	Indian	OW	P
UTE TRIBAL 1-22D-55	22	050S	050W	4301333626	16777	Indian	OW	P
UTE TRIBAL 4-23D-55	23	050S	050W	4301333627	16818	Indian	OW	P
UTE TRIBAL 2-27D-55	27	050S	050W	4301333628	16746	Indian	OW	P
UTE TRIBAL 12-28D-55	28	050S	050W	4301333645	17999	Indian	OW	P
UTE TRIBAL 13-28D-55	28	050S	050W	4301333646	18000	Indian	OW	P
UTE TRIBAL 14-26D-54	26	050S	040W	4301333673	16299	Indian	OW	P
UTE FEE 7-13D-55	13	050S	050W	4301333674	18089	Fee	OW	P
UTE TRIBAL 9-20D-55	20	050S	050W	4301333675	17309	Indian	OW	P
LC TRIBAL 11-17-56	17	050S	060W	4301333677	17600	Indian	OW	P
UTE TRIBAL 1-26D-54	26	050S	040W	4301333680	16638	Indian	OW	P
UTE TRIBAL 3-26D-54	26	050S	040W	4301333681	16665	Indian	OW	P
UTE TRIBAL 8-26D-54	26	050S	040W	4301333682	17031	Indian	OW	P
UTE TRIBAL 10-27D-55	27	050S	050W	4301333683	16666	Indian	OW	P
UTE TRIBAL 14-27D-55	27	050S	050W	4301333684	16667	Indian	OW	P
UTE TRIBAL 12-21D-55	21	050S	050W	4301333694	16296	Indian	OW	P
UTE TRIBAL 5-21D-55	21	050S	050W	4301333706	16298	Indian	OW	P
UTE TRIBAL 2-29D-55	29	050S	050W	4301333714	16854	Indian	OW	P
UTE TRIBAL 7-29D-55	29	050S	050W	4301333715	16853	Indian	OW	P
UTE TRIBAL 13-22D-55	22	050S	050W	4301333716	16668	Indian	OW	P
UTE TRIBAL 14-22D-55	22	050S	050W	4301333717	16669	Indian	OW	P
UTE FEE 2-13-55	13	050S	050W	4301333720	18659	Indian	OW	P
UTE TRIBAL 7-22D-55	22	050S	050W	4301333721	16670	Indian	OW	P
UTE TRIBAL 10-22D-55	22	050S	050W	4301333722	16671	Indian	OW	P
UTE TRIBAL 3-29-55	29	050S	050W	4301333723	16857	Indian	OW	P
BERRY TRIBAL 10-23D-54	23	050S	040W	4301333724	16592	Indian	OW	P
BERRY TRIBAL 11-23D-54	23	050S	040W	4301333725	16672	Indian	OW	P
UTE TRIBAL 4-24D-55	24	050S	050W	4301333726	16673	Indian	OW	P
FEDERAL 6-6D-64	6	060S	040W	4301333745	17084	Federal	OW	P
UTE TRIBAL 15-26D-54	26	050S	040W	4301333768	17450	Indian	OW	P
UTE TRIBAL 1-14D-54	14	050S	040W	4301333769	17483	Indian	OW	P
UTE TRIBAL 12-35D-55	35	050S	050W	4301333782	16856	Indian	OW	P
UTE TRIBAL 11-35-55	35	050S	050W	4301333783	16855	Indian	OW	P
UTE TRIBAL 1-28D-55	28	050S	050W	4301333784	16852	Indian	OW	P
UTE TRIBAL 16-27D-55	27	050S	050W	4301333786	17800	Indian	OW	P
UTE TRIBAL 9-28D-55	28	050S	050W	4301333787	16887	Indian	OW	P
UTE TRIBAL 7-28D-55	28	050S	050W	4301333788	16886	Indian	OW	P
UTE TRIBAL 11-32D-54	32	050S	040W	4301333793	17003	Indian	OW	P
UTE TRIBAL 9-14D-54	14	050S	040W	4301333796	17482	Indian	OW	P
UTE TRIBAL 4-27D-55	27	050S	050W	4301333797	16700	Indian	OW	P
FOY TRIBAL 12H-33-55	33	050S	050W	4301333799	18232	Indian	OW	P
UTE TRIBAL 9-32D-55	32	050S	050W	4301333800	18361	Indian	OW	P
UTE TRIBAL 12-26D-54	26	050S	040W	4301333801	16639	Indian	OW	P
UTE TRIBAL 8-26D-55	26	050S	050W	4301333859	17859	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

BERRY TRIBAL 2-34D-54	34	050S	040W	4301333867	17889	Indian	OW	P
UTE TRIBAL 3-35D-55	35	050S	050W	4301333888	17421	Indian	OW	P
UTE TRIBAL 10-32-54	32	050S	040W	4301333902	16819	Indian	OW	P
UTE TRIBAL 12-31D-54	31	050S	040W	4301333907	17480	Indian	OW	P
UTE TRIBAL 12-23D-55	23	050S	050W	4301333908	17814	Indian	OW	P
UTE TRIBAL 14-20D-55	20	050S	050W	4301333909	18559	Indian	OW	P
UTE TRIBAL 14-24D-55	24	050S	050W	4301333912	16943	Indian	OW	P
UTE TRIBAL 14-23D-55	23	050S	050W	4301333915	17457	Indian	OW	P
ST TRIBAL 1-15D-54	15	050S	040W	4301333916	16889	Indian	OW	P
ST TRIBAL 7-15D-54	15	050S	040W	4301333950	16972	Indian	OW	P
ST TRIBAL 9-15D-54	15	050S	040W	4301333951	16973	Indian	OW	P
UTE TRIBAL 15-35D-55	35	050S	050W	4301333954	17417	Indian	OW	P
UTE TRIBAL 14-35D-55	35	050S	050W	4301333955	17416	Indian	OW	P
UTE TRIBAL 16-26D-55	26	050S	050W	4301333965	17418	Indian	OW	P
FEDERAL 1-2D-65	2	060S	050W	4301333966	16888	Federal	OW	P
UTE TRIBAL 1-35D-55	35	050S	050W	4301333967	17420	Indian	OW	P
UTE TRIBAL 10-36D-55	36	050S	050W	4301333968	17743	Indian	OW	P
UTE TRIBAL 4-26D-55	26	050S	050W	4301333978	17455	Indian	OW	P
UTE TRIBAL 2-26D-55	26	050S	050W	4301333979	17456	Indian	OW	P
BERRY TRIBAL 14-23D-54	23	050S	040W	4301333989	17903	Indian	OW	P
FEDERAL 3-2D-65	2	060S	050W	4301334001	16944	Federal	OW	P
UTE TRIBAL 13-26D-55	26	050S	050W	4301334002	17481	Indian	OW	P
FEDERAL 7-1D-65	1	060S	050W	4301334015	17775	Federal	OW	P
FEDERAL 2-2D-64	2	060S	040W	4301334018	17086	Federal	OW	P
FEDERAL 7-6D-64	6	060S	040W	4301334020	17085	Federal	OW	P
UTE TRIBAL 6-35D-55	35	050S	050W	4301334028	17785	Indian	OW	P
UTE TRIBAL 16-26-54	26	050S	040W	4301334042	17413	Indian	OW	P
BERRY TRIBAL 13-23-54	23	050S	040W	4301334043	17100	Indian	OW	P
UTE TRIBAL 11-28-55	28	050S	050W	4301334057	18001	Indian	OW	P
UTE TRIBAL 8-27D-55	27	050S	050W	4301334058	17842	Indian	OW	P
ST TRIBAL 3-15D-54	15	050S	040W	4301334059	17477	Indian	OW	P
ST TRIBAL 5-15D-54	15	050S	040W	4301334060	17479	Indian	OW	P
FEDERAL 7-11D-65	11	060S	050W	4301334061	17776	Federal	OW	P
FEDERAL 7-3D-65	3	060S	050W	4301334065	17124	Federal	OW	P
MOON TRIBAL 16-27D-54	27	050S	040W	4301334109	17414	Indian	OW	P
UTE TRIBAL 15-22D-54	22	050S	040W	4301334116	17415	Indian	OW	P
UTE TRIBAL 13-35D-55	35	050S	050W	4301334117	18442	Indian	OW	P
UTE TRIBAL 12-26D-55	26	050S	050W	4301334118	17786	Indian	OW	P
LC TRIBAL 13-16D-56	16	050S	060W	4301334282	17601	Indian	OW	P
FEDERAL 11-6D-64	6	060S	040W	4301334284	17615	Federal	OW	P
FEDERAL 14-6D-64	6	060S	040W	4301334285	17616	Federal	OW	P
FEDERAL 2-6D-64	6	060S	040W	4301334286	17663	Federal	OW	P
FEDERAL 3-5D-64	5	060S	040W	4301334287	17617	Federal	OW	P
FEDERAL 6-5D-64	5	060S	040W	4301334288	17649	Federal	OW	P
SFW TRIBAL 10-10D-54	10	050S	040W	4301334295	17564	Indian	OW	P
SFW TRIBAL 9-10D-54	10	050S	040W	4301334296	17565	Indian	OW	P
STATE TRIBAL 16-10-54	10	050S	040W	4301350245	17553	Indian	OW	P
UTE TRIBAL 6-14D-55	14	050S	050W	4301350246	17602	Indian	OW	P
SFW FEE 15-10-54	10	050S	040W	4301350247	17566	Fee	OW	P
FEDERAL 5-5D-64	5	060S	040W	4301350259	17648	Federal	OW	P
LC TRIBAL 6-22D-56	22	050S	060W	4301350260	17567	Indian	OW	P
FEDERAL 12-6D-64	6	060S	040W	4301350261	17618	Federal	OW	P
LC TRIBAL 4-27D-56	27	050S	060W	4301350262	17568	Indian	OW	P
FEDERAL 4-5D-64	5	060S	040W	4301350263	17661	Federal	OW	P
FEDERAL 1-6-64	6	060S	040W	4301350266	17662	Federal	OW	P
FEDERAL 4-6D-64	6	060S	040W	4301350267	17651	Federal	OW	P
FEDERAL 3-6D-64	6	060S	040W	4301350268	17650	Federal	OW	P
FEDERAL 5-6D-64	6	060S	040W	4301350269	17652	Federal	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

FEDERAL 8-6D-64	6	060S	040W	4301350325	17664	Federal	OW	P
FEDERAL 10-1D-65	1	060S	050W	4301350326	18027	Federal	OW	P
FEDERAL 11-1D-65	1	060S	050W	4301350327	18039	Federal	OW	P
FEDERAL 12-1D-65	1	060S	050W	4301350328	18040	Federal	OW	P
FEDERAL 13-1D-65	1	060S	050W	4301350329	18042	Federal	OW	P
FEDERAL 14-1D-65	1	060S	050W	4301350330	18041	Federal	OW	P
FEDERAL 13-5D-64	5	060S	040W	4301350337	17714	Federal	OW	P
FEDERAL 14-5D-64	5	060S	040W	4301350338	17715	Federal	OW	P
FEDERAL 9-1D-65	1	060S	050W	4301350342	18026	Federal	OW	P
FEDERAL 13-6D-64	6	060S	040W	4301350347	17619	Federal	OW	P
FEDERAL 11-5D-64	5	060S	040W	4301350348	17690	Federal	OW	P
FEDERAL 12-5D-64	5	060S	040W	4301350349	17713	Federal	OW	P
FEDERAL 8-1D-65	1	060S	050W	4301350350	18025	Federal	OW	P
UTE TRIBAL 3-14D-54	14	050S	040W	4301350389	17904	Indian	OW	P
UTE TRIBAL 1-34D-55	34	050S	050W	4301350408	17931	Indian	OW	P
UTE TRIBAL 7-14-54	14	050S	040W	4301350409	17924	Indian	OW	P
UTE TRIBAL 8-21D-55	21	050S	050W	4301350435	17963	Indian	OW	P
UTE TRIBAL 8-34D-55	34	050S	050W	4301350436	17952	Indian	OW	P
UTE TRIBAL 5-16D-54	16	050S	040W	4301350475	17991	Indian	OW	P
UTE TRIBAL 12-14D-55	14	050S	050W	4301350476	17973	Indian	OW	P
UTE TRIBAL 8-15D-55	15	050S	050W	4301350477	17974	Indian	OW	P
UTE TRIBAL 3-14-55	14	050S	050W	4301350478	18002	Indian	OW	P
UTE TRIBAL 5-14-55	14	050S	050W	4301350479	18021	Indian	OW	P
UTE TRIBAL 8-10D-54	10	050S	040W	4301350488	18099	Indian	OW	P
UTE TRIBAL 7-34-55	34	050S	050W	4301350510	17949	Indian	OW	P
FEDERAL 4-4D-65	4	060S	050W	4301350521	18557	Federal	OW	P
FEDERAL 6-3D-64	3	060S	040W	4301350522	18073	Federal	OW	P
FEDERAL 1-1D-64	1	060S	040W	4301350524	18088	Federal	OW	P
FEDERAL 7-2D-65	2	060S	050W	4301350525	18100	Federal	OW	P
BERRY TRIBAL 12-34D-54	34	050S	040W	4301350527	17998	Indian	OW	P
FEDERAL 15-5D-65	5	060S	050W	4301350553	18537	Federal	OW	P
FEDERAL 11-4D-64	4	060S	040W	4301350565	18043	Federal	OW	P
FEDERAL 6-6D-65	6	060S	050W	4301350566	18521	Federal	OW	P
LC TRIBAL 3-15D-56	15	050S	060W	4301350598	18097	Indian	OW	P
LC TRIBAL 8-16D-56	16	050S	060W	4301350599	18161	Indian	OW	P
LC TRIBAL 15-22D-56	22	050S	060W	4301350606	18278	Indian	OW	P
LC TRIBAL 5-23D-56	23	050S	060W	4301350625	18285	Indian	OW	P
LC TRIBAL 5-14D-56	14	050S	060W	4301350661	18219	Indian	OW	P
SFW FEE 14-10D-54	10	050S	040W	4301350686	18070	Fee	OW	P
LC FEE 1-22D-56	22	050S	060W	4301350718	18101	Fee	OW	P
FEDERAL 8-2D-65	2	060S	050W	4301350719	18614	Federal	OW	P
FEDERAL 1-2D-64	2	060S	040W	4301350730	18585	Federal	OW	P
FEDERAL 7-2D-64	2	060S	040W	4301350734	18584	Federal	OW	P
FEDERAL 10-6D-64	6	060S	040W	4301350735	18162	Federal	OW	P
FEDERAL 4-3D-64	3	060S	040W	4301350736	18621	Federal	OW	P
FEDERAL 12-3D-64	3	060S	040W	4301350737	18620	Federal	OW	P
LC TRIBAL 3-21D-56	21	050S	060W	4301350751	18462	Indian	OW	P
LC TRIBAL 5-21D-56	21	050S	060W	4301350752	18286	Indian	OW	P
FEDERAL 2-1D-65	1	060S	050W	4301350759	18172	Federal	OW	P
FEDERAL 3-1D-65	1	060S	050W	4301350760	18173	Federal	OW	P
FEDERAL 5-1D-65	1	060S	050W	4301350761	18174	Federal	OW	P
FEDERAL 9-2D-65	2	060S	050W	4301350762	18245	Federal	OW	P
FEDERAL 11-2D-65	2	060S	050W	4301350763	18589	Federal	OW	P
FEDERAL 15-2D-65	2	060S	050W	4301350764	18590	Federal	OW	P
LC TRIBAL 14-14D-56	14	050S	060W	4301350776	18287	Indian	OW	P
LC FEE 2-20D-56	20	050S	060W	4301350777	18622	Fee	OW	P
LC TRIBAL 12-22D-56	22	050S	060W	4301350780	18341	Indian	OW	P
FEDERAL 3-4D-65	4	060S	050W	4301350782	18556	Federal	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

LC TRIBAL 14-15D-56	15	050S	060W	4301350834	18362	Indian	OW	P
LC TRIBAL 2-28D-56	28	050S	060W	4301350866	18592	Indian	OW	P
LC FEE 8-28D-56	28	050S	060W	4301350867	18342	Fee	OW	P
LC TRIBAL 6-27D-56	27	050S	060W	4301350868	18480	Indian	OW	P
LC FEE 15-23D-56	23	050S	060W	4301350870	18410	Fee	OW	P
LC TRIBAL 15-26-56	26	050S	060W	4301350871	18377	Indian	OW	P
UTE TRIBAL 16-11-55	11	050S	050W	4301350888	18707	Indian	OW	P
LC TRIBAL 2-5D-56	5	050S	060W	4301350925	18568	Indian	OW	P
LC TRIBAL 2-9D-56	9	050S	060W	4301350926	18425	Indian	OW	P
LC FEE 8-29-45	29	040S	050W	4301350928	18313	Fee	OW	P
LC FEE 13-29-45	29	040S	050W	4301350929	18426	Fee	OW	P
LC FEE 9-12D-57	12	050S	070W	4301350963	18541	Fee	OW	P
LC FEE 1-22-57	22	050S	070W	4301350965	18558	Fee	OW	P
LC TRIBAL 11-3D-56	3	050S	060W	4301350966	18464	Indian	OW	P
LC TRIBAL 3-34-45	34	040S	050W	4301350976	18661	Indian	OW	P
LC TRIBAL 9-10D-56	10	050S	060W	4301350987	18944	Indian	OW	P
LC TRIBAL 10-9D-56	9	050S	060W	4301350990	18864	Indian	OW	P
LC FEE 10-31D-45	31	040S	050W	4301350994	18443	Fee	OW	P
VIEIRA TRIBAL 4-4-54	4	050S	040W	4301350997	18747	Indian	OW	P
LC TRIBAL 10-21-56	21	050S	060W	4301350999	18439	Indian	OW	P
MYRIN TRIBAL 15-10-55	10	050S	050W	4301351024	18771	Indian	OW	P
LC TRIBAL 15-15D-56	15	050S	060W	4301351030	18440	Indian	OW	P
LC TRIBAL 9-15D-56	15	050S	060W	4301351031	18441	Indian	OW	P
LC TRIBAL 6-28-45	28	040S	050W	4301351034	18700	Indian	OW	P
FEDERAL 1-12D-65	12	060S	050W	4301351055	18739	Federal	OW	P
FEDERAL 8-12D-65	12	060S	050W	4301351056	18718	Federal	OW	P
FEDERAL 2-12D-65	12	060S	050W	4301351057	18738	Federal	OW	P
LC TRIBAL 15-8D-56	8	050S	060W	4301351060	18862	Indian	OW	P
LC TRIBAL 9-17D-56	17	050S	060W	4301351070	18945	Indian	OW	P
LC TRIBAL 7-27-45	27	040S	050W	4301351073	18685	Indian	OW	P
LC TRIBAL 11-24-45	24	040S	050W	4301351076	18745	Indian	OW	P
FEDERAL 3-12D-65	12	060S	050W	4301351093	18705	Federal	OW	P
FEDERAL 4-12D-65	12	060S	050W	4301351094	18704	Federal	OW	P
FEDERAL 5-12D-65	12	060S	050W	4301351095	18702	Federal	OW	P
FEDERAL 6-12D-65	12	060S	050W	4301351096	18703	Federal	OW	P
UTE TRIBAL 9-5-54	5	050S	040W	4301351111	18909	Indian	OW	P
LC TRIBAL 9-8D-56	8	050S	060W	4301351112	18522	Indian	OW	P
UTE TRIBAL 4-9-54	9	050S	040W	4301351126	19059	Indian	OW	P
UTE TRIBAL 6-9-54	9	050S	040W	4301351127	19017	Indian	OW	P
UTE TRIBAL 2-9-54	9	050S	040W	4301351128	18946	Indian	OW	P
UTE TRIBAL 1-10-54	10	050S	040W	4301351129	18879	Indian	OW	P
LC TRIBAL 8-30D-56	30	050S	060W	4301351131	18539	Indian	OW	P
LC TRIBAL 16-30D-56	30	050S	060W	4301351132	18540	Indian	OW	P
FEDERAL 1-1D-65	1	060S	050W	4301351142	18623	Federal	OW	P
FEDERAL 15-1D-65	1	060S	050W	4301351175	18654	Federal	OW	P
FEDERAL 16-1D-65	1	060S	050W	4301351176	18655	Federal	OW	P
LC TRIBAL 11-29D-56	29	050S	060W	4301351183	18873	Indian	OW	P
STATE TRIBAL 8-12-55	12	050S	050W	4301351188	18986	Indian	OW	P
LC TRIBAL 11-20D-56	20	050S	060W	4301351189	18819	Indian	OW	P
LC FEE 5-20D-56	20	050S	060W	4301351190	18818	Fee	OW	P
LC FEE 9-19-56	19	050S	060W	4301351192	18596	Fee	OW	P
LC TRIBAL 9-9D-56	9	050S	060W	4301351198	18595	Indian	OW	P
FEDERAL 16-6-64	6	060S	040W	4301351217	18792	Federal	OW	P
FEDERAL 9-6D-64	6	060S	040W	4301351218	18791	Federal	OW	P
UTE TRIBAL 5-17-55	17	050S	050W	4301351220	18841	Indian	OW	P
UTE TRIBAL 16-3-54	3	050S	040W	4301351226	18664	Indian	OW	P
STATE TRIBAL 15-6-54	6	050S	040W	4301351227	18746	Indian	OW	P
STATE TRIBAL 8-7-54	7	050S	040W	4301351228	18743	Indian	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

STATE TRIBAL 12-1-55	1	050S	050W	4301351229	18741	Indian	OW	P
STATE TRIBAL 11-2-55	2	050S	050W	4301351230	18742	Indian	OW	P
FEDERAL 1-11-65	11	060S	050W	4301351231	18689	Federal	OW	P
FEDERAL 8-11D-65	11	060S	050W	4301351232	18688	Federal	OW	P
FEDERAL 2-11D-65	11	060S	050W	4301351233	18690	Federal	OW	P
STATE TRIBAL 12-3-55	3	050S	050W	4301351236	18744	Indian	OW	P
UTE TRIBAL 11-4-55	4	050S	050W	4301351237	18663	Indian	OW	P
UTE TRIBAL 4-9-55	9	050S	050W	4301351238	18796	Indian	OW	P
UTE TRIBAL 15-5-55	5	050S	050W	4301351239	18740	Indian	OW	P
UTE FEE 9-9-54	9	050S	040W	4301351259	18642	Fee	OW	P
LC TRIBAL 4-29-45	29	040S	050W	4301351260	18719	Indian	OW	P
UTE FEE 14-9D-54	9	050S	040W	4301351271	18684	Fee	OW	P
UTE FEE 15-9D-54	9	050S	040W	4301351272	18687	Fee	OW	P
LC FEE 10-28D-56	28	050S	060W	4301351288	18591	Fee	OW	P
UTE TRIBAL 8-16D-54	16	050S	040W	4301351295	19003	Indian	OW	P
LC TRIBAL 1-26-56	26	050S	060W	4301351306	18816	Indian	OW	P
UTE TRIBAL 6-16D-54	16	050S	040W	4301351307	19060	Indian	OW	P
LC TRIBAL 7-22D-56	22	050S	060W	4301351308	18795	Indian	OW	P
LC TRIBAL 9-22D-56	22	050S	060W	4301351309	18794	Indian	OW	P
LC TRIBAL 7-26D-56	26	050S	060W	4301351319	18817	Indian	OW	P
LC FEE 8-6D-56	6	050S	060W	4301351342	18657	Fee	OW	P
LC FEE 10-29D-45	29	040S	050W	4301351343	18850	Fee	OW	P
LC TRIBAL 1-7D-56	7	050S	060W	4301351344	18774	Indian	OW	P
LC TRIBAL 11-10D-56	10	050S	060W	4301351369	18840	Indian	OW	P
LC FEE 1-31D-45	31	040S	050W	4301351371	18686	Fee	OW	P
LC TRIBAL 4-22D-56	22	050S	060W	4301351385	18878	Indian	OW	P
LC TRIBAL 8-21D-56	21	050S	060W	4301351392	18874	Indian	OW	P
UTE TRIBAL 1-17-55	17	050S	050W	4301351393	18848	Indian	OW	P
LC TRIBAL 4-33D-45	33	040S	050W	4301351401	18853	Indian	OW	P
LC TRIBAL 16-21D-56	21	050S	060W	4301351407	18875	Indian	OW	P
UTE TRIBAL 2-10D-54	10	050S	040W	4301351411	19172	Indian	OW	P
UTE TRIBAL 4-10D-54	10	050S	040W	4301351414	19069	Indian	OW	P
LC TRIBAL 1-23D-45	23	040S	050W	4301351425	18855	Indian	OW	P
LC TRIBAL 2-28D-45	28	040S	050W	4301351429	18701	Indian	OW	P
LC TRIBAL 9-28D-45	28	040S	050W	4301351430	18656	Indian	OW	P
LC FEE 1-1-56	1	050S	060W	4301351458	18829	Fee	OW	P
LC Tribal 12-32-45	32	040S	050W	4301351465	18772	Indian	OW	P
UTE TRIBAL 2-5-54	5	050S	040W	4301351520	18880	Indian	OW	P
LC Tribal 3-32D-45	32	040S	050W	4301351561	18842	Indian	OW	P
LC FEE 16-36-56	36	050S	060W	4301351611	19096	Fee	OW	P
LC TRIBAL 15-34-56	34	050S	060W	4301351647	18962	Indian	OW	P
LC FEE 13-23-56	23	050S	060W	4301351706	18994	Fee	OW	P
LC FEE 11-23D-56	23	050S	060W	4301351707	18995	Fee	OW	P
LC FEE 11-29D-45	29	040S	050W	4301351743	99999	Fee	OW	P
LC FEE 4-28D-45	29	040S	050W	4301351745	18849	Fee	OW	P
CC Fee 7R-28-38	28	030S	080W	4301351852	18863	Fee	OW	P
FEDERAL 6-7-64	7	060S	040W	4301351915	19117	Federal	OW	P
FEDERAL 3-7D-64	7	060S	040W	4301351916	19115	Federal	OW	P
FEDERAL 4-7D-64	7	060S	040W	4301351917	19110	Federal	OW	P
FEDERAL 5-7D-64	7	060S	040W	4301351918	19111	Federal	OW	P
FEDERAL 2-7-64	7	060S	040W	4301351919	19139	Federal	OW	P
FEDERAL 1-7D-64	7	060S	040W	4301351920	19140	Federal	OW	P
FEDERAL 12-7D-64	7	060S	040W	4301351924	19025	Federal	OW	P
FEDERAL 11-7D-64	7	060S	040W	4301351925	19039	Federal	OW	P
FEDERAL 13-7D-64	7	060S	040W	4301351926	19026	Federal	OW	P
FEDERAL 14-7D-64	7	060S	040W	4301351927	19040	Federal	OW	P
FEDERAL 7-7D-64	7	060S	040W	4301351933	19141	Federal	OW	P
FEDERAL 8-7D-64	7	060S	040W	4301351934	19142	Federal	OW	P

Berry Petroleum Company (N2480) to Berry Petroleum Company, LLC (N4075)  
Effective 12/16/2013

FEDERAL 9-7D-64	7	060S	040W	4301351935	19143	Federal	OW	P
FEDERAL 10-7D-64	7	060S	040W	4301351936	19144	Federal	OW	P
ABBOTT FEE 6-6-54	6	050S	040W	4301351948	18963	Fee	OW	P
ABBOTT FEE 2-6D-54	6	050S	040W	4301351949	18974	Fee	OW	P
ABBOTT FEE 8-6D-54	6	050S	040W	4301351950	18964	Fee	OW	P
ABBOTT FEE 4-6-54	6	050S	040W	4301351952	18965	Fee	OW	P
Federal 16-11D-65	11	060S	050W	4301352045	19070	Federal	OW	P
Federal 15-11D-65	11	060S	050W	4301352046	19076	Federal	OW	P
Federal 10-11D-65	11	060S	050W	4301352047	19077	Federal	OW	P
Federal 9-11D-65	11	060S	050W	4301352048	19071	Federal	OW	P
Federal 11-12D-65	12	060S	050W	4301352049	19121	Federal	OW	P
Federal 12-12D-65	12	060S	050W	4301352050	19122	Federal	OW	P
Federal 13-12D-65	12	060S	050W	4301352052	19123	Federal	OW	P
Federal 14-12D-65	12	060S	050W	4301352053	19124	Federal	OW	P
Vieira Tribal 3-4D-54	4	050S	040W	4301352145	19210	Indian	OW	P
Vieira Tribal 5-4D-54	4	050S	040W	4301352146	19193	Indian	OW	P
Vieira Tribal 6-4D-54	4	050S	040W	4301352147	99999	Indian	OW	P
Heiner Tribal 3-11D-54	11	050S	040W	4301352165	19194	Indian	OW	P
Heiner Tribal 4-11-54	11	050S	040W	4301352166	19195	Indian	OW	P
Heiner Tribal 5-11D-54	11	050S	040W	4301352167	19196	Indian	OW	P
SCOFIELD-THORPE 26-31	26	120S	070E	4300730987	15218	Fee	D	PA
SCOFIELD-THORPE 26-43	26	120S	070E	4300730990	14922	Fee	D	PA
SCOFIELD CHRISTIANSEN 8-23	8	120S	070E	4300730999	15172	Fee	D	PA
CC FEE 7-28-38	28	030S	080W	4301350887	18288	Fee	D	PA
CC FEE 8-9-37	9	030S	070W	4301350896	18660	Fee	D	PA
ST LOST CREEK 32-44	32	110S	070E	4304930023	14450	State	D	PA
SCOFIELD THORPE 22-41X RIG SKID	22	120S	070E	4300730890	13719	Fee	GW	S
SCOFIELD-THORPE 35-13	35	120S	070E	4300730991	14846	Fee	GW	S
SCOFIELD-THORPE 23-31	23	120S	070E	4300731001	14923	Fee	GW	S
NUTTERS RIDGE FED 5-1	5	060S	040W	4301330403	8231	Federal	OW	S
WIRE FENCE CYN FED 15-1	15	060S	050W	4301330404	8233	Federal	GW	S
R FORK ANTELOPE CYN FED 25-1	25	060S	050W	4301330406	8234	Federal	OW	S
WOLF HOLLOW 22-1	22	060S	050W	4301330425	10370	Federal	GW	S
ANTELOPE RIDGE 24-1	24	060S	050W	4301330426	10371	Federal	OW	S
UTE TRIBAL 23-3R	23	050S	040W	4301330886	13034	Indian	OW	S
Z and T UTE TRIBAL 12-22	22	050S	040W	4301331311	11421	Indian	OW	S
UTE TRIBAL 1-20-55	20	050S	050W	4301332414	14548	Indian	OW	S
UTE TRIBAL 11-30-54	30	050S	040W	4301332512	13982	Indian	OW	S
UTE TRIBAL 10-14-55	14	050S	050W	4301332601	14331	Indian	OW	S
UTE TRIBAL 16-24-55	24	050S	050W	4301332672	14384	Indian	GW	S
MOON TRIBAL 11-27-54	27	050S	040W	4301332845	15135	Indian	OW	S
UTE TRIBAL 15-15-55	15	050S	050W	4301332855	15114	Indian	OW	S
UTE TRIBAL 8-24-54	24	050S	040W	4301332933	15402	Indian	OW	S
UTE TRIBAL 12-15-55	15	050S	050W	4301332981	15348	Indian	OW	S
TAYLOR FEE 7-14-56	14	050S	060W	4301333140	15601	Fee	OW	S
WILCOX FEE 15-16-56	16	050S	060W	4301333151	15527	Fee	OW	S
LC FEE 16-16D-56	16	050S	060W	4301350601	18165	Fee	OW	S
LC TRIBAL 10-16D-56	16	050S	060W	4301350602	18586	Indian	OW	S
UTE TRIBAL 11-11-54	11	050S	040W	4301350861	18775	Indian	OW	S
UTE TRIBAL 8-9-54	9	050S	040W	4301351143	18947	Indian	OW	S
LC TRIBAL 1-29-56	29	050S	060W	4301351442	18876	Indian	OW	S

RECEIVED

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

JAN 31 2014

FORM 9

DIV. OF OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:

See attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:

9. API NUMBER:

10. FIELD AND POOL, OR WILDCAT:

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL  GAS WELL  OTHER \_\_\_\_\_

2. NAME OF OPERATOR:  
Berry Petroleum Company, LLC

3. ADDRESS OF OPERATOR: 1999 Broadway, Ste 3700 CITY Denver STATE CO ZIP 80202 PHONE NUMBER: (303) 999-4400

4. LOCATION OF WELL  
FOOTAGES AT SURFACE: COUNTY:  
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On December 16th, 2013 Berry Petroleum Company merged with Linn Energy, as a result of this merger a new company was formed, Berry Petroleum Company, LLC The attached list represents the wells that need to be moved into this new companies name.

NAME (PLEASE PRINT) Beverly Decker TITLE Sr Engineering Technician  
SIGNATURE *Beverly Decker* DATE 1/27/2014

(This space for State use only)

**APPROVED**

FEB 24 2014

DIV. OIL GAS & MINING  
BY: Rachel Medina

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
#1 DLB 12-15-56	15	050S	060W	4301332710	14943	Fee	Fee	GW	P		Y
1-15-56 DLB	15	050S	060W	4301333447	15854	Fee	Fee	OW	P		Y
14-11-56 DLB	11	050S	060W	4301333378	15801	Fee	Fee	OW	P		Y
ABBOTT FEE 2-6D-54	6	050S	040W	4301351949	18974	Fee	Fee	OW	P		Bonded on
ABBOTT FEE 4-6-54	6	050S	040W	4301351952	18965	Fee	Fee	OW	P		Bonded on
ABBOTT FEE 6-6-54	6	050S	040W	4301351948	18963	Fee	Fee	OW	P		Bonded on
ABBOTT FEE 8-6D-54	6	050S	040W	4301351950	18964	Fee	Fee	OW	P		Bonded on
B C UTE TRIBAL 14-15	15	050S	040W	4301330842	9440	Indian	Indian	OW	P		
B C UTE TRIBAL 16-16	16	050S	040W	4301330841	9489	Indian	Indian	OW	P		
BC UTE TRIBAL 4-22	22	050S	040W	4301330755	2620	Indian	Indian	OW	P		
BERRY TRIBAL 10-23D-54	23	050S	040W	4301333724	16592	Indian	Fee	OW	P		
BERRY TRIBAL 10-34D-54	34	050S	040W	4301333422	16038	Indian	Fee	OW	P		
BERRY TRIBAL 11-23D-54	23	050S	040W	4301333725	16672	Indian	Fee	OW	P		
BERRY TRIBAL 11-34D-54	34	050S	040W	4301333529	16099	Indian	Fee	OW	P		
BERRY TRIBAL 12-34D-54	34	050S	040W	4301335027	17998	Indian	Fee	OW	P		
BERRY TRIBAL 1-23-54	23	050S	040W	4301333216	15931	Indian	Fee	OW	P		
BERRY TRIBAL 13-23-54	23	050S	040W	4301334043	17100	Indian	Fee	OW	P		
BERRY TRIBAL 14-23D-54	23	050S	040W	4301333989	17903	Indian	Fee	OW	P		
BERRY TRIBAL 15-23D-54	23	050S	040W	4301333217	15932	Indian	Fee	OW	P		
BERRY TRIBAL 15-34-54	34	050S	040W	4301333411	16037	Indian	Fee	OW	P		
BERRY TRIBAL 16-34D-54	34	050S	040W	4301333464	16280	Indian	Fee	OW	P		
BERRY TRIBAL 2-23D-54	23	050S	040W	4301333805	18546	Indian	Fee	OW	DRL		
BERRY TRIBAL 2-34D-54	34	050S	040W	4301333867	17889	Indian	Fee	OW	P		
BERRY TRIBAL 4-34-54	34	050S	040W	4301333384	16588	Indian	Fee	OW	P		
BERRY TRIBAL 7-23-54	23	050S	040W	4301333381	15934	Indian	Fee	OW	P		
BERRY TRIBAL 7-34-54	34	050S	040W	4301333383	16102	Indian	Fee	OW	P		
BERRY TRIBAL 8-23D-54	23	050S	040W	4301333417	16101	Indian	Fee	OW	P		
BERRY TRIBAL 9-23-54	23	050S	040W	4301333465	16590	Indian	Fee	OW	P		
BERRY TRIBAL 9-34-54	34	050S	040W	4301333382	16024	Indian	Fee	OW	P		
Casper Tribal 1-5D-54	5	050S	040W	4301352180	19198	Indian	Fee	OW	DRL		
Casper Tribal 7-5D-54	5	050S	040W	4301352185	19202	Indian	Fee	OW	DRL		
CC Fee 7R-28-38	28	030S	080W	4301351852	18863	Fee	Fee	OW	P		Y
Conolly Tribal 1-11D-54	11	050S	040W	4301352168	19270	Indian	Fee	OW	DRL		
Conolly Tribal 2-11D-54	11	050S	040W	4301352169	19197	Indian	Fee	OW	DRL		
Conolly Tribal 7-11D-54	11	050S	040W	4301352170	19280	Indian	Fee	OW	DRL		
Conolly Tribal 8-11D-54	11	050S	040W	4301352171	19281	Indian	Fee	OW	DRL		
Evans Tribal 1-3-54	3	050S	040W	4301352234	19264	Indian	Fee	OW	DRL		
Evans Tribal 2-3D-54	3	050S	040W	4301352235	19265	Indian	Fee	OW	DRL		
Evans Tribal 7-3D-54	3	050S	040W	4301352236	19256	Indian	Fee	OW	DRL		
Evans Tribal 8-3D-54	3	050S	040W	4301352237	19257	Indian	Fee	OW	DRL		
Federal 10-11D-65	11	060S	050W	4301352047	19077	Federal	Federal	OW	P		
Federal 10-12D-65	12	060S	050W	4301351999	19052	Federal	Federal	OW	DRL		
FEDERAL 10-1D-65	1	060S	050W	4301350326	18027	Federal	Federal	OW	P		
FEDERAL 10-2-65	2	060S	050W	4301333542	16181	Federal	Federal	OW	P		
FEDERAL 10-3-65	3	060S	050W	4301333386	16297	Federal	Federal	OW	P		
FEDERAL 10-6D-64	6	060S	040W	4301350735	18162	Federal	Federal	OW	P		
FEDERAL 10-7D-64	7	060S	040W	4301351936	19144	Federal	Federal	OW	P		
FEDERAL 11-10-65	10	060S	050W	4301333451	16281	Federal	Federal	OW	P		
Federal 11-12D-65	12	060S	050W	4301352049	19121	Federal	Federal	OW	P		
FEDERAL 1-11-65	11	060S	050W	4301351231	18689	Federal	Federal	OW	P		
FEDERAL 11-1D-65	1	060S	050W	4301350327	18039	Federal	Federal	OW	P		
FEDERAL 11-2D-65	2	060S	050W	4301350763	18589	Federal	Federal	OW	P		
FEDERAL 1-12D-65	12	060S	050W	4301351055	18739	Federal	Federal	OW	P		
FEDERAL 11-4D-64	4	060S	040W	4301350565	18043	Federal	Federal	OW	P		
FEDERAL 11-5D-64	5	060S	040W	4301350348	17690	Federal	Federal	OW	P		
FEDERAL 11-6D-64	6	060S	040W	4301334284	17615	Federal	Federal	OW	P		
FEDERAL 11-7D-64	7	060S	040W	4301351925	99999	Federal	Federal	OW	P		
FEDERAL 1-1D-64	1	060S	040W	4301350524	18088	Federal	Federal	OW	P		
FEDERAL 1-1D-65	1	060S	050W	4301351142	18623	Federal	Federal	OW	P		
Federal 12-12D-65	12	060S	050W	4301352050	19122	Federal	Federal	OW	P		
FEDERAL 12-1D-65	1	060S	050W	4301350328	18040	Federal	Federal	OW	P		
FEDERAL 12-3D-64	3	060S	040W	4301350737	18620	Federal	Federal	OW	P		
FEDERAL 12-4D-65	4	060S	050W	4301350784	19171	Federal	Federal	OW	DRL		
FEDERAL 12-5D-64	5	060S	040W	4301350349	17713	Federal	Federal	OW	P		
FEDERAL 12-6D-64	6	060S	040W	4301350261	17618	Federal	Federal	OW	P		
Federal 12-6D-65	6	060S	050W	4301352006	19174	Federal	Federal	OW	DRL		
FEDERAL 12-7D-64	7	060S	040W	4301351924	99999	Federal	Federal	OW	P		
FEDERAL 1-2D-64	2	060S	040W	4301350730	18585	Federal	Federal	OW	P		
FEDERAL 1-2D-65	2	060S	050W	4301333966	16888	Federal	Federal	OW	P		
Federal 13-12D-65	12	060S	050W	4301352052	19123	Federal	Federal	OW	P		
FEDERAL 13-1D-65	1	060S	050W	4301350329	18042	Federal	Federal	OW	P		
FEDERAL 13-5D-64	5	060S	040W	4301350337	17714	Federal	Federal	OW	P		
FEDERAL 13-6D-64	6	060S	040W	4301350347	17619	Federal	Federal	OW	P		
FEDERAL 13-7D-64	7	060S	040W	4301351926	99999	Federal	Federal	OW	P		
Federal 14-12D-65	12	060S	050W	4301352053	19124	Federal	Federal	OW	P		
FEDERAL 14-1D-65	1	060S	050W	4301350330	18041	Federal	Federal	OW	P		
FEDERAL 14-5D-64	5	060S	040W	4301350338	17715	Federal	Federal	OW	P		
FEDERAL 14-6D-64	6	060S	040W	4301334285	17616	Federal	Federal	OW	P		
FEDERAL 14-7D-64	7	060S	040W	4301351927	99999	Federal	Federal	OW	P		
Federal 15-11D-65	11	060S	050W	4301352046	19076	Federal	Federal	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
Federal 15-12D-65	12	060S	050W	4301351992	19051	Federal	Federal	OW	DRL		
FEDERAL 15-1D-65	1	060S	050W	4301351175	18654	Federal	Federal	OW	P		
FEDERAL 15-2D-65	2	060S	050W	4301350764	18590	Federal	Federal	OW	P		
FEDERAL 15-5D-65	5	060S	050W	4301350553	18537	Federal	Federal	OW	P		
FEDERAL 15-6D-64	6	060S	040W	4301351219	18793	Federal	Federal	OW	DRL		
FEDERAL 1-5D-64	5	060S	040W	4301351012	18720	Federal	Federal	OW	DRL		
Federal 16-11D-65	11	060S	050W	4301352045	19070	Federal	Federal	OW	P		
Federal 16-12D-65	12	060S	050W	4301352003	19054	Federal	Federal	OW	DRL		
FEDERAL 16-1D-65	1	060S	050W	4301351176	18655	Federal	Federal	OW	P		
FEDERAL 16-5-65	5	060S	050W	4301333490	16833	Federal	Federal	OW	P		
FEDERAL 1-6-64	6	060S	040W	4301350266	17662	Federal	Federal	OW	P		
FEDERAL 16-6-64	6	060S	040W	4301351217	18792	Federal	Federal	OW	P		
Federal 1-6D-65	6	060S	050W	4301352012	19189	Federal	Federal	OW	DRL		
FEDERAL 1-7D-64	7	060S	040W	4301351920	19140	Federal	Federal	OW	P		
FEDERAL 2-11D-65	11	060S	050W	4301351233	18690	Federal	Federal	OW	P		
FEDERAL 2-12D-65	12	060S	050W	4301351057	18738	Federal	Federal	OW	P		
FEDERAL 2-1D-65	1	060S	050W	4301350759	18172	Federal	Federal	OW	P		
FEDERAL 2-2-65	2	060S	050W	4301333385	16150	Federal	Federal	OW	P		
FEDERAL 2-2D-64	2	060S	040W	4301334018	17086	Federal	Federal	OW	P		
FEDERAL 2-5D-64	5	060S	040W	4301351013	18723	Federal	Federal	OW	DRL		
Federal 2-6-65	6	060S	050W	4301352017	19191	Federal	Federal	OW	DRL		
FEDERAL 2-6D-64	6	060S	040W	4301334286	17663	Federal	Federal	OW	P		
FEDERAL 2-7-64	7	060S	040W	4301351919	19139	Federal	Federal	OW	P		
FEDERAL 3-12D-65	12	060S	050W	4301351093	18705	Federal	Federal	OW	P		
FEDERAL 3-1D-65	1	060S	050W	4301350760	18173	Federal	Federal	OW	P		
FEDERAL 3-2D-65	2	060S	050W	4301334001	16944	Federal	Federal	OW	P		
FEDERAL 3-4D-65	4	060S	050W	4301350782	18556	Federal	Federal	OW	P		
FEDERAL 3-5D-64	5	060S	040W	4301334287	17617	Federal	Federal	OW	P		
FEDERAL 3-6D-64	6	060S	040W	4301350268	17650	Federal	Federal	OW	P		
Federal 3-6D-65	6	060S	050W	4301352014	19190	Federal	Federal	OW	DRL		
FEDERAL 3-7D-64	7	060S	040W	4301351916	19115	Federal	Federal	OW	P		
FEDERAL 4-12D-65	12	060S	050W	4301351094	18704	Federal	Federal	OW	P		
FEDERAL 4-3D-64	3	060S	040W	4301350736	18621	Federal	Federal	OW	P		
FEDERAL 4-4D-65	4	060S	050W	4301350521	18557	Federal	Federal	OW	P		
FEDERAL 4-5D-64	5	060S	040W	4301350263	17661	Federal	Federal	OW	P		
FEDERAL 4-6D-64	6	060S	040W	4301350267	17651	Federal	Federal	OW	P		
Federal 4-6D-65	6	060S	050W	4301352005	19173	Federal	Federal	OW	DRL		
FEDERAL 4-7D-64	7	060S	040W	4301351917	19110	Federal	Federal	OW	P		
FEDERAL 5-12D-65	12	060S	050W	4301351095	18702	Federal	Federal	OW	P		
FEDERAL 5-1D-65	1	060S	050W	4301350761	18174	Federal	Federal	OW	P		
FEDERAL 5-3-64	3	060S	040W	4301333448	16098	Federal	Federal	OW	P		
FEDERAL 5-4-64	4	060S	040W	4301333450	17851	Federal	Federal	OW	P		
FEDERAL 5-4-65	4	060S	050W	4301333387	17599	Federal	Federal	OW	P		
FEDERAL 5-5D-64	5	060S	040W	4301350259	17648	Federal	Federal	OW	P		
FEDERAL 5-6-65	6	060S	050W	4301333489	17852	Federal	Federal	OW	P		
FEDERAL 5-6D-64	6	060S	040W	4301350269	17652	Federal	Federal	OW	P		
FEDERAL 5-7D-64	7	060S	040W	4301351918	19111	Federal	Federal	OW	P		
FEDERAL 6-11-65	11	060S	050W	4301333491	16335	Federal	Federal	OW	P		
FEDERAL 6-12D-65	12	060S	050W	4301351096	18703	Federal	Federal	OW	P		
FEDERAL 6-1-65	1	060S	050W	4301332699	15776	Federal	Federal	OW	P		
FEDERAL 6-2-65	2	060S	050W	4301332557	14655	Federal	Federal	OW	P		
FEDERAL 6-3D-64	3	060S	040W	4301350522	18073	Federal	Federal	OW	P		
FEDERAL 6-4D-65	4	060S	050W	4301350783	19162	Federal	Federal	OW	DRL		
FEDERAL 6-5D-64	5	060S	040W	4301334288	17649	Federal	Federal	OW	P		
FEDERAL 6-6D-64	6	060S	040W	4301333745	17084	Federal	Federal	OW	P		
FEDERAL 6-6D-65	6	060S	050W	4301350566	18521	Federal	Federal	OW	P		
FEDERAL 6-7-64	7	060S	040W	4301351915	19117	Federal	Federal	OW	P		
FEDERAL 7-11D-65	11	060S	050W	4301334061	17776	Federal	Federal	OW	P		
FEDERAL 7-12D-65	12	060S	050W	4301351058	18717	Federal	Federal	OW	DRL		
FEDERAL 7-1D-65	1	060S	050W	4301334015	17775	Federal	Federal	OW	P		
FEDERAL 7-2D-64	2	060S	040W	4301350734	18584	Federal	Federal	OW	P		
FEDERAL 7-2D-65	2	060S	050W	4301350525	18100	Federal	Federal	OW	P		
FEDERAL 7-3D-65	3	060S	050W	4301334065	17124	Federal	Federal	OW	P		
FEDERAL 7-5D-64	5	060S	040W	4301351014	18722	Federal	Federal	OW	DRL		
FEDERAL 7-6D-64	6	060S	040W	4301334020	17085	Federal	Federal	OW	P		
Federal 7-6D-65	6	060S	050W	4301352018	19192	Federal	Federal	OW	DRL		
FEDERAL 7-7D-64	7	060S	040W	4301351933	19141	Federal	Federal	OW	P		
FEDERAL 8-11D-65	11	060S	050W	4301351232	18688	Federal	Federal	OW	P		
FEDERAL 8-12D-65	12	060S	050W	4301351056	18718	Federal	Federal	OW	P		
FEDERAL 8-1-64	1	060S	040W	4301333449	16152	Federal	Federal	OW	P		
FEDERAL 8-1D-65	1	060S	050W	4301350350	18025	Federal	Federal	OW	P		
FEDERAL 8-2D-64	2	060S	040W	4301333581	16100	Federal	Federal	OW	P		
FEDERAL 8-2D-65	2	060S	050W	4301350719	18614	Federal	Federal	OW	P		
FEDERAL 8-5D-64	5	060S	040W	4301351015	18721	Federal	Federal	OW	DRL		
FEDERAL 8-6D-64	6	060S	040W	4301350325	17664	Federal	Federal	OW	P		
FEDERAL 8-7D-64	7	060S	040W	4301351934	19142	Federal	Federal	OW	P		
Federal 9-11D-65	11	060S	050W	4301352048	19071	Federal	Federal	OW	P		
Federal 9-12D-65	12	060S	050W	4301352000	19053	Federal	Federal	OW	DRL		
FEDERAL 9-1D-65	1	060S	050W	4301350342	18026	Federal	Federal	OW	P		
FEDERAL 9-2D-65	2	060S	050W	4301350762	18245	Federal	Federal	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
FEDERAL 9-6D-64	6	060S	040W	4301351218	18791	Federal	Federal	OW	P		
FEDERAL 9-7D-64	7	060S	040W	4301351935	19143	Federal	Federal	OW	P		
Fee Tribal 3-5D-54	5	050S	040W	4301352184	19201	Indian	Fee	OW	DRL		
FEE TRIBAL 4-5-54	5	050S	040W	4301351303	19187	Indian	Fee	OW	DRL		
Fee Tribal 5-5D-54	5	050S	040W	4301352182	19200	Indian	Fee	OW	DRL		
Fee Tribal 6-5D-54	5	050S	040W	4301352181	19199	Indian	Fee	OW	DRL		
FOY 9-33D-55	33	050S	050W	4301333802	17125	Fee	Fee	OW	OPS		
FOY TRIBAL 11-34-55	34	050S	050W	4301332351	13648	Indian	Fee	OW	P		
FOY TRIBAL 12H-33-55	33	050S	050W	4301333799	18232	Indian	Fee	OW	P		
Heiner Tribal 3-11D-54	11	050S	040W	4301352165	19194	Indian	Fee	OW	DRL		
Heiner Tribal 4-11-54	11	050S	040W	4301352166	19195	Indian	Fee	OW	DRL		
Heiner Tribal 5-11D-54	11	050S	040W	4301352167	19196	Indian	Fee	OW	DRL		
Lamplugh Tribal 3-3D-54	3	050S	040W	4301352151	19292	Indian	Fee	OW	DRL		
Lamplugh Tribal 4-3D-54	3	050S	040W	4301352150	19291	Indian	Fee	OW	DRL		
Lamplugh Tribal 5-3D-54	3	050S	040W	4301352149	19290	Indian	Fee	GW	DRL		
Lamplugh Tribal 6-3D-54	3	050S	040W	4301352148	19289	Indian	Fee	OW	DRL		
LC FEE 10-28D-56	28	050S	060W	4301351288	18591	Fee	Fee	OW	P		Y
LC FEE 10-29D-45	29	040S	050W	4301351343	18850	Fee	Fee	OW	P		Y
LC FEE 10-31D-45	31	040S	050W	4301350994	18443	Fee	Fee	OW	P		Y
LC FEE 11-23D-56	23	050S	060W	4301351707	18995	Fee	Fee	OW	P		Y
LC FEE 11-29D-45	29	040S	050W	4301351743	19188	Fee	Fee	OW	DRL		Y
LC FEE 1-1-56	1	050S	060W	4301351458	18829	Fee	Fee	OW	P		Y
LC FEE 1-22-57	22	050S	070W	4301350965	18558	Fee	Fee	OW	P		Y
LC FEE 1-22D-56	22	050S	060W	4301350718	18101	Fee	Fee	OW	P		Y
LC FEE 1-31D-45	31	040S	050W	4301351371	18686	Fee	Fee	OW	P		Y
LC FEE 13-23-56	23	050S	060W	4301351706	18994	Fee	Fee	OW	P		Y
LC FEE 13-29-45	29	040S	050W	4301350929	18426	Fee	Fee	OW	P		Y
LC FEE 14-6D-56	6	050S	060W	4301351787	18910	Fee	Fee	OW	DRL		Y
LC FEE 15-23D-56	23	050S	060W	4301350870	18410	Fee	Fee	OW	P		Y
LC FEE 16-16D-56	16	050S	060W	4301350601	18165	Fee	Fee	OW	P		Y
LC FEE 16-36-56	36	050S	060W	4301351611	19096	Fee	Indian	OW	P		Y
LC FEE 2-20D-56	20	050S	060W	4301350777	18622	Fee	Fee	OW	P		Y
LC FEE 4-28D-45	29	040S	050W	4301351745	18849	Fee	Fee	OW	P		Y
LC FEE 5-20D-56	20	050S	060W	4301351190	18818	Fee	Fee	OW	P		Y
LC FEE 6-12-57	12	050S	070W	4301333593	17083	Fee	Fee	OW	P		Y
LC FEE 8-28D-56	28	050S	060W	4301350867	18342	Fee	Fee	OW	P		Y
LC FEE 8-29-45	29	040S	050W	4301350928	18313	Fee	Fee	OW	P		Y
LC FEE 8-6D-56	6	050S	060W	4301351342	18657	Fee	Fee	OW	P		Y
LC FEE 9-12D-57	12	050S	070W	4301350963	18541	Fee	Fee	OW	P		Y
LC FEE 9-19-56	19	050S	060W	4301351192	18596	Fee	Fee	OW	P		Y
LC TRIBAL 10-16D-56	16	050S	060W	4301350602	18586	Indian	Fee	OW	P		
LC TRIBAL 10-21-56	21	050S	060W	4301350999	18439	Indian	Fee	OW	P		
LC TRIBAL 10-9D-56	9	050S	060W	4301350990	18864	Indian	Fee	OW	P		
LC TRIBAL 11-10D-56	10	050S	060W	4301351369	18840	Indian	Fee	OW	P		
LC TRIBAL 11-17-56	17	050S	060W	4301333677	17600	Indian	Fee	OW	P		
LC TRIBAL 11-20D-56	20	050S	060W	4301351189	18819	Indian	Fee	OW	P		
LC TRIBAL 11-24-45	24	040S	050W	4301351076	18745	Indian	Indian	OW	P		
LC TRIBAL 11-29D-56	29	050S	060W	4301351183	18873	Indian	Fee	OW	P		
LC TRIBAL 11-3D-56	3	050S	060W	4301350966	18464	Indian	Fee	OW	P		
LC TRIBAL 12-22D-56	22	050S	060W	4301350780	18341	Indian	Fee	OW	P		
LC Tribal 12-32-45	32	040S	050W	4301351465	18772	Indian	Indian	OW	P		
LC TRIBAL 1-23D-45	23	040S	050W	4301351425	18855	Indian	Indian	OW	P		
LC TRIBAL 1-26-56	26	050S	060W	4301351306	18816	Indian	Fee	OW	P		
LC TRIBAL 1-29-56	29	050S	060W	4301351442	18876	Indian	Fee	OW	P		
LC TRIBAL 12H-6-56	6	050S	060W	4301333606	18037	Indian	Fee	OW	P		
LC TRIBAL 13-16D-56	16	050S	060W	4301334282	17601	Indian	Fee	OW	P		
LC TRIBAL 1-34D-56	34	050S	060W	4301351660	18988	Indian	Fee	OW	DRL		
LC TRIBAL 13H-3-56	3	050S	060W	4301333591	18129	Indian	Fee	OW	P		
LC TRIBAL 14-14D-56	14	050S	060W	4301350776	18287	Indian	Fee	OW	P		
LC TRIBAL 14-15D-56	15	050S	060W	4301350834	18362	Indian	Fee	OW	P		
LC TRIBAL 14-21D-56	21	050S	060W	4301351384	18877	Indian	Fee	OW	DRL		
LC TRIBAL 14-2-56	2	050S	060W	4301333492	18358	Indian	Fee	OW	P		
LC TRIBAL 15-15D-56	15	050S	060W	4301351030	18440	Indian	Fee	OW	P		
LC TRIBAL 15-22D-56	22	050S	060W	4301350606	18278	Indian	Fee	OW	P		
LC TRIBAL 15-26-56	26	050S	060W	4301350871	18377	Indian	Fee	OW	P		
LC TRIBAL 15-34-56	34	050S	060W	4301351647	18962	Indian	Fee	OW	P		
LC TRIBAL 15-8D-56	8	050S	060W	4301351060	18862	Indian	Fee	OW	P		
LC TRIBAL 16-21-46	21	040S	060W	4301333575	16156	Indian	Indian	OW	OPS		
LC TRIBAL 16-21D-56	21	050S	060W	4301351407	18875	Indian	Fee	OW	P		
LC TRIBAL 16-30D-56	30	050S	060W	4301351132	18540	Indian	Fee	OW	P		
LC TRIBAL 16-34D-45	34	040S	050W	4301350977	18658	Indian	Fee	OW	DRL		
LC TRIBAL 1-7D-56	7	050S	060W	4301351344	18774	Indian	Fee	OW	P		
LC TRIBAL 1-9-56	9	050S	060W	4301333608	16380	Indian	Fee	OW	P		
LC TRIBAL 2-16D-56	16	050S	060W	4301333538	17305	Indian	Fee	OW	P		
LC TRIBAL 2-21D-56	16	050S	060W	4301351418	19252	Indian	Fee	OW	DRL		
LC TRIBAL 2-28D-45	28	040S	050W	4301351429	18701	Indian	Indian	OW	P		
LC TRIBAL 2-28D-56	28	050S	060W	4301350866	18592	Indian	Fee	OW	P		
LC TRIBAL 2-33D-45	33	040S	050W	4301351402	18854	Indian	Indian	OW	DRL		
LC TRIBAL 2-5D-56	5	050S	060W	4301350925	18568	Indian	Fee	OW	P		
LC TRIBAL 2-9D-56	9	050S	060W	4301350926	18425	Indian	Fee	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
LC TRIBAL 3-15D-56	15	050S	060W	4301350598	18097	Indian	Fee	OW	P		
LC TRIBAL 3-17-56	17	050S	060W	4301333541	16459	Indian	Fee	OW	P		
LC TRIBAL 3-21D-56	21	050S	060W	4301350751	18462	Indian	Fee	OW	P		
LC Tribal 3-32D-45	32	040S	050W	4301351561	18842	Indian	Indian	OW	P		
LC TRIBAL 3-33-56	33	050S	060W	4301351711	19242	Indian	Fee	OW	DRL		
LC TRIBAL 3-34-45	34	040S	050W	4301350976	18661	Indian	Fee	OW	P		
LC Tribal 3-34D-56	34	050S	060W	4301352087	19234	Indian	Fee	OW	DRL		
LC TRIBAL 3-4D-56	4	050S	060W	4301351000	18852	Indian	Fee	OW	DRL		
LC TRIBAL 3-5-56	5	050S	060W	4301333580	17082	Indian	Fee	OW	P		
LC TRIBAL 4-16-56	16	050S	060W	4301333539	16272	Indian	Fee	OW	P		
LC TRIBAL 4-22D-56	22	050S	060W	4301351385	18878	Indian	Fee	OW	P		
LC TRIBAL 4-27D-56	27	050S	060W	4301350262	17568	Indian	Fee	OW	P		
LC TRIBAL 4-29-45	29	040S	050W	4301351260	18719	Indian	Indian	OW	P		
LC TRIBAL 4-33D-45	33	040S	050W	4301351401	18853	Indian	Indian	OW	P		
LC TRIBAL 4H-17-56	17	050S	060W	4301333540	18067	Indian	Fee	OW	OPS		
LC TRIBAL 5-14D-56	14	050S	060W	4301350661	18219	Indian	Fee	OW	P		
LC TRIBAL 5-15D-56	15	050S	060W	4301351562	19253	Indian	Fee	OW	DRL		
LC TRIBAL 5-21D-56	21	050S	060W	4301350752	18286	Indian	Fee	OW	P		
LC TRIBAL 5-23D-56	23	050S	060W	4301350625	18285	Indian	Indian	OW	P		
LC TRIBAL 5HH-5-56	4	050S	060W	4301350927	18463	Indian	Fee	OW	OPS		
LC TRIBAL 6-22D-56	22	050S	060W	4301350260	17567	Indian	Fee	OW	P		
LC TRIBAL 6-27D-56	27	050S	060W	4301350868	18480	Indian	Fee	OW	P		
LC TRIBAL 6-28-45	28	040S	050W	4301351034	18700	Indian	Indian	OW	P		
LC TRIBAL 7-22D-56	22	050S	060W	4301351308	18795	Indian	Fee	OW	P		
LC TRIBAL 7-26D-56	26	050S	060W	4301351319	18817	Indian	Fee	OW	P		
LC TRIBAL 7-27-45	27	040S	050W	4301351073	18685	Indian	Indian	OW	P		
LC Tribal 7-34D-56	34	050S	060W	4301352088	19235	Indian	Fee	OW	DRL		
LC TRIBAL 7-3-56	3	050S	060W	4301333577	16379	Indian	Fee	OW	P		
LC TRIBAL 7-7D-56	7	050S	060W	4301333607	18038	Indian	Fee	OW	OPS		
LC TRIBAL 8-16D-56	16	050S	060W	4301350599	18161	Indian	Fee	OW	P		
LC TRIBAL 8-21D-56	21	050S	060W	4301351392	18874	Indian	Fee	OW	P		
LC TRIBAL 8-22D-56	22	050S	060W	4301351069	19233	Indian	Fee	OW	DRL		
LC TRIBAL 8-28-46	28	040S	060W	4301333576	16155	Indian	Indian	OW	P		
LC TRIBAL 8-30D-56	30	050S	060W	4301351131	18539	Indian	Fee	OW	P		
LC TRIBAL 8-4-56	4	050S	060W	4301333605	17046	Indian	Fee	OW	P		
LC TRIBAL 9-10D-56	10	050S	060W	4301350987	18944	Indian	Fee	OW	P		
LC TRIBAL 9-15D-56	15	050S	060W	4301351031	18441	Indian	Fee	OW	P		
LC TRIBAL 9-17D-56	17	050S	060W	4301351070	18945	Indian	Fee	OW	P		
LC TRIBAL 9-22D-56	22	050S	060W	4301351309	18794	Indian	Fee	OW	P		
LC TRIBAL 9-24D-45	24	040S	050W	4301351431	18861	Indian	Indian	OW	DRL		
LC TRIBAL 9-28D-45	28	040S	050W	4301351430	18656	Indian	Indian	OW	P		
LC TRIBAL 9-32D-56	32	050S	060W	4301351316	19228	Indian	Fee	OW	DRL		
LC TRIBAL 9-3D-56	3	050S	060W	4301351514	18948	Indian	Fee	OW	DRL		
LC TRIBAL 9-7D-56	7	050S	060W	4301351346	18773	Indian	Fee	OW	DRL		
LC TRIBAL 9-8D-56	8	050S	060W	4301351112	18522	Indian	Fee	OW	P		
LC TRIBAL 9-9D-56	9	050S	060W	4301351198	18595	Indian	Fee	OW	P		
MOON TRIBAL 10-2-54	2	050S	040W	4301332931	15429	Indian	Fee	OW	P		
MOON TRIBAL 10-27-54	27	050S	040W	4301332540	14195	Indian	Fee	OW	P		
MOON TRIBAL 12-23-54	23	050S	040W	4301332347	14008	Indian	Fee	OW	P		
MOON TRIBAL 12-27-54	27	050S	040W	4301332541	14161	Indian	Fee	OW	P		
MOON TRIBAL 1-27-54	27	050S	040W	4301332937	15308	Indian	Fee	OW	P		
MOON TRIBAL 14-27-54	27	050S	040W	4301332408	13998	Indian	Fee	OW	P		
MOON TRIBAL 15-27-54	27	050S	040W	4301332846	15115	Indian	Fee	OW	P		
MOON TRIBAL 16-23-54	23	050S	040W	4301332927	15219	Indian	Fee	OW	P		
MOON TRIBAL 16-27D-54	27	050S	040W	4301334109	17414	Indian	Fee	OW	P		
MOON TRIBAL 3-27-54	27	050S	040W	4301332613	14416	Indian	Fee	OW	P		
MOON TRIBAL 4-23-54	23	050S	040W	4301332800	14985	Indian	Fee	OW	P		
MOON TRIBAL 5-23-54	23	050S	040W	4301332938	15584	Indian	Fee	OW	P		
MOON TRIBAL 6-23-54	23	050S	040W	4301332843	15113	Indian	Fee	OW	P		
MOON TRIBAL 6-27-54	27	050S	040W	4301332407	13969	Indian	Fee	OW	P		
MOON TRIBAL 7-27D-54	27	050S	040W	4301333365	15935	Indian	Fee	OW	P		
MOON TRIBAL 8-27-54	27	050S	040W	4301332543	14139	Indian	Fee	OW	P		
MOON TRIBAL 9-27D-54	27	050S	040W	4301334108	19095	Indian	Fee	OW	DRL		
MYRIN TRIBAL 14-19-55	19	050S	050W	4301332782	15184	Indian	Fee	OW	P		
MYRIN TRIBAL 15-10-55	10	050S	050W	4301351024	18771	Indian	Fee	OW	P		
MYRIN TRIBAL 16-19-55	19	050S	050W	4301332934	15339	Indian	Fee	OW	P		
NIELSEN FEE 13-11-56	11	050S	060W	4301333152	15600	Fee	Fee	OW	P		Y
NIELSEN MARSING 13-14-56	14	050S	060W	4301332737	15060	Fee	Fee	OW	P		Y
S BRUNDAGE CYN UTE TRIBAL 4-27	27	050S	040W	4301331131	9851	Indian	Fee	OW	P		
S BRUNDAGE UTE TRIBAL 1-30	30	050S	040W	4301330948	9850	Indian	Indian	OW	P		
S COTTONWOOD RIDGE UTE TRIBAL 1-19	19	050S	040W	4301330933	9845	Indian	Indian	OW	P	BRUNDAGE CANYON	
SCOFIELD-THORPE 23-31	23	120S	070E	4300731001	14923	Fee	Fee	GW	P		Y
SCOFIELD-THORPE 35-13	35	120S	070E	4300730991	14846	Fee	Fee	GW	P		Y
SFW FEE 13-10D-54	10	050S	040W	4301350892	19186	Fee	Fee	OW	DRL		Y
SFW FEE 14-10D-54	10	050S	040W	4301350686	18070	Fee	Fee	OW	P		Y
SFW FEE 15-10-54	10	050S	040W	4301350247	17566	Fee	Fee	OW	P		Y
SFW TRIBAL 10-10D-54	10	050S	040W	4301334295	17564	Indian	Fee	OW	P		N
SFW TRIBAL 11-10D-54	10	050S	040W	4301350893	19215	Indian	Fee	OW	DRL		
SFW TRIBAL 9-10D-54	10	050S	040W	4301334296	17565	Indian	Fee	OW	P		
SOWERS CANYON 9-27	27	050S	050W	4301331701	11997	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
SOWERS CYN UTE TRIBAL 3-26	26	050S	050W	4301330955	10423	Indian	Indian	OW	P		
ST TRIBAL 1-15D-54	15	050S	040W	4301333916	16889	Indian	Fee	OW	P		
ST TRIBAL 2-15-54	15	050S	040W	4301332849	16959	Indian	Fee	OW	P		
ST TRIBAL 3-15D-54	15	050S	040W	4301334059	17477	Indian	Fee	OW	P		
ST TRIBAL 4-15-54	15	050S	040W	4301332850	17478	Indian	Fee	OW	P		
ST TRIBAL 5-15D-54	15	050S	040W	4301334060	17479	Indian	Fee	OW	P		
ST TRIBAL 5-18-54	18	050S	040W	4301332953	15781	Indian	Fee	OW	P		
ST TRIBAL 6-15-54	15	050S	040W	4301332848	16656	Indian	Fee	OW	P		
ST TRIBAL 7-15D-54	15	050S	040W	4301333950	16972	Indian	Fee	OW	P		
ST TRIBAL 7-18-54	18	050S	040W	4301332952	15724	Indian	Fee	OW	P		
ST TRIBAL 8-15-54	15	050S	040W	4301332851	16279	Indian	Fee	OW	P		
ST TRIBAL 9-15D-54	15	050S	040W	4301333951	16973	Indian	Fee	OW	P		
STATE TRIBAL 11-2-55	2	050S	050W	4301351230	18742	Indian	Fee	OW	P		
STATE TRIBAL 12-1-55	1	050S	050W	4301351229	18741	Indian	Fee	OW	P		
STATE TRIBAL 12-3-55	3	050S	050W	4301351236	18744	Indian	Fee	OW	P		
STATE TRIBAL 15-6-54	6	050S	040W	4301351227	18746	Indian	Fee	OW	P		
STATE TRIBAL 16-10-54	10	050S	040W	4301350245	17553	Indian	State	OW	P		
STATE TRIBAL 8-12-55	12	050S	050W	4301351188	18986	Indian	State	OW	P		
STATE TRIBAL 8-7-54	7	050S	040W	4301351228	18743	Indian	Fee	OW	P		
T C UTE TRIBAL 9-23X	23	050S	050W	4301330999	9720	Indian	Indian	OW	P		
TABBY CANYON 1-21	21	050S	050W	4301331699	12225	Indian	Indian	OW	P		
TABBY CANYON 8-22	22	050S	050W	4301331700	12008	Indian	Indian	OW	P		
TABBY CYN UTE TRIBAL 1-25	25	050S	050W	4301330945	9722	Indian	Indian	OW	P		
TAYLOR FEE 13-22-56	22	050S	060W	4301333121	15525	Fee	Fee	OW	P		Y
TAYLOR HERRICK 10-22-56	22	050S	060W	4301332738	15058	Fee	Fee	OW	P		Y
UTE FEE 14-9D-54	9	050S	040W	4301351271	18684	Fee	Indian	OW	P		Y
UTE FEE 15-9D-54	9	050S	040W	4301351272	18687	Fee	Indian	OW	P		Y
UTE FEE 2-13-55	13	050S	050W	4301333720	18659	Indian	Indian	OW	P		y
UTE FEE 7-13D-55	13	050S	050W	4301333674	18089	Fee	Indian	OW	P		y
UTE FEE 9-9-54	9	050S	040W	4301351259	18642	Fee	Indian	OW	P		Y
UTE TRIBAL 10-12-55	12	050S	050W	4301333055	15618	Indian	Indian	OW	P		
UTE TRIBAL 10-14-54	14	050S	040W	4301333205	15680	Indian	Indian	OW	P		
UTE TRIBAL 10-15-54	15	050S	040W	4301332587	14194	Indian	Indian	OW	P		
UTE TRIBAL 10-15-55	15	050S	050W	4301332977	15380	Indian	Indian	OW	P		
UTE TRIBAL 10-16-55	16	050S	050W	4301332345	13693	Indian	Indian	OW	P		
UTE TRIBAL 10-17-54	17	050S	040W	4301333133	15581	Indian	Indian	OW	P		
UTE TRIBAL 10-18-54	18	050S	040W	4301333300	15747	Indian	Indian	OW	P		
UTE TRIBAL 10-19-54	19	050S	040W	4301332717	14628	Indian	Indian	OW	P		
UTE TRIBAL 10-20-54	20	050S	040W	4301332740	14691	Indian	Indian	OW	P		
UTE TRIBAL 10-21-55	21	050S	050W	4301332603	14385	Indian	Indian	OW	P		
UTE TRIBAL 10-22-54	22	050S	040W	4301332592	14218	Indian	Indian	OW	P		
UTE TRIBAL 10-22D-55	22	050S	050W	4301333722	16671	Indian	Indian	OW	P		
UTE TRIBAL 10-23D-55	23	050S	050W	4301333358	15799	Indian	Indian	OW	P		
UTE TRIBAL 10-24-54	24	050S	040W	4301332932	15364	Indian	Indian	OW	P		
UTE TRIBAL 10-24D-55	24	050S	050W	4301333156	15556	Indian	Indian	OW	P		
UTE TRIBAL 10-25-55	25	050S	050W	4301332749	14758	Indian	Indian	OW	P		
UTE TRIBAL 10-26D-54	26	050S	040W	4301333620	16663	Indian	Indian	OW	P		
UTE TRIBAL 10-26D-55	26	050S	050W	4301333360	15852	Indian	Indian	OW	P		
UTE TRIBAL 10-27D-55	27	050S	050W	4301333683	16666	Indian	Indian	OW	P		
UTE TRIBAL 10-28-54	28	050S	040W	4301332764	14722	Indian	Indian	OW	P		
UTE TRIBAL 10-28-55	28	050S	050W	4301332419	14580	Indian	Indian	OW	P		
UTE TRIBAL 10-29-54	29	050S	040W	4301333155	15847	Indian	Indian	OW	P		
UTE TRIBAL 10-29D-55	29	050S	050W	4301333157	15505	Indian	Indian	OW	P		
UTE TRIBAL 10-31-54	31	050S	040W	4301332847	14956	Indian	Indian	OW	P		
UTE TRIBAL 10-31-55	31	050S	050W	4301332936	15354	Indian	Indian	OW	P		
UTE TRIBAL 10-32-54	32	050S	040W	4301333902	16819	Indian	Indian	OW	P		
UTE TRIBAL 10-33-54	33	050S	040W	4301333092	15418	Indian	Indian	OW	P		
Ute Tribal 10-3-54	3	050S	040W	4301352251	19238	Indian	Indian	OW	DRL		
UTE TRIBAL 10-35-55	35	050S	050W	4301332353	13645	Indian	Indian	OW	P		
UTE Tribal 10-35D-54	35	050S	040W	4301352198	99999	Indian	Indian	GW	DRL		
UTE TRIBAL 10-36D-55	36	050S	050W	4301333968	17743	Indian	Indian	OW	P		
Ute Tribal 10-4D-54	4	050S	040W	4301352307	19294	Indian	Indian	OW	DRL		
UTE TRIBAL 10S-21D-54	21	050S	040W	4301350854	18423	Indian	Indian	OW	P	BERRY PILOT EOR 246-02	
UTE TRIBAL 1-10-54	10	050S	040W	4301351129	18879	Indian	Indian	OW	P		
UTE TRIBAL 11-11-54	11	050S	040W	4301350861	18775	Indian	Indian	OW	P		
UTE TRIBAL 11-12-55	12	050S	050W	4301332721	14605	Indian	Indian	OW	P		
UTE TRIBAL 11-13-54	13	050S	040W	4301332568	14281	Indian	Indian	OW	P		
UTE TRIBAL 11-13-55	13	050S	050W	4301333268	15692	Indian	Indian	OW	P		
UTE TRIBAL 11-14-55	14	050S	050W	4301332693	15136	Indian	Indian	OW	P		
UTE TRIBAL 11-15-54	15	050S	040W	4301333206	15643	Indian	Indian	OW	P		
UTE TRIBAL 11-15-55	15	050S	050W	4301332980	15342	Indian	Indian	OW	P		
UTE TRIBAL 11-16-54	16	050S	040W	4301332589	14178	Indian	Indian	OW	P		
UTE TRIBAL 11-17	17	050S	040W	4301332145	12747	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 11-19	19	050S	040W	4301331547	11920	Indian	Indian	OW	P		
UTE TRIBAL 11-20	20	050S	040W	4301332168	12946	Indian	Indian	OW	P		
UTE TRIBAL 11-20-55	20	050S	050W	4301332415	14269	Indian	Indian	OW	P		
UTE TRIBAL 11-21-54	21	050S	040W	4301333115	15470	Indian	Indian	OW	P		
UTE TRIBAL 11-22-54	22	050S	040W	4301333116	15662	Indian	Indian	OW	P		
UTE TRIBAL 11-22-55	22	050S	050W	4301332607	14329	Indian	Indian	OW	P		
UTE TRIBAL 11-23-55	23	050S	050W	4301332269	13572	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 11-24	24	050S	050W	4301331909	12190	Indian	Indian	OW	P		
UTE TRIBAL 11-25	25	050S	050W	4301331911	12182	Indian	Indian	OW	P		
UTE TRIBAL 11-25-54	25	050S	040W	4301332856	15430	Indian	Indian	OW	P		
UTE TRIBAL 11-25-56	25	050S	060W	4301332990	15627	Indian	Indian	OW	P		
UTE TRIBAL 11-26-54	26	050S	040W	4301332844	15233	Indian	Indian	OW	P		
UTE TRIBAL 11-26D-55	26	050S	050W	4301333478	16659	Indian	Indian	OW	P		
UTE TRIBAL 11-27-55	27	050S	050W	4301332615	14882	Indian	Indian	OW	P		
UTE TRIBAL 11-28	28	050S	040W	4301332192	13022	Indian	Indian	OW	P		
UTE TRIBAL 11-28-55	28	050S	050W	4301334057	18001	Indian	Indian	OW	P		
UTE TRIBAL 11-29-54	29	050S	040W	4301332563	14337	Indian	Indian	OW	P		
UTE TRIBAL 11-30-54	30	050S	040W	4301332512	13982	Indian	Indian	OW	P		
UTE TRIBAL 11-31-54	31	050S	040W	4301332530	14163	Indian	Indian	OW	P		
UTE TRIBAL 11-32D-54	32	050S	040W	4301333793	17003	Indian	Indian	OW	P		
UTE TRIBAL 11-33-54	33	050S	040W	4301332522	14061	Indian	Indian	OW	P		
UTE TRIBAL 11-35-54	35	050S	040W	4301332807	15317	Indian	Indian	OW	P		
UTE TRIBAL 11-35-55	35	050S	050W	4301333783	16855	Indian	Indian	OW	P		
UTE TRIBAL 11-36D-55	36	050S	050W	4301333214	15702	Indian	Indian	OW	P		
Ute Tribal 11-3D-54	3	050S	040W	4301352300	19260	Indian	Indian	OW	DRL		
UTE TRIBAL 11-4-55	4	050S	050W	4301351237	18663	Indian	Indian	OW	P		
Ute Tribal 11-4D-54	4	050S	040W	4301352343	19305	Indian	Indian	OW	DRL		
UTE TRIBAL 1-14D-54	14	050S	040W	4301333769	17483	Indian	Indian	OW	P		
UTE TRIBAL 1-14D-55	14	050S	050W	4301333279	18408	Indian	Indian	OW	P		
UTE TRIBAL 11-5-54	5	050S	040W	4301332664	14415	Indian	Indian	OW	P		
UTE TRIBAL 1-15-55	15	050S	050W	4301332978	15299	Indian	Indian	OW	P		
UTE TRIBAL 1-16-54	16	050S	040W	4301333128	15420	Indian	Indian	OW	P		
UTE TRIBAL 1-17-55	17	050S	050W	4301351393	18848	Indian	Indian	OW	P		
UTE TRIBAL 1-20	20	050S	040W	4301330966	9925	Indian	Indian	OW	P		
Ute Tribal 12-11D-54	11	050S	040W	4301352331	19244	Indian	Indian	OW	DRL		
UTE TRIBAL 12-14-54	14	050S	040W	4301332369	13647	Indian	Indian	OW	P		
UTE TRIBAL 12-14D-55	14	050S	050W	4301350476	17973	Indian	Indian	OW	P		
UTE TRIBAL 12-15	15	050S	040W	4301332205	13100	Indian	Indian	OW	P		
UTE TRIBAL 12-16-54	16	050S	040W	4301333131	15456	Indian	Indian	OW	P		
UTE TRIBAL 12-17	17	050S	040W	4301332146	12745	Indian	Indian	OW	P		BRUNDAGE CANYON
UTE TRIBAL 12-18-54	18	050S	040W	4301333077	15575	Indian	Indian	OW	P		
UTE TRIBAL 12-19-54	19	050S	040W	4301332716	14627	Indian	Indian	OW	P		
UTE TRIBAL 12-20-54	20	050S	040W	4301332866	14924	Indian	Indian	OW	P		
UTE TRIBAL 12-20-55	20	050S	050W	4301333911	18520	Indian	Indian	OW	DRL		
UTE TRIBAL 12-21-54	21	050S	040W	4301332385	13928	Indian	Indian	OW	P		
UTE TRIBAL 12-21D-55	21	050S	050W	4301333694	16296	Indian	Indian	OW	P		
UTE TRIBAL 12-22-55	22	050S	050W	4301332616	14370	Indian	Indian	OW	P		
UTE TRIBAL 12-23D-55	23	050S	050W	4301333908	17814	Indian	Indian	OW	P		
UTE TRIBAL 12-24D-55	24	050S	050W	4301333134	15567	Indian	Indian	OW	P		
UTE TRIBAL 12-25-55	25	050S	050W	4301332769	14799	Indian	Indian	OW	P		
UTE TRIBAL 12-26D-54	26	050S	040W	4301333801	16639	Indian	Indian	OW	P		
UTE TRIBAL 12-26D-55	26	050S	050W	4301334118	17786	Indian	Indian	OW	P		
UTE TRIBAL 12-27D-55	27	050S	050W	4301333798	18360	Indian	Indian	OW	OPS		
UTE TRIBAL 12-28-54	28	050S	040W	4301332765	14701	Indian	Indian	OW	P		
UTE TRIBAL 12-28D-55	28	050S	050W	4301333645	17999	Indian	Indian	OW	P		
UTE TRIBAL 12-29-54	29	050S	040W	4301332572	14336	Indian	Indian	OW	P		
UTE TRIBAL 12-29D-55	29	050S	050W	4301333418	17307	Indian	Indian	OW	P		
UTE TRIBAL 1-22D-54	22	050S	040W	4301333215	15641	Indian	Indian	OW	P		
UTE TRIBAL 1-22D-55	22	050S	050W	4301333626	16777	Indian	Indian	OW	P		
UTE TRIBAL 12-31D-54	31	050S	040W	4301333907	17480	Indian	Indian	OW	P		
UTE TRIBAL 12-32-54	32	050S	040W	4301332925	15503	Indian	Indian	OW	P		
UTE TRIBAL 12-32-55	32	050S	050W	4301333266	15681	Indian	Indian	OW	P		
UTE TRIBAL 12-33-54	33	050S	040W	4301333090	15417	Indian	Indian	OW	P		
UTE TRIBAL 1-23-55	23	050S	050W	4301332524	14044	Indian	Indian	OW	P		
Ute Tribal 12-35D-54	35	050S	040W	4301352200	19312	Indian	Indian	GW	DRL		
UTE TRIBAL 12-35D-55	35	050S	050W	4301333782	16856	Indian	Indian	OW	P		
UTE TRIBAL 12-36-55	36	050S	050W	4301332354	13643	Indian	Indian	OW	P		
Ute Tribal 12-3D-54	3	050S	040W	4301352299	19259	Indian	Indian	OW	DRL		
UTE TRIBAL 1-24-55	24	050S	050W	4301332259	13618	Indian	Indian	OW	P		
UTE TRIBAL 1-26	26	050S	050W	4301331912	12235	Indian	Indian	OW	P		
UTE TRIBAL 1-26D-54	26	050S	040W	4301333680	16638	Indian	Indian	OW	P		
UTE TRIBAL 1-27-55	27	050S	050W	4301332416	13947	Indian	Indian	OW	P		
UTE TRIBAL 1-28	28	050S	040W	4301331549	11925	Indian	Indian	OW	P		
UTE TRIBAL 1-28D-55	28	050S	050W	4301333784	16852	Indian	Indian	OW	P		
UTE TRIBAL 12Q-25-55	25	050S	050W	4301333184	15744	Indian	Indian	OW	P		
UTE TRIBAL 13-13-55	13	050S	050W	4301332599	15134	Indian	Indian	OW	P		
UTE TRIBAL 13-14-54	14	050S	040W	4301333364	15790	Indian	Indian	OW	P		
UTE TRIBAL 13-14-55	14	050S	050W	4301332600	14236	Indian	Indian	OW	P		
UTE TRIBAL 1-31-54	31	050S	040W	4301332526	14116	Indian	Indian	OW	P		
UTE TRIBAL 1-31-55	31	050S	050W	4301333501	17104	Indian	Indian	OW	P		
UTE TRIBAL 13-15-55	15	050S	050W	4301332602	14263	Indian	Indian	OW	P		
UTE TRIBAL 13-15D-54	15	050S	040W	4301333039	15368	Indian	Indian	OW	P		
UTE TRIBAL 13-16-54	16	050S	040W	4301332511	13981	Indian	Indian	OW	P		
UTE TRIBAL 13-17	17	050S	040W	4301331546	11921	Indian	Indian	OW	P		BRUNDAGE CANYON
UTE TRIBAL 13-18-54	18	050S	040W	4301332571	14388	Indian	Indian	OW	P		
UTE TRIBAL 13-19	19	050S	040W	4301331284	11134	Indian	Indian	OW	P		
UTE TRIBAL 13-20	20	050S	040W	4301332206	13048	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 13-20-55	20	050S	050W	4301332841	15097	Indian	Indian	OW	P		
UTE TRIBAL 13-21-54	21	050S	040W	4301333113	15471	Indian	Indian	OW	P		
UTE TRIBAL 13-22	22	050S	040W	4301331548	11926	Indian	Indian	OW	P		
UTE TRIBAL 13-22D-55	22	050S	050W	4301333716	16668	Indian	Indian	OW	P		
UTE TRIBAL 13-23-55	23	050S	050W	4301332513	13975	Indian	Indian	OW	P		
UTE TRIBAL 13-24	24	050S	050W	4301331910	12217	Indian	Indian	OW	P		
UTE TRIBAL 13-25	25	050S	050W	4301332169	12857	Indian	Indian	OW	P		
UTE TRIBAL 13-26-54	26	050S	040W	4301332891	15287	Indian	Indian	OW	P		
UTE TRIBAL 13-26D-55	26	050S	050W	4301334002	17481	Indian	Indian	OW	P		
UTE TRIBAL 13-28-54	28	050S	040W	4301332387	13908	Indian	Indian	OW	P		
UTE TRIBAL 13-28D-55	28	050S	050W	4301333646	18000	Indian	Indian	OW	P		
UTE TRIBAL 13-29-54	29	050S	040W	4301332564	14315	Indian	Indian	OW	P		
UTE TRIBAL 13-29D-55	29	050S	050W	4301333807	18378	Indian	Indian	OW	OPS		
UTE TRIBAL 1-32R	32	050S	040W	4301330872	13020	Indian	Indian	OW	P		
UTE TRIBAL 1-33	33	050S	040W	4301332185	13024	Indian	Indian	OW	P		
UTE TRIBAL 13-30-54	30	050S	040W	4301332409	13968	Indian	Indian	OW	P		
UTE TRIBAL 13-31-54	31	050S	040W	4301332688	14517	Indian	Indian	OW	P		
UTE TRIBAL 13-32-54	32	050S	040W	4301332692	14490	Indian	Indian	OW	P		
UTE TRIBAL 13-33-54	33	050S	040W	4301332742	14736	Indian	Indian	OW	P		
UTE TRIBAL 13-35-54	35	050S	040W	4301332806	15292	Indian	Indian	OW	P		
UTE TRIBAL 13-35D-55	35	050S	050W	4301334117	18442	Indian	Indian	OW	P		
UTE TRIBAL 13-36D-55	36	050S	050W	4301333624	17744	Indian	Indian	OW	P		
UTE TRIBAL 1-34	34	050S	040W	4301332186	13121	Indian	Fee	OW	P		
UTE TRIBAL 1-34D-55	34	050S	050W	4301350408	17931	Indian	Indian	OW	P		
UTE TRIBAL 1-35-54	35	050S	040W	4301332567	14266	Indian	Indian	OW	P		
UTE TRIBAL 1-35D-55	35	050S	050W	4301333967	17420	Indian	Indian	OW	P		
UTE TRIBAL 1-36-55	36	050S	050W	4301332760	14822	Indian	Indian	OW	P		
UTE TRIBAL 13H-16-55	16	050S	050W	4301333380	18357	Indian	Indian	OW	P		
Ute Tribal 14-11D-54	11	050S	040W	4301352332	19245	Indian	Indian	OW	DRL		
UTE TRIBAL 14-14-54	14	050S	040W	4301333112	15440	Indian	Indian	OW	P		
UTE TRIBAL 14-14D-55	14	050S	050W	4301333699	18409	Indian	Indian	OW	OPS		
UTE TRIBAL 14-15-55	15	050S	050W	4301332979	15369	Indian	Indian	OW	P		
UTE TRIBAL 14-16-54	16	050S	040W	4301333123	15639	Indian	Indian	OW	P		
UTE TRIBAL 14-17	17	050S	040W	4301332147	12755	Indian	Indian	OW	P		BRUNDAGE CANYON
UTE TRIBAL 14-18-55	18	050S	050W	4301332984	15671	Indian	Indian	OW	P		
UTE TRIBAL 14-19-54	19	050S	040W	4301332690	14546	Indian	Fee	OW	P		
UTE TRIBAL 14-20-54	20	050S	040W	4301332702	14459	Indian	Indian	OW	P		
UTE TRIBAL 14-20D-55	20	050S	050W	4301333909	18559	Indian	Indian	OW	P		
UTE TRIBAL 14-21-54	21	050S	040W	4301332384	13946	Indian	Indian	OW	P		
UTE TRIBAL 14-22-54	22	050S	040W	4301332593	14220	Indian	Indian	OW	P		
UTE TRIBAL 14-22D-55	22	050S	050W	4301333717	16669	Indian	Indian	OW	P		
UTE TRIBAL 14-23D-55	23	050S	050W	4301333915	17457	Indian	Indian	OW	P		
UTE TRIBAL 14-24-56	24	050S	060W	4301332988	15740	Indian	Indian	OW	P		
UTE TRIBAL 14-24D-55	24	050S	050W	4301333912	16943	Indian	Indian	OW	P		
UTE TRIBAL 14-25-54	25	050S	040W	4301332776	14753	Indian	Indian	OW	P		
UTE TRIBAL 14-25-55	25	050S	050W	4301332750	14798	Indian	Indian	OW	P		
UTE TRIBAL 14-26D-54	26	050S	040W	4301333673	16299	Indian	Indian	OW	P		
UTE TRIBAL 14-26D-55	26	050S	050W	4301333361	15938	Indian	Indian	OW	P		
UTE TRIBAL 14-27D-55	27	050S	050W	4301333684	16667	Indian	Indian	OW	P		
UTE TRIBAL 14-28-55	28	050S	050W	4301332348	13580	Indian	Indian	OW	P		
UTE TRIBAL 14-28D-54	28	050S	040W	4301333278	15817	Indian	Indian	OW	P		
UTE TRIBAL 14-29-54	29	050S	040W	4301333154	15831	Indian	Indian	OW	P		
UTE TRIBAL 14-31D-54	31	050S	040W	4301333042	15419	Indian	Indian	OW	P		
UTE TRIBAL 14-32-54	32	050S	040W	4301332523	14062	Indian	Indian	OW	P		
UTE TRIBAL 14-33-54	33	050S	040W	4301333093	15399	Indian	Indian	OW	P		
UTE Tribal 14-35D-54	35	050S	040W	4301352199	19311	Indian	Indian	GW	DRL		
UTE TRIBAL 14-35D-55	35	050S	050W	4301333955	17416	Indian	Indian	OW	P		
UTE TRIBAL 14-36-55	36	050S	050W	4301332355	14262	Indian	Indian	OW	P		
Ute Tribal 14-3D-54	3	050S	040W	4301352298	19258	Indian	Indian	OW	DRL		
Ute Tribal 14-4D-54	4	050S	040W	4301352346	19306	Indian	Indian	OW	DRL		
UTE TRIBAL 14Q-28-54	28	050S	040W	4301333277	15818	Indian	Indian	OW	P		
UTE TRIBAL 14Q-30-54	30	050S	040W	4301333479	16151	Indian	Indian	OW	P		
UTE TRIBAL 15-13D-55	13	050S	050W	4301333212	15642	Indian	Indian	OW	P		
UTE TRIBAL 15-15-54	15	050S	040W	4301332971	15310	Indian	Indian	OW	P		
UTE TRIBAL 15-16	16	050S	040W	4301331648	11951	Indian	Indian	OW	P		
UTE TRIBAL 15-17-55	17	050S	050W	4301332358	13698	Indian	Indian	OW	P		
UTE TRIBAL 15-18	18	050S	040W	4301332148	12794	Indian	Indian	OW	P		BRUNDAGE CANYON
UTE TRIBAL 15-19	19	050S	040W	4301331832	12180	Indian	Indian	OW	P		
UTE TRIBAL 15-20-54	20	050S	040W	4301332386	13911	Indian	Indian	OW	P		
UTE TRIBAL 15-21-54	21	050S	040W	4301333114	15441	Indian	Indian	OW	P		BERRY PILOT EOR 246-02
UTE TRIBAL 15-21-55	21	050S	050W	4301333357	15791	Indian	Indian	OW	P		
UTE TRIBAL 15-22-55	22	050S	050W	4301332617	14921	Indian	Indian	OW	P		
UTE TRIBAL 15-22D-54	22	050S	040W	4301334116	17415	Indian	Indian	OW	P		
UTE TRIBAL 15-23	23	050S	050W	4301331671	11989	Indian	Indian	OW	P		
UTE TRIBAL 15-24R	24	050S	050W	4301331129	11985	Indian	Indian	OW	P		
UTE TRIBAL 15-25-55	25	050S	050W	4301332271	13566	Indian	Indian	OW	P		
UTE TRIBAL 15-26D-54	26	050S	040W	4301333768	17450	Indian	Indian	OW	P		
UTE TRIBAL 15-26D-55	26	050S	050W	4301333362	15869	Indian	Indian	OW	P		
UTE TRIBAL 15-27-55	27	050S	050W	4301332339	14020	Indian	Indian	OW	P		
UTE TRIBAL 15-28-54	28	050S	040W	4301332389	13909	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 15-29-54	29	050S	040W	4301332561	14316	Indian	Indian	OW	P		
UTE TRIBAL 15-30-54	30	050S	040W	4301332382	13944	Indian	Indian	OW	P		
UTE TRIBAL 15-31-54	31	050S	040W	4301332743	14690	Indian	Indian	OW	P		
UTE TRIBAL 15-32-54	32	050S	040W	4301332666	14460	Indian	Indian	OW	P		
UTE TRIBAL 15-33-54	33	050S	040W	4301332768	15210	Indian	Indian	OW	P		
UTE TRIBAL 15-35-54	35	050S	040W	4301332804	15185	Indian	Indian	OW	P		
UTE TRIBAL 15-35D-55	35	050S	050W	4301333954	17417	Indian	Indian	OW	P		
UTE TRIBAL 15-36-55	36	050S	050W	4301333049	15379	Indian	Indian	OW	P		
Ute Tribal 15-3D-54	3	050S	040W	4301352250	19237	Indian	Indian	OW	DRL		
Ute Tribal 15-4D-54	4	050S	040W	4301352303	19293	Indian	Indian	OW	DRL		
UTE TRIBAL 15-5-55	5	050S	050W	4301351239	18740	Indian	Indian	OW	P		
UTE TRIBAL 16-11-55	11	050S	050W	4301350888	18707	Indian	Indian	OW	P		
UTE TRIBAL 16-13D-55	13	050S	050W	4301333327	15891	Indian	Indian	OW	P		
UTE TRIBAL 16-14-55	14	050S	050W	4301332272	13567	Indian	Indian	OW	P		
UTE TRIBAL 16-15-54	15	050S	040W	4301332588	14311	Indian	Indian	OW	P		
UTE TRIBAL 16-16-55	16	050S	050W	4301332757	14865	Indian	Indian	OW	P		
UTE TRIBAL 16-17-54	17	050S	040W	4301333132	15524	Indian	Indian	OW	P		
UTE TRIBAL 16-18	18	050S	040W	4301331650	11946	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 16-19-54	19	050S	040W	4301332691	14491	Indian	Indian	OW	P		
UTE TRIBAL 16-20-54	20	050S	040W	4301332739	14671	Indian	Indian	OW	P		
UTE TRIBAL 16-21-54	21	050S	040W	4301332384	13912	Indian	Indian	OW	P	BERRY PILOT EOR 246-02	
UTE TRIBAL 16-22-54	22	050S	040W	4301332842	15015	Indian	Indian	OW	P		
UTE TRIBAL 16-22D-55	22	050S	050W	4301333267	15703	Indian	Indian	OW	P		
UTE TRIBAL 16-23-55	23	050S	050W	4301333046	15211	Indian	Indian	OW	P		
UTE TRIBAL 16-24-54	24	050S	040W	4301332775	14762	Indian	Indian	OW	P		
UTE TRIBAL 16-24-55	24	050S	050W	4301332672	14384	Indian	Indian	GW	P		
UTE TRIBAL 16-25-54	25	050S	040W	4301332779	15078	Indian	Indian	OW	P		
UTE TRIBAL 16-25-55	25	050S	050W	4301332759	14821	Indian	Indian	OW	P		
UTE TRIBAL 16-26-54	26	050S	040W	4301334042	17413	Indian	Indian	OW	P		
UTE TRIBAL 16-26D-55	26	050S	050W	4301333965	17418	Indian	Indian	OW	P		
UTE TRIBAL 16-27D-55	27	050S	050W	4301333786	17800	Indian	Indian	OW	P		
UTE TRIBAL 16-28D-54	28	050S	040W	4301333041	15377	Indian	Indian	OW	P		
UTE TRIBAL 16-28D-55	28	050S	050W	4301333887	18594	Indian	Indian	OW	DRL		
UTE TRIBAL 16-29-54	29	050S	040W	4301333076	17074	Indian	Indian	OW	P		
UTE TRIBAL 16-29-55	29	050S	050W	4301332349	13581	Indian	Indian	OW	P		
UTE TRIBAL 16-30-54	30	050S	040W	4301332718	14604	Indian	Indian	OW	P		
UTE TRIBAL 16-31D-54	31	050S	040W	4301333326	15800	Indian	Indian	OW	P		
UTE TRIBAL 16-32D-54	32	050S	040W	4301332926	16971	Indian	Indian	OW	P		
UTE TRIBAL 16-33-54	33	050S	040W	4301333091	15397	Indian	Indian	OW	P		
UTE TRIBAL 16-3-54	3	050S	040W	4301351226	18664	Indian	Indian	OW	P		
UTE TRIBAL 16-35-55	35	050S	050W	4301332352	14267	Indian	Indian	OW	P		
UTE Tribal 16-35D-54	35	050S	040W	4301352230	99999	Indian	Indian	GW	DRL		
UTE TRIBAL 16-36-55	36	050S	050W	4301332356	14122	Indian	Indian	OW	P		
UTE TRIBAL 1A-29-54	29	050S	040W	4301333393	17075	Indian	Indian	OW	P		
UTE TRIBAL 11-36-55	36	050S	050W	4301333186	15865	Indian	Indian	OW	P		
UTE TRIBAL 2-10D-54	10	050S	040W	4301351411	19172	Indian	Indian	OW	P		
UTE TRIBAL 2-14-54	14	050S	040W	4301333111	16832	Indian	Indian	OW	P		
UTE TRIBAL 2-19	19	050S	040W	4301332140	12795	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 2-20-54	20	050S	040W	4301332974	15269	Indian	Indian	OW	P		
UTE TRIBAL 2-21-55	21	050S	050W	4301333117	15582	Indian	Indian	OW	P		
UTE TRIBAL 2-22-54	22	050S	040W	4301332591	14328	Indian	Indian	OW	P		
UTE TRIBAL 2-22-55	22	050S	050W	4301332604	14268	Indian	Indian	OW	P		
UTE TRIBAL 2-23-55	23	050S	050W	4301333045	15416	Indian	Indian	OW	P		
UTE TRIBAL 2-24-54	24	050S	040W	4301332569	14314	Indian	Indian	OW	P		
UTE TRIBAL 2-25	25	050S	050W	4301331833	12153	Indian	Indian	OW	P		
UTE TRIBAL 2-26-54	26	050S	040W	4301332868	15231	Indian	Indian	OW	P		
UTE TRIBAL 2-26D-55	26	050S	050W	4301333979	17456	Indian	Indian	OW	P		
UTE TRIBAL 2-27	27	050S	040W	4301332179	12975	Indian	Fee	OW	P		
UTE TRIBAL 2-27D-55	27	050S	050W	4301333628	16746	Indian	Indian	OW	P		
UTE TRIBAL 2-28-54	28	050S	040W	4301332763	14723	Indian	Indian	OW	P		
UTE TRIBAL 2-29-54	29	050S	040W	4301333153	15919	Indian	Indian	OW	P		
UTE TRIBAL 2-29D-55	29	050S	050W	4301333714	16854	Indian	Indian	OW	P		
UTE TRIBAL 2-30-55	30	050S	050W	4301332680	14427	Indian	Indian	OW	P		
UTE TRIBAL 2-30D-54	30	050S	040W	4301332894	15298	Indian	Indian	OW	P		
UTE TRIBAL 2-31-54	31	050S	040W	4301332762	14845	Indian	Indian	OW	P		
UTE TRIBAL 2-31-55	31	050S	050W	4301332935	15428	Indian	Indian	OW	P		
UTE TRIBAL 2-32-54	32	050S	040W	4301332803	15151	Indian	Indian	OW	P		
UTE TRIBAL 2-32-55	32	050S	050W	4301332350	13695	Indian	Indian	OW	P		
UTE TRIBAL 2-33D-54	33	050S	040W	4301332898	15271	Indian	Indian	OW	P		
UTE TRIBAL 2-35	35	050S	050W	4301332187	13021	Indian	Indian	OW	P		
UTE TRIBAL 2-36-55	36	050S	050W	4301332422	13937	Indian	Indian	OW	P		
UTE TRIBAL 2-5-54	5	050S	040W	4301351520	18880	Indian	Fee	OW	P		
UTE TRIBAL 2-9-54	9	050S	040W	4301351128	18946	Indian	Indian	OW	P		
UTE TRIBAL 3-10-54	10	050S	040W	4301332663	14414	Indian	Indian	OW	P		
UTE TRIBAL 3-14-55	14	050S	050W	4301350478	18002	Indian	Indian	OW	P		
UTE TRIBAL 3-14D-54	14	050S	040W	4301350389	17904	Indian	Indian	OW	P		
UTE TRIBAL 3-19	19	050S	040W	4301331830	12197	Indian	Indian	OW	P		
UTE TRIBAL 3-20-54	20	050S	040W	4301332377	13955	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 3-20D-55	20	050S	050W	4301333280	18424	Indian	Indian	OW	OPS		
UTE TRIBAL 3-21-54	21	050S	040W	4301332867	15554	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 3-21-55	21	050S	050W	4301332758	15112	Indian	Indian	OW	P		
UTE TRIBAL 3-22-54	22	050S	040W	4301333208	15640	Indian	Indian	OW	P		
UTE TRIBAL 3-22-55	22	050S	050W	4301332605	14298	Indian	Indian	OW	P		
UTE TRIBAL 3-23-55	23	050S	050W	4301332536	14077	Indian	Indian	OW	P		
UTE TRIBAL 3-24R-55 (REENTRY)	24	050S	050W	4301330960	15173	Indian	Indian	OW	P		
UTE TRIBAL 3-25	25	050S	050W	4301331834	12152	Indian	Indian	OW	P		
UTE TRIBAL 3-25-56	25	050S	060W	4301332993	15561	Indian	Indian	OW	P		
UTE TRIBAL 3-26D-54	26	050S	040W	4301333681	16665	Indian	Indian	OW	P		
UTE TRIBAL 3-27-55	27	050S	050W	4301332417	14022	Indian	Indian	OW	P		
UTE TRIBAL 3-28-54	28	050S	040W	4301332261	13644	Indian	Indian	OW	P		
UTE TRIBAL 3-29	29	050S	040W	4301332193	13042	Indian	Indian	OW	P		
UTE TRIBAL 3-29-55	29	050S	050W	4301333723	16857	Indian	Indian	OW	P		
UTE TRIBAL 3-30-54	30	050S	040W	4301332625	14364	Indian	Indian	OW	P		
UTE TRIBAL 3-30-55	30	050S	050W	4301332862	15340	Indian	Indian	OW	P		
UTE TRIBAL 3-31-54	31	050S	040W	4301332527	14109	Indian	Indian	OW	P		
UTE TRIBAL 3-32-54	32	050S	040W	4301332410	13949	Indian	Indian	OW	P		
UTE TRIBAL 3-32D-55	32	050S	050W	4301333363	15936	Indian	Indian	OW	P		
UTE TRIBAL 3-33-54	33	050S	040W	4301332412	13938	Indian	Indian	OW	P		
UTE TRIBAL 3-35-54	35	050S	040W	4301332675	14656	Indian	Indian	OW	P		
UTE TRIBAL 3-35D-55	35	050S	050W	4301333888	17421	Indian	Indian	OW	P		
UTE TRIBAL 3-36-55	36	050S	050W	4301332751	14842	Indian	Indian	OW	P		
UTE TRIBAL 3G-31-54	31	050S	040W	4301333185	15746	Indian	Indian	OW	P		
UTE TRIBAL 4-10D-54	10	050S	040W	4301351414	19069	Indian	Indian	OW	P		
UTE TRIBAL 4-14D-54	14	050S	040W	4301333270	15679	Indian	Indian	OW	P		
UTE TRIBAL 4-19-54	19	050S	040W	4301332972	15382	Indian	Indian	OW	P		
UTE TRIBAL 4-20-54	20	050S	040W	4301332621	14518	Indian	Indian	OW	P		
UTE TRIBAL 4-20D-55	20	050S	050W	4301333549	18075	Indian	Indian	OW	P		BRUNDAGE CANYON
UTE TRIBAL 4-21-54	21	050S	040W	4301332378	13907	Indian	Indian	OW	P		
UTE TRIBAL 4-22-55	22	050S	050W	4301333044	15381	Indian	Indian	OW	P		
UTE TRIBAL 4-23D-55	23	050S	050W	4301333627	16818	Indian	Indian	OW	P		
UTE TRIBAL 4-24-54	24	050S	040W	4301332573	14247	Indian	Indian	OW	P		
UTE TRIBAL 4-24D-55	24	050S	050W	4301333726	16673	Indian	Indian	OW	P		
UTE TRIBAL 4-25-55	25	050S	050W	4301332928	15421	Indian	Indian	OW	P		
UTE TRIBAL 4-26D-54	26	050S	040W	4301333595	16591	Indian	Indian	OW	P		
UTE TRIBAL 4-26D-55	26	050S	050W	4301333978	17455	Indian	Indian	OW	P		
UTE TRIBAL 4-27D-55	27	050S	050W	4301333797	16700	Indian	Indian	OW	P		
UTE TRIBAL 4-28-54	28	050S	040W	4301332741	14672	Indian	Indian	OW	P		
UTE TRIBAL 4-28-55	28	050S	050W	4301333118	15506	Indian	Indian	OW	P		
UTE TRIBAL 4-29-54	29	050S	040W	4301332565	14367	Indian	Indian	OW	P		
UTE TRIBAL 4-30	30	050S	040W	4301331550	11914	Indian	Indian	OW	P		
UTE TRIBAL 4-31-54	31	050S	040W	4301332767	14494	Indian	Indian	OW	P		
UTE TRIBAL 4-32-54	32	050S	040W	4301332896	15555	Indian	Indian	OW	P		
UTE TRIBAL 4-32-55	32	050S	050W	4301333379	15819	Indian	Indian	OW	P		
UTE TRIBAL 4-33-54	33	050S	040W	4301332871	15040	Indian	Indian	OW	P		
UTE TRIBAL 4-33-55	33	050S	050W	4301332357	13685	Indian	Indian	OW	P		
UTE Tribal 4-35D-54	35	050S	040W	4301352159	19255	Indian	Indian	GW	DRL		
UTE TRIBAL 4-36	36	050S	050W	4301332188	13063	Indian	Indian	OW	P		
UTE TRIBAL 4-9-54	9	050S	040W	4301351126	19059	Indian	Indian	OW	P		
UTE TRIBAL 4-9-55	9	050S	050W	4301351238	18796	Indian	Indian	OW	P		
UTE TRIBAL 5-13	13	050S	050W	4301331152	10421	Indian	Indian	OW	P		
UTE TRIBAL 5-13-54	13	050S	040W	4301333075	15873	Indian	Indian	OW	P		
UTE TRIBAL 5-14-54	14	050S	040W	4301333619	16945	Indian	Indian	OW	P		
UTE TRIBAL 5-14-55	14	050S	050W	4301350479	18021	Indian	Indian	OW	P		
UTE TRIBAL 5-15-55	15	050S	050W	4301332344	13606	Indian	Indian	OW	P		
UTE TRIBAL 5-16D-54	16	050S	040W	4301350475	17991	Indian	Indian	OW	P		
UTE TRIBAL 5-17-55	17	050S	050W	4301351220	18841	Indian	Indian	OW	P		
UTE TRIBAL 5-19	19	050S	040W	4301332204	13090	Indian	Indian	OW	P		
UTE TRIBAL 5-20	20	050S	040W	4301331651	11957	Indian	Indian	OW	P		
UTE TRIBAL 5-21-54	21	050S	040W	4301333324	15748	Indian	Indian	OW	P		
UTE TRIBAL 5-21D-55	21	050S	050W	4301333706	16298	Indian	Indian	OW	P		
UTE TRIBAL 5-22-54	22	050S	040W	4301332624	14547	Indian	Indian	OW	P		
UTE TRIBAL 5-23-55	23	050S	050W	4301332537	14108	Indian	Indian	OW	P		
UTE TRIBAL 5-24-55	24	050S	050W	4301332263	13621	Indian	Indian	OW	P		
UTE TRIBAL 5-25-56	25	050S	060W	4301332992	15648	Indian	Indian	OW	P		
UTE TRIBAL 5-25D-55	25	050S	050W	4301333421	16589	Indian	Indian	OW	P		
UTE TRIBAL 5-26-54	26	050S	040W	4301332890	15268	Indian	Indian	OW	P		
UTE TRIBAL 5-26-55	26	050S	050W	4301332264	13642	Indian	Indian	OW	P		
UTE TRIBAL 5-27-55	27	050S	050W	4301332614	14881	Indian	Indian	OW	P		
UTE TRIBAL 5-28	28	050S	040W	4301332189	13026	Indian	Indian	OW	P		
UTE TRIBAL 5-29-54	29	050S	040W	4301332525	14045	Indian	Indian	OW	P		
UTE TRIBAL 5-29D-55	29	050S	050W	4301333740	17306	Indian	Indian	OW	OPS		
UTE TRIBAL 5-30-54	30	050S	040W	4301332380	13905	Indian	Indian	OW	P		
UTE TRIBAL 5-31	31	050S	040W	4301332190	13080	Indian	Indian	OW	P		
UTE TRIBAL 5-32-54	32	050S	040W	4301332539	14112	Indian	Indian	OW	P		
UTE TRIBAL 5-33-54	33	050S	040W	4301332521	14060	Indian	Indian	OW	P		
UTE TRIBAL 5-35-54	35	050S	040W	4301332805	15485	Indian	Indian	OW	P		
UTE TRIBAL 5-36-55	36	050S	050W	4301332930	15301	Indian	Indian	OW	P		
Ute Tribal 6-11D-54	11	050S	040W	4301352330	19243	Indian	Indian	OW	DRL		
UTE TRIBAL 6-14-54	14	050S	040W	4301332586	15270	Indian	Indian	OW	P		
UTE TRIBAL 6-14D-55	14	050S	050W	4301350246	17602	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 6-16D-54	16	050S	040W	4301351307	19060	Indian	Indian	OW	P		
UTE TRIBAL 6-19-54	19	050S	040W	4301332865	14947	Indian	Indian	OW	P		
UTE TRIBAL 6-20-54	20	050S	040W	4301332622	14382	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 6-20D-55	20	050S	050W	4301333910	18481	Indian	Indian	OW	DRL		
UTE TRIBAL 6-21	21	050S	040W	4301332164	12994	Indian	Indian	OW	P		
UTE TRIBAL 6-22	22	050S	040W	4301332163	12974	Indian	Indian	OW	P		
UTE TRIBAL 6-22D-55	22	050S	050W	4301333213	16831	Indian	Indian	OW	P		
UTE TRIBAL 6-23D-55	23	050S	050W	4301333187	15996	Indian	Indian	OW	P		
UTE TRIBAL 6-24-54	24	050S	040W	4301332570	14299	Indian	Indian	OW	P		
UTE TRIBAL 6-25H	25	050S	050W	4301332143	12750	Indian	Indian	OW	P		
UTE TRIBAL 6-26D-54	26	050S	040W	4301333625	16619	Indian	Indian	OW	P		
UTE TRIBAL 6-26D-55	26	050S	050W	4301333476	16657	Indian	Indian	OW	P		
UTE TRIBAL 6-28D-54	28	050S	040W	4301332892	15232	Indian	Indian	OW	P		
UTE TRIBAL 6-28D-55	28	050S	050W	4301334056	18593	Indian	Indian	OW	DRL		
UTE TRIBAL 6-29-54	29	050S	040W	4301333172	15846	Indian	Indian	OW	P		
UTE TRIBAL 6-29-55	29	050S	050W	4301333120	15504	Indian	Indian	OW	P		
UTE TRIBAL 6-30-55	30	050S	050W	4301332783	15163	Indian	Indian	OW	P		
UTE TRIBAL 6-31D-54	31	050S	040W	4301333325	16185	Indian	Indian	OW	P		
UTE TRIBAL 6-32-55	32	050S	050W	4301332420	14895	Indian	Indian	OW	P		
UTE TRIBAL 6-32D-54	32	050S	040W	4301332897	15312	Indian	Indian	OW	P		
UTE TRIBAL 6-33-54	33	050S	040W	4301332872	15059	Indian	Indian	OW	P		
UTE Tribal 6-35D-54	35	050S	040W	4301352158	19254	Indian	Indian	GW	DRL		
UTE TRIBAL 6-35D-55	35	050S	050W	4301334028	17785	Indian	Indian	OW	P		
UTE TRIBAL 6-36-55	36	050S	050W	4301332265	13600	Indian	Indian	OW	P		
UTE TRIBAL 6-9-54	9	050S	040W	4301351127	19017	Indian	Indian	OW	P		
UTE TRIBAL 7-14-54	14	050S	040W	4301350409	17924	Indian	Indian	OW	P		
UTE TRIBAL 7-14-55	14	050S	050W	4301333269	15693	Indian	Indian	OW	P		
UTE TRIBAL 7-15-55	15	050S	050W	4301332976	15311	Indian	Indian	OW	P		
UTE TRIBAL 7-16-54	16	050S	040W	4301333130	15455	Indian	Indian	OW	P		
UTE TRIBAL 7-19-55	19	050S	050W	4301332863	15279	Indian	Indian	OW	P		
UTE TRIBAL 7-20-55	20	050S	050W	4301332346	13607	Indian	Indian	OW	P		
UTE TRIBAL 7-20R-54	20	050S	040W	4301331281	14088	Indian	Indian	OW	P		
UTE TRIBAL 7-22-54	22	050S	040W	4301332761	15661	Indian	Indian	OW	P		
UTE TRIBAL 7-22D-55	22	050S	050W	4301333721	16670	Indian	Indian	OW	P		
UTE TRIBAL 7-23-55	23	050S	050W	4301332514	13976	Indian	Indian	OW	P		
UTE TRIBAL 7-24-56	24	050S	060W	4301332989	15782	Indian	Indian	OW	P		
UTE TRIBAL 7-25-56	25	050S	060W	4301332991	15617	Indian	Indian	OW	P		
UTE TRIBAL 7-26D-54	26	050S	040W	4301333621	16664	Indian	Indian	OW	P		
UTE TRIBAL 7-26D-55	26	050S	050W	4301333477	16658	Indian	Indian	OW	P		
UTE TRIBAL 7-27-55	27	050S	050W	4301332418	13948	Indian	Indian	OW	P		
UTE TRIBAL 7-28	28	050S	040W	4301332166	12995	Indian	Indian	OW	P		
UTE TRIBAL 7-28D-55	28	050S	050W	4301333788	16886	Indian	Indian	OW	P		
UTE TRIBAL 7-29-54	29	050S	040W	4301332562	14354	Indian	Indian	OW	P		
UTE TRIBAL 7-29D-55	29	050S	050W	4301333715	16853	Indian	Indian	OW	P		
UTE TRIBAL 7-30	30	050S	040W	4301332167	12945	Indian	Indian	OW	P		
UTE TRIBAL 7-31-54	31	050S	040W	4301332528	14160	Indian	Indian	OW	P		
UTE TRIBAL 7-32-54	32	050S	040W	4301332411	13936	Indian	Indian	OW	P		
UTE TRIBAL 7-32D-55	32	050S	050W	4301333794	18359	Indian	Indian	OW	OPS		
UTE TRIBAL 7-33-54	33	050S	040W	4301332413	13945	Indian	Indian	OW	P		
UTE TRIBAL 7-34-55	34	050S	050W	4301350510	17949	Indian	Indian	OW	P		
UTE TRIBAL 7-35-54	35	050S	040W	4301332774	15019	Indian	Indian	OW	P		
UTE TRIBAL 7-35-55	35	050S	050W	4301333048	15367	Indian	Indian	OW	P		
UTE TRIBAL 7-36-55	36	050S	050W	4301332929	15341	Indian	Indian	OW	P		
UTE TRIBAL 7I-21D-54	21	050S	040W	4301350852	18423	Indian	Indian	OW	P	BERRY PILOT EOR 246-02	
UTE TRIBAL 8-10D-54	10	050S	040W	4301350488	18099	Indian	Indian	OW	P		
UTE TRIBAL 8-14-54	14	050S	040W	4301333204	15656	Indian	Indian	OW	P		
UTE TRIBAL 8-15D-55	15	050S	050W	4301350477	17974	Indian	Indian	OW	P		
UTE TRIBAL 8-16D-54	16	050S	040W	4301351295	19003	Indian	Indian	OW	P		
UTE TRIBAL 8-19-54	19	050S	040W	4301332840	14946	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 8-19-55	19	050S	050W	4301332864	15241	Indian	Indian	OW	P		
UTE TRIBAL 8-20-54	20	050S	040W	4301332973	15245	Indian	Indian	OW	P		
UTE TRIBAL 8-20D-55	20	050S	050W	4301333676	17308	Indian	Indian	OW	OPS		
UTE TRIBAL 8-21D-55	21	050S	050W	4301350435	17963	Indian	Indian	OW	P		
UTE TRIBAL 8-22-54	22	050S	040W	4301332590	14219	Indian	Indian	OW	P		
UTE TRIBAL 8-23D-55	23	050S	050W	4301333552	16662	Indian	Indian	OW	P		
UTE TRIBAL 8-24-54	24	050S	040W	4301332933	15402	Indian	Indian	OW	P		
UTE TRIBAL 8-24-55	24	050S	050W	4301333420	15997	Indian	Indian	OW	P		
UTE TRIBAL 8-25-54	25	050S	040W	4301332780	15280	Indian	Indian	OW	P		
UTE TRIBAL 8-25-55	25	050S	050W	4301332620	14365	Indian	Indian	OW	P		
UTE TRIBAL 8-26D-54	26	050S	040W	4301333682	17031	Indian	Indian	OW	P		
UTE TRIBAL 8-26D-55	26	050S	050W	4301333859	17859	Indian	Indian	OW	P		
UTE TRIBAL 8-27D-55	27	050S	050W	4301334058	17842	Indian	Indian	OW	P		
UTE TRIBAL 8-28-54	28	050S	040W	4301332766	14777	Indian	Indian	OW	P		
UTE TRIBAL 8-28-55	28	050S	050W	4301332694	14574	Indian	Indian	OW	P		
UTE TRIBAL 8-29-55	29	050S	050W	4301333119	15507	Indian	Indian	OW	P		
UTE TRIBAL 8-30-54	30	050S	040W	4301332746	15583	Indian	Indian	OW	P		
UTE TRIBAL 8-31-54	31	050S	040W	4301332869	14970	Indian	Indian	OW	P		
UTE TRIBAL 8-31-55	31	050S	050W	4301332673	14407	Indian	Indian	OW	P		
UTE TRIBAL 8-32-54	32	050S	040W	4301332870	15152	Indian	Indian	OW	P		
UTE TRIBAL 8-32-55	32	050S	050W	4301332421	14896	Indian	Indian	OW	P		

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral Lease	Surface Lease	Well Type	Well Status	Unit	SUA in place
UTE TRIBAL 8-33-54	33	050S	040W	4301333089	15398	Indian	Indian	OW	P		
UTE TRIBAL 8-34D-55	34	050S	050W	4301350436	17952	Indian	Indian	OW	P		
UTE TRIBAL 8-36-55	36	050S	050W	4301332423	14021	Indian	Indian	OW	P		
UTE TRIBAL 8-9-54	9	050S	040W	4301351143	18947	Indian	Indian	OW	P		
UTE TRIBAL 8L-21D-54	21	050S	040W	4301350853	18423	Indian	Indian	OW	P	BERRY PILOT EOR 246-02	
UTE TRIBAL 9-13D-55	13	050S	050W	4301333328	15892	Indian	Indian	OW	P		
UTE TRIBAL 9-14D-54	14	050S	040W	4301333796	17482	Indian	Indian	OW	P		
UTE TRIBAL 9-15-55	15	050S	050W	4301332701	14573	Indian	Indian	OW	P		
UTE TRIBAL 9-16-54	16	050S	040W	4301333207	15660	Indian	Indian	OW	P		
UTE TRIBAL 9-17-54	17	050S	040W	4301332687	15309	Indian	Indian	OW	P		
UTE TRIBAL 9-18	18	050S	040W	4301332144	12746	Indian	Indian	OW	P	BRUNDAGE CANYON	
UTE TRIBAL 9-19	19	050S	040W	4301331831	12175	Indian	Indian	OW	P		
UTE TRIBAL 9-20-54	20	050S	040W	4301332379	13906	Indian	Indian	OW	P		
UTE TRIBAL 9-20D-55	20	050S	050W	4301333675	17309	Indian	Indian	OW	P		
UTE TRIBAL 9-21-54	21	050S	040W	4301333040	15360	Indian	Indian	OW	P	BERRY PILOT EOR 246-02	
UTE TRIBAL 9-22-54	22	050S	040W	4301332889	15607	Indian	Indian	OW	P		
UTE TRIBAL 9-22-55	22	050S	050W	4301332606	14330	Indian	Indian	OW	P		
UTE TRIBAL 9-24-55	24	050S	050W	4301332268	13620	Indian	Indian	OW	P		
UTE TRIBAL 9-25-55	25	050S	050W	4301332390	13715	Indian	Indian	OW	P		
UTE TRIBAL 9-26	26	050S	040W	4301332191	13101	Indian	Indian	OW	P		
UTE TRIBAL 9-26D-55	26	050S	050W	4301333359	15853	Indian	Indian	OW	P		
UTE TRIBAL 9-28-54	28	050S	040W	4301332388	13910	Indian	Indian	OW	P		
UTE TRIBAL 9-28D-55	28	050S	050W	4301333787	16887	Indian	Indian	OW	P		
UTE TRIBAL 9-29-54	29	050S	040W	4301332566	14369	Indian	Indian	OW	P		
UTE TRIBAL 9-30-54	30	050S	040W	4301332383	14050	Indian	Indian	OW	P		
UTE TRIBAL 9-31-54	31	050S	040W	4301332529	14177	Indian	Indian	OW	P		
UTE TRIBAL 9-31-55	31	050S	050W	4301333508	17103	Indian	Indian	OW	P		
UTE TRIBAL 9-32-54	32	050S	040W	4301332538	14199	Indian	Indian	OW	P		
UTE TRIBAL 9-32D-55	32	050S	050W	4301333800	18361	Indian	Indian	OW	P		
UTE TRIBAL 9-33-54	33	050S	040W	4301332549	14162	Indian	Indian	OW	P		
UTE TRIBAL 9-35-54	35	050S	040W	4301332781	15535	Indian	Indian	OW	P		
UTE TRIBAL 9-35-55	35	050S	050W	4301333047	15378	Indian	Indian	OW	P		
UTE TRIBAL 9-36D-55	36	050S	050W	4301333239	15933	Indian	Indian	OW	P		
Ute Tribal 9-3D-54	3	050S	040W	4301352249	19236	Indian	Indian	OW	DRL		
Ute Tribal 9-4D-54	4	050S	040W	4301352305	19304	Indian	Indian	OW	DRL		
UTE TRIBAL 9-5-54	5	050S	040W	4301351111	18909	Indian	Indian	OW	P		
UTE TRIBAL 9S-19-54	19	050S	040W	4301333276	16153	Indian	Indian	OW	P		
UTE TRIBAL 9S-25-55	25	050S	050W	4301333245	15962	Indian	Indian	OW	P		
Vieira Tribal 3-4D-54	4	050S	040W	4301352145	19210	Indian	Fee	OW	DRL		
VIEIRA TRIBAL 4-4-54	4	050S	040W	4301350997	18747	Indian	Fee	OW	P		
Vieira Tribal 5-4D-54	4	050S	040W	4301352146	19193	Indian	Fee	OW	DRL		
Vieira Tribal 6-4D-54	4	050S	040W	4301352147	19216	Indian	Fee	OW	DRL		
WILCOX ELIASON 7-15-56	15	050S	060W	4301333122	15526	Fee	Fee	OW	P		Y
WILCOX FEE 1-20-56	20	050S	060W	4301333150	15745	Fee	Fee	OW	P		Y
WILCOX FEE 15-16-56	16	050S	060W	4301333151	15527	Fee	Fee	OW	P		Y
WILLIAMSON TRIBAL 3-34-54	34	050S	040W	4301332550	14222	Indian	Fee	OW	P		
WILLIAMSON TRIBAL 5-34-54	34	050S	040W	4301332551	14235	Indian	Fee	OW	P		
Z and T UTE TRIBAL 7-19	19	050S	040W	4301331282	11131	Indian	Indian	OW	P	BRUNDAGE CANYON	
Z and T UTE TRIBAL 7-25	25	050S	050W	4301331310	11416	Indian	Indian	OW	P		

**STATE OF UTAH**  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT  FORM 8  
(highlight changes)

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: <b>1420H625662</b>
b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR: <b>Berry Petroleum Company, LLC</b>		7. UNIT or CA AGREEMENT NAME
3. ADDRESS OF OPERATOR: <b>Rt 2 Box 7735</b> CITY <b>Roosevelt</b> STATE <b>Ut</b> ZIP <b>84066</b>		8. WELL NAME and NUMBER: <b>Heiner Tribal 5-11D-54</b>
PHONE NUMBER: <b>(435) 722-1325</b>		9. API NUMBER: <b>4301352167</b>
4. LOCATION OF WELL (FOOTAGES) AT SURFACE: <b>400' FNL &amp; 845' FWL</b> AT TOP PRODUCING INTERVAL REPORTED BELOW: <b>1705' FNL &amp; 667' FWL (SWNW)</b> AT TOTAL DEPTH: <b>1995' FNL &amp; 700' FWL (SWNW)</b>		10. FIELD AND POOL, OR WILDCAT <b>Brundage</b>
		11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <b>NWNW 11 5S 4W U</b>
		12. COUNTY <b>Duchesne</b>
		13. STATE <b>UTAH</b>

14. DATE SPUDDED: <b>9/27/2013</b>	15. DATE T.D. REACHED: <b>10/10/2013</b>	16. DATE COMPLETED: <b>11/12/2013</b>	ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/>	17. ELEVATIONS (DF, RKB, RT, GL): <b>6174, GL</b>
18. TOTAL DEPTH: MD <b>7,097</b> TVD <b>6,824</b>	19. PLUG BACK T.D.: MD <b>7,013</b> TVD <b>6,740</b>	20. IF MULTIPLE COMPLETIONS, HOW MANY? *		21. DEPTH BRIDGE MD PLUG SET: TVD
22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) <b>Electronic</b>			23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy)	

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/L)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
12.25	8.625 J-55	24		359		G 225		0	
7.875	5.5 N-80	17		7,055		PL 710		17	

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2.875	6,894							

26. PRODUCING INTERVALS					27. PERFORATION RECORD				
FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A) Wasatch	6,454	6,760			6,454 6,760	.42	28	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(B) Uteland Butte	6,188	6,390			6,188 6,390	.39	42	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(C) Castle Peak	5,764	6,160			5,764 6,160	.39	82	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(D) Douglas Creek	4,804	5,143			4,804 5,143	.39	40	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
Wasatch	Frac w/ 50,920 LBS Sand & 948 BBL Fluid
Uteland Butte	Frac w/ 73,860 LBS Sand & 1516 BBL Fluid
Castle Peak	Frac w/ 164,739 LBS Sand & 2832 BBL Fluid

29. ENCLOSED ATTACHMENTS: <input type="checkbox"/> ELECTRICAL/MECHANICAL LOGS <input type="checkbox"/> GEOLOGIC REPORT <input type="checkbox"/> DST REPORT <input type="checkbox"/> DIRECTIONAL SURVEY <input type="checkbox"/> SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION <input type="checkbox"/> CORE ANALYSIS <input type="checkbox"/> OTHER: _____	30. WELL STATUS:  <b>Pumping</b>
--	--

31. INITIAL PRODUCTION

INTERVAL A (As shown in Item #28)

DATE FIRST PRODUCED: 11/28/2013		TEST DATE: 11/29/2013		HOURS TESTED: 24		TEST PRODUCTION RATES: →		OIL - BBL: 115	GAS - MCF: 0	WATER - BBL: 94	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS. 300	CSG. PRESS. 50	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL B (As shown in Item #28)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL C (As shown in Item #28)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

INTERVAL D (As shown in Item #28)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

Sold

33. SUMMARY OF POROUS ZONES (include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
				GR	2.090
				Mahogany	2.930
				TGR3	3.978
				Douglas Creek	4.802
				3 Point	5.164
				Black Shale	5.432
				Castle Peak	5.926
				Uteland Butte	6.181
				Wasatch	6.401

35. ADDITIONAL REMARKS (include plugging procedure)

#28. Douglas Creek: Frac w/ 90,889 LBS Sand & 1490 BBL Fluid

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Krista Wilson TITLE Sr. Reg. & Permitting  
 SIGNATURE *Krista Wilson* DATE 2/19/2014

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

\* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

\*\* ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining  
 1594 West North Temple, Suite 1210  
 Box 145801  
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340  
 Fax: 801-359-3940

# **Berry Petroleum Company**

**Duchesne County, UT**

**Section 11-T5S-R4W NW 1/4 NW 1/4**

**Heiner Tribal 5-11D-54**

**L & W #1**

**Survey: Final Survey Report**

## **Standard Survey Report**

**08 October, 2013**

Berry Petroleum Company  
Heiner Tribal 5-11D-54  
Duchesne County, UT



Geodetic System: US State Plane 1927 (Exact solution)

Zone: Utah Central 4302

Revised @ 6196.0usft (L & W #1)

Ground Level: 6179.0

Latitude: 40° 4' 1.470 N

Longitude: 110° 18' 31.650 W

Magnetic North is 11.12° East of True North (Magnetic Declination)





Azimuths to True North  
Magnetic North: 11.12°

Magnetic Field  
Strength: 52015.2anT  
Dip Angle: 65.71°  
Date: 10/3/2013  
Model: IGRF2010

FORMATION TOP DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	TVDPath	MDPath	Formation
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	1401.4	1411.6	Green River Fm
450.0	0.00	0.00	450.0	0.0	0.0	0.00	0.00	0.0	2037.8	2086.9	Green River Upper Marker
1982.9	22.99	186.70	1942.1	-301.4	-35.4	1.50	186.70	303.5	2706.5	2813.3	Mahogany
4471.4	22.99	186.70	4232.9	-1266.9	-148.8	0.00	0.00	1275.6	3784.0	3983.8	Tgr3 Marker
6004.4	0.00	0.00	5725.0	-1568.3	-184.3	1.50	180.00	1579.1	4556.8	4817.1	Douglas Creek
7158.4	0.00	0.00	6879.0	-1568.3	-184.3	0.00	0.00	1579.1	5234.9	5512.9	Black Shale
									5499.3	5778.5	Castle Peak
									5925.2	6204.5	Uteland Butte
									6143.2	6422.5	Wasatch
									6878.8	7158.2	CR-4A



Plan: Design #2 10-03-2013 (Heiner Tribal 5-11D-54/L & W #1)

Created By: Mike Kirby Date: 8:16, October 08 2013  
Checked: \_\_\_\_\_ Date: \_\_\_\_\_  
Reviewed: \_\_\_\_\_ Date: \_\_\_\_\_  
Approved: x Date: x

Survey Report

<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne County, UT	<b>TVD Reference:</b>	Revised @ 6196.0usft (L & W #1)
<b>Site:</b>	Section 11-T5S-R4W NW 1/4 NW 1/4	<b>MD Reference:</b>	Revised @ 6196.0usft (L & W #1)
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>North Reference:</b>	True
<b>Wellbore:</b>	L & W #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	L & W #1	<b>Database:</b>	Rocky Mountain R5000 Database

<b>Project</b>	Duchesne County, UT		
<b>Map System:</b>	US State Plane 1927 (Exact solution)	<b>System Datum:</b>	Mean Sea Level
<b>Geo Datum:</b>	NAD 1927 (NADCON CONUS)		
<b>Map Zone:</b>	Utah Central 4302		

<b>Site</b>	Section 11-T5S-R4W NW 1/4 NW 1/4				
<b>Site Position:</b>		<b>Northing:</b>	633,697.10 usft	<b>Latitude:</b>	40° 4' 1.470 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	2,333,373.66 usft	<b>Longitude:</b>	110° 18' 31.650 W
<b>Position Uncertainty:</b>	0.0 usft	<b>Slot Radius:</b>	13-3/16 "	<b>Grid Convergence:</b>	0.76 °

<b>Well</b>	Heiner Tribal 5-11D-54					
<b>Well Position</b>	+N-S	0.0 usft	<b>Northing:</b>	633,697.10 usft	<b>Latitude:</b>	40° 4' 1.470 N
	+E-W	0.0 usft	<b>Easting:</b>	2,333,373.66 usft	<b>Longitude:</b>	110° 18' 31.650 W
<b>Position Uncertainty</b>		0.0 usft	<b>Wellhead Elevation:</b>	6,196.0 usft	<b>Ground Level:</b>	6,179.0 usft

<b>Wellbore</b>	L & W #1				
<b>Magnetics</b>	<b>Model Name</b>	<b>Sample Date</b>	<b>Declination (°)</b>	<b>Dip Angle (°)</b>	<b>Field Strength (nT)</b>
	IGRF2010	10/3/2013	11.12	65.71	52,015

<b>Design</b>	L & W #1				
<b>Audit Notes:</b>					
<b>Version:</b>	1.0	<b>Phase:</b>	ACTUAL	<b>Tie On Depth:</b>	0.0
<b>Vertical Section:</b>	<b>Depth From (TVD) (usft)</b>	<b>+N-S (usft)</b>	<b>+E-W (usft)</b>	<b>Direction (°)</b>	
	0.0	0.0	0.0	186.70	

<b>Survey Program</b>	<b>Date</b>	10/8/2013			
<b>From (usft)</b>	<b>To (usft)</b>	<b>Survey (Wellbore)</b>	<b>Tool Name</b>	<b>Description</b>	
417.0	7,097.0	Final Survey Report (L & W #1)	MWD		

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
417.0	0.80	161.10	417.0	-2.8	0.9	2.6	0.19	0.19	0.00
508.0	2.00	167.40	508.0	-4.9	1.5	4.7	1.33	1.32	6.92
599.0	3.20	167.00	598.9	-8.9	2.4	8.6	1.32	1.32	-0.44
691.0	4.10	169.60	690.7	-14.7	3.6	14.1	0.99	0.98	2.83
782.0	5.60	180.50	781.3	-22.3	4.1	21.7	1.93	1.65	11.98
874.0	7.70	181.30	872.7	-33.0	4.0	32.3	2.28	2.28	0.87
968.0	9.40	178.50	963.7	-48.6	4.0	45.8	1.90	1.85	-3.04
1,061.0	10.90	177.40	1,057.2	-63.4	4.6	62.4	1.59	1.58	-1.16
1,156.0	12.60	179.40	1,150.2	-82.7	5.1	81.5	1.84	1.79	2.11

Survey Report

<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne County, UT	<b>TVD Reference:</b>	Revised @ 6196.0usft (L & W #1)
<b>Site:</b>	Section 11-T5S-R4W NW 1/4 NW 1/4	<b>MD Reference:</b>	Revised @ 6196.0usft (L & W #1)
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>North Reference:</b>	True
<b>Wellbore:</b>	L & W #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	L & W #1	<b>Database:</b>	Rocky Mountain R5000 Database

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
1,251.0	13.50	176.10	1,242.8	-104.1	6.0	102.7	1.23	0.95	-3.47	
1,346.0	14.60	176.60	1,334.9	-127.1	7.5	125.4	1.16	1.16	0.53	
1,441.0	16.20	180.00	1,426.5	-152.3	8.2	150.3	1.93	1.68	3.58	
1,536.0	17.30	182.20	1,517.5	-179.7	7.6	177.6	1.34	1.16	2.32	
1,631.0	17.80	181.50	1,608.1	-208.3	6.7	206.1	0.57	0.53	-0.74	
1,727.0	18.20	183.20	1,699.4	-238.0	5.5	235.7	0.69	0.42	1.77	
1,821.0	18.60	188.30	1,788.6	-267.5	2.5	265.4	1.76	0.43	5.43	
1,917.0	19.80	189.10	1,879.2	-298.7	-2.3	298.9	1.28	1.25	0.83	
2,012.0	20.60	188.10	1,968.4	-331.1	-7.2	329.7	0.92	0.84	-1.05	
2,107.0	21.90	188.40	2,056.9	-365.2	-12.1	364.1	1.37	1.37	0.32	
2,202.0	24.00	188.10	2,144.4	-401.8	-17.4	401.1	2.21	2.21	-0.32	
2,297.0	24.70	187.10	2,230.9	-440.7	-22.6	440.3	0.86	0.74	-1.05	
2,390.0	23.80	185.00	2,315.7	-478.6	-26.6	478.5	1.34	-0.97	-2.26	
2,485.0	23.10	184.40	2,402.9	-516.3	-29.7	516.3	0.78	-0.74	-0.83	
2,580.0	23.00	183.30	2,490.3	-553.4	-32.2	553.4	0.47	-0.11	-1.16	
2,675.0	23.00	180.80	2,577.7	-590.5	-33.6	590.4	1.03	0.00	-2.63	
2,770.0	23.80	182.70	2,664.9	-628.2	-34.7	628.0	1.16	0.84	2.00	
2,865.0	24.00	182.90	2,751.8	-666.7	-36.6	666.4	0.23	0.21	0.21	
2,961.0	24.00	186.00	2,839.5	-705.6	-39.6	705.4	1.31	0.00	3.23	
3,058.0	24.50	186.70	2,926.1	-744.4	-44.0	744.4	0.61	0.53	0.74	
3,151.0	23.90	189.60	3,012.8	-782.9	-49.5	783.3	1.40	-0.63	3.05	
3,247.0	25.00	191.10	3,100.2	-822.0	-56.6	823.0	1.32	1.15	1.58	
3,342.0	25.80	192.20	3,186.0	-861.9	-64.8	863.6	0.98	0.84	1.16	
3,437.0	25.90	191.20	3,271.5	-902.5	-73.2	904.8	0.47	0.11	-1.05	
3,532.0	24.70	189.90	3,357.4	-942.4	-80.7	945.3	1.39	-1.28	-1.37	
3,627.0	23.60	188.40	3,444.0	-980.7	-86.9	984.2	1.33	-1.16	-1.58	
3,722.0	21.80	185.90	3,531.7	-1,017.1	-91.5	1,020.8	2.15	-1.89	-2.63	
3,817.0	21.80	186.10	3,619.9	-1,052.2	-95.2	1,056.1	0.08	0.00	0.21	
3,913.0	21.10	184.90	3,709.2	-1,087.1	-98.5	1,091.2	0.86	-0.73	-1.25	
4,008.0	21.50	184.10	3,797.7	-1,121.5	-101.2	1,125.7	0.52	0.42	-0.84	
4,103.0	22.80	184.80	3,885.7	-1,157.2	-104.0	1,161.5	1.40	1.37	0.74	
4,198.0	22.80	185.90	3,973.3	-1,193.9	-107.5	1,198.3	0.45	0.00	1.16	
4,293.0	21.90	186.10	4,061.2	-1,229.8	-111.2	1,234.4	0.95	-0.95	0.21	
4,388.0	20.90	184.70	4,149.6	-1,264.3	-114.5	1,269.0	1.18	-1.05	-1.47	
4,483.0	18.70	182.80	4,239.0	-1,296.4	-116.6	1,301.2	2.41	-2.32	-2.00	
4,578.0	16.60	179.40	4,329.5	-1,325.2	-117.2	1,329.8	2.46	-2.21	-3.58	
4,673.0	16.00	178.20	4,420.7	-1,351.9	-116.7	1,358.2	0.72	-0.63	-1.28	
4,768.0	15.10	177.70	4,512.2	-1,377.3	-115.8	1,381.4	0.96	-0.95	-0.53	
4,863.0	14.30	176.90	4,604.1	-1,401.4	-114.6	1,405.2	0.87	-0.84	-0.84	
4,958.0	13.80	178.20	4,696.3	-1,424.4	-113.7	1,428.0	0.62	-0.53	1.37	
5,053.0	12.00	177.20	4,788.9	-1,445.6	-112.8	1,448.9	1.91	-1.89	-1.05	
5,149.0	10.60	173.30	4,883.0	-1,464.4	-111.3	1,467.3	1.66	-1.46	-4.06	
5,244.0	9.00	171.50	4,976.6	-1,480.4	-109.2	1,483.0	1.71	-1.68	-1.89	
5,339.0	8.30	172.20	5,070.5	-1,494.5	-107.1	1,496.8	0.75	-0.74	0.74	

Survey Report

<b>Company:</b>	Berry Petroleum Company	<b>Local Co-ordinate Reference:</b>	Well Heiner Tribal 5-11D-54
<b>Project:</b>	Duchesne County, UT	<b>TVD Reference:</b>	Revised @ 8196.0usft (L & W #1)
<b>Sits:</b>	Section 11-T5S-R4W NW 1/4 NW 1/4	<b>MD Reference:</b>	Revised @ 8196.0usft (L & W #1)
<b>Well:</b>	Heiner Tribal 5-11D-54	<b>North Reference:</b>	True
<b>Wellbore:</b>	L & W #1	<b>Survey Calculation Method:</b>	Minimum Curvature
<b>Design:</b>	L & W #1	<b>Database:</b>	Rocky Mountain R5000 Database

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (*/100usft)	Build Rate (*/100usft)	Turn Rate (*/100usft)	
5,434.0	7.00	171.00	5,164.7	-1,507.0	-105.3	1,509.0	1.38	-1.37	-1.26	
5,529.0	5.80	165.80	5,259.1	-1,517.4	-103.2	1,519.1	1.41	-1.26	-5.68	
5,624.0	4.50	162.80	5,353.7	-1,525.6	-100.9	1,527.0	1.39	-1.37	-2.95	
5,719.0	3.70	153.10	5,448.5	-1,531.9	-98.4	1,532.9	1.11	-0.84	-10.21	
5,814.0	3.70	189.80	5,543.3	-1,537.7	-97.6	1,538.5	2.45	0.00	38.63	
5,909.0	4.30	217.20	5,638.1	-1,543.5	-100.2	1,544.7	2.09	0.63	28.84	
6,004.0	4.10	217.40	5,732.8	-1,549.1	-104.5	1,550.7	0.21	-0.21	0.21	
6,099.0	3.40	215.30	5,827.6	-1,554.1	-108.1	1,556.1	0.75	-0.74	-2.21	
6,194.0	3.30	216.20	5,922.4	-1,558.6	-111.4	1,560.9	0.12	-0.11	0.95	
6,288.0	3.00	214.10	6,016.3	-1,562.8	-114.4	1,565.5	0.34	-0.32	-2.23	
6,383.0	3.00	214.20	6,111.2	-1,566.9	-117.2	1,569.9	0.01	0.00	0.11	
6,478.0	3.00	213.70	6,206.0	-1,571.0	-119.9	1,574.3	0.03	0.00	-0.53	
6,572.0	3.00	218.80	6,299.9	-1,575.0	-122.8	1,578.6	0.28	0.00	5.43	
6,667.0	2.70	214.10	6,394.8	-1,578.8	-125.7	1,582.7	0.40	-0.32	-4.95	
6,762.0	2.60	211.30	6,489.7	-1,582.5	-128.0	1,586.6	0.17	-0.11	-2.95	
6,857.0	2.50	208.80	6,584.6	-1,586.1	-130.1	1,590.5	0.16	-0.11	-2.63	
6,952.0	2.50	205.20	6,679.5	-1,589.8	-132.0	1,594.4	0.17	0.00	-3.79	
7,047.0	2.40	206.70	6,774.4	-1,593.5	-133.8	1,598.2	0.13	-0.11	1.58	
7,097.0	2.40	206.70	6,824.4	-1,595.3	-134.7	1,600.2	0.00	0.00	0.00	
Projected Survey To 7,097' MD - BHL 1,995' FNL - 700' FWL - HT 5-11D-54 - HT 5-11D-54 460										

Survey Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N-S (usft)	+E-W (usft)		
7,097.0	6,824.4	-1,595.3	-134.7	Projected Survey To 7,097' MD	
7,097.0	6,824.4	-1,595.3	-134.7	BHL 1,995' FNL - 700' FWL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------



## OPERATIONS SUMMARY

**Well Name: HEINER TRIBAL 5-11D-54**

API 43013521670000	State Utah	Surface Legal Location NWNW Sec. 11 T5S-R4W		
Field Code 006721	Spud Date 10/5/2013	Rig Release Date 10/9/2013	KB-Ground Distance (ft) 17.00	Ground Elevation (ft)GA 6,179.00

**Daily Operations**

**11/4/2013 00:00 - 11/4/2013 00:00**

Operations at Report Time LOG 1ST STG	Operations Next 24 Hours SHOOT 1ST STG
--	---

Operations Summary  
RUN IN HOLE W/ CBL/ GAMMA RAY/ CCL TOOLS

**Time Log**

Com

DRIVE OUT TO SITE & CHECK TANKS WE HAVE 30 TANKS ON SITE 4 ARE KCL. OFF SITE AT 1-10-54 WE HAVE 1 TANK NEED 16 CALLED TO CHECK ON TANKS THEY ARE BEING MOVED IN FROM TABBY RIDGE. SET UP ACTION HOT SUPER HEATERS TO HEAT TANKS ON SITE(AT 6PM THEY HAVE 3 TANKS TO HEAT).

WAIT ON CUTTERS THEY ARRIVED AT 11:15AM & SET UP ON THE 5-11D-54. MAKE UP & RUN IN HOLE W/ CBL/ GAMMA RAY/ CCL TOOLS. TAG UP AT 6,977' & PULL LOG TO SURFACE. WE WELL HAVE TO PUT PRESSURE ON IT THE LAST 800' HAS BAD CMT. CUTTERS DIDN'T BRING FLANGE FOR WELLHEAD THEY HAD FLANGE FOR TOP OF 10K VALVE & THEY WELL BE SET IN MORNING. SHUT IN WELL FOR THE DAY

**11/5/2013 00:00 - 11/5/2013 00:00**

Operations at Report Time PSI LOG/ PERF 1ST STG	Operations Next 24 Hours SET UP FOR FRAC
--	---

Operations Summary

**Time Log**

Com

RUSTIN MAIR SET 10K FRAC VALVE

CUTTERS RUN IN HOLE W/ CBL/ GAMMA RAY/ CCL TOOLS. HAD S&S TESTING PRESSURE UP TO 1500 PSI & PULL LOG FROM 6,977' UP TO 5,700'. IT DIDN'T MAKE A DIFFERENCE IN THE LOG. BLEED WELL BACK & PULL OUT OF THE HOLE

HAD S&S TESTING HOOK UP TO WELL & TEST RIGHT SIDE OF FRAC VALVE & CSG TO 6000 PSI FOR A 30 MIN TEST. BLEED WELL BACK & TEST LEFT SIDE TO 6000 PSI FOR 15 MINS BOTH TEST WERE GOOD, BLEED BACK.

PERFORATE STG #1 IN THE WASATCH & WASATCH CR-2 (11-4-2013) FROM 6,454'-8,760'. @ 2 SPF, 120 DEGREE PHASING, 22.7 GRAM CHARGE, & EHD OF .42". CHARGE P/N IS TITAN EXP-3323-322T WITH PENETRATION OF 35.1. 28 TOTAL HOLES. PERFS: 6,758'- 80', 6,748'- 50', 6,737'- 39', 6,571'- 73', 6,490'- 92', 6,463'- 65', 6,454'- 56'. WE GOT THE 1ST 3 SHOTS & HAD A DEAD SHORT, PULL OUT OF THE HOLE. CHECK GUN OUT & CHANGED OUT 3 SWITCHES, RUN BACK IN HOLE & FINISH PREFORATING STG. PULL OUT OF THE HOLE & SHUT IN WELL & SECURE IT

**11/6/2013 00:00 - 11/6/2013 00:00**

Operations at Report Time MIRU BAKER	Operations Next 24 Hours FRAC STGS
---	---------------------------------------

Operations Summary  
FRAC STGS 1&2

**Time Log**

Com

CUTTERS MOVED IN TRAILER W/ GUNS FOR THE 4-11-54 & 5-11D-54. BAKER MOVED IN PUMP TRUCKS & RIGGED UP IRON. HOLD SAFETY MEETING W/ CREW & CUTTERS

BAKER TEST LINES AND FRAC STG #1 (WASATCH & WASATCH- CR2)

WELL OPEN @ 80 PSI  
BROKE DOWN 3.9 BPM @ 3,155 PSI  
MAX RATE @ 88.3 BPM  
MAX PSI @ 5,148  
AVG RATE @ 65.5 BPM  
AVG PSI @ 4,772  
TOTAL FLUID OF 948.8 BBL  
ISDP 2,202  
FINAL FRAC GRADIENT .77  
50,920 LBS OF 20/40 WHITE

28 HOLES AND DROPPED 35 BIOSEALERS SEEN GOOD BALL ACTION KILLS SET AT 5,500 PSI

SET CBP @ 6,410'. PERFORATE STG #2 IN THE UTELAND BUTTE FROM 6,188 '-6,390', @ 2 SPF, 120 DEGREE PHASING, 19.0 GRAM CHARGE, & EHD OF .39". CHARGE P/N IS TITAN EXP-3319-32P WITH PENETRATION OF 40.5. 42 TOTAL HOLES. PERFS: 6,388'- 90', 6,380'- 82', 6,350'- 51', 6,338'- 39', 6,307'- 09', 6,302'- 04', 6,290'- 92', 6,279'- 80', 6,269'- 70', 6,264'- 65', 6,259'- 60', 6,250'- 51', 6,245'- 46', 6,235'- 36', 6,214'- 15', 6,188'- 88'

BAKER TEST LINES AND FRAC STG #2 UTELAND BUTTE

WELL OPEN @ 833 PSI  
BROKE DOWN 3.9 BPM @ 2,415 PSI  
MAX RATE @ 69.7 BPM  
MAX PSI @ 4,139  
AVG RATE @ 68.1 BPM  
AVG PSI @ 3,893  
TOTAL FLUID OF 1,516.5 BBL  
ISDP 2,420  
FINAL FRAC GRADIENT .82  
73,860 LBS OF 20/40 WHITE

42 HOLES AND DROPPED 53 BIOSEALERS BALLED OUT @ 5,500 PSI GET BACK IN TO GET FLUSH ON ACID KILLS SET  
AT 5,500 PSI THE PH IN TESTING FOR GEL JUMPED UP TO 8.7 COULDN'T GET CROSS. AFTER TESTING WE ARE GOING TO UP  
THE ALFA FROM A .25 TO A .75 & WE WELL PUMP THIS JOB. THEY ARE GOING TO BRING UP A BUFFER FOR THE MORNING.



Well Name: HEINER TRIBAL 5-11D-54

**OPERATIONS SUMMARY**

**Time Log**

Com

SET CBP @ 6,170'. PERFORATE STG #3 IN THE CASTLE PEAK FROM 5,928' -6,160', @ 2 SPF, 120 DEGREE PHASING, 19.0 GRAM CHARGE, & EHD OF .39". CHARGE P/N IS TITAN EXP-3319-32P WITH PENETRATION OF 40.5. 40 TOTAL HOLES. PERFS: 6,158'- 60', 6,130'- 32', 6,085'- 87', 6,075'- 77', 6,062'- 64', 6,044'- 48', 6,018'- 20', 5,996'- 98', 5,970'- 72', 5,951'- 52', 5,928'- 29'. PULL OUT OF THE HOLE & SHUT IN & SECURE WELL FOR THE NIGHT

11/7/2013 00:00 - 11/7/2013 00:00

Operations at Report Time  
FRAC & PERF STGS 3-5

Operations Next 24 Hours  
START FRAC ON 4-11-54

Operations Summary  
FINISH FRAC ON WELL

**Time Log**

Com

BAKER, CONDUCT JSA AND SAFETY MEETING WITH CUTTERS WIRELINE AND BAKER FRAC CREW,  
BAKER TEST LINES AND FRAC STG #3 CASTLE PEAK  
WELL OPEN @ 698 PSI  
BROKE DOWN 3.7 BPM @ 918 PSI  
MAX RATE @ 69.7 BPM  
MAX PSI @ 4,565  
AVG RATE @ 68.7 BPM  
AVG PSI @ 3,620  
TOTAL FLUID OF 1,410.6 BBL  
ISDP 1,668  
FINAL FRAC GRADIENT .71  
84,997 LBS OF 16/30 WHITE  
40 HOLES KILLS SET AT 5,500 PSI CROSS LINK PUMP WASN'T WORKING, SWITCH OUT PUMP,  
BACK PUMPING @ 8:59AM

SET CBP @ 5,864" PERFORATE STG #4 IN THE CASTLE PEAK FROM 5,764' - 5,868', @ 2 SPF, 120 DEGREE PHASING, 19.0 GRAM CHARGE, & EHD OF .39". CHARGE P/N IS TITAN EXP-3319-32P WITH PENETRATION OF 40.5. 42 TOTAL HOLES. PERFS: 5,865'- 68', 5,860'- 63', 5,846'- 48', 5,842'- 44', 5,815'- 17', 5,809'- 11', 5,805'- 07', 5,777'- 79', 5,773'- 75', 5,764'- 65'

BAKER TEST LINES AND FRAC STG #4 CASTLE PEAK  
WELL OPEN @ 1,209 PSI  
BROKE DOWN 3.5 BPM @ 1,338 PSI  
MAX RATE @ 70.2 BPM  
MAX PSI @ 3,511  
AVG RATE @ 69.4 BPM  
AVG PSI @ 3,341  
TOTAL FLUID OF 1,422.7 BBL  
ISDP 1,738  
FINAL FRAC GRADIENT .74  
79,742 LBS OF 16/30 WHITE  
42 HOLES KILLS SET AT 5,500 PSI WE GOT INTO 4LB & LOST CROSS 27K SHORT ON SAND  
PRESSURE STARTED TO CLIMB 20,258 SHORT ON SAND

SET CBP @ 5,160" PERFORATE STG #5 IN THE DOUGLAS CREEK FROM 4,804' - 5,143', @ 2 SPF, 120 DEGREE PHASING, 19.0 GRAM CHARGE, & EHD OF .39". CHARGE P/N IS TITAN EXP-3319-32P WITH PENETRATION OF 40.5. 40 TOTAL HOLES. PERFS: 5,141'- 43', 5,114'- 16', 5,063'- 65', 5,026'- 28', 5,011'- 13', 4,995'- 97', 4,985'- 87', 4,958'- 60', 4,849'- 51', 4,845'- 46', 4,804'- 05'

BAKER TEST LINES AND FRAC STG #5 DOUGLAS CREEK  
WELL OPEN @ 66 PSI  
BROKE DOWN 4.4 BPM @ 1,422 PSI  
MAX RATE @ 70.7 BPM  
MAX PSI @ 3,519  
AVG RATE @ 68.6 BPM  
AVG PSI @ 3,107  
TOTAL FLUID OF 1,490.4 BBL  
ISDP 1,682  
FINAL FRAC GRADIENT .78  
90,889 LBS OF 16/30 WHITE  
40 HOLES DROPPED 50 BIOBALLS SEEN BALL ACTION KILLS SET AT 5,500 PSI TOTAL FLUID  
USED 6,806 BBLs

RUN IN HOLE & SET A TOP KILL PLUG @ 4,935' PULL OUT OF THE HOLE & SHUT WELL IN

11/12/2013 00:00 - 11/12/2013 00:00

Operations at Report Time

Operations Next 24 Hours

Operations Summary  
ND frac valve. NU BOP. PU tbg.



**OPERATIONS SUMMARY**

Well Name: HEINER TRIBAL 5-11D-54

**Time Log**

Com

Hold safety meeting. MIRU Stevenson #2. ND frac valve. NU BOP. RIH w/ 4 3/4" mill, bit sub and new 2 7/8" tbg. from pipe trailer, tallying and drifting, to 4580'. SWIFN.

11/13/2013 00:00 - 11/13/2013 00:00

Operations at Report Time	Operations Next 24 Hours
---------------------------	--------------------------

Operations Summary  
DU CBPs.

**Time Log**

Com

Hold safety meeting. Cont. RIH w/ tbg. Tag CBP @ 4735'. DU CBP in 25 min. 200 psi increase. Cont. RIH w/ tbg. Tag fill @ 5109'. C/O to CBP @ 5160'. DU CBP in 28 min. 200 psi increase. Cont. RIH w/ tbg. Tag fill @ 5829'. C/O to CBP @ 5884'. DU CBP in 35 min. 0 psi change. Cont. RIH w/ tbg. Tag fill @ 6130'. C/O to CBP @ 6170'. DU CBP in 45 min. 0 psi change. Cont. RIH w/ tbg. Tag fill @ 6342'. C/O to CBP @ 6410'. DU CBP in 40 min. 0 psi change. Cont. RIH w/ tbg. Tag fill @ 6785'. C/O to PBTD @ 7013'. Circulate well clean. LD 5 jts tbg. EOT @ 8852'. SWIFN.

11/14/2013 00:00 - 11/16/2013 00:00

Operations at Report Time	Operations Next 24 Hours
---------------------------	--------------------------

Operations Summary  
Land tbg. PU rods.

**Time Log**

Com

Hold safety meeting. SICP @ 20 psi, SITP @ 0 psi. Bleed off well. ND BOP. NU wellhead. X-over for rods. Flush tbg. w/ 30 bbls water. RIH w/ Central Hyd 2 1/2" x 1 3/4" x 24' RHAC rod pump w/ 20' dip tube, 11- 1 1/2" weight bars w/ stab subs, 67- 3/4" guided rods (4 per), 62- 7/8" guided rods (4 per), 130- 7/8" S-88 guided rods (4 per), 1- 8', 2' x 7/8" pony subs, 1 1/2" x 26' polished rod. Seat pump. Fill tbg. w/ 2 bbls. Stroke test pump to 500 psi. Good pump action. RU pumping unit. Hang off rods. RD. PWOP @ 12:00 p.m. Final report.

6950 BWTR.

11/14/2013 00:00 - 11/14/2013 00:00

Operations at Report Time	Operations Next 24 Hours
---------------------------	--------------------------

Operations Summary  
Round trip tbg.

**Time Log**

Com

Hold safety meeting. 0 psi on well. POOH w/ tbg. LD BHA. RIH w/ 2 jts 2 7/8" tbg., 4" perfed sub, PSN, 1 jt 2 7/8" tbg., BlackGold 5 1/2" Hydraulic R TA, 1 jt 2 7/8" tbg., 5k burst disk, 213 jts 2 7/8" tbg. SWIFN.

Installed new sandline on rig. Down time of 4 hours.