




Texaco Exploration and Production Inc

3300 N Butler
Farmington NM 87401

Apr. 29, 1997

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1594 West North Temple
Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

RE: **Application for Permit to Drill (APD)**
U.P. & L. #14-55 , Surf Loc: 1183' FNL, 1075' FWL, Unit D
Sec. 14-T18S-R7E
Emery County, Utah



Gentlemen:

Texaco Exploration and Production Inc. is seeking approval from the Division of Oil, Gas and Mining to drill an exploratory well to test the Ferron formation. . Texaco requests confidential status of this well and all information pertaining to it.

Your attention to this matter is greatly appreciated. If you have any questions concerning this matter please contact me at 505-325-4397, ext. 20.

Sincerely,

Ted A. Tipton
Operating Unit Manager
RSD/s, Attachments

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. Type of Work DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. Lease Designation and Serial No. FEE	
1b. Type of Well OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> COAL-BED METHANE		6. If Indian, Alottee or Tribe Name	
2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC.		7. If Unit or CA, Agreement Designation	
3. Address and Telephone No. 3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397		8. Well Name and Number U.P. & L.	
4. Location of Well (Report location clearly and in accordance with any State requirements.) At Surface Unit Letter D : ³⁶¹ 1183' Feet From The NORTH Line and ³²⁸ 1075' Feet From The WEST Line At proposed prod. zone		9. API Well No. 14-55	
14. Distance In Miles and Direction from Nearest Town or Post Office* APPROX. 7 MI. NORTHWEST OF CASTLE DALE, UTAH		10. Field and Pool, Exploratory Area WILDCAT	
15. Distance From Proposed* Location to Nearest Property or Lease Line, Ft. (also to nearest drig. unit line, if any) 1075'		11. SEC., T., R., M., or BLK. and Survey or Area Sec. 14 , Township T18S , Range R7E	
16. No. of Acres in Lease 1794 AC.		12. County or Parish EMERY	
17. No. of Acres Assigned To This Well 160		13. State UT	
18. Distance From Proposed Location* to Nearest Well, Drilling, Completed or Applied For, On This Lease, Ft.		19. Proposed Depth 3020'	
20. Rotary or Cable Tools ROTARY		21. Elevations (Show whether DF, RT, GR, etc.) <input type="checkbox"/> KB <input type="checkbox"/> DF <input type="checkbox"/> GR 6009'	
22. Approx. Date Work Will Start* 5/15/97		23. PROPOSED CASING AND CEMENT PROGRAM	


SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	9-5/8"	24#	300'	229 SX
7-7/8"	5-1/2"	17#	3020'	294 SX

Describe Proposed Program: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured true verticle depths. Give blowout preventer program, if any.

TEXACO EXPLORATION & PRODUCTION, INC. PROPOSES TO DRILL A WELL TO A DEPTH OF 3020' TO TEST THE FERRON SAND AND ASSOCIATED COALS FOR PRODUCTIVE QUANTITIES OF NATURAL GAS. IF THE WELL IS UNPRODUCTIVE, IT WILL BE PLUGGED AND ABANDONED AS PER STATE OF UTAH REQUIREMENTS.

PLEASE BE ADVISED THAT TEXACO EXPLORATION & PRODUCTION, INC. HAS BEEN AUTHORIZED BY PROPER LEASE INTEREST OWNERS TO CONDUCT OPERATIONS ON THE ABOVE MENTIONED LOCATION. TEXACO EXPLORATION & PRODUCTION, INC. AGREES TO BE RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR OPERATIONS CONDUCTED UPON THE LEASE LANDS.

BOND COVERAGE FOR THIS WELL IS PROVIDED BY BOND NO. CO-0058 (NATIONWIDE BOND). THE PRINCIPAL IS TEXACO EXPLORATION & PRODUCTION, INC. VIA SURETY CONSENT AS PROVIDED FOR IN 43 CFR-3104.2.



24. (This space for State use only)
SIGNATURE JAC [Signature] TITLE Operating Unit Manager DATE 5/1/97
TYPE OR PRINT NAME Ted A. Tipton

API Number Assigned 43-015-30314 APPROVAL [Signature] Petroleum Engineer 6/18/97



T18S, R7E, S.L.B.&M.

TEXACO EXPLR. & PROD., INC.

Well location, TEXACO #14-55, located as shown in the NW 1/4 NW 1/4 of Section 14, T18S, R7E, S.L.B.&M. Emery County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT A ROAD INTERSECTION IN THE SE 1/4 OF SECTION 14, T18S, R7E, S.L.B.&M. TAKEN FROM THE RED POINT QUADRANGLE, UTAH, EMERY COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 6001 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

ROBERT KAY
 REGISTERED LAND SURVEYOR
 REGISTRATION NO. 091519
 STATE OF UTAH

- LEGEND:**
- └─┘ = 90° SYMBOL
 - = PROPOSED WELL HEAD.
 - = COMPUTED TRUE CORNER. (Not Set)
 - ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS IS THE EAST LINE OF THE SE 1/4 OF SECTION 9, T18S, R7E, S.L.B.&M. WHICH IS ASSUMED FROM G.L.O. INFORMATION TO BEAR N00°09'E.

UINTAH ENGINEERING & LAND SURVEYING		
85 SOUTH 200 EAST - VERNAL, UTAH 84078		
(801) 789-1017		
SCALE 1" = 1000'	DATE SURVEYED: 04-09-97	DATE DRAWN: 04-18-97
PARTY B.B. D.R. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE TEXACO EXPLR. & PROD., INC.	

DRILLING PROGRAM

OPERATOR: TEXACO EXPLORATION & PRODUCTION, INC.
WELL NAME: U.P. & L. # 14-55
LEASE NUMBER: FEE
LOCATION: 1183' FNL - 1075' FWL, SECTION 14, T18S/R7E SLPM, EMERY CO., UTAH

1. ESTIMATED TOPS OF GEOLOGIC MARKERS

THE ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS ARE AS FOLLOWS:

<u>FORMATION</u>	<u>DEPTH</u>	<u>SUBSEA</u>
BLUEGATE SHALE	100'	+5820
FERRON FM	2680'	+3240
T.D.	3020'	+2900

2. ESTIMATED DEPTHS OF ANTICIPATED OIL, GAS, WATER, OR OTHER MINERAL BEARING ZONES

<u>SUBSTANCE</u>	<u>FORMATION</u>	<u>DEPTH</u>
WATER, GAS	FERRON COALS	2680'
GAS	FERRON SANDSTONES	2680'
OIL	N/A	
OTHER MINERALS	N/A	

ALL FRESH WATER AND PROSPECTIVELY VALUABLE MINERALS ENCOUNTERED DURING DRILLING, WILL BE RECORDED BY DEPTH AND ADEQUATELY PROTECTED. ALL OIL AND GAS SHOWS WILL BE TESTED TO DETERMINE COMMERCIAL POTENTIAL.

ALL WATER SHOWS AND WATER-BEARING SANDS WILL BE REPORTED TO THE STATE OF UTAH, ON FORM OGC-8-X

3. CASING PROGRAM

THE PROPOSED CASING PROGRAM WILL BE AS FOLLOWS:

<u>PURPOSE</u>	<u>DEPTH</u>	<u>HOLE SIZE</u>	<u>O.D.</u>	<u>WEIGHT</u>	<u>GRADE</u>
SURFACE	0-300'	12-1/4"	8-5/8"	24#	K-55
PRODUC.	0-3020'	7-7/8"	5-1/2"	17#	K-55

4. CEMENT PROGRAM

THE CEMENT PROGRAM WILL BE AS FOLLOWS:

<u>SURFACE</u>	<u>TYPE AND AMOUNT</u>
0-300'	CEMENT TO SURFACE WITH 229 SX CLASS "G" CEMENT. W/ 2% CaCl & 1/4#/SK CELLOPHANE FLAKES. 1.15 CU. FT./SX, 15.8 PPG
<u>PRODUCING</u>	<u>TYPE AND AMOUNT</u>
0-3020'	(LEAD) CEMENT FROM 2020' TO SURFACE WITH 129 SX 'G' CEMENT, 3.91 CU. FT./SX, 11.0 PPG
	(TAIL) CEMENT FROM 3020' TO 2020' WITH 165 SX 'RFC' 10-1 CEMENT, 1.61 CU. FT./SX, 14.2 PPG

5. **DRILLING FLUIDS**

THE PROPOSED CIRCULATING MEDIUMS TO BE EMPLOYED IN DRILLING ARE AS FOLLOWS:

<u>INTERVAL</u>	<u>MUD TYPE</u>	<u>MUD WT.</u>	<u>VISC.</u>
0-300'	AIR	--	--
300'-3020'	AIR	--	--

6. **TESTING, LOGGING AND CORING**

THE ANTICIPATED TYPE AND AMOUNT OF TESTING, LOGGING AND CORING ARE AS FOLLOWS:

- A. NO DRILL STEM TESTS ARE PLANNED.
- B. THE LOGGING PROGRAM WILL CONSIST OF A GR-LDT-CNL LOG FROM 2200'-3020'. A SFL-DIL-GR LOG WILL BE RUN FROM 300' TO 3020'. A HIGH RESOLUTION COAL LOG WILL BE RUN FROM 2300' - 3020'.

7. **SPUD DATE / DRILLING TIME**

- A. DRILLING IS PLANNED TO COMMENCE ON APPROX. MAY 15, 1997.
- B. IT IS ANTICIPATED THAT THE DRILLING WILL TAKE APPROXIMATELY 6 DAYS.

8. **ROAD USE / WATER SOURCE**

- A. THE WELL IS LOCATED ON PRIVATE LANDS. ACCESS TRAVERSES PRIVATE LAND. AN ACCESS EASMENT HAS BEEN NEGOTIATED WITH THE LANDOWNER.
- B. SINCE THE WELL IS BEING DRILLED PRIMARILY BY AIR, LIMITED QUANTITIES OF WATER WILL BE NECESSARY. WATER FOR DRILLING WILL BE OBTAINED FROM A LOCAL WATER HAULER, WHO WILL OBTAIN IT FROM A LOCAL SOURCE.

9. **BOP EQUIPMENT**

TEXACO'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL EQUIPMENT ARE AS FOLLOWS:

RAM TYPE: 11" HYDRAULIC DOUBLE, 2000 PSI W.P.

RAM TYPE PREVENTERS AND ASSOCIATED EQUIPMENT SHALL BE TESTED TO APPROVED STACK WORKING PRESSURE IF ISOLATED BY TEST PLUG OR TO 70 PERCENT OF INTERNAL YIELD PRESSURE OF CASING. PRESSURE SHALL BE MAINTAINED FOR AT LEAST 10 MINUTES OR UNTIL REQUIREMENTS OF TEST ARE MET, WHICHEVER IS LONGER. IF A TEST PLUG IS UTILIZED, NO BLEED-OFF PRESSURE IS ACCEPTABLE. FOR A TEST NOT UTILIZING A TEST PLUG, IF A DECLINE IN PRESSURE OF MORE THAN 10 PERCENT IN 30 MINUTES OCCURS, THE TEST SHALL BE CONSIDERED TO HAVE FAILED. VALVE ON CASING HEAD BELOW TEST PLUG SHALL BE OPEN DURING TEST OF BOP STACK.

AS A MINIMUM, THE ABOVE TEST SHALL BE PERFORMED:

- A. WHEN INITIALLY INSTALLED;
- B. WHENEVER ANY SEAL SUBJECT TO TEST PRESSURE IS BROKEN
- C. FOLLOWING RELATED REPAIRS; AND
- D. AT 30 DAY INTERVALS

VALVES SHALL BE TESTED FROM WORKING PRESSURE SIDE DURING BOPE TESTS WITH ALL DOWNSTREAM VALVES OPEN.

WHEN TESTING THE KILL LINE VALVE(S), THE CHECK VALVE SHALL BE HELD OPEN OR THE BALL REMOVED.

PIPE AND BLIND RAMS SHALL BE ACTIVATED EACH TRIP, HOWEVER, THIS FUNCTION NEED NOT BE PERFORMED MORE THAN ONCE A DAY.

A BOPE PIT LEVEL DRILL SHALL BE CONDUCTED WEEKLY FOR EACH DRILLING CREW.

PRESSURE TESTS SHALL APPLY TO ALL RELATED WELL CONTROL EQUIPMENT.

ALL OF THE ABOVE DESCRIBED TESTS AND/OR DRILLS SHALL BE RECORDED IN THE DRILLING LOG. TEST CHARTS, WITH INDIVIDUAL TEST RESULTS IDENTIFIED, SHALL BE MAINTAINED ON LOCATION WHILE DRILLING AND SHALL BE MADE AVAILABLE TO A UDOGM REPRESENTATIVE UPON REQUEST. PRESSURE TESTS SHALL APPLY TO ALL RELATED WELL CONTROL EQUIPMENT.

BOP SYSTEMS SHALL BE CONSISTENT WITH API RP53. PRESSURE TESTS WILL BE CONDUCTED BEFORE DRILLING OUT FROM UNDER CASING STRINGS WHICH HAVE BEEN SET AND CEMENTED IN PLACE. BLOWOUT PREVENTER CONTROLS WILL BE INSTALLED PRIOR TO DRILLING THE SURFACE CASING PLUG AND WILL REMAIN IN USE UNTIL THE WELL IS COMPLETED OR ABANDONED. PREVENTERS WILL BE INSPECTED AND OPERATED AT LEAST DAILY TO ENSURE GOOD MECHANICAL WORKING ORDER, AND THIS INSPECTION WILL BE RECORDED ON THE DAILY DRILLING REPORT. PREVENTERS WILL BE PRESSURE TESTED BEFORE DRILLING CASING CEMENT PLUGS.

- A. THE SIZE AND RATING OF THE BOP STACK IS SHOWN ON THE ATTACHED DIAGRAM. ALTHOUGH A RIG HAS NOT BEEN CHOSEN TO DRILL THIS WELL, MOST OF THE EQUIPMENT FOR THIS DEPTH OF HOLE IN THE AREA USE A 11", 2000 PSI WORKING PRESSURE BLOWOUT PREVENTOR.
- B. A CHOKE LINE AND A KILL LINE ARE TO BE PROPERLY INSTALLED. THE KILL LINE IS NOT TO BE USED AS A FILL UP LINE.
- C. THE ACCUMULATOR SYSTEM SHALL HAVE A PRESSURE CAPACITY TO PROVIDE FOR REPEATED OPERATION OF HYDRAULIC PREVENTORS.
- D. DRILL STRING SAFETY VALVE(S), TO FIT ALL TOOLS IN THE DRILL STRING, ARE TO BE MAINTAINED ON THE RIG FLOOR WHILE DRILLING OPERATIONS ARE IN PROGRESS.

10. **ABNORMAL PRESSURES AND H2S GAS**

- A. NO ABNORMAL CONDITIONS ARE ANTICIPATED; FORMATION IS SLIGHTLY OVER-PRESSURED. THE ESTIMATED BOTTOM-HOLE PRESSURE IS 1000 PSI. NO ABNORMAL TEMPERATURES ARE ANTICIPATED.
- B. NO HYDROGEN SULFIDE GAS IS ANTICIPATED.

11. **LESSEE'S OR OPERATOR'S REPRESENTATIVE**

PERMIT MATTERS
TEXACO E. & P., INC.
TED A. TIPTON
3300 N. BUTLER AVE.
FARMINGTON, NM 87401
(505) 325-4397


DRILLING AND COMPLETION MATTERS
TEXACO E. & P., INC.
P.O. BOX 46510
DENVER, CO 80201-6510
(303) 793-4000 MAIN NUMBER
(303) 793-4936 - (W) STEVE GODFREY
(303) 347-0737 - (H)

TEXACO EXPLORATION & PRODUCTION, INC.



Texaco

TYPICAL 2000 p.s.i. BLOWOUT PREVENTER SCHEMATIC FOR AIR DRILLING



DRILLING CONTROL

MATERIAL LIST*

- | | |
|---------|---|
| A | Texaco Wellhead. |
| B | 2000# W.P. Dual ram type preventer, hydraulic operated with 1" steel, 2000# W.P. control lines (where sub-structure height is adequate, 2 - 2000# W.P. single ram type preventers may be utilized). |
| C | Rotating head with extended Blooie Line (optional fill up outlet). |
| 1, 3, 4 | 2" minimum 2000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve. |
| 2 | 2" minimum 2000# W.P. back pressure valve. |
| 5, 6, 9 | 2" minimum 2000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve. |
| 12 | 2" minimum schedule 80, Grade "B", seamless line pipe. |
| 13 | 2" minimum x 2" minimum 2000# W.P. flanged cross. |
| 10, 11 | 2" minimum 2000# W.P. adjustable choke bodies. |
| 14 | Cameron Mud Gauge or equivalent (location optional in choke line). |
| 15 | 2" minimum 2000# W.P. flanged or threaded full opening steel gate valve, or Halliburton Lo Torc Plug valve. |

*(OR EQUIVALENT)

THIRTEEN POINT SURFACE USE PLAN

OPERATOR: TEXACO EXPLORATION & PRODUCTION, INC.
WELL NAME: U.P. & L. # 14-55
LEASE NUMBER: FEE
LOCATION: 1183' FNL - 1075' FEL, SECTION 14, T18S/R7E SLPM, EMERY CO.,UTAH

1. EXISTING ROADS.

- A. THE PROPOSED WELL SITE IS LOCATED APPROXIMATELY 7 MILES NORTHWEST OF CASTLE DALE, UTAH.
- B. DIRECTIONS TO THE LOCATION FROM CASTLE DALE, UTAH ARE AS FOLLOWS:

FROM CASTLE DALE, UTAH, PROCEED WEST APPROX. 2 MI. TO COAL HAUL RD. TAKE COAL HAUL RD. NORTH APPROX. 4 MI. TO STATE HWY #29. GO WEST(LEFT) ON #29 FOR APPROX. .8 MI. TURN OFF # 29 RIGHT ON NORTH SIDE OF ROAD. FOLLOW FLAGS APPROX. 300 FT. TO LOCATION.
- C. THIS WELL WILL REQUIRE APPROX. 300' OF NEW ACCESS ROAD.
- D. ALL EXISTING ROADS WILL BE MAINTAINED AND KEPT IN GOOD REPAIR DURING ALL DRILLING AND COMPLETION OPERATIONS ASSOCIATED WITH THIS WELL.
- E. EXISTING ROADS AND THE EXISTING ACCESS ROAD UNDER THE JURISDICTION OF ANY SURFACE MANAGING AGENCY SHALL BE MAINTAINED IN ACCORDANCE WITH THE STANDARDS OF THE S.M.A.

2. PLANNED ACCESS ROAD.

- A. APPROX. 300 FT. OF NEW ACCESS ROAD IS REQUIRED FOR THE SUBJECT WELL. THE ROAD WILL BE FLATBLADED WITH A RUNNING SURFACE OF APPROXIMATELY 25 FT.. IF NECESSARY, APPROPRIATE WATER CONTROL CULVERTS WILL BE INSTALLED TO CONTROL EROSION. CONSTRUCTION WILL NOT CHANGE EXISTING DRAINAGE.
- B. THE ROAD WILL BE UPGRADED AND MAINTAINED AS REQUIRED BY THE S.M.A.
- C. MAXIMUM GRADE WILL NOT BE OVER 8%.
- D. TURNOUTS WILL BE CONSTRUCTED AS REQUIRED BY THE S.M.A.
- E. LOW WATER CROSSINGS WILL BE INSTALLED ALONG THE ACCESS WHERE NEEDED.
- F. SURFACING MATERIAL WILL BE DEPENDENT UPON S.M.A. REQUIREMENTS.
- G. GATES AND CATTLE GUARDS WILL BE INSTALLED AS NECESSARY.
- H. SURFACE DISTURBANCE AND VEHICULAR TRAVEL WILL BE LIMITED TO THE APPROVED LOCATION AND APPROVED ACCESS ROUTE. ANY ADDITIONAL AREA NEEDED WILL BE APPROVED IN ADVANCE.

3. LOCATION OF EXISTING WELLS WITHIN A 1-MILE RADIUS OF THE PROPOSED LOCATION.

- A. WATER WELLS -
- B. INJECTION WELLS -

- C. PRODUCING WELLS - ONE EXISTING COAL-BED METHANE WELL(#10-43) IS WITHIN 1 MI. RADIUS.
- D. DRILLING WELLS - NONE

4. **LOCATION OF TANK BATTERIES AND PRODUCTION FACILITIES.**

- A. ALL PERMANENT STRUCTURES (ONSITE FOR SIX MONTHS OR LONGER) CONSTRUCTED OR INSTALLED WILL BE PAINTED A NEUTRAL COLOR TO BLEND WITH THE SURROUNDING ENVIRONMENT. FACILITIES REQUIRED TO COMPLY WITH THE OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA) WILL BE EXCLUDED.
- B. IF STORAGE FACILITIES/TANK BATTERIES ARE CONSTRUCTED ON THIS LEASE, THE FACILITY /BATTERY OR THE WELLPAD SHALL BE SURROUNDED BY A CONTAINMENT DIKE OF SUFFICIENT CAPACITY TO CONTAIN AT A MINIMUM, THE ENTIRE CONTENT OF THE LARGEST TANK WITHIN THE FACILITY/BATTERY, UNLESS MORE STRINGENT PROTECTIVE REQUIREMENTS ARE DEEMED NECESSARY BY THE AUTHORIZED OFFICER.
- C. ALL LOADING LINES WILL BE PLACED INSIDE THE BERM SURROUNDING THE TANK BATTERY.
- D. GAS MEASUREMENT DEVICES WILL BE LOCATED IN ACCORDANCE WITH THE REGULATORY BODY.
- E. ALL METER MEASUREMENT FACILITIES WILL CONFORM WITH STATE OF UTAH REQUIREMENTS FOR NATURAL GAS MEASUREMENT.
- F. ANY NECESSARY PITS WILL BE PROPERLY FENCED TO PREVENT ANY WILDLIFE ENTRY.
- G. ALL OFF-LEASE STORAGE, OFF-LEASE MEASUREMENT, OR COMMINGLING ON-LEASE OR OFF-LEASE WILL HAVE PRIOR WRITTEN APPROVAL FROM THE AUTHORIZED OFFICER.
- H. ALL ACCESS ROADS WILL BE MAINTAINED AS NECESSARY TO PREVENT EROSION AND ACCOMMODATE YEAR-ROUND TRAFFIC.
- I. THE ROAD WILL BE MAINTAINED IN A SAFE USEABLE CONDITION.
- J. WATER PRODUCED DURING THE TEST PHASE OF THIS WELL WILL BE STORED IN STORAGE TANKS ON LOCATION AND HAULED TO AN APPROVED DISPOSAL SITE. IF THE PROJECT SEEMS VIABLE BASED ON TEST RESULTS, A DISPOSAL METHOD WILL BE SUBMITTED.

5. **LOCATION AND TYPE OF WATER SUPPLY.**

- A. ALL WATER NEEDED FOR DRILLING PURPOSES WILL BE OBTAINED FROM A LOCAL WATER SOURCE. SINCE THIS WELL WILL BE PRIMARILY DRILLED WITH AIR, MINIMAL WATER WILL BE NECESSARY.
- B. WATER WILL BE HAULED TO LOCATION OVER THE ROADS MARKED ON MAPS ATTACHED.
- C. NO WATER WELL IS TO BE DRILLED ON THIS LEASE, WITHOUT PROPER APPROVAL OF DIVISION OF WATER RIGHTS IN PRICE, UTAH.
- D. ALL APPROPRIATE PERMITS WILL BE FILED WITH THE DIVISION OF WATER RIGHTS IN PRICE, UTAH.

6. **SOURCE OF CONSTRUCTION MATERIALS.**

- A. SURFACE AND SUBSOIL MATERIALS IN THE IMMEDIATE AREA WILL BE UTILIZED.

- B. ANY GRAVEL USED WILL BE OBTAINED FROM A STATE APPROVED GRAVEL PIT.

7. **METHODS OF HANDLING WASTE DISPOSAL.**

- A. SINCE THE PROPOSED WELL WILL BE AIR-DRILLED, ONLY A SMALL RESERVE PIT WILL BE NECESSARY. THE RESERVE PIT WILL BE CONSTRUCTED SO AS NOT TO LEAK, BREAK, OR ALLOW DISCHARGE. THE RESERVE PIT WILL BE LINED IF DETERMINED NECESSARY AT THE TIME OF CONSTRUCTION.
- B. IF THE PIT IS LINED, A PLASTIC NYLON REINFORCED LINER WILL BE USED. IT WILL BE A MINIMUM OF 12 MIL THICKNESS WITH SUFFICIENT BEDDING (EITHER STRAW OR DIRT) TO COVER ANY ROCKS. THE LINER WILL OVERLAP THE PIT WALLS AND BE COVERED WITH DIRT AND/OR ROCKS TO HOLD IT IN PLACE. NO TRASH, SCRAP PIPE, ETC., THAT COULD PUNCTURE THE LINER WILL BE DISPOSED OF IN THE PIT.
- C. ALL TRASH WILL BE CONTAINED IN A TRASH CAGE AND ITS CONTENTS REMOVED AT THE END OF DRILLING OPERATIONS AND HAULED TO AN APPROVED WASTE SITE.
- D. AFTER FIRST PRODUCTION, PRODUCED WATER WILL BE CONFINED TO A STORAGE TANK FOR A PERIOD NOT TO EXCEED NINETY (90) DAYS.
- E. DRILL CUTTINGS ARE TO BE CONTAINED AND BURIED IN THE RESERVE PIT.
- F. ANY SALTS AND/OR CHEMICALS WHICH ARE AN INTEGRAL PART OF THE DRILLING SYSTEM, WILL BE DISPOSED OF IN THE SAME MANNER AS THE DRILLING FLUID.
- G. SEWAGE WILL BE PLACED IN A PORTABLE CHEMICAL TOILET OR HOLDING TANK AND DISPOSED OF IN A STATE APPROVED WASTE SITE, IN ACCORDANCE WITH STATE AND COUNTY REGULATIONS.
- H. THE PRODUCED FLUIDS WILL BE PRODUCED INTO A TEST TANK UNTIL SUCH TIME AS CONSTRUCTION OF PRODUCTION FACILITIES IS COMPLETED. ANY SPILLS OF OIL, GAS, SALT WATER OR OTHER PRODUCED FLUIDS WILL BE CLEANED UP.

8. **ANCILLARY FACILITIES.**

- A. THERE ARE NO AIRSTRIPS, CAMPS, OR OTHER FACILITIES PLANNED DURING THE DRILLING OF THE PROPOSED WELL.

9. **WELL SITE LAYOUT.**

- A. THE RESERVE PIT WILL BE LOCATED ON THE NORTH SIDE OF THE LOCATION.
- B. THE TOPSOIL STOCKPILE (FIRST SIX INCHES) WILL BE STOCKPILED ON THE WEST SIDE OF THE LOCATION.
- C. SEE LOCATION LAYOUT FOR ORIENTATION OF RIG, CROSS SECTION OF DRILL PAD AND CUTS AND FILLS.
- D. THE LOCATION OF MUD TANKS, RESERVE PIT, TRASH CAGE, PIPE RACKS, LIVING FACILITIES AND SOIL STOCKPILES ARE SHOWN ON THE LOCATION LAYOUT.
- E. ALL PITS WILL BE FENCED TO PREVENT WILDLIFE ENTRY.

- F. THE RESERVE PIT FENCING WILL BE ON THREE SIDES DURING OPERATIONS AND ON THE FOURTH SIDE WHEN THE RIG MOVES OFF LOCATION. PITS WILL BE FENCED AND MAINTAINED UNTIL CLEANUP.

10. **PLANS FOR RESTORATION OF SURFACE.**

PRODUCING LOCATION

- A. IMMEDIATELY UPON WELL COMPLETION, THE LOCATION AND SURROUNDING AREA WILL BE CLEARED OF ALL UNUSED TUBING, EQUIPMENT, DEBRIS, MATERIALS, TRASH AND JUNK NOT REQUIRED FOR PRODUCTION.
- B. IMMEDIATELY UPON WELL COMPLETION, ANY HYDROCARBONS ON THE PIT SHALL BE REMOVED.
- C. IF A PLASTIC NYLON REINFORCED LINER IS USED, IT SHALL BE TORN AND PERFORATED BEFORE BACKFILLING OF THE RESERVE PIT.
- D. ONCE THE RESERVE PIT IS DRY, THE RESERVE PIT AND THAT PORTION OF THE LOCATION NOT NEEDED FOR PRODUCTION FACILITIES/OPERATIONS WILL BE RECONTOURED TO THE APPROXIMATE NATURAL CONTOURS.
- E. THE LOCATION WILL BE RECLAIMED AND RESEEDED AS REQUESTED BY THE SURFACE USE AGREEMENT.

DRY HOLE

- F. AT SUCH TIME AS THE WELL IS PLUGGED AND ABANDONED, THE OPERATOR SHALL SUBMIT A SUBSEQUENT REPORT OF ABANDONMENT AND WILL RECLAIM LANDS AS PER GUIDELINES PURSUANT TO AO.

11. **SURFACE OWNERSHIP.**

- A. ACCESS ROADS - ALL EXISTING IMPROVED ROADS ARE COUNTY MAINTAINED AND ENCROACHMENT IS BEING APPLIED FOR.
- B. WELLPAD - THE WELLPAD IS LOCATED ON LANDS OWNED BY: PACIFICORP, dba UTAH POWER & LIGHT

OWNER ADDRESS:
PACIFICORP dba UTAH POWER & LIGHT
2300 1 UTAH CENTER
201 So. MAIN ST.
SALT LAKE CITY, UTAH 84140

12. **OTHER INFORMATION.**

- A. ALL LEASE AND/OR UNIT OPERATIONS WILL BE CONDUCTED IN SUCH A MANNER THAT FULL COMPLIANCE IS MADE WITH ALL APPLICABLE LAWS, REGULATIONS, ONSHORE OIL AND GAS ORDERS, THE APPROVED PLAN OF OPERATIONS, AND ANY APPLICABLE NOTICE TO LESSEES. THE OPERATOR IS FULLY RESPONSIBLE FOR THE ACTIONS OF HIS SUBCONTRACTORS. A COPY OF THESE CONDITIONS WILL BE FURNISHED TO THE REPRESENTATIVE TO INSURE COMPLIANCE.
- D. A COMPLETE COPY OF THE APPROVED APD SHALL BE ON LOCATION DURING CONSTRUCTION OF THE LOCATION AND DRILLING ACTIVITIES.
- E. THERE WILL BE NO DEVIATION FROM THE PROPOSED DRILLING AND/OR WORKOVER PROGRAM WITHOUT PRIOR APPROVAL FROM THE AO. SAFE DRILLING AND OPERATING PRACTICES MUST BE OBSERVED. ALL WELLS, WHETHER DRILLING, PRODUCING, SUSPENDED, OR ABANDONED WILL BE IDENTIFIED IN ACCORDANCE WITH STATE OF UTAH REGULATIONS.

- F. "SUNDRY NOTICE AND REPORT ON WELLS" WILL BE FILED FOR APPROVAL FOR ALL CHANGES OF PLANS AND OTHER OPERATIONS.
- G. THIS PERMIT WILL BE VALID FOR A PERIOD OF ONE YEAR FROM THE DATE OF APPROVAL. AN EXTENSION PERIOD MAY BE GRANTED, IF REQUESTED, PRIOR TO THE EXPIRATION OF THE ORIGINAL APPROVAL PERIOD.
- H. A PRODUCTION FLOWLINE AND WATER GATHERING LINE WILL BE PLACED ON LEASE, ADJACENT TO ACCESS ROAD CONNECTING TO THE EXISTING GATHERING SYSTEM.

13. LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION.

PERMIT MATTERS
TEXACO E. & P., INC.
TED A. TIPTON
3300 N. BUTLER AVE.
FARMINGTON, NM 87401
(505) 325-4397

DRILLING AND COMPLETION MATTERS
TEXACO E. & P., INC.
P.O. BOX 46510
DENVER, CO 80201-6510
(303) 793-4000 MAIN NUMBER
(303) 793-4936 - (W) STEVE GODFREY
(303) 347-0737 - (H)

CERTIFICATION

I HEREBY CERTIFY THAT I, OR PERSONS UNDER MY DIRECT SUPERVISION, HAVE INSPECTED THE PROPOSED DRILLSITE AND ACCESS ROUTE; THAT I AM FAMILIAR WITH THE CONDITIONS WHICH PRESENTLY EXIST; THAT THE STATEMENTS MADE IN THIS PLAN ARE, TO THE BEST OF MY KNOWLEDGE, TRUE AND CORRECT; AND, THAT THE WORK ASSOCIATED WITH THE OPERATIONS PROPOSED HEREIN WILL BE PERFORMED BY TEXACO EXPLORATION & PRODUCTION, INC. AND ITS CONTRACTORS AND SUBCONTRACTORS IN CONFORMITY WITH THE PLAN AND THE TERMS AND CONDITIONS UNDER WHICH IT IS APPROVED.

THIS STATEMENT IS SUBJECT TO THE PROVISIONS OF 18.U.S.C. 1001 FOR THE FILING OF A FALSE STATEMENT.

5/1/92

DATE:



Ted A. Tipton

TED A. TIPTON
OPERATIONS UNIT MANAGER
TEXACO E. & P., INC.

TEXACO EXPLR. & PROD., INC.

LOCATION LAYOUT FOR

TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL



SCALE: 1" = 50'
DATE: 04-18-97
DRAWN BY: D.R.B.

C-0.6'
El. 8.8'

F-0.3'
El. 7.9'

APPROX.
TOE OF
FILL SLOPE

F-2.4'
El. 5.8'

Note:
Flare Pit is to
be located a min.
of 100' from the
Well Head.

APPROX.
TOP OF
CUT SLOPE

C-10.0'
El. 10.2'
(btm. pit)

C-1.0'
El. 9.2'

C-1.0'
El. 9.2'

F-1.8'
El. 6.4'

C-10.5'
El. 10.7'
(btm. pit)


C-1.5'
El. 9.7'

F-0.8'
El. 7.4'

Note:
Pit Capacity With
2' of Freeboard
is ±2,260 Bbls.

C-2.4'
El. 10.6'

C-0.4'
El. 8.6'




Elev. Ungraded Ground at Location Stake = 6009.2'
Elev. Graded Ground at Location Stake = 6008.2'





TEXACO EXPLR. & PROD., INC.

TYPICAL CROSS SECTIONS FOR

TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL




DATE: 04-18-97
DRAWN BY: D.R.B.



APPROXIMATE YARDAGES

CUT		
(6") Topsoil Stripping	= 720	Cu. Yds.
Remaining Location	= 1,280	Cu. Yds.
TOTAL CUT	= 2,000	CU.YDS.
FILL	= 890	CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 1,060	Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 1,060	Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0	Cu. Yds.



**Proposed Location:
TEXACO #14-55**

SEE TOPO "B"

**T18S
T19S**

UEI

**TOPOGRAPHIC
MAP "A"**


DATE: 4-14-97
Drawn by: J.L.G.



TEXACO EXPLR. & PROD., INC.

**TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL**

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017



UELS

**TOPOGRAPHIC
MAP "B"**

DATE: 4-14-97
Drawn by: J.L.G.




TEXACO EXPLR. & PROD., INC.

**TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL**

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (801) 789-1017

SCALE: 1" = 2000'

T18S



APPROXIMATE TOTAL PIPELINE DISTANCE = 300' +/-

U
E
L
S

**TOPOGRAPHIC
MAP "C"**

--- Existing Pipeline
- - - Proposed Pipeline



TEXACO EXPLR. & PROD., INC.

TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.

DATE: 4-14-97
Drawn by: J.L.G.


UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017

SCALE: 1" = 1000'

TEXACO EXPLR. & PROD., INC.

LOCATION LAYOUT FOR

U.P.&L. #24-57
SECTION 24, T18S, R7E, S.L.B.&M.
1024' FNL 377' FWL



SCALE: 1" = 50'
DATE: 4-4-97
DRAWN BY: C.B.T.

F-1.2'
El. 26.2'

Total Pit Capacity
W/2' of Freeboard
is 2,260 Bbls. ±

C-10.7'
El. 30.1'
(Btm. Pit)

APPROX.
TOP OF
CUT SLOPE

Reserve Pit Backfill
& Spoils Stockpile

C-14.6'
El. 34.0'
(Btm. Pit)

C-7.7'
El. 35.1'

C-3.3'
El. 30.7'

C-0.4'
El. 27.8'

F-5.1'
El. 22.3'

Sta. 2+00

F-5.0'
El. 22.4'

Sta. 1+00


APPROX.
TOE OF
FILL SLOPE

Sta. 0+00

F-10.1'
El. 17.3'

C-3.4'
El. 30.8'

Proposed Access
Road



Elev. Ungraded Ground at Location Stake = 6030.9'
Elev. Graded Ground at Location Stake = 6027.4'



TEXACO EXPLR. & PROD., INC.

LOCATION LAYOUT FOR

TEXACO #14-55

SECTION 14, T18S, R7E, S.L.B.&M.

1183' FNL 1075' FWL



SCALE: 1" = 50'
DATE: 04-18-97
DRAWN BY: D.R.B.

C-0.6'
El. 8.8'

F-0.3'
El. 7.9'

APPROX.
TOE OF
FILL SLOPE

F-2.4'
El. 5.8'

Note:
Flare Pit is to
be located a min.
of 100' from the
Well Head.

APPROX.
TOP OF
CUT SLOPE

C-10.0'
El. 10.2'
(btm. pit)

C-1.0'
El. 9.2'

C-1.0'
El. 9.2'

F-1.8'
El. 6.4'

C-10.5'
El. 10.7'
(btm. pit)


C-1.5'
El. 9.7'

F-0.8'
El. 7.4'

Note:
Pit Capacity With
2' of Freeboard
is ±2,260 Bbls.

C-2.4'
El. 10.6'

C-0.4'
El. 8.6'



Proposed Access Road


Elev. Ungraded Ground at Location Stake = 6009.2'
Elev. Graded Ground at Location Stake = 6008.2'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East Vernal, Utah (801) 789-1017





TEXACO EXPLR. & PROD., INC.

TYPICAL CROSS SECTIONS FOR

TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL




DATE: 04-18-97
DRAWN BY: D.R.B.



APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 720 Cu. Yds.
Remaining Location	= 1,280 Cu. Yds.
TOTAL CUT	= 2,000 CU.YDS.
FILL	= 890 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 1,060 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 1,060 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.



**Proposed Location:
TEXACO #14-55**

SEE TOPO "B"

**T18S
T19S**

UELS


**TOPOGRAPHIC
MAP "A"**

DATE: 4-14-97
Drawn by: J.L.G.



TEXACO EXPLR. & PROD., INC.

**TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL**



UELS

**TOPOGRAPHIC
MAP "B"**

DATE: 4-14-97
Drawn by: J.L.G.




TEXACO EXPLR. & PROD., INC.

**TEXACO #14-55
SECTION 14, T18S, R7E, S.L.B.&M.
1183' FNL 1075' FWL**

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (801) 789-1017

SCALE: 1" = 2000'



TOPOGRAPHIC MAP "C"

LEGEND

- Existing Pipeline
- - - Proposed Pipeline

TEXACO EXPLR. & PROD., INC.

TEXACO #14-55

SECTION 14, T18S, R7E, S.L.B.&M.

DATE: 4-14-97
 Drawn by: J.L.G.

UINTEH ENGINEERING & LAND SURVEYING
 85 So. 200 East • Vernal, Utah 84078 • (801) 789-1017

SCALE: 1" = 1000'

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 05/05/97

API NO. ASSIGNED: 43-015-30314

WELL NAME: UP&L 14-55
 OPERATOR: TEXACO E & P INC (N5700)

PROPOSED LOCATION:
 NWNW 14 - T18S - R07E
 SURFACE: 1183-FNL-1075-FWL
 BOTTOM: 1183-FNL-1075-FWL
 EMERY COUNTY
 UNDESIGNATED FIELD (002)

INSPECT LOCATION BY: 05/25/97		
TECH REVIEW	Initials	Date
Engineering	SRB	6/18/97
Geology		
Surface		

LEASE TYPE: FEE
 LEASE NUMBER: UTAH POWER

PROPOSED PRODUCING FORMATION: FRSD

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Federal State Fee
 (Number K0 290 7914)
- Potash (Y/N)
- Oil shale (Y/N)
- Water permit
 (Number COMMERCIAL SUPPLY)
- RDCC Review (Y/N)
 (Date: _____)

LOCATION AND SITING:

- R649-2-3. Unit: _____
- R649-3-2. General.
- R649-3-3. Exception.
- Drilling Unit.
 Board Cause no: _____
 Date: _____

COMMENTS: Conf. status req. Exc. loc. OK. Casing OK. Cement OK, BOP OK.

STIPULATIONS: 1. Statement of Basis
2. Surface use agreement stip.

DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS

Operator: TEXACO EXPLORATION & PRODUCTION, INC

Name & Number: U. P. & L. 14-55

API Number: 43-015-30314

Location: 1/4, 1/4 NW, NW Sec. 14 T. 18 S R. 7 E

Geology/Ground Water:

High quality ground-water may be encountered in the surface alluvium. The surface casing will be set to a depth of 300' and cemented to surface. This should adequately protect any near-surface waters encountered. Water may also be encountered in the Ferron Sandstone. The production casing and cementing program should adequately isolate this zone.

Reviewer: Dan Jarvis

DATE: June 12, 1997

Surface:

An onsite evaluation was done for the proposed location on June 5, 1997. Representatives for the surface owner and the operator were present during the onsite evaluation. This location is in close proximity to Cottonwood Creek. Measures should be taken to protect the water course from degradation due to runoff, spills and erosion. This is an exception location and requires approval from DOGM. It is not recommended that this approval be granted due to topography.

Reviewer: Brad Hill

Date: June 12, 1997

Conditions of Approval/Application for Permit to Drill:

1. Reserve pit is to be lined with a synthetic liner with a minimum thickness of 12 mils.
2. Location is to be bermed to prevent runoff from the location.
3. A surface agreement is needed prior to approval.
4. An exception location must be obtained prior to approval.

STATE OF UTAH
ONSITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: TEXACO EXPLORATION & PRODUCTION, INC.
WELL NAME & NUMBER: U.P.&L. 14-55
API NUMBER: 43-015-30314
LEASE: FEE FIELD/UNIT: WILDCAT
LOCATION: 1/4, 1/4 NW, NW Sec: 14 TWP: 18S RNG: 7E 1183 FNL 1075 FWL
LEGAL WELL SITING: 460 F SEC. LINE; 460 F 1/4, 1/4 LINE; 920 F ANOTHER WELL.
GPS COORD (UTM): 12 490526 E 4345446 N
SURFACE OWNER: PACIFICORP (801) 220-2238

PARTICIPANTS

Brent Arnold-Pacificorp, Ron Wirth-Texaco

REGIONAL/LOCAL SETTING & TOPOGRAPHY

The proposed well is located on the western edge of the Wasatch Plateau physiographic province and within the Cottonwood Drainage. The location is on a very gentle south facing slope with low hills to the north which are backed by high cliffs. A pipeline runs in an east-west direction along the south edge of the proposed location.

SURFACE USE PLAN

CURRENT SURFACE USE: Grazing and wildlife habitat.

PROPOSED SURFACE DISTURBANCE: A rectangular pad will be constructed with approximate dimensions of 200' X 175'. This will include an 80' X 40' X 8' reserve pit. An access road 300 feet long will be constructed to the pad.

LOCATION OF EXISTING WELLS WITHIN A 1 MILE RADIUS: A producing well (Texaco #10-43, Section 10) is located within a 1 mile radius of the proposed well. There are also other wells proposed within a 1 mile radius. See GIS map in well file.

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: If the proposed well is productive it will be hooked into a pipeline which is located at the south edge of the location.

SOURCE OF CONSTRUCTION MATERIAL: Onsite materials will be used for construction.

ANCILLARY FACILITIES: None needed.

WASTE MANAGEMENT PLAN:

Drill cuttings are to be contained and buried in the reserve pit. Produced water will be placed into a storage tank and hauled off of location for disposal. Refuse will be contained while drilling and hauled offsite for disposal. Chemical toilets will be used on location.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOODPLAINS AND/OR WETLANDS: The proposed location is approximately 500' from Cottonwood Creek.

FLORA/FAUNA: Cheat grass, Sagebrush, Cactus, Greasewood/Deer, rabbits, rodents, insects, birds.

SOIL TYPE AND CHARACTERISTICS: Clayey silt-sand with rock fragments, gravel and boulders.

SURFACE FORMATION & CHARACTERISTICS: Quaternary alluvium derived from the Mancos Shale and it's associated and overlying sandstones.

EROSION/SEDIMENTATION/STABILITY: No active sedimentation or erosion at present. The location should be stable.

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: A rectangular pit with dimensions of 80' X 40' X 8' will be constructed within the boundaries of the well pad.

LINER REQUIREMENTS (Site Ranking Form attached): The reserve pit is to be lined with a synthetic liner with a minimum thickness of 12 mils.

SURFACE RESTORATION/RECLAMATION PLAN

Restoration will be done as specified by the surface owner.

SURFACE AGREEMENT: The surface agreement has not been signed at the time of the onsite evaluation. Both parties indicate that an agreement will be reached and signed.

CULTURAL RESOURCES/ARCHAEOLOGY: Not required.

OTHER OBSERVATIONS/COMMENTS

The proposed well will require an exception location under statewide spacing. This location is not justifiable for topographic reasons.

ATTACHMENTS

Photographs will be placed on file.

Brad Hill
DOGM REPRESENTATIVE

June 5, 1997
DATE/TIME

**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>10</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>5</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>10</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Base Mud Fluid	15	
containing significant levels of hazardous constituents	20	<u>0</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>5</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>15</u>

Final Score:45

Fax Note

Sent with a **US Robotics** fax modem.

FAX COVER SHEET

Friday, June 13, 1997 08:52:10 AM

To: Mr. John Baza
At: DOGM
Fax #: 1-801-359-3940

Fax: 1 page and a cover page.



Note:
John,

Attached is a plat of the UP&L #14-55 well in the NW/4 of Section 14, T-18-S, R-7-E. Texaco owns 100% of the leasehold surrounding this well (460' radius). This information is being furnished per your request in order to expedite the approval of the APD for this well. Once again, we appreciate your cooperation and assistance in getting our APD's approved.

Thank you,
Chuck Snure
Rockies Business Unit


APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 6/18/97
BY: John R. Baza

NOTE: TEXACO OWNS 100% OF THE LEASEHOLD IN THE SHADED AREA SURROUNDING THE LOCATION OF THE UP&L #14-55 WELL (460' RADIUS), AND HAS AGREEMENTS FROM ALL MINERAL OWNERS TO DRILL SAID WELL.

T18S, R7E, S.L.B.&M.

We
sh
14



S
1
T
T
G
A

LEGEND: N89°53'51"E 2696.03' (Meas.) S89°29'W - 40.48 (G.L.O.)

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- = COMPUTED TRUE CORNER. (Not Set)
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS IS THE EAST LINE OF THE SE 1/4 OF SECTION 9, T18S, R7E, S.L.B.&M. WHICH IS ASSUMED FROM G.L.O. INFORMATION TO BEAR N00°09'E.


6
SCALE
PARTY
WEATH



Texaco Exploration and Production Inc

3300 N Butler
Farmington NM 87401

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1594 West North Temple
Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801



June 12, 1997

RE: **Application for Permit to Drill (APD)**
U.P. & L. #14-55 , Surf Loc: 1183' FNL, 1075' FWL, Unit D
Sec. 14-T18S-R7E *43.015-30314*
Emery County, Utah

Gentlemen:

Texaco Exploration and Production Inc. is seeking approval from the Division of Oil, Gas and Mining to drill an exploratory well to test the Ferron formation. . Texaco requests confidential status of this well and all information pertaining to it.

Texaco requests an exception to "Standard Location" due to the proximity to existing road and pipeline infrastructure.

Your attention to this matter is greatly appreciated. If you have any questions concerning this matter please contact me at 505-325-4397, ext. 20.

Sincerely,

Ted A. Tipton
Operating Unit Manager
RSD/s, Attachments



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
James W. Carter
Division Director

1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

June 18, 1997

Texaco Exploration & Production, Inc.
3300 North Butler Avenue, Suite 100
Farmington, New Mexico 87401

Re: U.P. & L. 14-55 Well, 1183' FNL, 1075' FWL, NW NW,
Sec. 14, T. 18 S., R. 7 E., Emery County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30314.

Sincerely,

Lowell P. Braxton
Lowell P. Braxton
Deputy Director

lwp

Enclosures

cc: Emery County Assessor
Bureau of Land Management, Moab District Office

Operator: Texaco Exploration & Producing, Inc.
Well Name & Number: U.P. & L. 14-55
API Number: 43-015-30314
Lease: Fee
Location: NW NW Sec. 14 T. 18 S. R. 7 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact John R. Baza (801)538-5334 or Mike Hebertson at (801) 538-5333.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis dated June 12, 1997 (copy attached).

5. Pursuant to Utah Admin. R.649-3-34 Well Site Restoration, an operator shall make a reasonable effort to establish a surface use agreement with the owner of the fee or private land included in the wellsite prior to the commencement of drilling a new well, re-entering an abandoned well or assuming operatorship of an existing well. Accordingly, Texaco Exploration & Production, Inc. shall submit an affidavit to the Division stating whether an appropriate surface use agreement has been established with and approved by the surface landowner of the wellsite.

CONFIDENTIAL

SPUDDING INFORMATION

Name of Company: TEXACO EXPLORATION & PRODUCTION INC.

Well Name: UPL 14-55

Api No. 43-015-30314

Section: 14 Township: 18S Range: 7E County: EMERY

Drilling Contractor AZTEC

Rig # 134

SPUDDED:

Date 6/20/97

Time _____

How ROTARY

Drilling will commence _____

Reported by ED WILBURN

Telephone # _____

Date: 6/19/97 Signed: JLT

✓



TEXACO

FAX TRANSMITTAL COVER SHEET

NOTE: DO NOT USE BLUE OR RED INK OR PENCIL ON THIS FORM. THEY WILL NOT REPRODUCE

DATE: June 24, 1997 URGENT ROUTINE NO. OF PAGES C+1

MESSAGE TO: Lisha Cordova

TELEPHONE NO. (801) 538 5296 FAX MACHINE NO. 801 359-3946

DEPT./DIV./SUBS. Utah OGM

LOCATION Salt Lake ROOM NO. _____

MESSAGE FROM: Kami Denetsu

TELEPHONE NO. 505 325 4397 FAX MACHINE NO. 505 325 5398

DEPT./DIV./SUBS. _____

LOCATION FARMINGTON NM ROOM NO. _____

SENDING DEPT. APPROVAL _____ TIME TRANSMITTED _____

- RETURN ORIGINAL VIA INTER-OFFICE MAIL
- RETURN ORIGINAL CALL SENDER TO PICK UP

ADDITIONAL COMMENTS:

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR TEXACO E & P INC.
ADDRESS 3300 N BUTLER
FARMINGTON, NM 87401

OPERATOR ACCT. NO. 0980

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	12145	4301530306	STATE OF UTAH U 2-48	NW/NE	2	18S	7E	EMERY	5/10/97	
WELL 1 COMMENTS: <i>Entities added 7-1-97. See</i>											
A	99999	12146	4301530309	STATE OF UTAH U 2-49	NW/SE	2	18S	7E	EMERY	5/30/97	
WELL 2 COMMENTS:											
A	99999	12147	4301530308	STATE OF UTAH U 2-50	NE/SW	2	18S	7E	EMERY	6/12/97	
WELL 3 COMMENTS:											
A	99999	12148	4301530314	U.P. & L 14-55	NW/NW	14	18S	7E	EMERY	6/17/97	
WELL 4 COMMENTS:											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

[Handwritten Signature]
Signature


Admin Associate III 6/24/97
Title Date

Phone No. (505) 325-4397 ext. 10

(3/89)

P.2/2

JUN 24 '97 01:27PM



Cox, Gary E

From: Snure, Chuck A
Sent: Tuesday, June 24, 1997 2:34 PM
To: Cox, Gary E
Cc: Knauss, Martin E; Lamarre, Robert A ; Jones, William V ; Donley, Richard S; Schaffitzel, Robert F
Subject: Easements/Surface Use Agreements

FYI -


Easements/Surface Use Agreements from the appropriate surface owners have been signed covering the following wells:

- #7-64
- #8-61
- #8-62
- #8-63
- #9-59
- #9-60
- #10-58
- #14-55
- #15-67
- #15-68
- #16-65
- #16-66

= North of river.

50% of these are north of the river. Probably would be a good idea to contact the surface owners prior to commencing work on building the locations, etc. as a courtesy.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING



REPORT OF WATER ENCOUNTERED DURING DRILLING

- 1. Well name and number: UP: L 14-55
API number: 43-015-30314
- 2. Well Location: QQ _____ Section 14 Township 18S Range 7-E County Emery
- 3. Well operator: TEXACO E:P INC
Address: P.O. Box 46510
Denver, Co 80201 Phone: 303-793-4936
- 4. Drilling contractor: Bill MARTIN JR Rattle Service
Address: P.O Box 827
Vernal, UTAH, 84078 Phone: 801-789-4729
- 5. Water encountered (attach additional pages as needed):

DEPTH		VOLUME (FLOW RATE OR HEAD)	QUALITY (FRESH OR SALTY)
FROM	TO		
80		UNKNOWN	UNKNOWN
170		"	20 ^{ppm} HARD. 200 ^{ppm} CHL
395		"	UNKNOWN
2902		"	120 ^{ppm} HARDNESS 650 ^{ppm} CHL

*alter in
848h
push
(below
Coals-
iron)*

*M-1
mud
man*

Would not flow w/o air on hole (venturi)

- 6. Formation tops: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: 6-26-97
Name & Signature: DE WELBORN *[Signature]* Title: DRILL SUPERV.

STATE OF UTAH
DIVISION OF OIL AND GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.)

5. Lease Designation and Serial Number:
FEE

6. If Indian, Allottee or Tribe Name:

7. Unit Agreement Name:

1. Type of Well OIL WELL GAS WELL OTHER COAL-BED METHANE

8. Well Name and Number:
U.P. & L. 14-55

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

9. API Well Number:
4301530314

3. Address and Telephone Number:
3300 N. Butler Ave., Suite 100 Farmington NM 87401 (505) 325-4397

10. Field and Pool, or Wildcat:
WILDCAT

Location of Well

Footages: 1183' NORTH 1075' WEST
QQ, Sec.,T.,R.,M: NW , NW , 14 , T18S , R7E

County: EMERY
State: UT

CONFIDENTIAL

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- OTHER
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date work will start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- OTHER SPUD & CASING
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on Well COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)

TEXACO E. & P, INC. HAS COMPLETED THE FOLLOWING ON THE SUBJECT WELL:

6/17/97 - WITH RATHOLE RIG, DRILL 18" HOLE TO 70' & SET 14" CONDUCTOR PIPE. CEMENT W/ 80 SX 'G' CEMENT. DRILL 12-1/4" HOLE TO 295'. PREP TO RUN SURFACE CASING. RUN 7 JTS., 8-5/8", 24#, K-55 CASING. SET AT 291'. CEMENT W/ 225 SX CLASS 'G' W/ 2% CaCl2 & 1/4 LB/SX CELLOFLAKE. DID NOT CIRCULATE TO SURFACE. WELD ON 9-5/8" S.O.W. WILL ATTEMPT TO CEMENT W/ 1" TOP JOB.

6/20/97 - MIRU DRILL RIG. RUN 1" TBG. TAG CEMENT AT 105'. PUMP 80 SX 'G' CEMENT. CEMENT TO SURFACE. PULL TBG. WAIT ON CEMENT.


6/21/97 - TEST BOP'S TO 2000 PSI, OK. DRILL CEMENT AND FORMATION TO 2980' (T.D. ON 6/25/97) W/ 7-7/8" BIT. RIG UP SCHLUMBERGER TO LOG. RUN PLATFORM EXPRESS SUITE, HIGH RES COAL LOG, DIPOLE SONIC LOG.

6/25/97 - PREP TO RUN CASING. RUN 70 JTS. 5-1/2", 17#, K-55 CASING. SET AT 2980'. CEMENT W/ 300 SX 'G' CEMENT(12.2 PPG, 1.91 FT3) W/ ADDITIVES. FOLLOW W/ 100 SX 'RFC' 10-1 CEMENT(14.2 PPG, 1.61 FT3). PLUG DOWN AT 4:30 A.M. 6/27/97. DID NOT CIRCULATE.

13.

Name and Signature Ted A. Tipton *JAG* TITLE Operating Unit Manager DATE 6/27/97

(This space for State use only)



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

5. Lease Designation and Serial Number:	
6. If Indian, Allottee or Tribe Name:	
7. Unit Agreement Name:	
8. Well Name and Number:	
9. API Well Number:	
10. Field and Pool, or Wildcat:	
1. Type of Well: OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER: COAL-BED METHANE	
2. Name of Operator: TEXACO EXPLORATION & PRODUCTION INC.	
3. Address and Telephone Number: 3300 N. BUTLER AVE., FARMINGTON NM 87401 (505) 325-4397	
4. Location of Well Footages: County: QQ, Sec., T., R., M.: CONFIDENTIAL	State:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT (Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other PRODUCTION CASING CEMENT DESIGN
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate date work will start 6/25/97

CONFIDENTIAL

SUBSEQUENT REPORT (Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other _____
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco E. & P. Inc. requests approval on the following:
 Texaco proposes to modify the previously submitted cement plan on the wells listed below. Texaco will attempt to set cement to 500' above the top of the Ferron fm. Texaco will use the caliper log plus 10% to calculate the volume necessary. Texaco will also confirm cement top and bond with a cement bond log. Texaco will notify the U.D.O.G.M. of any water encountered during drill that may affect the cement job. The following are the wells effected by this change.

- | | | | |
|--------------------------|--------------------------|-----------------------|-----------------------|
| L. & M. CURTIS #13-56 | R.G. NORRIS #14-40 | U.P. & L. #14-53 | D. & D. CURTIS 14-54 |
| U.P. & L. #14-55 | U.P. & L. #23-51 | D. & A. JONES #9-59 | L. & M. CURTIS #15-67 |
| L. & M. CURTIS #10-58 | D. & A. JONES #15-68 | PEACOCK TRUST #9-60 | PEACOCK TRUST #7-64 |
| U.P. & L. #24-57 | PEACOCK TRUST #8-63 | P. & K. PEACOCK #8-62 | PEACOCK TRUST # 8-61 |
| STATE OF UTAH 'X' #16-66 | STATE OF UTAH 'X' #16-65 | | |

13. Name & Signature: Rachal Huidi Title: Operating Unit Manager Date: 6/24/97

(This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 7/8/97
BY: [Signature]

*See attached
Conditions of
Approval.*

(See Instructions on Reverse Side)

RECEIVED
JUN 30 1997
DIV. OF OIL, GAS & MINING



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Ted Stewart
Executive Director
James W. Carter
Division Director

1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

CONDITIONS OF APPROVAL

Well Name and Number: Various
API Number: Various
Operator: Texaco Exploration & Production Inc.
Type of Approval Requested: Modify casing cementing program
Reference Document: Sundry notice dated 6/24/97

Approval Conditions:

1. The operator shall monitor the drilling conditions between the surface casing and final depth of the well to determine if any water is encountered while air drilling. If water is encountered, the operator shall immediately notify one of the following staff members of the Division of Oil, Gas and Mining.

Division personnel: John Baza, Petroleum Engineer (801)538-5334
Gilbert Hunt, Environmental Manager (801)538-5297


In such cases, the production casing shall be cemented in place using the cementing program proposed in the referenced sundry notice, but an appropriate type and volume of cement will also be pumped down the surface casing - production casing annulus (bradenhead squeeze) in order to seal off any underground water from reaching the surface.

2. In the event a substantial number of wells exhibit water encountered while drilling below the surface casing, the Division may rescind this approval and require the operator to submit an alternative proposal for cementing the surface casing and production casing in future wells drilled in this area.


John R. Baza, Petroleum Engineer

7/8/97
Date

AFFIDAVIT



STATE OF COLORADO }
COUNTY OF DENVER }

GARY E. COX, of lawful age, being first duly sworn, on oath deposes and says that he is familiar with the following well(s) to be located and drilled in Township 18 South, Range 7 East, Emery County, Utah, to-wit:

WELL(S): UPL #14-53; UPL #14-55; UPL #23-51;
UPL #24-57; D: D CURTIS #14-54; R.G. NORRIS #14-40

and that he is also familiar with, PACIFICORP, DBA UTAH POWER LIGHT COMPANY, who on the 16TH day of JULY, 1997 executed an Easement/Surface Use Agreement in favor of **TEXACO EXPLORATION AND PRODUCTION INC.**, and that said Easement/Surface Use Agreement grants **TEXACO EXPLORATION AND PRODUCTION INC.** the full use of all road and pipeline access to said well(s) and that all considerations for said access and location(s) for said well(s) have been tendered to and received by the surface owners for the above described well.

Further affiant saith not.

Gary E. Cox
GARY E. COX
ASSET TEAM MANAGER

Subscribed and sworn to before me this 12TH day of August, 1997.

Eva Andretsos
Notary Public



STATE OF COLORADO }
COUNTY OF DENVER }


The foregoing instrument was acknowledged before me this 12th day of August, 1997, by GARY E. COX.

WITNESS my hand and official seal
Eva Andretsos
Notary Public



My Commission Expires: 3-25-99

AFFIDAVIT



STATE OF COLORADO }
COUNTY OF DENVER }

GARY E. COX, of lawful age, being first duly sworn, on oath deposes and says that he is familiar with the following well(s) to be located and drilled in Township 18 South, Range 7 East, Emery County, Utah, to-wit:

WELL(S): LEM CURTIS # 13-56
DID CURTIS # 14-54

and that he is also familiar with, DONALD R. CURTIS & DELORES CURTIS, who on the 6TH day of AUGUST, 1997 executed an Easement/Surface Use Agreement in favor of TEXACO EXPLORATION AND PRODUCTION INC., and that said Easement/Surface Use Agreement grants TEXACO EXPLORATION AND PRODUCTION INC. the full use of all road and pipeline access to said well(s) and that all considerations for said access and location(s) for said well(s) have been tendered to and received by the surface owners for the above described well.

Further affiant saith not.



Gary E. Cox
GARY E. COX
ASSET TEAM MANAGER

Subscribed and sworn to before me this 19TH day of August, 1997.

Eva Andretsos
Notary Public

STATE OF COLORADO }
COUNTY OF DENVER }

The foregoing instrument was acknowledged before me this 19TH day of August, 1997, by GARY E. COX.

WITNESS my hand and official seal:
Eva Andretsos
Notary Public

My Commission Expires: March 25, 1999
2965 S. Hudson St., Denver, CO 80222



STATE OF UTAH
DIVISION OF OIL AND GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.)

<p>1. Type of Well <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER COAL-BED METHANE</p>	<p>5. Lease Designation and Serial Number: FEE</p>
<p>2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC.</p>	<p>6. If Indian, Allottee or Tribe Name:</p>
<p>3. Address and Telephone Number: 3300 N. Butler Ave., Suite 100 Farmington NM 87401 (505) 325-4397</p>	<p>7. Unit Agreement Name:</p>
<p>Location of Well</p> <p>Footages: 1183' NORTH 1075' WEST</p> <p>County: EMERY</p> <p>QQ, Sec., T., R., M.: NW , NW , 14 , T18S , R7E</p> <p>State: UT</p>	<p>8. Well Name and Number: U.P. & L. 14-55</p> <p>9. API Well Number: 4301530314</p> <p>10. Field and Pool, or Wildcat: WILDCAT</p>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT <small>(Submit in Duplicate)</small>	SUBSEQUENT REPORT <small>(Submit Original Form Only)</small>
<p><input type="checkbox"/> Abandonment <input type="checkbox"/> New Construction</p> <p><input type="checkbox"/> Casing Repair <input type="checkbox"/> Pull or Alter Casing</p> <p><input type="checkbox"/> Change of Plans <input type="checkbox"/> Recompletion</p> <p><input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Shoot or Acidize</p> <p><input type="checkbox"/> Fracture Treat <input type="checkbox"/> Vent or Flare</p> <p><input type="checkbox"/> Multiple Completion <input type="checkbox"/> Water Shut-Off</p> <p><input type="checkbox"/> OTHER _____</p>	<p><input type="checkbox"/> Abandonment <input type="checkbox"/> New Construction</p> <p><input type="checkbox"/> Casing Repair <input type="checkbox"/> Pull or Alter Casing</p> <p><input type="checkbox"/> Change of Plans <input type="checkbox"/> Shoot or Acidize</p> <p><input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Vent or Flare</p> <p><input type="checkbox"/> Fracture Treat <input type="checkbox"/> Water Shut-Off</p> <p><input checked="" type="checkbox"/> OTHER <u>SPUD & CASING</u></p> <p>Date of work completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on Well COMPLETION OR RECOMPLETION AND LOG form.</p> <p>* Must be accompanied by a cement verification report.</p>
<p>Approximate date work will start _____</p>	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)

TEXACO E. & P, INC. HAS COMPLETED THE FOLLOWING ON THE SUBJECT WELL:


8/10/97 - MIRU, NU BOP. DRILL CEMENT TO 2934' (NEW PBTD.). PERF 2869'-2878' W/ 4 SPF, 4" HEGS, 0.6" HOLES. FRAC 2869'-78' W/ 29,792# OF 20/40 SAND, 358 BBL. FLUID. CLEAN OUT TO 2870'. RIH W/ RBP, SET AT 2845'. DUMP SAND ON RBP. PERF 2780'-96', 2824'-26'. FRAC 2780'-2826' W/ 5732# 20/40 SAND, 313 BBL. FLUID. RIH W/ RBP, SET AT 2785'. DUMP SAND ON RBP. PERF. 2726'-44' W/ 4 SPF, 4" HEGS, 0.6" HOLES. FRAC 2726'-44' W/ 40,000# 20/40 SAND AND 403 BBL. FLUID.

8/28/97 - CIRCULATE CLEAN TO 2750'. WELL STARTED FLOWING. HOOK WELL INTO EXISTING GATHERING SYSTEM. FIRST SALES 8/28/97.

CONFIDENTIAL

13. Name and Signature Allen Davis *Dashed Handwritten Signature* TITLE Operating Unit Manager DATE 9/3/97

(This space for State use only)



STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL [] GAS WELL [x] DRY [] OTHER COAL-BED METHANE
1b. Type of Completion WELL [] DEEP EN [] PLUG BACK [] DIFF. RESVR. [] OTHER []

2. Name of Operator: TEXACO EXPLORATION & PRODUCTION, INC.

3. Address and Telephone No.: 3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397

4. Location of Well (Report location clearly and in accordance with any State requirements.): At Surface Unit Letter D : 1183' Feet From The NORTH Line and 1075' Feet From The WEST Line

14. API No. 4301530314 Date Issued 9-28-98

15. Date Spudded 6/17/97 16. Date T.D. Reached 6/25/97 17. Date Compl. (Ready to Prod.) 8/28/97 (Plug Abd) 18. Elevations (Show whether DF,GR,RT, GR, etc.) 6009' 19. Elev. Casinhead

20. Total Depth, MD & TVD 2980' 21. Plug Back T.D., MD & TVD 2934' 22. If Multiple Compl., How Many* 1 23. Intervals Drilled By --> Rotary Tools CableTools XX

24. Producing Interval(s), Of This Completion -- Top, Bottom, Name (MD and TVD)* FERRON FM 2726' - 2878' 25. Was Directional Survey Made NO

26. Type Electric and Other Logs Run NEUT. DENSITY W/ HIGH RES. COAL LOG, INDUCTION, SONIC 27. Was Well Cored Yes [] No [x] (Submit Drill Stem Test Yes [] No [x] (See Reverse Side)

Table with 6 columns: CASING SIZE & GRADE, WEIGHT LB./FT., DEPTH SET, HOLE SIZE, CEMENT RECORD, AMOUNT PULLED. Rows include 8-5/8" 24# 291' 12-1/4" 305 SX and 5-1/2" 17# 2980' 7-7/8" 400 SX.

Table with 8 columns: SIZE, TOP, BOTTOM, SACKS CEMENT, SCREEN, SIZE, DEPTH SET, PACKER SET. Includes LINER RECORD and TUBING RECORD sections.

Table with 2 columns: PERFORATION RECORD (interval, size, and number) and ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. Includes a RECEIVED stamp dated SEP 22 1997.

Table with 8 columns: Date First Production, Production Method, Well Status, Date of Test, Hours tested, Choke Size, Prod'n For Test Period, Oil - Bbl., Gas - MCF, Water - Bbl., Gas - Oil Ratio, Flow Tubing Press., Casing Pressure, Calculated 24-Hour Rate, Oil - Bbl., Gas - MCF, Water - Bbl., Oil Gravity - API -(Corr.)

34. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD Test Witnessed By R. WIRTH

35. List of Attachments

36. I hereby certify that the foregoing is true and correct. SIGNATURE: [Signature] TITLE: Operating Unit Manager DATE: 9/17/97

TYPE OR PRINT NAME: Allen Davis

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries);

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	TOP	
				MEAS. DEPTH	TRUE VERT. DEPTH
				FERRON FM.	2725'



United States Department of the Interior


BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-931

September 8, 1999

Texaco Exploration and Production Inc.
Attn: Chuck Snure
P.O. Box 2100
Denver, Colorado 80201



Gentlemen:

Enclosed is one approved copy of Communitization Agreement No. UTU78512. This agreement communitizes all rights as to natural gas and associated liquid hydrocarbons producible from the Ferron Formation, covering the NW $\frac{1}{4}$ of Section 14, Township 18 South, Range 7 East, SLB&M, Emery County, Utah. This agreement conforms with the spacing set forth in Order No. 245-1 which was issued by the State of Utah, Board of Oil, Gas and Mining.

This agreement is effective as of August 28, 1997. The communitized area covers 162.976 acres and includes portions of Federal oil and gas leases UTU68538 and UTU75687.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

Minerals Management Service Form MMS-3160, "Monthly Report of Operations", must be submitted for this agreement beginning with the month in which drilling operations commence for Well No. 14-55, NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 14, Township 18 South, Range 7 East, SLB&M, Emery County, Utah, API # 43-015-30314, on a Fee lease. Form MMS-3160 is to be mailed to the Minerals Management Service, Production Accounting Division, P. O. Box 17110, Denver, Colorado 80217.

Since this well is producing, this approval requires the submission of a Payor Information Form MMS-4025 to the Minerals Management Service (MMS) within 30 days (30 CFR 210.51). Please notify the designated payor or payors (purchasers, working interest owners, or others) as soon as possible regarding this requirement. Any production royalties that are due must be reported and paid within 90 days of the Bureau of Land Management's approval date or the payors will be assessed interest for late payment.

under the Federal Oil and Gas Royalty Management Act of 1982 (See 30 CFR 218.54). If you need assistance or clarification, please contact the Minerals Management Service at 1-800-525-9167 or 303-231-3504.

Please furnish all interested principals with necessary evidence of this approval.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Mineral Adjudication Group w/enclosure
Field Manager - Moab w/enclosure
State Land
Division Oil, Gas & Mining
File - UTU78512
MMS - Data Management Division (Attn: Rose Davalos)
Agr. Sec. Chron.
Fluid Chron.

UT931:TATHOMPSON:tt:9/8/99



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.
 Midcontinent Business Unit
 Ferron Operations
 Emery County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main	Fed or State
N5700	36	160S	070E	4301530268	STATE OF UTAH T36-10	3	S	GW	State
N5700	01	170S	070E	4301530498	UP&L 01-101	4	NEW	GW	State
N5700	03	170S	080E	4301530499	ST OF UT GG 03-122	3	NEW	GW	State
N5700	03	170S	080E	4301530500	ST OF UT HH 03-133	3	NEW	GW	State
N5700	05	170S	080E	4301530479	ST OF UT BB 05-107	3	DRL	GW	State
N5700	05	170S	080E	4301530480	ST OF UT BB 05-108	3	DRL	GW	State
N5700	05	170S	080E	4301530481	ST OF UT BB 05-109	3	DRL	GW	State
N5700	05	170S	080E	4301530482	ST OF UT BB 05-110	3	DRL	GW	State
N5700	06	170S	080E	4301530441	UP&L 06-102	4	DRL	GW	State
N5700	06	170S	080E	4301530442	UP&L 06-104	4	DRL	GW	State
N5700	06	170S	080E	4301530483	UP&L 06-103	4	DRL	GW	State
N5700	06	170S	090E	4301530393	ST OF UT EE 06-138	3	APD	GW	State
N5700	07	170S	080E	4301530396	ST OF UT AA 07-106	3	DRL	GW	State
N5700	07	170S	080E	4301530497	ST OF UT AA 07-105	3	NEW	GW	State
N5700	08	170S	080E	4301530486	ROWLEY 08-111	4	DRL	GW	State
N5700	08	170S	080E	4301530495	ST OF UT BB 08-112	3	NEW	GW	State
N5700	08	170S	080E	4301530496	ST OF UT BB 08-113	3	NEW	GW	State
N5700	09	170S	080E	4301530437	ST OF UT BB 09-119	3	APD	GW	State
N5700	09	170S	080E	4301530443	WM S IVIE ET AL 09-118	4	DRL	GW	State
N5700	09	170S	080E	4301530444	ST OF UT BB 09-120	3	DRL	GW	State
N5700	09	170S	080E	4301530501	SEELEY FARMS 09-117	4	NEW	GW	State
N5700	10	170S	080E	4301530438	ST OF UT CC 10-124	3	DRL	GW	State
N5700	10	170S	080E	4301530454	ST OF UT CC 10-123	3	DRL	GW	State
N5700	10	170S	080E	4301530458	ST OF UT FF 10-125	3	DRL	GW	State
N5700	11	170S	080E	4301530459	ST OF UT FF 11-129	3	DRL	GW	State
N5700	11	170S	080E	4301530462	ST OF UT FF 11-130	3	DRL	GW	State
N5700	15	170S	080E	4301530484	AMERICA WEST GROUP ET AL 15-126	4	DRL	GW	State
N5700	15	170S	080E	4301530485	W H LEONARD ET AL 15-127	4	DRL	GW	State
N5700	15	170S	080E	4301530490	SWD 4	4	APD	WD	State
N5700	15	170S	080E	4301530502	ST OF UT GG 15-128	3	NEW	GW	State
N5700	16	170S	080E	4301530478	GARDNER TRUST ET AL 16-121	4	DRL	GW	State
N5700	31	170S	080E	4301530439	ST OF UT DD 31-98	3	DRL	GW	State

Chevron U.S.A. Inc.
 Midcontinent Business Unit
 Ferron Operations
 Emery County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main	Fed or State
N5700	36	170S	070E	4301530382	UTAH STATE 36-78	3	DRL	GW	State
N5700	01	180S	070E	4301530381	UTAH STATE 1-76	3	P	GW	State
N5700	02	180S	070E	4301530270	STATE OF UTAH U2-11	3	P	GW	State
N5700	02	180S	070E	4301530306	STATE OF UTAH U 2-48	3	P	GW	State
N5700	02	180S	070E	4301530308	STATE OF UTAH U 2-50	3	P	GW	State
N5700	02	180S	070E	4301530309	STATE OF UTAH U 2-49	3	P	GW	State
N5700	09	180S	070E	4301530329	D & A JONES 9-59	4	P	GW	State
N5700	11	180S	070E	4301530303	SWD 3	4	I	WD	State
N5700	14	180S	070E	4301530313	U P & L 14-53	4	P	GW	State
N5700	14	180S	070E	4301530323	SWD 2	4	A	WD	State
N5700	16	180S	070E	4301530311	STATE OF UTAH X 16-66	3	P	GW	State
N5700	16	180S	070E	4301530312	STATE OF UTAH X 16-65	3	P	GW	State
N5700	24	180S	070E	4301530272	SWD 1	4	A	WD	State
N5700	24	180S	070E	4301530316	U P & L 24-57	4	P	GW	State
N5700	27	210S	060E	4301530259	A L JENSEN 27-9	4	S	GW	State

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attached List of Wells</u>
2. NAME OF OPERATOR: <u>Chevron U.S.A. Inc.</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>BLM & State of Utah</u>
3. ADDRESS OF OPERATOR: <u>P.O. Box 36366</u> CITY <u>Houston</u> STATE <u>TX</u> ZIP <u>77236</u>		7. UNIT or CA AGREEMENT NAME: <u>Orangeville & Huntington</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attached List of Wells</u>		8. WELL NAME and NUMBER: <u>See Attached List of Wells</u>
PHONE NUMBER: <u>(281) 561-3443</u>		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:
COUNTY: <u>Emery</u>		
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>Change (Merger)</u>


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0010 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.




J. S. Purdy, Attorney-In-Fact

RECEIVED
MAY 06 2002
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Allen S. Robinson

TITLE Attorney-In-Fact

SIGNATURE 

DATE April 30, 2002

(This space for State use only)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW <input checked="" type="checkbox"/>
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STUITE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. Unit:

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
L M LEMMON 10-1	10-17S-08E	43-015-30242	11724	FEE	GW	S
PEACOCK 7-64 (CA UTU 78519)	07-18S-07E	43-015-30327	12199	FEE	GW	P
P & K PEACOCK 8-62 (CA UTU 78517)	08-18S-07E	43-015-30320	12238	FEE	GW	P
PEACOCK TRUST 8-61 (CA UTU 78516)	08-18S-07E	43-015-30326	12209	FEE	GW	P
PEACOCK TRUST 8-63 (CA UTU 78518)	08-18S-07E	43-015-30328	12205	FEE	GW	P
PEACOCK TRUST 9-60 (CA UTU 78515)	09-18S-07E	43-015-30321	12206	FEE	GW	P
D & A JONES 9-59 (CA UTU 78514)	09-18S-07E	43-015-30329	12202	FEE	GW	P
L & M CURTIS 10-58 (CA UTU 78513)	10-18S-07E	43-015-30310	12201	FEE	GW	P
UP & L 14-53	14-18S-07E	43-015-30313	12333	FEE	GW	P
UP & L 14-55 (CA UTU 78512)	14-18S-07E	43-015-30314	12148	FEE	GW	P
D & D CURTIS 14-54 (CA UTU 78511)	14-18S-07E	43-015-30319	12346	FEE	GW	P
R G NORRIS 14-40 (CA UTU 78508)	14-18S-07E	43-015-30324	12334	FEE	GW	P
D & A JONES 15-68 (CA UTU 78521)	15-18S-07E	43-015-30318	12200	FEE	GW	P
L & M CURTIS 15-67 (CA UTU 78520)	15-18S-07E	43-015-30325	12278	FEE	GW	P
UP & L 23-51 (CA UTU 78509)	23-18S-07E	43-015-30315	12208	FEE	GW	P
UP & L 24-57	24-18S-07E	43-015-30316	12207	FEE	GW	P
A L JENSEN 27-9	27-21S-06E	43-015-30259	11990	FEE	GW	S

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
- The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 08/01/2002
- Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
- If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: N/A

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: N/A

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 08/01/2002
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 08/01/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: 08/01/2002

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 103521627

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 08/01/2002

COMMENTS:



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

November 12, 2002

Chevron USA Inc.
Attn: Charles F. Holmes
1111 Bagby Street
Houston, Texas 77002

Re: Successor of Operator
Communitization Agreement (CA)
Emery County, Utah

Gentlemen:

We received fourteen indentures dated May 1, 2002, whereby Texaco Exploration and Production Inc. resigned as Operator and Chevron USA Inc. was designated as Operator for the following CA's, Emery County, Utah.

UTU73965	UTU78512	UTU78516	UTU78519
UTU78508	UTU78513	UTU78517	UTU78520
UTU78509	UTU78514	UTU78518	UITU78521
UTU78511	UTU78515		

These indentures were executed by all required parties. These instruments are hereby approved effective November 12, 2002. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the above CA's.

Your nationwide (Eastern States) oil and gas bond No. 0022 will be used to cover CA operations.

Please advise all interested parties of the change in operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Moab (w/enclosure)
Division Oil, Gas, & Mining
File - CA's (w/enclosure)
Agr. Sec. Chron
Fluid Chron
UT922:TATHOMPSON:tt:11/12/02

RECEIVED

NOV 13 2002

DIVISION OF
OIL GAS AND MINING

WELL NAME	API NUMBER	SEC	TWN	RNG	WELL TYPE	STATUS	CA NO.
L M Lemmon 10-1	43-015-30242	10	17S	8E	GAS	PW	UTU3965
R G Norris 14-40	43-015-30324	14	18S	7E	GAS	PW	UTU78508
UP & L 23-51	43-015-30315	23	18S	7E	GAS	PW	UTU78509
D & D Curtis 14-54	43-015-30319	14	18S	7E	GAS	PW	UTU78511
UP & L 14-55	43-015-30314	14	18S	7E	GAS	PW	UTU78512
L & M Curtis 10-58	43-015-30310	10	18S	7E	GAS	PW	UTU78513
D & A Jones 9-59	43-015-30329	9	18S	7E	GAS	PW	UTU78514
Peacock Trust 9-60	43-015-30321	9	18S	7E	GAS	PW	UTU78515
Peacock Trust 8-61	43-015-30326	8	18S	7E	GAS	PW	UTU78516
P & K Peacock 8-62	43-015-30320	8	18S	7E	GAS	PW	UTU78517
Peacock Trust 8-63	43-015-30328	8	18S	7E	GAS	PW	UTU78518
Peacock Trust 7-64	43-015-30327	7	18S	7E	GAS	PW	UTU78519
L & M Curtis 15-67	43-015-30325	15	18S	7E	GAS	PW	UTU78520
D & A Jones 15-68	43-015-30318	15	18S	7E	GAS	PW	UTU78521

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: Various Leases
2. NAME OF OPERATOR: XTO ENERGY INC. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 2700 Farmington Bldg K, Suite <i>2615</i> Farmington CITY STATE NM ZIP 87401		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: See attached list
PHONE NUMBER: (505) 324-1090		9. API NUMBER: Multiple
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT: Buzzard Bench
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective August 1, 2004, the operator changed from Chevron U.S.A. Inc. to XTO ENERGY INC. for all wells on the attached list.

BLM #579173

State and Fee Bond #104312762

Kenneth W. Jackson
Kenneth W. Jackson Regulatory Specialist ChevronTexaco for Chevron U.S.A. Inc. *N0210*

NAME (PLEASE PRINT) *James L. Death* TITLE *Vice President-Land*
SIGNATURE *James L. Death* DATE *8/16/04*

(This space for State use only)

APPROVED *9/30/2004*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician (See Instructions on Reverse Side)

RECEIVED
SEP 28 2004
DIV. OF OIL, GAS & MINING

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30242-00-00	L M LEMMON 10-1	Gas Well	EMERY	SESE	10	17S-8E
43-015-30243-00-00	FEDERAL B21-3	Gas Well	EMERY	NESW	21	19S-7E
43-015-30244-00-00	FEDERAL A26-2	Gas Well	EMERY	SESW	26	18S-7E
43-015-30245-00-00	FEDERAL C23-8	Gas Well	EMERY	NENW	23	18S-7E
43-015-30246-00-00	FEDERAL A26-4	Gas Well	EMERY	SWSE	26	18S-7E
43-015-30247-00-00	FEDERAL A35-6	Gas Well	EMERY	NWNW	35	18S-7E
43-015-30248-00-00	FEDERAL A35-5	Gas Well	EMERY	NWNE	35	18S-7E
43-015-30249-00-00	FEDERAL A34-7	Gas Well	EMERY	NENE	34	18S-7E
43-015-30258-00-00	UTAH FED P 10-47	Gas Well	EMERY	NWNW	10	18S-7E
43-015-30259-00-00	A L JENSEN 27-9	Gas Well	EMERY	SESE	27	21S-6E
43-015-30268-00-00	ST OF UT T 36-10	Gas Well	EMERY	SWNE	36	16S-7E
43-015-30270-00-00	ST OF UT U 2-11	Gas Well	EMERY	NWNW	2	18S-7E
43-015-30272-00-00	SWD 1	Water Disposal Well	EMERY	SWNW	24	18S-7E
43-015-30274-00-00	UTAH FED S 8-46	Gas Well	EMERY	SESW	8	18S-7E
43-015-30275-00-00	UTAH FED R 9-45	Gas Well	EMERY	NWNE	9	18S-7E
43-015-30276-00-00	UTAH FED P 10-42	Gas Well	EMERY	NWNE	10	18S-7E
43-015-30277-00-00	UTAH FED P 10-43	Gas Well	EMERY	NWSE	10	18S-7E
43-015-30280-00-00	UTAH FED Q 4-44	Gas Well	EMERY	SESE	4	18S-7E
43-015-30282-00-00	UTAH FED D 34-12	Gas Well	EMERY	SESE	34	17S-7E
43-015-30285-00-00	UTAH FED D 35-13	Gas Well	EMERY	SWSW	35	17S-7E
43-015-30286-00-00	UTAH FED D 35-14	Gas Well	EMERY	NWNW	35	17S-7E
43-015-30287-00-00	UTAH FED D 35-15	Gas Well	EMERY	SWSE	35	17S-7E
43-015-30292-00-00	UTAH FED M 6-25	Gas Well	EMERY	SENE	6	17S-8E
43-015-30294-00-00	UTAH FED H 6-21	Gas Well	EMERY	SESW	6	20S-7E
43-015-30303-00-00	SWD 3	Water Disposal Well	EMERY	SENE	11	18S-7E
43-015-30306-00-00	ST OF UT U 2-48	Gas Well	EMERY	NWNE	2	18S-7E
43-015-30308-00-00	ST OF UT U 2-50	Gas Well	EMERY	NESW	2	18S-7E
43-015-30309-00-00	ST OF UT U 2-49	Gas Well	EMERY	NWSE	2	18S-7E
43-015-30310-00-00	L & M CURTIS 10-58	Gas Well	EMERY	SWSW	10	18S-7E
43-015-30311-00-00	ST OF UT X 16-66	Gas Well	EMERY	SENE	16	18S-7E
43-015-30312-00-00	ST OF UT X 16-65	Gas Well	EMERY	NWNE	16	18S-7E
43-015-30313-00-00	U P & L 14-53	Gas Well	EMERY	SESE	14	18S-7E
43-015-30314-00-00	U P & L 14-55	Gas Well	EMERY	NWNW	14	18S-7E
43-015-30315-00-00	U P & L 23-51	Gas Well	EMERY	SENE	23	18S-7E
43-015-30316-00-00	U P & L 24-57	Gas Well	EMERY	NWNW	24	18S-7E
43-015-30318-00-00	D & A JONES 15-68	Gas Well	EMERY	NENW	15	18S-7E
43-015-30319-00-00	D&D CURTIS 14-54	Gas Well	EMERY	SENE	14	18S-7E
43-015-30320-00-00	P & K PEACOCK 8-62	Gas Well	EMERY	SWNE	8	18S-7E
43-015-30321-00-00	PEACOCK TRUST 9-60	Gas Well	EMERY	NWSW	9	18S-7E
43-015-30323-00-00	SWD 2	Water Disposal Well	EMERY	NWNW	14	18S-7E
43-015-30324-00-00	R G NORRIS 14-40	Gas Well	EMERY	NESW	14	18S-7E
43-015-30325-00-00	L & M CURTIS 15-67	Gas Well	EMERY	NENE	15	18S-7E
43-015-30326-00-00	PEACOCK TRUST 8-61	Gas Well	EMERY	NESE	8	18S-7E
43-015-30327-00-00	PEACOCK 7-64	Gas Well	EMERY	NENE	7	18S-7E
43-015-30328-00-00	PEACOCK TRUST 8-63	Gas Well	EMERY	SENE	8	18S-7E
43-015-30329-00-00	D & A JONES 9-59	Gas Well	EMERY	SESE	9	18S-7E
43-015-30381-00-00	UTAH STATE 1-76	Gas Well	EMERY	NWNW	1	18S-7E
43-015-30382-00-00	UTAH STATE 36-78	Gas Well	EMERY	SWSW	36	17S-7E
43-015-30383-00-00	USA 3-74	Gas Well	EMERY	SESE	3	18S-7E
43-015-30384-00-00	USA 3-75	Gas Well	EMERY	NENE	3	18S-7E
43-015-30385-00-00	USA 11-70	Gas Well	EMERY	SWSE	11	18S-7E
43-015-30386-00-00	USA 11-71	Gas Well	EMERY	SWNE	11	18S-7E
43-015-30387-00-00	USA 11-72	Gas Well	EMERY	NWNW	11	18S-7E
43-015-30388-00-00	USA 11-73	Gas Well	EMERY	NWSW	11	18S-7E
43-015-30389-00-00	USA 34-80	Gas Well	EMERY	SENE	34	17S-7E
43-015-30390-00-00	USA 34-82	Gas Well	EMERY	SESW	34	17S-7E
43-015-30393-00-00	ST OF UT EE 06-138	Gas Well	EMERY	NENW	6	17S-9E
43-015-30396-00-00	ST OF UT AA 07-106	Gas Well	EMERY	NWNE	7	17S-8E
43-015-30437-00-00	ST OF UT BB 09-119	Gas Well	EMERY	SESW	9	17S-8E
43-015-30438-00-00	ST OF UT CC 10-124	Gas Well	EMERY	SENE	10	17S-8E
43-015-30439-00-00	ST OF UT DD 31-98	Gas Well	EMERY	NWSW	31	17S-8E
43-015-30440-00-00	FEDERAL T 27-85	Gas Well	EMERY	SENE	27	18S-7E
43-015-30441-00-00	UP&L 06-102	Gas Well	EMERY	NENW	6	17S-8E
43-015-30442-00-00	UP&L 06-104	Gas Well	EMERY	NESE	6	17S-8E
43-015-30443-00-00	WM S IVIE ET AL 09-118	Gas Well	EMERY	SWNE	9	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30444-00-00	ST OF UT BB 09-120	Gas Well	EMERY	NESE	9	17S-8E
43-015-30445-00-00	FEDERAL A 26-88	Gas Well	EMERY	SWNW	26	18S-7E
43-015-30446-00-00	FEDERAL A 35-89	Gas Well	EMERY	NWSW	35	18S-7E
43-015-30447-00-00	FEDERAL C 23-84	Gas Well	EMERY	NESW	23	18S-7E
43-015-30448-00-00	FEDERAL P 3-92	Gas Well	EMERY	SESW	3	18S-7E
43-015-30449-00-00	FEDERAL P 3-93	Gas Well	EMERY	SWNW	3	18S-7E
43-015-30450-00-00	FEDERAL T 21-94	Gas Well	EMERY	NENE	21	18S-7E
43-015-30451-00-00	FEDERAL T 22-69	Gas Well	EMERY	NENE	22	18S-7E
43-015-30452-00-00	FEDERAL T 22-83	Gas Well	EMERY	SWSE	22	18S-7E
43-015-30453-00-00	FEDERAL T 22-91	Gas Well	EMERY	NENW	22	18S-7E
43-015-30454-00-00	ST OF UT CC 10-123	Gas Well	EMERY	NWNW	10	17S-8E
43-015-30455-00-00	FEDERAL T 27-86	Gas Well	EMERY	SENE	27	18S-7E
43-015-30456-00-00	FEDERAL T 27-87	Gas Well	EMERY	SESE	27	18S-7E
43-015-30457-00-00	FEDERAL T 27-90	Gas Well	EMERY	NWSW	27	18S-7E
43-015-30458-00-00	ST OF UT FF 10-125	Gas Well	EMERY	NESW	10	17S-8E
43-015-30459-00-00	ST OF UT FF 11-129	Gas Well	EMERY	NWNW	11	17S-8E
43-015-30462-00-00	ST OF UT FF 11-130	Gas Well	EMERY	NWSW	11	17S-8E
43-015-30478-00-00	GARDNER TRUST ET AL 16-121	Gas Well	EMERY	NENE	16	17S-8E
43-015-30479-00-00	ST OF UT BB 05-107	Gas Well	EMERY	SENW	5	17S-8E
43-015-30480-00-00	ST OF UT BB 05-108	Gas Well	EMERY	NWSW	5	17S-8E
43-015-30481-00-00	ST OF UT BB 05-109	Gas Well	EMERY	SENE	5	17S-8E
43-015-30482-00-00	ST OF UT BB 05-110	Gas Well	EMERY	SWSE	5	17S-8E
43-015-30483-00-00	UP&L 06-103	Gas Well	EMERY	NESW	6	17S-8E
43-015-30484-00-00	AMERICA WEST GROUP ET AL 15-126	Gas Well	EMERY	NENW	15	17S-8E
43-015-30485-00-00	W H LEONARD ET AL 15-127	Gas Well	EMERY	NENE	15	17S-8E
43-015-30486-00-00	ROWLEY 08-111	Gas Well	EMERY	SENW	8	17S-8E
43-015-30490-00-00	SWD 4	Water Disposal Well	EMERY	SENE	15	17S-8E
43-015-30495-00-00	SEELEY 08-112	Gas Well	EMERY	NENE	8	17S-8E
43-015-30496-00-00	ST OF UT BB 08-113	Gas Well	EMERY	NWSE	8	17S-8E
43-015-30497-00-00	ST OF UT AA 07-105	Gas Well	EMERY	SWNW	7	17S-8E
43-015-30498-00-00	ST OF UT 01-97	Gas Well	EMERY	SENE	1	18S-7E
43-015-30499-00-00	ST OF UT GG 03-122	Gas Well	EMERY	SWSW	3	17S-8E
43-015-30500-00-00	ST OF UT HH 03-133	Gas Well	EMERY	SWSE	3	17S-8E
43-015-30501-00-00	SEELEY FARMS 09-117	Gas Well	EMERY	NWNW	9	17S-8E
43-015-30502-00-00	ST OF UT GG 15-128	Gas Well	EMERY	NWSW	15	17S-8E
43-015-30503-00-00	ST OF UT BB 04-116	Gas Well	EMERY	SWSE	4	17S-8E
43-015-30504-00-00	ST OF UT GG 04-115	Gas Well	EMERY	NESW	4	17S-8E
43-015-30505-00-00	BURNSIDE 14-132	Gas Well	EMERY	NWNE	14	17S-8E
43-015-30506-00-00	ST OF UT T 36-100	Gas Well	EMERY	NESE	36	16S-7E
43-015-30507-00-00	UT FED KK 01-140	Gas Well	EMERY	SENW	1	17S-7E
43-015-30508-00-00	ST OF UT II 36-96	Gas Well	EMERY	NWSE	36	17S-7E
43-015-30509-00-00	ST OF UT II 36-95	Gas Well	EMERY	NWNE	36	17S-7E
43-015-30510-00-00	SWD 5	Water Disposal Well	EMERY	SESE	23	17S-8E
43-015-30511-00-00	UP&L FED 01-101	Gas Well	EMERY	SENE	1	17S-7E
43-015-30520-00-00	ST OF UT SS 22-165	Gas Well	EMERY	NENE	22	17S-8E
43-015-30521-00-00	ZIONS FED 35-135R (RIG SKID)	Gas Well	EMERY	NESW	35	16S-7E
43-015-30528-00-00	ST OF UT 14-170	Gas Well	EMERY	SWSE	14	17S-8E
43-015-30529-00-00	CONOVER 14-171	Gas Well	EMERY	NWSW	14	17S-8E
43-015-30530-00-00	ST OF UT 36-139	Gas Well	EMERY	NWSW	36	16S-7E
43-015-30533-00-00	ST OF UT FO 02-186	Gas Well	EMERY	NENW	2	17S-8E
43-015-30549-00-00	ST OF UT JJ 03-160	Gas Well	EMERY	NWNW	3	17S-8E
43-015-30550-00-00	ST OF UT 36-138	Gas Well	EMERY	SWNW	36	16S-7E
43-015-30551-00-00	UT FED P 12-153	Gas Well	EMERY	NWNW	12	18S-7E
43-015-30552-00-00	ST OF UT CC 03-161	Gas Well	EMERY	SENE	3	17S-8E
43-015-30553-00-00	ST OF UT FO 02-188	Gas Well	EMERY	NWSW	2	17S-8E
43-015-30554-00-00	ST OF UT BB 04-158	Gas Well	EMERY	NENW	4	17S-8E
43-015-30555-00-00	ST OF UT BB 04-159	Gas Well	EMERY	SWNE	4	17S-8E
43-015-30556-00-00	MALONE 14-131	Gas Well	EMERY	SWNW	14	17S-8E
43-015-30559-00-00	UT FED KK 01-141	Gas Well	EMERY	SESE	1	17S-7E
43-015-30560-00-00	ST OF UT FO 02-189	Gas Well	EMERY	SWNE	2	17S-8E
43-015-30561-00-00	ST OF UT GG 15-184	Gas Well	EMERY	NWSE	15	17S-8E
43-015-30562-00-00	STATE OF UTAH "LL" 31-20	Gas Well	EMERY	NWNW	31	17S-8E
43-015-30566-00-00	ST OF UT "KK" 32-145	Gas Well	EMERY	NESE	32	16S-8E
43-015-30567-00-00	ST OF UT "KK" 32-144	Gas Well	EMERY	SWSW	32	16S-8E
43-015-30568-00-00	ST OF UT "AA" 18-153	Gas Well	EMERY	SESW	18	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30569-00-00	ST OF UT "AA" 07-146	Gas Well	EMERY	NESW	7	17S-8E
43-015-30570-00-00	ST OF UT "AA" 18-154	Gas Well	EMERY	NESE	18	17S-8E
43-015-30571-00-00	ST OF UT "AA" 17-156	Gas Well	EMERY	SWSE	17	17S-8E
43-015-30572-00-00	ST OF UT "AA" 18-149	Gas Well	EMERY	SENW	18	17S-8E
43-015-30573-00-00	ST OF UT "MM" 20-192	Gas Well	EMERY	SENW	20	17S-8E
43-015-30574-00-00	ST OF UT "MM" 20-193	Gas Well	EMERY	NENE	20	17S-8E
43-015-30575-00-00	ST OF UT MM 20-194	Gas Well	EMERY	NWSW	20	17S-8E
43-015-30576-00-00	ST OF UT AA 07-147	Gas Well	EMERY	SESE	7	17S-8E
43-015-30577-00-00	ST OF UT BB 08-148	Gas Well	EMERY	NWSW	8	17S-8E
43-015-30578-00-00	ST OF UT AA 18-150	Gas Well	EMERY	NWNE	18	17S-8E
43-015-30579-00-00	ST OF UT NN 19-157	Gas Well	EMERY	NENE	19	17S-8E
43-015-30580-00-00	ST OF UT AA 17-152	Gas Well	EMERY	NENE	17	17S-8E
43-015-30581-00-00	ST OF UT OO 16-190	Gas Well	EMERY	NESW	16	17S-8E
43-015-30582-00-00	ST OF UT PP 16-191	Gas Well	EMERY	NESE	16	17S-8E
43-015-30583-00-00	ST OF UT AA 17-151	Gas Well	EMERY	NENW	17	17S-8E
43-015-30585-00-00	ST OF UT MM 21-195	Gas Well	EMERY	NENW	21	17S-8E
43-015-30586-00-00	ST OF UT GG 21-163	Gas Well	EMERY	NENE	21	17S-8E
43-015-30587-00-00	ZIONS FED 35-137	Gas Well	EMERY	NESE	35	16S-7E
43-015-30589-00-00	UTAH FED 01-205D	Gas Well	EMERY	SESW	1	17S-7E
43-015-30590-00-00	ZIONS FED 02-134	Gas Well	EMERY	NWNW	2	17S-7E
43-015-30591-00-00	UTAH FED 12-197	Gas Well	EMERY	SENE	12	17S-7E
43-015-30592-00-00	ST OF UT QQ 31-201	Gas Well	EMERY	SESW	31	16S-8E
43-015-30593-00-00	ST OF UT AA 17-155	Gas Well	EMERY	SWSW	17	17S-8E
43-015-30601-00-00	UTAH FED 12-199	Gas Well	EMERY	NESE	12	17S-7E
43-015-30602-00-00	UTAH FED 35-196	Gas Well	EMERY	NENW	35	16S-7E
43-015-30603-00-00	UTAH FED 35-136	Gas Well	EMERY	SWNE	35	16S-7E
43-015-30604-00-00	UT FED 12-200D	Gas Well	EMERY	NESE	12	17S-7E
43-015-30605-00-00	UT FED 12-198D	Gas Well	EMERY	SENE	12	17S-7E
43-015-30606-00-00	ST OF UT QQ 31-204D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30607-00-00	ST OF UT QQ 31-203D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30608-00-00	ST OF UT QQ 31-202D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30609-00-00	ST OF UT HH 23-166	Gas Well	EMERY	NENW	23	17S-8E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **8/1/2004**

FROM: (Old Operator): N0210-Chevron USA, Inc 11111 S Wilcrest Houston, TX 77099 Phone: 1-(281) 561-4991	TO: (New Operator): N2615-XTO Energy Inc 2700 Farmington Ave, Bldg K Suite 1 Farmington, NM 87401 Phone: 1-(505) 324-1090
--	---

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ST OF UT T 36-10	36	160S	070E	4301530268	11866	State	GW	P
SWD 4	15	170S	080E	4301530490	13366	Fee	WD	A
SWD 5	23	170S	080E	4301530510	13403	Fee	WD	A
ST OF UT U 2-11	02	180S	070E	4301530270	11865	State	GW	P
ST OF UT U 2-48	02	180S	070E	4301530306	12145	State	GW	P
ST OF UT U 2-50	02	180S	070E	4301530308	12147	State	GW	P
PEACOCK 7-64	07	180S	070E	4301530327	12199	Fee	GW	P
P & K PEACOCK 8-62	08	180S	070E	4301530320	12238	Fee	GW	P
PEACOCK TRUST 8-61	08	180S	070E	4301530326	12209	Fee	GW	P
PEACOCK TRUST 8-63	08	180S	070E	4301530328	12205	Fee	GW	P
PEACOCK TRUST 9-60	09	180S	070E	4301530321	12206	Fee	GW	P
D & A JONES 9-59	09	180S	070E	4301530329	12202	Fee	GW	S
UP & L 14-55	14	180S	070E	4301530314	12148	Fee	GW	P
D&D CURTIS 14-54	14	180S	070E	4301530319	12346	Fee	GW	S
SWD 2	14	180S	070E	4301530323	12279	Fee	WD	A
R G NORRIS 14-40	14	180S	070E	4301530324	12334	Fee	GW	P
D & A JONES 15-68	15	180S	070E	4301530318	12200	Fee	GW	S
L & M CURTIS 15-67	15	180S	070E	4301530325	12278	Fee	GW	P
UP & L 23-51	23	180S	070E	4301530315	12208	Fee	GW	P
UP & L 24-57	24	180S	070E	4301530316	12207	Fee	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/28/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/28/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/19/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5655506-0143
- If **NO**, the operator was contacted on:
- 6a. (R649-9-2)Waste Management Plan has been received on: to follow
- 6b. Inspections of LA PA state/fee well sites complete on: being worked

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/28/2004

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/30/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/30/2004
3. Bond information entered in RBDMS on: 9/30/2004
4. Fee/State wells attached to bond in RBDMS on: 9/30/2004
5. Injection Projects to new operator in RBDMS on: 9/30/2004
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/28/2004

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 579173

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 104312762
2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 10/5/2004

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

4301530314

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER. UTU-73965
2. NAME OF OPERATOR: XTO ENERGY INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR: 2700 Farmington, Bldg K-1 Farmington CITY STATE NM ZIP 87401		7. UNIT or CA AGREEMENT NAME
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660' FSK & 792' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN SESE 10 17S 08E		8. WELL NAME and NUMBER LM LEMMON #10-01
PHONE NUMBER: (505) 324-1090		9. API NUMBER: Various (see attached)
		10. FIELD AND POOL, OR WILDCAT: FERRON SANDSTONE
COUNTY: EMERY		
STATE: UTAH		

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start 1/1/2004	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. acquired wells from Chevron/Texaco on August 1, 2004. Chevron/Texaco failed to file a Notice of Intent to surface commingle these wells and XTO Energy Inc. was unaware until recently that nothing had been filed. We are including with this application for surace commingle a list of the wells in Emery County and a spreadsheet showing production figures for these wells. Each well has its own meter then runs through a central delivery point where allocations are made.

XTO Energy Inc. is requesting approval for the commingle of these wells as well as off-lease measurement. As wells are drilled, additional sundries will be submitted to add to our surface commingle.

COPY SENT TO OPERATOR
Date: 6-12-07
Initials: RM

NAME (PLEASE PRINT) HOLLY C. PERKINS	TITLE REGULATORY COMPLIANCE TECH
SIGNATURE <i>Holly C. Perkins</i>	DATE 5/15/2007

This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 5/15/07
BY: *[Signature]*

Federal Approval Of This
Action Is Necessary

RECEIVED
MAY 18 2007

DIV. OF OIL, GAS & MINING

Utah Wells Surface Commingled at Huntington CDP

Well Name	API #	Status	Lease
American West Group 15-128	43-015-30484	Shut In	State
Conover 14-171	43-015-30529	Producing	State
Gardner Trust 16-121	43-015-30478	Producing	State
Lemmon LM 10-01	43-015-30242	Producing	Federal
Malone 14-131	43-015-30556	Producing	State
Rowley 08-111	43-015-30486	Producing	State
Seeley 08-112	43-015-30495	Producing	State
Seeley Farms 09-117	43-015-30501	Producing	State
State of Utah 16-8-31-12D	43-015-30608	Producing	State
State of Utah 16-8-31-32DX	43-015-30634	Producing	State
State of Utah 16-8-31-44D	43-015-30606	Producing	State
State of Utah 16-8-32-43	43-015-30566	Producing	State
State of Utah 17-8-15-14	43-015-30622	Producing	State
State of Utah 17-8-15-33	43-015-30561	Producing	State
State of Utah 17-8-17-32	43-015-30672	Producing	State
State of Utah 17-8-18-12	43-015-30626	Producing	State
State of Utah 17-8-18-24	43-015-30678	Producing	State
State of Utah 17-8-18-31	43-015-30671	Producing	State
State of Utah 17-8-18-43	43-015-30670	Producing	State
State of Utah 17-8-20-22	43-015-30623	Producing	State
State of Utah 17-8-21-33	43-015-30679	Producing	State
State of Utah 17-8-21-41	43-015-30631	Producing	State
State of Utah 17-8-22-14	43-015-30676	Producing	State
State of Utah 17-8-22-21	43-015-30624	Producing	State
State of Utah 17-8-28-12X	43-015-30699	Producing	State
State of Utah 17-8-3-11X	43-015-30635	Producing	State
State of Utah 17-8-4-21	43-015-30620	Producing	State
State of Utah 17-8-5-42R	43-015-30686	Producing	State
State of Utah 17-8-7-34	43-015-30621	Producing	State
State of Utah 17-8-8-14	43-015-30673	Producing	State
State of Utah 36-138	43-015-30550	Producing	State
State of Utah 36-139	43-015-30530	Producing	State
State of Utah AA 07-105	43-015-30497	Producing	State
State of Utah AA 07-106	43-015-30396	Producing	State
State of Utah AA 07-146	43-015-30569	Producing	State
State of Utah BB 04-116	43-015-30503	Producing	State
State of Utah BB 05-107	43-015-30479	Producing	State
State of Utah BB 05-108	43-015-30480	Producing	State
State of Utah BB 05-109	43-015-30481	P&A	State
State of Utah BB 05-110	43-015-30482	Producing	State
State of Utah BB 08-113	43-015-30496	Shut In	State
State of Utah BB 09-119	43-015-30437	Producing	State
State of Utah BB 09-120	43-015-30444	Producing	State
State of Utah CC 03-161	43-015-30552	Producing	State
State of Utah CC 10-123	43-015-30454	Producing	State
State of Utah CC 10-124	43-015-30438	Producing	State
State of Utah FF 10-125	43-015-30458	Producing	State
State of Utah FF 11-129	43-015-30459	Producing	State
State of Utah FF 11-130	43-015-30462	Shut In	State

Utah Wells Surface Commingled at Huntington CDP

State of Utah FO 02-186	43-015-30533	Producing	State
State of Utah FO 02-188	43-015-30553	Producing	State
State of Utah GG 03-122	43-015-30499	Producing	State
State of Utah GG 04-115	43-015-30504	Producing	State
State of Utah HH 03-133	43-015-30500	Producing	State
State of Utah II 36-95	43-015-30509	Producing	State
State of Utah II 36-96	43-01530508	Shut In	State
State of Utah KK 32-144	43-015-30567	Producing	State
State of Utah QQ 31-201	43-015-30592	Producing	State
State of Utah SS 22-165	43-015-30520	Producing	State
State of Utah T 36-10	43-015-30268	Producing	State
State of Utah T 36-100	43-015-30506	Producing	State
UP&L 06-102	43-015-30441	Producing	State
UP&L 06-103	43-015-30483	Producing	State
UP&L 06-104	43-015-30442	Producing	State
UP&L Federal 01-101	43-015-30511	Producing	Federal
Utah Federal 01-205D	43-015-30589	Producing	Federal
* Utah Federal 16-7-35-21	43-015-30602	Producing	Federal
* Utah Federal 16-7-35-32	43-015-30603	Producing	Federal
* Utah Federal 17-7-12-22D	43-015-30605	Producing	Federal
* Utah Federal 17-7-12-24D	43-015-30604	Producing	Federal
* Utah Federal 17-7-12-42	43-015-30591	Producing	Federal
* Utah Federal 17-7-12-43	43-015-30601	Producing	Federal
Utah Federal 17-7-3-41D	43-015-30697	Producing	Federal
Utah Federal KK 01-140	43-015-30507	Producing	Federal
Utah Federal KK 01-141	43-015-30559	Producing	Federal
Utah Federal M 06-25	43-015-30292	Producing	Federal
WH Leonard 15-127	43-015-30485	Producing	State
Wm S Ivie 09-118	43-015-30443	Producing	State
Zion's Federal 35-135R	43-015-30521	Producing	Federal
* Zion's Federal 17-7-2-11	43-015-30590	Producing	Federal
Zion's Federal 35-137	43-015-30587	Producing	Federal

Utah Wells Surface Commingled at Orangeville CDP

Well Name	API #	Status	Lease	Notes
Curtis D&D 14-54	43-015-30319	Shut In	Federal	
Curtis L&M 10-58	43-015-30310	Shut In	Federal	
Curtis L&M 15-67	43-015-30325	Producing	Federal	
Federal A 18-7-26-12	43-015-30445	Producing	Federal	
Federal A 26-02	43-015-30244	Shut In	Federal	
Federal A 26-04	43-015-30246	Shut In	Federal	
Federal A 34-07	43-015-30249	Producing	Federal	
Federal A 35-05	43-015-30248	Producing	Federal	
Federal A 35-06	43-015-30247	Producing	Federal	
Federal A 35-89	43-015-30446	Producing	Federal	
Federal B 21-03	43-015-30243	Shut In	Federal	
Federal C 18-7-23-23R	43-015-30629	Producing	Federal	
Federal C 23-08	43-015-30245	Producing	Federal	
Federal P 03-92	43-015-30448	Producing	Federal	
Federal P 03-93	43-015-30449	Producing	Federal	
Federal T 18-07-22-34	43-015-30452	Producing	Federal	
Federal T 22-69	43-015-30451	Producing	Federal	
Federal T 27-87	43-015-30456	P&A	Federal	
Ferron St 4-36-18-7	43-015-30253	Producing	Federal	Operator: Merrion Oil & Gas
Jensen AL 27-09	43-015-30259	Shut In	State	
Jones D&A 09-59	43-015-30329	Producing	Federal	
Jones D&A 15-68	43-015-30318	Shut In	State	
Klinkhammer 1	43-015-30610	Shut In	Federal	Operator: Merrion Oil & Gas
Norris RG 14-40	43-015-30324	Producing	Federal	
Peacock 07-64	43-015-30327	Producing	Federal	
Peacock P&K 08-62	43-015-30320	Producing	Federal	
Peacock Trust 08-61	43-015-30326	Producing	Federal	
Peacock Trust 08-63	43-015-30328	Producing	Federal	
Peacock Trust 09-60	43-015-30321	Producing	Federal	
State of Utah 01-97	43-015-30498	Producing	State	
State of Utah 17-7-36-33R	43-015-30687	Producing	State	
State of Utah 17-8-19-11D	43-015-30695	P&A	State	
State of Utah 18-7-2-33R	43-015-30674	Producing	State	
State of Utah DD 31-98	43-015-30439	Producing	State	
State of Utah II 36-95	43-015-30509	Producing	State	
State of Utah II 36-96	43-015-30508	P&A	State	
State of Utah U 02-11	43-015-30270	Producing	State	
State of Utah U 02-48	43-015-30306	Producing	State	
State of Utah U 02-49	43-015-30309	P&A	State	
State of Utah U 02-50	43-015-30308	Producing	State	
State of Utah X 16-65	43-015-30312	Shut In	State	
State of Utah X 16-66	43-015-30311	Producing	State	
UP&L 14-53	43-015-30313	Producing	State	
UP&L 14-55	43-015-30314	Producing	Federal	
UP&L 23-51	43-015-30315	Producing	Federal	
UP&L 24-57	43-015-30316	Producing	State	
USA 03-74	43-015-30383	Producing	Federal	

Utah Wells Surface Commingled at Orangeville CDP

USA 03-75	43-015-30384	Producing	Federal
USA 11-72	43-015-30387	Producing	Federal
USA 18-7-11-23	43-015-30640	Producing	State
USA 34-80	43-015-30389	Shut In	Federal
USA 34-82	43-015-30390	Producing	Federal
Utah Federal 17-7-35-42	43-015-30641	Drilling	Federal
Utah Federal 18-7-27-44R	43-015-30628	Producing	Federal
Utah Federal 18-7-9-11	43-015-30639	Producing	Federal
Utah Federal D 34-12	43-015-30282	Producing	Federal
Utah Federal D 35-13	43-015-30285	Producing	Federal
Utah Federal D 35-14	43-015-30286	Producing	Federal
Utah Federal D 35-15	43-015-30287	Producing	Federal
Utah Federal H 06-21	43-015-30294	TA	Federal
Utah Federal P 10-42	43-015-30276	Producing	Federal
Utah Federal P 10-43	43-015-30277	Producing	Federal
Utah Federal P 10-47	43-015-30258	Producing	Federal
Utah Federal Q 04-44	43-015-30280	Producing	Federal
Utah Federal R 09-45	43-015-30275	Producing	Federal
Utah Federal S 08-46	43-015-30274	Producing	Federal
Utah State 01-76	43-015-30381	Producing	State
Utah State 36-78	43-015-30382	Producing	State

WELL No.	Days On	MONTHLY WATER PRODUCTION	FIELD ESTIMATED PRODUCTION										ACTUAL ALLOCATED SALES					FIELD PRODUCTION
			Coastal Statement	PROD %	FIELD EST PROD	In Gas	Lse Use Gas	Vented CO2	VENIED GAS	ADJ	FIELD ESTIMATED SALES	ALLOCATED SALES	Lse Use Gas	Vented CO2	VENIED GAS	ADJ		
																	g	
10-01	30	435	1476	0.00488716	1479	45	36	98	1708	1299	1246	91	98	98	179	1425		
T35-10	30	2667	19252	0.06048442	18298	45	47	1708	1708	2200	16095	15424	492	1708	2200	17624		
M08-25	30	723	16969	0.05610978	16975	45	414	2280	2280	2739	14236	14308	459	2280	2739	17047		
H06-21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
07-106	30	575	5052	0.01673803	5064	49	124	789	789	958	4106	4268	169	789	958	5226		
09-119	30	85	725	0.00240095	726	45	18	108	108	171	658	612	53	108	171	783		
10-124	30	129	951	0.00314458	951	45	23	38	38	176	645	602	68	38	106	909		
06-102	30	823	20121	0.06650244	20119	45	491	2219	2219	2755	17354	18959	536	2219	2755	19714		
06-104	30	809	12922	0.04272795	12926	45	315	2156	2156	2516	10410	10895	350	2156	2516	13412		
09-118	30	163	797	0.00263536	797	45	19	100	100	164	633	672	64	100	164	835		
09-129	30	214	899	0.00297264	899	45	22	80	80	147	752	759	67	80	147	905		
18-7-23-23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
17-8-15-33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10-123	30	261	1348	0.0044573	1348	45	33	89	89	167	1182	1137	78	89	167	1304		
10-125	30	266	536	0.00177234	538	45	13	32	32	90	446	452	58	32	90	542		
11-129	29	0	396	0.00130922	395	44	10	16	16	55	327	334	53	16	59	403		
11-130	30	1847	182	0.00053557	162	45	4	7	7	56	109	137	49	7	56	193		
TRUST ET AL	16-121	30	276	757	0.0025031	757	45	18	42	109	652	638	53	42	105	743		
05-107	29	242	8230	0.02721338	8233	44	201	1397	1397	1641	6591	6940	244	1397	1641	8581		
05-108	30	611	4934	0.01631479	4938	45	120	830	830	965	3940	4160	165	830	965	5155		
05-109	30	113	1262	0.00413987	1252	45	31	133	133	209	1044	1056	76	133	209	1285		
05-110	30	3	1462	0.00483426	1463	45	36	194	194	275	1189	1233	81	194	275	1508		
06-103	30	945	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1509	9210		
VEST GROUP ET AL	15-128	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ARD ET AL	15-127	30	1462	3530	0.01167232	3531	45	86	226	357	3174	2977	131	226	357	3334		
08-111	29	4	1513	0.00500289	1514	44	37	203	203	283	1230	1276	80	203	283	1559		
08-112	30	118	1326	0.00438466	1329	45	32	143	143	220	1106	1118	77	143	220	1338		
08-113	30	0	756	0.00249979	756	45	18	108	108	171	585	637	63	108	171	808		
07-105	30	909	5760	0.02235265	6782	45	165	1197	1197	1407	5355	5700	210	1197	1407	7107		
03-122	30	0	456	0.00150781	456	45	11	30	30	86	370	385	56	30	86	471		
03-133	30	102	331	0.00109449	331	45	8	18	18	71	260	279	53	18	71	350		
09-117	30	37	945	0.00312805	946	45	23	136	136	204	742	798	68	136	204	1002		
04-116	30	114	603	0.00199388	603	45	15	63	63	123	480	508	60	63	123	631		
04-115	30	258	1186	0.00392163	1186	45	29	130	130	204	982	1000	74	130	204	1204		
T36-100	30	3714	34839	0.11519881	34851	45	851	5000	5000	5896	28955	29378	896	5000	5896	35272		
01-140	30	506	4065	0.01344135	4086	45	99	482	462	606	3460	3428	144	462	606	4034		
01-101	30	1199	24478	0.08093908	24486	45	586	2937	2637	3580	20907	20640	643	2937	3580	24220		
22-165	30	1690	4630	0.01530958	4632	45	113	162	162	320	4312	3904	158	162	320	4224		
35-135R	30	4133	1501	0.00496321	1502	0	37	142	142	179	1323	1266	37	142	179	1445		
14-171	30	3033	4645	0.01555918	4647	45	113	163	163	321	4325	3917	158	163	321	4238		
38-139	30	734	9013	0.02980243	9016	45	220	1082	1062	1327	7689	7600	265	1062	1327	8927		
02-186	30	193	575	0.0019013	575	45	14	42	42	101	474	485	59	42	101	586		
36-138	30	555	5299	0.0175217	5301	45	129	396	396	570	4730	4468	174	396	570	5938		
03-161	30	61	558	0.00184509	558	45	14	48	48	107	452	471	59	48	107	578		
02-188	30	176	923	0.003052	923	45	23	45	45	113	811	778	68	45	113	891		
14-131	30	793	1967	0.00650409	1968	45	46	283	283	382	1804	1659	93	283	382	1823		
01-141	30	59	2208	0.00730098	2209	45	54	271	271	164	1804	1804	99	271	392	2244		
32-144	30	3738	31387	0.10378441	31398	45	766	6540	5540	6351	25047	26486	811	5540	6351	32817		
07-146	30	672	2760	0.00912623	2761	0	67	538	538	605	2156	2327	57	538	605	2932		
35-137	30	1356	11613	0.0383996	11617	0	284	1276	1276	1560	10057	9792	284	1276	1560	11352		
01-205D	30	423	2659	0.00879226	2660	0	55	257	257	322	2338	2242	65	257	322	2564		
31-201	30	1591	35480	0.11731834	35492	0	966	4755	4755	5621	29871	29917	866	4755	5621	35538		
			43726	302425	1	302529	1930	5	7383	38990	38990	9312	38990	38990	48302	303311		
											255006	255006						

BTU 04 SALES MTR 255006

the Wells

	Days On	MONTHLY WATER PRODUCTION	FIELD ESTIMATED PRODUCTION										ACTUAL ALLOCATED SALES					TOTAL ADJ	FIELD PRODUCTION				
			Costal Statement	PROD %	FIELD EST PROD	lrr Gas	Lse Use Gas	Vented Gas	Vented Gas	VENTED GAS	ADJ (i) arc-d	FIELD ESTIMATED SALES	ALLOCATED SALES	Lse Use Gas (ii) %	Vented CO2	TOTAL VENTED							
B21-03	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
A26-02	25	88	490	0.00165775	490	39	13	15	15	15	67	423	432	52	15	15	15	15	15	15	15	15	499
C23-08	30	3432	9140	0.03092205	9,140	45	236	437	437	437	718	8,422	8,052	281	437	437	437	437	437	437	437	437	8,780
A26-04	15	0	88	0.00023005	88	23	2	2	2	2	26	42	60	24	2	2	2	2	2	2	2	2	86
A35-06	30	121	29098	0.00844307	29,098	45	750	1,706	1,706	1,706	2,501	26,587	25,665	765	1,706	1,706	1,706	1,706	1,706	1,706	1,706	1,706	28,166
A35-05	18	700	2891	0.00097773	2891	27	7	7	7	7	41	248	255	34	7	7	7	7	7	7	7	7	289
A34-07	30	2845	5383	0.01821153	5,383	45	39	361	361	361	545	4,838	4,748	184	361	361	361	361	361	361	361	361	5,293
P10-42	30	734	391	0.00047028	139	210	4	6	6	6	220	-81	123	214	6	6	6	6	6	6	6	6	343
JAME PROB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UC2-11	30	502111	15291	0.05173154	15,291	45	394	1,255	1,255	1,255	1,694	13,597	13,487	439	1,255	1,255	1,255	1,255	1,255	1,255	1,255	1,255	15,101
SO6-46	29	11	519	0.00175586	519	203	13	230	230	230	448	73	458	216	230	230	230	230	230	230	230	230	904
RO9-45	30	36	444	0.00150212	444	210	11	102	102	102	323	121	392	221	102	102	102	102	102	102	102	102	719
P10-42	29	7809	819	0.00277308	819	44	21	144	144	144	205	610	722	65	144	144	144	144	144	144	144	144	931
P10-43	30	3050	605	0.00204681	605	45	16	61	61	61	225	483	534	61	61	61	61	61	61	61	61	61	658
OD4-44	16	5442	71	0.0002402	71	12	2	11	11	11	125	54	63	114	11	11	11	11	11	11	11	11	188
O34-12	24	2583	1471	0.00497662	1,471	36	38	126	126	126	200	1,271	1,297	74	126	126	126	126	126	126	126	126	1,497
O35-13	30	142110	895	0.00303131	896	45	23	349	349	349	417	479	790	68	349	349	349	349	349	349	349	349	1,207
U35-14	24	647	293	0.00099126	293	36	8	57	57	57	101	192	258	44	57	57	57	57	57	57	57	57	355
U35-15	30	1830	20903	0.07071811	20,903	45	539	1,326	1,326	1,326	1,910	18,993	18,458	584	1,326	1,326	1,326	1,326	1,326	1,326	1,326	1,326	20,346
H06-21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UC2-46	25	7527	2310	0.00781509	2,310	42	60	148	148	148	250	2,060	2,037	102	148	148	148	148	148	148	148	148	2,287
UC2-50	30	706	2703	0.00914457	2,703	45	70	165	165	165	280	2,423	2,384	15	165	165	165	165	165	165	165	165	2,604
UC2-49	15	173	347	0.00117395	347	23	9	18	18	18	49	298	305	31	18	18	18	18	18	18	18	18	355
10-58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
X16-66	23	307	290	0.00098112	290	42	7	38	38	38	87	203	256	49	38	38	38	38	38	38	38	38	343
X16-65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14-53	30	298	827	0.00279787	827	45	21	50	50	50	116	711	729	55	50	50	50	50	50	50	50	50	845
14-55	30	9023	8552	0.041965343	124,042	90	3,196	7,739	7,739	7,739	11,025	113,017	109,405	3,266	7,739	7,739	7,739	7,739	7,739	7,739	7,739	7,739	120,430
14-55A	30	0	5852	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23-51	30	175	259	0.00091007	269	45	7	9	9	9	61	208	237	52	9	9	9	9	9	9	9	9	298
24-57	30	254	581	0.00230393	581	45	18	22	22	22	85	596	601	63	22	22	22	22	22	22	22	22	686
15-68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14-54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08-62	29	23	491	0.00166113	491	44	13	179	179	179	235	256	433	55	179	179	179	179	179	179	179	179	568
RUST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09-60	29	1445	1074	0.00363351	1,074	44	28	294	294	294	365	709	947	71	294	294	294	294	294	294	294	294	1,312
14-40	30	4320	2701	0.0091379	2,701	45	70	154	154	154	269	2,432	2,382	115	154	154	154	154	154	154	154	154	2,851
S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-87	26	1202	281	0.000883	281	39	7	14	14	14	60	201	230	46	14	14	14	14	14	14	14	14	290
RUST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08-61	30	478	9427	0.03189301	9,427	45	243	528	528	528	816	8,611	8,315	298	528	528	528	528	528	528	528	528	9,131
07-64	30	1092	1657	0.00560589	1,657	45	43	495	495	495	583	1,074	1,461	88	495	495	495	495	495	495	495	495	2,044
RUST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08-63	30	264	1654	0.00559574	1,654	45	43	777	777	777	855	788	1,459	88	777	777	777	777	777	777	777	777	2,324
09-59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01-76	30	3108	4980	0.01684812	4,980	45	128	326	326	326	499	4,481	4,392	173	326	326	326	326	326	326	326	326	4,891
35-78	30	903	5802	0.01962907	5,802	45	150	980	980	980	380	5,227	5,117	195	980	980	980	980	980	980	980	980	5,892
03-74	27	24620	1325	0.00448258	1,325	41	34	30	30	30	105	1,220	1,169	75	30	30	30	30	30	30	30	30	1,274
03-75	30	5879	4396	0.01487235	4,396	45	113	290	290	290	457	3,939	3,877	158	290	290	290	290	290	290	290	290	4,334
11-72	30	45297	922	0.00311927	922	45	24	177	177	177	246	676	813	69	177	177	177	177	177	177	177	177	4,334
34-80	15	44	113	0.0003823	113	24	3	21	21	21	48	65	100	27	21	21	21	21	21	21	21	21	148
34-82	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31-98	30	10	1482	0.00501384	1,482	45	38	433	433	433	133	216	1,266	1,307	83	433	433	433	433	433	433	433	1,523
A35-89	30	9502	34803	0.11774398	34,803	45	897	2,021	2,021	2,021	2,963	31,840	30,696	942	2,021	2,021	2,021	2,021	2,021	2,021	2,021	2,021	33,659
P03-92	30	1184	396	0.00299748	396	45	23	89	89	89													

LE WELLS FROM OASIS STATEMENT

	20777								
	0								
	7604				7604				
	2448			2448					
	0				0				
Id statement + memo	974								
	31803		295682	2448	7604				0

SALES DIFFERENCE

9576

JC137 G

395211	597033	597137	4379	14975	59724	790771	518060	514853	19355	59724	59724	79079	593932
--------	--------	--------	------	-------	-------	--------	--------	--------	-------	-------	-------	-------	--------

OCT 12 2004

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
XTO ENERGY INC. *N2615*

3. ADDRESS OF OPERATOR:
2700 Farmington Bldg K, Sul. Farmington STATE NM ZIP 87401

PHONE NUMBER:
(505) 324-1090

4. LOCATION OF WELL

FOOTAGES AT SURFACE:

COUNTY: Emery

QTR/QR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
Various Leases

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
See attached list

9. API NUMBER:
Multiple

10. FIELD AND POOL, OR WILDCAT:
Buzzard Bench

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective August 1, 2004, the operator changed from Chevron U.S.A. Inc. to XTO ENERGY INC. for all wells on the attached list.

BLM #579173

State and Fee Bond #104312762

RECEIVED
MAY 18 2007
DIV. OF OIL, GAS & MINING

Kenneth W. Jackson
Kenneth W. Jackson Regulatory Specialist ChevronTexaco for Chevron U.S.A. Inc. *N0210*

NAME (PLEASE PRINT) *James L. Death* TITLE *Vice President - Land*
SIGNATURE *James L. Death* DATE *8/16/04*

(This space for State use only)

APPROVED 9/30/2004
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
SEP 28 2004

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-67532

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
FEDERAL A 18-7-26 #12

9. API NUMBER:
4301530445

10. FIELD AND POOL, OR WILDCAT:
BUZZARD BENCH ABO

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER **CONFIDENTIAL**

2. NAME OF OPERATOR:
XTO ENERGY INC.

3. ADDRESS OF OPERATOR: 2700 Farmington Ave. Bldg # CITY Farmington STATE NM ZIP 87401 PHONE NUMBER: (505) 324-1090

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **1815' FNL & 897' FWL** COUNTY: **EMERY**
QTR/QR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SWNW 26 18S 07E** STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>SURFACE</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>COMMINGLE</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. proposes to surface commingle the following two wells into our Orangeville CDP:

Federal A 18-7-26 #12; Sec 26-T18S-R07E; 1815' FNL & 897' FWL; 43-015-30445; UTU-67532; Buzzard Bench
Federal T 18-7-22 #34; Sec 22-T18S-R07E; 539' FSL & 1831' FEL; 43-015-30452; UTU-68535; Buzzard Bench

Both of these wells have their own wellhead allocation meter. Both wells will have the sales point or custody transfer at the Orangeville System.

COPY SENT TO OPERATOR
Date: 7-11-05
Initials: CHO

NAME (PLEASE PRINT) HOLLY C. PERKINS TITLE REGULATORY COMPLIANCE TECH
SIGNATURE Holly C. Perkins DATE 6/23/2005

(This space for State use only)

Accepted by the
Utah Division of
Oil, Gas and Mining

Federal Approval Of This
Action Is Necessary

RECEIVED

JUN 29 2005

(5/2000)

Date: 7/8/05 (See Instructions on Reverse Side)

By: Dustin Ducet

Dustin Ducet ??

DIV. OF OIL, GAS & MINING

WELLS FROM COASTAL STATEMENT

	0	302425			
	38990				
	04	104			
	256029				
s Check #	0			0	
s Check #2	0			0	0
	7383			7383	0
	1931		1930 5		
	0				
	304437	302529	1930 5	7383	0

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: MULTIPLE UP&L 14-55
2. NAME OF OPERATOR: XTO ENERGY INC.		9. API NUMBER: MULTIPLE 43 015 30314
3. ADDRESS OF OPERATOR: 382 CR 3100 CITY AZTEC STATE NM ZIP 87410		10. FIELD AND POOL, OR WILDCAT:
PHONE NUMBER: (505) 333-3100		

4. LOCATION OF WELL

FOOTAGES AT SURFACE: **MULTIPLE** COUNTY: **EMERY**


QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **18S 7E 14** STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: SURFACE
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	COMMINGLE

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. applied for surface commingle on the attached list of wells on 7/5/07 and State of UT DOGM approval was received on 7/13/07. Due to the rejection of the Federal application, XTO would like to withdraw the commingling application and subsequent work will not be done.

NAME (PLEASE PRINT) <u>LORRI D. BINGHAM</u>	TITLE <u>REGULATORY COMPLIANCE TECH</u>
SIGNATURE 	DATE <u>9/23/2008</u>

(This space for State use only)

RECEIVED
SEP 29 2008

Utah Wells Surface Commingled at Orangeville CDP

Well Name	API #	Status	Lease	Notes
Curtis D&D 14-54	43-015-30319	Shut In	Federal	
Curtis L&M 10-58	43-015-30310	Shut In	Federal	
Curtis L&M 15-67	43-015-30325	Producing	Federal	
Federal A 18-7-26-12	43-015-30445	Producing	Federal	
Federal A 26-02	43-015-30244	Shut In	Federal	
Federal A 26-04	43-015-30246	Shut In	Federal	
Federal A 34-07	43-015-30249	Producing	Federal	
Federal A 35-05	43-015-30248	Producing	Federal	
Federal A 35-06	43-015-30247	Producing	Federal	
Federal A 35-89	43-015-30446	Producing	Federal	
Federal B 21-03	43-015-30243	Shut In	Federal	
Federal C 18-7-23-23R	43-015-30629	Producing	Federal	
Federal C 23-08	43-015-30245	Producing	Federal	
Federal P 03-92	43-015-30448	Producing	Federal	
Federal P 03-93	43-015-30449	Producing	Federal	
Federal T 18-07-22-34	43-015-30452	Producing	Federal	
Federal T 22-69	43-015-30451	Producing	Federal	
Federal T 27-87	43-015-30456	P&A	Federal	
Ferron St 4-36-18-7	43-015-30253	Producing	Federal	Operator: Merrion Oil & Gas
Jensen AL 27-09	43-015-30259	Shut In	State	
Jones D&A 09-59	43-015-30329	Producing	Federal	
Jones D&A 15-68	43-015-30318	Shut In	State	
Klinkhammer 1	43-015-30610	Shut In	Federal	Operator: Merrion Oil & Gas
Norris RG 14-40	43-015-30324	Producing	Federal	
Peacock 07-64	43-015-30327	Producing	Federal	
Peacock P&K 08-62	43-015-30320	Producing	Federal	
Peacock Trust 08-61	43-015-30326	Producing	Federal	
Peacock Trust 08-63	43-015-30328	Producing	Federal	
Peacock Trust 09-60	43-015-30321	Producing	Federal	
State of Utah 01-97	43-015-30498	Producing	State	
State of Utah 17-7-36-33R	43-015-30687	Producing	State	
State of Utah 17-8-19-11D	43-015-30695	P&A	State	
State of Utah 18-7-2-33R	43-015-30674	Producing	State	
State of Utah DD 31-98	43-015-30439	Producing	State	
State of Utah II 36-95	43-015-30509	Producing	State	
State of Utah II 36-96	43-015-30508	P&A	State	
State of Utah U 02-11	43-015-30270	Producing	State	
State of Utah U 02-48	43-015-30306	Producing	State	
State of Utah U 02-49	43-015-30309	P&A	State	
State of Utah U 02-50	43-015-30308	Producing	State	
State of Utah X 16-65	43-015-30312	Shut In	State	
State of Utah X 16-66	43-015-30311	Producing	State	
UP&L 14-53	43-015-30313	Producing	State	
UP&L 14-55	43-015-30314	Producing	Federal	
UP&L 23-51	43-015-30315	Producing	Federal	
UP&L 24-57	43-015-30316	Producing	State	
USA 03-74	43-015-30383	Producing	Federal	

RECEIVED

SEP 29 2008

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	5. LEASE DESIGNATION AND SERIAL NUMBER: FEE
	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: UP and L 14-55
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43015303140000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3145 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1183 FNL 1075 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 14 Township: 18.0S Range: 07.0E Meridian: S	9. FIELD and POOL or WILDCAT: BUZZARD BENCH
	COUNTY: EMERY
	STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 9/26/2012	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input checked="" type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. intends to repair the casing in this well per the attached procedure. We will be sending the rig back tomorrow to start with the work but won't pump cement until we have the approvals.

Approved by the Utah Division of Oil, Gas and Mining
Date: September 25, 2012
By: *Derek Duff*

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 9/25/2012	

**UP&L 14-55
Sec 14, T18S, R7E
Emery County, Utah**

Casing Leak Repair

Surf csg: 8-5/8", 24#, K-55 csg at 291'. Circ to surface.

Prod csg: 5-1/2", 17#, K-55, ST&C csg at 2,980'. TOC: 2,650' Capacity = 0.0232 bbls/ft
7/10/97 pumped 100 sx down casing annulus. BOC: 670'

Perforations: Ferron 2,726'-2,878'.

Casing leaks: 660'-2,504'

Repair Procedure

1. MIRU PU. ND WH. NU BOP.
2. TIH and release RBP. TOH w/RBP.
3. MIRU WL. TIH w/5-1/2" CBP and set at 2,710'. TIH with packer and PT CBP to 1,000 psi. TOH and LD packer and setting tool.
4. TIH with 2-7/8" tbg to 2,550'.
5. Load the hole w/FW. Mix and pump LCM pill until circulation is seen at the surface.
6. TOH and LD tbg.
7. PU 2,700' of 4", 11.6# (11.35#), L-80 flush joint casing w/float collar and shoe on btm.
8. TIH w/casing and tag CBP, pull up 1 jnt. Establish circulation down the casing and up the casing annulus.
9. MIRU cmt company. Mix and pump 200 sx class G followed by a 4" wiper plug. (200 sx is with 100% excess added. If a good circulation rate is established, the amount will be decreased.)
Ensure all State and Federal approvals are in place before pumping cement.
10. Land 4" casing in the wellhead with hanger.
11. SD WOC.
12. TIH w/3-1/4" bit, bit sub, and 1-1/2" MT tbg. Tag TOC. RU pwr swivel. DO cmt fr/TOC to CBP.
Do not DO CBP.
13. PT 4" casing to 550 psig for 30" on chart. Report results.
The State (Bart Kettle or Mark Jones) will want to witness this pressure test and it must be recorded on a chart.

14. If csg tests, then proceed. Otherwise a remedial cement job will be designed.
15. MIRU AFU. TIH w/3-1/4" bit, bit sub, and 1-1/2" MT tbg. DO CBP. CO to PBTD at 2,934'. Circ clean. RDMO AFU.
16. TOH w/tbg and bit.
17. ND BOP NU WH.
18. RDMO PU.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: FEE
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Gas Well		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: XTO ENERGY INC		8. WELL NAME and NUMBER: UP and L 14-55
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410		9. API NUMBER: 43015303140000
PHONE NUMBER: 505 333-3145 Ext		9. FIELD and POOL or WILDCAT: BUZZARD BENCH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1183 FNL 1075 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 14 Township: 18.0S Range: 07.0E Meridian: S		COUNTY: EMERY
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input checked="" type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 10/11/2012	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. has repaired the casing in this well per the attached summary report. Also attached is the pressure test graph from 10/5/2012. The CBL from 10/2/2012 will be e-mailed to DOGM.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
October 17, 2012**

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 10/17/2012	

UP - L 14-55

9/17/2012: MIRU. TOH 2-7/8" J-55 6.5 8rd EUE tbg. PU 5-1/2" PKR & RBP, TIH w/ RBP & Pkr & tbg & set RBP @ 2,675', set Pkr @ 2,665'. TFW dwn tbg & PT packer, plug & tbg to 1000 psig for 10", tstd gd. Rlsd press. ATT to PT csg w/ no success.

9/18/2012: Fnd bad csg from 2,504' – 700'. Rlsd PKR & RBP, TOH w/86 jts 2-7/8" tbg LD 5-1/2" PKR & RBP.

9/20/2012: MIRU WLU. RU csg inspection tls, RIH w/ tls to 2,600', log out of hole to 600' FS, sent log information to Engineer for analysis RDMO WLU.

9/21/2012: RDMO. Susp rpts, waiting on equip to finish csg repair.

9/26/2012: MIRU. ND WH, NU BOP. TIH w/tbg, rls RBP. TOH w/tbg, LD RBP.

9/27/2012: MIRU WLU. PU CBP, RIH to 2,710' set CBP. RDMO WLU. PU 5-1/2" PKR. TIH w/BHA & tbg set pkr @ 2,675'. PT packer, plug & tbg to 1000 psig w/15 BLW for 30". Tstd ok. Rlsd press. TOH w/tbg, LD packer. TIH w/NC, tbg. EOT @ 2,565'. Pmp 89 BFW estab Circ.

9/28/2012: Pmp 10 BFW estab Circ. Pmp 100 bbl LCM followed by 60 BFW. TOH & LD 83 jts 2-7/8" tbg. ND BOP. NU new 3,000 t 10000 lb WH. NU BOP.

10/1/2012: Notified 24 hrs in advance, Mark Jones w/DOGM @ 13:00 hrs on 9/28/12, MIRU csg crew. TIH w/ 60 jts of 4", 11.60#, L-80, Ultra FJ Csg. Circ. RD Csg Crew. RU Cmt Crew. Circ. Cmt 4" Ultra FJ Prod. Csg w/Pro Petro pumped 220 sks 50/50 POZ + additives @ 15.8#, 1.15 Yld, 5 gal/sk. Disp cmt, 29 bbls. Lost circ Not gd cmt to Surf. Pmped 100 sks 50/50 POZ + 3% calc @ 15.8#, 1.15 Yld, 5 gal/sk, dwn 5-1/2" x 4' anls. RD Cmt Crew. Cmt ops witnessed by Mark Jones w/DOGM.

10/2/2012: MIRU WLU. RU CBL tls, RIH to 2,450', log out of hole to surf. TOC @ 490' FS. Sent log information to Engineer for analysis. RDMO WLU. TIH w/3-3/4" Tri cone bit, SN & 80 jts 1-1/2" tbg, tag TOC @ 2,455'. RU pwr swvl, estab circ, DO 63'.

10/3/2012: RU pwr swvl, estab circ, DO cmt from 2,518'- 2,664' w/6 jts tbg.

10/4/2012: RU pwr swvl, estab circ DO cmt from 2,664'- 2,680' through FC & shoe w/1 jts tbg.

10/5/2012: MIRU B & C Quick test test 4" csg to 600 psi for 30 min gd tst. Rlsd press. RU power swivel. DO CMT from 2,680'- 2,710' through CBP w/1 jts tbg. Worked bit from 2,660 - 2,715'. TIH w/6 jts, tag @ 2,880'. TOH w/8 jts EOT @ 2,630'.


10/8/2012: TIH w/8 jts 1-1/2" tbg tag fill @ 2,880'. MIRU AFU. Att to estb circ down csg & up tbg w/no success, reversed & went down tbg found tbg plugged. RU rig pmp att to clear tbg w/ no success. TOH w tbg, found tbg plugged. TIH w/tbg tgd CBP. RU AFU, estab circ, DO & worked through plug several times, cont TIH w/8 jts, CO to 2,929' (PBTD @ 2,934'). RDMO AFU. TOH & LD 10 jts 1-1/2" tbg. EOT @ 2,559'.

10/9/2012: Fill @ 2,929'. TOH & LD 83 jts 1-1/2" tbg. ND BOP. NU new tbg head. NU BOP & High drill. PU from trailer, TIH w/ 84 jts 2-1/16" MT J-55 tbg. TOH w/84 jts 2-1/16" tbg.

10/10/2012: MIRU Banding Service. TIH w/SN, 88 jts 2-1/16" tbg, 2-1/16" x 2-7/8" xo, banding 1/4" x 2205 capillary strg to tbg w/2 bands per jt. RD banders. Ld tbg w/2-7/8" x 7-1/16" 3M adpt fig tapped for 2 capillary strgs. EOT @ 2,855'. SN @ 2,854'. EO capillary strg #1 @ 2,814'. EO capillary strg #2 @ 740'. PBTD @ 2,934'. Fill @ 2,929' Ferron Coal perfs fr/2,726' - 2,878'. ND Hydrill & BOP, NU WH.

10/11/2012: RU swab tls. BFL @ 2,854' FS. 0 BO, 0 BLW, 4 runs, 4 hr, FFL @ 2,854' FS. Left well SWIFPBU. RD swb tls. RDMO. RWTP ppg @ 3:30 a.m.

=====UP - L 14-55=====



Graphic Controls LLC

10-5-12

x TO Energy

CHART NO. MC MP-15000

METER

CSG test

CHART PUT ON

TAKEN OFF

LOCATION

U&L 14-5-5

REMARKS

B&C Quicktest

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER: FEE
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: UP and L 14-55
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43015303140000
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood, CO, 80155	PHONE NUMBER: 303 397-3727 Ext
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1183 FNL 1075 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 14 Township: 18.0S Range: 07.0E Meridian: S	9. FIELD and POOL or WILDCAT: BUZZARD BENCH COUNTY: EMERY STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 12/8/2014	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input checked="" type="checkbox"/> OTHER	OTHER: <input type="text" value="Place well on vacuum"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy intends to place a vacuum on UP&L 14-55. We will install O2 sensors with automatic shutdown on the compressor suction lines as a safety measure.

Approved by the
 January 29, 2015
 Oil, Gas and Mining

Date: _____

By: DeKQ

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 303-397-3736	TITLE Regulatory Analyst
SIGNATURE N/A	DATE 12/4/2014	