

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

001

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. UTU-051015
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name N/A
2. Name of Operator MERRION OIL & GAS CORPORATION		7. If Unit or CA Agreement, Name and No. BUZZARD BENCH
3a. Address 610 REILLY AVE. FARMINGTON, NM 87401	3b. Phone No. (include area code) (505) 324-5300	8. Lease Name and Well No. HUMPY #1
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface 2480 FNL & 1570 FEL 489703X 39.198703 At proposed prod. zone SAME 4338626Y - 111.119240		9. API Well No. 43-015-30348
14. Distance in miles and direction from nearest town or post office* 5 AIR MILES WSW OF CASTLE DALE		10. Field and Pool, or Exploratory BUZZARD BENCH
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 608'	16. No. of acres in lease 760.33	11. Sec., T. R. M. or Blk. and Survey or Area 3-19S-7E SLM SWNE
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 1,229' (Scintilla)	19. Proposed Depth 3,575'	12. County or Parish EMERY
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6,455' GL	22. Approximate date work will start* 04/01/2005	13. State UT
17. Spacing Unit dedicated to this well SWNW and LOTS 1, 2, & 5		
20. BLM/BIA Bond No. on file NM-0883		
23. Estimated duration 2 WEEKS		

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature 	Name (Printed/Typed) BRIAN WOOD	Date 02/18/2005
---	---	---------------------------

Title **CONSULTANT** PHONE: (505) 466-8120 FAX: (505) 466-9682

Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 02-24-05
Title ENVIRONMENTAL SCIENTIST III		


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

**Federal Approval of this
Action is Necessary**


**RECEIVED
FEB 22 2005
DIV. OF OIL, GAS & MINING**



Well Location Plat



NORTH



* from BLM\GLO plat of record

** calculated

Well Location Description

MERRION OIL & GAS CORPORATION
 Humpy # 1
 2480' FNL & 1570' FEL
 Section 3, T.19 S., R.7 E., SLM
 Emery County, UT
 6455' grd. el. (from GPS)



04/28/04

Gerald G. Huddleston, LS

The above is true and correct to my knowledge and belief.

Merrion Oil & Gas Corporation
 Humpy #1
 2480' FNL & 1570' FEL
 Sec. 3, T. 19 S., R. 7 E.
 Emery County, Utah

Drilling Program

<u>1. Formation Name</u>	<u>Depth from GL</u>	<u>Depth from KB</u>	<u>Elevation</u>
Mancos Shale	0'	12'	+6,455'
Emery Sandstone	869'	881'	+5,586'
Blue Gate Shale	1,461'	1,473'	+4,994'
Ferron Sandstone	3,011'	3,023'	+3,444'
Total Depth	3,575'	3,587'	+2,880'

2. NOTABLE ZONES

Ferron is the goal. No other oil or gas zones are expected. Ferron coal zones are the only anticipated water zones.

3. PRESSURE CONTROL (Also see "5." on PAGE 2)

A 2,000 psi double ram BOP with 2,000 psi choke manifold will be used from bottom of surface casing to TD. (A typical 2,000 psi BOP is on Page 3. Actual model will not be known until the bid is let.) After surface and intermediate casing are each cemented for 8 hours, will nipple up BOP and test each to \approx 1,500 psi for 15 minutes each. Tests will be recorded in the driller's log. BOPs will be inspected and operated daily.

4. CASING & CEMENTING

<u>Hole Size</u>	<u>O. D.</u>	<u>Weight</u>	<u>Grade</u>	<u>Type</u>	<u>Age</u>	<u>\approx Setting Depth</u>
12-1/4"	8-5/8"	24	J-55	L T & C	New	250'
7-7/8"	5-1/2"	15.5	J-55	L T & C	New	3,575'

Will place centralizer on each joint of surface casing. Surface casing will be

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 2

circulated to surface with ≈ 245 sacks Class B or Class H + 3% CaCl_2 . Weight = 15.6 pounds per gallon. Yield = 1.18 cubic feet per sack. Excess: >100%.

Long string will be cemented to surface. Will install float collar with float on top of the shoe joint of the production casing. Will cement production casing to surface. Lead with ≈ 20 barrels gel water followed by ≈ 10 barrels for a spacer followed by ≈ 375 sacks 50/50 Poz with 8% gel + 10% CalSeal + 1/4 pound per sack Flocele (slurry = 12.5 pounds per gallon & 1.9 cubic feet per sack. Tail with ≈ 115 sacks Type V with 10% CalSeal + 1% CaCl_2 + 1/4 pound per sack Flocele (slurry = 14.2 pounds per gallon & 1.61 cubic feet per sack. Total volume = 928 cubic feet calculated at $\approx 50\%$ excess of gauge hole. Exact volumes will be determined from caliper log. All slurries will include lost circulation additives since lost circulation is anticipated.

5. MUD PROGRAM

Will drill surface hole with fresh water gel. Will air drill production hole with 2,400 scfm air/mist. Lost circulation material will be on location.

6. DATA GATHERING

Starting with production hole, will run SS surveys with azimuth every 500'. If build rate is $\geq 1'$ per 100', then SS surveys will be run at 100' intervals. Will also run SS survey at TD. No cores or drill stem tests are planned at this time. Will run caliper, Gamma Ray/Collar log, and Compensated Neutron log.

7. DOWN HOLE CONDITIONS

Maximum anticipated bottom hole pressure is $\approx 1,000$ psi. No hydrogen sulfide, abnormal pressures, nor abnormal temperatures are expected.

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 4

8. MISCELLANEOUS

Projected spud date is upon approval. It will take \approx 5 days to drill the well and \approx 4 days to complete the well.

Will complete well by moving in frac tanks. Tanks will be filled with 2% KCl. Will install frac valve and pressure test casing to \approx 4,000 psi. Will run Gamma Ray/Collar log (and Compensated Neutron log if no open hole logs) and then perforate. Will stimulate and allow well to flow. Run 2-3/8" tubing with notched collar on bottom and seating nipple on top of the bottom joint. Clean hole with air or nitrogen.

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 5

Surface Use Plan

1. EXISTING ROADS & DIRECTIONS (See PAGES 10 - 14)

From the junction of U-57 and U-10 south of Castle Dale ...
Go North 2.2 miles on U-57
Then turn left and go Southwest 0.5 miles on County Road 510
Then turn right and go West 1.2 miles on County Road 511
Then turn left and go South and West 0.7 miles to a big junction
Then bear left and climb Southwest 1.7 miles
Then turn right and go North 59' cross country to the proposed pad

This APD is also doubling as a BLM right-of-way application for that portion of the project in S2NW4 & NWSW 1-19s-7e. Right-of-way starts at Merrion's UTU-71863 and ends at the west line of Section 1. Dimensions are 30' x \approx 2,000' (=1.38 acres).

2. ROAD TO BE BUILT OR UPGRADED (See PAGE 12)

No upgrading is needed for the existing road. The 59' of new road will be crowned and ditched with a \approx 14' wide running surface. Maximum disturbed width will be 30'. Maximum cut or fill = 2'. Maximum grade = 1%. No gate, cattle guard, culvert, or vehicle turn out is needed.

3. EXISTING WELLS

There are four existing gas wells and no oil, water, injection, or disposal wells within a mile radius.

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 6

4. PROPOSED PRODUCTION FACILITIES (See PAGE 12)

A 2 phase separator, 100 barrel water tank, meter run, and pump will be installed on the pad. All surface equipment will be painted a flat dark olive green color. A buried ≈ 3 " O. D. steel Schedule 40 (burst pressure >1,000 psi) gas pipeline will run south for 137' to tie into Merrion's existing Buzzard Bench gas pipeline.

5. WATER SUPPLY

Water will be trucked from Neilson Construction Company east of Huntington in 19-17s-9e (water right #93-300)

6. CONSTRUCTION MATERIALS & METHODS

Topsoil and trees will be piled west of the pad. Diversion ditch will be cut west of the pile. The reserve pit will be lined with minimum 12 mil plastic.

7. WASTE DISPOSAL

The reserve pit will be fenced 4' high on 3 sides with 4 strands of barbed wire or woven wire topped with barbed wire. The fourth side will be fenced once the rig moves off hole. The fence will be kept in good repair while the pit dries. No fluids will be discharged in the flare pit.

All trash will be placed in a trash cage. When full, it will be hauled to a state approved landfill. There will be no trash burning or disposal of trash in the reserve pit. Chemical toilets will be used for human waste. Their contents will be disposed of in state approved facilities.

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 7

No oil will be allowed on the reserve pit. Any oil which accumulates on the pit will be pumped or skimmed off and hauled to a state approved recycle facility. Once dry, the reserve pit contents will be buried in place. The pit will be back filled sufficiently deep so that no liner is exposed.

8. ANCILLARY FACILITIES

There will be no airstrip or formal camp. Camper trailers will be on site for the company man, roughnecks, mud logger, tool pusher, etc.

9. WELL SITE LAYOUT

See PAGES 14 and 15 for depictions of the well pad, cross sections, cut and fill diagrams, reserve pit, burn pit, access road onto the pad, parking, living facilities, and rig orientation.

10. RECLAMATION

After completing drilling, the well site and immediate area will be cleared of all debris and material not needed for production.

Reclamation will start when the reserve pit is dry. At least 2' of cover will be placed on the reserve pit. All areas not needed for production will be back filled, contoured to match natural contours, and reserved topsoil and trees evenly spread. If the well is a producer, then enough topsoil will be kept aside to reclaim the rest of the pad. Disturbed areas will be ripped, harrowed, or scarified before seeding.

All reclaimed areas will be broadcast seeded in late fall or winter with seed mix specified by BLM. Seeded areas will be left rough and lightly harrowed or drug with a chain after seeding.

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 8

11. SURFACE OWNER

All construction is on lease and on BLM.

12. OTHER INFORMATION

Closest hospital is an hour drive north in Price. The Castlevue Hospital is at 300 North Hospital Drive. Phone number is (435) 637-4800.

Archaeology report CASA 04-65 filed June 16, 2004.

This APD is also an application for approval of an exception location. The well is staked too far east. (Note that it is 485' (or 25' more than required) from the south line of the "quarter" section in this short (553.49 acre) section.) I am requesting an exception because of topography and land use. Steep slopes in the north part of the drilling window force the location south where a road bisects the remainder of the drilling window.

The well is staked at 2480' FNL & 1570' FEL on a 760.33 acre BLM lease. Merrion is requesting permission to drill at 2480' FNL & 1570' FEL 3-19s-7e. This is the only oil or gas well, existing or planned, in the "quarter" section. Closest (1,229') well of any type is Merrion's proposed Scintilla #1 at 2170 FS & 465 FE 3-19s-7e. Closest lease line is \approx 745' west, but Merrion is the operator of the offset lease and both sides of the lease line are in Merrion's Buzzard Bench Unit. Merrion is owner of all drilling units within a minimum 2,480' radius of the proposed exception. Merrion is the owner of 7 of the 8 offset quarter sections.

13. REPRESENTATION

Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

PAGE 9

Anyone having questions concerning the APD should contact:

Brian Wood
Permits West, Inc.
37 Verano Loop
Santa Fe, NM 87508
(505) 466-8120 FAX: (505) 466-9682 Mobile: (505) 699-2276

The field representative during drilling and production will be:

John Thompson
Merrion Oil & Gas Corporation
610 Reilly Ave.
Farmington, NM 87401
(505) 324-5300 FAX (505) 324-5350 Mobile: (505) 320-1748


I hereby certify Merrion Oil & Gas Corporation has the necessary consents from the proper lease and unit interest owners to conduct lease and unit operations in conjunction with this APD. Bond (NM-0883) coverage *per* 43 CFR 3104 for lease activities is being provided by Merrion Oil & Gas Corporation.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with operations proposed herein will be performed by Merrion Oil & Gas Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U. S. C. 1001 for the filing of a false statement.




Brian Wood, Consultant

February 18, 2005




SITE

CASTLE DALE QUADRANGLE 25 26
SCALE: 1" = 1 MILE
6/1/00




Name: CASTLE DALE
Date: 8/16/2004
Scale: 1 inch equals 2000 feet

Location: 039.1979043° N 111.1225018° W
Caption: 3, 19S-7E



MN
12 1/2°





Humpy # 1
well pad & section



Scale 1" = 50'

- cut slopes
- grade to balance
- fill slopes
- stake/pin flag




Merrion Oil & Gas Corporation
Humpy #1
2480' FNL & 1570' FEL
Sec. 3, T. 19 S., R. 7 E.
Emery County, Utah

NORTH





1" = 50'



Pressure Control Equipment

Minimum 2" Choke Line.
 Minimum 2" Kill Line.
 At Least One 2" Minimum Kill Line Valve.

Note: 1. An upper Kelly cock valve will be utilized during drilling. Handle will be available for easy access.
 2. Safety valves and necessary subs to fit all drill string in use will be available.



Note: This equipment is designed to meet requirements for a 2-M rating standard per 43 CFR part 3160 (amended). Proper operation and testing of equipment will be carried out per standard. 2,000 psi equipment can be substituted in the drawing to meet minimum requirements per standard.

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

004

APD RECEIVED: 02/22/2005

API NO. ASSIGNED: 43-015-30348

WELL NAME: HUMPY #1
 OPERATOR: MERRION OIL & GAS CORP (N0630)
 CONTACT: BRIAN WOOD

PHONE NUMBER: 505-466-8120

PROPOSED LOCATION:

SWNE 03 190S 070E
 SURFACE: 2480 FNL 1570 FEL
 BOTTOM: 2480 FNL 1570 FEL
 EMERY
 BUZZARD BENCH (132)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: 1 - Federal
 LEASE NUMBER: UTU-051015
 SURFACE OWNER: 1 - Federal
 PROPOSED FORMATION: FRSD
 COALBED METHANE WELL? NO

LATITUDE: 39.19870

LONGITUDE: -111.1192

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[1] Ind[] Sta[] Fee[]
(No. NM-0883)
- Potash (Y/N)
- Oil Shale 190-5 (B) or 190-3 or 190-13
- Water Permit
(No. 93-300)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)


LOCATION AND SITING:

- ___ R649-2-3.
- Unit BUZZARD BENCH
- ___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
- R649-3-3. **Exception**
- ___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- ___ R649-3-11. Directional Drill


COMMENTS: _____

STIPULATIONS: _____

1- Federal Approval
2- Spacing Slip



OPERATOR- MERRION O&G CORP (N0630)
SEC. 3 T.19S R.7E
FIELD: BUZZARD BENCH (132)
COUNTY: EMERY
SPACING: R649-3-3 / EXCEPTION LOCATION



Utah Oil Gas and Mining

Wells	Units.shp	Fields.shp
♣ GAS INJECTION	□ EXPLORATORY	□ ABANDONED
○ GAS STORAGE	□ GAS STORAGE	□ ACTIVE
× LOCATION ABANDONED	□ NF PP OIL	□ COMBINED
⊕ NEW LOCATION	□ NF SECONDARY	□ INACTIVE
⊖ PLUGGED & ABANDONED	□ PENDING	□ PROPOSED
⊛ PRODUCING GAS	□ PI OIL	□ STORAGE
● PRODUCING OIL	□ PP GAS	□ TERMINATED
⊙ SHUT-IN GAS	□ PP GEOTHERML	
+ SHUT-IN OIL	□ PP OIL	
× TEMP. ABANDONED	□ SECONDARY	
○ TEST WELL	□ TERMINATED	
▲ WATER INJECTION		
◆ WATER SUPPLY		
♠ WATER DISPOSAL		



PREPARED BY: DIANA WHITNEY
DATE: 24-FEBRUARY-2005

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office

P.O. Box 45155

Salt Lake City, Utah 84145-0155

IN REPLY REFER TO:

3160

(UT-922)

February 24, 2005

Memorandum

To: Assistant Field Office Manager Resources,
Moab Field Office

From: Michael Coulthard, Petroleum Engineer

Subject: 2005 Plan of Development Buzzard Bench Unit
Emery County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2005 within the Buzzard Bench Unit, Emery County, Utah.

API #	WELL NAME	LOCATION
-------	-----------	----------

(Proposed PZ Ferron)

43-015-30347	SCINTILLA #1	Sec 3 T19S R7E 2170 FSL 0465 FEL
43-015-30348	HUMPY #1	Sec 3 T19S R7E 2480 FNL 1570 FEL

This office has no objection to permitting the wells at this time.

/s/ Michael L. Coulthard

bcc: File - Buzzard Bench Unit
Division of Oil Gas and Mining
Central Files
Agr. Sec. Chron
Fluid Chron

MCoulthard:mc:2-24-05



State of Utah

**Department of
Natural Resources**

MICHAEL R. STYLER
Executive Director

**Division of
Oil, Gas & Mining**

MARY ANN WRIGHT
Acting Division Director

JON M. HUNTSMAN, JR.
Governor

GARY R. HERBERT
Lieutenant Governor

February 24, 2005

Merrion Oil & Gas Corporation
610 Reilly Ave
Farmington, NM 87401

Re: Humpy #1 Well, 2480' FNL, 1570' FEL, SW NE, Sec. 3, T. 19 South,
R. 7 East, Emery County, Utah


Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30348.

Sincerely,



John R. Baza
Associate Director

pab
Enclosures

cc: Emery County Assessor
Bureau of Land Management, Moab District Office

Operator: Merrion Oil & Gas Corporation
Well Name & Number Humpy #1
API Number: 43-015-30348
Lease: UTU-051015

Location: SW NE **Sec.** 3 **T.** 19 South **R.** 7 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:

UTU-051015

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

N/A

7. UNIT or CA AGREEMENT NAME:

N/A

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL

OIL WELL

GAS WELL

OTHER _____

8. WELL NAME and NUMBER:

HUMPY 1

2. NAME OF OPERATOR:

MERRION OIL & GAS CORPORATION

9. API NUMBER:

4301530348

3. ADDRESS OF OPERATOR:

610 REILLY AVE. CITY FARMINGTON STATE NM ZIP 87401

PHONE NUMBER:

(505) 327-9801

10. FIELD AND POOL, OR WILDCAT:

BUZZARD BENCH

4. LOCATION OF WELL

FOOTAGES AT SURFACE: 2480' FNL & 1570' FEL

COUNTY: EMERY

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNE 3 19S 7E S

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>RENEW APD</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<u>APPROVAL</u>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

REQUEST STATE RENEW APPROVAL OF APD.
MERRION IS WAITING FOR DRILL RIG TO BECOME AVAILABLE.

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 04-13-2006
By: *[Signature]*

NAME (PLEASE PRINT) BRIAN WOOD

TITLE CONSULTANT

SIGNATURE

[Signature]

DATE 4/10/2006

(This space for State use only)

RECEIVED
APR 12 2006

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-015-30348
Well Name: HUMPY 1
Location: SWNE 3-19S-7E, EMERY COUNTY
Company Permit Issued to: MERRION OIL & GAS CORPORATION
Date Original Permit Issued: ~~2/24/05~~ 2/24/05

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No N/A (BLM)

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No

B. Ward
Signature

4/10/2006
Date

Title: Consultant

Representing: Merrion Oil & Gas Corporation

RECEIVED
APR 12 2006
DIV. OF OIL, GAS & MINING

Form 3160-3
(April 2004)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0157
Expires March 31, 2007
RECEIVED
MOAB FIELD OFFICE

5. Lease Serial No.
UTU-051015
6. If Indian, Allottee or Tribe Name
N/A
7. If Unit or CA Agreement, Name and No.
BUZZARD BENCH

1a. Type of work: DRILL REENTER
1b. Type of Well: Oil Well Gas Well Other Single Zone Multiple Zone

8. Lease Name and Well No.
HUMPY #1

2. Name of Operator
MERRION OIL & GAS CORPORATION

9. API Well No.
43-015- 30348

3a. Address 610 REILLY AVE.
FARMINGTON, NM 87401
3b. Phone No. (include area code)
(505) 324-5300

10. Field and Pool, or Exploratory
BUZZARD BENCH

4. Location of Well (Report location clearly and in accordance with any State requirements.)
At surface 2480 FNL & 1570 FEL
At proposed prod. zone SAME

11. Sec., T. R. M. or Blk. and Survey or Area
3-19S-7E SLM

14. Distance in miles and direction from nearest town or post office*
5 AIR MILES WSW OF CASTLE DALE

12. County or Parish
EMERY
13. State
UT

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 608'
16. No. of acres in lease 760.33
17. Spacing Unit dedicated to this well SWNW and LOTS 1, 2, & 5

18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. 1,229' (Scintilla)
19. Proposed Depth 3,575'
20. BLM/BIA Bond No. on file NM-0883

21. Elevations (Show whether DF, KDB, RT, GL, etc.) 6,455' GL
22. Approximate date work will start* 04/01/2005
23. Estimated duration 2 WEEKS

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan.
- 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification
- 6. Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature *Brian Wood* Name (Printed/Typed) BRIAN WOOD Date 02/18/2005

Title CONSULTANT PHONE: (505) 466-8120 FAX: (505) 466-9682

Approved by (Signature) *Russell W. vonKoch* Name (Printed/Typed) Date 7/7/06

Title *Asst. Field Manager,* Office Division of Resources Moab Field Office

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*(Instructions on page 2)

FOR RECORD ONLY
Oil, Gas and Mining
Utah Division of
Accepted by the

CONDITIONS OF APPROVAL ATTACHED

RECEIVED
JUL 10 2006

DIV. OF OIL, GAS & MINING



Well Location Plat

NORTH

0' 1000'

1" = 1000'

brass cap

- from BLM\GLO plat of record
- ** calculated

Well Location Description

MERRION OIL & GAS CORPORATION
 Humpy # 1
 2480' FNL & 1570' FEL
 Section 3, T.19 S., R.7 E., SLM
 Emery County, UT
 6455' grd. el. (from GPS)



04/28/04

Gerald G. Huddleston
 Gerald G. Huddleston, LS

The above is true and correct to my knowledge and belief.

Merrion Oil & Gas Corporation
Humpy #1
Lease U-51015
SW/NE Section 3, T19S, R7E
Emery County, Utah

A COMPLETE COPY OF THIS PERMIT SHALL BE KEPT ON LOCATION from the beginning of site construction through well completion, and shall be available to contractors to ensure compliance.

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Merrion Oil & Gas Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by **NM0883** (Principal – Merrion Oil & Gas Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors.

A. DRILLING PROGRAM

1. The BOPE, as proposed, is comprised of 3M equipment in a 2M configuration, which is adequate for anticipated conditions. Installation, testing and operation of the system shall be in conformance with Onshore Oil and Gas Order No. 2.
2. Concurrent approval from the State of Utah, Division of Oil, Gas & Mining (DOGM) is required before conducting any surface disturbing activities.
3. When drilling with air, the requirements of Onshore Oil and Gas Order No. 2, part III, E, Special Drilling Operations, shall apply. Among the requirements in this section are:
 - Spark arresters
 - Blooie line discharge 100 feet from wellbore
 - Straight blooie line
 - Deduster equipment
 - Float valve above bit
 - Automatic igniter on the blooie line
4. If cement does not circulate to surface on the production casing, a cement bond log (CBL), or other appropriate tool for determining top-of-cement, shall be run and shall be submitted to BLM.

**UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Price Field Office
Price, Utah**

**SURFACE USE
CONDITIONS OF APPROVAL**

Well Name: Humpy #1 and Scintilla #1

Operator: Merrion Oil & Gas Corporation

I Site Specific Conditions of Approval

1. All permanent above-ground structures (e.g., production equipment, tanks, etc.) not subject to safety requirements will be painted to blend with the natural color of the landscape. The paint used will be a color which simulates "Standard Environmental Colors." The color selected for the Humpy #1 and Scintilla #1 well is Olive Black, 5WA20-6. All facilities will be painted the designated color at the time of installation
2. The operator will drill seed on the contour to a depth of 0.5 inch, followed by cultipaction to compact the seedbed, preventing soil and seed losses. To maintain quality and purity, the current years tested, certified seed with a minimum germination rate of 80% and a minimum purity of 90% will be used. On BLM surface or in lieu of a different specific mix desired by the surface owner, use the following:

Species - <i>Cultivar</i>	Full Seeding (lbs/ac PLS*)
Forage kochia	2
Wyoming big sagebrush	1
Douglas low rabbitbrush	1
Thickspike Wheatgrass	2
Slender Wheatgrass	2
Totals	8

*PLS = pure live seed (this seeding rate has not been doubled).

- Slopes too steep for machinery may be hand broadcast and raked with twice the specified amount of seed. Complete fall seeding after September 15 and prior to prolonged ground frost. To be effective, complete spring seeding after the frost has left the ground and prior to May 15.
- 3. Interim reclamation of well pad (areas not needed for production facilities) will be completed the first fall season after completion of the well.
- 4. Please contact Mary Maddux, Natural Resource Specialist, @ (435) 636-3668, Bureau of Land Management, Buffalo, if there are any questions concerning these surface use COAs.

II Standard Conditions of Approval

A. General

1. If any cultural values [sites, artifacts, human remains are observed during operation of this lease/permit/right-of-way, they will be left intact and the Price Field Manager notified. The authorized officer will conduct an evaluation of the cultural values to establish appropriate mitigation, salvage or treatment. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized BLM officer (AO). Within five working days the AO will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and,
 - a time-frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that the required mitigation has been completed, the operator will then be allowed to resume construction measures.
2. If paleontological resources, either large or conspicuous, and/or a significant scientific value are discovered during construction, the find will be reported to the Authorized Officer immediately. Construction will be suspended within 250 feet of said find. An evaluation of the paleontological discovery will be made by a BLM approved professional paleontologist within five (5) working days, weather permitting, to determine the appropriate action(s) to prevent the potential loss of any significant paleontological values. Operations within 250 feet of such a discovery will not be resumed until written authorization to proceed is issued by the Authorized Officer. The applicant will bear the cost of any required paleontological appraisals, surface collection

of fossils, or salvage of any large conspicuous fossils of significant scientific interest discovered during the operation.

3. The operator shall restrict travel on unimproved roads during periods of inclement weather or spring thaw when the possibility exists for excessive surface resource damage (e.g., rutting in excess of 4-inches, travel outside two-track roadway, etc.).
4. If any dead or injured threatened, endangered, proposed, or candidate species is located during construction or operation, the BLM Price Field Office (435-636-3600) shall be notified within 24 hours. If any dead or injured sensitive species is located during construction or operation, the BLM Price Field Office (435-636-3600) shall be notified within 24 hours.

B. Construction

1. The operator will limit vegetation removal and the degree of surface disturbance wherever possible. Where surface disturbance cannot be avoided, all practicable measures will be utilized to minimize erosion and stabilize disturbed soils.
2. Construction and drilling activity will not be conducted using frozen or saturated soil material during periods when watershed damage or excessive rutting is likely to occur.
3. Remove all available topsoil from constructed well locations including areas of cut and fills, and stockpile at the site. Topsoil will also be salvaged for use in reclamation on all other areas of surface disturbance (roads, pipelines, etc.). Clearly segregate topsoil from excess spoil material. Any topsoil stockpiled for one year or longer will be signed and stabilized with annual ryegrass or other suitable cover crop.
4. The operator will not push soil material and overburden over side slopes or into drainages. All soil material disturbed will be placed in an area where it can be retrieved without creating additional undue surface disturbance and where it does not impede watershed and drainage flows.
5. Construct the backslope no steeper than 1½:1, and construct the foreslope no steeper than 2:1, unless otherwise directed by the BLM Authorized Officer.
6. Maintain a minimum 20-foot undisturbed vegetative border between toe-of-fill of pad and/or pit areas and the edge of adjacent drainages, unless otherwise directed by the BLM Authorized Officer.
7. With the overall objective of minimizing surface disturbance and retaining land stability and productivity, the operator shall utilize equipment that is appropriate to the scope and scale of work being done for roads and well pads (utilize equipment no larger than needed for the job).
8. To minimize electrocution potential to raptors, all overhead electrical power lines will be constructed to Avian Power Line Interaction Committee (1996) standards.
9. The operator shall utilize wheel trenchers or ditchers to construct all pipeline trenches, except where extreme topography or other environmental factors preclude their use.
10. Reserve pits will be adequately fenced during and after drilling operations until pit is reclaimed so as to effectively keep out wildlife and livestock. Adequate fencing, in lieu of more stringent requirements by the surface owner, is defined as follows:

- Construction materials will consist of steel or wood posts. Three or four strand wire (smooth or barbed) fence or hog panel (16-foot length by 50-inch height) or plastic snow fence must be used with connectors such as fence staples, quick-connect clips, hog rings, hose clamps, twisted wire, etc. Electric fences will not be allowed.
 1. Construction standards: Posts shall be firmly set in ground. If wire is used, it must be taut and evenly spaced, from ground level to top wire, to effectively keep out animals. Hog panels must be tied securely into posts and one another using fence staples, clamps, etc. Plastic snow fencing must be taut and sturdy. Fence must be at least 2-feet from edge of pit. 3 sides fenced before beginning drilling, the fourth side fenced immediately upon completion of drilling and prior to rig release. Fence must be left up and maintained in adequate condition until pit is closed.
11. The reserve pit will be oriented to prevent collection of surface runoff. After the drilling rig is removed, the operator may need to construct a trench on the uphill side of the reserve pit to divert surface drainage around it. If constructed, the trench will be left intact until the pit is closed.
 12. The reserve pit will be lined with an impermeable liner if permeable subsurface material is encountered. An impermeable liner is any liner having permeability less than 10^{-7} cm/sec. The liner will be installed so that it will not leak and will be chemically compatible with all substances that may be put in the pit. Liners made of any man-made synthetic material will be of sufficient strength and thickness to withstand normal installation and pit use. In gravelly or rocky soils, a suitable bedding material such as sand will be used prior to installing the liner.
 13. The reserve pit will be constructed so that at least half of its total volume is in solid cut material (below natural ground level).
 14. Culverts will be placed on channel bottoms on firm, uniform beds, which have been shaped to accept them, and aligned parallel to the channel to minimize erosion. Backfill will be thoroughly compacted.
 15. The minimum diameter for culverts will be 18 inches. However, all culverts will be appropriately sized in accordance with standards in BLM Manual 9113.
 16. Construction and other project-related traffic will be restricted to approved routes. Cross-country vehicle travel will not be allowed.
 17. Maximum design speed on all operator-constructed and maintained roads will not exceed 25 miles per hour.
 18. Pipeline construction shall not block nor change the natural course of any drainage. Pipelines shall cross perpendicular to drainages. Pipelines shall not be run parallel in drainage bottoms. Suspended pipelines shall provide adequate clearance for maximum runoff.
 19. Pipeline trenches shall be compacted during backfilling. Pipeline trenches shall be routinely inspected and maintained to ensure proper settling, stabilization and reclamation.
 20. During construction, emissions of particulate matter from well pad and road construction would be minimized by application of water or other non-saline dust suppressants with at least 50 percent control efficiency. Dust inhibitors (surfacing materials, non-saline dust suppressants, and water) will be used as necessary on unpaved roads that present a

fugitive dust problem. The use of chemical dust suppressants on public surface will require prior approval from the BLM Authorized Officer.

21. The operator shall submit a Sundry Notice (Form 3160-5) to BLM for approval prior to construction of any new surface disturbing activities that are not specifically addressed in the approved APD or POD Surface Use Plan.
22. Weed educational material will be reviewed with operators during pre-construction on-site meetings with operators, subcontractors, and landowners and will also be attached to approved APDs.
23. Companies will contact the counties to pursue development of maintenance agreements to ensure county roads are adequately maintained for the projected increase in use.

C. Operations/Maintenance

1. Confine all equipment and vehicles to the access road(s), pad(s), and area(s) specified in the approved APD or POD.
2. All waste, other than human waste and drilling fluids, will be contained in a portable trash cage. This waste will be transported to a State approved waste disposal site immediately upon completion of drilling operations. No trash or empty barrels will be placed in the reserve pit or buried on location. All state and local laws and regulations pertaining to disposal of human and solid waste will be complied with.
3. Rat and mouse holes shall be filled and compacted from the bottom to the top immediately upon release of the drilling rig from the location.
4. The operator will be responsible for prevention and control of noxious weeds and weeds of concern on all areas of surface disturbance associated with this project (well locations, roads, water management facilities, etc.) Use of pesticides shall comply with the applicable Federal and State laws. Pesticides shall be used only in accordance with their registered uses and within limitations imposed by the Secretary of Interior. Prior to the use of pesticides on public land, the holder shall obtain from the BLM authorized officer written approval of a plan showing the type and quantity of material to be used, pest(s) to be controlled, method of application, location of storage and disposal of containers, and any other information deemed necessary by the authorized officer to such use.
5. Sewage shall be placed in a self-contained, chemically treated porta-potty on location.
6. The operator and their contractors shall ensure that all use, production, storage, transport and disposal of hazardous and extremely hazardous materials associated with the drilling, completion and production of these wells will be in accordance with all applicable existing or hereafter promulgated federal, state and local government rules, regulations and guidelines. All project-related activities involving hazardous materials will be conducted in a manner to minimize potential environmental impacts. In accordance with OSHA requirements, a file will be maintained onsite containing current Material Safety Data Sheets (MSDS) for all chemicals, compounds and/or substances which are used in the course of construction, drilling, completion and production operations.
7. Produced fluids shall be put in test tanks on location during completion work. Produced water will be put in the reserve pit during completion work per Onshore Order #7.
8. The only fluids/waste materials which are authorized to go into the reserve pit are RCRA exempt exploration and production wastes. These include:
 - drilling muds & cuttings

- rigwash
- excess cement and certain completion & stimulation fluids defined by EPA as exempt

It does not include drilling rig waste, such as:

- spent hydraulic fluids
- used engine oil
- used oil filter
- empty cement, drilling mud, or other product sacks
- empty paint, pipe dope, chemical or other product containers
- excess chemicals or chemical rinsate

Any evidence of non-exempt wastes being put into the reserve pit may result in the BLM Authorized Officer requiring specific testing and closure requirements.

9. Reserve pits will be closed as soon as possible, but no later than 90 days from time of drilling/well completion, unless the BLM Authorized Officer gives an extension. Squeezing of pit fluids and cuttings is prohibited. Pits must be dry of fluids or they must be removed via vac-truck or other environmentally acceptable method prior to backfilling, re-contouring and replacement of topsoil. Mud and cuttings left in pit must be buried at least 3-feet below re-contoured grade. The operator will be responsible for re-contouring any subsidence areas that develop from closing a pit before it is sufficiently dry.
10. If this well is drilled during the fire season (June-October), the operator shall institute all necessary precautions to ensure that fire hazard is minimized, including but not limited to mowing vegetation on the access route(s) and well location(s), keeping fire fighting equipment readily available when drilling, etc.

D. Dry Hole/Reclamation

1. All disturbed lands associated with this project, including the pipelines, access roads, water management facilities; etc will be expediently reclaimed and reseeded in accordance with the surface use plan and any pertinent site-specific COAs.
2. Disturbed lands will be re-contoured back to conform with existing undisturbed topography. No depressions will be left that trap water or form ponds.
3. The fluids and mud must be dry in the reserve pit before re-contouring pit area. The operator will be responsible for re-contouring of any subsidence areas that develop from closing a pit before it is completely dry. The plastic pit liner (if any) will be cut off below grade and properly disposed of at a state authorized landfill before beginning to re-contour the site.
4. Before the location has been reshaped and prior to redistributing the topsoil, the operator will rip or scarify the drilling platform and access road on the contour, to a depth of at least 12 inches. The rippers are to be no farther than 24 inches apart.
5. Distribute the topsoil evenly over the entire location and other disturbed areas. Prepare the seedbed by disking to a depth of 4-to-6 inches following the contour.

6. Phased reclamation plans will be submitted to BLM for approval prior to individual POD facility abandonment via a Notice of Intent (NOI) Sundry Notice. Individual facilities, such as well locations, pipelines, discharge points, impoundments, etc. need to be addressed in these plans as they are no longer needed. Individual items that will need to be addressed in reclamation plans include:
 - Pit closure (Close ASAP after suitably dry, but no later than 90 days from time of drilling unless an extension is given by BLM Authorized Officer.) BLM may require closure prior to 90 days in some cases due to land use or environmental concerns.
 - Configuration of reshaped topography, drainage systems, and other surface manipulations
 - Waste disposal
 - Revegetation methods, including specific seed mix (pounds pure live seed/acre) and soil treatments (seedbed preparation, fertilization, mulching, etc.). On private surface, the landowner should be consulted for the specific seed mix.
 - Other practices that will be used to reclaim and stabilize all disturbed areas, such as water bars, erosion fabric, hydro-mulching, etc.
 - An estimate of the timetables for beginning and completing various reclamation operations relative to weather and local land uses.
 - Methods and measures that will be used to control noxious weeds, addressing both ingress and egress to the individual well or POD.
 - Decommissioning/removal of all surface facilities
 - Closure and reclamation of areas utilized or impacted by produced CBM water, including discharge points, reservoirs, off-channel pits, land application areas, livestock/wildlife watering facilities, surface discharge stream channels, etc
7. BLM will not release the performance bond until all disturbed areas associated with the APD/POD have been successfully revegetated (evaluation will be made after the second complete growing season) and has met all other reclamation goals of the surface owner and surface management agency.
8. A Notice of Intent to Abandon and a Subsequent Report of Abandonment must be submitted for abandonment approval.
9. For performance bond release approval, a Final Abandonment Notice (with a surface owner release letter on split-estate) must be submitted prior to a final abandonment evaluation by BLM.
10. Soil fertility testing and the addition of soil amendments may be required to stabilize some disturbed lands.
11. Any mulch utilized for reclamation needs to be certified weed free.
12. Waterbars are to be constructed at least one (1) foot deep, on the contour with approximately two (2) feet of drop per 100 feet of waterbar to ensure drainage, and extended into established vegetation. All waterbars are to be constructed with the berm on the downhill side to prevent the soft material from silting in the trench. The initial waterbar should be constructed at the top of the backslope. Subsequent waterbars should follow the following general spacing guidelines:

Slope (percent)	Spacing Interval (feet)
≤ 2	200
2 – 4	100
4 – 5	75
≥ 5	50

E. Producing Well

1. Landscape those areas not required for production to the surrounding topography as soon as possible. The fluids and mud must be dry in the reserve pit before re-contouring pit area. The operator will be responsible for re-contouring and reseeding of any subsidence areas that develop from closing a pit before it is completely dry.
2. Reduce the backslope to 2:1 and the foreslope to 3:1, unless otherwise directed by the BLM Authorized Officer. Reduce slopes by pulling fill material up from foreslope into the toe of cut slopes.
3. Production facilities (including dikes) must be placed on the cut portion of the location and a minimum of 15 feet from the toe of the back cut unless otherwise approved by the BLM Authorized Officer.
4. Any spilled or leaked oil, produced water or treatment chemicals must be reported in accordance with NTL-3A and immediately cleaned up in accordance with BLM requirements. This includes clean-up and proper disposition of soils contaminated as a result of such spills/leaks.
5. Distribute stockpiled topsoil evenly over those areas not required for production and reseed as recommended.
6. Upgrade and maintain access roads and drainage control (e.g., culverts, drainage dips, ditching, crowning, surfacing, etc.) as necessary and as directed by the BLM Authorized Officer to prevent soil erosion and accommodate safe, environmentally-sound access.
7. Prior to construction of production facilities not specifically addressed in the APD/POD, the operator shall submit a Sundry Notice to the BLM Authorized Officer for approval.
8. If not already required prior to constructing and drilling the well location, the operator shall immediately upgrade the entire access road to BLM standards (including topsoiling, crowning, ditching, drainage culverts, surfacing, etc.) to ensure safe, environmentally-sound, year-round access. This requirement does not supercede or apply where specific road requirements are addressed in the APD/POD surface use plan (e.g., two track road, spot upgrade, etc.)
9. Waterbars shall be installed on all reclaimed pipeline corridors per the guidelines in D #12.

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

Building Location- Notify the Price Field Office at least 48-hours prior to commencing construction of location.

Spud- Notify the Price Field Office 24-hours prior to spudding. Submit written notification of spud (Sundry Notice, Form 3160-5) to the Moab Field Office within 24-hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

Daily Drilling Reports- Daily drilling reports that describe the progress and status of the well shall be submitted to the Moab Field Office on a weekly basis. This report may be in any format customarily used by the operator.

Oil and Gas Operations Reports (OGORs)- Production from this well shall be reported to Minerals Management Service (MMS) on a monthly basis.

Sundry Notices- Any modification to the proposed drilling program shall be submitted to the Moab Field Office on a Sundry Notice (Form 3160-5). Regulations at 43 CFR 3162.3-2 describe which operations require prior approval, and which require notification.

Drilling Suspensions- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Moab Field Office. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

Undesirable Events- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the BLM in accordance with requirements of NTL-3A.

Cultural Resources- If cultural resources are discovered during construction, immediately notify the Price Field Office, and work that might disturb the cultural resources shall cease.

First Production- A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Price Field Office.

Notify the Moab Field Office when the well is placed into production. Initial notification may be verbal, but must be confirmed in writing within five business days. Please include the date production started, the producing formation and production volumes.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, a *Well Completion or Recompletion Report and Log* (Form 3160-4) shall be submitted to the Moab Field Office within thirty-days after completion of the well. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the Moab Field Office.

Venting/Flaring of Gas- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior, written approval of the Moab Field Office. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered to be shut-in until the gas can be captured or until approval to continue the venting/flaring pursuant to NTL-4A is granted. Compensation shall be due for gas that is vented/flared without approval.

Produced Water- An application for approval of a permanent disposal method and location will be submitted to the Moab Field Office for approval pursuant to Onshore Oil and Gas Order No.7.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Moab Field Office for off-lease measurement, off-lease storage and/or commingling of production prior to the sales measurement point. The term "commingling" describes both the combining of production from different geologic zones and/or combining production from different leases or agreement areas.

Plugging and Abandonment- If the well is a dry hole, plugging instructions must be obtained from the Moab Field Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Sundry Notice, Form 3160-5) will be filed with the Moab Field Office within thirty-days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Price Field Office or the appropriate surface managing agency.

TABLE 1

NOTIFICATIONS

Notify Don Stephens (435-636-3608) of the BLM Price Field Office for the following:

1 day prior to spudding;

50 feet prior to reaching the surface casing setting depth;

If the person at the above number cannot be reached, notify the BLM Moab Field Office at 435-259-2100.

Well abandonment operations require 24-hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained from:

Eric Jones, Petroleum Engineer

Office: 435-259-2117

Home: 435-259-2214

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-051015
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: BUZZARD BENCH
2. NAME OF OPERATOR: MERRION OIL & GAS CORPORATION		8. WELL NAME and NUMBER: HUMPY No. 1
3. ADDRESS OF OPERATOR: 610 REILLY AVENUE CITY FARMINGTON STATE NM ZIP 87401	PHONE NUMBER: (505) 324-5300	9. API NUMBER: 4301530348
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2480' FNL & 1570' FEL		10. FIELD AND POOL, OR WILDCAT: BUZZARD BENCH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 3 19S 7E S		COUNTY: EMERY
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 8/30/2006	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: SPD, TD & CSG
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

8/25/06 MIRU Pense Brothers Drilling on 8/25/06. Spudded @ 4:00 PM and drilled to 31', cleaned hole. TOH, LD 17" bit. Set 31' of conductor pipe. Prep to drill 11" surface hole. TIH, drilled to 291' and TOH, LD bit. Trouble with pipe connectors making up landed pipe @ 241.90'. Set up for cement crew. WOC.

8/26/06 WOC. RU and prep to pump cement. Pumped 40 bbls water and broke circulation. Pump 10 bbls gel sweep and 10 bbls water spacer then 175 sxs of surface cement with 11 bbls return to surface of good cement. Shut valve at 5:30 am. WOC to set up for BOP test.

8/27/06 WOC to set. WO different flange. Broke loose and NU BOP and choke manifold. RU testers and tested BOP. NU can and blow lines and changed bits. TIH with 7-7/8" hammer. Blew down casing and drilled out cement. Drilled to 920'. Drilling ahead.

8/28/06 Drilled from 1580' to 2810'. TOH and LD hammer. WO mechanic, WO parts to repair booster.

CONTINUED OTHER SIDE

NAME (PLEASE PRINT) STEVEN S. DURN	TITLE DRILLING & PRODUCTION MANAGER
SIGNATURE	DATE 9/6/2006

8/29/06 WO rig parts (seal for booster). Working on booster. TIH and broke circulation. Drilled to 3080'. TD hole at 3530'. Pulled 2 rods and pumped 280 bbls of 3% KCl water. TOH, some drag on bit from 3530' to 2700'. Short trip to 2950'.

8/30/06 TOH, LD collars and bit. RU and logged well to 3433'. Changed pipe rams in BOP. RU to run casing. WO casing. Set racks and unload 5-1/2" first load. Took off can casing 45'. Run 46 joints of 5-1/2", 15.5#, J-55 casing, Unloaded 2nd and started in hole. Run 5-1/2" casing landed at 3184' GL. RU cement crew, set up and prepared. Pumped 50 bbls to clear shoe (FL @ 1050 when logged), pumped 10 bbls gel, 20 bbls super flush at 3 BPM to 55 bbls and pumped 78.8 bbls cement RFC @ 70 bbls into displacement, caught press and circulation to surface. Lift press @ 350# @ 5 BPM, slowed to 4 BPM @ 140#'s lift and slowed to bump plug @ 1.5. Lift pressure @ 210#'s and landed plug @ 750#'s @ 76 bbls displacement, waited 5 mins and released pressure. Plug held. RDMOL.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-051015

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
N/A

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
BUZZARD BENCH

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
HUMPY #1

2. NAME OF OPERATOR:
MERRION OIL & GAS CORPORATION

9. API NUMBER:
4301530348

3. ADDRESS OF OPERATOR:
610 REILLY AVE. CITY FARMINGTON STATE NM ZIP 87401

PHONE NUMBER:
(505) 324-5300

10. FIELD AND POOL, OR WILDCAT:
BUZZARD BENCH

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **2480' FNL & 1570' FEL**

COUNTY: **EMERY**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SWNW 3 19S 7E S**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

DUE TO LOSS OF CIRCULATION DURING ALL PREVIOUS CEMENT JOBS, AND INDICATIONS FOR CBL LOGS THAT LOSS OCCURS IN BLUEGATE SHALE(1461' GL), PRODUCTION CASING CEMENT PROGRAM HAS BEEN CHANGED TO ELIMINATE LEAD SLURRY AND CIRCULATION OF CEMENT TO SURFACE. SINGLE STAGE CEMENT JOB WILL BE CONDUCTED LEADING WITH 20 BBL GEL SWEEP, 20 BBL LCM PILL, 10 BBL WATER SPACER, AND 80 BBL 14.2 PPG CEMENT (ANNULAR VOLUME FOR 7-7/8" x 5-1/2" FROM TD @ 3100' GL TO TOP OF BLUEGATE + 50% EXCESS) DISPLACED WITH 73 BBL 2% KCl.

IF WATER FLOWS ARE ENCOUNTERED DURING DRILLING, CEMENT PROGRAM WILL BE ALTERED TO ISOLATE WATER ZONE FROM PRODUCTIVE FERRON SANDS.

*10/13/06
RM*

NAME (PLEASE PRINT) **TYSON S. FOUTZ**

TITLE **PETROLEUM ENGINEER**

SIGNATURE _____

DATE **8/18/2006**

(This space for State use only)

Accepted by the
Utah Division of
Oil, Gas and Mining

Federal Approval Of This
Action Is Necessary

Date: **9/18/06**

By: *[Signature]* (See Instructions on Reverse Side)

RECEIVED

AUG 25 2006

(5/2000)

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: Merrion Oil & Gas Corporation Operator Account Number: N 0630
 Address: 610 Raily Avenue
city Farmington
state NM zip 87401 Phone Number: (505) 324-5300

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4301530348	HUMPY No. 1		SWNW	3	19S	7E	EMERY
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
A	99999	15674	8/25/2006		9/28/06		
Comments: FRSD UNIT PA WITH DIFFERENT DIVISION OF OWNERSHIP							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

CONNIE S. DINNING

Name (Please Print)

Signature

ENGINEER

Title

X12

9/19/2006

Date

(5/2000)

RECEIVED

SEP 19 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-051015

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
BUZZARD BENCH

8. WELL NAME and NUMBER:
HUMPY No. 1

9. API NUMBER:
4301530348

10. FIELD AND POOL, OR WILDCAT:
BUZZARD BENCH

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
MERRION OIL & GAS CORPORATION

3. ADDRESS OF OPERATOR:
610 REILLY AVENUE CITY **FARMINGTON** STATE **NM** ZIP **87401**

PHONE NUMBER:
(505) 324-5300

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **2480' FNL & 1570' FEL** COUNTY: **EMERY**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SWNW 3 19S 7E S** STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 9/20/2006	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: COMPLETION
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	


12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

9/11/06 Spot and RU on location. SDON. (BS)

9/12/06 Service rig and broke off casing collar. Put on wellhead and found anchor. NU BOP. RU to TIH with 4-3/4" bit, scrapers and 2-3/8" tubing. Change out, run blocks to 2-3/8" blew hydraulic hose, replaced. Tally in hole with 4-3/4" bit, scraper and 91 joints of 2-3/8" to 2971.86'. TOH with 8 joints to 2709'. RU acid truck and pumped 65 bbls HCl 27%, 7.1 bbls 15% and 9.2 bbls 2.7% KCl displacement. Pulled 20 stands and flushed tubing with 5 bbls KCl. TOH and LD scraper. RU perforators. RIH with perf gun on depth and short joint @ 2500', corrected 2' locator 2.5' from top shot, set locator @ 2723.5', shot interval @ 2726'-2730'. RD perforators. Prep to flush acid for breakdown, 2.2 BPM, 5 bbls pressure up to 2007 psi, bled back @ 3000#. BOP flange leaking, tightened up and started again, 2nd try 3000#, 3rd try bleed back @ 1700 psi (10 mins), 4th try broke @ 2925 psi (1 BPM to 2 BPM, 3.2 BPM @ 1140#, 5 BPM @ 1380#, ISIP 1200#). 5 mins 729, ISI, 10 mins 656, 15 in 607. RD acid crew and released. (BS)

CONTINUED OTHER SIDE

NAME (PLEASE PRINT) **STEVEN S. DUNN** TITLE **DRILLING & PRODUCTION MANAGER**

SIGNATURE  DATE **9/21/2006**

(This space for State use only)

RECEIVED
SEP 25 2006
DIV. OF OIL, GAS & MINING

- 9/13/06** Serviced rig, checked casing pressure @ 10 psi. TIH with 1 mule shoe, seating nipple and 82 joints to EOT 2743.45'. ND BOP and landed tubing, changed out wellhead valve to 2000# valves and nipples, put on master valve on 2-3/8" tubing. Set up to swab. Lubricator would not seal, took off and changed with other rig (n/c). Swabbing, 10 runs 26 bbls, no CP and tubing on vac. (BS)
- 9/14/06** Serviced rig and prep to swab. Swab well down and shut in. Made 22 runs, start FL @ 1300'. Final 2700' – 2 dry runs. Shut down and shut in well. (BS)
- 9/15/06** Serviced rig. RIH tagged FL @ 2600'. Made 16 runs, pulled 6.5 bbls total. Shut in pressure 40 psi. Shut well in. (BS)
- 9/18/06** Checked casing pressure – 380 psi and TP 380 psi. Flowed back through 1/4" choke to CP 20 psi. Made swab run through tight spot @ 2000' to SN @ 2709'. Pulled 1/2 bbl estimated and flowed back. Free flowed 1 hour, slight foam and water. Made swab run to seating nipple, recovered ~1/4 bbl water. SDON (BS)
- 9/19/06** Pinon crew traveled to Utah will start on hookup. (SC)
- 9/20/06** Pinon crew started production equipment hookup. (SC)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS			5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-051015
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____			7. UNIT or CA AGREEMENT NAME: BUZZARD BENCH
2. NAME OF OPERATOR: MERRION OIL & GAS CORPORATION			8. WELL NAME and NUMBER: HUMPY No. 1
3. ADDRESS OF OPERATOR: 610 REILLY AVENUE CITY FARMINGTON STATE NM ZIP 87401		PHONE NUMBER: (505) 324-5300	9. API NUMBER: 4301530348
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2480' FNL & 1570' FEL			10. FIELD AND POOL, OR WILDCAT: BUZZARD BENCH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 3 19S 7E S			COUNTY: EMERY
			STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CASING REPAIR <input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> DEEPEN <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> PLUG BACK <input type="checkbox"/> PRODUCTION (START/RESUME) <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	<input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> WATER SHUT-OFF <input type="checkbox"/> OTHER: _____

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Please be advised that due to location constraints, the drill point was moved 35' south of the originally permitted drill point. Will re-survey footage and submit revised footage.

NAME (PLEASE PRINT) STEVEN S. DUNN	TITLE DRILLING & PRODUCTION MANAGER
SIGNATURE	DATE 10/9/2006

(This space for State use only)

RECEIVED
OCT 12 2006
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-051015

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
Buzzard Bench

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
Humpy No. 1

2. NAME OF OPERATOR:
MERRION OIL & GAS CORPORATION

9. API NUMBER:
4301530348

3. ADDRESS OF OPERATOR:
610 REILLY AVENUE CITY **FARMINGTON** STATE **NM** ZIP **87401**

PHONE NUMBER:
(505) 324-5300

10. FIELD AND POOL, OR WILDCAT:
Buzzard Bench

4. LOCATION OF WELL
FOOTAGES AT SURFACE: **2480' FNL & 1570' FEL**

COUNTY: **EMERY**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: **SWNW 3 19S 7E S**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: 10-20-06	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


10/12/06 Road rig to location and rig up. ND WH to NU BOP. Set up to TOH. TOH with 91 joints pipe. RD floor and changed out valves for frac job.

10/13/06 ND BOP and NU frac valve. Spot up frac crew. Hook up to frac. Stand by until Tyson (MOG) arrived (tested lines to 5000#). Frac well with 1000 gals acid, 19300# sand at average of 10-15 ppg and 14,776 gals fluid and chemicals. ATP 2143, Avg BPM 8.5, break over at 2nd acid pumped at 2384#. Flow back well to pit, pressure dropped quickly to 35 psi through 1/4" choke from 1910 psi. Sand 19300 pumped, total gals pumped 14,776, ISIP 2275#, 5 mins 2099#, 10 mins 2066#, and 15 mins 2060#. Displaced 100 gals.

10/14/06 Checked well no pressure or flow. Left open until Monday AM.

10/16/06 ND frac valve and NU BOP. Set up to run tubing. TIH with 82 joints and 1 mule shoe joint to 2738'. Run 1 joint and tagged fill @ 2766'. TOH. WO bailer. PU bailer and 24 cavity. TIH. SDON.

CONTINUED OTHER SIDE

NAME (PLEASE PRINT) **TYSON FOUTZ**
SIGNATURE 

TITLE **PETROLEUM ENGINEER**
DATE **6/6/2007**

(This space for State use only)

RECEIVED
JUN 11 2007

Oct. 17, 2006

Serviced rig. Tagged sand and bailed to 173'. TOH. Dumped sand (hard to get out of pipe). PU bailer and cavity. TIH. Bailing sand to 2994' (132') and bailed 90' more fill (2862'-2994'). TOH for bailer, bailer stuck closed. Empty cavity and SDON. (Load up bailer and take in for repairs). (BS)

Oct. 18, 2006

Serviced rig. WO bailer. PU bailer and cavity. TIH (injury on rig to derrick hand-Mike Larsen). SD. Finish TIH, bailed well to TD @ 3160'. TOH. Dumped cavity and LD bailer. SDFN. (BS)

Oct. 19, 2006

Serviced rig and start up. TIH with 82 joints, seating nipple @ 2708', EOT @ 2741.86'. ND BOP and NU WH. Set up to swab. Swab, pack off bad, traded with other rig. Swabbing made 16 runs recovered 97 bbls, casing pressure @ 100 psi. Shut in and FL @ 1000' and swabbing back sand. (BS)

Oct. 20, 2006

Service rig and check pressures – CP 220 psi, TP 150 psi. Open to pit to flow, Cp dropped to 140 psi. Made swab run, pulled from seating nipple, FL @ 1000' flowing. Made swab run, well flowing. Made swab run, brought back sand and well started flowing again. Made swab run, brought back sand and gas, cut fluid. Made swab run, well flowing gas and sand cut fluid, total fluid est. 100 bbls recovered. Two day total 197 bbls (est.) (BS)

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-051015

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT or CA AGREEMENT NAME
BUZZARD BENCH

8. WELL NAME and NUMBER:
HUMPY NO. 1

9. API NUMBER:
4301530348

10. FIELD AND POOL, OR WMLDCAT
BUZZARD BENCH

11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:
SWNW 3 19S 7E S

12. COUNTY
EMERY

13. STATE
UTAH

1a. TYPE OF WELL: OIL WELL GAS WELL DRY OTHER _____

b. TYPE OF WORK: NEW WELL HORIZ. LATS. DEEP-EN RE-ENTRY DIFF. RESVR. OTHER _____

2. NAME OF OPERATOR:
MERRION OIL & GAS CORPORATION

3. ADDRESS OF OPERATOR: **610 REILLY AVENUE** CITY **FARMINGTON** STATE **NM** ZIP **87401** PHONE NUMBER: **(505) 324-5300**

4. LOCATION OF WELL (FOOTAGES)
AT SURFACE: **2480' FNL & 1570' FEL**
AT TOP PRODUCING INTERVAL REPORTED BELOW: **SAME**
AT TOTAL DEPTH: **SAME**

14. DATE SPUDED: **8/25/2006** 15. DATE T.D. REACHED: **8/29/2006** 16. DATE COMPLETED: **9/20/2006** ABANDONED READY TO PRODUCE

17. ELEVATIONS (DF, RKB, RT, GL):
6455' GL

18. TOTAL DEPTH: MD **3,530** 19. PLUG BACK T.D.: MD **3,530** 20. IF MULTIPLE COMPLETIONS, HOW MANY? *
TVD _____ TVD **3,161**

21. DEPTH BRIDGE MD _____ PLUG SET: TVD _____

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)
CBL, INDUCTION, GR NEUTRON DENSITY

23.
WAS WELL CORED? NO YES (Submit analysis)
WAS DST RUN? NO YES (Submit report)
DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/ft.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
12-1/4"	8-5/8" J-55	24#	0	241		175		SURFACE	
7-7/8"	5-1/2" J-55	15.5#	0	3,184		H 275		1590' CBL	

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	2,971							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
(A) FERRON SAND	2,724	2,758			2,726 2,730	22.7	24	Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/>
(B)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

27. PERFORATION RECORD

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
2726'-2730'	Frac well with 1000 gals 15% HCl, 19,300# 20/40 sand in 14,776 gals 15# borate gel.

29. ENCLOSED ATTACHMENTS:

ELECTRICAL/MECHANICAL LOGS GEOLOGIC REPORT DST REPORT DIRECTIONAL SURVEY

SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION CORE ANALYSIS OTHER: _____

30. WELL STATUS:
PRODUCING

31. INITIAL PRODUCTION

26 INTERVAL A (As shown in item #26) *20*

DATE FIRST PRODUCED: 10/24/2006	TEST DATE: 10/24/2006	HOURS TESTED: 24	TEST PRODUCTION RATES: →	OIL - BBL: 0	GAS - MCF: 64	WATER - BBL: 20	PROD. METHOD: Flow
CHOKE SIZE: .625"	TBG. PRESS. 260	CSG. PRESS. 340	API GRAVITY N/A	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS: OPEN

INTERVAL B (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

INTERVAL C (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

INTERVAL D (As shown in item #26)

DATE FIRST PRODUCED:	TEST DATE:	HOURS TESTED:	TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	INTERVAL STATUS:

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
Ferron Sand	2,724	2,798	gas	Ferron Coal	2,798

35. ADDITIONAL REMARKS (Include plugging procedure)

UPDATED 29-JUN-2007 - *[Signature]*

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) TYSON FOUTZ

TITLE PETROLEUM ENGINEER

SIGNATURE *[Signature]*

DATE 6/6/2007

6-25-07

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Phone: 801-538-5340
Fax: 801-359-3940

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

9/1/2010

FROM: (Old Operator): N0630-Merrion Oil & Gas Corp 610 Reilly Ave Farmington, NM 87401 Phone: 1 (505) 534-5300	TO: (New Operator): N2170-Coastal Plains Energy, Inc. 420 Throckmorton, Suite 630 Fort Worth, TX 76102 Phone: 1 (817) 882-9055
---	--

CA No.

Unit:

BUZZARD BENCH

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BUZZARD BENCH FED 6-3	03	190S	070E	4301530168	10684	Federal	GW	P
BUZZARD BENCH FED 3-24	03	190S	070E	4301530229	10670	Federal	GW	P
HUMPY #1	03	190S	070E	4301530348	15674	Federal	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/16/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/20/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 12/29/2010
- 4a. Is the new operator registered in the State of Utah: Business Number: 5104445-0143
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: not yet
- 5c. Reports current for Production/Disposition & Sundries on: OK
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 12/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/30/2010
- Bond information entered in RBDMS on: 12/30/2010
- Fee/State wells attached to bond in RBDMS on: 12/30/2010
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000213
- Indian well(s) covered by Bond Number:
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number CTCS267895;
- 3b. The **FORMER** operator has requested a release of liability from their bond on: not yet

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

RECEIVED

SEP 20 2010

FORM 9

DIV. OF OIL, GAS & MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1 TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER <i>See attached well list</i>
2 NAME OF OPERATOR <i>Coastal Plains Energy, Inc.</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3 ADDRESS OF OPERATOR <i>420 Throckmorton Fort Worth TX</i>		7. UNIT or CA AGREEMENT NAME
4 LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: <i>See attached well list</i>
CITY: <i>Fort Worth</i> STATE: <i>Tx</i> ZIP: <i>76102</i>		9. API NUMBER: <i>N3170</i>
PHONE NUMBER: <i>817 882-9055</i>		10. FIELD AND POOL, OR WILDCAT: <i>See attached well list</i>
COUNTY: <i>Emery</i>		STATE: <i>UTAH</i>

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

See attached list

BLM Bond No UT6000213

STATE BLANKET BOND CTCS 267895

INDIVIDUAL BONDS FUZZBALL 1 TFTS 899537

FERRON ST 4-36-18-7 TFTS 899542

ORANGVILLE U 10-2 TFTS 899545

NAME (PLEASE PRINT) <i>William R Biggs</i>	TITLE <i>President</i>
SIGNATURE <i>William R Biggs</i>	DATE <i>9-14-10</i>

(This space for State use only)

APPROVED *12/30/2010*

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NA
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Merrion Oil & Gas Corporation		8. WELL NAME and NUMBER: See Attached
3. ADDRESS OF OPERATOR: 610 Reilly Ave CITY Farmington STATE NM ZIP 87401		9. API NUMBER: 43-015-
PHONE NUMBER: (505) 324-5300		10. FIELD AND POOL, OR WILDCAT: Buzzard Bench
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: Emery		STATE: UTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Merrion Oil & Gas Corporation has sold the attached list of wells to Coastal Plains effective 9/1/2010

NAME (PLEASE PRINT) <u>Philana Thompson</u>	TITLE <u>Regulatory Compliance Specialist</u>
SIGNATURE	DATE <u>8/24/2010</u>

(This space for State use only)

APPROVED 12/30/2010
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
SEP 16 2010

DIV. OF OIL, GAS & MINING

N2170

LIST OF UTAH PROPERTIES SOLD TO COASTAL PLAINS ENERGY, INC EFFECTIVE JULY 1, 2010

WELL NAME	QTR/QTR	SECTION	TWNSHP	RANGE	API NO.	LEASE NO.	COUNTY
BUZZARD BENCH 3-24	SESW	SEC 3	19S	7E	43-015-30229	U-18897-A	EMERY
BUZZARD BENCH 6-3	SENW	SEC 3	19S	7E	43-015-30168	U-18897-A	EMERY
CAHILL 1R	SWNW	SEC 15	19S	7E	43-015-30627	U-69403	EMERY
CROWSFOOT 1R	SENE	SEC 9	19S	7E	43-015-30613	U-69403	EMERY
FERRON FEDERAL 16-9	SESE	SEC 9	19S	7E	43-015-30256	U-69403	EMERY
FERRON FEDERAL 16-20	SESE	SEC 20	17S	8E	43-015-30110	ML-48176	EMERY
FERRON FEDERAL 7-12	SWNE	SEC 12	19S	7E	43-015- ³⁰²⁵⁷ 30254	U-18134	EMERY
FERRON STATE 4-36	NWNW	SEC 36	18S	7E	43-015-30253	ML-28195	EMERY
FUZZBALL 1	SWNW	SEC 2	19S	7E	43-015-30557	ML-28199	EMERY
HUMPY 1	SWNE	SEC 3	19S	7E	43-015-30348	U-51015	EMERY
KLINKHAMMER 1	NENW	SEC 34	18S	7E	43-015-30610	U-72356	EMERY
ORANGEVILLE 1-11	NENE	SEC 11	19S	7E	43-015-30222	U-18134	EMERY
ORANGEVILLE 16-6	SESE	SEC 6	18S	8E	43-015-30108	ML-48777 ✓	EMERY
ORANGEVILLE 4-1	NWNW	SEC 1	19S	7E	43-015-30221	U-18134	EMERY
ORANVEVILLE 10-2	NWSE	SEC 2	19S	7E	43-015-30179	^{ML 28199} U-18134	EMERY
SPARKLE DUN 1	NENE	SEC 16	19S	7E	43-015-30615	ML-49168	EMERY

RECEIVED
AUG 30 2010
DIV. OF OIL, GAS & MINING

Plugged
8/23/2007

PUMP AND DEHYDRATOR



August 24,2010

Utah Division of Oil, Gas and Mining
1594 West North Temple Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Ladies & Gentlemen:

Effective date July 1,2010 Merrion Oil & Gas Corp. sold all of its interest in the Buzzard Bench Field. The New operator and owner: Coastal Plains Energy,Inc. 420 Throckmorton, Suite 630 Fort Worth, Texas 76102. Merrion Oil & Gas will no longer be reporting production and revenue for these wells. Also Severance Tax reports and Conservation reports will not be filed after the effective date of sale.

A List of the wells has been included with a Form 9.

Respectfully,
Merrion Oil & Gas Corp.

A handwritten signature in cursive script, appearing to read "Wayne", is written in black ink.

Wayne O'berg
Staff Accountant

RECEIVED
AUG 30 2010
DIV. OF OIL, GAS & MINING