


Castle Valley



Services

Corporate Office: 3266 South 125 West • P.O. Box 922 • Price, Utah 84501
Phone (435) 637-9300 • Fax (435) 637-2833

Mr. Brad Hill
Utah Division of Oil, Gas, and Mining
1594 West North Temple
Suite 1210
Salt Lake City, Utah 84114-5801



April 19, 1999

Dear Mr. Hill

Castle Valley Services, a representative of Texaco E & P, formally submits two (2) Notices of Staking for the Texaco proposed well locations west of Orangeville, Utah. These two (2) proposed locations are within Utah State lands. These locations are within Section 1. T18S, R7E and Section 36 T17S, R7E. Their identification is as follows: 36-78 and 1-76.

Castle Valley is also sending you copies of the Federal Notices of Staking sent to the Bureau of Land Management in Moab, Utah. Their identification is as follows: 11-70, 11-71, 11-72, 11-73, 3-74, 3-75, 34-80, and 34-82.

If you have any questions, please call me at 1-435-637-3557 or 1-801-554-3095.

Best Regards

Allen P. Childs


General manager
Castle Valley Services


P.O. Box 1178
719 2nd Street
Paonia, CO 81428
(970) 527-3151
FAX (970) 527-6846

P.O. Box 539
110 North Main
Lyman, WY 82937
(307) 787-3304
FAX (307) 787-3245

380 Lawndale Dr.
380 West 2500 South
Salt Lake City, UT 84115
(801) 466-8861
FAX (801) 466-8824

NOTICE OF STAKING		5. Lease Number FED UTU-68535	
1. Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Coalbed Methane		6. If Indian, Allottee or Tribe Name N/A	
2. Name of Operator Texaco E & P		7. Unit Agreement Name N/A	
3. Address of Operator or Agent 3300 North Butler, Farmington, NM 87401		8. Farm or Lease Name USA	
4. Surface Location of Well (Governmental 1/4 or 1/4 1/4) NW 1/4, NW 1/4 Attach: Topographical or other acceptable map showing location, access road, and lease boundaries.		9. Well No. 11-72 43-015-30387	
14. Formation Objective(s) Ferron Coal & Sands		10. Field or Wildcat Name "Undesignated"	
15. Estimated Well Depth 3405'		11. Sec., T., R., M., or Blk and Survey or Area 11, T18S, R7E SLB & M	
		12. County or Parish Emery	13. State Utah
16. To Be Completed by Operator Prior to Onsite			
a. Location must staked			
b. Access Road Flagged			
c. Sketch and/or map of location, showing road, pad dimensions, reserve pit, cuts, and fills (To be provided at onsite)			
17. To Be Considered By Operators Prior to Onsite			
a. H ₂ S Potential			
b. Private Surface Ownership			
c. Cultural Resources (Archaeology)			
d. Federal Right of Way			
18. Additional Information			
19. Signed <u>Ron Wuth</u>		Title <u>PROD. SUPERVISOR</u>	Date <u>4/16/99</u>





Orangeville

DRAWN BY:
P. BOYLEN
 CHECKED BY:
L.W.J.
 DATE:
4/12/99
 SCALE:
1"=5000'
 SHEET NO.:
464
 DRAWING NO.:
A-1


3200 South 125 West
 Price, Utah 84501
 (801) 637-6300
 FAX (801) 637-2833



Texaco Exploration & Production

**PROJECT LOCATION MAP
 EMERY COUNTY, UTAH**


1 of 1



	Existing Power	
	Existing Gas & Water	
	Proposed Gas, Water & Power	
	Texaco Proposed Well Location and Number	
	Existing Well Location and Number	

DRAWN BY: P. BOYLEN
CHECKED BY: L.W.J.
DATE: 4/12/99
SCALE: 1"=2000'
SHEET NO.:
464
READING NO.:
A-1
1 of 1

 3298 South 125 West Pricie, Utah 84531 (801) 637-6300 FAX (801) 637-2633	 Source



DRAWN BY P. BOYLEN CHECKED BY L.W.J. DATE 4/14/99 SCALE 1"=50' SHEET NO. 484	 2020 South 120 West Panguitch, Utah 84651 (801) 637-8000 FAX (801) 637-8000
P-1 1 of 1	TEXACO EXPLORATION & PRODUCTION LOCATION LAYOUT SECTION 11, T18S, R7E, S.L.B.&M. WELL #11-72




Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

May 27, 1999

CONFIDENTIAL



Mr. John Baza
State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

COPY

Re: Application for Permit to Drill

Well 1-76, 801'FNL & 402' FWL, Sec. 1 T 18 S R 7 E, Emery Co., Utah
Well 36-78, 164' FSL & 590 FWL, Sec. 36 T 17 S R 7 E, Emery Co., Utah

Dear Mr. Baza:

Enclosed is the original of the *Application for Permit to Drill (APD)* for the above named wells. Included with the APD is the following information:

Exhibit "A" - Survey plat of the proposed well site;

Exhibit "B" - Proposed Location Map with Pipeline, Power, and Road Access;

Exhibit "C" - Drilling Site Layout;

Exhibit "D" - On-site Inspection List;

Exhibit "E" - Production Site Layout;

Exhibit "F" - Typical Road Cross-section;

Exhibit "G" - BOP Diagram;

Exhibit "H" - Typical Wellhead Manifold Diagram;

Please accept this letter as Texaco Exploration and Production Incorporated's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

We will also be submitting the following APDs to the Bureau of Land Management for approval:

Well 11-70, 940' FSL & 1940' FEL, Sec. 11 T 18 S R 7 E, Emery Co., Utah
Well 11-71, 1638' FNL & 1372 FEL, Sec. 11 T 18 S R 9 E, Emery Co., Utah
Well 11-72, 674' FNL & 353' FWL, Sec. 11 T 18 S R 7 E, Emery Co., Utah
Well 11-73, 408' FSL & 1396 FWL, Sec. 11 T 18 S R 7 E, Emery Co., Utah
Well 3-74, 603' FSL & 759' FEL, Sec. 3 T 18 S R 7 E, Emery Co., Utah
Well 3-75, 736' FNL & 944 FEL, Sec. 3 T 18 S R 7 E, Emery Co., Utah
Well 34-80, 2442' FNL & 987' FEL, Sec. 34 T 17 S R 7 E, Emery Co., Utah
Well 34-82, 486' FSL & 2027' FWL, Sec. 34 T 17 S R 7 E, Emery Co., Utah

Thank you very much for your timely consideration of this application. Please feel free to contact me if you have any questions.

Sincerely,



Allen R. Davis *ext. 20*
Farmington Production Team Leader

cc: Mr. Don Stephens, BLM, Price, Utah
Mr. Eric Jones, BLM, Moab, Utah
Mr. Joe Mc Henry, Texaco
Farmington well file

RNC/rnc

Castle Valley



Services

Corporate Office: 3266 South 125 West • P.O. Box 922 • Price, Utah 84501
Phone (435) 637-9300 • Fax (435) 637-2833

June 11, 1999

Ms. Lisha Cordova
Division of Oil, Gas & Mining
1594 West North Temple
Salt Lake City, Utah 84114-5801

Dear Ms. Cordova;

Please find enclosed a copy of the Federal wells submitted by Texaco Exploration & Production, which requires State approval. If you have any questions, please call me at any time at (435)637-3557 or (801)554-3095.


Sincerely,

Larry Johnson PB

Larry Johnson

Enclosures

*990618 mike Watson (801) 557-7180
repl. Larry Johnson.
Lc



P.O. Box 1178
719 2nd Street
Paonia, CO 81428
(970) 527-3151
FAX (970) 527-6846

P.O. Box 539
110 North Main
Lyman, WY 82937
(307) 787-3304
FAX (307) 787-3245

380 Lawndale Dr.
380 West 2500 South
Salt Lake City, UT 84115
(801) 466-8861
FAX (801) 466-8824

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
DRILL **DEEPEN**

b. TYPE OF WELL
 OIL WELL GAS WELL Coal Bed Methane SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Texaco Exploration & Production, Inc.

3. ADDRESS AND TELEPHONE NO.
 3300 N. Butler, Farmington, NM 87401 505-325-4397

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface: 674 FNL, 353 FWL
 At proposed prod. zone: 490 304 E, 4347 295 N

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 6 Miles From Orangeville, UT

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 674'

16. NO. OF ACRES IN LEASE
 1977.56

17. NO. OF ACRES ASSIGNED TO THIS WELL
 160

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 1680

19. PROPOSED DEPTH
 3405

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

22. APPROX. DATE WORK WILL START*

5. LEASE DESIGNATION AND SERIAL NO.
 FED UTU-68535

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 N/A

7. UNIT AGREEMENT NAME
 N/A

8. FARM OR LEASE NAME WELL NO.
 USA

9. AN WELL NO.
 11-72

10. FIELD AND POOL, OR WILDCAT
 Undesignated

11. SEC., T., R., M., OR B.L.K. AND SURVEY OR AREA
 11 T18S R7E SLB&M


12. COUNTY OR PARISH
 Emery

13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8 K55 ST&C	24	300	230 SX G, 2% CACL, .25PPS Cell Flake
7 7/8	5 1/2 N80 LT&C	17	3405	135 SX 10:1 RFC G, .25PPS Cell Flakes

Federal Approval of this Action is Necessary



IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED: [Signature] TITLE: FARMINGTON PRODUCTIONS TEAM LEADER DATE: 5/27/99

(This space for Federal or State office use)
 PERMIT NO. 43015-30387 APPROVAL DATE _____


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
 CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY: [Signature] TITLE: BRADLEY G. HILL RECLAMATION SPECIALIST III DATE: 7/21/99

Range 7 East

NW Corner N89°51'W - 2662.4' (Recorded) S89°51'W - 2657.2' (Recorded)

Township 18 South
N01°05'E - 2658.5' (Recorded)
N00°02'W - 2656.5' (Recorded)




The Bearings Indicated are per the recorded plat obtained from the U.S. Land Office. The well location was determined using a Trimble 4400 GPS Unit.

Basis of Elevation of 6080' as indicated in the SW Corner of Section 11, Township 18 South, Range 7 East, Salt Lake Base and Meridian, as shown on the Red Point Quadrangle 7.5 Minute Series Map.

Description of Location:
Proposed Drill Hole located in the NW 1/4 NW 1/4 of Section 11 being 674.21' South and 352.87' East from the NW Corner of Section 11, T18S, R7E, Salt Lake Base & Meridian.

Surveyor's Certificate:
I, John S. Huefner, a Registered Licensed Land Surveyor, holding Certificate #144842, State of Utah, do hereby certify that the information on this drawing is a true and accurate survey of the land, and was conducted under my personal supervision, as shown hereon.



LEGEND:

EXHIBIT "A"

- ⊕ Drill Hole Location
- ⊙ Section Corner Found, monument set w/ Brass Cap unless indicated otherwise.
- Brass Cap (Searched for, But Not Found)



SCALE:
250' 0' 500' 1000'

DRAWN BY:	P. BOYLEN
CHECKED BY:	J.S.H.
DATE:	4/26/99
SCALE:	1"=1000'
SHEET NO.:	464
BLANKING NO.:	A-1
SHEET	1 of 3

3224 South 125 West
Price, Utah 84501
(801) 637-8300
FAX (801) 637-2333

Source:

Texaco Exploration & Production
Section 11, T18S, R7E, S.L.B&M.
Emery County, Utah

Well # 11-72

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REBBER ON INSTRUCTIONS

This form is designed to be used for... Do not use this form for proposals to drill or to re-enter an... operations, and reports of such operations when completed, as indicated... on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form will be issued by, or may be obtained from the local Federal office.

5. Lease Serial No. FED UTU-68535
6. If Indian, Allottee or Tribe Name
7. If Unit or C/A Agreement, Name and/or No. N/A

1. Type of Well [] Oil Well [] Gas Well [X] Other Coal Bed Methane
Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.
Name of Operator: Texaco Exploration Production
3a. Address: 360 N. Butler St., Farmington, NM 87401
3b. Phone No.: 505-323-2222
Item 3 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposed reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or other wise plugs; amount, size, method of placing of cement plugs; mud or other material placed below, between and above plugs; and the depth of the hole; method of closing top of well and date looking to approval of the abandonment.

8. Well Name and No.
9. Well No.
10. Well No.
11. County or Parish, State Emery, UT

Sec. 11 T18S R7E SLB&M NOTICE

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE OR OTHER DATA

TYPE OF SUBMISSION AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. et seq., 43 CFR 3160.
[X] Notice of Intent
[] Subsequent Report
[] Final Abandonment Notice
PRINCIPAL PURPOSE - The information is to be used to:
[] Alter Casing
[] Fracture Treat
[] New Construction
[] Plug and Abandon
[] Plug Back
[] Reclamation
[] Recomplete
[] Temporarily Abandon
[] Water Disposal
Water Shut-Off
Well Integrity
Other Exception
Location

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplet, appropriately give subsurface locations and measured and true vertical depths of all pertinent markers and zone boundaries and give the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed on testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)
(4) Analyze future applications to drill or modify operations in light of data obtained and methods used.
(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.


EFFECT OF NOT PROVIDING INFORMATION - Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4, and 3162.4-1(e).

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et seq.) requires us to inform you that: This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, Bureau Clearance Office, 4401 Denver Federal Center, Building 40, P.O. Box 25047, Denver, CO 80225-0047 and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

14. I hereby certify that the foregoing is true and correct.
Name (Printed/Typed): A. R. Davis
Signature: [Handwritten Signature]
Date: 5/27/99



THIS SPACE FOR FEDERAL OR STATE OFFICE USE
Approved by: [Blank] Title: [Blank] Date: [Blank]

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

**BUREAU OF LAND MANAGEMENT
MOAB DISTRICT
APPLICATION FOR PERMIT TO DRILL
ON-SITE INSPECTION CHECKLIST**

Operator: Texaco Inc.
 Lease and Well Name: Utah Federal "E" No. 11-72
 Location: NW/4 of Section 11, T18S, R7E
 On-Site Inspection Date: _____

All operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, the approved plan of operations and the conditions of approval. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

1. **Surface Formation and Estimated Formations Tops:**

<u>Formation</u>	<u>Depth</u>	<u>Subsea Depth</u>
Bluegate shale	Surface	+6405'
Ferron	3060'	+3345'
Top of "A" coal	3130'	+3275'
TD	3405'	+3000'

2. **Estimated Depths at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered**

	<u>Formation/Depth</u>
Expected Oil Zones:	None
Expected Gas Zones:	Ferron coals at 3130'
Expected Water Zones:	Ferron coals at 3130'
Expected Mineral Zones:	None

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and will be cased and cemented. When possible, water flow rates will be measured and samples will be taken and analyzed with the results being submitted to the BLM. All oil and gas shows will be tested to determine commercial potential.

3. **Pressure Control Equipment**

The proposed pressure control equipment consists of the following:

- a. Rotating head
 - b. 3000 psi WP hydraulic-operated double ram
- (See attached schematic drawings of the BOP and choke manifold)

BOP systems shall be consistent with API RP53 and Onshore Oil and Gas Order No. 2. Pressure tests of the surface casing and all BOP equipment potentially subject to pressure will be conducted before drilling the surface casing shoe. Blowout preventer controls will be installed prior to drilling the surface casing shoe and will remain in use until the well is completed or abandoned. BOP equipment will be inspected and operated daily to ensure good mechanical working order. The ram preventers shall be inspected and operated each trip (no more than once a day is required).

Pressure tests will be performed on all related well control equipment. Ram type preventers and associated equipment shall be tested using a test plug to full working pressure. The test pressure shall be maintained for at least 10 minutes with no bleed off. The valve on the casing head below the test plug shall be open during the BOP test.

As a minimum, the above pressure test shall be performed when

- a. the stack is initially installed (prior to drilling out of surface casing),
- b. any seal subject to pressure is broken,
- c. following repairs to the any part of the BOP system, and
- d. at 30 day intervals.

All valves shall be tested from the working pressure side with all downstream valves open.

A BOP pit level drill shall be conducted weekly for each drilling crew.

All of the above described tests and drills shall be recorded in the drilling log. Test charts, with individual test results identified, shall be maintained on location while drilling and shall be available upon request.

Drill string safety valves to fit all tools in the drill string shall be maintained on the rig floor while drilling operations are in progress.

4. Casing Program and Auxiliary Equipment

- a. The following surface casing will be set at 300' in a 12 1/4" hole:
8 5/8" 24# K-55 ST&C (new ERW pipe)
- b. The following production casing will be set at 3405' (TD) through the Ferron coal section in a 7 7/8" hole:
5 1/2" 17# N-80 LT&C (new ERW pipe)

5. **Cement Program**

Surface

0-300'
(TOC at surface)

Type and Amount

230 sx Class G cement + 2% CaCl₂ + 0.25
pps cellophane flakes.

Yield 1.16 cf/sk Weight 15.8 ppg

(The above volume assumes 100% excess over gauge hole)

Production

2605' - 3405'
(TOC at 2605')

Type and Amount

135 sx 10:1 RFC Class G cement + 0.25 pps
cellophane flakes.

Yield 1.62 cf/sk. Weight 14.2 ppg

(The above volume assumes 50% excess over gauge hole)

6. **Mud Program and Circulating Medium**

<u>Interval</u>	<u>Mud Type</u>	<u>Mud Weight</u>	<u>Viscosity</u>
0-300'	Air	N/A	N/A
300'-3405'	Air	N/A	N/A

The blooie line will be approximately 100' in length and will extend in a straight line from below the rotating head as shown in the attached Rig Layout schematic. An automatic spark-type ignitor will be affixed to the end of the blooie line and set to provide a continuous spark to ignite and burn any produced hydrocarbon gas. Dedusting will be accomplished with a small pump, water line and spray nipple affixed near the end of the blooie line to provide a continuous spray of water. It is not planned to have any standby fluid on location, however if it is necessary to fill the hole with fluid, produced Ferron coal water will be trucked in as necessary from a nearby evaporation pit.

In the event the hole gets wet, either mist or produced Ferron coal water treated with bactericide will be used as a circulating medium. Due to potential for contamination of usable quality water aquifers, materials containing chromates will not be used in the circulating medium.

7. **Coring, Logging and Testing Program**

- a. No drill stem tests are planned.
- b. No coring is planned.
- c. The logging program will consist of a GR-CNL-LDT log from 2000' to TD, an AITH (array induction) log from base of surface casing to TD, and an HRCL (high resolution coal log) from 3000' to TD.

8. **Abnormal Conditions, Bottom Hole Pressures and Potential Hazards**

- a. The maximum anticipated bottomhole pressure gradient in any of the zones to be penetrated is 8.33 ppg (fresh water gradient).
- b. Lost circulation is a potential hazard in the Ferron coal section in the event the hole gets wet and water must be used as the circulating medium.
- c. No abnormal temperatures are anticipated.
- d. No H₂S gas is anticipated.

9. **Lessee's or Operator's Representatives**

Permit Matters

Texaco Inc.
Ron Wirth
Production Supervisor
P.O. Box 618
Orangeville, Utah 84537
(435) 748-5395

Drilling and Completion Matters

Texaco Inc.
David Wojahn
Drilling Engineer
4601 DTC Boulevard
Denver, CO 80237
(303) 793-4000 Switchboard
(303) 793-4918 (W)
(303) 771-0866 (H)

Bureau of Land Management
Moab District
Application for Permit to Drill
On-Site Inspection Checklist

Company Texaco Exploration & Production, Inc Well No. 11-72

Location: Sec. 11 T18S R7E SLB & M _____

Lease No. FED UTU-68535 _____

On-Site Inspection Date: _____

B. THIRTEEN POINT SURFACE USE PLAN

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

1. Existing Roads:

- a. Proposed route to location (submit a map depicting access and well location).
- b. Location of proposed well in relation to town or other reference point: 6 miles west of Orangeville, UT
- c. Contact the County Road Department for use of county roads. The use of Emery County roads will require an encroachment permit from the Emery County Road Department.
- d. Plans for improvement and/or maintenance of existing roads: Maintained in good repair
During all drilling and completion operations
- e. Other:

2. Planned Access Roads:

- a. Location (centerline): From well pad west to existing upgraded road
- b. Length of new access to be constructed: 400'
- c. Length of existing roads to be upgraded: N/A
- d. Maximum total disturbed width: 60'
- e. Maximum travel surface width: 25'
- f. Maximum grades: 8%
- g. Turnouts: N/A
- h. Surface materials: Native
- i. Drainage (crowning, ditching, culverts, etc): Roads will be crowned with bar ditches on both sides & culverts placed along new road.

- j. Cattleguards: N/A Gates will be installed if required
- k. Length of new and/or existing roads which lie outside the lease boundary for which a BLM right-of-way is required: N/A
- l. Other:

Surface disturbance and vehicular travel will be limited to the approved location access road. Any additional area needed must be approved by the Area Manager advance.

If a right-a-way is necessary, no surface disturbing activities shall take place on the subject right-of-way until the associated APD is approved. The holder will adhere to conditions of approval in the Surface Use Program of the approved APD, relevant to any right-of-way facilities.

If a right-of-way is secured, boundary adjustments in the lease or unit shall automatically amend this right-of-way to include that portion of the facility no longer contained within the lease or unit. In the event of an automatic amendment to this right-of way grant, the prioronlease/unit conditions of approval of this facility will not be affected even though they would now apply to facilities outside of the lease/unit as a result of a boundary adjustment. Rental fees, if appropriate shall be recalculated based on the conditions of this grant and the regulations in effect at the time of an automatic amendment.

If the well is productive, the access road will be rehabilitated or brought to Resource (Class III) Road standards within 60 days of dismantling the rig. If upgraded, the access road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Area Manager will be notified so that temporary drainage control can be installed along the access road.

- 3. Location of Existing Wells - on a map, show the location of all water, injection, disposal, producing and drilling wells within a one mile radius of the proposed well, and describe the status of each: See Attachment "B"
- 4. Location of Production Facilities:
 - a. On-site facilities: See Attachment "E"
 - b. Off-site facilities: none
 - c. Pipelines: N/A

All permanent (in place for six months or longer) structures constructed or installed (including oil well pump jacks) will be painted a flat, nonreflective color to match the standard environmental colors, as determined by the Rocky Mountain Five-State Interagency Committee. All facilities will be painted within six months of installation. Facilities required by comply with the Occupational Safety and Health Act (OSHA) may be excluded. Colors will be as follows: tan

All site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 Colors will be as follows: tan

If a gas meter run is constructed, it will be located on lease within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and will be buried downstream of the meter until it leaves the pad. Meter runs will be housed and/or fenced. The gas meter shall be

calibrated prior to first sales and shall be calibrated quarterly thereafter. All gas production and measurement shall comply with the provisions of 43 CFR 3162.7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

If a tank battery is constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain 1 1/2 times the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All oil production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4

Production facilities on location may include a lined or unlined produced water pit as specified in NTL-2B. If water is produced from the well, an NTL-2B application must be submitted.

5. Location and Type of Water Supply:

All water needed for drilling purposes will be obtained from (describe location and/or show on A map): All water needed for drilling will be obtained from a local water source. Since this well will be primarily drilled with air, minimal water will be needed. *Xorangeville /municipal per op. 6-15-99. Jc*

A temporary water use permit will be obtained from the Utah State Engineer, if required. All appropriate permits will be filed with the Division of Water Rights in Price, Utah.

Any water obtained on private land, or land administered by another agency, will require approval from the owner or agency for use of the land.

6. Source of Construction Material:

Pad construction material will be obtained from (if the source is Federally owned, show location on a map): Private Owner

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

Any gravel used will be obtained from a state approved gravel pit.

7. Methods of Handling Waste Disposal:

Describe the methods and locations proposed for safe containment and disposal of waste material, e.g. cuttings, produced water, garbage, sewage, chemicals, etc.

The reserve pit will be located: On the west side of the pad

The reserve pit will be constructed so as not to leak, break, or allow discharge. The reserve pit will be lined if determined necessary at the time of construction.

The reserve pit will be lined with native material unless designated otherwise by BLM officers prior to construction. Pit walls will be sloped no greater than 2 to 1.

The reserve pit shall be located in cut material, with at least 50% of the pit volume being below original ground level. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. As soon as the reserve pit has dried, all areas not needed for production will be rehabilitated.

Trash must be contained in a trash cage and hauled away to an approved disposal site as

necessary but no later than at the completion of drilling operations.

8. Ancillary Facilities: Garbage Containers and Portable Toilets
9. Well Site Layout - depict the pit, rig, cut and fill, topsoil, etc. on a plat with a scale of at least 1" = 50'.

All well, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.6.

Access to the well pad will be from: EAST

The blooie line will be located: At least 100 feet from the well head on the Northwest

To minimize the amount of fugitive dust and spray escaping from the blooie pit, the following blooie line deflection method will be employed: Water Injection

10. Plans for Restoration of the Surface:

The top 6 inches of topsoil material will be removed from the location and stockpiled separately on: Adjacent land.

Topsoil along the access road will be reserved in place adjacent to the road.

Immediately upon completion of drilling, all equipment that is not necessary for production shall be removed.

The reserve pit and that portion of the location not needed for production will be reclaimed.

Before any dirt work to restore the location takes place, the reserve pit must be completely dry.

Reclaimed roads will have the berms and cuts reduced and will be closed to vehicle use.

All disturbed areas will be recontoured to replicate the natural slope.

The stockpiled topsoil will be evenly distributed over the disturbed area.

Prior to reseeding, all disturbed areas, including the access roads, will be scarified and left with a rough surface.

Seed will be broadcast or drilled between Sept. and Nov., or at a time specified by the BLM. If broadcast, a harrow or some other implement will be dragged over the seeded area to assure seed coverage.

The following seed mixture will be used: BLM-recommended mixture.

The abandonment marker will be one of the following, as specified by BLM:

- 1) at least four feet above ground level,
- 2) at restored ground level, or
- 3) below ground level.

In any case the marker shall be inscribed with the following: operator name, lease number, Well name and surveyed description (township, range, section and either quarter-quarter or

footage.)

Additional requirements:

11. Surface and Mineral Ownership: BLM

12. Other Information:

a. Archeological Concerns:

The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five (5) working days, the AO will inform the operator as to:

1. whether the materials appear eligible for the National Register of Historic Places;
2. the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
3. a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that the required mitigation has been completed, the operator will then be allowed to resume construction.

b. Threatened and Endangered Species Concerns: No

c. Wildlife Seasonal Restrictions (yes/no): See Environmental Impact Statement (EIS)

d. Off Location Geophysical Testing: N/A

e. Drainage crossings that require additional State or Federal approval:

f. Other:


13. Lessee's or Operator's Representative and Certification

Representative: Texaco Exploration & Production, Inc.

Name: Allen R. Davis
Title: Farmington Production Team Leader
Address: 3300 N. Butler, Suite 100
Farmington, NM 87401
Phone: 505-325-4397

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by a general contractor, to be specified, and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operation conducted on that portion of the leased lands associated with this application, with bond coverage being provided under BLM bond no. S304604. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.



Signature

Farmington Production Team Leader
Title

May 27, 1999
Date

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

Building Location - Contact the Resource Area, Natural Resource Protection Specialist at least 24 hours prior to commencing construction of location.

Spud - The spud date will be reported to the Resource Area Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted the District Office within 24 hours after spudding, regardless of whether spud was made with a dry hold digger or big rig.

Daily Drilling Reports - Daily drilling reports shall detail the progress and status of the well and shall be submitted to the District Office on a weekly basis.

Monthly Reports of Operations - In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices - There will be no deviation from the proposed drilling and/or workover program without prior approval from the Assistant District Manager. "Sundry Notices and Reports on Wells: (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2. Safe drilling and operating practices must be observed.

Drilling suspensions - Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Authorized Officer. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

Undesirable Events - Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Resource Area in accordance with requirements of NTLA.

Cultural Resources - If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

First production - Should the well be successfully completed for production, the Assistant District Manager, Minerals Division will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Resource Area Office. The Resource Area Office shall be notified prior to the first sale.

Well Completion Report - Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the District Office not later than thirty (30) days after completion of the well or after completion operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs, core descriptions, core analysis, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings and/or samples) will be submitted when requested by the Assistant District Manager.

Venting/Flaring of Gas - NTL-4A allows venting/flaring of gas during the initial well evaluation period not to exceed 30 days or 50 Mmcf. Venting/flaring beyond the initial test period threshold must be approved by the District Office.

Produced Water - Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted to the Assistant District Manager for approval pursuant to NTL-2B.

Off-Lease Measurement, Storage, Commingling - Prior approval must be obtained from the Assistant District Manager for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

Plugging and Abandonment - If the well is completed as a dry hole, plugging instructions must be obtained from the BLM, Moab District Office prior to initiating plugging operations. Table 1 of this document provides the after-hours phone numbers of personnel who are authorized to give plugging instructions.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Assistant District Manager, Minerals Divisions within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager or his representative, or the appropriate surface managing agency.

TABLE 1
NOTIFICATIONS

Notify Michael Kaminski of the Price Resource Area, at (435) 636-3646 for the following:

2 days prior to commencement of dirt work construction or reclamation;

1 day prior to spudding

50 feet prior to reaching surface and intermediate casing depths;

3 hours prior to testing BOPE;

12 hours prior to reaching kickoff point depth (if applicable).


If the person at the above number cannot be reached, notify the Moab District Office at (435) 259-6111. If unsuccessful, notify one of the people listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (435) 259-6111. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer Office: (435) 259-6111
Home: (435) 259-2214


If unable to reach the above individuals, please call:

Lynn Jackson, Office: (435) 259-6111
Chief, Branch of Fluid Minerals Home: (435) 259-7990



Elevation Ungraded Ground at Location Stake = 6401.1'
 Elevation Graded Ground at Location Stake = 6400.6'

DRAWN BY P. BOYLEN CHECKED BY L.W.J. DATE 5/12/99 SCALE 1"=50' SHEET NO. 464 PROJECT NO. A-2 OF 2 OF 3	 3298 South 126 West P.O. Box, Utah 84501 (801) 637-2300 FAX (801) 637-2333
Texaco E & P Location Layout Section 11, T18S, R7E, S.L.B.&M. Well# 11-72	



Slope = 1 1/2 : 1
 (Except Pit)
 Pit Slope = 1 : 1

APPROXIMATE YARDAGES

CUT	
(6") Topsoil Stripping	= 750.0 Cu. Yds.
Remaining Location	= 2,338.8 Cu. Yds.
TOTAL CUT	= 3,288.8 Cu. Yds.
TOTAL FILL	= 2,902.3 Cu. Yds.

DRAWN BY: P. BOYLEN
CHECKED BY: L.W.J.
DATE: 5/13/99
SCALE: 1"=40'
SHEET NO. 464
DRAWING NO. A-3
SHEET 3 OF 3

Castle Valley
 3266 South 125 West
 Provo, Utah 84501
 (801) 637-8300
 FAX (801) 637-2833

Sevens
Texaco E & P
Typical Cross Section
Section 11, T18S, R7E, S.L.B.&M.
Well# 11-72




EXHIBIT 'B' 


DRAWN BY P. BOYLEN
CHECKED BY L.W.J.
DATE 4/12/89
SCALE 1"=5000'
JOB NO. 484
PROJECT NO. A-1
SHEET 1 of 2


Castle Valley
 3200 South 125 West
 P.O. Box 84601
 Price, Utah 84601
 (801) 637-6300
 FAX (801) 637-2833

Services

Texaco Exploration & Production

**PROJECT LOCATION MAP
 EMERY COUNTY, UTAH**





	Existing Road	
	Proposed Road	
	Existing Power	
	Existing Gas & Water	
	Proposed Gas, Water & Power	
	Texaco Proposed Well Location and Number	
	"F"34-18 Existing Well Location and Number	


DRAWN BY:	P. BOYLEN
CHECKED BY:	L.W.J.
DATE:	4/12/99
SCALE:	1"=2000'
SHEET NO.:	464
TOTAL SHEETS:	B-2
	2 of 2

Castle Valley

3200 South 125 West
 Pice, Utah 84501
 (801) 637-8900
 FAX (801) 637-2933



Texaco Exploration & Production

WELL # 11-72
 Section 11, T18S, R7E, S.L.B.&M.
 EMERY COUNTY, UTAH



APPROXIMATE LAYOUT OF UNIT & EQUIPMENT
(Not to Scale)

ANCHOR (Typ. 4 Pl)



ROAD

WATER PIPELINE
GAS PIPELINE


3-PHASE
ELECTRIC

EXHIBIT "E"



TEXACO EXPLORATION & PRODUCTION
WELL SITE LAYOUT
260' X 144'

TEXACO INC.



TYPICAL ROAD CROSS-SECTION
NOT TO SCALE

EXHIBIT "F"



BOP Equipment

3000psi WP (except rotating head at 1000psi)




EXHIBIT "G"



CHOKE MANIFOLD





EXHIBIT "H"





Texaco Exploration & Production

Well# 11-72

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/14/1999

API NO. ASSIGNED: 43-015-30387

WELL NAME: USA 11-72
 OPERATOR: TEXACO E & P INC (N5700)
 CONTACT: Allen Davis (505) 325-4397

AMENDED

PROPOSED LOCATION:
 NWNW 11 - T18S - R07E
 SURFACE: ~~0674-FNL-0353-FWL~~ 575 FNL 353 FwL
 BOTTOM: ~~0674-FNL-0353-FWL~~ 575 FNL 353 FwL
 EMERY COUNTY
 UNDESIGNATED FIELD (002)

INSPECT LOCATN BY: / /		
TECH REVIEW	Initials	Date
Engineering		
Geology		
Surface		

LEASE TYPE: FED
 LEASE NUMBER: UTU-68535
 SURFACE OWNER: Federal

PROPOSED FORMATION: FRSD

RECEIVED AND/OR REVIEWED:

Plat

Bond: Fed Ind Sta Fee
 (No. 530/604)

Potash (Y/N)

Oil Shale (Y/N) *190-5(B)

Water Permit
 (No. Orangeville / municipal)

RDCC Review (Y/N)
 (Date: _____)

Fee Surf Agreement (Y/N)

LOCATION AND SITING:

R649-2-3. Unit _____

R649-3-2. General


~~R649-3-3. Exception~~

Drilling Unit
 Board Cause No: 245-1 (160')
 Date: 7-7-99

R649-3-11. Directional Drill


COMMENTS: Need add'l info. "Ex. Loc." (Rec'd 7-16-99)

STIPULATIONS: ① FEDERAL APPROVAL



Division of Oil, Gas & Mining

OPERATOR: TEXACO EXPL & PROD INC (N5700)
FIELD: UNDESIGNATED (002)
SEC. 34, T 17S, R 7E, & SEC. 3,11, T18S, R 7E
COUNTY: EMERY UNIT: NONE CAUSE No.: NONE



PREPARED
DATE: 16-JUNE-1999



Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

July 9, 1999

Ms. Lisha Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: Well Spacing Exception
Well 11-73, 408' FSL & 1396 FWL, Sec. 11 T 18 S R 7 E, Emery Co., Utah
Well 11-72, 674' FNL & 353' FWL, Sec. 11 T 18 S R 7 E, Emery Co., Utah
Well 3-75, 736' FNL & 944 FEL, Sec. 3 T 18 S R 7 E, Emery Co., Utah
Well 34-80, 2442' FNL & 987' FEL, Sec. 34 T 17 S R 7 E, Emery Co., Utah
Well 11-71, 1638' FNL & 1372 FEL, Sec. 11 T 18 S R 9 E, Emery Co., Utah
Well 11-70, 940' FSL & 1940' FEL, Sec. 11 T 18 S R 7 E, Emery Co., Utah

Dear Lisha:

Per your phone conversation with Mr. Allen Davis, Farmington Production Team Leader, we are submitting U.S. Bureau of Land Management Form 3160-5 for the above referenced wells. Form 3160-5 indicates why these well locations are considered "Exception Locations". As required by the State of Utah for location exceptions, notification of offset leaseholders was not required, as Texaco is the owner of the surrounding leases.


Thank you for your time and consideration. Please feel free to contact Richard Carr or myself at the above number if you have any questions.

Sincerely,

Allen R. Davis
Farmington Production Team Leader

cc: Mr. Joe Mc Henry, Texaco
Allen Childs, Talon Resources
Farmington well file

RNC/mc



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Coal Bed Methane	5. Lease Serial No. FED UTU-68535
2. Name of Operator Texaco Exploration Production, Inc.	6. If Indian, Allottee or Tribe Name N/A
3a. Address 3300 N. Butler, Farmington, NM	7. If Unit or CA/Agreement, Name and/or No. N/A
3b. Phone No. (include area code) 505-325-4397	8. Well Name and No. 11-72
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 674 FNL 353 FWL Sec. 11 T18S R7E SLB&M	9. API Well No. 11-72
	10. Field and Pool, or Exploratory Area Undesignated
	11. County or Parish, State Emery, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Exception</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	<u>Location</u>
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Exception Location
Due to EIS Constraints

JUL 16 1999
DIV. OF OIL, GAS & MIN.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) ALLEN R. DAVID	Title FARMINGTON PRODUCTION TEAM LEADER
Signature <i>[Signature]</i>	Date 5/27/99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
-------------	-------	------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

July 21, 1999

Texaco Exploration & Production, Inc.
3300 North Butler
Farmington, New Mexico 87401

Re: USA 11-72 Well, 674' FNL, 353' FWL, NW NW, Sec. 11, T. 18 S., R. 7 E., Emery
County, Utah


Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM by the operator and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30387.

Sincerely,



John R. Baza
Associate Director

lwp

Enclosures

cc: Emery County Assessor
Bureau of Land Management, Moab District Office

Operator: Texaco Exploration & Production, Inc.

Well Name & Number: USA 11-72

API Number: 43-015-30387

Lease: Federal Surface Owner: Federal

Location: NW NW Sec. 11 T. 18 S. R. 7 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well. Contact Carol Daniels at (801)538-5284.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Dan Jarvis at (801) 538-5338 or Robert Krueger at (801) 538-5274.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval which must be obtained prior to drilling.



Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

September 9, 1999

Ms. Lisha Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: Change of location and restake of wells 11-71 and 11-72

Well 11-71, 1638' FNL & 1372 FEL, Sec. 11 T 18 S R 9 E, Emery Co., Utah
Well 11-72, 674' FNL & 353' FWL, Sec. 11 T 18 S R 7 E, Emery Co., Utah

Dear Lisha:

Please find attached sundry notices and revised drawings that reflect the relocation and restaking of wells 11-71 and 11-72. These changes were required by the BLM at the time of the on site tours..


Thank you for your time and consideration. Please feel free to contact Richard Carr or myself at the above number if you have any questions.

Sincerely,

Allen R. Davis
Farmington Production Team Leader

cc: Mr. Joe Mc Henry, Texaco
Allen Childs, Talon Resources
Farmington well file

RNC/mc



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Gas Coal Bed Methane

2. Name of Operator
Texaco Production and Exploration

3. Address and Telephone No.
3300 N. Butler, Suite 100, Farmington New Mexico

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
**574.6' FNL 353.3" FWL
 Sec. 11 T18S, R7E, SLB&M**

4347305 N
490304 E

5. Lease Designation and Serial No.
Federal UTU-68535

6. If Indian, Allottee or Tribe Name
NA

7. If Unit or CA, Agreement Designation
NA

8. Well Name and No.
11-72

9. API Well No.
43-015-30387

10. Field and Pool, or Exploratory Area
Undesignated

11. County or Parish, State
Emery County

12. CHECK APPROPRIATE BOX (S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Change of Name <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other Minor Location Change	Pipeline, Powerline, Maintenance Corridor Construction <input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Requested to re-locate the drill pad location to the North approx. 100' to protect a row of screening trees. This was a wildlife concern during the on-site visit of 7/15/99.

This change includes the following revised drawings: Drawing A-1 (Legal Plat), Drawing A-2 (Location map), Drawing C-1 (Typical Cross Sections).

AMENDED

COPY SENT TO OPERATOR
 Date: 9-30-99
 Initials: CHP

Approved by the
**Utah Division of
 Oil, Gas and Mining**
 Date: 9/29/99
 By: [Signature]

RECEIVED
 SEP 1 1999
 DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct


Signed [Signature] Title TEAM LEADER Date 9-13-99

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
 Conditions of approval, if any:

Range 7 East

Township 18 South



Drill hole 11-72
Elevation 6405.5'

11

Location:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office or Carbon County. The well location was determined using a Trimble 4700 GPS survey grade unit.

Basis of Elevation:


Basis of Elevation of 6080' being at the Southwest Section Corner of Section 11, Township 18 South, Range 7 East, Salt Lake Base and Meridian.

Description of Location:

Proposed Drill Hole located in the NW1/4 NW1/4 of Section 11, T18S, R7E, SLB&M, being 574.6' South and 353.3' East from the Northwest Section Corner of Section 11, T18S, R7E, Salt Lake Base & Meridian.

Surveyor's Certificate:

I, John S. Huefner, a Registered Professional Land Surveyor, holding Certificate 144842, State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



Talon Resources, Inc.
375 South Carbon Avenue, Suite 126
Price, Utah 84501
Ph: 435-637-5032 ext. 711
Fax: 435-748-5085

TEXACO EXPLORATION & PRODUCTION
WELL # 11-72
Section 11, T18S, R7E, S.L.B.&M.
Emery County, Utah


Drawn By: D. Robertson	Checked By: L.W.J.
Drawing No. A-1	Date: 8/16/99
	Scale: 1" = 1000'
Sheet 1 of 4	Job No. 011

Legend

- Drill Hole Location
- ⊙ Brass Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Calculated Corner
- () GLO


C.C. Carbon County Monument
(Aluminum Cap)

GRAPHIC SCALE



GPS Measured


Elevation Ungraded Ground at Location Stake = 6405.5'
 Elevation Graded Ground At Location Stake = 6405.0'



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-637-5032 ext. 711
 Fax: 435-748-5085


TEXACO E & P
WELL # 11-72
 Section 11, T18S, R7E, S.L.B.&M.
 Emery County, Utah

Drawn By D. Robertson	Checked By L.W.J.
Drawing No. A-2	Date 8/16/99
	Scale 1" = 50'
Sheet 2 of 4	Job No. 011





View C-C

Slope - 1 1/2:1
 (Except Pit)
 Pit Slope = 1:1



View B-B

Preconstruction
 Grade



View A-A

Approximate Yardages

Cut	
(6") Topsoil Stripping	= 750.00 Cu. Yds.
Remaining Location	= 1992.40 Cu. Yds.
TOTAL CUT	= 2742.40 Cu. Yds.
TOTAL FILL	= 1875.20 Cu. Yds.



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-637-5032 ext. 711
 Fax: 435-748-5085

TEXACO E & P
TYPICAL CROSS SECTIONS
 Section 11, T18S, R7E, S.L.B.&M.
 WELL # 11-72

Drawn By: D. Robertson	Checked By: L.W.J.
Drawing No. C-1	Date: 8/16/99
	Scale: As Shown
Sheet 3 of 4	Job No. 011

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen a well or to change the location of a well to a different reservoir. **RECEIVED MOAB FIELD OFFICE**

SUBMIT IN TRIPLICATE 1999 SEP 17 P 1:47

1. Type of Well
 Oil Gas Coal Bed Methane
 DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

2. Name of Operator
Texaco Production and Exploration

3. Address and Telephone No.
3300 N. Butler, Suite 100, Farmington New Mexico

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**574.6' FNL 353.3" FWL
 Sec. 11 T18S, R7E, SLB&M**

- 5. Lease Designation and Serial No.
Federal UTU-68535
- 6. If Indian, Allottee or Tribe Name
NA
- 7. If Unit or CA, Agreement Designation
NA
- 8. Well Name and No.
11-72
- 9. API Well No.
43-015-30387
- 10. Field and Pool, or Exploratory Area
Undesignated
- 11. County or Parish, State
Emery County

12. CHECK APPROPRIATE BOX (ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Change of Name <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input type="checkbox"/> Other Minor Location Change	Pipeline, Powerline, Maintenance Corridor Construction <input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Requested to re-locate the drill pad location to the North approx. 100' to protect a row of screening trees. This was a wildlife concern during the on-site visit of 7/15/99. This change includes the following revised drawings: Drawing A-1 (Legal Plat), Drawing A-2 (Location map), Drawing C-1 (Typical Cross Sections).

RECEIVED
 MAR 16 2000
 ASSISTANT FIELD MANAGER

14. I hereby certify that the foregoing is true and correct


Signed *[Signature]* Title TEAM LEADER Date 9-13-99

(This space for Federal or State office use)
 Approved by /S/ WILLIAM O. STRINGER Title Assistant Field Manager,
Division of Resources
 Conditions of approval, if any:

MAR 16 2000

Range 7 East

Township 18 South



Location:

The Bearings Indicated are per the recorded plat obtained from the U.S. Land Office or Carbon County. The well location was determined using a Trimble 4700 GPS survey grade unit.

Basis of Elevation:

Basis of Elevation of 6080' being at the Southwest Section Corner of Section 11, Township 18 South, Range 7 East, Salt Lake Base and Meridian.

Description of Location:

Proposed Drill Hole located in the NW1/4 NW1/4 of Section 11, T18S, R7E, S.L.B.&M, being 574.6' South and 353.3' East from the Northwest Section Corner of Section 11, T18S, R7E, Salt Lake Base & Meridian.

Surveyor's Certificate:

I, John S. Huefner, a Registered Professional Land Surveyor, holding Certificate 144842, State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-837-5032 ext. 711
 Fax: 435-748-5085

TEXACO EXPLORATION & PRODUCTION
WELL # 11-72
 Section 11, T18S, R7E, S.L.B.&M.
 Emery County, Utah


Drawn By D. Robertson	Checked By L.W.J.
Drawing No. A-1	Date 8/16/99
	Scale 1" = 1000'
Sheet 1 of 4	Job No. 011

Legend


- Drill Hole Location
- ⊙ Brass Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Calculated Corner
- () GLO
- GPS Measured

C.C. Carbon County Monument
(Aluminum Cap)

GRAPHIC SCALE



Elevation Ungraded Ground at Location Stake = 6405.5'
 Elevation Graded Ground At Location Stake = 6405.0'




Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-637-5032 ext. 711
 Fax: 435-748-8085

TEXACO E & P
WELL # 11-72
 Section 11, T18S, R7E, S.L.B.&M.
 Emery County, Utah


Drawn By D. Robertson	Checked By L.W.J.
Drawing No. A-2	Date 8/16/99
	Scale 1" = 50'
Sheet 2 of 4	Job No. 011

APPROVED
 DATE 8/16/99
 BY [Signature]
 CL, [Signature]





View C-C

Slope - 1 1/2:1
 (Except Pit)
 Pit Slope = 1:1



View B-B

Preconstruction
 Grade



View A-A

Approximate Yardages

Cut	
(6") Topsoil Stripping	= 750.00 Cu. Yds.
Remaining Location	= 1992.40 Cu. Yds.
TOTAL CUT	= 2742.40 Cu. Yds.
TOTAL FILL	= 1875.20 Cu. Yds.



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-637-5032 ext. 711
 Fax: 435-748-8085

TEXACO E & P
TYPICAL CROSS SECTIONS
 Section 11, T18S, R7E, S.L.B.&M.
 WELL # 11-72

Drawn By: D. Robertson	Checked By: L.W.J.
Drawing No. C-1	Date: 8/16/99
	Scale: As Shown
Sheet 3 of 4	Job No. 011

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

1999 JUN -8 P 1

5. LEASE INFORMATION AND SERIAL NO.
TED UTO-68535

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
DRILL DEEPEN

b. TYPE OF WELL
OIL WELL GAS WELL Coal Bed Methane SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Texaco Exploration & Production, Inc.

3. ADDRESS AND TELEPHONE
3300 N. Butler, Farmington, NM 87401 505-325-4397

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
At surface: 674 FNL, 353 FNL NWNW
At proposed prod. zone: 574.6' FNL and 353.3' FWL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE
6 Miles From Orangeville, UT

10. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 674'
16. NO. OF ACRES IN LEASE 1977.56
17. NO. OF ACRES ASSIGNED TO THIS WELL 160
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1680
19. PROPOSED DEPTH 3405
20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
1044' 10405.5'
22. APPROX. DATE WORK WILL START

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE OR CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4	8 5/8 K55 ST&C	24	300	230 SX G. 28CACL, .25PPS Cell Flakes
7 7/8	5 1/2 N80 LT&C	17	3405	135 SX 10:1 RFC G., .25PPS Cel. Flakes

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

FLARING OR VENTING OF
GAS IS SUBJECT TO NTL 4-A
Dated 1/1/80

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM. If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface conditions and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED [Signature] TITLE FARMINGTON Production Team Leader DATE 5/27/99


(This space for Federal or State office use)
PERMIT NO. _____ APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY /S/ WILLIAM C. STRINGER TITLE Assistant Field Manager, Division of Resources DATE MAR 16 2000

cc: Price Field Office -mm *See Instructions On Reverse Side
This is a U.S. Government work. It is in the public domain in the United States of America and is authorized for copying and distribution by any person knowingly and willfully to make to any department or agency of the

Range 7 East



Location

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office. The well location was determined using a Trimble 4400 GPS unit.

Basis Of Elevation:

Basis of Elevation of 6080' as indicated in the SW Corner of Section 11, Township 18 South, Range 7 East, Salt Lake Base and Meridian, as shown on the Red Point Quadrangle 7.5 Minute Series Map.

Description of Location:

Proposed Drill Hole located in the NW 1/4 NW 1/4 of Section 11 being 674.21' South and 352.87' East from the NW Corner of Section 11, T18S, R7E, Salt Lake Base & Meridian.

Surveyor's Certificate:

I, John S. Fischer, a Registered Licensed Land Surveyor, holding Certificate #14892, State of Utah, do hereby certify that the information on this drawing is a true and accurate survey of the land, and was conducted under my personal supervision, as shown hereon.



P. NOTIEN			Section Texaco Exploration & Production Section 11, T18S, R7E, S1E6M. Emery County, Utah Well# 11-72
T.S.E.			
4/26/09		1"=1000' 494'	☆ ☆
A-1			
- 1 - 3			

LEGEND:

- Drill Hole Location
 - ⊕ Section Corner Found, monument set w/ Brass Cap unless indicated otherwise.
 - Brass Cap (Searched for, But Not Found)
- SCALE: 250' = 1" 500' 1000'

EXHIBIT "A"

Texaco Exploration & Production, Inc.
USA 11-72
Lease U-68535
NW/NW Section 11, T18S, R7E
Emery County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Texaco Exploration & Production, Inc. is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by CO0058 (Principal - Texaco Exploration & Production, Inc.) via surety consent as provided for in 43 CFR § 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR § 3106.7-2 continuing responsibility are met.

This permit will be valid for a period of one year from the date of approval. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR § 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to field representatives to insure compliance.

RECEIVED
MAR 22 2000
DIVISION OF
OIL, GAS AND MINING

A. DRILLING PROGRAM

1. The proposed BOP system is in a 2M configuration. Although components of the system are rated to 3000 psi, testing to the requirements of a 2M system will be sufficient.
2. It is not clear whether a pressure gauge is depicted on the choke manifold schematic. A pressure gauge must be installed on the choke manifold (preferably at the cross), and a valve capable of isolating the gauge from manifold pressure must be in-place.
3. Concurrent approval from the State of Utah, Division of Oil, Gas & Mining is required before conducting any surface disturbing activities. This includes approval of the siting of this well as an *exception location*.
4. A cement bond log (CBL) or other appropriate tool shall be used to determine the top-of-cement behind the production casing.

RECEIVED

MAR 22 2001

DIVISION OF
OIL, GAS AND MINING

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

11-72

SURFACE USE

1. The following appendices are attached for your reference. They are to be followed as conditions of approval:

Table A-1, Seed Mixture for Green Strip Areas
Table A-2, Seed Mixture for Final Reclamation, Pinyon-Juniper Areas
EMP 15, Gate and Sign Selected Roads in Big Game Winter Range
Habitats During Critical Period
EMP 16 & 17, Winter Seasonal Restriction on Critical & High Priority
Winter Range
EMP 19, Critical Winter Range Browse Hand Planting
EMP 21, Surface Disturbance Mitigation for Critical and High Priority
Winter Range

2. Whether the mud pit shall be lined will be determined at the time of construction.
3. Within six months of installation, surface structures shall be painted in the following flat, earth tone color: Olive Black (5W A 20-6). This Fuller O'Brien color is for reference only. Any brand of paint may be used provided the colors match. Any facilities that must be painted to comply with OSHA standards are exempt.
4. In order to minimize adverse effects of vehicle traffic on wintering big game and in accordance with the Cooperative Agreement signed by Texaco, Anadarko, Chandler, and BLM Price Field Office, the Companies will be required to construct and maintain gate closure at site(s) selected by BLM on the access roads under this Federal permit.

Final gate placement and construction design will be provided by the authorized officer of the BLM after preliminary road construction has been completed. Although final gate placement will utilize topographic barriers to control access, construction design may require short segments of fence to tie into these natural barriers to prevent vehicle travel around the gate.

Gates shall be constructed prior to December 1 of the year that the road is constructed. Gates shall be constructed of materials that meet or exceed the type and durability, strength of powder river gates.

The Companies shall be responsible for locking all gates during the period between December 1 to April 15 of each year unless otherwise notified by BLM. They shall assure that all gates are locked throughout the specified period

RECEIVED

MAR 22 2003

DIVISION OF
CR. CONSTRUCTION

except as needed for ingress/egress, to avoid other users of the public land from becoming locked inside the closure areas.

The Companies shall use locks throughout the project area that are keyed for the same key (or combination) and have duplicate copy protection. The Companies shall provide two keys (or combination) to BLM as well as provide additional keys upon request for BLM to provide to other authorized users requiring access during the closure period.

GENERAL CONSTRUCTION

1. Operator shall contact the Price BLM Office at least forty-eight hours prior to the anticipated start of construction and/or any surface disturbing activities. The BLM may require and schedule a preconstruction conference with the operator prior to the operator commencing construction and/or surface disturbing activities. The operator and the operator's contractor, or agents involved with construction and/or any surface disturbing activities associated with the project, shall attend this conference to review the Conditions of Approval and plan of development. The operator's inspector will be designated at the pre-drill conference, and is to be given an approved copy of all maps, permits and conditions of approval before the start of construction. The BLM will also designate a representative for the project at the preconstruction conference.
2. The operator shall designate a representative(s) who shall have the authority to act upon and to implement instructions from the BLM. The operator's representative shall be available for communication with the BLM within a reasonable time when construction or other surface disturbing activities are underway.
3. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the operator, or any person working on his behalf, on public land is to be immediately reported to the Price BLM Office. The operator will suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Price BLM Office. An evaluation of the discovery will be made by the BLM to determine appropriate actions to prevent the loss of significant cultural or scientific values. The operator is responsible for the cost of evaluation of any site found during construction. The BLM will determine what mitigation is necessary.
4. During project construction, surface disturbance and vehicle travel shall be limited to the approved location and access routes. Any additional area needed must be approved by the Price BLM Office prior to use.
5. The operator must provide a trash cage for the collection and containment of all trash. The trash shall be disposed in an authorized landfill. The location and access roads shall be kept litter free.

MAR 22 2003

DIVISION OF
CIVIL ENGINEERING

6. Vegetation removal necessitated by construction shall be confined to the limits of actual construction. Removed vegetation will be stockpiled for use in reclamation or removed from the construction site at the direction of the BLM.
7. Prior to surface disturbance, topsoil is to be separately removed and segregated from other material. Topsoil depth will be decided onsite by BLM. If the topsoil is less than 6 inches, a 6-inch layer that includes the A horizon and the unconsolidated material immediately below the A horizon shall be removed and the mixture segregated and redistributed as the surface soil layer.

Generally topsoil shall be stored within the pad site or adjacent to access roads. The company in consultation with BLM shall determine stockpile locations and dimensions at the onsite. If the topsoil stockpiles will not be redistributed for a period in excess of one (1) year, the stockpiles are to be seeded with seed mixture Pinyon-Juniper (see attached).

ROAD and PIPELINE CONSTRUCTION

8. Operator shall provide an inspector under the direction of a registered professional engineer (PE) at all times during road construction. A PE shall certify (statement with PE stamp) that the road was constructed to the required Bureau of Land Management (BLM) road standards.
9. Road construction or routine maintenance activities are to be performed during periods when the soil can adequately support construction equipment. If such equipment creates ruts more than 6 inches deep, the soil is deemed too wet to adequately support construction equipment.
10. The operator is responsible for maintenance of all roads authorized through the lease or a right-of-way. Construction and maintenance shall comply with Class II or III Road Standards as described in BLM Manual Section 9113 and the Moab District Road Standards, except as modified by BLM. Maintenance may include but is not limited to grading, applying gravel, snow removal, ditch cleaning, headcut restoration/prevention.
11. Topsoil from access roads and pipelines is to be wind rowed along the uphill side of the road or stored in an approved manner. When the road and pipeline is rehabilitated, this soil will then be used as a top coating for the seed bed.
12. Erosion-control structures such as water bars, diversion channels, and terraces will be constructed to divert water and reduce soil erosion on the disturbed area. Road ditch turnouts shall be equipped with energy dissipators as needed to avoid erosion. Where roads interrupt overland sheet-flow and convert this runoff to channel flow, ditch turnouts shall be designed to reconvert channel flow to sheet flow. Rock energy dissipators and gravel dispersion fans may be used, or any other design

which would accomplish the desired reconversion of flow regime. As necessary cut banks, road drainages, and road crossings shall be armored or otherwise engineered to prevent headcutting.

PAD CONSTRUCTION

13. During the construction of the drill pad, suitable topsoil material is to be stripped and conserved in a stockpile on the pad. If stockpiles are to remain for more than a year, they shall be seeded with the seed mixture Pinyon-Juniper (see attached).
14. Generally, drill pads are to be designed to prevent overland flow of water from entering or leaving the site. The pad is to be sloped to drain spills and water into the reserve pit. The drill pad shall be designed to disperse diverted overland flow and to regulate flow velocity so as to prevent or minimize erosion. Well pad diversion outlets shall be equipped with rock energy brakes and gravel-bedded dispersion fans.

REHABILITATION PROCEDURES

Site Preparation

15. The entire roadbed should be obliterated and brought back to the approximate original contour. Drainage control is to be reestablished as necessary. All areas affected by road construction are to be recontoured to blend in with the existing topography. All berms are to be removed unless determined to be beneficial by BLM. In recontouring the disturbed areas, care should be taken to not disturb additional vegetation.

Seedbed Preparation

16. An adequate seedbed should be prepared for all sites to be seeded. Areas to be revegetated should be chiselled or disked to a depth of at least 12 inches unless restrained by bedrock.
17. Ripping of fill materials should be completed by a bulldozer equipped with single or a twin set of ripper shanks. Ripping should be done on 4-foot centers to a depth of 12 inches. The process should be repeated until the compacted area is loose and friable, then shall be followed by final grading. Seedbed preparation will be considered complete when the soil surface is completely roughened and the number of rocks (if present) on the site is sufficient to cause the site to match the surrounding terrain.

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

18. After final grading, the stockpiled topsoil shall be spread evenly across the disturbed area.

Fertilization

19. Commercial fertilizer with a formula of 16-16-8 is to be applied at a rate of 200 pounds per acre to the site. The rate may be adjusted depending on soil.
20. Fertilizer is to be applied not more than 48 hours before seeding, and shall be cultivated into the upper 3 inches of soil.
21. Fertilizer is to be broadcast over the soil using hand-operated "cyclone-type" seeders or rotary broadcast equipment attached to construction or revegetation machinery as appropriate to slope. All equipment should be equipped with a metering device. Fertilizer application is to take place before the final seeding preparation treatment. Fertilizer broadcasting operations should not be conducted when wind velocities would interfere with even distribution of the material.

MAR 22 1990

Mulching

DIVISION OF
OIL, GAS AND MINING

22. When it is time to reclaim this location, the Price BLM Office will determine whether it will be necessary to use mulch in the reclamation process. The type of mulch should meet the following requirements: Wood cellulose fiber shall be natural or cooked, shall disperse readily in water, and shall be nontoxic. Mulch shall be thermally produced and air dried. The homogeneous slurry or mixture shall be capable of application with power spray equipment. A colored dye that is noninjurious to plant growth may be used when specified. Wood cellulose fiber is to be packaged in new, labeled containers. A minimum application of 1500 pounds per acre shall be applied. A suitable tackifier shall be applied with the mulch at a rate of 60 to 80 pounds per acre.

An alternative method of mulching on small sites would be the application of straw or hay mulch at a rate of 2000 pounds per acre. Hay or straw shall be certified weed free. Following the application of straw or hay, crimping shall occur to ensure retention.

Reseeding

23. All disturbed areas are to be seeded with the seed mixture required by the BLM. The seed mixture(s) shall be planted in the fall of the year (Sept-Nov), in the amounts specified in pounds of pure live seed (PLS)/acre. There shall be no noxious weed seed in the seed mixture. Seed will be tested and the viability testing of seed shall be done in accordance with State law(s) and within 12

months prior to planting. Commercial seed will be either certified or registered seed. The seed mixture container shall be tagged in accordance with State law(s) and available for inspection by the BLM. Seed is to be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture shall be evenly and uniformly planted over the disturbed area. (Smaller/heavier seeds tend to drop to the bottom of the drill and are planted first. Appropriate measures should be taken to ensure this does not occur.) Where drilling is not possible, seed is to be broadcast and the area raked or chained to cover the seed. Woody species with seeds that are too large for the drill will be broadcast. When broadcasting the seed, the pounds per acre noted below are to be increased by 50 percent. Reseeding may be required if a satisfactory stand is not established to the surface rights owner's specifications. Evaluation of the seeding's success will not be made before completion of the second growing season after the vegetation becomes established. The Price BLM Office is to be notified a minimum of seven days before seeding a project.

24. The disturbed areas for the road and pipeline must be seeded in the fall of the year, immediately after the topsoil is replaced. The prescribed seed mixture is Pinyon-Juniper (see attached).

General

25. Prior to the use of insecticides, herbicides, fungicides, rodenticides and other similar substances, the operator must obtain from BLM, approval of a written plan. The plan must describe the type and quantity of material to be used, the pest to be controlled, the method of application, the location for storage and disposal of containers, and other information that BLM may require. A pesticide may be used only in accordance with its registered uses and within other agency limitations. Pesticides must not be permanently stored on public lands.

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

The following seed mixture would be planted along service road borrow ditches, around the edges of drill pads with a production well, and surrounding other production and maintenance facilities. The purpose for this is to provide a "green strip" buffer to minimize fire hazards and prevent invasion and establishment of noxious weeds in areas that will receive continued disturbance for the life of these areas.

Table A-1

Common Plant Name	Scientific Name	Pounds per acre (PLS)
Forage kochia	<i>Kochia prostrata</i>	2
Wyoming big sagebrush	<i>Artemisia tridentata wyomingensis</i> var. Gordon Creek	1
Douglas low rabbitbrush	<i>Chrysothamnus viscidiflorus</i>	1
TOTAL		4

RECEIVED

MAR 22 2003

DIVISION OF
OIL, GAS AND MINING

The following seed mixture is for the area that would receive final reclamation. Areas would be planted to protect them from soil erosion and to restore forage production.

Table A-2

Common Plant Name	Scientific Name	Pounds per acre (PLS) ¹
Pinyon Juniper Areas		
<i>Grasses</i>		
Thickspike wheatgrass	<i>Elymus lanceolatus</i>	1.5
Intermediate wheatgrass	<i>Elytrigia intermedia</i>	1.5
Squirreltail	<i>Elymus elymoides</i>	2
Crested wheatgrass	<i>Agropyron desertorum</i>	2
<i>Forbs</i>		
Lewis flax	<i>Linum perenne lewisii</i>	1
Palmer penstemon	<i>Penstemon palmerii</i>	1
<i>Shrubs</i>		
Forage kochia	<i>Kochia prostrata</i>	2
Fourwing saltbrush	<i>Atriplex canescense</i>	2
Wyoming big sagebrush	<i>Artemesia tridentata wyomingensis</i> var. Gordon Creek	1
Antelope bitterbrush	<i>Purshia tridentata</i>	1
TOTAL		15

1. Seeding rate is listed as pounds per acre of pure live seed (PLS) drilled. Rate is increased by 50 percent if broadcast seeded.

Formula: pure live seed (PLS) = % seed purity x % seed germination

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

FERRON NATURAL GAS PROJECT AREA
PROPONENT: TEXACO

WELL #: 11-72

EPM 16 & 17: WINTER SEASONAL RESTRICTION (DECEMBER 1 to APRIL 15) ON CRUCIAL AND HIGH PRIORITY WINTER RANGE. Pg 1 of 1

Restrictions on Construction Phase Activity: Prohibit construction phase activity, described below, on big game high value and critical winter range during the period (December 1 - April 15) without regard for land ownership.

This condition would not apply to normal maintenance and operation of producing wells, described below. On nonfederal lands (where the federal government does not have either surface or subsurface ownership) the Companies would be allowed to conduct construction phase activity if needed to avoid breach of contract or loss of lease rights. In the event construction phase activity proceeds into the winter closure period on non federal interest lands, Companies would make available appropriate documentation to UDWR, upon request.

Construction Phase Activity: Construction phase activity is considered to include all work associated with initial drilling and construction of facilities through completion, including installation of pumping equipment, connection with ancillary facilities and tie-in with pipelines necessary for product delivery.

Companies would not be allowed to initiate construction activity unless it is reasonable to believe that such work can be finished to a logical stopping point prior to December 1 of that year. Specific activities considered to be covered by the seasonal closure include all heavy equipment operation including but not limited to the following:

- Mobilization/Demobilization or operation of heavy equipment (crawler tractor, front end loader, backhoe, road grader, etc.)
- Construction activity (road construction or upgrading, pad, pipeline, powerline, ancillary facilities, etc.),
- Drilling activity (Operator would not propose or initiate drilling activity if the project could not reasonably be expected to be finished to a logical stopping point by the December 1 date of that year.)
- Seismic operation, detonation of explosives

This seasonal closure would not apply to reconnaissance, survey/design and or flagging of project work or other similar activity not requiring actions listed for heavy equipment operation.

Production Phase: A well is considered to be in production phase when the well and ancillary facilities are completed to the point that they are capable of producing and delivering product for sale. It is noted that heavy equipment operation may be necessary in the performance of maintenance and operation of producing wells.

Restriction on Non-Emergency Workover Operations: The Companies will schedule non-emergency workover operations (defined below) on big game crucial and high value winter range outside the December 1 to April 15 date of the seasonal closure.

Non-emergency Workover Operations: Workover operations to correct or reverse a gradual loss of production over time (loss of production of 20 percent or less over a 60 day period) is considered to be routine or non-emergency workover operations and would not be permitted during the December 1 to April 15 time frame.

Emergency Workover Operations: Emergency work over operations are defined as downhole equipment failure problems or workover operation necessary to avoid shut in of the well or to avoid an immediate safety or environmental problem. Loss of production greater than 20 percent within a 60 day period is indicative of pump failure and will be treated as an emergency workover operation. The Companies will submit Sundry notices to BLM within five days of the emergency workover operations between December 1 and April 15.

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

FERRON NATURAL GAS PROJECT AREA
PROPONENT: TEXACO

WELL #: 11 - 72

EPM 19: CRITICAL WINTER RANGE BROWSE HAND PLANTING

Pg 1 of 1

One or two browse species lists (checked below) are to be hand planted at the prescribed application rate and according to the following prescribed methods on critical winter range areas that are undergoing long term reclamation. This would include all pipeline corridors, berm around edge of drill pads, miscellaneous disturbed areas associated with construction such as staging areas for equipment, sidecast on road cuts, along side upgraded or new roads up to and including borrow ditch and in the termination of redundant access roads being closed. This planting shall be completed in the first planting window following reclamation.

Planting Methods:

Planting shall be accomplished using a labor force with specific experience in landscape restoration, hand planting methods and handling and care of browse tubling and or bareroot stock plants.

Browse plants to be utilized can be bareroot stock or tubling stock plants of 1 year old age class or greater.

Browse seedling protectors will be used to provided protection from browsing ungulates for two years. Seedling protectors will be of an open mesh rigid design that will break down when exposed to sunlight and that measures a minimum of 12 inches in length and 4 inches in diameter.

Planting shall be completed in the spring (March 1- April 1) and or fall (November 1- December 1) planting windows.

Browse plants shall be stored and handled in such a manner as to maintain viability, according to the type of browse stock being used.

Planting Species and Application Rate:

<u>Species</u>	<input checked="" type="checkbox"/> Sagebrush-Grass <u>Plants Per Acre</u>	<input type="checkbox"/> Pinyon-Juniper
Wyoming Sagebrush (Gordon Creek)	100	50
Fourwing Saltbush (Utah seed source collected at or above 5,000 feet elevation)	100	50
True Mountain Mahogany (Utah seed source)	0	50
Antelope Bitterbrush (Utah seed source)	0	50
Total	200	200

Suitable Substitutions:

Prostrate Kochia	yes	yes
Whitstem Rubber Rabbitbrush	no	yes
Utah Serviceberry	no	yes
Winterfat	yes	no

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

FERRON NATURAL GAS PROJECT AREA
PROPONENT: TEXACO

WELL #: 11-72

EPM 21: SURFACE DISTURBANCE MITIGATION FOR CRITICAL AND HIGH PRIORITY WINTER RANGE

Pg. 1 of 1

The subject permit application is proposed within critical and high priority winter range (FEIS) and subject to EPM 21 requiring acre for acre mitigation for surface disturbance on critical winter range. The following condition comes from a cooperative agreement between the Texaco, Anadarko, Chandler (Companies), BLM-Price Field Office, the Utah Division of Wildlife Resources and the National Fish and Wildlife Foundation. The Companies agreed to the following:

1. Contribute \$1,301.26 (1998 dollars) for each Federal interest well (Federal surface and/or subsurface ownership) permitted and drilled by the Companies (or on behalf of Companies by its contractor) on big game critical winter range as depicted in the FEIS Ferron Natural Gas Project Area. (Wells meeting the above criteria for which payment will be required, will be referred to as "subject wells".) This contribution will be adjusted annually for inflation based on the Consumer Price Index (CPI), see Section II.C.6. for the reference source used for the determination of the CPI and the date in which this annual adjustment will go into effect.

Since this mitigation program is designed to address impacts of all big game critical winter range surface disturbance (roads, well pads, pipelines, etc.), contributions will be required regardless of the success or failure of the subject well to produce.

- a. The recorded date for spudding for each subject well (the first boring of a hole during the drilling of a well) will serve as the reference date triggering the requirement for the mitigation contribution.
- b. Contributions will be submitted (in the form of a Company check, cashiers check or wire transfer) directly to the National Fish and Wildlife Foundation by the 1st of August and February for all subject wells spudded in the preceding six months as reported by the Bureau.
- c. All contributions will be made payable to the "National Fish and Wildlife Foundation re. Proj 99-270" and reference the "Ferron Natural Gas Wildlife Habitat Impact Mitigation Fund".

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

RECEIVED

MAR 22 2000

DIVISION OF
OIL, GAS AND MINING

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

Building Location- Contact the BLM Natural Resource Protection Specialist at least 48-hours prior to commencing construction of location.

Spud- The spud date will be reported to BLM 24-hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the Moab Field Office within 24-hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

Daily Drilling Reports- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the Moab Field Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices- There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed, with the Moab Field Office, for approval of all changes of plans and subsequent operations in accordance with 43 CFR § 3162.3-2. Safe drilling and operating practices must be observed.

Drilling Suspensions- Operations authorized by this permit shall not be suspended for more than 30 days without prior approval of the Moab Field Office. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

Undesirable Events- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the BLM in accordance with requirements of NTL-3A.

Cultural Resources- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Price Field Office is to be notified.

First Production- Should the well be successfully completed for production, the Moab Field Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Price Field Office. The Price Field Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the Moab Field Office not later than thirty-days after completion of the well or after completion of operations being performed, in accordance with 43 CFR § 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the Moab Field Office.

Venting/Flaring of Gas- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 MMcf, whichever first occurs, without the prior, written approval of the Moab Field Office. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue the venting/flaring as uneconomic is granted. In such case, compensation to the lessor shall be required for that portion of the gas that is vented/flared without approval and which is determined to have been avoidably lost.

Produced Water- An application for approval of a permanent disposal method and location will be submitted to the Moab Field Office for approval pursuant to Onshore Oil and Gas Order 7.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the Moab Field Office for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

Plugging and Abandonment- If the well is completed as a dry hole, plugging instructions must be obtained from the Moab Field Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the Moab Field Office within thirty-days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR § 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Price Field Office or the appropriate surface managing agency.

RECEIVED

MAR 22 1983

DIVISION OF
OIL, GAS AND MINING

TABLE 1

NOTIFICATIONS

Notify Mike Kaminski (work: 435-636-3640, home: 435-637-2518) or Don Stephens (work: 435-636-3608, home: 435-637-7967) of the BLM, Price Field Office for the following:

2 days prior to commencement of dirt work, construction and reclamation;

1 day prior to spudding;

50 feet prior to reaching the surface casing setting depth.

If the people above cannot be reached, notify the Moab Field Office at (435) 259-2100. If unsuccessful, contact the person listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab Field Office at (435) 259-2100. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer Office: (435) 259-2117
Home: (435) 259-2214

RECEIVED
MAR 22 2000
DIVISION OF
OIL, GAS AND MINING



Talon Resources, Inc.

Service, Quality and Accuracy

375 South Carbon Avenue A-10
Suite 101
Price, Utah 84501
Phone: 435-637-8781
435-637-5032 Ext 710/711

Cell: 435-650-1401
435-650-1402
Fax: 435-636-8603
Email: talon@castlenet.com

CONFIDENTIAL

April 25, 2000

Mr. John Baza
State of Utah
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Request for Extension of Expiration Dates for Previously Permitted Wells —
Texaco Exploration and Production, Inc., Ferron Field.

Dear Mr. Baza:

On behalf of Texaco Exploration and Production, Inc., Talon Resources, Inc. respectfully submits this request for a one year extension of expiration dates for previously permitted wells within the Ferron Field. Following is a listing of wells that an extension is requested:

API Well No.	Well ID	Previous Exp. Date	Requested Exp. Date
43-015-30383	USA 3-74	June 17, 2000	June 17, 2001
43-015-30384	USA 3-75	July 21, 2000	July 21, 2001
43-015-30385	USA 11-70	July 21, 2000	July 21, 2001
43-015-30386	USA 11-71	July 21, 2000	July 21, 2001
43-015-30387	USA 11-72	July 21, 2000	July 21, 2001
43-015-30388	USA 11-73	July 21, 2000	July 21, 2001
43-015-30390	USA 34-82	June 17, 2000	June 17, 2001


Thank you very much for your timely consideration of this request. Please feel free to contact Mr. Ian Kephart at Texaco or myself if you have any questions or need additional information.

Sincerely,


Larry W. Johnson
Principal

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 5/4/00

By: 

COPY SENT TO OPERATOR
Date: 5-5-00
Initials: CBJ

cc: Mr. Eric Jones, BLM, Moab, Utah
Mr. Allen Davis, Texaco
Mr. Ian Kephart, Texaco
Texaco Well File

RECEIVED

APR 28 2000

DIVISION OF
OIL, GAS AND MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

FARMINGTON AREA			
ARD	APD 7/28	JMY	
RH		LJB	
LNS		RJW	
ADA		BRH	
JUL 26 1999			
SBB	/	BCE	
MFK		JLS	
BFC		GAB	
JEB		FILE	/
RNC	/	RETURN TO	

July 21, 1999

CONFIDENTIAL

Texaco Exploration & Production, Inc.
3300 North Butler
Farmington, New Mexico 87401

Re: USA 11-72 Well, 674' FNL, 353' FWL, NW NW, Sec. 11, T. 18 S., R. 7 E., Emery County, Utah


Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM by the operator and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30387.

Sincerely,



John R. Baza
Associate Director

lwp

Enclosures

cc: Emery County Assessor
Bureau of Land Management, Moab District Office

RECEIVED

MAY 04 2000

DIVISION OF
OIL, GAS AND MINING



**Texaco Exploration
and Production Inc.**
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

April 27, 2000

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
Mr. John Baza, Associate Director
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: **Application for Permit to Drill
Permit Extension**

CONFIDENTIAL

WELL	APPROVED	SECTION	RANGE	TOWNSHIP	COUNTY	STATE
✓ USA 11-72	7-21-1999	11	18S	7E	Emery	Utah
✓ USA 3-74	6-17-1999	3	18S	7E	Emery	Utah
✓ USA 3-75	7-21-1999	3	18S	7E	Emery	Utah
✓ USA 34-80	7-21-1999	34	17S	7E	Emery	Utah
✓ USA 34-82	6-17-1999	34	17S	7E	Emery	Utah

Dear Mr. Baza:

The above referenced drilling wells received drilling permits (copies attached) in June and July 1999, but they have not been drilled to date. A drilling rig has been contracted to begin a drilling program in the latter part of May 2000, which will place the queuing of these five wells at the one-year expiration date. Therefore Texaco Exploration and Production, Inc. respectfully request drilling permit extensions on the above referenced wells.

Please accept this letter as Texaco Exploration and Production Incorporated's written request for confidential treatment of all information contained in and pertaining to these permit applications, if said information is eligible for such consideration.

Thank you very much for your timely consideration of this request. Please feel free to contact Richard Carr or myself at the above number if you have any questions.

Sincerely,

Allen R. Davis
Farmington Operating Unit Team Leader
Texaco Exploration and Production, Inc.

RECEIVED

MAY 06 2000

DIVISION OF
OIL, GAS AND MINING

RNC/mc

COPY SENT TO OPERATOR
Date: 5-5-00
Initials: RNC

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 5/4/00
By: [Signature]



Field: BUZZARD BENCH Activity: MIST DRILLING 7 7/8" HOLE Spud Date: 5/25/00 CD: 1
 County: EMERY State: UT TD: 1470 Footage: 1170 API No: 43-015-30387-00-00
 OU: FARMINGTON ATD: 3,560 Hours: 11.5 Estimate No 400502
 Objective: FERRON COAL PBDT: 1,470 Class: Dev Supervisor: J. D. DEROUEN
 GWI: 0 Well Type: GAS KB: 6,417 BOP Days: 1 Phone: (435) 748-2884
 Lithology: SAND / SHALE / GL: 6405 IDC\$/Ft: \$35.08 Contractor: ELENBURG # 15 Footage

DIRECTIONAL SURVEYS			
M Dpth	Inclination	Azimuth	DLS
898	1.00	0.00	0.08
1,298	1.00	0.00	0.00
1,798	1.00	0.00	0.00
2,299	1.00	0.00	0.00
2,799	3.25	0.00	0.45
3,180	2.25	0.00	0.26

LAST SURVEY	
Measured Depth:	3,180
True Vertical Depth:	3,178.91
Inclination:	2.25
Azimuth:	0.00
North/South Coordinate:	70.41
East/West Coordinate:	0.00
Vertical Section:	70.41
Dog Leg:	0.26
Survey Tool:	TOTCO

WORK		
0.00	SFM	NO ACCIDENTS OR NEAR MISS REPORTED. SAFETY MEETING TOPICS ON MOVING RIG & BOPE TESTING.
2.00	MOV	MOVE ELENBURG RIG # 15 FROM UTAH FEDERAL "P" 4 - 74 TO "P" 11 - 72.
2.50	RUP	RIGGED UP ELENBURG # 15 .
2.00	NBP	NIPPLED UP BOPE.
2.00	TBP	TESTED BOPE TO 250 PSI LOW & 2,000 PSI HIGH. TESTED CASING TO 1,500 PSI FOR 30 MINUTES.
1.00	PUB	MADE UP BIT # 1 . TRIP IN HOLE PICKING UP BHA. TAGGED CMT @ 2,80 FT.
0.50	DRC	DRILLED CEMENT TO 300 FT.
0.50	DRL	MIST DRILLED 7 7/8" HOLE FROM 300 FT TO 333 FT FOR 33 FT @ 66 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 300 FT 1/2 DEGREE
5.00	DRL	MIST DRILLED 7 7/8" HOLE FROM 333 FT TO 829 FT FOR 496 FT @ 99.2 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 898 FT. 1 DEGREE
4.50	DRL	MIST FEILLED 7 7/8" HOLE FROM 829 FT TO 1,329 FT FOR 500 FT @ 111.2 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 1,298 FT. 1 DEGREE
1.50	DRL	MIST DRILLED 7 7/8" HOLE FROM 1,329 FT TO 1,470 FT FOR 141 FT @ 94 FT/HR.
23.00		TOTAL HOURS

MUD DATA		
Mud Wt:	0	Oil: 0
Viscosity:	0	MBT: 0
PV:	0	pH: 0
YP:	0	Pm: 0
10 Sec Gel:	0	Pf: 0
10 Min Gel:	0	Chl: 0
WL:	0	CA: 0
HTHP:	0	Ex Lime: 0
FC:	0	Elec Stab: 0
Solids:	0	Temp: 0
Daily Cost	\$797	Cum: \$797

CASING				
String	Prop Size	Act Size	Prop Dep	Act Dep
CONDUCT	14	14	50	50
SURFACE	8.625	8.625	300	303
PRODUCT	5.5	5.5	3560	3560

ESTIMATE (AFE) COSTS			
	Tangible	Intangible	Totals
Drlg:	\$4000	\$217000	\$221000
Compl:	\$44000	\$122000	\$166000
Total:	\$48000	\$339000	\$387000

ACTUAL COSTS			
	Tangible	Intangible	Totals
Drlg:	\$4165	\$51562	\$55727
Compl:	\$0	\$0	\$0
Total:	\$4165	\$51562	\$55727
Daily:	\$4165	\$51562	\$55727

MUD MATERIAL
KCL - 45 , TRKING

HYDRAULICS					
Liner Size	Stk Lgth	SPM	GPM	PSI:	250
PUMP #	0	0	0	AV (DC):	0
PUMP #	0	0	0	AV (DP):	0

SLOW PUMP RATES		
PUMP #1:		@
	0	0
PUMP #2:		@
	0	0

BHA									
BHA#	LENGTH	DEPTH IN	HOURS	TYPE	STRING WT	DRAG UP	DRAG DOWN	TORQUE	
1	450	303	34	S	88	90	86	1900	

DESCRIPTION: BIT, 15 - 6" DC'S

BITS																						
RUN	BIT#	MAKE	SIZE	TYPE	FROM	TO	FEET	HRS	ROP	WOB	RPM	N1	N2	N3	I	O	D	L	B	G	O	R
1	1	HP53J	7.875	537	300	3560	3260	34	95.9	34	90	18	18	18	4	4	WT	A	E	2	NO	TD

REMARKS
Daily Cost: 8 5/8" Casing \$ 2,364 - Casing Head \$ 1,801 - Location, Pit Liner & Conductor \$ 14,675 - Surface hole \$ 7,940 - Elenburg \$ 19,597 - Salaries \$ 2,140 - Rentals \$ 5 - M-I (KCL) \$ 797 - 8 5/8" Float equipment \$ 250 - Dowell (Cmt. 8 5/8") \$ 2,510 - Water \$ 500 - Other Cost \$ 2,968



CEMENT REPORT

String:	SURFACE		Start Date:	7/6/00	
Stage:	1		Start Time:	12/30/99	
	"Lead"	"Tail"		"Lead"	"Tail"
Cement Type:		G	Slurry Volume (ft³):	0	218
Cement Top (ft):	0	0	Thickening Time (h.min)	0	1.5
Slurry Weight (ppg):	0	15.8	Free Water (cc/30m):	0	0
Mix Water (gal/sx):	0	4.97	Fluid Loss (cc/30m):	0	0
Water Type:		CITY	Comp Str (psi):	0	0
Yield (ft³/sx):	0	1.15	Comp Str (h.min):	0	0
Sacks:	0	190			
Lead Additives:			Tail Additives:	G + 1/4 #/SK D29 + 2% S001	
Comment:	CEMENTED ON MAY 26, 2000				

CASING REPORT

Casing String: CONDUCTOR		Run Date: 7/6/00	Shoe Depth: 50	Float Collar Depth 0	DV Tool Depths: 0	0			
Section	Prop. Size	Actual Size	Grade	Weight	Connection	Joints	Length	Prop. Depth	Actual Depth
1	14	14	H-40	0	WELD	1	50	50	50

CASING REPORT

Casing String: SURFACE		Run Date: 7/6/00	Shoe Depth: 303	Float Collar Depth 0	DV Tool Depths: 0	0			
Section	Prop. Size	Actual Size	Grade	Weight	Connection	Joints	Length	Prop. Depth	Actual Depth
1	8.625	8.625	J-55	24	STC	7	304	300	303



Field: BUZZARD BENCH Activity: MIST DRILLING 7 7/8" HOLE Spud Date: 5/25/00 CD: 2
 County: EMERY State: UT TD: 3530 Footage: 2060 API No: 43-015-30387-00-00
 OU: FARMINGTON ATD: 3,560 Hours: 22 Estimate No 400502
 Objective: FERRON COAL PBSD: 3,530 Class: Dev Supervisor: J. D. DEROUEN
 GWI: 0 Well Type: GAS KB: 6,417 BOP Days: 2 Phone: (435) 748-2884
 Lithology: SAND / SHALE / GL: 6405 IDC\$/Ft: \$25.58 Contractor: ELENBURG # 15 Footage

DIRECTIONAL SURVEYS			
M Dpth	Inclination	Azimuth	DLS
898	1.00	0.00	0.08
1,298	1.00	0.00	0.00
1,798	1.00	0.00	0.00
2,299	1.00	0.00	0.00
2,799	3.25	0.00	0.45
3,180	2.25	0.00	0.26

LAST SURVEY
 Measured Depth: 3,180
 True Vertical Depth: 3,178.91
 Inclination: 2.25
 Azimuth: 0.00
 North/South Coordinate: 70.41
 East/West Coordinate: 0.00
 Vertical Section: 70.41
 Dog Leg: 0.26
 Survey Tool: TOTCO

WORK		
0.00	SFM	NO ACCIDENTS OR NEAR MISS REPORTED. SAFETY MEETING TOPICS ON BOP DRILLS & CONNECTION GAS.
3.00	DRL	MIST DRILLED 7 7/8" HOLE FROM 1,470 FT TO 1,829 FT FOR 359 FT @ 119.6 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 1,798 FT. 1 DEGREE
5.50	DRL	MIST DRILLED 7 7/8" HOLE FROM 1,829 FT TO 2,329 FT FOR 500 FT @ 90.1 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 2,299 FT. 1 DEGREE
4.00	DRL	MIST DRILLED 7 7/8" HOLE FROM 2,329 FT TO 2,831 FT FOR 502 FT @ 125.5 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 2,799 FT. 3 1/4 DEGREES
3.50	DRL	MIST DRILLED 7 7/8" HOLE FROM 2,831 FT TO 3,210 FT FOR 379 FT @ 108 FT/HR.
0.50	SVY	WIRELINE SURVEY @ 3,180 FT. 2 1/4 DEGREES.
6.00	DRL	MIST DRILLED 7 7/8" HOLE FROM 3,210 FT TO 3,530 FT FOR 320 FT @ 53.4 FT/HR. 2,100 SCFM AIR, 14 BPH WATER, 1.5 GPH SOAP. 90% 250PSI
24.00		TOTAL HOURS

MUD DATA			
Mud Wt:	0	Oil:	0
Viscosity:	0	MBT:	0
PV:	0	pH:	0
YP:	0	Pm:	0
10 Sec Gel:	0	Pf:	0
10 Min Gel:	0	Chl:	0
WL:	0	CA:	0
HTHP:	0	Ex Lime:	0
FC:	0	Elec Stab:	0
Solids:	0	Temp:	0
Daily Cost	\$220	Cum:	\$1017

CASING					
String	Prop Size	Act Size	Prop Dep	Act Dep	
CONDUCT	14	14	50	50	
SURFACE	8.625	8.625	300	303	
PRODUCT	5.5	5.5	3560	3560	

ESTIMATE (AFE) COSTS			
	Tangible	Intangible	Totals
Drig:	\$4000	\$217000	\$221000
Compl:	\$44000	\$122000	\$166000
Total:	\$48000	\$339000	\$387000

ACTUAL COSTS			
	Tangible	Intangible	Totals
Drig:	\$4165	\$90295	\$94460
Compl:	\$0	\$0	\$0
Total:	\$4165	\$90295	\$94460
Daily:	\$0	\$38733	\$38733

MUD MATERIAL
KCL - 55

HYDRAULICS					
PUMP #	Liner Size	Stk Lgth	SPM	GPM	PSI: 250
PUMP #	0	0	0	0	AV (DC): 0
PUMP #	0	0	0	0	AV (DP): 0

SLOW PUMP RATES			
PUMP #1:		@	
PUMP #1:	0	@	0
PUMP #2:	0	@	0

BHA									
BHA#	LENGTH	DEPTH IN	HOURS	TYPE	STRING WT	DRAG UP	DRAG DOWN	TORQUE	
1	450	303	34	S	88	90	86	1900	

DESCRIPTION: BIT, 15 - 6" DC'S

BITS																						
RUN	BIT#	MAKE	SIZE	TYPE	FROM	TO	FEET	HRS	ROP	WOB	RPM	N1	N2	N3	I	O	D	L	B	G	O	R
1	1	HP53J	7.875	537	300	3560	3260	34	95.9	34	90	18	18	18	4	4	WT	A	E	2	NO	TD

REMARKS
 Daily Cost : Elenburg \$ 35,008 - Salaries (TX) \$ 500 - (Callaway) \$ 640 - Rental \$ 5 - M-I (KCL) \$ 220 - Nielson (Water) \$ 580 - Pason \$ 780 - Contingency \$ 1,000



Field:	BUZZARD BENCH	Activity:	MOVING TO "T" 22 - 69	Spud Date:	5/25/00	CD:	3
County:	EMERY	State:	UT	TD:	3560	Footage:	30
OU:	FARMINGTON	ATD:	3,560	Hours:	0.5	Estimate No	400502
Objective:	FERRON COAL	PBTD:	3,511	Class:	Dev	Supervisor:	J. D. DEROUEN
GWl:	0	Well Type:	GAS	KB:	6,417	BOP Days:	3
Lithology:	SAND / SHALE /	GL:	6405	IDC\$/Ft:	\$30.02	Contractor:	ELENBURG # 15
						Footage	

DIRECTIONAL SURVEYS			
M Dpth	Inclination	Azimuth	DLS
898	1.00	0.00	0.08
1,298	1.00	0.00	0.00
1,798	1.00	0.00	0.00
2,299	1.00	0.00	0.00
2,799	3.25	0.00	0.45
3,180	2.25	0.00	0.26

LAST SURVEY	
Measured Depth:	3,180
True Vertical Depth:	3,178.91
Inclination:	2.25
Azimuth:	0.00
North/South Coordinate:	70.41
East/West Coordinate:	0.00
Vertical Section:	70.41
Dog Leg:	0.26
Survey Tool:	TOTCO

WORK		
0.00	SFM	NO ACCIDENTS & ONE NEAR MISS REPORTED. SAFETY MEETING TOPICS ON PROPER USE OF HAND TOOLS & RADITION.
0.50	DRL	MIST DRILLED 7 7/8" HOLE FROM 3,530 FT TO 3,560 FT FOR 30 FT.
1.00	CCM	BLOW HOLE CLEAN.
0.50	SVY	WIRELINE SURVEY & LOAD HOLE WITH 25 BBLS KCL WATER.
3.50	LDD	LAI D DOWN DRILL STRING.
7.00	WLO	RIGGED UP SCHLUMBERGER. RAN HIGH RESOLUTION PLATFROM EXPRESS LOG FROM 3,508 FT TO 3,050 FT & GR TO SURFACE. LOGGERS DEPTH 3,525 FT , FLUID LEVEL @ 1,300 FT. 2ND RUN DSI FROM 3,525 FT TO 3,000 FT. RIGGED DOWN SCHLUMBERGER.
3.00	PUC	RIGGED UP & RAN 79 JTS OF 5 1/2", 17#, N-80, LTC CASING TO 3,560 FT. FLOAT COLLAR @ 3,511 FT, MARKER JOINT @ 3,131 FT & CENTRALIZERS ON FIRST THREE JOINTS & EVERY OTHER JOINT FROM 3,131FT FOR A TOTAL OF 12.
1.00	CCM	RECIPROCATED CASING & CIRCULATED THE HOLE CAPACITY PLUS 50%. NO RETURNS.
1.00	CMT	RIGGED UP DOWELL CEMENTING HEAD & CEMENTED 5 1/2" CASING WITH 175 SKS 10-1 RFC + .25#/SK D29. YIELD 1.61, DEN. 14.2 PPG , MIX WATER 7.9 GAL/SK. DISPLACED WITH 81.5 BBLS. BUMPED PLUG W/ 1,158 PSI @ 22:25 HR ON 7/7/00. NO RETURNS DURING JOB. PIPE STARTED STICKING PRIOR TO CEMENT LEAVING SHOE. HOLE PACKED OFF WITH 10 BBLS LEFT TO DISPLACE. MAX. LIFT PRESSURE 150 PSI.
2.00	NBP	RIGGED DOWN DOWELL. N/D BOPE. SET CASING SLIPS WITH 60M. RELEASED RIG @ 0:30 HRS ON 7/8/00.
19.50	TOTAL HOURS	

MUD DATA			
Mud Wt:	0	Oil:	0
Viscosity:	0	MBT:	0
PV:	0	pH:	0
YP:	0	Pm:	0
10 Sec Gel:	0	Pf:	0
10 Min Gel:	0	Chl:	0
WL:	0	CA:	0
HTHP:	0	Ex Lime:	0
FC:	0	Elec Stab:	0
Solids:	0	Temp:	0
Daily Cost	\$0	Cum:	\$1017

CASING				
String	Prop Size	Act Size	Prop Dep	Act Dep
CONDUCT	14	14	50	50
SURFACE	8.625	8.625	300	303
PRODUCTI	5.5	5.5	3560	3560

ESTIMATE (AFE) COSTS			
	Tangible	Intangible	Totals
Drlg:	\$4000	\$217000	\$221000
Compl:	\$44000	\$122000	\$166000
Total:	\$48000	\$339000	\$387000

ACTUAL COSTS			
	Tangible	Intangible	Totals
Drlg:	\$4165	\$106862	\$111027
Compl:	\$32002	\$7981	\$39983
Total:	\$36167	\$114843	\$151010
Daily:	\$32002	\$24548	\$56550

MUD MATERIAL									

HYDRAULICS					
Liner Size	Stk Lgth	SPM	GPM	PSI:	0
PUMP #	0	0	0	AV (DC):	0
PUMP #	0	0	0	AV (DP):	0

SLOW PUMP RATES			
PUMP #1:	0	@	0
PUMP #2:	0	@	0

BHA									
BHA#	LENGTH	DEPTH IN	HOURS	TYPE	STRING WT	DRAG UP	DRAG DOWN	TORQUE	
1	450	303	34	S	88	90	86	1900	

DESCRIPTION: BIT, 15 - 6" DC'S

BITS																						
RUN	BIT#	MAKE	SIZE	TYPE	FROM	TO	FEET	HRS	ROP	WOB	RPM	N1	N2	N3	I	O	D	L	B	G	O	R
1	1	HP53J	7.875	537	300	3560	3260	34	95.9	34	90	18	18	18	4	4	WT	A	E	2	NO	TD



REMARKS

Drilling Cost : Elenburg \$ 2,962 - Salaries (TX) \$ 500 - (Callaway) \$ 640 - Rental \$ 5 - Nielson (water) \$ 461 - Schlumberger \$ 10,879 - Gardiners (Empty Trash) \$ 120 - Contingency - \$ 1,000 Completion Cost: Redman (5 1/2" Casing) \$ 27,427 - Bunning (Trking of Casing) \$ 1,585 - Stricker's (Clean & Drift) \$ 1,230 - Dowell - \$ 3,516 - Gemoco (Float Equipment) \$ 622 - Nielson (Cementing Water) \$ 500 - Vetco (

CEMENT REPORT

String:	PRODUCTION	Start Date:	7/8/00		
Stage:	1	Start Time:	12/30/99		
	"Lead" "Tail"		"Lead"	"Tail"	
Cement Type:	RFC	Slurry Volume (ft³):	0	282	Cement Returned (bbl): 0
Cement Top (ft):	0	Thickening Time (h.min)	0	1.5	Excess Cement %: 50
Slurry Weight (ppg):	0	Free Water (cc/30m):	0	0	Mud Returned: No
Mix Water (gal/sx):	0	Fluid Loss (cc/30m):	0	0	Time Plug @Bottom: 12/30/99
Water Type:	CITY	Comp Str (psi):	0	0	Max Pump PSI: 1300
Yield (ft³/sx):	0	Comp Str (h.min):	0	0	Bump PSI: 1158
Sacks:	0				Pump Rate (bpm): 5
Lead Additives:		Tail Additives:	10-1 RFC + .25 #/SK D29		
Comment:	PIPE PACKED OFF DURING JOB, PRESSURE UP & BROKE BACK 50 PSI.				

CASING REPORT

Casing String: PRODUCTION		Run Date: 7/8/00	Shoe Depth: 3560	Float Collar Depth 3511	DV Tool Depths: 0	0			
Section	Prop. Size	Actual Size	Grade	Weight	Connection	Joints	Length	Prop. Depth	Actual Depth
1	5.5	5.5	N-80	17	LTC	79	3564	3560	3560

ENTITY ACTION FORM - DOGM FORM 6

OPERATOR TEXACO EXPLORATION & PROD. INC. OPERATOR CODE N 5700
 ADDRESS 3300 N. BUTLER PHONE NO. 505, 325 4397
FARMINGTON, N.M.
87401

OPERATORS MUST COMPLETE FORM UPON SPUDDING NEW WELL OR WHEN CHANGE IN OPERATIONS OR INTERESTS NECESSITATES CHANGE IN EXISTING ENTITY NUMBER ASSIGNMENT.

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
REDACTED											

COMMENTS: ~~REDACTED~~

A	99999	12821	43-015-30390	USA 34-82	SE/SW	34	17S	7E	EMERY	5/24/00	7-27-00
COMMENTS: 000727 entity Added											
CONFIDENTIAL											

A	99999	12822	43-015-30384	USA 3-75	NE/NE	3	18S	7E	EMERY	5/24/00	7-27-00
COMMENTS: 000727 entity Added											
CONFIDENTIAL											

A	99999	12823	43-015-30383	USA 3-74	SE/SE	3	18S	7E	EMERY	5/26/00	7-27-00
COMMENTS: 000727 entity Added											
CONFIDENTIAL											

A	99999	12824	43-015-30387	USA 11-72	NE/NE	11	18S	7E	EMERY	5/25/00	7-27-00
COMMENTS: 000727 entity Added											
CONFIDENTIAL											

RECEIVED

JUL 26 2000

DIVISION OF
OIL, GAS AND MINING

Richard Cott
SIGNATURE
Safety Coordinator 7-12-00
TITLE DATE

ACTION CODES: A - ESTABLISH NEW ENTITY FOR NEW WELL (SINGLE WELL ONLY)
 B - ADD NEW WELL TO EXISTING ENTITY (GROUP OR UNIT WELL)
 C - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO ANOTHER EXISTING ENTITY
 D - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO A NEW ENTITY
 E - OTHER (EXPLAIN IN COMMENTS SECTION)
 (SEE INSTRUCTIONS ON BACK OF FORM)



Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

July 10, 2000

CONFIDENTIAL

Ms. Lisha Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: State Form 9

~~Utah Federal "P" 11-72~~

USA 11-72

Utah Federal "P" 3-74

Dear Lisha:

Please find Sate of Utah Division of Oil and Gas and Mining Sundry Notices and Reports on Wells Form 9 for the above referenced wels for the drilling portion of the wells. The completed Form 9 will be submitted as soon as the completion phase of the drilling wells is complete.

Thank you for your time and consideration. Please feel free to contact Ian Kephart or myself at the above number if you have any questions.

Sincerely,

Richard N. Carr
Texaco Exploration and Production Inc.
Farmington Operating Unit

cc: BLM, Moab
Farmington well file

RNC/mc

RECEIVED

JUL 14 2000

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL AND GAS AND MINING

CONFIDENTIAL

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.)

5. Lease Designation and Serial Number:
UTU-68535

6. If Indian, Allottee or Tribe Name:

7. Unit Agreement Name:

1. Type of Well OIL WELL GAS WELL OTHER

8. Well Name and Number:

UTAH FEDERAL 11-72 (USA)

2. Name of Operator
TEXACO EXPLORATION & PRODUCTION, INC.

9. API Well Number:
43-015-30387

3. Address and Telephone Number:
3300 N. Butler Ave, Ste100 Farmington NM 87401 325-4397

10. Field and Pool, or Wildcat:
Undesignated

Location of Well

Footages:

County: EMERY

QQ, Sec, T, R, M: NW, NW, 11, T18S, R7E

State: UT

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT

(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- OTHER
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

SUBSEQUENT REPORT

(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- OTHER Drilling completion
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion 07/08/2000

Report results of Multiple Completions and Recompletions to different reservoirs on Well COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

Approximate date work will start

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)

Texaco Exploration and Production Inc. (TEPI) spudded the above referenced well on 5-25-00 drilling a 12-1/4" hole. The surface casing was set on 5-25-00 using 303' 8-5/8" 24# J-55 with 190 sx class "G" cement.

TEPI began drilling the above referenced well on 7-5-00. Drilled 7-7/8" hole to 1470' with mist air. 7-6-00 mist drilled 7-7/8" hole from 1470' to 3530'. 7-7-00 mist drilled 7-7/8" hole from 3530' to 3560', blow hole clean, Rig up Schlumberger and run Platform Express log and DSI log, Rigged down Schlumberger, Rigged up & ran 79 Jts 5-1/2" 17# N-80 LTC casing to 3560', rigged up Dowell Cementing HD & cmted 5-1/2" w/175 sx 10-1 RFC displaced with 81.5 bbl water. Rig released 0:30 AM 7-8-00

RECEIVED

JUL 14 2000

DIVISION OF
OIL, GAS AND MINING

13.

Name and Signature

Richard N. Carr

TITLE Eng. Assistant

DATE

07/10/2000

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-68535

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
N/A

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

7. UNIT or CA AGREEMENT NAME:
N/A

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER: USA 11-72
Utah Federal 'P' 11-72

2. NAME OF OPERATOR:
Texaco Exploration & Production Inc.

9. API NUMBER:
4301530387

3. ADDRESS OF OPERATOR:
3300 N. Butler CITY Farmington STATE NM ZIP 87401 PHONE NUMBER: (505) 325-4397

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL
FOOTAGES AT SURFACE: 574' FNL, 353' FWL COUNTY: EMERY

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NWNW 11 18S 7E STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

9-12-2000 - MIRU Schlumberger- perforate 3312'-3342', 6 SPF, 60* phasing, w/power jets. RU Dowell, pump 300 gal 7.5% HCL, frac w/53,070 gal YF125 GEL, w/111,734 lb 16/30 sand, flush w/3293 gal WF120. Perforate 3248'-3268', 6 SPF, 60* phasing, w/power jets, pump 300 gal 7.5% HCL, frac w/58,802 gal YF125 GEL, w/99,215 lb 16/30 sand, no flush-screen out.
9-14 -2000 - clean out
9-15/16-2000 - preparing to swab
9-17/18-2000 - SI
9-19-2000 - run production equipment. Set TA at 3216' in 8,000# tension, NU well head, TIH w/2" pump. SWIFN
9-20-2000 - TIH w/72 - 7/8" rods, 6' and 2' subs, 1-1/4" polish rod, space pump out, hand well on. Put well on production.

NAME (PLEASE PRINT) Roger D. Johnson TITLE EA
SIGNATURE *Roger D. Johnson* DATE 10-26-00

(This space for State use only)



CONFIDENTIAL

Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

October 26, 2000

Ms. Lisha Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: State Form 9 – Sundry Notices & Reports on Wells

Utah Federal 'P' 3-74 - Section 3, T18S, R7E, Emery County, Utah
U.S. 11-72 Utah Federal 'P' 11-72 – Section 11, T18S, R7E, Emery County, Utah
Utah Federal 'T' 22-69- Section 22, T18S, R7E, Emery County, Utah

Dear Lisha:

Please find State of Utah Division of Oil and Gas and Mining Sundry Notices & Reports on Wells, Form 9 for the above referenced wells.

Thank you for your time and consideration. Please feel free to contact Ian Kephart – 505-325-4397 ext: 11 or myself at the above number if you have any questions.

Sincerely,

Roger D. Johnson
Texaco Exploration and Production Inc.
Farmington Operating Unit

CONFIDENTIAL
OCT 27 2000
DIVISION OF
OIL, GAS AND MINING



CONFIDENTIAL

Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

October 26, 2000

Ms. Lisah Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: State Form 8 – Well Completion Report

Utah Federal 'P' 3-74 - Section 3, T18S, R7E, Emery County, Utah
03-74 Utah Federal 'P' 11-72 – Section 11, T18S, R7E, Emery County, Utah
11-72 Utah Federal 'T' 22-69- Section 22, T18S, R7E, Emery County, Utah

Dear Lisha:

Please find State of Utah Division of Oil and Gas and Mining Well Completion Reports on Wells Form 8 for the above referenced wells.

Thank you for your time and consideration. Please feel free to contact Ian Kephart – 505-325-4397 ext: 11 or myself at the above number if you have any questions.

Sincerely,

Roger D. Johnson
Texaco Exploration and Production Inc.
Farmington Operating Unit

CONFIDENTIAL
DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. LEASE DESIGNATION AND SERIAL NUMBER:
UTU-68535

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
N/A

7. UNIT or CA AGREEMENT NAME
N/A

8. WELL NAME and NUMBER:
Utah Federal 'P' 11-72 *USA 11-72*

9. API NUMBER:
4301530387

10. FIELD AND POOL, OR WILDCAT

11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:
NWNW 11 18S 7E

12. COUNTY
EMERY

13. STATE
UTAH

1a. TYPE OF WELL: OIL WELL GAS WELL DRY OTHER _____

b. TYPE OF WORK: NEW HORIZ. DEEP- RE- DIFF.

2. NAME OF OPERATOR:
Texaco Exploration & Production, Inc.

3. ADDRESS OF OPERATOR:
3300 N. Butler CITY Farmington STATE NM ZIP 87401 PHONE NUMBER: (505) 325-4397

4. LOCATION OF WELL (FOOTAGES)
574' FNL, 353' FWL
AT TOP PRODUCING INTERVAL REPORTED BELOW: _____
AT TOTAL DEPTH: 3560'
ON 10/20/01
CONFIDENTIAL
PERIOD EXPIRED

14. DATE SPUNDED: 5/25/2000 15. DATE T.D. REACHED: 9/20/2000 16. DATE COMPLETED: 9/20/2000
ABANDONED READY TO PRODUCE

18. TOTAL DEPTH: MD 3,560 TVD _____ 19. PLUG BACK T.D.: MD 3,515 TVD _____

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each)
2-28-00 CBL, CNL, GR, DENSITY, ARRAY INDUCTION 7-12-00
DSF/GAR - 7-28-00

17. ELEVATIONS (DF, RKB, RT, GL):
6405.5 GL

21. DEPTH BRIDGE MD _____ PLUG SET: TVD _____

23. WAS WELL CORED? NO YES (Submit analysis)
WAS DST RUN? NO YES (Submit report)
DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (#/R.)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF SACKS	SLURRY VOLUME (BBL)	CEMENT TOP **	AMOUNT PULLED
12-1/4	8-5/8 K-55	24#	0	303		G 190		SURFACE	IRCULATE
7-7/8	5-1/2 N-80	17#	0	3,560		RCF 175		SURFACE	IRCULATE

25. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8	3,378							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)
(A)				
(B)				
(C)				
(D)				

27. PERFORATION RECORD

INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS
3,248 - 3,268	.40"		Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
3,312 - 3,342	.40"		Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
			Open <input type="checkbox"/> Squeezed <input type="checkbox"/>
			Open <input type="checkbox"/> Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
3248' - 3268'	pump 300 gal 7.5% HCL, frac w/58,802 gal YF125GEL, w/99,215 lb 16/30 sand, no flush-screenout
3312' - 3342'	pump 300 gal 7.5% HCL, frac w/53,070 gal YF125GEL, w/111,734 lbi 16/30 sand, flush w/3293 gal WF120

29. ENCLOSED ATTACHMENTS:

- ELECTRICAL/MECHANICAL LOGS
- SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION
- GEOLOGIC REPORT
- CORE ANALYSIS
- DST REPORT
- OTHER: _____
- DIRECTIONAL SURVEY

30. WELL STATUS:
Producing

31. INITIAL PRODUCTION
INTERVAL A (As shown in Item 20)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL B (As shown in Item 20)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL C (As shown in Item 20)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

INTERVAL D (As shown in Item 20)

DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES: →	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:

32. DISPOSITION OF GAS (Bbl, Used for Fuel, Vented, Etc.)
SOLD

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Roger D. Johnson

TITLE EA

SIGNATURE Roger D. Johnson

DATE 10-26-00

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340
 Fax: 801-369-3840

RECEIVED

OCT 31 2000

DIVISION OF
 OIL, GAS AND MINING

CONFIDENTIAL

STATE OF UTAH
 DEPARTMENT OF NATURAL RESOURCES
 DIVISION OF OIL, GAS AND MINING

AMENDED REPORT FORM 8
 (highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. LEASE DESIGNATION AND SERIAL NUMBER:
 UTU-68535

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
 N/A

7. UNIT or CA AGREEMENT NAME:
 N/A

8. WELL NAME and NUMBER:
 Utah Federal 'P' 11-72 *USA 11-72*

9. API NUMBER:
 4301530387

2. NAME OF OPERATOR:
 Texaco Exploration & Production, Inc.

3. ADDRESS OF OPERATOR:
 3300 N. Butler CITY Farmington STATE NM ZIP 87401

PHONE NUMBER:
 (505) 325-4397

10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL (FOOTAGES):
 574° ENE, 363° FWL

AT TOP PRODUCING INTERVAL REPORTED BELOW:

AT TOTAL DEPTH: 3580'

11. COUNTY, SECTION, TOWNSHIP, RANGE, MERIDIAN:
 NWNW 11 18S 7E

12. COUNTY:
 EMERY

13. STATE:
 UTAH

14. DATE SPUDDED:
 5/25/2000

15. DATE T.D. REACHED:

16. DATE COMPLETED:
 9/20/2000

ABANDONED READY TO PRODUCE

17. ELEVATIONS (OF, RIG, RT, GL):
 6405.5 GL

18. TOTAL DEPTH: MD 3580' TVD

19. PLUG BACK T.D.: MD 3515' TVD

20. IF MULTIPLE COMPLETIONS, HOW MANY?:
 na

21. DEPTH BRIDGE MD PLUG SET: TVD

22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each):
 CBL, CNL, GR. DENSITY, ARRAY INDUCTION

23. WAS WELL CORED? NO YES (Submit analysis)
 WAS DST RUN? NO YES (Submit report)
 DIRECTIONAL SURVEY? NO YES (Submit copy)

24. CASING AND LINER RECORD (Report all strings set in well)

HOLE SIZE	SIZE/GRADE	WEIGHT (W/L)	TOP (MD)	BOTTOM (MD)	STAGE CEMENTER DEPTH	CEMENT TYPE & NO. OF BAGS	SLURRY VOLUME (DBL)	CEMENT TOP **	AMOUNT PULLED
12-1/4	8-5/8 K-55	24#	0	303		G 180		SURFACE	IRCULATE
7-7/8	5-1/2 N-80	17#	0	3560		RCF 175		SURFACE	IRCULATE

25. TURNING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-7/8	3378							

26. PRODUCING INTERVALS

FORMATION NAME	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	INTERVAL (Top/Bot - MD)	SIZE	NO. HOLES	PERFORATION STATUS	
(A) Ferron	3,248	3,268			3,248 - 3,268	.40"	120	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(B) Ferron	3,312	3,342			3,312 - 3,342	.40"	180	Open <input checked="" type="checkbox"/>	Squeezed <input type="checkbox"/>
(C)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>
(D)								Open <input type="checkbox"/>	Squeezed <input type="checkbox"/>

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND TYPE OF MATERIAL
3248' - 3268'	pump 300 gal 7.5% HCL, frac w/58,802 gal YF125GEL, w/99,215 lb 16/30 sand, no flush-screenout
3312' - 3342'	pump 300 gal 7.5% HCL, frac w/53,070 gal YF125GEL, w/111,734 lb 16/30 sand, flush w/3293 gal WF120

29. ENCLOSED ATTACHMENTS:

ELECTRICAL/MECHANICAL LOGS GEOLOGIC REPORT DST REPORT DIRECTIONAL SURVEY

SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION CORE ANALYSIS OTHER:

30. WELL STATUS:
PRODUCING

31. INITIAL PRODUCTION											
INTERVAL A (As shown in Item #26)											
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES:		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
9/20/2000		10/4/2000		24		→		0	11	275	pump
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES:	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	
na	60	60				→	0	11	275	pump	
INTERVAL B (As shown in Item #26)											
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES:		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
						→					
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES:	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	
						→					
INTERVAL C (As shown in Item #26)											
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES:		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
						→					
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES:	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	
						→					
INTERVAL D (As shown in Item #26)											
DATE FIRST PRODUCED:		TEST DATE:		HOURS TESTED:		TEST PRODUCTION RATES:		OIL - BBL:	GAS - MCF:	WATER - BBL:	PROD. METHOD:
						→					
CHOKE SIZE:	TBG. PRESS.	CSG. PRESS.	API GRAVITY	BTU - GAS	GAS/OIL RATIO	24 HR PRODUCTION RATES:	OIL - BBL:	GAS - MCF:	WATER - BBL:	INTERVAL STATUS:	
						→					

32. DISPOSITION OF GAS (Sold, Used for Fuel, Ventd, Etc.)

SOLD

33. SUMMARY OF POROUS ZONES (Reservoir Aquifers):

Show off important zones of porosity and contents thereof. Corred intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

34. FORMATION (Log) MARKERS:

Formation	Top (MD)	Bottom (MD)	Descriptions, Contents, etc.	Name	Top (Measured Depth)
Ferron Coal		3,130		Bluegate Shale Ferron Top of 'A' Coal TD	3,060 3,130 3,560

35. ADDITIONAL REMARKS (Include plugging procedure)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) Roger D. Johnson TITLE EA
 SIGNATURE *Roger D. Johnson* DATE _____

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top - Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining Phone: 801-538-5340
 1594 West North Temple, Suite 1210
 Box 145801 Fax: 801-359-3940
 Salt Lake City, Utah 84114-5801

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attached List of Wells</u>
2. NAME OF OPERATOR: <u>Chevron U.S.A. Inc.</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>BLM & State of Utah</u>
3. ADDRESS OF OPERATOR: <u>P.O. Box 36366</u> CITY <u>Houston</u> STATE <u>TX</u> ZIP <u>77236</u>		7. UNIT or CA AGREEMENT NAME: <u>Orangeville & Huntington</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attached List of Wells</u>		8. WELL NAME and NUMBER: <u>See Attached List of Wells</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
COUNTY: <u>Emery</u>		10. FIELD AND POOL, OR WILDCAT:
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1

Texaco Exploration & Production Inc.




J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)

Chevron U.S.A. Inc.
 Midcontinent Business Unit
 Ferron Operations
 Emery County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc.
 to
 Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main	Fed or State
N5700	06	170S	080E	4301530292	UTAH FEDERAL M 6-25	1	S	GW	Federal
N5700	34	170S	070E	4301530282	UTAH FEDERAL D 34-12	1	P	GW	Federal
N5700	34	170S	070E	4301530389	USA 34-80	1	P	GW	Federal
N5700	34	170S	070E	4301530390	USA 34-82	1	P	GW	Federal
N5700	35	170S	070E	4301530285	UTAH FEDERAL D 35-13	1	P	GW	Federal
N5700	35	170S	070E	4301530286	UTAH FEDERAL D 35-14	1	P	GW	Federal
N5700	35	170S	070E	4301530287	UTAH FEDERAL D 35-15	1	P	GW	Federal
N5700	03	180S	070E	4301530383	USA 3-74	1	P	GW	Federal
N5700	03	180S	070E	4301530384	USA 3-75	1	P	GW	Federal
N5700	03	180S	070E	4301530448	FEDERAL P 3-92	1	DRL	GW	Federal
N5700	03	180S	070E	4301530449	FEDERAL P 3-93	1	DRL	GW	Federal
N5700	04	180S	070E	4301530280	UTAH FEDERAL Q 4-44	1	P	GW	Federal
N5700	08	180S	070E	4301530274	UTAH FEDERAL S 8-46	1	P	GW	Federal
N5700	10	180S	070E	4301530258	UTAH FEDERAL P 10-47	1	P	GW	Federal
N5700	10	180S	070E	4301530276	UTAH FEDERAL P 10-42	1	P	GW	Federal
N5700	10	180S	070E	4301530277	UTAH FEDERAL P 10-43	1	P	GW	Federal
N5700	11	180S	070E	4301530385	USA 11-70	1	APD	GW	Federal
N5700	11	180S	070E	4301530386	USA 11-71	1	APD	GW	Federal
N5700	11	180S	070E	4301530387	USA 11-72	1	P	GW	Federal
N5700	11	180S	070E	4301530388	USA 11-73	1	APD	GW	Federal
N5700	21	180S	070E	4301530450	FEDERAL T 21-94	1	APD	GW	Federal
N5700	22	180S	070E	4301530451	FEDERAL T 22-69	1	P	GW	Federal
N5700	22	180S	070E	4301530452	FEDERAL T 22-83	1	APD	GW	Federal
N5700	22	180S	070E	4301530453	FEDERAL T 22-91	1	APD	GW	Federal
N5700	23	180S	070E	4301530245	FEDERAL C23-8	1	P	GW	Federal
N5700	23	180S	070E	4301530447	FEDERAL C 23-84	1	APD	GW	Federal
N5700	26	180S	070E	4301530244	FEDERAL A26-2	1	P	GW	Federal
N5700	26	180S	070E	4301530246	FEDERAL A26-4	1	P	GW	Federal
N5700	26	180S	070E	4301530445	FEDERAL A 26-88	1	APD	GW	Federal
N5700	27	180S	070E	4301530440	FEDERAL T 27-85	1	APD	GW	Federal
N5700	27	180S	070E	4301530455	FEDERAL T 27-86	1	APD	GW	Federal
N5700	27	180S	070E	4301530456	FEDERAL T 27-87	1	P	GW	Federal

NOL ? moved by JLT

6/6/03 need to move these

Chevron U.S.A. Inc.
Midcontinent Business Unit
Ferron Operations
Emery County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main	Fed or State
N5700	27	180S	070E	4301530457	FEDERAL T 27-90	1	APD	GW	Federal
N5700	34	180S	070E	4301530249	FEDERAL A34-7	1	P	GW	Federal
N5700	35	180S	070E	4301530247	FEDERAL A35-6	1	P	GW	Federal
N5700	35	180S	070E	4301530248	FEDERAL A35-5	1	P	GW	Federal
N5700	35	180S	070E	4301530446	FEDERAL A 35-89	1	DRL	GW	Federal
N5700	21	190S	070E	4301530243	FEDERAL B21-3	1	S	GW	Federal
N5700	06	200S	070E	4301530294	UTAH FEDERAL H 6-21	1	TA	GW	Federal

6/16/03
move these
ER



Talon Resources, Inc.

Service, Quality and Accuracy

P.O. Box 1230
195 North 100 West
Huntington, Utah 84528
Phone: 435-687-5310

Cell: 435-650-1886
Fax: 435-687-5311
Email: talon@etv.net

January 8, 2003

Mr. Eric Jones
Petroleum Engineer
Bureau of Land Management
82 East Dogwood
Moab, Utah 84532

**RE: Request for approval to utilize Electronic Flow Meters (EFM's);
Sundry Notices for Calibration Reschedule—Texaco E & P, Inc.**

Dear Mr. Jones:

On behalf of Texaco Exploration and Production, Inc. (Texaco), Talon Resources, Inc. respectfully submits this request to utilize Electronic Flow Meters (EFM's) within the Texaco Buzzard Bench and Huntington Canyon Fields comprising all of their operations in Emery County, Utah. Additionally, we have enclosed one original and two copies of the *Sundry Notices and Reports on Wells* for 21 federal wells that we are requesting a calibration reschedule from quarterly to semi-annually.

Thank you very much for your timely consideration of this request and enclosed sundries. Please feel free to contact myself, or Mr. Kern Behling of Texaco at 435-748-5395 if you have any questions or need additional information.

Sincerely,

Don Hamilton
Don Hamilton
Agent for Texaco

cc: Mr. Don Stephens, BLM—Price Field Office
Mrs. Carol Daniels, Division of Oil, Gas and Mining
Mr. Kern Behling, Texaco
Mr. Ian Kephart, Texaco
Texaco Well Files

RECEIVED

JAN 10 2003

DIV. OF OIL, GAS & MINING

FILE COPY

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas

2. Name of Operator

Texaco Exploration and Production, Inc.

3. Address and Telephone No.

P.O. Box 618, Orangeville, Utah 84537 435-748-5395

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

575' FNL, 353' FWL
NW/4 NW/4, Section 11, T18S, R7E, SLB&M

5. Lease Designation and Serial No.

UTU-68535

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

N/A

8. Well Name and No.

USA 11-72

9. API Well No.

43-015-30387

10. Field and Pool, or Exploratory Area

Buzzard Bench

11. County or Parish, State

Emery County, Utah

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Change of Name	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Calibration Reschedule	<input type="checkbox"/> Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E&P, Inc. requests that the calibration schedule of the Electronic Flow Meter (EFM) for the referenced well that makes less than 100 mcf per day be changed from quarterly to semi-annually.

The EFM is located at the well site and all associated measurement and calibration of the EFM will occur at the well site.

Accepted by the
Utah Division of
Oil, Gas and Mining

Date: 1/17/2003
By: *[Signature]*

Federal Approval Of This
Action Is Necessary

COPY SENT TO OPERATOR

Date: 1-21-03
Initials: [Signature]

RECEIVED

JAN 10 2003

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed Don Hamilton Don Hamilton Title Agent for Texaco E&P, Inc. Date January 8, 2003

(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

05/01/2002

FROM: (Old Operator): TEXACO EXPLORATION & PRODUCTION, INC 11111 S. WILCREST Phone: (281) 561-4991 Account No. N5700	TO: (New Operator): CHEVRON U.S.A., INC. 11111 S. WILCREST HOUSTON, TX 77099 Phone: (281) 561-4991 Account No. N0210
---	---

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
UP&L FED 01-101	01	170S	070E	4301530511	13546	Federal	GW	P
UT FED KK 01-140	01	170S	070E	4301530507	13553	Federal	GW	P
UT FED KK 01-141	01	170S	070E	4301530559	13587	Federal	GW	P
USA 34-80	34	170S	070E	4301530389	12765	Federal	GW	P
USA 34-82	34	170S	070E	4301530390	12821	Federal	GW	P
UTAH FED D 34-12	34	170S	070E	4301530282	12074	Federal	GW	P
UTAH FED D 35-13	35	170S	070E	4301530285	12075	Federal	GW	P
UTAH FED D 35-14	35	170S	070E	4301530286	12076	Federal	GW	P
UTAH FED D 35-15	35	170S	070E	4301530287	12077	Federal	GW	P
FEDERAL P 3-92	03	180S	070E	4301530448	13209	Federal	GW	P
FEDERAL P 3-93	03	180S	070E	4301530449	13210	Federal	GW	P
USA 3-74	03	180S	070E	4301530383	12823	Federal	GW	P
USA 3-75	03	180S	070E	4301530384	12822	Federal	GW	P
UTAH FED Q 4-44	04	180S	070E	4301530280	12237	Federal	GW	S
UTAH FED S 8-46	08	180S	070E	4301530274	12239	Federal	GW	P
UTAH FED R 9-45	09	180S	070E	4301530275	12236	Federal	GW	P
UTAH FED P 10-42	10	180S	070E	4301530276	12195	Federal	GW	P
UTAH FED P 10-43	10	180S	070E	4301530277	12198	Federal	GW	P
UTAH FED P 10-47	10	180S	070E	4301530258	11843	Federal	GW	P
USA 11-72	11	180S	070E	4301530387	12824	Federal	GW	P
FEDERAL T 22-69	22	180S	070E	4301530451	12818	Federal	GW	P
FEDERAL C23-8	23	180S	070E	4301530245	11979	Federal	GW	P
FEDERAL A26-2	26	180S	070E	4301530244	11706	Federal	GW	P
FEDERAL A26-4	26	180S	070E	4301530246	11980	Federal	GW	P
FEDERAL T 27-87	27	180S	070E	4301530456	12817	Federal	GW	P
FEDERAL A34-7	34	180S	070E	4301530249	11982	Federal	GW	P
FEDERAL A 35-89	35	180S	070E	4301530446	12819	Federal	GW	P
FEDERAL A35-5	35	180S	070E	4301530248	11983	Federal	GW	P
FEDERAL A35-6	35	180S	070E	4301530247	11981	Federal	GW	P
FEDERAL B21-3	21	190S	070E	4301530243	11713	Federal	GW	TA
UTAH FED H 6-21	06	200S	070E	4301530294	12347	Federal	GW	TA
UTAH FED M 6-25	06	170S	080E	4301530292	12345	Federal	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 05/06/2002

3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 07/15/2003

4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143

5. If **NO**, the operator was contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: not given

8. Federal and Indian Units:

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. Federal and Indian Communization Agreements ("CA"):

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 07/15/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 07/15/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ES0022 *United Pacific (NR-5 rating)

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: Various Leases
2. NAME OF OPERATOR: XTO ENERGY INC. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 2700 Farmington Bldg K, ^{CITY} Farmington ^{STATE} NM ^{ZIP} 87401		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: See attached list
PHONE NUMBER: (505) 324-1090		9. API NUMBER: Multiple
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT: Buzzard Bench
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective August 1, 2004, the operator changed from Chevron U.S.A. Inc. to XTO ENERGY INC. for all wells on the attached list.

BLM #579173

State and Fee Bond #104312762

Kenneth W. Jackson

Kenneth W. Jackson Regulatory Specialist ChevronTexaco for Chevron U.S.A. Inc. *N0210*

NAME (PLEASE PRINT) *James L. Death* TITLE *Vice President - Land*
SIGNATURE *James L. Death* DATE *8/16/04*

(This space for State use only)

APPROVED *9/30/2004*

Erlene Russell

Division of Oil, Gas and Mining
Erlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED

SEP 28 2004

DIV. OF OIL, GAS & MINING

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	TwN-Rng
43-015-30242-00-00	L M LEMMON 10-1	Gas Well	EMERY	SESE	10	17S-8E
43-015-30243-00-00	FEDERAL B21-3	Gas Well	EMERY	NESW	21	19S-7E
43-015-30244-00-00	FEDERAL A26-2	Gas Well	EMERY	SESW	26	18S-7E
43-015-30245-00-00	FEDERAL C23-8	Gas Well	EMERY	NENW	23	18S-7E
43-015-30246-00-00	FEDERAL A26-4	Gas Well	EMERY	SWSE	26	18S-7E
43-015-30247-00-00	FEDERAL A35-6	Gas Well	EMERY	NWNW	35	18S-7E
43-015-30248-00-00	FEDERAL A35-5	Gas Well	EMERY	NWNE	35	18S-7E
43-015-30249-00-00	FEDERAL A34-7	Gas Well	EMERY	NENE	34	18S-7E
43-015-30258-00-00	UTAH FED P 10-47	Gas Well	EMERY	NWNW	10	18S-7E
43-015-30259-00-00	A L JENSEN 27-9	Gas Well	EMERY	SESE	27	21S-6E
43-015-30268-00-00	ST OF UT T 36-10	Gas Well	EMERY	SWNE	36	16S-7E
43-015-30270-00-00	ST OF UT U 2-11	Gas Well	EMERY	NWNW	2	18S-7E
43-015-30272-00-00	SWD 1	Water Disposal Well	EMERY	SWNW	24	18S-7E
43-015-30274-00-00	UTAH FED S 8-46	Gas Well	EMERY	SESW	8	18S-7E
43-015-30275-00-00	UTAH FED R 9-45	Gas Well	EMERY	NWNE	9	18S-7E
43-015-30276-00-00	UTAH FED P 10-42	Gas Well	EMERY	NWNE	10	18S-7E
43-015-30277-00-00	UTAH FED P 10-43	Gas Well	EMERY	NWSE	10	18S-7E
43-015-30280-00-00	UTAH FED Q 4-44	Gas Well	EMERY	SESE	4	18S-7E
43-015-30282-00-00	UTAH FED D 34-12	Gas Well	EMERY	SESE	34	17S-7E
43-015-30285-00-00	UTAH FED D 35-13	Gas Well	EMERY	SWSW	35	17S-7E
43-015-30286-00-00	UTAH FED D 35-14	Gas Well	EMERY	NWNW	35	17S-7E
43-015-30287-00-00	UTAH FED D 35-15	Gas Well	EMERY	SWSE	35	17S-7E
43-015-30292-00-00	UTAH FED M 6-25	Gas Well	EMERY	SENE	6	17S-8E
43-015-30294-00-00	UTAH FED H 6-21	Gas Well	EMERY	SESW	6	20S-7E
43-015-30303-00-00	SWD 3	Water Disposal Well	EMERY	SENE	11	18S-7E
43-015-30306-00-00	ST OF UT U 2-48	Gas Well	EMERY	NWNE	2	18S-7E
43-015-30308-00-00	ST OF UT U 2-50	Gas Well	EMERY	NESW	2	18S-7E
43-015-30309-00-00	ST OF UT U 2-49	Gas Well	EMERY	NWSE	2	18S-7E
43-015-30310-00-00	L & M CURTIS 10-58	Gas Well	EMERY	SWSW	10	18S-7E
43-015-30311-00-00	ST OF UT X 16-66	Gas Well	EMERY	SENE	16	18S-7E
43-015-30312-00-00	ST OF UT X 16-65	Gas Well	EMERY	NWNE	16	18S-7E
43-015-30313-00-00	U P & L 14-53	Gas Well	EMERY	SESE	14	18S-7E
43-015-30314-00-00	U P & L 14-55	Gas Well	EMERY	NWNW	14	18S-7E
43-015-30315-00-00	U P & L 23-51	Gas Well	EMERY	SENE	23	18S-7E
43-015-30316-00-00	U P & L 24-57	Gas Well	EMERY	NWNW	24	18S-7E
43-015-30318-00-00	D & A JONES 15-68	Gas Well	EMERY	NENW	15	18S-7E
43-015-30319-00-00	D&D CURTIS 14-54	Gas Well	EMERY	SENE	14	18S-7E
43-015-30320-00-00	P & K PEACOCK 8-62	Gas Well	EMERY	SWNE	8	18S-7E
43-015-30321-00-00	PEACOCK TRUST 9-60	Gas Well	EMERY	NWSW	9	18S-7E
43-015-30323-00-00	SWD 2	Water Disposal Well	EMERY	NWNW	14	18S-7E
43-015-30324-00-00	R G NORRIS 14-40	Gas Well	EMERY	NESW	14	18S-7E
43-015-30325-00-00	L & M CURTIS 15-67	Gas Well	EMERY	NENE	15	18S-7E
43-015-30326-00-00	PEACOCK TRUST 8-61	Gas Well	EMERY	NESE	8	18S-7E
43-015-30327-00-00	PEACOCK 7-64	Gas Well	EMERY	NENE	7	18S-7E
43-015-30328-00-00	PEACOCK TRUST 8-63	Gas Well	EMERY	SENE	8	18S-7E
43-015-30329-00-00	D & A JONES 9-59	Gas Well	EMERY	SESE	9	18S-7E
43-015-30381-00-00	UTAH STATE 1-76	Gas Well	EMERY	NWNW	1	18S-7E
43-015-30382-00-00	UTAH STATE 36-78	Gas Well	EMERY	SWSW	36	17S-7E
43-015-30383-00-00	USA 3-74	Gas Well	EMERY	SESE	3	18S-7E
43-015-30384-00-00	USA 3-75	Gas Well	EMERY	NENE	3	18S-7E
43-015-30385-00-00	USA 11-70	Gas Well	EMERY	SWSE	11	18S-7E
43-015-30386-00-00	USA 11-71	Gas Well	EMERY	SWNE	11	18S-7E
43-015-30387-00-00	USA 11-72	Gas Well	EMERY	NWNW	11	18S-7E
43-015-30388-00-00	USA 11-73	Gas Well	EMERY	NWSW	11	18S-7E
43-015-30389-00-00	USA 34-80	Gas Well	EMERY	SENE	34	17S-7E
43-015-30390-00-00	USA 34-82	Gas Well	EMERY	SESW	34	17S-7E
43-015-30393-00-00	ST OF UT EE 06-138	Gas Well	EMERY	NENW	6	17S-9E
43-015-30396-00-00	ST OF UT AA 07-106	Gas Well	EMERY	NWNE	7	17S-8E
43-015-30437-00-00	ST OF UT BB 09-119	Gas Well	EMERY	SESW	9	17S-8E
43-015-30438-00-00	ST OF UT CC 10-124	Gas Well	EMERY	SENE	10	17S-8E
43-015-30439-00-00	ST OF UT DD 31-98	Gas Well	EMERY	NWSW	31	17S-8E
43-015-30440-00-00	FEDERAL T 27-85	Gas Well	EMERY	SENE	27	18S-7E
43-015-30441-00-00	UP&L 06-102	Gas Well	EMERY	NENW	6	17S-8E
43-015-30442-00-00	UP&L 06-104	Gas Well	EMERY	NESE	6	17S-8E
43-015-30443-00-00	WM S IVIE ET AL 09-118	Gas Well	EMERY	SWNE	9	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30444-00-00	ST OF UT BB 09-120	Gas Well	EMERY	NESE	9	17S-8E
43-015-30445-00-00	FEDERAL A 26-88	Gas Well	EMERY	SWNW	26	18S-7E
43-015-30446-00-00	FEDERAL A 35-89	Gas Well	EMERY	NWSW	35	18S-7E
43-015-30447-00-00	FEDERAL C 23-84	Gas Well	EMERY	NESW	23	18S-7E
43-015-30448-00-00	FEDERAL P 3-92	Gas Well	EMERY	SESW	3	18S-7E
43-015-30449-00-00	FEDERAL P 3-93	Gas Well	EMERY	SWNW	3	18S-7E
43-015-30450-00-00	FEDERAL T 21-94	Gas Well	EMERY	NENE	21	18S-7E
43-015-30451-00-00	FEDERAL T 22-69	Gas Well	EMERY	NENE	22	18S-7E
43-015-30452-00-00	FEDERAL T 22-83	Gas Well	EMERY	SWSE	22	18S-7E
43-015-30453-00-00	FEDERAL T 22-91	Gas Well	EMERY	NENW	22	18S-7E
43-015-30454-00-00	ST OF UT CC 10-123	Gas Well	EMERY	NWNW	10	17S-8E
43-015-30455-00-00	FEDERAL T 27-86	Gas Well	EMERY	SENE	27	18S-7E
43-015-30456-00-00	FEDERAL T 27-87	Gas Well	EMERY	SESE	27	18S-7E
43-015-30457-00-00	FEDERAL T 27-90	Gas Well	EMERY	NWSW	27	18S-7E
43-015-30458-00-00	ST OF UT FF 10-125	Gas Well	EMERY	NESW	10	17S-8E
43-015-30459-00-00	ST OF UT FF 11-129	Gas Well	EMERY	NWNW	11	17S-8E
43-015-30462-00-00	ST OF UT FF 11-130	Gas Well	EMERY	NWSW	11	17S-8E
43-015-30478-00-00	GARDNER TRUST ET AL 16-121	Gas Well	EMERY	NENE	16	17S-8E
43-015-30479-00-00	ST OF UT BB 05-107	Gas Well	EMERY	SENE	5	17S-8E
43-015-30480-00-00	ST OF UT BB 05-108	Gas Well	EMERY	NWSW	5	17S-8E
43-015-30481-00-00	ST OF UT BB 05-109	Gas Well	EMERY	SENE	5	17S-8E
43-015-30482-00-00	ST OF UT BB 05-110	Gas Well	EMERY	SWSE	5	17S-8E
43-015-30483-00-00	UP&L 06-103	Gas Well	EMERY	NESW	6	17S-8E
43-015-30484-00-00	AMERICA WEST GROUP ET AL 15-126	Gas Well	EMERY	NENW	15	17S-8E
43-015-30485-00-00	W H LEONARD ET AL 15-127	Gas Well	EMERY	NENE	15	17S-8E
43-015-30486-00-00	ROWLEY 08-111	Gas Well	EMERY	SENE	8	17S-8E
43-015-30490-00-00	SWD 4	Water Disposal Well	EMERY	SENE	15	17S-8E
43-015-30495-00-00	SEELEY 08-112	Gas Well	EMERY	NENE	8	17S-8E
43-015-30496-00-00	ST OF UT BB 08-113	Gas Well	EMERY	NWSE	8	17S-8E
43-015-30497-00-00	ST OF UT AA 07-105	Gas Well	EMERY	SWNW	7	17S-8E
43-015-30498-00-00	ST OF UT 01-97	Gas Well	EMERY	SENE	1	18S-7E
43-015-30499-00-00	ST OF UT GG 03-122	Gas Well	EMERY	SWSW	3	17S-8E
43-015-30500-00-00	ST OF UT HH 03-133	Gas Well	EMERY	SWSE	3	17S-8E
43-015-30501-00-00	SEELEY FARMS 09-117	Gas Well	EMERY	NWNW	9	17S-8E
43-015-30502-00-00	ST OF UT GG 15-128	Gas Well	EMERY	NWSW	15	17S-8E
43-015-30503-00-00	ST OF UT BB 04-116	Gas Well	EMERY	SWSE	4	17S-8E
43-015-30504-00-00	ST OF UT GG 04-115	Gas Well	EMERY	NESW	4	17S-8E
43-015-30505-00-00	BURNSIDE 14-132	Gas Well	EMERY	NWNE	14	17S-8E
43-015-30506-00-00	ST OF UT T 36-100	Gas Well	EMERY	NESE	36	16S-7E
43-015-30507-00-00	UT FED KK 01-140	Gas Well	EMERY	SENE	1	17S-7E
43-015-30508-00-00	ST OF UT II 36-96	Gas Well	EMERY	NWSE	36	17S-7E
43-015-30509-00-00	ST OF UT II 36-95	Gas Well	EMERY	NWNE	36	17S-7E
43-015-30510-00-00	SWD 5	Water Disposal Well	EMERY	SESE	23	17S-8E
43-015-30511-00-00	UP&L FED 01-101	Gas Well	EMERY	SENE	1	17S-7E
43-015-30520-00-00	ST OF UT SS 22-165	Gas Well	EMERY	NENE	22	17S-8E
43-015-30521-00-00	ZIONS FED 35-135R (RIG SKID)	Gas Well	EMERY	NESW	35	16S-7E
43-015-30528-00-00	ST OF UT 14-170	Gas Well	EMERY	SWSE	14	17S-8E
43-015-30529-00-00	CONOVER 14-171	Gas Well	EMERY	NWSW	14	17S-8E
43-015-30530-00-00	ST OF UT 36-139	Gas Well	EMERY	NWSW	36	16S-7E
43-015-30533-00-00	ST OF UT FO 02-186	Gas Well	EMERY	NENW	2	17S-8E
43-015-30549-00-00	ST OF UT JJ 03-160	Gas Well	EMERY	NWNW	3	17S-8E
43-015-30550-00-00	ST OF UT 36-138	Gas Well	EMERY	SWNW	36	16S-7E
43-015-30551-00-00	UT FED P 12-153	Gas Well	EMERY	NWNW	12	18S-7E
43-015-30552-00-00	ST OF UT CC 03-161	Gas Well	EMERY	SENE	3	17S-8E
43-015-30553-00-00	ST OF UT FO 02-188	Gas Well	EMERY	NWSW	2	17S-8E
43-015-30554-00-00	ST OF UT BB 04-158	Gas Well	EMERY	NENW	4	17S-8E
43-015-30555-00-00	ST OF UT BB 04-159	Gas Well	EMERY	SWNE	4	17S-8E
43-015-30556-00-00	MALONE 14-131	Gas Well	EMERY	SWNW	14	17S-8E
43-015-30559-00-00	UT FED KK 01-141	Gas Well	EMERY	SESE	1	17S-7E
43-015-30560-00-00	ST OF UT FO 02-189	Gas Well	EMERY	SWNE	2	17S-8E
43-015-30561-00-00	ST OF UT GG 15-184	Gas Well	EMERY	NWSE	15	17S-8E
43-015-30562-00-00	STATE OF UTAH "LL" 31-20	Gas Well	EMERY	NWNW	31	17S-8E
43-015-30566-00-00	ST OF UT "KK" 32-145	Gas Well	EMERY	NESE	32	16S-8E
43-015-30567-00-00	ST OF UT "KK" 32-144	Gas Well	EMERY	SWSW	32	16S-8E
43-015-30568-00-00	ST OF UT "AA" 18-153	Gas Well	EMERY	SESW	18	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	TwN-Rng
43-015-30569-00-00	ST OF UT "AA" 07-146	Gas Well	EMERY	NESW	7	17S-8E
43-015-30570-00-00	ST OF UT "AA" 18-154	Gas Well	EMERY	NESE	18	17S-8E
43-015-30571-00-00	ST OF UT "AA" 17-156	Gas Well	EMERY	SWSE	17	17S-8E
43-015-30572-00-00	ST OF UT "AA" 18-149	Gas Well	EMERY	SENW	18	17S-8E
43-015-30573-00-00	ST OF UT "MM" 20-192	Gas Well	EMERY	SENW	20	17S-8E
43-015-30574-00-00	ST OF UT "MM" 20-193	Gas Well	EMERY	NENE	20	17S-8E
43-015-30575-00-00	ST OF UT MM 20-194	Gas Well	EMERY	NWSW	20	17S-8E
43-015-30576-00-00	ST OF UT AA 07-147	Gas Well	EMERY	SESE	7	17S-8E
43-015-30577-00-00	ST OF UT BB 08-148	Gas Well	EMERY	NWSW	8	17S-8E
43-015-30578-00-00	ST OF UT AA 18-150	Gas Well	EMERY	NWNE	18	17S-8E
43-015-30579-00-00	ST OF UT NN 19-157	Gas Well	EMERY	NENE	19	17S-8E
43-015-30580-00-00	ST OF UT AA 17-152	Gas Well	EMERY	NENE	17	17S-8E
43-015-30581-00-00	ST OF UT OO 16-190	Gas Well	EMERY	NESW	16	17S-8E
43-015-30582-00-00	ST OF UT PP 16-191	Gas Well	EMERY	NESE	16	17S-8E
43-015-30583-00-00	ST OF UT AA 17-151	Gas Well	EMERY	NENW	17	17S-8E
43-015-30585-00-00	ST OF UT MM 21-195	Gas Well	EMERY	NENW	21	17S-8E
43-015-30586-00-00	ST OF UT GG 21-163	Gas Well	EMERY	NENE	21	17S-8E
43-015-30587-00-00	ZIONS FED 35-137	Gas Well	EMERY	NESE	35	16S-7E
43-015-30589-00-00	UTAH FED 01-205D	Gas Well	EMERY	SENW	1	17S-7E
43-015-30590-00-00	ZIONS FED 02-134	Gas Well	EMERY	NWNW	2	17S-7E
43-015-30591-00-00	UTAH FED 12-197	Gas Well	EMERY	SENE	12	17S-7E
43-015-30592-00-00	ST OF UT QQ 31-201	Gas Well	EMERY	SESW	31	16S-8E
43-015-30593-00-00	ST OF UT AA 17-155	Gas Well	EMERY	SWSW	17	17S-8E
43-015-30601-00-00	UTAH FED 12-199	Gas Well	EMERY	NESE	12	17S-7E
43-015-30602-00-00	UTAH FED 35-196	Gas Well	EMERY	NENW	35	16S-7E
43-015-30603-00-00	UTAH FED 35-136	Gas Well	EMERY	SWNE	35	16S-7E
43-015-30604-00-00	UT FED 12-200D	Gas Well	EMERY	NESE	12	17S-7E
43-015-30605-00-00	UT FED 12-198D	Gas Well	EMERY	SENE	12	17S-7E
43-015-30606-00-00	ST OF UT QQ 31-204D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30607-00-00	ST OF UT QQ 31-203D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30608-00-00	ST OF UT QQ 31-202D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30609-00-00	ST OF UT HH 23-166	Gas Well	EMERY	NENW	23	17S-8E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: <u>8/1/2004</u>	
FROM: (Old Operator): N0210-Chevron USA, Inc 11111 S Wilcrest Houston, TX 77099 Phone: 1-(281) 561-4991	TO: (New Operator): N2615-XTO Energy Inc 2700 Farmington Ave, Bldg K Suite 1 Farmington, NM 87401 Phone: 1-(505) 324-1090

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
USA 34-80	34	170S	070E	4301530389	12765	Federal	GW	P
USA 34-82	34	170S	070E	4301530390	12821	Federal	GW	S
USA 3-75	03	180S	070E	4301530384	12822	Federal	GW	P
FEDERAL P 3-92	03	180S	070E	4301530448	13209	Federal	GW	P
FEDERAL P 3-93	03	180S	070E	4301530449	13210	Federal	GW	S
USA 11-70	11	180S	070E	4301530385		Federal	GW	APD C
USA 11-71	11	180S	070E	4301530386		Federal	GW	APD C
USA 11-72	11	180S	070E	4301530387	12824	Federal	GW	P
USA 11-73	11	180S	070E	4301530388		Federal	GW	APD C
FEDERAL T 21-94	21	180S	070E	4301530450		Federal	GW	APD C
FEDERAL T 22-69	22	180S	070E	4301530451	12818	Federal	GW	P
FEDERAL T 22-83	22	180S	070E	4301530452		Federal	GW	APD C
FEDERAL T 22-91	22	180S	070E	4301530453		Federal	GW	APD C
FEDERAL C 23-84	23	180S	070E	4301530447		Federal	GW	APD C
FEDERAL A 26-88	26	180S	070E	4301530445		Federal	GW	APD C
FEDERAL T 27-85	27	180S	070E	4301530440		Federal	GW	APD C
FEDERAL T 27-86	27	180S	070E	4301530455		Federal	GW	APD C
FEDERAL T 27-87	27	180S	070E	4301530456	12817	Federal	GW	P
FEDERAL T 27-90	27	180S	070E	4301530457		Federal	GW	APD C
FEDERAL A 35-89	35	180S	070E	4301530446	12819	Federal	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/28/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/28/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/19/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5655506-0143
- If **NO**, the operator was contacted on:
- a. (R649-9-2)Waste Management Plan has been received on: to follow
- b. Inspections of LA PA state/fee well sites complete on: being worked

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/28/2004

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/30/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/30/2004
3. Bond information entered in RBDMS on: 9/30/2004
4. Fee/State wells attached to bond in RBDMS on: 9/30/2004
5. Injection Projects to new operator in RBDMS on: 9/30/2004
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/28/2004

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 579173

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 104312762

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 10/5/2004

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU-68535
2. Name of Operator XTO ENERGY INC.		6. If Indian, Allottee or Tribe Name
3a. Address 2700 Farmington Ave. Bldg K, Suite 1 Farmington, NM 87401	3b. Phone No. (include area code) (505) 324-1090	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		8. Well Name and No. All Wells on Lease
		9. API Well No. Multiple
		10. Field and Pool, or Exploratory Area Buzzard's Bench
		11. County or Parish, State Emery, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <u>Operator Change</u>

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Effective August 1, 2004, the operator for lease # UTU 68535 changed from Chevron U.S.A. Inc. to XTO ENERGY INC.

XTO ENERGY's Nationwide Bond is ~~579473~~.

UTB000138
(Surety ID: 104312750)

RECEIVED
MOAB FIELD OFFICE
2004 SEP 29 P 3:02
DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

CONFIDENTIAL

11-70, 11-71 and 11-73 locations are not approved.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) <i>Edwin S. Ryan, JR.</i>	Title SR VP-Land
Signature <i>Edwin S. Ryan, JR.</i>	Date 9/27/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by ACCEPTED	Division of Resources Moab Field Office Office	Date SEP 29 2004
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
OCT 27 2004

cc: u006m

Conditions Attached

DIV. OF OIL, GAS & MINING

API Well Number	Well Name	Well Type	Well Status	County Name	Slant	Qtr/Qtr	Section	Location (Twn-Rng)
43-015-30258-00-00	UTAH FED P 10-47✓	Gas Well	Producing	EMERY	UTU68535	NWNW	10	18S-7E
43-015-30276-00-00	UTAH FED P 10-42✓	Gas Well	Producing	EMERY	UTU68535	NWNE	10	18S-7E
43-015-30277-00-00	UTAH FED P 10-43✓	Gas Well	Producing	EMERY	UTU68535	NWSE	10	18S-7E
43-015-30384-00-00	USA 3-75	Gas Well	Producing	EMERY	UTU68535	NENE	3	18S-7E
43-015-30385-00-00	USA 11-70	Gas Well	Approved permit (APD); not yet spudded <i>Permit Expired</i>	EMERY	UTU68535	SWSE	11	18S-7E
43-015-30386-00-00	USA 11-71	Gas Well	Approved permit (APD); not yet spudded <i>Permit Expired</i>	EMERY	UTU68535	SWNE	11	18S-7E
43-015-30387-00-00	USA 11-72	Gas Well	Producing	EMERY	UTU68535	NWNW	11	18S-7E
43-015-30388-00-00	USA 11-73	Gas Well	Approved permit (APD); not yet spudded <i>Permit Expired</i>	EMERY	UTU68535	NWSW	11	18S-7E
43-015-30449-00-00	FEDERAL P 3-93✓	Gas Well	Shut-In	EMERY	UTU68535	SWNW	3	18S-7E
43-015-30551-00-00	UT FED P 12-153✓	Gas Well	Approved permit (APD); not yet spudded <i>status</i>	EMERY	UTU68535	NWNW	12	18S-7E

The BLM permits for #11-70, 11-71 and 11-73 have expired. If XTO intends to drill in these locations, new permits must first be submitted for approval.

XTO Energy Inc.
Well Nos. P 3-93, P 10-42, P 10-43, P 10-47,
P 12-153, USA 3-75 and USA 11-72
Sections 3, 10, 11, and 12, T. 18 S., R. 7 E.
Lease UTU68535
Emery County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that XTO Energy Inc. is considered to be the operator of the above wells effective August 1, 2004, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these well is provided by UTB000138 (Principal – XTO Energy Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Well locations 11-70, 11-71 and 11-73 are not approved with this application. BLM permit approvals for these three locations have expired. If XTO Energy Inc. intends to drill at these locations, new permits must first be submitted to this office for approval.

Well No. P 12-153 is an approved application that has not yet been drilled. BLM approval to drill at this location expires 8/13/05.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

4301530387 FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER UTU-73965
2. NAME OF OPERATOR XTO ENERGY INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR 2700 Farmington, Bldg K-1 CITY Farmington STATE NM ZIP 87401		7. UNIT or CA AGREEMENT NAME
4. LOCATION OF WELL FOOTAGES AT SURFACE: 660' FSK & 792' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN SESE 10 17S 08E		8. WELL NAME and NUMBER LM LEMMON #10-01
PHONE NUMBER: (505) 324-1090		9. APJ NUMBER: Various (see attached)
COUNTY: EMERY		10. FIELD AND POOL, OR WILDCAT: FERRON SANDSTONE
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start 1/1/2004	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input checked="" type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. acquired wells from Chevron/Texaco on August 1, 2004. Chevron/Texaco failed to file a Notice of Intent to surface commingle these wells and XTO Energy Inc. was unaware until recently that nothing had been filed. We are including with this application for surace commingle a list of the wells in Emery County and a spreadsheet showing production figures for these wells. Each well has its own meter then runs through a central delivery point where allocations are made.

XTO Energy Inc. is requesting approval for the commingle of these wells as well as off-lease measurement. As wells are drilled, additional sundries will be submitted to add to our surface commingle.

COPY SENT TO OPERATOR
Date: 6-12-07
Initials: RM

NAME (PLEASE PRINT) HOLLY C. PERKINS	TITLE REGULATORY COMPLIANCE TECH
SIGNATURE <i>Holly C. Perkins</i>	DATE 5/15/2007

This space for State use only)

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 5/15/07
BY: *[Signature]*

Federal Approval Of This
Action Is Necessary

RECEIVED
MAY 18 2007

DIV. OF OIL, GAS & MINING

Utah Wells Surface Commingled at Huntington CDP

Well Name	API #	Status	Lease
American West Group 15-128	43-015-30484	Shut In	State
Conover 14-171	43-015-30529	Producing	State
Gardner Trust 16-121	43-015-30478	Producing	State
Lemmon LM 10-01	43-015-30242	Producing	Federal
Malone 14-131	43-015-30556	Producing	State
Rowley 08-111	43-015-30486	Producing	State
Seeley 08-112	43-015-30495	Producing	State
Seeley Farms 09-117	43-015-30501	Producing	State
State of Utah 16-8-31-12D	43-015-30608	Producing	State
State of Utah 16-8-31-32DX	43-015-30634	Producing	State
State of Utah 16-8-31-44D	43-015-30606	Producing	State
State of Utah 16-8-32-43	43-015-30566	Producing	State
State of Utah 17-8-15-14	43-015-30622	Producing	State
State of Utah 17-8-15-33	43-015-30561	Producing	State
State of Utah 17-8-17-32	43-015-30672	Producing	State
State of Utah 17-8-18-12	43-015-30626	Producing	State
State of Utah 17-8-18-24	43-015-30678	Producing	State
State of Utah 17-8-18-31	43-015-30671	Producing	State
State of Utah 17-8-18-43	43-015-30670	Producing	State
State of Utah 17-8-20-22	43-015-30623	Producing	State
State of Utah 17-8-21-33	43-015-30679	Producing	State
State of Utah 17-8-21-41	43-015-30631	Producing	State
State of Utah 17-8-22-14	43-015-30676	Producing	State
State of Utah 17-8-22-21	43-015-30624	Producing	State
State of Utah 17-8-28-12X	43-015-30699	Producing	State
State of Utah 17-8-3-11X	43-015-30635	Producing	State
State of Utah 17-8-4-21	43-015-30620	Producing	State
State of Utah 17-8-5-42R	43-015-30686	Producing	State
State of Utah 17-8-7-34	43-015-30621	Producing	State
State of Utah 17-8-8-14	43-015-30673	Producing	State
State of Utah 36-138	43-015-30550	Producing	State
State of Utah 36-139	43-015-30530	Producing	State
State of Utah AA 07-105	43-015-30497	Producing	State
State of Utah AA 07-106	43-015-30396	Producing	State
State of Utah AA 07-146	43-015-30569	Producing	State
State of Utah BB 04-116	43-015-30503	Producing	State
State of Utah BB 05-107	43-015-30479	Producing	State
State of Utah BB 05-108	43-015-30480	Producing	State
State of Utah BB 05-109	43-015-30481	P&A	State
State of Utah BB 05-110	43-015-30482	Producing	State
State of Utah BB 08-113	43-015-30496	Shut In	State
State of Utah BB 09-119	43-015-30437	Producing	State
State of Utah BB 09-120	43-015-30444	Producing	State
State of Utah CC 03-161	43-015-30552	Producing	State
State of Utah CC 10-123	43-015-30454	Producing	State
State of Utah CC 10-124	43-015-30438	Producing	State
State of Utah FF 10-125	43-015-30458	Producing	State
State of Utah FF 11-129	43-015-30459	Producing	State
State of Utah FF 11-130	43-015-30462	Shut In	State

Utah Wells Surface Commingled at Huntington CDP

State of Utah FO 02-186	43-015-30533	Producing	State
State of Utah FO 02-188	43-015-30553	Producing	State
State of Utah GG 03-122	43-015-30499	Producing	State
State of Utah GG 04-115	43-015-30504	Producing	State
State of Utah HH 03-133	43-015-30500	Producing	State
State of Utah II 36-95	43-015-30509	Producing	State
State of Utah II 36-96	43-01530508	Shut In	State
State of Utah KK 32-144	43-015-30567	Producing	State
State of Utah QQ 31-201	43-015-30592	Producing	State
State of Utah SS 22-165	43-015-30520	Producing	State
State of Utah T 36-10	43-015-30268	Producing	State
State of Utah T 36-100	43-015-30506	Producing	State
UP&L 06-102	43-015-30441	Producing	State
UP&L 06-103	43-015-30483	Producing	State
UP&L 06-104	43-015-30442	Producing	State
UP&L Federal 01-101	43-015-30511	Producing	Federal
Utah Federal 01-205D	43-015-30589	Producing	Federal
* Utah Federal 16-7-35-21	43-015-30602	Producing	Federal
* Utah Federal 16-7-35-32	43-015-30603	Producing	Federal
X Utah Federal 17-7-12-22D	43-015-30605	Producing	Federal
Utah Federal 17-7-12-24D	43-015-30604	Producing	Federal
+ Utah Federal 17-7-12-42	43-015-30591	Producing	Federal
Utah Federal 17-7-12-43	43-015-30601	Producing	Federal
Utah Federal 17-7-3-41D	43-015-30697	Producing	Federal
Utah Federal KK 01-140	43-015-30507	Producing	Federal
Utah Federal KK 01-141	43-015-30559	Producing	Federal
Utah Federal M 06-25	43-015-30292	Producing	Federal
WH Leonard 15-127	43-015-30485	Producing	State
Wm S Ivie 09-118	43-015-30443	Producing	State
Zion's Federal 35-135R	43-015-30521	Producing	Federal
+ Zion's Federal 17-7-2-11	43-015-30590	Producing	Federal
Zion's Federal 35-137	43-015-30587	Producing	Federal

Utah Wells Surface Commingled at Orangeville CDP

Well Name	API #	Status	Lease	Notes
Curtis D&D 14-54	43-015-30319	Shut In	Federal	
Curtis L&M 10-58	43-015-30310	Shut In	Federal	
Curtis L&M 15-67	43-015-30325	Producing	Federal	
Federal A 18-7-26-12	43-015-30445	Producing	Federal	
Federal A 26-02	43-015-30244	Shut In	Federal	
Federal A 26-04	43-015-30246	Shut In	Federal	
Federal A 34-07	43-015-30249	Producing	Federal	
Federal A 35-05	43-015-30248	Producing	Federal	
Federal A 35-06	43-015-30247	Producing	Federal	
Federal A 35-89	43-015-30446	Producing	Federal	
Federal B 21-03	43-015-30243	Shut In	Federal	
Federal C 18-7-23-23R	43-015-30629	Producing	Federal	
Federal C 23-08	43-015-30245	Producing	Federal	
Federal P 03-92	43-015-30448	Producing	Federal	
Federal P 03-93	43-015-30449	Producing	Federal	
Federal T 18-07-22-34	43-015-30452	Producing	Federal	
Federal T 22-69	43-015-30451	Producing	Federal	
Federal T 27-87	43-015-30456	P&A	Federal	
Ferron St 4-36-18-7	43-015-30253	Producing	Federal	Operator: Merrion Oil & Gas
Jensen AL 27-09	43-015-30259	Shut In	State	
Jones D&A 09-59	43-015-30329	Producing	Federal	
Jones D&A 15-68	43-015-30318	Shut In	State	
Klinkhammer 1	43-015-30610	Shut In	Federal	Operator: Merrion Oil & Gas
Norris RG 14-40	43-015-30324	Producing	Federal	
Peacock 07-64	43-015-30327	Producing	Federal	
Peacock P&K 08-62	43-015-30320	Producing	Federal	
Peacock Trust 08-61	43-015-30326	Producing	Federal	
Peacock Trust 08-63	43-015-30328	Producing	Federal	
Peacock Trust 09-60	43-015-30321	Producing	Federal	
State of Utah 01-97	43-015-30498	Producing	State	
State of Utah 17-7-36-33R	43-015-30687	Producing	State	
State of Utah 17-8-19-11D	43-015-30695	P&A	State	
State of Utah 18-7-2-33R	43-015-30674	Producing	State	
State of Utah DD 31-98	43-015-30439	Producing	State	
State of Utah II 36-95	43-015-30509	Producing	State	
State of Utah II 36-96	43-015-30508	P&A	State	
State of Utah U 02-11	43-015-30270	Producing	State	
State of Utah U 02-48	43-015-30306	Producing	State	
State of Utah U 02-49	43-015-30309	P&A	State	
State of Utah U 02-50	43-015-30308	Producing	State	
State of Utah X 16-65	43-015-30312	Shut In	State	
State of Utah X 16-66	43-015-30311	Producing	State	
UP&L 14-53	43-015-30313	Producing	State	
UP&L 14-55	43-015-30314	Producing	Federal	
UP&L 23-51	43-015-30315	Producing	Federal	
UP&L 24-57	43-015-30316	Producing	State	
USA 03-74	43-015-30383	Producing	Federal	

Utah Wells Surface Commingled at Orangeville CDP

USA 03-75	43-015-30384	Producing	Federal	
USA 11-72	43-015-30387	Producing	Federal	
USA 18-7-11-23	43-015-30640	Producing	State	
USA 34-80	43-015-30389	Shut In	Federal	
USA 34-82	43-015-30390	Producing	Federal	
Utah Federal 17-7-35-42	43-015-30641	Drilling	Federal	
Utah Federal 18-7-27-44R	43-015-30628	Producing	Federal	
Utah Federal 18-7-9-11	43-015-30639	Producing	Federal	
Utah Federal D 34-12	43-015-30282	Producing	Federal	
Utah Federal D 35-13	43-015-30285	Producing	Federal	
Utah Federal D 35-14	43-015-30286	Producing	Federal	
Utah Federal D 35-15	43-015-30287	Producing	Federal	
Utah Federal H 06-21	43-015-30294	TA	Federal	
Utah Federal P 10-42	43-015-30276	Producing	Federal	
Utah Federal P 10-43	43-015-30277	Producing	Federal	
Utah Federal P 10-47	43-015-30258	Producing	Federal	
Utah Federal Q 04-44	43-015-30280	Producing	Federal	
Utah Federal R 09-45	43-015-30275	Producing	Federal	
Utah Federal S 08-46	43-015-30274	Producing	Federal	
Utah State 01-76	43-015-30381	Producing	State	
Utah State 36-78	43-015-30382	Producing	State	

BUZZARD BENCH NATURAL PRODUCTION

MONTHLY GAS PRODUCTION

Apr-05

Region Wells

WELL No.	Days On	MONTHLY WATER PRODUCTION	FIELD ESTIMATED PRODUCTION										ACTUAL ALLOCATED SALES					FIELD PRODUCTION	
			Coastal Statement	PROD %	FIELD EST. PROD	Gas	Lse Use Gas	Vented CO2	VENIED GAS	ADJ	FIELD ESTIMATED SALES	ALLOCATED SALES	Lse Use Gas	Vented CO2	VENIED GAS	ADJ			
																	VENIED GAS		ADJ
10-01	30	495	1476	0.00488716	1479	45	36	98	1708	88	179	1298	1246	81	98	98	98	179	1425
T35-10	30	2667	19292	0.06048442	18298	45	447	1708	1708	2200	2200	16099	15424	492	1708	1708	1708	2200	17624
M08-25	30	723	16969	0.05610978	16975	45	414	2280	2280	2739	2739	14236	14308	459	2280	2280	2739	17047	
H06-21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
H06-21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
07-106	30	579	5052	0.01673803	5064	45	124	789	789	958	958	4106	4288	169	789	789	958	5226	
09-119	30	785	725	0.00240098	726	45	18	108	108	171	171	558	612	53	108	108	171	783	
09-119	30	729	951	0.00314459	951	45	23	38	38	176	176	645	802	68	38	38	106	909	
10-124	30	823	20112	0.08850244	20119	45	491	2219	2219	2755	2755	17354	18959	536	2219	2219	2755	19714	
06-102	30	803	12922	0.04272795	12925	45	315	2156	2156	2516	2516	10410	10895	350	2156	2156	2516	13412	
06-104	30	163	757	0.00263536	797	45	19	100	100	164	164	633	672	64	100	100	164	836	
09-118	30	214	899	0.00297264	899	45	22	80	80	47	47	752	758	67	80	80	147	905	
09-120	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
18-7-23-23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
17-8-15-33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10-123	30	261	1348	0.0044573	1348	45	33	89	89	167	167	1182	1137	78	89	89	167	1304	
10-125	30	286	536	0.00177234	538	45	13	32	32	90	90	446	452	58	32	32	90	542	
11-129	29	0	306	0.00130942	395	44	10	16	16	55	55	327	334	53	16	16	59	403	
11-130	30	1847	182	0.00053557	162	45	4	7	7	56	56	106	137	49	7	7	56	193	
11-130	30	276	757	0.0025031	757	45	18	42	42	105	105	552	638	63	42	42	105	743	
TRUST ET AL	16-121	30	276	757	0.0025031	757	45	18	42	105	105	552	638	63	42	42	105	743	
B	05-107	29	242	8230	0.02721336	8233	44	201	1397	1397	1641	6591	6940	244	1397	1397	1641	8581	
B	05-108	30	611	4934	0.01631479	4936	45	120	830	830	955	3940	4160	165	830	830	955	5155	
B	05-109	30	113	1252	0.00413987	1252	45	31	133	133	209	1044	1056	76	133	133	209	1285	
B	05-110	30	31	1462	0.00483426	1463	45	36	194	194	275	1188	1233	81	194	194	275	1508	
B	05-110	30	31	1462	0.00483426	1463	45	36	194	194	275	1188	1233	81	194	194	275	1508	
B	05-110	30	31	1462	0.00483426	1463	45	36	194	194	275	1188	1233	81	194	194	275	1508	
B	05-110	30	31	1462	0.00483426	1463	45	36	194	194	275	1188	1233	81	194	194	275	1508	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509	9210	
B	05-103	30	946	9133	0.03019922	9136	45	223	1241	1241	1509	7627	7701	268	1241	1241	1509		

Oil Wells

		FIELD ESTIMATED PRODUCTION											ACTUAL ALLOCATED SALES				TOTAL	FIELD
Days	MONTHLY WATER PRODUCTION	Costal Statement	PROD %	FIELD EST PROD	Irr Gas	Lse Use Gas	Vented Gas	Vented Gas	VENTED GAS	ADJ	FIELD ESTIMATED SALES	ALLOCATED SALES	Lse Use Gas	Vented CO2	TOTAL VENTED	TOTAL ADJ	FIELD PRODUCTION	
On										(i)			(m)			(j)		
B21-03	5																	
A26-02	25	88	490	0.00165775	490	39	13	15	15	67	423	432	52	15	0	15	499	
C23-08	30	3432	9140	0.003922205	9,140	45	236	437	437	718	8,422	8,062	281	437	0	437	8,780	
A25-04	15		68	0.00023905	58	23	2	2	2	26	42	60	24	2	0	2	86	
A35-06	30	241	29099	0.09844307	29,098	45	750	1,706	1,706	2,501	26,597	25,655	795	1,706	0	1,706	28,166	
A35-05	18	700	2591	0.00037773	289	27	7	7	7	41	248	255	34	7	0	7	298	
A34-07	30	2845	5383	0.01821153	5,383	45	139	361	361	545	4,838	4,748	184	361	0	361	5,293	
P10-47	30	734	391	0.00047028	139	210	4	6	6	220	-81	123	214	0	0	0	343	
A27-09	0																	
NAME PROB																		
U02-11	30	50211	15291	0.05173154	15,291	45	304	1,255	1,255	694	13,597	13,487	439	1,255	0	1,255	15,181	
S06-46	29	1	519	0.00175586	519	203	13	230	230	448	73	458	216	230	0	230	904	
R09-45	30	36	444	0.00150212	444	210	11	102	102	323	121	392	221	102	0	102	715	
P10-42	29	7609	819	0.0027708	819	44	21	144	144	206	610	722	65	144	0	144	931	
P10-43	30	3050	605	0.00204681	605	45	16	61	61	22	483	534	61	61	0	61	659	
Q04-44	16	5442	71	0.0002402	71	12	2	11	11	125	64	63	114	11	0	11	189	
D34-12	24	2583	1471	0.00197662	1,471	36	38	126	126	206	1,271	1,297	74	126	0	126	1,497	
D35-13	30	142110	895	0.0003131	396	45	23	349	349	417	479	790	68	349	0	349	1,207	
D35-14	24	647	233	0.00099126	293	36	8	57	57	101	192	258	44	57	0	57	355	
D35-15	30	1630	20903	0.07071811	20,903	45	539	1,326	1,326	1,910	18,993	18,486	584	1,326	0	1,326	20,346	
H06-21	0																	
U02-48	25	7527	2310	0.00781509	2,310	42	60	148	148	250	2,060	2,037	102	148	0	148	2,287	
U02-50	30	706	2703	0.00914467	2,703	45	70	165	165	280	2,423	2,384	115	165	0	165	2,864	
U02-49	15	173	347	0.0017395	347	23	9	18	18	49	296	305	31	18	0	18	355	
X16-66	28	307	290	0.00098112	290	42	7	38	38	87	203	256	49	38	0	38	343	
X16-65	0																	
14-53	30	298	827	0.0029787	827	45	21	50	50	116	711	729	66	50	0	50	845	
14-55	30	9023	6552	0.41965343	124,042	90	3,196	7,739	7,739	11,025	113,017	109,405	3,265	7,739	0	7,739	120,430	
14-55A	30		58520															
23-51	30	175	259	0.00091007	259	45	7	49	49	61	208	237	52	49	0	49	258	
24-57	30	254	581	0.00230393	581	45	18	22	22	85	595	601	63	22	0	22	688	
15-68	0																	
14-54	0																	
08-62	29	23	491	0.00166113	491	44	13	179	179	235	256	433	55	179	0	179	668	
CK																		
U09-60	29	1445	1074	0.00363351	1,074	44	28	294	294	365	709	947	71	294	0	294	1,312	
14-40	30	4320	2701	0.00913379	2,701	45	70	154	154	269	2,432	2,382	115	154	0	154	2,851	
15-67	26	1202	251	0.000863	251	39	7	14	14	60	201	230	46	14	0	14	290	
U09-61	30	478	9427	0.03189301	9,427	45	243	528	528	816	8,611	8,315	288	528	0	528	9,131	
U07-54	30	1092	1557	0.00560589	1,557	45	43	495	495	583	1,074	1,461	88	495	0	495	2,044	
U07-54	30	264	1554	0.00559574	1,554	45	43	495	495	583	777	1,459	88	495	0	495	2,324	
U08-63	30																	
U09-59	0																	
01-76	30	3108	4980	0.01684812	4,980	45	128	326	326	499	4,481	4,392	173	326	0	326	4,891	
36-78	30	903	5802	0.01962907	5,802	45	150	380	380	575	5,227	5,117	195	380	0	380	5,592	
03-74	27	24620	1325	0.00448258	1,325	41	34	30	30	105	1,220	1,169	75	30	0	30	1,274	
03-75	30	5879	4396	0.01487235	4,396	45	113	290	290	457	3,939	3,877	158	290	0	290	4,334	
11-72	30	45297	922	0.00311927	922	45	24	177	177	246	675	813	69	177	0	177	1,059	
34-80	15	44	113	0.0003823	113	24	3	21	21	48	65	100	27	21	0	21	148	
34-82	0																	
31-98	30	10	1482	0.00501384	1,482	45	38	133	133	216	1,286	1,307	83	133	0	133	1,523	
A35-89	30	99021	34803	0.1174399	34,803	45	897	2,021	2,021	2,963	31,840	30,696	942	2,021	0	2,021	33,659	
P03-92	30	1194	396	0.00299748	396	45	23	89	89	157	729	781	68	89	0	89	938	
P03-93	28	9434	546	0.00218552	646	42	17	96	96	155	491	570	59	96	0	96	725	
T22-59	30	320	1130	0.00382297	1,130	45	29	58	58	86	998	997	74	58	0	58	1,129	
127-87	30	574	546	0.0018472	546	45	14	27	27	86	460	482	59	27	0	27	569	
31-97	30		1194	0.00403949	1,194	0	31	73	73	104	1,090	1,053	31	73	0	73	1,157	
36-98	30	61	470	0.00159008	470	0	12	49	49	61	409	415	12	49	0	49	476	
36-95	30	1803	1260	0.00426276	1,260	0	32	130	130	162	1,098	1,111	32	130	0	130	1,273	
MERRON GAS WELLS																		
hammer	29	10537	481	0.0016273	481	0	12	15	15	27	454	424	12	15	0	15	451	
ai	30	955	493	0.0018679	493	0	28	28	28	28	465	435	0	28	0	28	463	
4-36-18-7	30	58309	25582		25,582	2,428	7604	20,777	20,777	30,529	284,753	260,703	10,043	20,777	0	20,777	291,525	

BTU

SALES MTR

SALES LESS MERRION WELLS

IPELINE

OCT 12 2004

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER Various Leases
2. NAME OF OPERATOR: XTO ENERGY INC. <i>N2615</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 2700 Farmington Bldg K, Suite _____ Farmington STATE NM ZIP 87401		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: Emery		8. WELL NAME and NUMBER: See attached list
OTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		9. API NUMBER: Multiple
		10. FIELD AND POOL, OR WILDCAT: Buzzard Bench

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective August 1, 2004, the operator changed from Chevron U.S.A. Inc. to XTO ENERGY INC. for all wells on the attached list.

BLM #579173

State and Fee Bond #104312762

RECEIVED
MAY 18 2007
DIV. OF OIL, GAS & MINING

Kenneth W. Jackson

Kenneth W. Jackson Regulatory Specialist ChevronTexaco for Chevron U.S.A. Inc. *N0210*

NAME (PLEASE PRINT) <i>James L. Death</i>	TITLE <i>Vice President-Land</i>
SIGNATURE <i>James L. Death</i>	DATE <i>8/16/04</i>

(This space for State use only)

APPROVED *9/30/2004*

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

(5/2000)

RECEIVED
SEP 28 2004

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-67532
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER CONFIDENTIAL	8. WELL NAME and NUMBER: FEDERAL A 18-7-26 #12	
2. NAME OF OPERATOR: XTO ENERGY INC.		9. API NUMBER: 4301530445
3. ADDRESS OF OPERATOR: 2700 Farmington Ave. Bldg K CITY Farmington STATE NM ZIP 87401		PHONE NUMBER: (505) 324-1090
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1815' FNL & 897' FWL		10. FIELD AND POOL, OR WILDCAT: BUZZARD BENCH ABO
QTR/CTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SWNW 26 18S 07E		COUNTY: EMERY
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: SURFACE
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	COMMINGLE

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. proposes to surface commingle the following two wells into our Orangeville CDP:

Federal A 18-7-26 #12; Sec 26-T18S-R07E; 1815' FNL & 897' FWL; 43-015-30445; UTU-67532; Buzzard Bench
Federal T 18-7-22 #34; Sec 22-T18S-R07E; 539' FSL & 1831' FEL; 43-015-30452; UTU-68535; Buzzard Bench

Both of these wells have their own wellhead allocation meter. Both wells will have the sales point or custody transfer at the Orangeville System.

COPY SENT TO OPERATOR
Date: 7-11-05
Initials: CHO

NAME (PLEASE PRINT) HOLLY C. PERKINS	TITLE REGULATORY COMPLIANCE TECH
SIGNATURE <i>Holly C. Perkins</i>	DATE 6/23/2005

(This space for State use only)

Accepted by the Utah Division of Oil, Gas and Mining

Federal Approval Of This Action Is Necessary

RECEIVED JUN 29 2005

DIV. OF OIL, GAS & MINING

Date: 7/18/05 (See Instructions on Reverse Side)
By: Dustin Ducet
Dustin Ducet??

IN WELLS FROM COASTAL STATEMENT

	0	302425			
	38990				
	04	104			
s Check #	256029				
s Check #2	0				
	0			0	
	7383			7383	0
	1931		1930.5		
	0				
	304437	302529	1930.5	7383	0

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.


1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: XTO ENERGY INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: 382 CR 3100 CITY AZTEC STATE NM ZIP 87410		7. UNIT or CA AGREEMENT NAME:
PHONE NUMBER: (505) 333-3100		8. WELL NAME and NUMBER: MULTIPLE USA 11-72
4. LOCATION OF WELL FOOTAGES AT SURFACE: MULTIPLE COUNTY: EMERY		9. API NUMBER: MULTIPLE 43 015 30387
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: 18S 7E 11		10. FIELD AND POOL, OR WILDCAT: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: SURFACE COMMINGLE
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. applied for surface commingle on the attached list of wells on 7/5/07 and State of UT DOGM approval was received on 7/13/07. Due to the rejection of the Federal application, XTO would like to withdraw the commingling application and subsequent work will not be done.

NAME (PLEASE PRINT) <u>LORRI D. BINGHAM</u>	TITLE <u>REGULATORY COMPLIANCE TECH</u>
SIGNATURE 	DATE <u>9/23/2008</u>

(This space for State use only)

RECEIVED
SEP 29 2008
DIV. OF OIL, GAS & MINING

Utah Wells Surface Commingled at Orangeville CDP

USA 03-75	43-015-30384	Producing	Federal	
USA 11-72	43-015-30387	Producing	Federal	
USA 18-7-11-23	43-015-30640	Producing	State	
USA 34-80	43-015-30389	Shut In	Federal	
USA 34-82	43-015-30390	Producing	Federal	
Utah Federal 17-7-35-42	43-015-30641	Drilling	Federal	
Utah Federal 18-7-27-44R	43-015-30628	Producing	Federal	
Utah Federal 18-7-9-11	43-015-30639	Producing	Federal	
Utah Federal D 34-12	43-015-30282	Producing	Federal	
Utah Federal D 35-13	43-015-30285	Producing	Federal	
Utah Federal D 35-14	43-015-30286	Producing	Federal	
Utah Federal D 35-15	43-015-30287	Producing	Federal	
Utah Federal H 06-21	43-015-30294	TA	Federal	
Utah Federal P 10-42	43-015-30276	Producing	Federal	
Utah Federal P 10-43	43-015-30277	Producing	Federal	
Utah Federal P 10-47	43-015-30258	Producing	Federal	
Utah Federal Q 04-44	43-015-30280	Producing	Federal	
Utah Federal R 09-45	43-015-30275	Producing	Federal	
Utah Federal S 08-46	43-015-30274	Producing	Federal	
Utah State 01-76	43-015-30381	Producing	State	
Utah State 36-78	43-015-30382	Producing	State	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-68535	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: USA 11-72	
2. NAME OF OPERATOR: XTO ENERGY INC		9. API NUMBER: 43015303870000	
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410	PHONE NUMBER: 505 333-3159 Ext	9. FIELD and POOL or WILDCAT: BUZZARD BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0575 FNL 0353 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 11 Township: 18.0S Range: 07.0E Meridian: S		COUNTY: EMERY	
		STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input checked="" type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 50px;" type="text"/>
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. has returned this well to production @ 12:00 p.m. on 10/12/2011.			
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY			
NAME (PLEASE PRINT) Dolena Johnson	PHONE NUMBER 505 333-3164	TITLE Regulatory Compliance Tech	
SIGNATURE N/A	DATE 10/13/2011		

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-68535
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL Gas Well		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: XTO ENERGY INC		8. WELL NAME and NUMBER: USA 11-72
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410		9. API NUMBER: 43015303870000
PHONE NUMBER: 505 333-3145 Ext		9. FIELD and POOL or WILDCAT: BUZZARD BENCH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0575 FNL 0353 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NWNW Section: 11 Township: 18.0S Range: 07.0E Meridian: S		COUNTY: EMERY
		STATE: UTAH

11.

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 4/11/2012	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION
	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK
	<input checked="" type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

XTO Energy Inc. has returned this well to production @ 1415 hours,
4/11/2012.

**Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY
May 10, 2012**

NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech
SIGNATURE N/A	DATE 4/12/2012	