



Talon Resources, Inc.

Service, Quality and Accuracy

375 South Carbon Avenue A-10
Suite 101
Price, Utah 84501
Phone: 435-637-8781
435-637-5032 Ext 710/711

Cell: 801-650-1401
801-650-1402
Fax: 435-636-8603
Email: talon@castlenet.com

ORIGINAL

September 8, 2000

Mr. John Baza
State of Utah
Division of Oil Gas and Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Application for Permit to Drill—State of Utah “EE” 06-138, Emery County, Utah
478’ FNL, 2047’ FWL, Section 6, T17S, R9E, SLB&M.

Dear Mr. Baza:

On behalf of Texaco Exploration and Production, Inc., Talon Resources, Inc. respectfully submits the enclosed original of the *Application for Permit to Drill (APD)* for the above referenced well. Included with the APD is the following supplemental information:

- Exhibit “A” - Survey plats and layouts of the proposed well site;
- Exhibit “B” - Proposed location map with pipe, power, and road corridors;
- Exhibit “C” - Drilling site layout;
- Exhibit “D” - Drilling Program;
- Exhibit “E” - Multi Point Surface Use Plan;
- Exhibit “F” - Typical road cross-section;
- Exhibit “G” - Typical BOP diagram;
- Exhibit “H” - Typical wellhead manifold diagram.

RECEIVED


SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

Please accept this letter as Texaco Exploration and Production's written request for confidential treatment of all information contained in and pertaining to this permit application, if said information is eligible for such consideration.

Thank you very much for your timely consideration of this application. Please feel free to contact myself, or Mr. Roger Johnson at Texaco if you have any questions or need additional information.

Sincerely,



Larry W. Johnson
Principal

cc: Mr. Eric Jones, BLM, Moab, Utah
Mr. Bryant Anderson, Emery County
Mr. Allen Davis, Texaco
Mr. Roger Johnson, Texaco
Mr. Ian Kephart, Texaco
Texaco Well File

RECEIVED

SEP 15 2003

DIVISION OF
OIL, GAS AND MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1A. Type of Work: DRILL DEEPEN
 B. Type of Well: OIL GAS OTHER: SINGLE ZONE MULTIPLE ZONE

2. Name of Operator:
Texaco Exploration and Production, Inc

3. Address and Telephone Number:
3300 North Butler, Farmington, NM 87401; 505-325-4397

4. Location of Well (Footages)
 At Surface: 478' FNL, 2047' FWL 4358752N
 At Proposed Producing Zone: 503701E

14. Distance in miles and direction from nearest town or post office:
3.5 miles northeast of Huntington, Utah

15. Distance to nearest property or lease line (feet): 478'
 16. Number of acres in lease: 156.88

18. Distance to nearest well, drilling, completed, or applied for, or None
 19. Proposed Depth: 2805'

21. Elevations (show whether DF, RT, GR, etc.):
6079' GR

5. Lease Designation and Serial Number:
MI-48199

6. If Indian, Allottee or Tribe Name:
N/A

7. Unit Agreement Name:
N/A

8. Farm or Lease Name:
State of Utah "EE"

9. Well Number:
06-138

10. Field or Pool, or Wildcat:
Undesignated

11. Qtr/Qtr, Section, Township, Range, Meridian:
NE/4 NW/4, Section 6, T17S, R9E, SLB&M

12. County: Emery 13. State: Utah

17. Number of acres assigned to this well:
160 acres

20. Rotary or cable tools:
Rotary

22. Approximate date work will start:
October 2000

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4"	8-5/8" K-55 ST&C	24	300'	230 sacks Class G cement + 2% CaCl ₂ + 0.25 pps cellophane
7-7/8"	5-1/2" N-80 LT&C	17	2805'	135 sacks 10:1 RFC Class G cement + 0.25 pps cellophane

DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

CONFIDENTIAL
ORIGINAL
RECEIVED
 SEP 15 2000
 DIVISION OF
 OIL, GAS AND MINING


24. Name & Signature: [Signature] Title: Eng. Ass't Date: 9-11-00

(This space for state use only)
 API Number Assigned: 43-015-30393 Approval: [Signature]

Approved by the
 Utah Division of
 Oil, Gas and Mining
 Date: 11/14/00
 By: [Signature]

Range 9 East

Township 17 South



W.C.

Location:

The Bearings indicated are per the recorded plat obtained from the U.S. Land Office. The well location was determined using a Trimble 4700 GPS survey grade unit.

Basis of Elevation:


Basis of Elevation of 6013.0' being at the Northeast Section corner of Section 6, Township 17 South, Range 9 East, Salt Lake Base & Meridian, as shown on the Huntington Quadrangle 7.5 Minute Series Map.

Description of Location:

Proposed Drill Hole located in the NE 1/4, NW 1/4 of Section 6; being 477.8' South and 2046.5' East from the Northwest Corner of Section 6, T17S., R9E., Salt Lake Base and Meridian.

Surveyor's Certificate:

I, Albert J. Spensko, a Registered Professional Land Surveyor, holding Certificate 146652 State of Utah, do hereby certify that the information on this drawing is a true and accurate survey based on data of record and was conducted under my personal direction and supervision as shown hereon.



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 101
 Price, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603

TEXACO E & P
WELL # 06-138
 Section 6, T17S., R9E., S.L.B.&M.
 Emery County, Utah


Drawn By: J. STANSFIELD	Checked By: L.W.J.
Drawing No. A-1	Date: 08/22/00
	Scale: 1" = 1000'
Sheet 1 of 4	Job No. 179

Legend

- Drill Hole Location
- ⊙ Brass Cap (Found)
- Brass Cap (Searched for, but not found)
- △ Calculated Corner
- () GLO
- GPS Measured

w.c. Witness Corner

GRAPHIC SCALE



CONFIDENTIAL

EXHIBIT "D"
DRILLING PROGRAM

Attached to UDOGM Form 3
Texaco Exploration and Production, Inc.
State of Utah "EE" 06-138
NE/4 NW/4, Sec. 6, T17S, R9E, SLB & M
478' FNL, 2047' FWL
Emery County, Utah

1. The Geologic Surface Formation

Mancos Shale

2. Estimated Tops of Important Geologic Markers

Ferron Marker -- 2310'

3. Projected Gas & H2O zones (Ferron Formation)

Coals and sandstones -- 2310-2550'

No groundwater is expected to be encountered.

Casing & cementing will be done to protect potentially productive hydrocarbons, lost circulation zones, abnormal pressure zones, and prospectively valuable mineral deposits. All indications of usable water will be reported.

Surface casing will be tested to 1000 psi.

4. The Proposed Casing and Cementing Programs

HOLE SIZE	SETTING DEPTH (INTERVAL)	SIZE (OD)	WEIGHT, GRADE & JOINT	CONDITION
12-1/4"	300'	8-5/8"	24# K-55 ST&C	New
7-7/8"	2805'	5-1/2"	17# N-80 LT&C	New

Cement Program -Every attempt will be made to bring cement back to surface.

Surface Casing: 230 sacks G + 2 % CaCl₂ + 0.25 pps cellophane flakes;
Weight: 15.8 #/gal
Yield: 1.16 cu.ft/sk

Production Casing: 135 sacks 10:1 RFC Class G cement + 0.25 pps cellophane flakes;
Weight: 14.2 #/gal,
Yield: 1.62 cu.ft/sk yield.

RECEIVED

SEP 15 2000
DIVISION OF
OIL, GAS AND MINING

The following shall be entered in the driller's log:

- 1) Blowout preventer pressure tests, including test pressures and results;
- 2) Blowout preventer tests for proper functioning;
- 3) Blowout prevention drills conducted;
- 4) Casing run, including size, grade, weight, and depth set;
- 5) How the pipe was cemented, including amount of cement, type, whether cement circulated, location of the cementing tools, etc.;
- 6) Waiting on cement time for each casing string;
- 7) Casing pressure tests after cementing, including test pressures and results.

5. The Operator's Minimum Specifications for Pressure Control

Exhibit "G" is a schematic diagram of the blowout preventer equipment. A double gate 3000 psi BOP will be used with a rotating head. This equipment will be tested to 2000 psi. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip.

6. The Type and Characteristics of the Proposed Circulating Muds

0-300	12-1/4" hole	Drill with air, will mud-up if necessary.
300-TD	7-7/8" hole	Drill with air. 400 psi @ 1500-1800 Scf.

7. The Testing, Logging and Coring Programs are as followed

300-TD	Gamma Ray, Density, Neutron Porosity, Induction, Caliper
--------	--

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well. Bottom hole pressure expected is approximately 1000 psi max. No hydrogen sulfide or other hazardous gases or fluids have been found, reported or are known to exist at these depths in the area.

8. Anticipated Starting Date and Duration of the Operations.

The well will be drilled approx.: October 2000.

Verbal and/or written notifications listed below shall be submitted in accordance with instructions from the Division of Oil, Gas & Mining:

- (a) prior to beginning construction;
- (b) prior to spudding;
- (c) prior to running any casing or BOP tests;
- (d) prior to plugging the well, for verbal plugging instructions.

Spills, blowouts, fires, leaks, accidents or other unusual occurrences shall be reported to the Division of Oil, Gas & Mining immediately.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

EXHIBIT "E"
Multipoint Surface Use Plan

Attached to UDOGM Form 3
Texaco Exploration and Production, Inc.
State of Utah "EE" 06-138
NE/4 NW/4, Sec. 06, T17S, R9E, SLB & M
748' FNL, 2047' FWL
Emery County, Utah

1. Existing Roads

- a. The proposed access road will encroach the Mohrland Access Road under Emery County maintainance in which approval to utilize is pending (verbal has been received).
- b. We do not plan to change, alter or improve upon any other existing state or county roads. Existing roads will be maintained in the same or better condition. See Exhibit "B".

2. Planned Access

Approximately 4,300' of new access is required (See Exhibit "B")

- a. Maximum Width: 20' travel surface with a 27' base
- b. Maximum grade: 10%
- c. Turnouts: None
- d. Drainage design: One 48" culvert and approximately 4 – 18" culverts may be required. Water will be diverted away from the planned access as necessary and practical.
- e. If the well is productive, the road will be surfaced and maintained as necessary to prevent soil erosion and accommodate year-round traffic.

3. Location of Existing Wells

- a. See Exhibit "B". There are three proposed and no existing wells within a one mile radius of the proposed location.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

4. Location of Existing and/or Proposed Facilities

- a. If the well is a producer, installation of production facilities will follow. Buried powerlines will run along the access on the east and north, gathering lines on the south or west.
- b. Rehabilitation of all pad areas not used for production facilities will be made in accordance with landowner stipulations.

5. Location and Type of Water Supply

- a. Water to be used for drilling will be obtained from a local water source probably North Emery Water Users Association (a local source of municipal water).
- b. Water will be transported by truck over approved access roads.
- c. No water well is to be drilled for this location.

6. Source of Construction Materials

- a. Any necessary construction materials needed will be obtained locally and hauled to the location on existing roads.
- b. No construction or surfacing materials will be taken from Federal/Indian land.

7. Methods for handling waste disposal

- a. As the well will be air drilled, a small reserve pit will be constructed with a minimum of one-half the total depth below the original ground surface on the lowest point within the pit. The pit will not be lined unless conditions encountered during construction warrant it or if deemed necessary by the DOGM representative during the pre-site inspection. Three sides of the reserve pit will be fenced within 24 hours after completion of construction and the fourth side within 24 hours after drilling operation cease with four strands of barbed wire, or woven wire topped with barbed wire to a height of not less than four feet. The fence will be kept in good repair while the pit is drying.
- b. Following drilling, the liquid waste will be evaporated from the pit and the pit backfilled and returned to natural grade. No liquid hydrocarbons will be discharged to the reserve pit or location.
- c. In the event fluids are produced, any oil will be retained in tankage until sold and any water produced will be retained until its quality can be determined. The quality and quantity of the water will determine the method of disposal.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING
REGULATION AND MINING

- d. Trash will be contained in a portable metal container and will be hauled from location periodically and disposed of at an approved disposal site. Chemical toilets will be placed on location and sewage will be disposed of at an appropriate disposal site.

8. Ancillary Facilities

- a. We anticipate no need for ancillary facilities with the exception of one trailers to be located on the drill site.

9. Wellsite Layout

- a. Available topsoil will be removed from the location and stockpiled. The location of mud tanks, reserve and berm pits, and soil stockpiles will be located as shown on Attachment "C".
- b. A blooie pit will be located 100' from the drill hole. A line will be placed on the surface from the center hole to the berm pit. The berm pit will not be lined, but will be fenced on four sides to protect livestock/wildlife.
- c. Access to the well pad will be as shown on Exhibit "B".
- d. Natural runoff will be diverted around the well pad.

10. Plans for Restoration of Surface

- a. All surface areas not required for producing operations will be graded to as near original condition as possible and contoured to maintain possible erosion to a minimum.
- b. Available topsoil will be stockpiled and will be evenly distributed over the disturbed areas and the area will be reseeded as prescribed by the landowner.
- c. Pits and any other area that would present a hazard to wildlife or livestock will be fenced off when the rig is released and removed.
- d. Any oil accumulation on the pit will be removed or overhead flagged as dictated by then existed conditions.
- e. Rehabilitation will commence following completion of the well. Rat and mouse holes will be filled immediately upon release of the drilling rig from the location. If the wellsite is to be abandoned, all disturbed areas will be recontoured to the natural contour as is possible.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

11. Surface Ownership

- a. The wellsite and access road will be constructed on lands owned by the State Institutional and Trust Land Administration. The operator shall contact the landowner and the Division of Oil, Gas and Mining 48 hours prior to beginning construction activities.

12. Other Information:

- a. The primary surface use is grazing. The nearest dwelling is approximately 8,500 feet southeast. Nearest live water is the Huntington Lake 9,800' southeast.
- b. If there is snow on the ground when construction begins, it will be removed before the soil is disturbed, and piled downhill from the topsoil stockpile location.
- c. The backslope and foreslope will be constructed no steeper than 4:1.
- d. All equipment and vehicles will be confined to the access road and well pad.
- e. A complete copy of the approved Application for Permit to Drill (APD) including conditions and stipulations, shall be on the wellsite during construction and drilling operations.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the Division of Oil, Gas & Mining.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

13. Company Representatives

Roger D. Johnson
Texaco Exploration and Production, Inc.
3300 North Butler Suite 100
Farmington, New Mexico 87401
(505)325-4397

Ron D. Wirth
Texaco Exploration and Production, Inc.
P.O. Box 618
Orangeville, Utah 84537
(435) 748-5395

Mail Approved A.P.D. To:
Company Representatives


Excavation Contractor

Nielson Construction
625 West 1300 North,
North Loop Road
Huntington, Utah 84528
(435) 687-2494

14. **Certification**

I hereby certify that I, or persons under my direct supervision have inspected the proposed drill-site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct, and that the work associated with the operations proposed herein will be performed by Texaco Exploration and Production, Inc. and its subcontractors in conformity with this plan and the terms and conditions under which it is approved.

9-11-00
Date



Roger D. Johnson
Texaco Exploration and Production, Inc.

RECEIVED

SEP 15 2000

DIVISION OF
OIL, GAS AND MINING

TEXACO INC.



TYPICAL ROAD CROSS-SECTION
NOT TO SCALE

EXHIBIT "F"

RECEIVED

SEP 15 2003

DIVISION OF OIL, GAS AND MINING



BOP Equipment

3000psi WP




EXHIBIT "G"



DIVISION OF
OIL, GAS AND MINING

SEP 15 2003

RECEIVED

CHOKE MANIFOLD




EXHIBIT "H"




DIVISION OF
OIL, GAS AND MINING

SEP 15 2003

RECEIVED

ELEVATION OF UNGRADED GROUND AT LOCATION STAKE = 6078.5'
 ELAVATION OF GRADED GROUND AT LOCATION STAKE = 6078.0'




Talon Resources, Inc.
 375 South Carbon Avenue, Suite 101
 Price, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603


TEXACO E & P
LOCATION LAYOUT
 Section 6, T17S, R9E, S.L.B.&M.
 WELL # 06-138

Drawn By: J. STANSFIELD	Checked By: L.W.J.
Drawing No. A-2	Date: 08/17/00
	Scale: 1" = 50'
Sheet 2 of 4	Job No. 179


RECEIVED
 SEP 15 2000
 DIVISION OF
 OIL, GAS AND MINING



1" = 10'
X-Section Scale
1" = 40'



SLOPE = 1 1/2 : 1
(EXCEPT PIT)
PIT SLOPE = 1 ; 1




RECEIVED
 SEP 15 2000
 DIVISION OF
 OIL, GAS AND MINING

**APPROXIMATE YARDAGES
CUT**

(6") TOPSOIL STRIPPING = 750 CU. YDS.
 REMAINING LOCATION = 638.5 CU, YDS.
 TOTAL CUT = 1,518.5 CU. YDS.
 TOTAL FILL = 1,584.7 CU. YDS.




Talon Resources, Inc.
 375 South Carbon Avenue, Suite 101
 Price, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603



TYPICAL CROSS SECTION
 Section 6, T17S, R9E, S.L.B.&M.
 WELL # 06-138

Drawn By: J. STANSFIELD	Checked By: L.W.J.
Drawing No. A-2	Date: 08/17/00
	Scale: 1" = 40'
Sheet 3 of 4	Job No. 179



Talon Resources, Inc.
 375 South Carbon Avenue, Suite 126
 Price, Utah 84501
 Ph: 435-637-8781
 Fax: 435-636-8603

TEXACO E & P
WELL # 6-138
 Section 6, T17S, R9E, S.L.B.&M.
 Emery County, Utah

Drawn By
J. STANSFIELD

Checked By
L.W.J.

Drawing No.
L-1

Date
08/21/00

Scale
1" = 2000'

Sheet **4** of **4**

Job No.
179


BLOOIE
PIT

RESERVE PIT

22'
PUMP

PUMP

MUD PIT



50' 13'
RIG

SUBST

10'
WATER TANK

35' 8'
TRAILER

AIR
PACKAGE

DIESEL FUEL 26' PROPANE

8' 4' 8'

LIGHT PLANT

35'

8'

APPROXIMATE LAYOUT OF UNIT & EQUIPMENT
(Not to Scale)

SEP 15 2000

RECEIVED

DIVISION OF
OIL, GAS AND MINING

EXHIBIT "C"



**WORKSHEET
APPLICATION FOR PERMIT TO DRILL**

APD RECEIVED: 09/15/2000

API NO. ASSIGNED: 43-015-30393

WELL NAME: ST OF UT EE 06-138
 OPERATOR: TEXACO E & P INC (N5700)
 CONTACT: ROGER JOHNSON

PHONE NUMBER: 505-325-4397

PROPOSED LOCATION:
 NENW 06 170S 090E
 SURFACE: 0478 FNL 2047 FWL
 BOTTOM: 0478 FNL 2047 FWL
 EMERY
 UNDESIGNATED (2)

INSPECT LOCATN BY: / /		
Tech Review	Initials	Date
Engineering	<i>MA</i> <i>GRB</i>	11/10/2000 11/14/2000
Geology		
Surface		

LEASE TYPE: 3-State
 LEASE NUMBER: ML-48199
 SURFACE OWNER: 3-state

PROPOSED FORMATION: FRSD

RECEIVED AND/OR REVIEWED:

- Plat
- Bond: Fed[] Ind[] Sta[3] Fee[]
(No. 6049663 eff. 10/2000)
- Potash (Y/N)
- Oil Shale (Y/N) *190 - 5 (B)
- Water Permit
(No. MUNICIPAL)
- RDCC Review (Y/N)
(Date: _____)
- Fee Surf Agreement (Y/N)


LOCATION AND SITING:

- R649-2-3. Unit _____
- R649-3-2. General
Siting: _____
- R649-3-3. Exception
- Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
- R649-3-11. Directional Drill

COMMENTS: Need Presite. (Conducted 10-27-2000)

STIPULATIONS: STATEMENT OF BASIS

1. SURFACE CASING CEMENT ~~WILL~~ ^{SHALL} FILL ANNULUS TO GROUND LEVEL.
2. ALL FRESH WATER ZONES (USDW's) ~~WILL~~ ^{SHALL} BE PROTECTED WITH CEMENT.



Utah Oil Gas and Mining

OPERATOR: TEXACO E&P INC (N5700)

FIELD: UNDESIGNATED (002)

SEC. 6, T17S, R9E,

COUNTY: EMERY SPACING: R649-3-2/GEN ST

<p>T16S R8E</p> <p>36</p>	<p>T16S R9E</p> <p>→ UTAH 31-175</p> <p>31</p> <p>32</p>	
<p>T17S R8E</p> <p>1</p> <p>12</p>	<p>T17S R9E</p> <p>⊕ ST OF UT EE 06-138</p> <p>6</p> <p>7</p>	<p>5</p> <p>8</p>

11-00 TEXACO STATE EE 6-138

Well name:
 Operator: **TEXACO**
 String type: **Production**
 Location: **Emery County**

Project ID:
 43-015-30393

Design parameters:

Collapse

Mud weight: 8.330 ppg
 Design is based on evacuated pipe.

Burst

Max anticipated surface pressure: 0 psi
 Internal gradient: 0.433 psi/ft
 Calculated BHP: 1,214 psi
 No backup mud specified.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on buoyed weight.
 Neutral point: 2,451 ft

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 114 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 368 ft
 Cement top: 1,910 ft

Non-directional string.

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	2805	5.5	17.00	N-80	LT&C	2805	2805	4.767	96.7
Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	1214	6290	5.182 ✓	1214	7740	6.38 ✓	42	348	8.35 J ✓

Prepared by: M. Hebertson
 Utah Div. of Oil & Mining

Date: November 10, 2000
 Salt Lake City, Utah

ENGINEERING STIPULATIONS: None. Surf. Cement Top w/14% hole washout, Prod Cement top w/8% hole washout
 Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
 Collapse is based on a vertical depth of 2805 ft, a mud weight of 8.33 ppg The casing is considered to be evacuated for collapse purposes.
 Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

Well name:	11-00 TEXACO STATE EE 6-138		
Operator:	TEXACO		Project ID:
String type:	Surface		43-015-30393
Location:	Emery County		

Design parameters:

Collapse

Mud weight: 8.330 ppg
 Design is based on evacuated pipe.

Minimum design factors:

Collapse:

Design factor 1.125

Burst:

Design factor 1.00

Environment:

H2S considered? No
 Surface temperature: 75 °F
 Bottom hole temperature: 82 °F
 Temperature gradient: 1.40 °F/100ft
 Minimum section length: 300 ft

Cement top: Surface

Burst

Max anticipated surface pressure: 0 psi
 Internal gradient: 0.433 psi/ft
 Calculated BHP 216 psi

No backup mud specified.

Tension:

8 Round STC: 1.80 (J)
 8 Round LTC: 1.80 (J)
 Buttress: 1.60 (J)
 Premium: 1.50 (J)
 Body yield: 1.50 (B)

Tension is based on buoyed weight.
 Neutral point: 437 ft

Non-directional string.

Re subsequent strings:

Next setting depth: 7,500 ft
 Next mud weight: 8.330 ppg
 Next setting BHP: 3,245 psi
 Fracture mud wt: 19,250 ppg
 Fracture depth: 3,865 ft
 Injection pressure 3,865 psi

Run Seq	Segment Length (ft)	Size (in)	Nominal Weight (lbs/ft)	Grade	End Finish	True Vert Depth (ft)	Measured Depth (ft)	Drift Diameter (in)	Internal Capacity (ft³)
1	500	8.625	24.00	J-55	ST&C	500	500	7.972	24.1

Run Seq	Collapse Load (psi)	Collapse Strength (psi)	Collapse Design Factor	Burst Load (psi)	Burst Strength (psi)	Burst Design Factor	Tension Load (Kips)	Tension Strength (Kips)	Tension Design Factor
1	216	1370	6.332 ✓	216	2950	13.63 ✓	10	244	23.24 J ✓

Prepared by: M. Hebertson
 Utah Div. of Oil & Mining


Date: November 10, 2000
 Salt Lake City, Utah

ENGINEERING STIPULATIONS: None. Surf. Cement Top w/14% hole washout, Prod Cement top w/8% hole washout
 Collapse strength is based on the Westcott, Dunlop & Kemler method of biaxial correction for tension.
 Collapse is based on a vertical depth of 500 ft, a mud weight of 8.33 ppg The casing is considered to be evacuated for collapse purposes.
 Burst strength is not adjusted for tension.

Engineering responsibility for use of this design will be that of the purchaser.

11-00 TEXACO STATE EFF-138

Casing Schematic



DIVISION OF OIL, GAS AND MINING
APPLICATION FOR PERMIT TO DRILL
STATEMENT OF BASIS

Operator Name: Texaco Exploration and Production, Incorporated

Name & Number: State of Utah "EE" 6-138

API Number: 43-015-30392

Location: 1/4, 1/4 NWNW Sec. 6 T. 17 S R. 9 E County: Emery

Geology/Ground Water:

There are no aquifers with high quality ground water expected to be encountered. A search of the Division of Water Rights records revealed that there are no springs or culinary or irrigation water supply wells nearby. A moderately permeable soil is developed on Quaternary/Tertiary Pediment Mantle, which covers the Blue Gate Shale Member of the Mancos Shale. The proposed surface casing and cementing program should be sufficient to ensure the protection of the ground water resources.

Reviewer: Christopher J. Kierst

Date: 10/31/2000

Surface:

The nearest moving surface waters are in Cedar Creek, ~1/2 mile. Nearby surface waters are found in Huntington Lake, ~1 3/4 miles to the south. Precipitation will be deflected around the location with berms, diversions and culverts. There are no nearby culinary or irrigation water supply wells. The site was photographed and characterized on 10/27/2000. Provision was made to ensure site rehabilitation, litter and waste control, preservation of drainage patterns and the integrity of local infrastructure, groundwater and other resources. The well utilities and gas gathering system will follow the approach roadway.

Reviewer: Christopher J. Kierst

Date: 10/31/2000

Conditions of Approval/Application for Permit to Drill:

1. Low water crossings will be used at all the drainage crossings.
2. The location and pit are to be bermed around the cut slope.
3. Minimum 12 mil synthetic pit liner is required.
4. Topsoil stockpiling is to be in a long low berm rather than a tall pile or heap.
5. Site infrastructure and soil storage as per drilling location plat.

ON-SITE PREDRILL EVALUATION
Division of Oil, Gas and Mining

OPERATOR: Texaco Exploration and Production, Inc.

WELL NAME & NUMBER: State of Utah ``EE'' 6-138

API NUMBER: 43-015-30392 LEASE: ML-48199 FIELD/UNIT: Undesignated

LOCATION: 1/4, 1/4 NENW Sec: 6 TWP: 17 S RNG: 9 E 478 FNL 2047 FWL

LEGAL WELL SITING: 660' from lease boundaries and 1320' between wells.

GPS COORD (UTM): X =503,701 E; Y =4,358,752 N using widget (503,690;
4,358,751 using Garmin GPS field reading)

SURFACE OWNER: SITLA

PARTICIPANTS

C. Kierst & M. Hebertson (DOGM), Jeff Hall (Texaco), Don Hamilton & Al Child (Talon Res.), C. Colt (DWR) and Bryant Anderson (Emery County).

REGIONAL/LOCAL SETTING & TOPOGRAPHY

Western margin of Colorado Plateau/ This location between the Cedar Creek and Sherman Wash drainages on a sagebrush vegetated flat which slopes to the southeast. The location is about ~1¼ miles north of Huntington Lake, ~3 miles north of Huntington, Utah, ~1½ miles north of the Cleveland Canal, ~7½ miles east of the foot of the Wasatch Plateau and ~6½ miles east of the Huntington Canyon Powerplant.

SURFACE USE PLAN

CURRENT SURFACE USE: Grazing and wildlife habitat.

PROPOSED SURFACE DISTURBANCE: 260' X 170' pad with 44' X 80' X 8' inboard pit. ~4,300' of new access road is required across state lands.

LOCATION OF EXISTING WELLS WITHIN A 1-MILE RADIUS: 1 SGW status RGC CBM well (4301530317).

LOCATION OF PRODUCTION FACILITIES AND PIPELINES: Above ground power line and gathering system will follow the approach road. Production facilities include a pumpjack (possibly gas fired), separator enclosure, and casing and tubing strings, well head, telemetry equipment and transformer?

SOURCE OF CONSTRUCTION MATERIAL: Gravel location and approach road; soil stored in berm.

ANCILLARY FACILITIES: One trailer on site.

WASTE MANAGEMENT PLAN:

Portable chemical toilets which will be emptied into the municipal waste treatment system; garbage cans on location will be emptied into a portable metal container which will be emptied into an approved

landfill. Crude oil production is not expected but if it is encountered will be retained in tankage and sold. Drilling fluid, completion / frac fluid and cuttings will be buried in the pit after evaporation and slashing the pit liner. The quality and quantity of any produced water will determine the method of disposal. Used oil from drilling operations and support is hauled to a used oil re-cycler and re-used.

ENVIRONMENTAL PARAMETERS

AFFECTED FLOOD PLAINS AND/OR WETLANDS: None - Local drainage is into Cedar Creek system which subsequently drains into Huntington Creek, the San Rafael River and then the Green River.

FLORA/FAUNA: Sagebrush, grasses / birds, lizards, coyotes, rodents, raptors, occasional elk and deer winter range, reptiles.

SOIL TYPE AND CHARACTERISTICS: Sandy, silty, moderately permeable soil developed on Quaternary / Tertiary Pediment Mantle. (GP-SM-ML)

SURFACE FORMATION & CHARACTERISTICS: Quaternary / Tertiary Pediment Mantle covering the Blue Gate Shale Member of the Mancos Shale, light gray, bentonitic shale and sandstone ledges.

EROSION/SEDIMENTATION/STABILITY: Stable.

PALEONTOLOGICAL POTENTIAL: None observed.

RESERVE PIT

CHARACTERISTICS: Dugout, earthen pit.

LINER REQUIREMENTS (Site Ranking Form attached): Synthetic liner.

SURFACE RESTORATION/RECLAMATION PLAN

See SITLA Agreement.

SURFACE AGREEMENT: See SITLA Agreement.

CULTURAL RESOURCES/ARCHAEOLOGY: Archaeological survey completed and filed with the state.

OTHER OBSERVATIONS/COMMENTS

ATTACHMENTS:

4 photographs taken.

Christopher J. Kierst
DOGM REPRESENTATIVE

10/27/2000 / 2:18 PM
DATE/TIME

**Evaluation Ranking Criteria and Ranking Score
For Reserve and Onsite Pit Liner Requirements**

<u>Site-Specific Factors</u>	<u>Ranking</u>	<u>Site Ranking</u>
Distance to Groundwater (feet)		
>200	0	
100 to 200	5	
75 to 100	10	
25 to 75	15	
<25 or recharge area	20	<u>0</u>
Distance to Surf. Water (feet)		
>1000	0	
300 to 1000	2	
200 to 300	10	
100 to 200	15	
< 100	20	<u>0</u>
Distance to Nearest Municipal Well (feet)		
>5280	0	
1320 to 5280	5	
500 to 1320	10	
<500	20	<u>0</u>
Distance to Other Wells (feet)		
>1320	0	
300 to 1320	10	
<300	20	<u>0</u>
Native Soil Type		
Low permeability	0	
Mod. permeability	10	
High permeability	20	<u>10</u>
Fluid Type		
Air/mist	0	
Fresh Water	5	
TDS >5000 and <10000	10	
TDS >10000 or Oil Based Mud	15	
Fluid containing significant levels of hazardous constituents	20	<u>0</u>
Drill Cuttings		
Normal Rock	0	
Salt or detrimental	10	<u>0</u>
Annual Precipitation (inches)		
<10	0	
10 to 20	5	
>20	10	<u>5</u>
Affected Populations		
<10	0	
10 to 30	6	
30 to 50	8	
>50	10	<u>0</u>
Presence of Nearby Utility Conduits		
Not Present	0	
Unknown	10	
Present	15	<u>0</u>

Final Score 15 (Level II Sensitivity)

Sensitivity Level I = 20 or more; total containment is required.

Sensitivity Level II = 15-19; lining is discretionary.

Sensitivity Level III = below 15; no specific lining is required.



Texaco State of Utah "EE" 6-138 4301530392, 478 FNL, 2047 FWL, NENW S. 6, T. 17 S., R. 9 E., Emery Co., UT 10/27/2000 C. Kierst

3 93 529 .0000 .00 Cedar Creek
WATER USE(S): STOCKWATERING
USA Bureau of Land Management (Price Fie 125 South 600 West

PRIORITY DATE: 00/00/19
Price



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor
Kathleen Clarke
Executive Director
Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210
PO Box 145801
Salt Lake City, Utah 84114-5801
801-538-5340
801-359-3940 (Fax)
801-538-7223 (TDD)

November 14, 2000

Texaco Exploration and Production, Inc.
3300 N Butler
Farmington, NM 87401

Re: State of UT EE 06-138 Well, 478' FNL, 2047' FWL, NE NW, Sec. 6, T. 17 South,
R. 9 East, Emery County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30393.

Sincerely,

A handwritten signature in black ink that reads "John R. Baza".

John R. Baza
Associate Director

er

Enclosures

cc: Emery County Assessor
SITLA

Operator: Texaco Exploration and Production, Inc.
Well Name & Number State of UT EE 06-138
API Number: 43-015-30393
Lease: ML 48199

Location: NE NW Sec. 6 T. 17 South R. 9 East

Conditions of Approval

1. **General**

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. **Notification Requirements**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- 24 hours prior to cementing or testing casing
- 24 hours prior to testing blowout prevention equipment
- 24 hours prior to spudding the well
- within 24 hours of any emergency changes made to the approved drilling program
- prior to commencing operations to plug and abandon the well

The following are Division of Oil, Gas and Mining contacts and their work telephone numbers (please leave a voice mail message if the person is not available to take the call):

- Dan Jarvis at (801) 538-5338
- Carol Daniels at (801) 538-5284 (spud)

3. **Reporting Requirements**

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Compliance with the State of Utah Antiquities Act forbids disturbance of archeological, historical, or paleontological remains. Should archeological, historical or paleontological remains be encountered during your operations, you are required to immediately suspend all operations and immediately inform the Trust Lands Administration and the Division of State History of the discovery of such remains.

5. Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the Statement of Basis. (Copy Attached)

6. Surface casing cement shall fill the annulus to ground level.

7. All freshwater zones (USDW's) shall be protected with cement.



Texaco Exploration
and Production Inc.
Denver Region

3300 North Butler
Farmington, NM 87401
505 325-4397

RECEIVED

December 17, 2001

DEC 24 2001

DIVISION OF
OIL, GAS AND MINING

Lisha Cordova
State of Utah Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Re: **APD Extension Request**

State of Utah "BB" 9-119; 820' FSL, 1954' FWL; S9 T17S R8E

State of Utah "EE" 6-138; 478' FNL, 2047' FWL; S6 T17S R9E

Utah Federal "T" 27-85; 1709' FNL, 2447' FWL; S27 T18S R7E

Dear Ms. Cordova:

Attached are sundries for the subject wells requesting APD approval extensions. If you have any questions, please call me at (505) 325-4397.

Sincerely,

Ian M. Kephart
Production Engineer

cc: Farmington well file

IMK/imk

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:
ML-48199

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:
Huntington Gas (Shallow)

8. WELL NAME and NUMBER:
State of Utah "EE" 6-138

9. API NUMBER:
4301530393

10. FIELD AND POOL, OR WILDCAT:
Buzzard's Bench

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
Texaco North American Production, Inc.

3. ADDRESS OF OPERATOR:
3300 North Butler CITY Farmington STATE NM ZIP 87401 PHONE NUMBER: (505) 325-4397

4. LOCATION OF WELL
FOOTAGES AT SURFACE: 478' FNL, 2047' FWL
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 6 17S R9E
COUNTY: EMERY STATE: UTAH

CONFIDENTIAL

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Request for APD Extension
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Texaco North American Production, Inc. hereby requests a one year extension on APD approval for the subject well. The original APD approval had previously expired on 11/14/01.

COPY SENT TO OPERATOR
Date: 01-04-02
Initials: CNO

**Approved by the
Utah Division of
Oil, Gas and Mining**
Date: 01-02-02
By: *[Signature]*

RECEIVED
DEC 24 2001
DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) Ian Kephart TITLE Production Engineer
SIGNATURE *[Signature]* DATE 12/17/01

(This space for State use only)



Chevron

Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,



Don R. Sellars

Sr. Environmental Specialist

Chevron U. S. A. Inc
 Permian Business Unit
 Aneth Operations
 San Juan County, Utah

Name / Operatorship Change
 Texaco Exploration and Production Inc
 to
 Chevron U. S. A Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	36	160S	070E	4301530506	ST OF UT T 36-100	3		DRL
N5700	36	160S	070E	4301530268	ST OF UT T 36-10	3	P	GW
N5700	36	160S	070E	4301530530	ST OF UT 36-139	3		DRL
N5700	36	160S	070E	4301530550	ST OF UT 36-138	3		DRL
N5700	36	170S	070E	4301530382	UTAH STATE 36-78	3	P	GW
N5700	36	170S	070E	4301530508	ST OF UT II 36-96	3		DRL
N5700	36	170S	070E	4301530509	ST OF UT II 36-95	3		DRL
N5700	02	170S	080E	4301530533	ST OF UT FO 02-186	3		DRL
N5700	02	170S	080E	4301530553	ST OF UT FO 02-188	3	P	GW
N5700	03	170S	080E	4301530499	ST OF UT GG 03-122	3		DRL
N5700	03	170S	080E	4301530500	ST OF UT HH 03-133	3	P	GW
N5700	03	170S	080E	4301530549	ST OF UT JJ 03-160	3		APD
N5700	03	170S	080E	4301530552	ST OF UT CC 03-161	3		DRL
N5700	04	170S	080E	4301530503	ST OF UT BB 04-116	3	P	GW
N5700	04	170S	080E	4301530504	ST OF UT GG 04-115	3	P	GW
N5700	04	170S	080E	4301530554	ST OF UT BB 04-158	3		APD
N5700	04	170S	080E	4301530555	ST OF UT BB 04-159	3		APD
N5700	05	170S	080E	4301530479	ST OF UT BB 05-107	3	P	GW
N5700	05	170S	080E	4301530480	ST OF UT BB 05-108	3	P	GW
N5700	05	170S	080E	4301530481	ST OF UT BB 05-109	3	P	GW
N5700	05	170S	080E	4301530482	ST OF UT BB 05-110	3	P	GW
N5700	07	170S	080E	4301530396	ST OF UT AA 07-106	3	P	GW

N5700	07	170S	080E	4301530497	ST OF UT AA 07-105	3	P	GW
N5700	08	170S	080E	4301530496	ST OF UT BB 08-113	3		DRL
N5700	09	170S	080E	4301530437	ST OF UT BB 09-119	3		DRL
N5700	09	170S	080E	4301530444	ST OF UT BB 09-120	3	P	GW
N5700	10	170S	080E	4301530438	ST OF UT CC 10-124	3	P	GW
N5700	10	170S	080E	4301530454	ST OF UT CC 10-123	3	P	GW
N5700	10	170S	080E	4301530458	ST OF UT FF 10-125	3	P	GW
N5700	11	170S	080E	4301530459	ST OF UT FF 11-129	3	P	GW
N5700	11	170S	080E	4301530462	ST OF UT FF 11-130	3	P	GW
N5700	14	170S	080E	4301530528	ST OF UT 14-170	3		APD
N5700	15	170S	080E	4301530502	ST OF UT GG 15-128	3		APD
N5700	31	170S	080E	4301530439	ST OF UT DD 31-98	3	S	GW
N5700	06	170S	090E	4301530393	ST OF UT EE 06-138	3		APD
N5700	01	180S	070E	4301530381	UTAH STATE 1-76	3	P	GW
N5700	01	180S	070E	4301530498	ST OF UT 01-97	3		DRL
N5700	02	180S	070E	4301530270	ST OF UT U 2-11	3	P	GW
N5700	02	180S	070E	4301530306	ST OF UT U 2-48	3	P	GW
N5700	02	180S	070E	4301530308	ST OF UT U 2-50	3	P	GW
N5700	02	180S	070E	4301530309	ST OF UT U 2-49	3	P	GW
N5700	16	180S	070E	4301530311	ST OF UT X 16-66	3	P	GW
N5700	16	180S	070E	4301530312	ST OF UT X 16-65	3	P	GW

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
PHONE NUMBER: (281) 561-3443		8. WELL NAME and NUMBER: See Attached List of Wells
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		9. API NUMBER:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: **Emery**

STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0010 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.




J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE 	DATE <u>April 30, 2002</u>

(This space for State use only)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW <input checked="" type="checkbox"/>
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No. **Unit:** HUNTINGTON CBM

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ST OF UT BB 09-119	09-17S-08E	43-015-30437	13161	STATE	GW	DRL
ST OF UT BB 09-120	09-17S-08E	43-015-30444	13161	STATE	GW	P
ST OF UT CC 10-123	10-17S-08E	43-015-30454	13161	STATE	GW	P
ST OF UT CC 10-124	10-17S-08E	43-015-30438	13161	STATE	GW	P
ST OF UT FF 10-125	10-17S-08E	43-015-30458	13161	STATE	GW	P
ST OF UT FF 11-129	11-17S-08E	43-015-30459	13161	STATE	GW	P
ST OF UT FF 11-130	11-17S-08E	43-015-30462	13161	STATE	GW	P
ST OF UT 14-170	14-17S-08E	43-015-30528	99999	STATE	GW	APD
ST OF UT GG 15-128	15-17S-08E	43-015-30502	99999	STATE	GW	APD
ST OF UT DD 31-98	31-17S-08E	43-015-30439	13161	STATE	GW	S
ST OF UT EE 06-138	06-17S-09E	43-015-30393	99999	STATE	GW	APD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: N/A

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: N/A

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/16/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/16/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 6049663

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: N/A

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.



Talon Resources, Inc.

CONFIDENTIAL

Service, Quality and Accuracy

P.O. Box 1230
195 North 100 West
Huntington, Utah 84528
Phone: 435-687-5310

Cell: 435-650-1886
Fax: 435-687-5311
Email: talon@etv.net

January 9, 2003

Mrs. Diana Mason
State of Utah
Division of Oil Gas and Mining
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Request for Permit Extension —Chevron USA, Inc.

Dear Mrs. Mason:

On behalf of Chevron USA, Inc. (Chevron) Talon Resources, Inc. respectfully submits this request for permit extension for the following well. A one year extension will allow Chevron to construct, drill and complete the well.

State of Utah "EE" 06-138 (43-015-30393) NE/4 NW/4, Section 6, T 17S, R9E, SLB&M, Emery County, Utah

Thank you for your timely consideration our previous applications. Please feel free to contact myself or Mr. Ron Wirth with Chevron at 435-748-5395 if you have any questions or need additional information.

Sincerely,

Don Hamilton
Don Hamilton
Agent for Chevron

cc: Mr. Ron Wirth, Chevron
Mr. Ken Jackson, Chevron
Mr. Ian Kephart, Chevron
Chevron Well File

**Approved by the
Utah Division of
Oil, Gas and Mining**
Date: 01-15-03
By: *[Signature]*

COPY SENT TO OPERATOR
Date: 01-16-03
Initials: CHD

RECEIVED

JAN 15 2003

DIV. OF OIL, GAS & MINING

ORIGINAL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: ML-48199
2. NAME OF OPERATOR: Chevron USA, Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
3. ADDRESS OF OPERATOR: P.O. Box 618 CITY Orangeville STATE UT ZIP 84537		7. UNIT or CA AGREEMENT NAME: N/A
4. LOCATION OF WELL FOOTAGES AT SURFACE: 478' FNL, 2,047' FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENW 6 ¹⁷⁵ / ₂₇₆ 9E S		8. WELL NAME and NUMBER: State of Utah "EE" 06-138
PHONE NUMBER: (435) 748-5395		9. API NUMBER: 4301530393
COUNTY: Emery		10. FIELD AND POOL, OR WILDCAT: Undesignated
STATE: UTAH		

CONFIDENTIAL

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Extend State Permit</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Chevron USA, Inc. hereby requests a one year extension of the state permit for the State of Utah "EE" 06-138.

Approved by the
Utah Division of
Oil, Gas and Mining
Date: 01-28-04
By: [Signature]

COPY SENT TO OPERATOR
Date: 1-30-04
Initials: LRD

RECEIVED
JAN 26 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Larry Johnson</u>	TITLE <u>Chevron USA, Inc.</u>
SIGNATURE <u>[Signature]</u>	DATE <u>1/23/2004</u>

(This space for State use only)

CONFIDENTIAL

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-015-30393
Well Name: State of Utah "EE" 06-138
Location: NE/4 NW/4, Section 6, T17S, R9E, SLB&M
Company Permit Issued to: Chevron USA, Inc.
Date Original Permit Issued: 11/14/2000

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes No

Has the approved source of water for drilling changed? Yes No

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No

Is bonding still in place, which covers this proposed well? Yes No


Signature

1/23/2004
Date

Title: Agent for Chevron USA, Inc.

Representing: Chevron USA, Inc.

RECEIVED
JAN 26 2004
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

Well name:	State of Utah EE 06-138
API number:	4301530393
Location:	Qtr-Qtr: NENW Section: 6 Township: 17S Range: 9E
Company that filed original application:	Chevron U.S.A. Inc.
Date original permit was issued:	
Company that permit was issued to:	Chevron U.S.A. Inc.

Check one	Desired Action:
<input type="checkbox"/>	Transfer pending (unapproved) Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.	Yes	No
If located on private land, has the ownership changed?		✓
<input type="checkbox"/> If so, has the surface agreement been updated?		
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?		✓
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?		✓
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?		✓
Has the approved source of water for drilling changed?		✓
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?		✓
Is bonding still in place, which covers this proposed well? Bond No. <u>UT-0848</u>	✓	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) James L. Death Title Vice President - land
 Signature James L. Death Date 8/16/04
 Representing (company name) XTO ENERGY INC.

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 9/28/2004

DATA ENTRY:

- 1. Changes entered in the **Oil and Gas Database** on: 9/30/2004
- 2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/30/2004
- 3. Bond information entered in RBDMS on: 9/30/2004
- 4. Fee/State wells attached to bond in RBDMS on: 9/30/2004
- 5. Injection Projects to new operator in RBDMS on: 9/30/2004
- 6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/28/2004

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 579173

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 104312762

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 10/5/2004

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:
Various Leases

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
See attached list

9. API NUMBER:
Multiple

10. FIELD AND POOL, OR WILDCAT:
Buzzard Bench

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
XTO ENERGY INC. *N2615*

3. ADDRESS OF OPERATOR:
2700 Farmington Bldg K, Suite *Farmington* CITY STATE *NM* ZIP *87401* PHONE NUMBER: *(505) 324-1090*

4. LOCATION OF WELL
FOOTAGES AT SURFACE: COUNTY: **Emery**
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
Effective August 1, 2004, the operator changed from Chevron U.S.A. Inc. to XTO ENERGY INC. for all wells on the attached list.

BLM #579173
State and Fee Bond #104312762

Kenneth W. Jackson
Kenneth W. Jackson Regulatory Specialist ChevronTexaco for Chevron U.S.A. Inc. *N0210*

NAME (PLEASE PRINT) *James L. Death* TITLE *Vice President-Land*
SIGNATURE *James L. Death* DATE *8/16/04*

(This space for State use only)
APPROVED *9/30/2004*
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED
SEP 28 2004
DIV. OF OIL, GAS & MINING

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	TwN-Rng
43-015-30242-00-00	L M LEMMON 10-1	Gas Well	EMERY	SESE	10	17S-8E
43-015-30243-00-00	FEDERAL B21-3	Gas Well	EMERY	NESW	21	19S-7E
43-015-30244-00-00	FEDERAL A26-2	Gas Well	EMERY	SESW	26	18S-7E
43-015-30245-00-00	FEDERAL C23-8	Gas Well	EMERY	NENW	23	18S-7E
43-015-30246-00-00	FEDERAL A26-4	Gas Well	EMERY	SWSE	26	18S-7E
43-015-30247-00-00	FEDERAL A35-6	Gas Well	EMERY	NWNW	35	18S-7E
43-015-30248-00-00	FEDERAL A35-5	Gas Well	EMERY	NWNE	35	18S-7E
43-015-30249-00-00	FEDERAL A34-7	Gas Well	EMERY	NENE	34	18S-7E
43-015-30258-00-00	UTAH FED P 10-47	Gas Well	EMERY	NWNW	10	18S-7E
43-015-30259-00-00	A L JENSEN 27-9	Gas Well	EMERY	SESE	27	21S-6E
43-015-30268-00-00	ST OF UT T 36-10	Gas Well	EMERY	SWNE	36	16S-7E
43-015-30270-00-00	ST OF UT U 2-11	Gas Well	EMERY	NWNW	2	18S-7E
43-015-30272-00-00	SWD 1	Water Disposal Well	EMERY	SWNW	24	18S-7E
43-015-30274-00-00	UTAH FED S 8-46	Gas Well	EMERY	SESW	8	18S-7E
43-015-30275-00-00	UTAH FED R 9-45	Gas Well	EMERY	NWNE	9	18S-7E
43-015-30276-00-00	UTAH FED P 10-42	Gas Well	EMERY	NWNE	10	18S-7E
43-015-30277-00-00	UTAH FED P 10-43	Gas Well	EMERY	NWSE	10	18S-7E
43-015-30280-00-00	UTAH FED Q 4-44	Gas Well	EMERY	SESE	4	18S-7E
43-015-30282-00-00	UTAH FED D 34-12	Gas Well	EMERY	SESE	34	17S-7E
43-015-30285-00-00	UTAH FED D 35-13	Gas Well	EMERY	SWSW	35	17S-7E
43-015-30286-00-00	UTAH FED D 35-14	Gas Well	EMERY	NWNW	35	17S-7E
43-015-30287-00-00	UTAH FED D 35-15	Gas Well	EMERY	SWSE	35	17S-7E
43-015-30292-00-00	UTAH FED M 6-25	Gas Well	EMERY	SENE	6	17S-8E
43-015-30294-00-00	UTAH FED H 6-21	Gas Well	EMERY	SESW	6	20S-7E
43-015-30303-00-00	SWD 3	Water Disposal Well	EMERY	SENE	11	18S-7E
43-015-30306-00-00	ST OF UT U 2-48	Gas Well	EMERY	NWNE	2	18S-7E
43-015-30308-00-00	ST OF UT U 2-50	Gas Well	EMERY	NESW	2	18S-7E
43-015-30309-00-00	ST OF UT U 2-49	Gas Well	EMERY	NWSE	2	18S-7E
43-015-30310-00-00	L & M CURTIS 10-58	Gas Well	EMERY	SWSW	10	18S-7E
43-015-30311-00-00	ST OF UT X 16-66	Gas Well	EMERY	SENE	16	18S-7E
43-015-30312-00-00	ST OF UT X 16-65	Gas Well	EMERY	NWNE	16	18S-7E
43-015-30313-00-00	U P & L 14-53	Gas Well	EMERY	SESE	14	18S-7E
43-015-30314-00-00	U P & L 14-55	Gas Well	EMERY	NWNW	14	18S-7E
43-015-30315-00-00	U P & L 23-51	Gas Well	EMERY	SENE	23	18S-7E
43-015-30316-00-00	U P & L 24-57	Gas Well	EMERY	NWNW	24	18S-7E
43-015-30318-00-00	D & A JONES 15-68	Gas Well	EMERY	NENW	15	18S-7E
43-015-30319-00-00	D&D CURTIS 14-54	Gas Well	EMERY	SENE	14	18S-7E
43-015-30320-00-00	P & K PEACOCK 8-62	Gas Well	EMERY	SWNE	8	18S-7E
43-015-30321-00-00	PEACOCK TRUST 9-60	Gas Well	EMERY	NWSW	9	18S-7E
43-015-30323-00-00	SWD 2	Water Disposal Well	EMERY	NWNW	14	18S-7E
43-015-30324-00-00	R G NORRIS 14-40	Gas Well	EMERY	NESW	14	18S-7E
43-015-30325-00-00	L & M CURTIS 15-67	Gas Well	EMERY	NENE	15	18S-7E
43-015-30326-00-00	PEACOCK TRUST 8-61	Gas Well	EMERY	NESE	8	18S-7E
43-015-30327-00-00	PEACOCK 7-64	Gas Well	EMERY	NENE	7	18S-7E
43-015-30328-00-00	PEACOCK TRUST 8-63	Gas Well	EMERY	SENE	8	18S-7E
43-015-30329-00-00	D & A JONES 9-59	Gas Well	EMERY	SESE	9	18S-7E
43-015-30381-00-00	UTAH STATE 1-76	Gas Well	EMERY	NWNW	1	18S-7E
43-015-30382-00-00	UTAH STATE 36-78	Gas Well	EMERY	SWSW	36	17S-7E
43-015-30383-00-00	USA 3-74	Gas Well	EMERY	SESE	3	18S-7E
43-015-30384-00-00	USA 3-75	Gas Well	EMERY	NENE	3	18S-7E
43-015-30385-00-00	USA 11-70	Gas Well	EMERY	SWSE	11	18S-7E
43-015-30386-00-00	USA 11-71	Gas Well	EMERY	SWNE	11	18S-7E
43-015-30387-00-00	USA 11-72	Gas Well	EMERY	NWNW	11	18S-7E
43-015-30388-00-00	USA 11-73	Gas Well	EMERY	NWSW	11	18S-7E
43-015-30389-00-00	USA 34-80	Gas Well	EMERY	SENE	34	17S-7E
43-015-30390-00-00	USA 34-82	Gas Well	EMERY	SESW	34	17S-7E
43-015-30393-00-00	ST OF UT EE 06-138	Gas Well	EMERY	NENW	6	17S-9E
43-015-30396-00-00	ST OF UT AA 07-106	Gas Well	EMERY	NWNE	7	17S-8E
43-015-30437-00-00	ST OF UT BB 09-119	Gas Well	EMERY	SESW	9	17S-8E
43-015-30438-00-00	ST OF UT CC 10-124	Gas Well	EMERY	SENE	10	17S-8E
43-015-30439-00-00	ST OF UT DD 31-98	Gas Well	EMERY	NWSW	31	17S-8E
43-015-30440-00-00	FEDERAL T 27-85	Gas Well	EMERY	SENE	27	18S-7E
43-015-30441-00-00	UP&L 06-102	Gas Well	EMERY	NENW	6	17S-8E
43-015-30442-00-00	UP&L 06-104	Gas Well	EMERY	NESE	6	17S-8E
43-015-30443-00-00	WM S IVIE ET AL 09-118	Gas Well	EMERY	SWNE	9	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30444-00-00	ST OF UT BB 09-120	Gas Well	EMERY	NESE	9	17S-8E
43-015-30445-00-00	FEDERAL A 26-88	Gas Well	EMERY	SWNW	26	18S-7E
43-015-30446-00-00	FEDERAL A 35-89	Gas Well	EMERY	NWSW	35	18S-7E
43-015-30447-00-00	FEDERAL C 23-84	Gas Well	EMERY	NESW	23	18S-7E
43-015-30448-00-00	FEDERAL P 3-92	Gas Well	EMERY	SESW	3	18S-7E
43-015-30449-00-00	FEDERAL P 3-93	Gas Well	EMERY	SWNW	3	18S-7E
43-015-30450-00-00	FEDERAL T 21-94	Gas Well	EMERY	NENE	21	18S-7E
43-015-30451-00-00	FEDERAL T 22-69	Gas Well	EMERY	NENE	22	18S-7E
43-015-30452-00-00	FEDERAL T 22-83	Gas Well	EMERY	SWSE	22	18S-7E
43-015-30453-00-00	FEDERAL T 22-91	Gas Well	EMERY	NENW	22	18S-7E
43-015-30454-00-00	ST OF UT CC 10-123	Gas Well	EMERY	NWNW	10	17S-8E
43-015-30455-00-00	FEDERAL T 27-86	Gas Well	EMERY	SENE	27	18S-7E
43-015-30456-00-00	FEDERAL T 27-87	Gas Well	EMERY	SESE	27	18S-7E
43-015-30457-00-00	FEDERAL T 27-90	Gas Well	EMERY	NWSW	27	18S-7E
43-015-30458-00-00	ST OF UT FF 10-125	Gas Well	EMERY	NESW	10	17S-8E
43-015-30459-00-00	ST OF UT FF 11-129	Gas Well	EMERY	NWNW	11	17S-8E
43-015-30462-00-00	ST OF UT FF 11-130	Gas Well	EMERY	NWSW	11	17S-8E
43-015-30478-00-00	GARDNER TRUST ET AL 16-121	Gas Well	EMERY	NENE	16	17S-8E
43-015-30479-00-00	ST OF UT BB 05-107	Gas Well	EMERY	SENE	5	17S-8E
43-015-30480-00-00	ST OF UT BB 05-108	Gas Well	EMERY	NWSW	5	17S-8E
43-015-30481-00-00	ST OF UT BB 05-109	Gas Well	EMERY	SENE	5	17S-8E
43-015-30482-00-00	ST OF UT BB 05-110	Gas Well	EMERY	SWSE	5	17S-8E
43-015-30483-00-00	UP&L 06-103	Gas Well	EMERY	NESW	6	17S-8E
43-015-30484-00-00	AMERICA WEST GROUP ET AL 15-126	Gas Well	EMERY	NENW	15	17S-8E
43-015-30485-00-00	W H LEONARD ET AL 15-127	Gas Well	EMERY	NENE	15	17S-8E
43-015-30486-00-00	ROWLEY 08-111	Gas Well	EMERY	SENE	8	17S-8E
43-015-30490-00-00	SWD 4	Water Disposal Well	EMERY	SENE	15	17S-8E
43-015-30495-00-00	SEELEY 08-112	Gas Well	EMERY	NENE	8	17S-8E
43-015-30496-00-00	ST OF UT BB 08-113	Gas Well	EMERY	NWSE	8	17S-8E
43-015-30497-00-00	ST OF UT AA 07-105	Gas Well	EMERY	SWNW	7	17S-8E
43-015-30498-00-00	ST OF UT 01-97	Gas Well	EMERY	SENE	1	18S-7E
43-015-30499-00-00	ST OF UT GG 03-122	Gas Well	EMERY	SWSW	3	17S-8E
43-015-30500-00-00	ST OF UT HH 03-133	Gas Well	EMERY	SWSE	3	17S-8E
43-015-30501-00-00	SEELEY FARMS 09-117	Gas Well	EMERY	NWNW	9	17S-8E
43-015-30502-00-00	ST OF UT GG 15-128	Gas Well	EMERY	NWSW	15	17S-8E
43-015-30503-00-00	ST OF UT BB 04-116	Gas Well	EMERY	SWSE	4	17S-8E
43-015-30504-00-00	ST OF UT GG 04-115	Gas Well	EMERY	NESW	4	17S-8E
43-015-30505-00-00	BURNSIDE 14-132	Gas Well	EMERY	NWNE	14	17S-8E
43-015-30506-00-00	ST OF UT T 36-100	Gas Well	EMERY	NESE	36	16S-7E
43-015-30507-00-00	UT FED KK 01-140	Gas Well	EMERY	SENE	1	17S-7E
43-015-30508-00-00	ST OF UT II 36-96	Gas Well	EMERY	NWSE	36	17S-7E
43-015-30509-00-00	ST OF UT II 36-95	Gas Well	EMERY	NWNE	36	17S-7E
43-015-30510-00-00	SWD 5	Water Disposal Well	EMERY	SESE	23	17S-8E
43-015-30511-00-00	UP&L FED 01-101	Gas Well	EMERY	SENE	1	17S-7E
43-015-30520-00-00	ST OF UT SS 22-165	Gas Well	EMERY	NENE	22	17S-8E
43-015-30521-00-00	ZIONS FED 35-135R (RIG SKID)	Gas Well	EMERY	NESW	35	16S-7E
43-015-30528-00-00	ST OF UT 14-170	Gas Well	EMERY	SWSE	14	17S-8E
43-015-30529-00-00	CONOVER 14-171	Gas Well	EMERY	NWSW	14	17S-8E
43-015-30530-00-00	ST OF UT 36-139	Gas Well	EMERY	NWSW	36	16S-7E
43-015-30533-00-00	ST OF UT FO 02-186	Gas Well	EMERY	NENW	2	17S-8E
43-015-30549-00-00	ST OF UT JJ 03-160	Gas Well	EMERY	NWNW	3	17S-8E
43-015-30550-00-00	ST OF UT 36-138	Gas Well	EMERY	SWNW	36	16S-7E
43-015-30551-00-00	UT FED P 12-153	Gas Well	EMERY	NWNW	12	18S-7E
43-015-30552-00-00	ST OF UT CC 03-161	Gas Well	EMERY	SENE	3	17S-8E
43-015-30553-00-00	ST OF UT FO 02-188	Gas Well	EMERY	NWSW	2	17S-8E
43-015-30554-00-00	ST OF UT BB 04-158	Gas Well	EMERY	NENW	4	17S-8E
43-015-30555-00-00	ST OF UT BB 04-159	Gas Well	EMERY	SWNE	4	17S-8E
43-015-30556-00-00	MALONE 14-131	Gas Well	EMERY	SWNW	14	17S-8E
43-015-30559-00-00	UT FED KK 01-141	Gas Well	EMERY	SESE	1	17S-7E
43-015-30560-00-00	ST OF UT FO 02-189	Gas Well	EMERY	SWNE	2	17S-8E
43-015-30561-00-00	ST OF UT GG 15-184	Gas Well	EMERY	NWSE	15	17S-8E
43-015-30562-00-00	STATE OF UTAH "LL" 31-20	Gas Well	EMERY	NWNW	31	17S-8E
43-015-30566-00-00	ST OF UT "KK" 32-145	Gas Well	EMERY	NESE	32	16S-8E
43-015-30567-00-00	ST OF UT "KK" 32-144	Gas Well	EMERY	SWSW	32	16S-8E
43-015-30568-00-00	ST OF UT "AA" 18-153	Gas Well	EMERY	SESW	18	17S-8E

API Well Number	Well Name	Well Type	County Name	Qtr/Qtr	Section	Twn-Rng
43-015-30569-00-00	ST OF UT "AA" 07-146	Gas Well	EMERY	NESW	7	17S-8E
43-015-30570-00-00	ST OF UT "AA" 18-154	Gas Well	EMERY	NESE	18	17S-8E
43-015-30571-00-00	ST OF UT "AA" 17-156	Gas Well	EMERY	SWSE	17	17S-8E
43-015-30572-00-00	ST OF UT "AA" 18-149	Gas Well	EMERY	SENW	18	17S-8E
43-015-30573-00-00	ST OF UT "MM" 20-192	Gas Well	EMERY	SENW	20	17S-8E
43-015-30574-00-00	ST OF UT "MM" 20-193	Gas Well	EMERY	NENE	20	17S-8E
43-015-30575-00-00	ST OF UT MM 20-194	Gas Well	EMERY	NWSW	20	17S-8E
43-015-30576-00-00	ST OF UT AA 07-147	Gas Well	EMERY	SESE	7	17S-8E
43-015-30577-00-00	ST OF UT BB 08-148	Gas Well	EMERY	NWSW	8	17S-8E
43-015-30578-00-00	ST OF UT AA 18-150	Gas Well	EMERY	NWNE	18	17S-8E
43-015-30579-00-00	ST OF UT NN 19-157	Gas Well	EMERY	NENE	19	17S-8E
43-015-30580-00-00	ST OF UT AA 17-152	Gas Well	EMERY	NENE	17	17S-8E
43-015-30581-00-00	ST OF UT OO 16-190	Gas Well	EMERY	NESW	16	17S-8E
43-015-30582-00-00	ST OF UT PP 16-191	Gas Well	EMERY	NESE	16	17S-8E
43-015-30583-00-00	ST OF UT AA 17-151	Gas Well	EMERY	NENW	17	17S-8E
43-015-30585-00-00	ST OF UT MM 21-195	Gas Well	EMERY	NENW	21	17S-8E
43-015-30586-00-00	ST OF UT GG 21-163	Gas Well	EMERY	NENE	21	17S-8E
43-015-30587-00-00	ZIONS FED 35-137	Gas Well	EMERY	NESE	35	16S-7E
43-015-30589-00-00	UTAH FED 01-205D	Gas Well	EMERY	SENW	1	17S-7E
43-015-30590-00-00	ZIONS FED 02-134	Gas Well	EMERY	NWNW	2	17S-7E
43-015-30591-00-00	UTAH FED 12-197	Gas Well	EMERY	SENE	12	17S-7E
43-015-30592-00-00	ST OF UT QQ 31-201	Gas Well	EMERY	SESW	31	16S-8E
43-015-30593-00-00	ST OF UT AA 17-155	Gas Well	EMERY	SWSW	17	17S-8E
43-015-30601-00-00	UTAH FED 12-199	Gas Well	EMERY	NESE	12	17S-7E
43-015-30602-00-00	UTAH FED 35-196	Gas Well	EMERY	NENW	35	16S-7E
43-015-30603-00-00	UTAH FED 35-136	Gas Well	EMERY	SWNE	35	16S-7E
43-015-30604-00-00	UT FED 12-200D	Gas Well	EMERY	NESE	12	17S-7E
43-015-30605-00-00	UT FED 12-198D	Gas Well	EMERY	SENE	12	17S-7E
43-015-30606-00-00	ST OF UT QQ 31-204D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30607-00-00	ST OF UT QQ 31-203D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30608-00-00	ST OF UT QQ 31-202D	Gas Well	EMERY	SESW	31	16S-8E
43-015-30609-00-00	ST OF UT HH 23-166	Gas Well	EMERY	NENW	23	17S-8E



State of Utah

Department of
Natural Resources

ROBERT L. MORGAN
Executive Director

Division of
Oil, Gas & Mining

LOWELL P. BRAXTON
Division Director

OLENE S. WALKER
Governor

GAYLE F. McKEACHNIE
Lieutenant Governor

February 2, 2005

Kyla Vaughan
XTO Energy Inc.
2700 Farmington Ave.
Bldg K Ste 1
Farmington NM 87401

Re: APD Rescinded – State of Utah EE 06-138, Sec. 6 T. 17S, R. 9E
Emery County, Utah API No. 43-015-30393

Dear Ms. Vaughan:

The Application for Permit to Drill (APD) for the subject well was approved by the Division of Oil, Gas and Mining (Division) on November 14, 2000. On January 2, 2002, January 15, 2003 and January 28, 2004, the Division granted a one-year APD extension. No drilling activity at this location has been reported to the division. Therefore, approval to drill the well is hereby rescinded, effective January 28, 2005.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,


Diana Whitney
Engineering Technician

cc: Well File
SITLA, Ed Bonner