

# Sub-Report of Work on Well

**FILE NOTATIONS**

Entered in N I D File	_____	Checked by Chief	<u>AMB</u>
Entered On S R Sheet	_____	Copy N I D to Field Office	<input checked="" type="checkbox"/>
Location Map Pinned	<input checked="" type="checkbox"/>	Approval Letter	<input checked="" type="checkbox"/>
Card Indexed	<input checked="" type="checkbox"/>	Disapproval Letter	_____
I W R for State or Fee Land	_____		

**COMPLETION DATA:**

Date Well Completed	<u>11-20-64</u>	Location Inspected	_____
OW _____	WW _____	TA _____	Bond released
GW _____	OS _____	PA <input checked="" type="checkbox"/>	State of Fee Land

**LOGS FILED**

Driller's Log	<u>11-23-64</u>		
Electric Logs (No. )	<u>2</u>		
E _____	I _____	E-I _____	GR _____
GR-N _____	Micro _____		
Dual. Ord Lat <u>L</u>	Mi-L _____	Sonic <u>GR</u>	Others _____

CDW 8-27-90

(SUBMIT IN DUPLICATE)

LAND:

		X

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State.....  
Lease No. ....  
Public Domain.....  
Lease No. ....  
Indian.....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah October 13, 19 64

Otter Creek Reservoir Co. 2

Well No. #1 is located 600 ft. from ~~NE~~<sup>{N}</sup> line and 570 ft. from ~~SW~~<sup>{E}</sup> line of Sec. 16

NE 1/4 NE 1/4 16 T31S R2W SLB&M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat Garfield Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~<sup>terrace floor</sup> above sea level is 6407 feet.

A drilling and plugging bond has been filed with "State Bond"

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

It is proposed to drill an exploratory well for oil or gas to be completed in the Kaibab formation. Estimated TD 5000'.

8-5/8" casing to be cemented at + 200' \*

In the event of a discovery 5-1/2" casing will be cemented below the lowermost productive interval with sufficient cement to cover all producing zones and all significant water sands.\*\*

Estimated Tops: Surfave - Volcanics Shinarump - 2375'  
Wasatch - 1000' Kaibab - 3475'  
Chinle - 2125' Cedar Mesa - 4750'

"Tight Hole"

Verbal approval received in Tel-Con R. W. Patterson - Paul Burchell 10-6-64.


\* During drilling operations California Oil Co., Western Division will take all necessary measures to prevent contamination of Sevier river water by drilling fluids.

\*\*Should a discovery be made diligent efforts will be made to communitize the 40 acre drillsite.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company California Oil Company, Western Division  
Address P. O. Box 455 789-2415 By R. W. PATTERSON  
Vernal, Utah Title Superintendent of Operations

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.



N 89° 14' E  
79.73 (PER PLAT)

LOCATION 2- No. 1 WELL  
GROUND ELEV. 6391.42  
USC&GS SEA LEVEL DATUM

600'  
570'  
X TBM 6394.18  
N 16° 00' W  
212.13'  
N 0° 28' W  
40.19 (PER PLAT)

EAST 1/4 CORNER  
MARKED ROCK (FOUND)

16

(REFERENCE BEARING)  
N 0° 45' W ~ 39.69  
40.34 (PER PLAT)

CLOSING CORNER  
BRASS CAP (FOUND)

EAST 80.63  
74.75 (PER PLAT)

SECTION 16, T. 31 S., R. 2 W., S. L. B. & M.

GENERAL NOTES

1. ELEVATIONS SHOWN ARE FROM A CLOSED LEVEL CIRCUIT ON U.S.C. & G.S. BENCH MARK NO. J 47 (1934).
2. TBM SHOWN IS THE TOP OF A NAIL IN A 2"x2" WOODEN HUB 88' EAST AND 68.5' NORTH OF WELL LOCATION

CERTIFICATE

I HEREBY CERTIFY THAT THE ACCOMPANYING SKETCH IS A TRUE AND CORRECT PLAT OF A SURVEY MADE UNDER MY DIRECTION ON OCTOBER 6, 1964, FOR THE CALIFORNIA OIL CO., WESTERN DIVISION, TO DETERMINE THE LOCATION OF A PROPOSED WELL TO BE KNOWN AS OTTER CREEK RESERVOIR CO. 2- WELL No. 1; SAID LOCATION BEING 570 FEET WEST OF THE EAST LINE AND 600 FEET SOUTH OF THE NORTH LINE OF SECTION 16, TOWNSHIP 31 SOUTH, RANGE 2 WEST, SALT LAKE BASE AND MERIDIAN IN GARFIELD COUNTY, UTAH.

*Richard C Hansen*  
PROFESSIONAL ENGINEER AND LAND SURVEYOR  
UTAH LICENSE NO. 1138  
RICHFIELD, UTAH

CALIFORNIA OIL COMPANY  
WESTERN DIVISION  
PLAT OF LOCATION  
OTTER CREEK RESERVOIR Co. 2- WELL No. 1

DATE - OCT. 7, 1964

SCALE - 1" = 600'



# Desert Lodge



PH. 253-9741 • 182 SOUTH MAIN • MOAB, UTAH

Pat Patterson }  
789 3442 } California Oil Co.  
Gernal, Utah }

Garfield County

NE, NE sec 16 T 31 S R 2 W (State) →

Orthod's location  
570 W of E line  
600 S of N line

3500 test of Hiabak  
± 925' of 8 5/8" pipe  
7 7/8" to T.D.

Well end in  
notis & location plat after  
being surveyed - Operator has  
Hot Water Pond

→ Own's lease (40 acre)

C. E. Savage original owner

↓  
15 acres in middle  
operator's lease  
where well will be drilled

fresh exhibits' anal. done  
and chem. done below

Operator will  
take extra precautions

if production will be commencing  
the 40 acres


Confidential

no noisage is anticipated (therefore no water)

however, if water flows as encountered,

additional casing casing and cement  
will be utilized for protection

\* Verbal approval to Commence  
Drilling was given - Oct 6, 1964 Paul Birchell



October 15, 1964

California Oil Company  
P. O. Box 455  
Vernal, Utah

Attention: Mr. R. W. Patterson, Superintendent of Operations

Re: Notice of Intention to Drill Well No.  
OTTER CREEK RESERVOIR CO. 2-#1, 600'  
FNL & 570' FEL, NE NE NE of Sec. 16,  
T. 31 S., R. 2 W., S1EM, Garfield  
County, Utah.

Gentlemen:

This letter is to confirm verbal approval to drill the above mentioned well, given by Paul W. Burchell, Chief Petroleum Engineer on October 6, 1964. However, approval is conditional upon a bond being filed with this Commission in accordance with Rule C-1, General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer  
Office: DA 8-5771 or DA 8-5772  
Home: CR 7-2890 - Salt Lake City, Utah

Enclosed please find Form OGCC-8-X, which is to be completed if water sands (Aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,  
OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE DIRECTOR

CBF:kgw

cc: H. L. Coonts, Pet. Eng., Oil & Gas Conservation Commission, Moab, Utah  
Enclosed - "Minimum Safety Requirements Form"



# CALIFORNIA OIL COMPANY

1700 BROADWAY • P. O. BOX 780 • DENVER 1 • COLORADO

J. B. PRESTON  
SUPERINTENDENT  
CONTRACTS AND TITLES  
WESTERN DIVISION

October 20, 1964

OTTER CREEK RESERVOIR CO. 2  
WELL NO. 1  
~~NE~~NE $\frac{1}{4}$ -16-31S-2W  
Garfield County, Utah

Utah Oil and Gas Conservation Commission  
348 East South Temple, Suite 301  
Salt Lake City, Utah 84111

Gentlemen:

Transmitted herewith is the original executed copy of a bond in the penal sum of \$5,000.00 with this company as principal and General Insurance Company of America as surety. This bond is furnished pursuant to your rule C-1 in connection with our drilling of subject well.

Very truly yours,

JBP: jm  
Attachment

P. A. PMP



# CALIFORNIA OIL COMPANY

WESTERN DIVISION

1700 BROADWAY · P. O. BOX 780 · DENVER COLO. 80201

November 5, 1964

Antimony Canyon Area  
Garfield County, Utah

Utah State Oil and Gas  
Conservation Commission  
New House Building  
Salt Lake City, Utah

Attention: Mr. Paul Burchell  
Chief Petroleum Engineer

Gentlemen:

Pursuant to your request, and in connection with our current well being drilled in the ~~NE 1/4~~ Section 16, Township 31 South, Range 2 West, S.L.M., the following information is provided herewith:

Otter Creek Lease No. 2, recorded on October 19, 1964 in Book 131 at Page 469.

Claude E. Savage Lease, recorded February 19, 1964 in Book 128 at Page 314.


Should you have any further questions regarding this matter, kindly advise the undersigned accordingly.

Yours very truly,

  
Steve Chamberlain

SC:fjr

U.



T  
31  
5

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented   
 State   
 Lease No. ....  
 Public Domain   
 Lease No. ....  
 Indian   
 Lease No. ....


SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Otter Creek Reservoir Co 2 Vernal, Utah November 23, 1964

Well No. #1 is located 600 ft. from {N} line and 570 ft. from {E} line of Sec. 16  
 NE 1/4 NE 1/4 16 T31S R2W SLB & M  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
 WILDCAT GARFIELD UTAH  
 (Field) (City or Subdivision) (State or Territory)



The elevation of the ~~deck~~ floor above sea level is 6407 feet.

A drilling and plugging bond has been filed with STATE OIL & GAS COMMISSION

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)  
 It is proposed to plug & abandon the subject well as follows:

- 50 sacks regular cement from 2887-2730
- 60 sacks regular cement from 2370-2185
- 25 sacks regular cement from 1125-1050
- 65 sacks regular cement from 314-114
- 10 sacks regular cement at surface with proper marker installed.

Above procedure approved in a Tel-con Paul Burchell - Frank Baker 11/20/64

"To be kept Confidential"

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company California Oil Company - Western Division  
 Address P. O. Box 455 Vernal, Utah  
 By R.W. PATTERSON *R.W. Patterson*  
 Title Superintendent of Operations

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.



**PLUGS AND ADAPTERS**

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from 0 feet to 3144 feet, and from ..... feet to ..... feet

Cable tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet

**DATES**

Date P & A November 20, 1964 Put to producing ....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

Anthony Machado, Driller L. G. Johnson, Driller

A. L. Austin, Jr., Driller Bert Greenhouse, ~~Driller~~ Pusher

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
			At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
0	750	750	Surface Volcanics
750	2354	1604	Sands & Shale
2354	2354	-	Triassic Unconformity
2354	2766	412	Sands & Shale (Simbad Top 2766)
2766	2895	129	Limestone (Kaibab Top 2895)
2895	3144	249	Dolomite & Limestone (TD 3144)
			<i>Moenkopi 2354</i>
			<i>Kaibab 2895</i>

--	--	--	--

**HISTORY OF OIL OR GAS WELL**

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hauling.

State whether electric logs were run.

I-ES, Gamma-Ray Sonic and CBM Logs were run.

Will P & A - 11-20-64 as follows:

- 50 sacks regular cement from 2887-2730
- 60 sacks regular cement from 2370-2185
- 25 sacks regular cement from 1125-1050
- 65 sacks regular cement from 314-114
- 10 sacks regular cement at surface with proper marker installed.

Rig released 3 PM - 11-20-64

STATE OF UTAH  
 OIL & GAS CONSERVATION COMMISSION  
 348 EAST SOUTH TEMPLE  
 SUITE 301  
 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number: Otter Creek Reservoir Co 2 #1  
 Operator Calif oil Co Address Denver Colo Phone 2921450  
 Contractor Miracle & Wootter Address Vernal Ut Phone \_\_\_\_\_  
 Location NE 1/4 NE 1/4 Sec. 16 T. 31 S R. 2 W Garfield County, Utah.

Water Sands:

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
<u>From</u>	<u>To</u>	<u>Flow Rate or Head</u>	<u>Fresh or Salty</u>
1. <u>2850</u>	<u>3144</u>	<u>sweep test</u>	<u>fresh</u>
2.			
3.			
4.			
5.			

(Continued on reverse side if necessary)

Formation Tops:

Moenkopi fm 2354'  
Kaibab fm 2895'

Remarks:

- NOTE: (a) Upon diminishing supply of forms, please inform the Commission  
 (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form)  
 (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

June 23, 1965

California Oil Company  
P. O. Box 455  
Vernal, Utah

Re: Well No. Otter Creek Reservoir Co. #2-1  
Sec. 16, T. 31 S., R. 2 W.,  
Garfield County, Utah

Gentlemen:

This letter is to advise you that the Subsequent Report of Abandonment and Plugging of the above mentioned well is due and has not been filed with this Commission as required by Rule D-2, General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

Thank you for your attention to this matter.

Very truly yours,

**OIL & GAS CONSERVATION COMMISSION**

**KATHY G. WARNER**  
**RECORDS CLERK**

kgw

Enclosure - Forms

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
 State .....  
 Lease No. ....  
 Public Domain .....  
 Lease No. ....  
 Indian .....  
 Lease No. ....

		X
	16	

T  
31  
S

R 2 W

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....		Subsequent Report of Abandonment.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Otter Creek Reservoir Co 2 Vernal, Utah June 24, 1965

Well No. #1 is located 600 ft. from {N} line and 570 ft. from {E} line of Sec. 16

NE 1/4 NE 1/4 16 31S 2W SLB&M  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Garfield Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the Kelly Bushing ~~surface~~ above sea level is 6407 feet.

A drilling and plugging bond has been filed with State Oil & Gas Commission.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

The subject well was plugged and abandoned as follows:

- 50 sacks regular cement from 2887-2730
- 60 sacks regular cement from 2370-2185
- 25 sacks regular cement from 1125-1050
- 65 sacks regular cement from 314-114
- 10 sacks regular cement at surface with proper marker installed.

Rig released 11-20-64

"To be kept Confidential"

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455, Vernal, Utah By *W. A. Goudeau*

Title Acting Unit Superintendent

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.  
 O&GCC, SLC-3; File-1



# CALIFORNIA OIL COMPANY

WESTERN DIVISION

1700 BROADWAY

P O BOX ~~788~~  
599

DENVER COLORADO 80201

JUL 1 - 1965

F. E. ANDERSON  
MANAGER  
PROPERTY TAX  
AND INSURANCE

## CHANGE OF NAME RIDERS

State of Utah

~~Oil and Gas Conservation Commission~~ STATE LAND BOARD  
Salt Lake City, Utah

Gentlemen:

Effective July 1, 1965, the corporate name of the principal of bond number  
526827 will be changed from California Oil Company  
to CHEVRON OIL COMPANY.

Accordingly, we are enclosing a properly executed change of name rider  
which reflects the Surety's consent to the change of name of the principal.

Please attach said rider to said bond so that it shall form a part thereof.

It would be appreciated if you would acknowledge the receipt and attach-  
ment of said rider to said bond by signing the duplicate copy of this  
transmittal letter and returning same to us in the enclosed pre-addressed  
envelope.

Very truly yours,

Change of name rider received  
and attached this \_\_\_\_\_ day  
of July, 1965.

By \_\_\_\_\_



SURETY RIDER

To be attached to and form a part of Bond No. 526827

executed by California Oil Company, as

Principal and by GENERAL INSURANCE COMPANY OF AMERICA, as Surety,

in favor of State of Utah, and effec-

tive as of October 16, 1964

In consideration of the mutual agreements herein contained the Principal and the Surety hereby consent to changing

Name of Principal effective July 1, 1965

From: California Oil Company

To: Chevron Oil Company

Nothing herein contained shall vary, alter or extend any provision or condition of this bond except as herein expressly stated. This rider is effective on the 1st day of July 19 65.

CHEVRON OIL COMPANY

Principal

By *N.S. Purdy* Title  
Assistant Secretary

GENERAL INSURANCE COMPANY OF AMERICA

By *Robert S. Hoog* Attorney-in-Fact

Accepted:

\_\_\_\_\_  
Obligee

By \_\_\_\_\_ Title

Robert S. Hoog

July 8, 1965

Re: Oil and Gas Drilling Bond-526827

Chevron Oil Company  
P. O. Box 780  
Denver, Colorado

Gentlemen:

This office has received your notice of the change of name of the principal on the above captioned bond.

However, we are unable to associate this bond with any of our leases. It would be greatly appreciated if you would give us the number or description of the lease to which this bond applies.

Thank you for your help in this matter.

Yours very truly,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DGP/ms



MAX C. GARDNER  
DIRECTOR

THE STATE OF UTAH

STATE LAND BOARD

SALT LAKE CITY, UTAH 84114

July 8, 1965

BOARD MEMBERS

BRYANT H. CROFT  
CHAIRMAN

T. H. BELL

M. V. HATCH

C. R. HENDERSON

J. HAROLD REESE

C. S. THOMSON



21275

Re: Oil and Gas Drilling Bond-526827

Chevron Oil Company  
P. O. Box 780  
Denver, Colorado

Gentlemen:

This office has received your notice of the change of name of the principal on the above captioned bond.

However, we are unable to associate this bond with any of our leases. It would be greatly appreciated if you would give us the number or description of the lease to which this bond applies.

Thank you for your help in this matter.

Yours very truly,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DGP/ms

July 15, 1965

Dear Mr. Prince:

Subject bond is in connection with leased land described as follows:

N<sup>1</sup>/<sub>4</sub>, N<sup>1</sup>/<sub>4</sub>, Section 16, Township 31 South,  
Range 2 West, Garfield County, Utah.



MAX C. GARDNER  
DIRECTOR

# THE STATE OF UTAH

STATE LAND BOARD

SALT LAKE CITY, UTAH 84114

July 23, 1965

## BOARD MEMBERS

BRYANT H. CROFT  
CHAIRMAN  
T. H. BELL  
M. V. HATCH  
C. R. HENDERSON  
J. HAROLD REESE  
C. S. THOMSON

Utah State Oil and Gas Conservation Commission  
348 East South Temple  
Salt Lake City, Utah

Attention: Jack Feight

Dear Sir:

Enclosed please find a change of name rider from Chevron Oil Company which should be attached to Bond No. 526827 which I understand is on file with your office. This change of name rider was submitted to the State Land Board by mistake.

We trust this information will be of aid to you.

Very truly yours,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DGP:lr

Encl.

CC: Chevron Oil Company  
Box 599  
Denver, Colorado

THE STATE OF UTAH  
STATE LAND BOARD

SALT LAKE CITY, UTAH 84114

October 20, 1965

Chevron Oil Company  
Box 599  
Denver, Colorado 80201

Attention: F. E. Anderson

Dear Mr. Anderson:

In reply to your letter dated October 8, 1965, concerning the Oil and Gas Drilling Bond No. 526027, please be advised that since the land in which your Otter Creek Reservoir Co. 2 Well No. 1 was drilled is privately owned land, this bond was filed with the Oil and Gas Conservation Commission rather than the State of Utah and any request for release of this bond should be submitted to the Oil and Gas Conservation Commission, 348 East South Temple, Salt Lake City, Utah.

We trust this information will be of aid to you.

Very truly yours,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DGP:ir  
CC: Oil and Gas Conservation Com.

**CHEVRON OIL COMPANY**

WESTERN DIVISION

1700 BROADWAY P. O. BOX 599 DENVER COLO 80201

October 25, 1965

Oil & Gas Drilling Bond #526827  
in the amount of \$5,000.00  
Otter Creek Reservoir Co. 2  
Well #1, Antimony Canyon, Utah

Utah State Oil & Gas Conservation Commission  
348 East South Temple  
Salt Lake City, Utah

Gentlemen:

The subject bond is in connection with leased land described as follows:

NE $\frac{1}{2}$ NE $\frac{1}{2}$  of Section 16, Township 31 South,  
Range 2 West, Garfield County, Utah

It is requested that you furnish us with a letter authorizing our release as principal under said bond so that we can cancel same with the surety thereof.

Thank you for your courtesy and cooperation in this matter. A pre-addressed envelope is enclosed for your reply.

Very truly yours,

*J. L. Anderson/ha*

FEA:11f  
Enclosure

*Sent copy of my memo and advised  
Mr. Anderson to let us know if or when  
the pits will be filled. JMB - 10/28/65*