

FILE NOTATIONS

Entered in NID File ✓
Location Map Pinned ✓
Card Indexed ✓

Checked by Chief *PMB*
Approval Letter *11-12-68*
Disapproval Letter

COMPLETION DATA:

Date Well Completed *5-6-69*

Location Inspected

OW..... WW..... TA.....

Bond released

GW..... OS..... PA..... ✓

State or Fee Land

LOGS FILED

Driller's Log *5-9-69*

Electric Logs (No.) *1*.....

E..... I..... Dual I Lat..... GR-N...*1*..... Micro.....

BHC Sonic GR..... Lat..... Mi-L..... Sonic.....

CBLog..... CCLog..... Others.....

1-22-69. Well, will be opened up upon
completion of the Bloody Hand tap.
Sharon.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK
 b. TYPE OF WELL
 OIL WELL GAS WELL OTHER Wildcat SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR
 P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface 500' FSL, 820' FEL SW SE SE ✓
 At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 4 miles south of Boulder, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 500' -

16. NO. OF ACRES IN LEASE
 2360 ✓

17. NO. OF ACRES ASSIGNED TO THIS WELL
 -

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 -

19. PROPOSED DEPTH
 6300 ✓

20. ROTARY OR CABLE TOOLS
 Rotary ✓

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 GR 6410'

22. APPROX. DATE WORK WILL START*
 December 15, 1968

5. LEASE DESIGNATION AND SERIAL NO.
 Utah 5556
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
 -
 7. UNIT AGREEMENT NAME
 -
 8. FARM OR LEASE NAME
 Collett Antelope
 9. WELL NO.
 1
 10. FIELD AND POOL, OR WILDCAT
 Wildcat New Field
 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 14-34S-4E., SLB&M
 12. COUNTY OR PARISH
 Garfield
 13. STATE
 Utah

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2	13-3/8	48	200	225
11	8-5/8	24	2000 To be determined	
7-7/8	4-1/2	11.6	To be determined	

We would like your permission to drill the subject well to an estimated depth of 6300'. Anticipated formation tops are as follows: Navajo at the surface, Kayenta at 670', Wingate at 840', Chinle at 1200', Shinarump at 1880', Moenkopi at 1940', Kaibab at 2480', White Rim-Organ Rock-Toroweap-Cedar Mesa (undifferentiated) at 2700', Hermosa at 4710', Molas at 5180', Redwall at 5220' and Elbert at 6270'.

43-017-30011

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED BW Coft TITLE Vice President, Gas Supply Operations DATE Nov. 11, 1968

(This space for Federal or State office use)


PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

T.34S., R.4E. S.L.B. & M.

UTAH



LOCATION DATA

WELL - Collett N° 1

FIELD - Collett

LOCATION

500' From South Line.
820' From East Line.
SE SE Section 14, T.34S., R.4E. S.L.B. & M.
Garfield County, Utah

ELEVATION

6410' ground

SURVEYED BY

Ernst Engineering Co., Durango, Colorado

DATE OF REPORT

October 28, 1968.

REMARKS

Well elevation natural ground.

ENGINEER'S AFFIDAVIT

STATE OF WYOMING }
COUNTY OF SWEETWATER } S.S.

I, K.A. Loya of Rock Springs Wyoming, hereby certify that this map was made from notes taken during an actual survey made under my direction by Ernst Engineering Co Durango, Colorado on Oct 22, 1968; and that it correctly represents the location thereon with section measurements based on the official survey Plat of Township 34S., R.4E., S.L.B. & M. Utah.

K. A. Loya
Engineer

Utah Registration N° 2707

REVISIONS				 MOUNTAIN FUEL SUPPLY COMPANY ROCK SPRINGS, WYOMING
NO.	DESCRIPTION	DATE	BY	
				WELL LOCATION COLLETT WELL N° 1 SE SE SEC. 14, T.34S., R.4E S.L.B. & M. GARFIELD COUNTY, UTAH
DRAWN: 10-28-68 D.E.N.			SCALE: 1" = 1000'	DRWG. NO. M-9406
CHECKED: <i>Rum</i> CK				
APPROVED: KAL				

Jurassic = Tertiary

Boya - V. gate - Chulz & Durrip. &
Noesmy - Unless of Terature & Water
head & mineralizer. Call on

Don Stewart

Donald G. Stewart - app. Eng.

328-5671

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER Wildcat SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR
 P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface 500' FSL, 820' FEL SE SE
 At proposed prod. zone Same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 4 miles south of Boulder, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 500' -
 16. NO. OF ACRES IN LEASE 2360

17. NO. OF ACRES ASSIGNED TO THIS WELL -
 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. -
 19. PROPOSED DEPTH 6300

20. ROTARY OR CABLE TOOLS Rotary
 21. ELEVATIONS (Show whether DF, RT, GR, etc.) GR 6410'

5. LEASE DESIGNATION AND SERIAL NO.
 Utah 5556
 6. IF INDIAN, ALLOTTEE OR TRIBE NAME -
 7. UNIT AGREEMENT NAME -
 8. FARM OR LEASE NAME Collett
 9. WELL NO. 1
 10. FIELD AND POOL, OR WILDCAT Wildcat
 11. SEC., T., R., M., OR BLEK. AND SURVEY OR AREA 14-34S-4E., SLB&M
 12. COUNTY OR PARISH Garfield
 13. STATE Utah

22. APPROX. DATE WORK WILL START*
 December 15, 1968

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2	13-3/8	48	200	225
11	8-5/8	24	2000 To be determined	
7-7/8	4-1/2	11.6	To be determined	

We would like your permission to drill the subject well to an estimated depth of 6300'. Anticipated formation tops are as follows: Navajo at the surface, Kayenta at 670', Wingate at 840', Chinle at 1200', Shinarump at 1880', Moenkopi at 1940', Kaibab at 2480', White Rim-Organ Rock-Toroweap-Cedar Mesa (undifferentiated) at 2700', Hermosa at 4710', Molas at 5180', Redwall at 5220' and Elbert at 6270'.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED BW Craft TITLE Vice President, Gas Supply Operations DATE Nov. 11, 1968

(This space for Federal or State office use)


PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

T.34S., R.4E. S.L.B. & M.

UTAH



LOCATION DATA

WELL - Collett No 1

FIELD - Collett

LOCATION

500' From South Line.
 820' From East Line.
 SE SE Section 14, T.34S., R.4E. S.L.B. & M.
 Garfield County, Utah

ELEVATION

6410' ground

SURVEYED BY

Ernst Engineering Co., Durango, Colorado

DATE OF REPORT

October 28, 1968.

REMARKS

Well elevation natural ground.

ENGINEER'S AFFIDAVIT

STATE OF WYOMING }
 COUNTY OF SWEETWATER } S.S.

I, K.A. Loya of Rock Springs Wyoming, hereby certify that this map was made from notes taken during an actual survey made under my direction by Ernst Engineering Co. Durango, Colorado on Oct 22, 1968; and that it correctly represents the location thereon with section measurements based on the official survey Plat of Township 34S., R.4E., S.L.B. & M. Utah.

K. A. Loya
 Engineer

Utah Registration No 2707

REVISIONS				 MOUNTAIN FUEL SUPPLY COMPANY ROCK SPRINGS, WYOMING
NO.	DESCRIPTION	DATE	BY	
				WELL LOCATION COLLETT WELL NO 1 SE SE SEC. 14, T. 34S., R. 4 E S.L.B. & M. GARFIELD COUNTY, UTAH
DRAWN: 10-28-68 D.E.N.			SCALE: 1" = 1000'	DRWG. NO. M-9406
CHECKED: <i>Rum</i> CK				
APPROVED: KAL				

November 12, 1968

Mountain Fuel Supply Company
P. O. Box 1129
Rock Springs, Wyoming 82901

Re: Well No. Collett Federal #1
Sec. 14, T. 34 S., R. 4 E.,
Garfield County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify Paul W. Burchell, Chief Petroleum Engineer; Home: 277-2890 - Salt Lake City, Utah; Office: 328-5771.

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, Report of Water Encountered During Drilling, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.

The API number assigned to this well is 43-017-30011 (see Bulletin D12 published by the American Petroleum Institute).

Very truly yours,
DIVISION OF OIL AND GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:cnp

cc: Rodney A. Smith, Dist. Eng.
U. S. Geological Survey
8416 Federal Building
Salt Lake City, Utah, 84111

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
Utah 5556

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Collett

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA
14-34S4E4, SLB&M

12. COUNTY OR PARISH, 13. STATE
Garfield, Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Wildcat

2. NAME OF OPERATOR
Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR
P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
500' FSL, 820' FEL SE SE

14. PERMIT NO. - 15. ELEVATIONS (Show whether DF, RT, OR, etc.)
GR 6410'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other) Supplementary history

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Depth 957', tripping.

Spudded April 15, 1969.

Landed 13-3/8" surface casing at 204.47' KBM and set with 360 sacks of cement

18. I hereby certify that the foregoing is true and correct

SIGNED B. H. Craft Jr.

TITLE Vice President,
Gas Supply Operations

DATE April 15, 1969

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

*See Instructions on Reverse Side

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1424.

Sheet

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL [] GAS WELL [] OTHER [] Wildcat
2. NAME OF OPERATOR Mountain Fuel Supply Company
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 500' FSL, 820' FEL SE SE
14. PERMIT NO. - 15. ELEVATIONS (Show whether DF, RT, GR, etc.) GR 6410'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data. NOTICE OF INTENTION TO: TEST WATER SHUT-OFF [] PULL OR ALTER CASING [] WATER SHUT-OFF [] FRACTURE TREAT [] MULTIPLE COMPLETE [] REPAIRING WELL [] SHOOT OR ACIDIZE [] ABANDON* [] ALTERING CASING [] REPAIR WELL [] CHANGE PLANS [] ABANDONMENT* [] (Other) Supplementary history [X] (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Depth 957', tripping. Spudded April 15, 1969. Landed 13-3/8" surface casing at 204.47' KBM and set with 360 sacks cement

18. I hereby certify that the foregoing is true and correct. SIGNED B. H. Craft, Jr. TITLE Vice President, Gas Supply Operations DATE April 21, 1969 APPROVED BY _____ TITLE _____ CONDITIONS OF APPROVAL, IF ANY: _____

*See Instructions on Reverse Side

Vertical text on the right side of the page, including 'Instructions' and other administrative markings.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat		5. LEASE DESIGNATION AND SERIAL NO. Utah 5556
2. NAME OF OPERATOR Mountain Fuel Supply Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 500' FSL, 820' FEL SE SE		8. FARM OR LEASE NAME Collett
14. PERMIT NO. -		9. WELL NO.
15. ELEVATIONS (Show whether DF, HT, GR, etc.) KB 4822.80' GR 6410'		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR B&K. AND SURVEY OF AREA 14-34-4E, S1B&M
		12. COUNTY OR PARISH 13. STATE Garfield Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input checked="" type="checkbox"/> Supplementary history	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Depth 2305', stuck drill pipe, recovered same, now reaming 8-3/4" hole to 121' and set
Landed 190.67' net, 192.70' gross of 13-3/8", 48#, H-40 casing at 204' and set
with 370 sacks of cement.

18. I hereby certify that the foregoing is true and correct

SIGNED BW Craft TITLE Vice President, Gas Supply Operations DATE April 20, 1969

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

6. LEASE, DESIGNATION AND SERIAL NO.
Utah 5556

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Collette

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA
14-34S-4E, SLB&M

12. COUNTY OR PARISH; 13. STATE
Garfield Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Wildcat

2. NAME OF OPERATOR
Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR
P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
500' FSL, 820' FEL SE SE

14. PERMIT NO. - 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 4822.80' GR 6410'

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

- TEST WATER SHUT-OFF
- FRACTURE TREAT
- SHOOT OR ACIDIZE
- REPAIR WELL
- (Other)

- PULL OR ALTER CASING
- MULTIPLE COMPLETE
- ABANDON*
- CHANGE PLANS

- WATER SHUT-OFF
- FRACTURE TREATMENT
- SHOOTING OR ACIDIZING
- (Other) Supplementary history

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Depth 2305', stuck drill pipe, recovered same, now reaming 8-3/4" hole to 1214'.

Landed 190.67' net, 192.70' gross of 13-3/8", 48#, H-40 casing at 2004' and set with 370 sacks of cement.

18. I hereby certify that the foregoing is true and correct

Vice President,
Gas Supply Operations

SIGNED BW Craft

TITLE _____

DATE April 28, 1969

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

Schur

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE
LEASE NUMBER
UNIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Garfield Field Collart

The following is a correct report of operations and production (including drilling and producing wells) for the month of APR - 1969, 19.....

Agent's address P.O. Box 11368 Company MOUNTAIN FUEL SUPPLY COMPANY
Salt Lake City, Utah 84111 Signed D. Murphy

Phone 328-8315 Agent's title DIVISIONAL CHIEF ACCOUNTANT

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
					<u>D. J. Langley U-5556</u>					
SE SE 14	34S	4E	1							Spudded 4-15-69 Drilling 2305' 4-30-69 ✓

NOTE.—There were runs or sales of oil; M cu. ft. of gas sold;

..... runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

6. LEASE DESIGNATION AND SERIAL NO.

Utah 5556

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL GAS WELL OTHER Wildcat

2. NAME OF OPERATOR

Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR

P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

500' FSL, 820' FEL, SE SE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Collett

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

14-34S-4E., SLB&M

14. PERMIT NO.

-

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

KB 4822.8' GR 6410'

12. COUNTY OR PARISH 13. STATE

Garfield Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT**

REPAIR WELL

CHANGE PLANS

(Other) Supplementary history

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', circulating to plug and abandon.

DST #1: 2165-2305', Shinarump, IO 1/2 hour, ISI 1 hour, FO 1/2 hour, FSII 1 hour, opened with strong blow continuing, reopened very weak, dead in 5 minutes, no gas to surface, recovered 184' slightly water cut mud and 284' fresh water. IHP 106, IOFP's 39-235, ISIP 265, FOFP's 265-265, FSIP 271, FHP 1037 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED

B. W. Croft

TITLE

Vice President,
Gas Supply Operations

DATE

May 5 1969

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

Utah 5556

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER Wildcat

7. UNIT AGREEMENT NAME

2. NAME OF OPERATOR
Mountain Fuel Supply Company

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR
P. O. Box 1129, Rock Springs, Wyoming 82901

9. WELL NO.

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

10. FIELD AND POOL, OR WILDCAT
Wildcat

500' FSL, 820' FEL, SE SE

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
14-34S-4E., SLB&M

14. PERMIT NO.
-

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB 4822.8' GR 6410'

12. COUNTY OR PARISH 13. STATE
Garfield Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

Supplementary history

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', circulating to plug and abandon.

DST #1: 2165-2305', Shinarump, IO 1/2 hour, ISI 1 hour, FO 1/2 hour, FSI 1 hour, opened with strong blow continuing, reopened very weak, dead in 5 minutes, no gas to surface, recovered 184' slightly water cut mud and 284' fresh water. IHP 106, IOFP's 39-235, ISIP 265, FOFP's 265-265, FSIP 271, FHP 1037 psi.

18. I hereby certify that the foregoing is true and correct

SIGNED B. W. Crofters

TITLE Vice President, Gas Supply Operations

DATE May 1969

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat		5. LEASE DESIGNATION AND SERIAL NO. Utah 5556
2. NAME OF OPERATOR Mountain Fuel Supply Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 500' FSL, 820' FEL SE SE		8. FARM OR LEASE NAME Collett
14. PERMIT NO. -		9. WELL NO. 13
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 6422.8' GR 6410'		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 14-34S-4E., SLB&M
		12. COUNTY OR PARISH Garfield
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Supplementary history <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', landed 2291.97' net, 2312.46' gross of 9-5/8", 32.30#, H-40 casing at 2305.77' and set with 311 sacks of cement, then drilled to total depth, found free point at 1000' and pulled casing, rig released on May 6, 1969.

Verbal approval was granted on May 4 during a telephone conversation between Mr. Smith of the U.S.G.S. and Mr. Myers with Mountain Fuel to plug and abandon the subject well by laying the following plugs:

- Plug No. 1: 3100-3000', 34 sacks
- Plug No. 2: 2750-2650', 34 sacks
- Plug No. 3: 2354-2254', 35 sacks
- Plug No. 4: 1050- 950', 51 sacks
- Plug No. 5: 125- 225', 71 sacks
- Plug No. 6: 10- 0', 10 sacks

18. I hereby certify that the foregoing is true and correct

SIGNED BW Coft TITLE Vice President, Gas Supply Operations DATE May 6, 1969

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Mountain Fuel Supply Company		8. FARM OR LEASE NAME Collett
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901		9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface		10. FIELD AND POOL, OR WILDCAT Wildcat
5. PERMIT NO. -		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 14-34S-4E., SLB&M
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 6422.8' GR 6410'		12. COUNTY OR PARISH Garfield
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', rig released May 6, well plugged and abandoned as follows:

- Plug No. 1: 3100-3000', 34 sacks
- Plug No. 2: 2750-2650', 34 sacks
- Plug No. 3: 2354-2254', 35 sacks
- Plug No. 4: 1050- 950', 51 sacks
- Plug No. 5: 225- 125', 71 sacks
- Plug No. 6: 10- 0', 10 sacks

The location will be cleaned and a regulation abandonment marker installed at a later date.

18. I hereby certify that the foregoing is true and correct
 SIGNED BW Croft TITLE Vice President, Gas Supply Operations DATE May 6, 1969

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat		5. LEASE DESIGNATION AND SERIAL NO. Utah 5556
2. NAME OF OPERATOR Mountain Fuel Supply Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 500' FSL, 820' FEL SE SE		8. FARM OR LEASE NAME Collett
14. PERMIT NO. -		9. WELL NO. 1
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 6422.8' GR 6410'		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 14-34S-4E., SLB&M
		12. COUNTY OR PARISH Garfield
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Supplementary history <input checked="" type="checkbox"/>	
(Other)		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', landed 2291.97' net, 2312.46' gross of 9-5/8", 32.30#, H-40 casing at 2305.77' and set with 311 sacks of cement, then drilled to total depth, found free point at 1000' and pulled casing, rig released on May 6, 1969.

Verbal approval was granted on May 4 during a telephone conversation between Mr. Smith of the U.S.G.S. and Mr. Myers with Mountain Fuel to plug and abandon the subject well by laying the following plugs:

- Plug No. 1: 3100-3000', 34 sacks
- Plug No. 2: 2750-2650', 34 sacks
- Plug No. 3: 2354-2254', 35 sacks
- Plug No. 4: 1050- 950', 51 sacks
- Plug No. 5: 125- 225', 71 sacks
- Plug No. 6: 10- 0', 10 sacks

18. I hereby certify that the foregoing is true and correct

SIGNED BW Craft TITLE Vice President, Gas Supply Operations DATE May 6, 1969

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Schmitt
Form 9-331
(May 1963)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Wildcat		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Mountain Fuel Supply Company		8. FARM OR LEASE NAME Collett
3. ADDRESS OF OPERATOR P. O. Box 1129, Rock Springs, Wyoming 82901		9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 500' FSL, 820' FEL SE SE		10. FIELD AND POOL, OR WILDCAT Wildcat
14. PERMIT NO. -		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 14-34S. 4E., S1B&M
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 6422.8' GR 6410'		12. COUNTY OR PARISH Garfield
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 3225', rig released May 6, well plugged and abandoned as follows:

- Plug No. 1: 3100-3000', 34 sacks
- Plug No. 2: 2750-2650', 34 sacks
- Plug No. 3: 2354-2254', 35 sacks
- Plug No. 4: 1050- 950', 51 sacks
- Plug No. 5: 225- 125', 71 sacks
- Plug No. 6: 10- 0', 10 sacks

The location will be cleaned and a regulation abandonment marker installed at a later date.

18. I hereby certify that the foregoing is true and correct

SIGNED BW Croft TITLE Vice President, Gas Supply Operations DATE May 6, 1969

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

Form 9-330
(Rev. 5-55)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*
(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5

PI
15

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Mountain Fuel Supply Company

3. ADDRESS OF OPERATOR
P. O. Box 1129, Rock Springs, Wyoming 82901

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 500' FSL, 820' FEL SE SE
At top prod. interval reported below Same
At total depth Same

14. PERMIT NO. _____ DATE ISSUED _____

5. LEASE DESIGNATION AND SERIAL NO.
Utah 5556

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
-

7. UNIT AGREEMENT NAME
-

8. FARM OR LEASE NAME
Collett

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
14-34S-4E., SLB&M

12. COUNTY OR PARISH
Garfield

13. STATE
Utah

15. DATE SPUDDED 4-15-69 16. DATE T.D. REACHED 5-3-69 17. DATE COMPL. (Ready to prod.) 5-6-69 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* KB 6422.80' GR 6410' 19. ELEV. CASINGHEAD -

20. TOTAL DEPTH, MD & TVD 3225' 21. PLUG, BACK T.D., MD & TVD 0 22. IF MULTIPLE COMPL., HOW MANY* - 23. INTERVALS DRILLED BY - ROTARY TOOLS 0-3225' CABLE TOOLS -

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
Dry and abandoned 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Gamma Ray-Neutron 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8	48 & 54.5	204.47'	17-1/2"	370	0
9-5/8	32.30	2305.77'	12-1/4"	311	989.09 net

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

33. PRODUCTION

DATE FIRST PRODUCTION Dry & Abandoned PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in)

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS
Gamma Ray-Neutron, Well Lithology and Well Completion logs ✓

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.
SIGNED BW Coft TITLE Gas Supply Operations DATE May 8, 1969
Vice President,

*(See Instructions and Spaces for Additional Data on Reverse Side)

Schultz

FORM OGC-8-X

FILE IN QUADRUPLICATE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION
1588 West North Temple

SALT LAKE CITY, UTAH 84111

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Collett Well No. 1

Operator Mountain Fuel Supply Co. Address S. L. C., Utah Phone 328-8315

Contractor Loffland Bros. Drlg. Address Casper, Wyoming Phone _____

Location SE 1/4 SE 1/4 Sec. 14 T. 34 N. R. 4 E Garfield County, Utah
S N

Water Sands:

<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
From	To	Flow Rate or Head	Fresh or Salty
1. Air drlg. @ 595'		6 Bbl per hr.	Fresh
2. @ 1839'		increased to 300 Bbl per hr.	Fresh
3. 2165'-2213'		DST. Recovered 468' water	200 ppm Cl.
4. Air drlg. @ 2900'		hit water increased to 75-80 bbls fresh water per hr.	
5.			

(Continued on reverse side if necessary)

Formation Tops: Kayenta 680' Kaibab 2692'
Chinle 1572' White Rim 3082'
Shinarump 2092'
Remarks: Moenkopi 2212'

NOTE: (a) Upon diminishing supply forms, please inform this office,
(b) Report on this form as provided for in Rule C-20, General Rules
and Regulations and Rules of Practice and Procedure, (See back of form)
(c) If a water analysis has been made of the above reported zone,
please forward a copy along with this form.

Schmitt

PS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE
LEASE NUMBER
UNIT

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Garfield Field Collett

The following is a correct report of operations and production (including drilling and producing wells) for the month of MAY, 1969,

Agent's address P.O. Box 11368 Company MOUNTAIN FUEL SUPPLY COMPANY
Salt Lake City, Utah 84111 Signed D. Murphy

Phone 328-8315 Agent's title DIVISIONAL CHIEF ACCOUNTANT

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
					<u>D. J. Lansley - U-5556</u>					
SE SE 14	34S	4E	1							Spudded 4-15-69 T.D. 3,225' P & A 5-6-69 ✓

NOTE.—There were runs or sales of oil; M cu. ft. of gas sold;

..... runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.