

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

4-22-56

Location Inspected

OW..... WW..... TA.....

Band released

GW..... OS..... PA.....

State of Fee Land

LOGS FILED

Driller's Log


12-17-56

Electric Logs (No.)

None Run

E..... I..... E-I..... GR..... GR-N..... Micro.....

Lat..... Mi-L..... Sonic..... Others.....



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No.

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 21, 1956

Well No. 2 is located 660 ft. from $\begin{matrix} [N] \\ [S] \end{matrix}$ line and 660 ft. from $\begin{matrix} [E] \\ [W] \end{matrix}$ line of sec. 31

NE $\frac{1}{4}$, NE $\frac{1}{4}$ Sec 31 T 19 S, R 25 E Salt Lake Meridian

($\frac{1}{4}$ Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

(Field)

Grand County, (County or Subdivision)

Utah (State or Territory)

The elevation of the derrick floor above sea level is 4,522 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company

Address

By *Jamaal Burns*

Title *Registered Surveyor, Colo. # 473*

Township No. *19S* Range No. *24* County. Meridian.

19S

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
10	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Township..... Range..... Meridian

SCALE 5280 FEET TO AN INCH

Township No. **County.**
Range No. **Meridian.**

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	


Producing
 Oil
 Well

205

Township..... Range..... Meridian

SCALE 5280 FEET TO AN INCH

County. Brand - county -
Township No. 19 S. **Range No.** 27 E **Meridian.**



19 S

Township..... Range..... Meridian

SCALE 5280 FEET TO AN INCH

Township No. *County.*
Range No. *Meridian.*

6	5	4	3	2	1
7	8	9	10	11	12
13	17	15	15	14	13
10	20	21	22	23	24
30	20	28	27	26	25
31	32	33	34	35	36

205

Township.....Range.....Meridian

SCALE 5280 FEET TO AN INCH

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

March 26, 1956

OIL AND GAS CONSERVATION COMMISSION

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. 2, which is located 660 ft from ^(N) _(S) line and 660 ft from ^(E) _(W) line of Sec 31, Twp 19 S., R 25 E., SLM (Meridian) (Field or Unit)

Grand _____ on or about 27th day of March, 1956
(County)

LAND: Fee and Patented () Name of Owner of patent or lease _____
State ()
Lease No 1528 Address _____
Public Domain (x)
Lease No 01528

Is location a regular or exception to spacing rule? regular Has a surety bond been filed? yes With whom? Federal Area in drilling unit None
(State of Federal)

Elevation of ground above sea level is _____ ft. All depth measurements taken from top of Derrick Floor which is 1 ft above ground
(Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used Cable. Proposed drilling depth 1150 ft. Objective formation is salt wash.

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount		Top	Bottom	Cementing Depths
			Ft.	In.			
10 inch	40 lbs.		150	0			

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

Approved _____ for regular spacing

Date March 26 1956

By A. J. Smith

Title Commissioner

By J. D. Barefield
P. O. Box 643 - Grand Junction, Colo.
Agent
(Title or Position)

E. J. Anderson
(Company or Operator)

Address Montrose, Colorado

INSTRUCTIONS:

- Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Rm 105, Capitol Bldg, Salt Lake City 14, Utah.
- A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
- Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
- Use back of form for remarks.

B & W**DRILLING****COMPANY**

BOX 185
BORGER, TEXAS

BR 4-2214

May 24th, 1956.

OF TEXAS

Mr. F. E. Mickerson,
Carter Oil Co.,
Box 472, Vernal, Utah; and

Mr. P. F. Russell, Supervisor,
Oil and Gas Operations,
U. S. G. S.
Salt Lake City, Utah; and

Mr. Herbert E. Smart, Commissioner,
Oil & Gas Conservation Commission,
State of Utah,
Salt Lake City, Utah; and

Mr. M. W. Johnson, Geologist,
S. F. Allison Drilling Co.,
901 Sherman Street, Room 401,
Denver, Colorado.

Gentlemen:

Attached hereto find one copy each - attached to this letter of location - Well No. 2, located 660 ft from N. line and 660 ft from E. line of Section 31, NE 1/4 Section 31, T. 19, S. Range 25 East - Salt Lake Meridan, Grand County, Utah. This is the well that this firm is drilling at present.

Should this information from James Burnes, Registered Surveyor, Colorado No. 2473, of Grand Junction, Colorado - not be as desired, kindly get in touch with Mr. Burnes and have said report made to your liking.

Yours very truly,
B & W DRILLING CO., of Texas.

J. C. Coolbaugh
By J. C. Coolbaugh, Controller.

JCC/c

October 31, 1956

B 7 W Dullay Co
Box 185
J. R. Barefield *Borger, Texas*
Box 643
Grand Junction, Colorado

Gentlemen:

On August 27, 1956, the following letter was sent to you by this office:

"It has come to the attention of this office that Well No. E. J. Anderson 2, which was drilled by you on Section 31, Township 19 South, Range 25 East, Grand County, has been completed, plugged and abandoned, or shut down as of about April 28, 1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

If our information is correct, will you please forward the well log or logs to this office as required by the above mentioned rule. If our information is not correct, will you so notify us.

It would be greatly appreciated if the enclosed form OGOC-3, Log of Oil or Gas Well, could be completed, in duplicate, and returned to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLEON B. FREIGHT
SECRETARY

cc: E. J. Anderson

Returned ~~to~~ Montrose, Colorado
wrong address (D & W Drill. sent
Borger, Tex.)

B & W**DRILLING****COMPANY**BOX 185
BORGER, TEXAS

BR 4-2214

November 8th, 1956/

OF TEXAS

Mr. Cleon B. Feight, Secretary,
Oil & Gas Conservation Commission,
140 State Capitol,
Salt Lake City 14, Utah.

Dear Mr. Feight:

In re: Copy of your letter to J. D. Barefield of August 27th, 1956, copy of same made and mailed to E. J. Anderson, October 31st, 1956 % B & W Drilling Co. Box 185, Borger, Texas.

The copy of letter captioned above came to our box this morning. Since we had taken over the E. J. Anderson, then J. D. Barefield commitment, we have taken the liberty to open said letter.

The well that you refer to that was plugged and abandoned was in "NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29, Twp. 19 S., 25 East.

The well you refer to in your letter - SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 31, Twp. 19 South, Range 25 East. This well has not been completed. We have had a fishing job for quite some-time and our rig is still over the hole.

At such time as well is completed, or plugged and abandoned, we will so give your office the necessary information.

Yours very truly,

B & W DRILLING COMPANY OF TEXAS,

J. O. Coolbaugh
By J. O. Coolbaugh, Controller.

JOC/c

CC: Mr. G. L. Williamson, Manager,
B & W Drilling Co. of Texas,
P. O. Box 1225,
Las Vegas, N. M.

November 14, 1956

B & W Drilling Company of Texas
Box 185
Borger, Texas

Gentlemen:

This is to acknowledge receipt of your letter of November 8, 1956, which was in reply to our letter of October 31, 1956, addressed to J. D. Barefield.

In said letter we requested a copy of the Well Log for the E. J. Anderson Well No. 2 drilled in Section 31, Township 19 South, Range 25 East, Grand County.

Rule C-5 of our general rules and regulations requires that a well log be filed with this Commission within 90 days after the suspension of operations on, the abandonment of, or the completion of any well drilled for oil and/or gas.

You will note that this rule, among other things, requires that well logs must be filed within 90 days after the suspension of operations on the well.

Therefore, in view of the fact that there has been no activity on this well since April 28, 1956, it is requested that the enclosed OGOC Form 3, Log of Oil or Gas Well be completed and forwarded to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

B & W

DRILLING



COMPANY

BOX 185
BORGER, TEXAS

BR 4-2214

December 13, 1956.

OF TEXAS

LOG OF WELL - NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 31, Township 19 South,
Range 25 East, Salt Lake Meridan, Wildcat in Grand County,
Utah, lease No. C12571.

B & W Drilling Co., of Texas - drilled to 305 feet, plugged and abandoned.

- March 29th, 1956 - Spudded in;)
- March 30th, 0' to 20' clay, gravel and shale;)
- March 31st, 1956 - 20' to 40' - shale;) - - - - 12" hole;
- April 1st, 1956 - 40 to 90' - shale;)
- April 2nd, 1956 - 90' to 150' - shale;)

- April 3, 1956 - 150' to 195' - reduced hole at 153' - 12" to 10" - shale;
- April 4, 1956 - 195' to 230' - shale;
- April 5, 1956 - 230' to 260' - shale;
- April 6, 1956 - 260' to 305' - shale - shells;
- April 7, 1956 - Hauled water and worked on brake band on bull wheel;
- April 8th, thru 4/11/1956 - Worked on rig;
- April 12, 1956 - getting ready to run 10 $\frac{1}{4}$ " pipe;
- April 13, 1956 - Reaming #### out - running 10 $\frac{1}{4}$ " pipe;
- April 14, 1956 - Pipe didn't go - filled hole with rock - drilling out rock;
- April 15, 1956 - Drilling out rock;
- April 16, 1956 - Drilling out rock;
- April 17, 1956 - Drilling out rock;
- April 18, 1956 - Drilled 12" hole to 150'
- April 19, 1956 - Changing tools - digging cellar - put in 4 jts. 10" pipe;
- April 20-21- Drilling out boulders - hole did not straighten up; Shut down going to skid the rig;
- April 21 - Hauling river rock - plugging hole;
- April 22 - 1956 - Plugged hole with rock - top 10 feet with 6" casing- using 20 sacks of cement.

B & W DRILLING CO. OF TEXAS

Charles S. Williamson
By *C. S. Williamson* - Partner & Mgr.
Box 185, Borger, Texas.

Note: May 6th, 1956 Form 9-3319 filed out and mailed in showing depth drilled to as 350' but error by typist depth was 305 feet.

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
LOG OF OIL OR GAS WELL

Well No. 2, which is located 660 ft. from (N/S) line and 660 ft from (E/W) line of Section NENE-31, Twp. 19S, R. 25E, SL, Wildcat, Grand
(Meridian) (Field or Unit) (County)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records as of April 22nd, 1956 and is to be kept confidential until _____, 19____. (See Rule C-5)

Drilling operations were (~~abandoned~~) (abandoned) on April 22nd, 1956

Date: December 13th, 1956

Signed: Blade W. Williams Title: Mgr. & Partner

Company: B & W Drilling Co. of Texas

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from NONE to NONE No. 4, from _____ to _____

IMPORTANT WATER SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from NONE to NONE No. 4, from _____ to _____

CASING RECORD

Size of Hole	Size Casing	Weight per ft.	Threads per Inch	Make	Amount	Kind of Shoe	Cut & Pulled from	Perforated from to	Purpose
See log attached									

MUDDING AND CEMENTING RECORD

Size Casing	Where Set	Number of sacks of cement	Method Used	Mud Gravity	Amount of Mud Used
See log attached					

TOOLS USED

Cable Tools were used from 3/20/56 to 4/22/56 and from _____ to _____
Rotary Tools were used from 3/29/56 to 4/22/56 and from _____ to _____

PRODUCTION

Put to producing Plugged and abandoned hole
OIL WELLS: The production during the first 24 hours was _____ barrels of liquid of which _____% was oil; _____% was emulsion; _____% was water; and _____% was sediment. Gravity: _____

GAS WELL: The production during the first 24 hours was _____ MCF plus _____ barrels of liquid hydrocarbon. Shut in pressure _____ lbs. Length of time shut in _____.

FORMATION RECORD

From	To	Thickness in feet	Formation	From	To	Thickness in feet	Formation
See log attached							

HISTORY OF WELL

4/20 thru 4/22/56 Plugged hole with rock, top 10 feet with 6" casing and 20 sacks of cement.

(if additional space is needed use back of page or attach separate sheet)