

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed 3-19-57 Location Inspected _____

OW _____ WW _____ TA _____ Bond released _____

GW _____ OS _____ PA State of Fee Land _____

LOGS FILED

Driller's Log 11-6-57

Electric Logs (No.) _____

E I _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

W. R. GIBSON, JR.
441 Continental Oil Building
Denver 2, Colorado

March 1, 1957

Mr. H. F. Smart
Utah State Oil and Gas Commission
State House
Salt Lake City, Utah

Dear Mr. Smart:

Enclosed please find intention to drill the
Gibson No. 1-A Government, Section 30-17S.-
26E., Grand County, Utah.

As noted on the application, the #1 well has
been lost due to tools in the hole, and
we propose to move 100 feet and drill a new
hole with a rotary rig.

Yours very truly,

W. R. Gibson, Jr.

W. R. Gibson, Jr.

March 4, 1957

W. R. Gibson, Jr.
441 Continental Oil Building
Denver 2, Colorado

Dear Sir:

This is to acknowledge receipt of your notice of intention to drill Well No. 1-A, which is to be located 760 feet from the south line and 660 feet from the east line of Section 30, Township 17 South, Range 26 East, S1E4, Grand County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

However, said approval is conditional upon a plat being submitted in accordance with Rule C-4, General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CBF:en

cc: Don Russell, Dist. Eng.
USGS, Federal Bldg.
Salt Lake City, Utah

March 5, 1957

W. R. Gibson, Jr.
441 Continental Oil Building
Denver 2, Colorado

Dear Sir:

It has come to the attention of this office that your company in connection with the New Drilling Company is reworking Well No. 1-U, which is located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 30, Township 17 South, Range 23 East, Grand County, Utah.

If this information is correct, would you please forward to this office a copy of the notice of intention to redrill that was filed with the United States Geological Survey as soon as possible.

Please be advised that in all cases of this type, a notice of intention to rework or redrill should be filed with, and approved by this Commission before commencement of operations.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

W. R. GIBSON, JR.
441 Continental Oil Building
Denver 2, Colorado

March 14, 1957

State of Utah
Oil and Gas Conservation Commission
Salt Lake City 14, Utah

Attention: Mr. Cleon B. Feight

Gentlemen:

As per your letter of March 4, 1957, regarding Rule C-4 in respect to the drilling of the W. R. Gibson, Jr. #1-A Government, 760 feet north, 660 feet west, southeast corner of Section 30, Township 17 South, Range 26 East, Grand County, Utah, find enclosed in triplicate requested plat showing location of the #1-A Government, and the junked hole, the #1 Government.

Yours very truly,

W. R. GIBSON, JR.

BY: C. B. Schwartz
C. B. Schwartz

CBS:sas

Township 17S, Range 25&26E, County GRAND, State UTAH

Island Township Plat

36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6
12	7	8	9	10	11	12	7
13	18	17	16	15	14	13	18
24	19	20	21	22	23	24 Am. Met.	19 Entrada
25	30	29	28	27	26	25	30
36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6

PLAT SHOWING:

W. R. Gibson, Jr. #1 Government, 660' North and 660' West, Southeast Corner, Section 30-17S.-26E., Grand County, Utah. Junked hole.

W. R. Gibson, Jr. #1-A Government, 760' North and 660' West, Southeast Corner, Section 30-17S.-26E., Grand County, Utah. (100' North of #1 Government).

October 9, 1957

W. R. Gibson, Jr.
441 Continental Oil Building
Denver 2, Colorado

Dear Sir:

It has come to the attention of this office that Well No. 1-A, which was drilled by you on Section 30, Township 17 South, Range 26 East, SLEM, Grand County, Utah, has been plugged and abandoned as of about March 25, 1957.

Rule C-5(a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric log and radio-activity logs, if run.

If our information is correct, will you please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, and forward them to this office as required by the above mentioned rule. If our information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
SECRETARY

CBF:en

ROCK ISLAND REFINING CORPORATION

COLORADO BUILDING

DENVER 2, COLORADO

C. B. SCHWARTZ
DISTRICT MANAGER
PRODUCTION DEPT.

November 5, 1957

Mr. Cleon B. Feight
Oil and Gas Conservation Commission
The State of Utah
Capitol Building
Salt Lake City 14, Utah

Noted
11-6
H

Dear Mr. Feight:

Enclosed in duplicate is Log of Oil or Gas Well, Form OGCC-3, on the W. R. Gibson, Jr. #1-A Government well in Section 30-17S.-26E., Grand County, Utah. Also enclosed is one copy of the electrical log on the same well. This is as per your request in letter of October 9, 1957.

The U.S.G.S. has also been furnished the log of both this #1-A well and the #1 well.

Yours very truly,

C. B. Schwartz

C. B. Schwartz


CBS:sas

W

11

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

State Capitol Building
 Salt Lake City 14, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until _____
 (Not to exceed 4 months after filing date)

Noted
 11-6
 H

LOG OF OIL OR GAS WELL

Operating Company W. R. Gibson, Jr. Address 441 Continental Oil Bldg., Denver, Colo.
 Lease or Tract: Federal ^{26E} Field (Wildcat) State Utah
 Well No. 1-A Sec. 30 T. 17S R. 25E Meridian Salt Lake Base County Grand
 Location 760 ft. ^[N.] of SS Line and 660 ft. ^[W.] of E Line of Section 30 Elevation 5005'
(Derriek floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed C. B. Schwartz

Date Nov. 1, 1957

Title Representative - W. R. Gibson Jr.

The summary on this page is for the condition of the well at above date.

Commenced drilling March 12, 1957 Finished drilling March 19, 1957

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
8 5/8	24#	--	--	171'	Guide				Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8	171'	100, 2% CA CL	Pump	--	---

PLUGS AND ADAPTERS

3
 MARK

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 2101 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

....., 19..... Put to producing, 19.....

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

George Ginder Driller C. H. Baker Driller

W. L. Douglass Driller Pease Drilling Co., Driller Contractor

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	150	150	Shale, streaks of sand and gravel.
150	1464	1314	Shale
1464	1655	191	Shale (Dakota), streaks hard sand.
1655	1663	8	Sand, hard, fine, tight.
1663	1706	43	Shale (Morrison)
1706	1718	12	Sand, hard, fine, tight.
1718	1720	2	Shale
1720	1728	8	Sand, hard, fine, tight.
1728	2020	292	Shale
2020	2060	40	Shale, streaks hard, tight sand (Saltwash)
2060	2082	22	Sand, gray, hard, fine, tight.
2082	2101 T.D.	19	Shale

[OVER]

NOV 6 1957

FORMATION RECORD—Continued

FROM—	TO—	TOTAL FEET	FORMATION
Plugged with 50 sacks cement as follows:			
25 sacks from 2000' to 2100'.			
10 sacks from 1600' to 1660'.			
10 sacks from base of surface pipe.			
5 sacks from top of surface pipe.			
Work by Mr. Pease per instructions of Mr. D. F. Russell of U.S.G.S.			