

FILE NOTATIONS

Entered in NID File _____

Entered On S R Sheet _____

Location Map Pinned _____

Card Indexed _____

I W R for State or Fee Land _____

COMPLETION DATA:

Date Well Completed _____

OW _____ WW _____ TA _____

GW _____ OS _____ PA _____

Driller's Log _____

Electric Logs (No.) _____

Lat. _____ Mi-L _____

Long. _____

Checked by Chief _____

Copy NID to Field Office _____

Approval Letter _____

Disapproval Letter _____

Location Inspected _____

Bond Released _____

State of Fee Land _____

LOGS FILED

E-I _____ GR _____ GR-N _____ Micro _____

Others _____

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land _____

COMPLETION DATA:

Date Well Completed 7-30-58

OW _____ WW _____ TA _____

GW _____ OS _____ PA

Driller's Log _____

Electric Logs (No.) _____

E-I _____ GR _____ GR-N _____ Micro _____

Lat. _____ Mi-L _____

Long. _____

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter _____

Location Inspected _____

Bond Released _____

State of Fee Land _____

LOGS FILED

E-I _____ GR _____ GR-N _____ Micro _____

Others _____

received by James W. Russell

Jic
10-31-90


TD 800'
EL 4550 DF

Spud 1-6-57
Peased 3-?-57

Approved as P-EH 7-30-58
7" casing 544 with 120 Sox
(above from Don Russell)

7-21-61 We are unable to obtain any reports on this well as the
driller is dead and Mr. Hogan is in an institution. any

10



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. U-012044

Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. Rusty #2 is located 1985 ft. from S line and 655 ft. from E line of sec. the
S. 1/4 Cor. Sec. 29, 20 S., 24 E., S. L. B.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
CORNER Cisco Grand Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4550 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


Salt Wash of the Morrison, depth 600 ft., 10 inch 34 lb. Ap P. I. surface casing will be set At 200 ft. Will drill With cable tools. Will case well with 6 5/8 casing and cement top and bottom.

*Approved by
Russell
on Jan 3, 57*

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company G. K. Hogan
 Address 170 South State
Salina, Utah
 By H. L. Fields
 Title Drilling Superintendent

Township No. **County.**
Range No. **Meridian.**



Rusty # 2 is located 1985' from the S. line and 1990' from the E. line of Sec. 29 T 20 S. R. 24 E.

Township 20 S Range 24 E Meridian

SCALE 5280 FEET TO AN INCH

STATE OF UTAH
OIL AND GAS CONSERVATION COMMISSION
NOTICE OF INTENTION TO DRILL

OIL AND GAS CONSERVATION COMMISSION

January 3,

1957

In compliance with Rule C-4, notice is hereby given that it is our intention to commence the work of drilling Well No. Rusty#2, which is located 1985 ft. from () line and 1975 ft. from () line of Sec. 29, T4S 20/S; R. 24 E.; S. L. B. Cisco (S) Grand (County), on or about 5th day of January, 1957.

LAND: Fee and Patented () State () Lease No. _____ Name of Owner of patent or lease Jerry Phillips Address Palisade, Colo.
Public Domain Lease No. U-012044

Is location a regular or exception to spacing rule? regular. Has a surety bond been filed? yes. With whom? Federal. Area in drilling unit 160 ac (State of Federal)

Elevation of ground above sea level is 4550 ft. All depth measurements taken from top of Derrick Floor which is 1 ft. above ground. (Derrick Floor, Rotary Table or Kelley Bushing)

Type of tools to be used Cable Tools. Proposed drilling depth 600' ft. Objective formation is Salt Wash Sand of th Morrison 600'

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight Per Foot	Grade and Type	Amount Ft.	Top In.	Bottom	Cementing Depths
10"	34lb.	J-2	200	3'	200	200
10"	34lb.	J-2	200	3'	200	200
7"	20-lb.	J-2	598	1'	598	598

AFFIDAVIT

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

Approved for regular spacing
Date January 4 1957
By Clem E. Feight
Title Secretary

By Howard Albrecht
General Mangr.
(Title or Position)
G. K. Hogan
(Company or Operator)
Address 170 South State
Salina, Utah

INSTRUCTIONS:

1. Complete this form in duplicate and mail both copies to the Oil and Gas Conservation Commission, Rm. 105, Capitol Building, Salt Lake City 14, Utah.
2. A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.
3. Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the Commission as soon as available.
4. Use back of form for remarks.

Memo for File -

Well Rusty #2
SE 4 Sec 29, T20 S. R. 24 E
Cisco Area, Grand Co., Utah.


On Jan 6 Mr. Dail Crows was contacted at
Salina Utah.

He stated that he had in his possession a
complete log and other reports, he had that day
intended leaving at 310 Newhouse Bldg. while
in SLC, but time ran out on other business.

He promised to submit these reports
promptly, including subsequent report of Aban.

Crows
gave us 2 n of the plans.
will see Russell re: log.

C. H. Hauptman




(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City

Lease No. J-013044

Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... January 20, 19 57

Well No. 574 is located 1005 ft. from S line and 355 ft. from E line of sec. 20

S. 2. 1 Cor. Sec. 29 20 S. 24 E. S. 1. E.

(4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Cisco

Grand

Utah

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 6580 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 574 feet of 7 inch o.d. National casing with H.O.W.C.,
& PUDDING shoe. Cemented with 120 sacks of Utah Cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company G. K. BROWN

Address 170 South State Street



Salina, Utah

Approved FEB 1 - 1957
[Signature]
Drilling Super.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. **J-012044**
Unit _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 20, 1957

Well No. **Rusty #2** is located **1985** ft. from **N** line and **566** ft. from **E** line of sec. **the**
S. 1/4 Cor. Sec. 29 **20 S.,** **24 E.,** **S. L. B. M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cisco **Grand** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4550** ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

we would like to run 7" casing to 574' and cement top bottom. and full surface casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **G. K. HOGAN**
Address **170 South State Street**
Salina, Utah

By **H. S. Hilde**
Title **Drilling Super.**



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
CONSERVATION DIVISION

Sec. 29
T. 20 S.
R. 24 E.
S. L. Mer.

INDIVIDUAL WELL RECORD

PUBLIC LAND:

Date February 5, 1957

Ref. No. 11

5-yr. lease dated 6-1-54 Land office Utah State Utah

Serial No. 012044 County Grand

Lessee Jerry Phillips Field Northeast Cisco (Wildcat)

Operator G. K. Hogan District Salt Lake City

Well No. 2 Subdivision C NW 1/4 SE 1/4

Location 1985 ft. from S. line and 1975 ft. from E. line of sec. 29

Drilling approved January 3, 1957 Well elevation 4550' D.F. feet

Drilling commenced Jan 6, 1957 Total depth 800' feet

Drilling ceased March?, 1957 Initial production _____

Completed for production _____, 19____ Gravity A. P. I. _____


Abandonment approved July 30, 1958 Initial R. P. _____

Geologic Formations		Productive Horizons		
Surface	Lowest tested	Name	Depths	Contents
<u>Mancos</u>				

WELL STATUS


YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
<u>1957</u>	<u>1000</u> <u>592</u>	<u>800</u> <u>800</u>	<u>800</u> <u>800</u>				<u>800</u> <u>800</u>					<u>800</u> <u>800</u>
<u>1958</u>												

REMARKS 7" cc 574' w/ 20 cc.
Operator refused to plug the hole, therefore
lessee performed plugging of lease well



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH



Fee and Patented.....
State Utah.....
Lease No. 012044.....
Public Domain.....
Lease No.
Indian.....
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....			
Plugging Well	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 4, 1958

Well No. Hogan #2 is located 1925 ft. from NE line and 650 ft. from E line of Sec. 29
1975 per BLM 11/1/90.

NE 20 S. 24 E. Salt Lake Base
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Cisco Grand Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5200 feet.

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Cement plug set at 602' to 555'. Hole filled with Bentonite and 6 foot cement plug was set in top of hole with 10 foot of 4 inch pipe marker set 4 feet above ground.

Approved JUL 30 1958
[Signature]
District Engineer

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company.....

Address.....

By Jerry Phillips
Title Cisco, Utah

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

ORIGINAL FORWARDED TO CASPER

December 3, 1958

Mr. Dail A. Prows
Pacific Midwest Gas & Oil
170 South State Street
Salina, Utah

Re: Well No. Rusty 2, SE Sec. 29,
T. 20 S, R. 24 E, S1EM,
Grand County, Utah

Dear Mr. Prows:

This letter is to advise you that the only report that this office has received relative to the above mentioned well is a notice of intention to drill, dated January 3, 1957.

You are hereby requested to complete the enclosed Forms OGCC-4, and return them to this office as soon as possible.

In order to complete our records we must ascertain the status and condition of this well.

Your cooperation in this matter will be greatly appreciated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:co

Encl. (4)