

Scout Report sent out   
Noted in the NID File   
Location map pinned   
Approval or Disapproval Letter   
Date Completed, P. & A. or  
operations suspended 9-17-59 P. I  
Pin changed on location map   
Affidavit and Record of A & P   
Water Shut-Off Test   
Gas-Oil Ratio Test   
Well Log Filed

1-12-60

Dude Garrison called today and said that this hole has 200' of cement in the hole plus the bit. as soon as he has a rig in the area he will clean up the location and put up a marker. They tried to P & A the hole by running the cement through the bit.....  
037ight

8-23-60

note sent to Dave asking him to check the well site and give approval for bond release if satisfactory  
CJ

FILE NOTATIONS

Entered in NID File ✓  
 Entered On S R Sheet ✓  
 Location Map Pinned ✓  
 Card Indexed ✓  
 I W R for State or Fee Land \_\_\_\_\_


Checked by Chief ✓  
 Copy NID to Field Office ✓  
 Approval Letter ✓  
 Disapproval Letter \_\_\_\_\_

COMPLETION DATA:

Date Well Completed 9-25-59 Location Inspected 10-10-60  
 OW..... WW..... TA..... Bond released \_\_\_\_\_  
 GW..... OS..... PA X State of Fee Land ✓

LOGS FILED

Driller's Log 4-20-60  
 Electric Logs (No. ) Mo. Elec. Logs Recd  
 E..... I..... E-I..... GR..... GR-N..... Micro.....  
 Lat..... Mi-L..... Sonic..... Others.....



STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING  
SALT LAKE CITY 14, UTAH

Fee and Patented.....  
State.....  
Lease No. **ML-17070**  
Public Domain.....  
Lease No. ....  
Indian.....  
Lease No. ....

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	<input checked="" type="checkbox"/>	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	<input type="checkbox"/>	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	<input type="checkbox"/>	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	<input type="checkbox"/>	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 8, 1959, 19

Well No. LARSEN <sup>STATE</sup> is located 1650 ft. from {S} line and 1290 ft. from {E} line of Sec. 29

SW/4NE/4SE/4 21 So. 24 E SLC  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Cisco Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ feet.

A drilling and plugging bond has been filed with The Employers liability Assurance Corporation Ltd.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Will make a Morrison test between 400' and 600'

Will set and cement 33 Ft. of 8" surface casing.

Will set and cement 435 Ft. of <sup>5"</sup>~~3"~~ casing

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Lewis H. Larsen and Willard B Richards

Address 259-7th Avenue By Lewis H. Larsen

Salt Lake City, Utah Title Co-owner

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

July 9, 1959

Lewis H. Larsen & Willard B. Richards  
259-7th Avenue  
Salt Lake City, Utah

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Larsen State 1, which is to be located 1650 feet from the south line and 1290 feet from the east line of Section 29, Township 21 South, Range 24 East, S1EM, Grand County, Utah.

Please be advised that approval to drill said well is hereby granted.

However, said approval is conditional upon a bond being submitted to the State Land Board in accordance with the terms of your lease.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. A. HAUPTMAN, Petroleum Engineer:  
Office: DA 2-4721, Ext. 438 or DA 8-0701  
Home: EM 4-6790

C. F. FEIGHT, Executive Secretary:  
Office: DA 2-4721, Ext. 438 or DA 8-0701  
Home: EL 5-3629

Yours very truly

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:cp

cc: State Land Board

September 14, 1959

Lewis H. Larsen & Willard B. Richards  
259-7th Avenue  
Salt Lake City, Utah

Gentlemen:

Re: Well No. Larsen State 1,  
Sec. 29, T. 21 S, R. 24 E  
Grand County, Utah

Your attention is directed to Rule C-22, General Rules and Regulations and Rules of Practice and Procedure. Said rule provides for the submitting of a report of operations and well status report to the Oil and Gas Conservation Commission.

Your compliance with said rule is hereby requested.

We are enclosing some copies of Form OGCC-4 "Report of Operations and Well Status Report", for completion and return. For your convenience, Rule C-22 has been printed on the back of said form. Federal Form 9-329, Lessee's Monthly Report of Operations, may be used in lieu of Form OGCC-4.

Please note that if two legible copies, carbon or otherwise, of the report filed monthly with the United States Geological Survey on Form 9-329, are also filed each month with this Commission, it will be deemed compliance with Rule C-22, Paragraphs 1, 2, 3 and 4.

Yours very truly,  
OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:cp

STATE OF UTAH  
 OIL & GAS CONSERVATION COMMISSION  
 State Capitol Building  
 Salt Lake City 14, Utah

**REPORT OF OPERATIONS AND WELL STATUS REPORT**

State Utah County Grand Field or Lease Cisco . State Lease ML-17070

The following is a correct report of operations and production (including drilling and producing wells) for October 3, 1959

Agent's address 259-7th Ave. Company \_\_\_\_\_

Salt Lake City 3, Utah Signed *Lewis H. Lamm*

Phone EM 4-7761 Agent's title Co-Owner

State Lease No. ML-17070 Federal Lease No. \_\_\_\_\_ Indian Lease No. \_\_\_\_\_ Fee & Pat.

Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
Sec 29 SW/4NE/4SE/4	21S	24E	Richards State #1		0	0	0	drilling stopped 9-25-59 will plug & abandon 520' , cemented tools in at this depth.  200' cement in hole

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

\*STATUS: F-Flowing P-Pumping GL-Gas Lift  
 SI-Shut In D-Dead  
 GI-Gas Injection TA-Temp. Aban.  
 WI-Water Injection


91

AWB  
L

19

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until \_\_\_\_\_  
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Larsen-Richards Address 259 - 7th Ave.,  
Lease or Tract: Lease ML-17070 Field Cisco State Utah  
Well No. 1 Sec 29 T. 21 R. 24 Meridian SL County Grand  
Location 1650 ft. <sup>N</sup> } of S Line and 1290 ft. <sup>E</sup> } of E Line of Sec. 29 Elevation \_\_\_\_\_  
<sub>S</sub> } <sub>N</sub> } (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed \_\_\_\_\_

Date October 3, 1959 Title Co-owner

The summary on this page is for the condition of the well at above date.

Commenced drilling 7-9-59, 19\_\_\_\_ Finished drilling 9-25-59, 19\_\_\_\_

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from oil show at total depth

IMPORTANT WATER SANDS

No. 1, from 410 to 450 No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>33' of 8" surface</u>									
<u>435' of 5" casing</u>									

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
		<u>200' cement in hole</u>			
		<u>Drilling stopped on above date. Plugged &amp; abandoned at 520',</u>			
		<u>Cemented tools in at this depth.</u>			

MARK



January 6, 1960

Lewis H. Larsen & Willard B. Richards  
259-7th Avenue  
Salt Lake City, Utah

Gentlemen:

Re: Well No. Larsen State 1,  
Sec. 29, T. 21 S, R. 24 E, SLBM,  
Grand County, Utah.

This letter is to advise you that the well log for the above mentioned well is due and has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

With reference to the plugging and abandoning of the above mentioned well, our petroleum engineer, Mr. Harvey L. Coonts, reports that on his last visit to the well site the location had not been properly cleaned up and plugged .

Therefore, recommendation is made to the State Land Board that the bond not be cancelled until final plugging is performed and inspection is made by this office.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:cp

cc: State Land Board  
Room 105  
State Capitol Building  
Salt Lake City, Utah

Mr. Feight

RED

Aug. 23, 1960

Bond No. 352332

Re: Mineral Lease No. 17070  
Lewis H. Larsen & Willard B. Richards

American Casualty Company  
of Reading, Pa.  
Watkins, Muir and Ringholz  
10 West Broadway  
Salt Lake City, Utah

Gentlemen:

We have received your letters of July 8 and Aug. 17, 1960, in which you ask that the above bond be released.

The Oil and Gas Conservation Commission reports that the well had not been properly cleaned up and plugged at the time of the last inspection. Therefore, we are not in a position to release the bond at this time. The Commission will make a further inspection as soon as convenient after which we will write you as to its findings.

Very truly yours,

FRANK J. ALLEN  
DIRECTOR

AKT  
GC:OGG

Well No. Larsen State 1  
Sec. 29, T. 21 S., R. 24 E., Grand Co.

September 15, 1960

State Land Board  
105 State Capitol Building  
Salt Lake City 14

Re: Lewis H. Larsen & Willard B. Richards  
Well No. State 1, NE $\frac{1}{4}$  SE $\frac{1}{4}$  Sec. 29,  
T. 21 S, R. 24 E, SLEM, Grand County  
Mineral Lease No. 17070

Gentlemen:

With reference to our telephone conversation with Mrs. Thompson of your office on August 23, 1960, please be advised that our petroleum engineer visited the above-mentioned well location on September 14 and found that the well had not been satisfactorily plugged or marked.

Therefore, it is our recommendation that liability under the bond covering ML 17070 not be released until the operator has performed the final plugging of the well and inspection is made by this office.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co

cc: *Law*

October 13, 1960

State Land Board  
105 State Capitol Building  
Salt Lake City 14

Re: Lewis H. Larsen & Willard B. Richards  
Well No. State 1, NE $\frac{1}{4}$  SE $\frac{1}{4}$  Sec. 29,  
T. 21 S, R. 24 E, SLEM, Grand County  
Mineral Lease No. 17070

Gentlemen:

On October 10, 1960, our petroleum engineer, Mr. Harvey L. Coonts, visited the location of the above-mentioned well. The location was found to be satisfactorily plugged, cleaned and marked. Therefore, it is our recommendation that liability under the bond covering ML 17070 be released as requested by the bonding company.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co