

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I W R for State or Fee Land

Prins OCCC

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

10-26-59

Location Inspected

Cal. Oct 30 '59

OW

WW

TA

Bond released

GW

OS

PA

State of Fee Land

LOGS FILED

Driller's Log

(Prins OCCC)

Electric Logs (No.)

E

I

E-I

GR

GR-N


Lat

M-I

Sonic

Others

11-
J



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING
SALT LAKE CITY 14, UTAH

Fee and Patented.....
State
Lease No. 858-A.....
Public Domain
Lease No.
Indian
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....		Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....		Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....		Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....		Supplementary Well History.....	
Notice of Intention to Abandon Well.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Reeder Corp. _____ September _____, 1958
(Leona McCarthy)
Well No. 1 is located 300 ft. from {N} line and 300 ft. from {E} line of Sec. 16
NE Cor. NE 1/4 NE 1/4 Sec. 16 22 South 19 East SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
(Crescent Junction) Grand Utah
Salt (Field) Valley (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4750 feet.

A drilling and plugging bond has been filed with NO BOND POSTED

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

This well was reportedly drilled to 1480' during 1939-40, and bottomed in sulphur water. No oil shows reported. Casing in hole reported by John Moore, Contractor, consists of: 200' of 8 5/8" and 1210' of 6 5/8", neither of which was cemented. By letter of September 19, 1958, lessee John F. McCarthy has granted John Moore permission to plug and abandon this well to the satisfaction of the Utah Oil & Gas Conservation Commission for any casing he may be able to recover from this plugging operation. On September 23, 1958, Moore informed C. A. Hauptman of the Oil & Gas Conservation Commission that he agreed to this plan and will very soon move in his rig to do the job under Hauptman's supervision.

*Approved
Oct 1, 1958
C. Hauptman*

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company John Moore, Contractor
Address Cisco, Utah
By John W. Moore
Title Contractor

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

CHAMBERS OF
The Superior Court

LOS ANGELES 12, CALIFORNIA

JOHN F. MCCARTHY, JUDGE

(PERSONAL)

September 19, 1958

M/H
9-22-58

State Oil & Gas Commission
c/o Utah State Land Board
Utah State Capitol
Salt Lake City, Utah

Lease 858A


Attention Mr. C. A. Hauptman

Dear Sir,

Mr. D. A. Skeen of Salt Lake City has informed me that you have written to me regarding plugging and abandonment of a well known as "Leona McCarthy #1 drilled many years ago on Sec. 16, Twp. 22 South, Range 19 West, SLM, Grand County, Utah. I have not yet received this letter but Mr. Skeen has discussed its content with me.

I understand that you desire to make arrangements with Mr. John Moore of Cisco, Utah to plug and abandon this well if I, as lessee of that property consent thereto and and assign to Mr. Moore all of my right, title and interest which I may have in any casing or other tubular goods now in that well. Accordingly, upon the express condition that no expense, risk or liability be incurred on my behalf I hereby consent that you make such arrangements with Mr. Moore as you desire for the plugging and abandonment of that well and I hereby assign to Mr. Moore all of my right, title and interest in any casing and other tubular goods now in that well.

Very truly yours,



CC: Mr. D. A. Skeen

Mr. Feight

THE STATE OF UTAH
STATE LAND BOARD

SALT LAKE CITY, UTAH

Oct. 7, 1958

71-H
10/14/58

Re: Mineral Lease No. 858A
John F. McCarthy

The Fidelity and Casualty Company
of New York
918 Boston Building
Salt Lake City, Utah

Gentlemen:

Joseph F. McCarthy named as Principal in Bond of Lessee No. S-1020423, issued by your company, has completed abandonment of the well with reference to which the bond was issued. The abandonment is satisfactory from the point of view of this office, and we have no objections to your releasing the subject bond.

Very truly yours,

FRANK J. ALLEN
DIRECTOR

AT
CCJFM
O&GCC

*Gale will send copy of this to
Skeen as he requested.*

10/14/58

CAF

John Moore stated that if he does not get his rig over well and get job done by early spring 1959, that he has no objection to some other plugger doing the job.

Febr. '59.

@ Staupman


MEMO FOR THE FILE

October 26, 1959

Re: Well No. Leona McCarthy 1,
NE NE 16-22S-19E, SLBM,
Grand County, Utah

This morning Chas. McConkie called me at home from his home in Vernal, reporting that he had last Tuesday, October 20, moved in a pulling machine on the Leona McCarthy Well No. 1, NE NE Section 16, Township 22 South, Range 19 East, SLBM, Crescent Junction Area, Grand County and pulled 1008' of 6¹/₈" casing from the well. Water stood 100' from the surface. He stated he had on three different times tried to contact me by phone in order that I might be present to witness the operation. On Tuesday A. M., October 20, I had left for southeastern Utah on a field trip - later accompanying Harvey Coonts over the Farmington-Cortez Southeastern Utah area, for the remainder of the week. He did not contact me until this morning.

I informed him it would be necessary for him to properly mud the hole from bottom to surface, set a regulation marker, and level up the mud pit before removing the pulled casing from the well site. This he has agreed to do this week.


C. A. HAUPTMAN
PETROLEUM ENGINEER

Vernal 1440

Charles McConkie

MEMO FOR FILE

Re: Well No. 1 - McCarthy, NE NE
16-22S-19E, SLBM, Grand County

On ~~October~~ October 25, 1959, Chas. McConkie called from Vernal, Utah, to say that he had a crew at the above mentioned well ready to proceed with the plugging of this well according to procedure previously agreed to, and asked when I could witness plugging operations. I informed him that I would be at the well at about 1:00 P. M. the following day.

Upon my arrival at the well as planned, McConkie had pulled the entire string of casing including the shoe joint of 6-5/8" pipe. From inspection of the casing, it was evident that the hole had been mudded with good mud up to the bottom of the 8-5/8" surface string. The 8-5/8" casing had been cemented and was not pulled.

The hole inside the 8-5/8" was mudded to the surface and a 6-5/8" marker was cemented 4' in the top of the 8-5/8", 2 feet below ground level. Cellar and pits at the location has been filled and leveled off as well as site cleaned up of all old lines and junk.

Final inspection was made on October 30, 1959, and job received satisfactory approval.

By C. A. Hauptman
C. A. HAUPTMAN,
PETROLEUM ENGINEER

CAH:co

November 2, 1959

Inasmuch as no water, gas or oil had been encountered when well was first drilled, no cement plugs were required other than the 10 sack plug at the top of the 8 5/8" in which the marker was set.

C. A. H.