

Seour Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended

5-13-59

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

**FILE NOTATIONS**

Entered in NID File

Location Map Pinned

Card Indexed

Well on State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

**COMPLETION DATA:**

Date Well Completed 5-14-59

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA X

Location Inspected

Bond released

State of Fee Land

Driller's Log 7-6-59

**LOGS FILED**

Electric Logs (No. ) 1

E \_\_\_\_\_ I \_\_\_\_\_ E-I \_\_\_\_\_

Lat. ✓ \_\_\_\_\_ Mi-L \_\_\_\_\_ GR \_\_\_\_\_

Sonic \_\_\_\_\_

GR-N \_\_\_\_\_


Micro \_\_\_\_\_

Others \_\_\_\_\_

Salt Lake City

(SUBMIT IN TRIPLICATE)

Land Office Salt Lake City  
Lease No. SIC 071893  
Unit Westwater



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 11, 1959

Well No. C-8 is located 770.4 ft. from N line and 1358.5 ft. from E line of sec. 18  
L-4(SW1/4) Sec.18 17S 24E SLM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Westwater Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5609 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

950 foot Castlegate Test.  
Will run 90 feet of 5 1/2" conductor to control gravel.  
To set 950 feet of 2 inch EUE, 4.7 lb. J-55 tubing with sufficient cement to obtain circulated cement returns.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company OIL INCORPORATED


Address 907 Walker Bank Bldg.

Salt Lake City, Utah

By James E. Wetherell  
James E. Wetherell  
Title Vice President

# WELL LOCATION


SW 1/4 SECTION 18  
T17S R24E SLB&M



I, Richard J. Mandeville do hereby certify that this plat was plotted from notes of a field survey made under my supervision on May 9, 1959.

*Richard J. Mandeville*

WESTERN ENGINEERS  
WELL LOCATION  
OIL INCORPORATED ET AL  
WESTWATER UNIT C-8  
GRAND COUNTY, UTAH  
SURVEYED 6-1-59



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Salt Lake City**  
Lease No. **SLC 071893**  
**Westwater**

*7/18*  
*6/22*

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 1, 1959

Well No. **C-8** is located **779.4** ft. from **XXX** line and **1358.5** ft. from **XX** line of sec **18**  
**L-4(201264)** Sec. **18** **17S** **24E** **SLM**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Westwater** **Grand** **Utah**  
(Field) (County or Subdivision) (State or Territory)

**ground level**

The elevation of the ~~surface~~ above sea level is **3809** ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Log Top:  
 Sand - 630  
 Conglomerate - 1123  
 TD - 1142

To set 10 sk plugs in 4 3/4" hole as follows: TD - 1085; 779-690; 99' surface. Abandonment str to be set in surf. plug. 58 sec. qt. viscosity, 16.8 lb. mud between plugs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced

Company **OIL INCORPORATED**  
 Address **967 Walker Bank Bldg.**  
**Salt Lake City, Utah**

By *[Signature]*  
 Title **Vice President**

*orally*  
*by HRS*  
*[Signature]*  
 District Engineer

June 18, 1959

Oil Incorporated  
907 Walker Bank Bldg.  
Salt Lake City, Utah

Re: Well No. Westwater C-8, SW SW  
Sec. 18, T. 17 S, R. 24 E,  
SLM, Grand County, Utah

Gentlemen:

According to our information the above mentioned well was spudded in May 11, 1959, and since that date has been temporarily shut down.

We have not received any reports of operations and well status reports as of this date. In this connection, your attention is directed to Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, which requires that such reports be filed with this Commission.

Your attention is also directed to Rule C-5 which requires you to file a well log with this office within ninety days after said well has been shut down, or operations have been suspended.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:ep



**OIL INCORPORATED**

901-907 WALKER BANK BUILDING

SALT LAKE CITY 1, UTAH

June 19, 1959

Cleon B. Feight, Exec. Sec.  
Oil & Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City 11, Utah

7/1/59  
6/22

Re: Well No. Westwater C-8, SW $\frac{1}{4}$ SW $\frac{1}{4}$   
Sec. 18, T17S, R24E, S1M, Grand  
County, Utah

Dear Sir:

In reply to your letter of June 18, 1959, regarding the above captioned Westwater Well C-8, I am enclosing herewith a photocopy of a Notice of Intention to Abandon Well dated June 1, 1959, and approved orally on June 1, 1959 by D. F. Russell, District Engineer for the U. S. Geological Survey.

As soon as available we will forward to you other pertinent information as regards this Well.

Very truly yours,

OIL INCORPORATED

M. C. Wissmar  
Treasurer

--jw  
Encl.



**OIL INCORPORATED**

901-907 WALKER BANK BUILDING

SALT LAKE CITY 1, UTAH

July 2, 1959

Mr. Cleon B. Feight  
Oil & Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City, Utah

Re: Westwater Unit C-8  
Grand County, Utah

Dear Sir:

Enclosed herewith please find one copy of  
the Log of Oil or Gas Well on the above captioned well,  
as well as a Schlumberger Electric Log for your files.

Very truly yours,

OIL INCORPORATED

*James E. Wetherell*  
James E. Wetherell  
Vice President

--jw  
Encl.



FOLD

**PLUGS AND ADAPTERS**

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from 0 feet to 1147 feet, and from ..... feet to ..... feet

Cable tools were used from ..... feet to ..... feet, and from ..... feet to ..... feet

**DATES**

....., 19..... Put to producing ....., 19.....

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

Fix ....., Driller ..... Driller

Hiler ....., Driller ..... Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
0	790	790	Mesaverde
790	1123	333	Buck Tongue (Mancos)
1123	1147	55	Castlegate

MARK


WELL LOG RECORD

16-43004-2 U. S. GOVERNMENT PRINTING OFFICE

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

DATE	DESCRIPTION	DEPTH	REMARKS
5/11/59	Spud		

CASING RECORD

DATE	DESCRIPTION	DEPTH	REMARKS
5/12/59	Drilling	20' 8" from	
5/13/59	Run Electric log	20' 8" from	
5/14/59	Plug and abandon	20' 8" from	
		20' 2" from	
		20' 1" from	

OIL OR GAS SANDS OR ZONES

Continued drilling to a depth of 20' 8" on 5/14/59. The sandstone is of the condition of the well at above date.

Date 5/14/59

The information given below is a complete and correct record of all work done on this well as can be determined from all available records.

The information given below is a complete and correct record of all work done on this well as can be determined from all available records.

Location 20' 8" from

Company

LOCAL WELL CORRELATION


LOG OF OIL OR GAS WELL

GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR

UNITED STATES

TYPE OF WELL TO BE DRILLED  
 SERIAL NUMBER  
 U. S. GEOLOGICAL SURVEY