

FILE NOTATIONSEntered in NFD File Entered On SR Sheet Location Map Pinned Card Indexed NWR for State or Fee Land Checked by Chief PMBCopy NFD to Field Office Approval Letter Disapproval Letter **COMPLETION DATA:**

Date Well Completed _____

SLOW WWW FA EW OS RA

Location Inspected _____

Bond released _____

State of Fee Land _____

LOGS FILED

Driller's Log _____

Electric Logs (No.) 2E _____ I _____ EL ER GRN _____ NIRC _____

Lgt _____ Mi. L _____ S. _____ C. _____

10-30-90
JFK

Bob Smith informed this Commission, by telephone that he wrote a letter requesting Reports for this well.


Lgw

taken over by Pumpelly - Stava Oct. 1966

SHARON CAMERON

SHARON CAMERON

Shell Name changed from U. I. I Shelton Federal #4 to Pumpelly Stava 30-888-167.



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Salt Lake

Land Office _____

U-027403

Lease No. _____

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|--|-------------------------------------|--|--|
| NOTICE OF INTENTION TO DRILL | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 10

19 **54**

U.T.I. #4 Shelton-Federal

Well No. _____ is located **300** ft. from **S** line and **300** ft. from **E** line of sec. **30**

SE SE 5th Sec 30; 20 S., 24 E., S.L.M.

(1/4 Sec. and Sec. No.)

Wildcat

(Field)

(Twp.)

Grand

(County or Subdivision)

(Range)

(Meridian)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Will drill 2x2 3/4" surface hole to 100'.
2. Will set 3 lengths (Approximately 97') of 7", 230 J-55 new casing. Will cement with 20 sac cement, circulate and pump plug down.
4. Will use blowout preventers.
5. Will drill 4 3/4" hole to T.D. and T.D. will be approximately 1050' or into Salt Wash Section of Morrison Formation.

CC-2-U06CC

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **United Technical Industries, Inc.,**

Address **5221 South Major Street**
Murray, Utah

By *Everette F. Dathright*

Title **President**

UNITED TECHNICAL INDUSTRIES INC.
 WELL LOCATION
 300' N.S.L.-300' W.E.L. SECTION 30,
 T. 20 S., R. 24 E. S.L.B. & M.



SCALE 1"=1000'

NOTE: Elevation referred to U.S.G.S. datum



I, Richard J. Mandeville do hereby certify that this plat was plotted from notes of a field survey made under my supervision on February 11, 1964.

Richard J. Mandeville
 Registered Engineer & Land Surveyor

| | | |
|-------------------------------|----------------------------|--------------------|
| Revised 2-13-64 | WESTERN ENGINEERS | |
| | WELL LOCATION | |
| | UNITED TECHNICAL IND. INC. | |
| | FEDERAL NO. 4 | |
| | | GRAND COUNTY, UTAH |
| SURVEYED | | <i>W.F.G.</i> |
| DRAWN | | <i>C.J.B.</i> |
| Grand Junction, Colo. 2-11-64 | | |

February 13, 1964

United Technical Industries, Inc.
5221 South Major Street
Murray, Utah

Attention: Mr. Emmette F. Gathright, President

Re: Notice of Intention to Drill Well No.
UTI SHELTON-FEDERAL #4, 300' FEL &
300' FEL, SE SE SE of Section 30, T.
20 S. R. 24 E., SLRM, Grand County,
Utah.

Gentlemen:

Insofar as this office is concerned, approval to drill Well No. UTI Shelton-Federal #4 is hereby granted in accordance with the Order issued in Cause #2, on June 28, 1956. However, this approval is conditional upon a surveyor's plat being furnished this office in accordance with Rule C-4(a), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

PAUL W. BURGHELL, Chief Petroleum Engineer
Office: DA 8-5771 or DA 8-5772
Home: CR 7-2890
Salt Lake City, Utah

This approval terminates within 90 days if this well has not been spudded within said period.

Enclosed please find Form OGOC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this

February 13, 1964

form will be greatly appreciated.

The Order in Cause #2 prohibits drilling any well within 2500 feet of a producible gas well. The above mentioned location is less than 2500 feet from the Pumpelly-Stava 31-72 well in Sec. 31, T. 20 S. R. 24 E., Grand County, Utah, which has been completed as a gas well in the Dakota Formation. Therefore, this approval, in accordance with your Notice of Intention to Drill is for a Morrison completion only. This well cannot be completed in the Dakota Formation for oil or gas production without due notice and hearing.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:kgw

cc: Don Russell, District Engineer
U. S. Geological Survey
Salt Lake City, Utah

H. L. Coonts, Petroleum Engineer
Oil and Gas Conservation Commission
Moab, Utah

Encl. (Forms)

UNITED TECHNICAL INDUSTRIES

P. O. BOX 7367 • MURRAY, UTAH

February 17th, 1964

Mr. Cleon B. Feight,
Executive Director,
Utah Oil and Gas Conservation Commission,
310 Newhouse Bldg.,
Salt Lake City, Utah

Dear Mr. Feight:

Your letter February 13, 1964 re:

Notice of Intention to Drill Well No.
UTI Sheldon-Federal No. 4, 300' FSL &
300' FEL, SE SE SE of Section 30, T.
20 S. R. 24 E. SLBM, Grand County, Utah.

I am enclosing herewith Surveyor's plat covering.

Yours very truly,



J. I. Fakler, Secretary-Treasurer.

CC Mr. Don Russell, District Engineer
U.S. Geological Survey,
Salt Lake City, Utah

H. L. Coats, Petroleum Engineer
Oil and Gas Conservation Commission,
Moab, Utah

With copy of Surveyor's plat above referred to.

61- 071

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 18, 1964

DAILY DRILLING REPORT

C
O

United Technical Industries, Inc. -
Shelton Federal No. 4 Well, SE/4
SE/4 SE/4 of Section 30, Township
20 South, Range 24 East, Grand County,
Utah.

P

Moving in on location this
date.

Y

UNITED TECHNICAL INDUSTRIES, INC.

YIP

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 19, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. -
Shelton Federal No. 4 Well, SE/4
SE/4 SE/4 of Section 30, Township
20 South, Range 24 East, Grand County,
Utah.

Drilling surface hole.

UNITED TECHNICAL INDUSTRIES, INC.

4.

67e

7/6

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 20, 1964

DAILY DRILLING REPORT

C

O

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

P

Y

Drilling surface hole at 70'. Will
continue drilling surface hole to
approximately 300'. Will run
approximately 300' of 7" surface
pipe.

UNITED TECHNICAL INDUSTRIES, INC.

4

810

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 21, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Drilling surface hole at 120'.

UNITED TECHNICAL INDUSTRIES, INC.

6

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 22, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Drilling surface hole at 150'.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

8/18

11/11

6.

610

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 24, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Drilling surface hole at 160'.

UNITED TECHNICAL INDUSTRIES, INC.

W.

810

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

February 25, 1964

DAILY DRILLING REPORT

C
O

United Technical Industries, Inc. -
Shelton Federal No. 4 Well,
SE/4 SE/4 SE/4 of Section 30,
Township 20 South, Range 24 East,
Grand County, Utah

P

Drilling surface hole at 174'.

Y

UNITED TECHNICAL INDUSTRIES, INC.

U

6/10

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

Feb. 26, 1964

DAILY DRILLING REPORT

C
O

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

P
Y

Drilling surface hole at 190 feet

UNITED TECHNICAL INDUSTRIES, INC.

U.

610

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

February 27, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

C
O
P
Y

Drilling surface hole at 205'.

UNITED TECHNICAL INDUSTRIES, INC.

4.

610

UNITED TECHNICAL INDUSTRIES

910

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

February 28, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Shelton

Drilling surface hole at 240'.

UNITED TECHNICAL INDUSTRIES, INC.

4

21176

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

February 29th, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

C
O
P
Y

Drilling surface hole at 275 feet.

UNITED TECHNICAL INDUSTRIES, INC.

4

610

UNITED TECHNICAL INDUSTRIES

0110

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

March 3, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4SE/4SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Drilling surface hole
at 330'.

UNITED TECHNICAL INDUSTRIES, INC.

4.

10

PW

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

March 5, 1964

DAILY DRILLING REPORT

C

O

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

P

Y

Was drilling @ 162' in late afternoon
of Tuesday, February 3, 1964, when
starter solenoid caught fire on rig.
Gas tanks on rig exploded and gas
from well ignited.

Well was extinguished with water
cushion. No one was injured, but
drilling rig is total loss. ✓

Will procure another drilling rig,
clean out hole and continue operations.

Reports will be temporarily suspended
pending procurement of another drill-
ing rig.

UNITED TECHNICAL INDUSTRIES, INC.

11

April 3, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. -
Shelton Federal No. 4 Well,
SE/4 SE/4 SE/4 of Section 30, Twonship 20
South, Range 24 East, Grand County, Utah.

New rig procured to replace rig that
burned. Hole cleaned out to 365'. Drill-
ing ahead this date at 400'. Will drill
to 420' and set 420' of 7" casing. Will
cement casing and drill ahead to total
depth.

UNITED TECHNICAL INDUSTRIES, INC.

10.

610

UNITED TECHNICAL INDUSTRIES

8410

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 6th, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. Station
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 21
East, Grand County, Utah

Drilled hole to 425 ft. Show of oil at base of Dakota formation
(approximately 400' - 405'). Moving in Rotary rig to run 420' of 7" casing.
Will circulate cement out and drill ahead to total depth with rotary tools.

UNITED TECHNICAL INDUSTRIES, INC.

U.

UNITED TECHNICAL INDUSTRIES, INC.
5221 South Major Street
P. O. Box 7557
MURRAY, UTAH

April 7, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc.,
Shelton Federal No. 4 Well,
SE/4 SE/4 SE/4 of Section 30, Township 20
South, Range 24 East, Grand County, Utah

Rigging up Rotary tools to run casing

UNITED TECHNICAL INDUSTRIES, INC.

10

UNITED TECHNICAL INDUSTRIES, INC.
5221 South Major Street
P. O. Box 7367
MURRAY, UTAH

April 11, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Cleaning out hole in preparation for the
running of casing.

UNITED TECHNICAL INDUSTRIES, INC.

6110 010

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 14, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. -
Shelton Federal No. 4 Well, SE/4 SE/4 SE/4
of Section 30, Township 20 South, Range 24
East, Grand County, Utah.

C
O
P
Y

CORRECTION OF 4/13/64 REPORT:
Should have been 388' of 7" Casing
rather than 288'.

Drilling sheet at 532' this date.

UNITED TECHNICAL INDUSTRIES, INC.

4.

AP

April 14, 1964

MP

MEMO FOR FILING:

Re: United Tech. Ind., Inc.
Well No. U.T.I. Shelton-Federal #4
Sec. 30, T. 20 S., R. 24 E.
Grand County, Utah

On April 13, 1964, I visited the above drilling location. The operator had set 392' of 7" casing and circulated.

They had hit the Dakota and had a show of oil. They were planning to test the zone the drill ahead.

The operations were satisfactory.

HARVEY L. COONTS
PETROLEUM ENGINEER

HLC:ns

H.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 736715, MURRAY, UTAH
April 15, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Drilling ahead at 580'.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

24

U.

UNITED TECHNICAL INDUSTRIES, INC.
5221 South 1000th Street
P. O. Box 7357
MURRAY, UTAH

~~XXXXXXXXXX~~

April 17, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. Shelton
Federal No. 4 well, SE/4SE/4SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Drilling at 685 ft in the Brushy Basin Section of the Morrison
Formation. No shows.

UNITED TECHNICAL INDUSTRIES, INC.

419

042

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

April 18, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Drilling at 700 ft. in Brushy Basin
Section of the Morrison Formation.

UNITED TECHNICAL INDUSTRIES, INC.

APR 21 1964

4.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

April 20, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Drilled to total depth of 740 feet.
Ran Induction-Electrical log to
733 feet. Log indicates 6 ft. Brushy
Basin Sand Section from 703 feet
to 709 feet. The 6 ft. log interval
appears tight but did have a live show
of oil. Going back in hole to drill
additional 20 feet, and will then run
casing to test Brushy Basin Interval.

UNITED TECHNICAL INDUSTRIES, INC.

118

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

April 21, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Went back into hole and drilled to 753'
to insure 10' penetration into Salt Wash
Formation.

Conditioning hole for running of Casing
to test Brushy Basin Section of Morrison
Formation.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

6/18

PAC

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 22, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Running Casing to test Brushy Basin Section
of Morrison Formation.

UNITED TECHNICAL INDUSTRIES, INC.

12.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 23, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Set 753' of Casing with 12 Sax of Cement,
(2% Calcium Chloride and 2% Gel.). Waiting
on Cement.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 24, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
~~Section 30, Township 20 South, Range 24~~
East, Grand County, Utah.

Waiting on Cement.

UNITED TECHNICAL INDUSTRIES, INC.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 25, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Waiting on Cement.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

April 27, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Waiting on Cement.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

APR 27 1964

10

EP

UNITED TECHNICAL INDUSTRIES

MS

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

April 30th, 1964

DAILY DRILLING REPORT

C
O
P
Y

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Perforated with 3 slots in Brushy Basin section of
Morrison formation. Swabbing

UNITED TECHNICAL INDUSTRIES, INC.

U.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 4, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Swabbed approximately 100 gallons
of clean crude oil with no water.

Going in hole to frac.

UNITED TECHNICAL INDUSTRIES, INC.

MAY 5 1964

C

O

P

Y

12

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 5, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Found 85 feet of oil and some gas in hole when going in to frac.

Performed frac with the following:

- (a) 300 lbs. of L-27 (Non-paraffin additive).
- (b) 10 gallons of free-flow (water block preventative).
- (c) 202 lbs. of oil.
- (d) 3,400 lbs. of sand.

Frac broke down - 3,000 lbs. to 2,700 lbs., and 2,700 lbs. to 1,800 lbs.

Minimum flow per minute - 1,500; Maximum flow per minute - 1,800.

Shut in on 600 lbs. pressure. Will leave shut in for 12 hours, and open up on 10/64ths Choke.

The above described frac job is considered by the operator and the service company to be an almost perfectly desired operation.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

12.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

May 6, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Swabbing load oil at the rate of one (1)

bbl. per hour.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

12.

501 4 0 12

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 7, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Swabbing.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

MAY 5 1964

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 8, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Preparing to go back into hole and
make additional perforations, after
which formation will be given acid
bath.

Will then continue to swab.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

MAY 10 1964

P.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

May 11, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Perforated zone interval of 701 1/2 feet to
706 1/2 feet with 4 shots per foot.

Ran 210 gallons of mud acid, followed by
5 1/2 bbls. of load oil. Swabbing at rate
of approximately 2 bbl. per hour.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 12, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Swabbing at the rate of approximately
2 bbl. per hour, preparing to install
Pumping Unit.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

H

MAY 12 1964

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

MAY 13 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Installing Pumping Unit.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

50-500

2

Jon Well File -

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . . MURRAY, UTAH

MAY 14 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Will test on pump for the next week.

Reports will be suspended until results
of test are known.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

MAY 14 1964

H

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 19, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Pulled rods, pump and packer - installed
field Fabrication Anchor. Re-ran packer,
pump and rods - attempting to get well to
pump.

UNITED TECHNICAL INDUSTRIES, INC.

POST # 1111

C
O
P
Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 22, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Pulled pump and are swabbing in attempt to break down
formation. Will swab for at least four (4) additional
days, and then will reinstall pump.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

APR 22 1964

N.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 23, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Continuing Swabbing.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

Pr

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 25, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Continuing Swabbing.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 26, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Well swabbed down to approximately
four (4) bbl. in ten (10) hour period.
Analysis of oil by Dowell indicates
possible emulsion block. Preparing
to go in hole and treat for emulsion
block, after which swabbing will continue.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

5000 8 1964

U.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

May 27, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Waiting on Emulsion-Chemical Treatment.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

June 2, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Ran ten (10) gallons of Dowell Chemical
and Two Hundred (200) gallons of No. 2
Diesel Fuel for Emulsion Block.
Followed with four (4) bbl. of Load Oil.
Swabbing back chemicals, Diesel Fuel
and Load Oil.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

N.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

June 3, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Swabbed back five (5) bbl. of Diesel fuel and
Dowell chemical, together with four (4) bbl.
of Load Oil, used in treatment.

Continuing swabbing.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

N.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

June 4, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

Swabbing Load Oil.

UNITED TECHNICAL INDUSTRIES, INC.

C

O

P

Y

For Oil

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

June 6, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah

C
O
P
Y

Continuing swabbing. Formation has not broken
down after chemical treatment. Swabbing at the
rate of approximately 4 bbl. per eight(8)-hour
period.

UNITED TECHNICAL INDUSTRIES, INC.

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 • MURRAY, UTAH

June 12, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. -
Shelton Federal No. 4 Well, SE/4
SE/4 SE/4, Section 30, Township 20
South, Range 24 East, Grand County,
Utah.

Continuing swabbing small amount of oil.

Formation has not broken down.

Will continue to swab.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

June 18, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4, Section 30,
Township 20 South, Range 24 East, Grand County,
Utah.

Continuing swabbing.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

1964 JUN 18

UNITED TECHNICAL INDUSTRIES

INCORPORATED

P. O. BOX 7367 . MURRAY, UTAH

June 22, 1964

DAILY DRILLING REPORT

United Technical Industries, Inc. - Shelton
Federal No. 4 Well, SE/4 SE/4 SE/4 of
Section 30, Township 20 South, Range 24
East, Grand County, Utah.

Swabbing approximately at rate of 1 bbl. per
day with returns of some mud (Bentonite) and
sand.

UNITED TECHNICAL INDUSTRIES, INC.

C
O
P
Y

500 23 1111

August 28, 1964

United Technical Industries, Inc.
5221 South Major Street
P. O. Box 7367
Murray, Utah

Re: Well No. UTI Shelton-Federal #4
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the month of July, 1964, for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b, (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KATHY G. WARNER
RECORDS CLERK

KGW:bc

Enclosure - Forms

September 23, 1964

United Technical Industries, Inc.
5221 South Major Street
P. O. Box 7367
Murray, Utah

Re: Well Nos. UTI Shelton-Federal #4
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah, Well No. UTI
Federal #4-2, Sec. 4, T. 21 S., R.
24 E., Grand County, Utah.

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months of July, and August, 1964, for the subject wells. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b, (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KATHY G. WARNER
RECORDS CLERK

KGW:ns

Enclosure - Forms

October 28, 1964

United Technical Industries, Inc.,
5221 South Major Street
Murray, Utah

Attention: Mr. Emmette F. Gathright, President

Re: Well No. UTI Shelton Federal #4
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah

Well No. UTI Federal #4-2
Sec. 4, T. 21 S., R. 24 E.,
Grand County, Utah

Dear Sir:

You have failed to comply with our repeated requests for Monthly Reports of Operations on the above mentioned well.

You are hereby notified that you will not be granted approval to drill another well in the state of Utah until the required forms are on file with this office.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

**CLEON B. FEIGET
EXECUTIVE DIRECTOR**

CBF:kgv

cc: Rodney Smith, Dist. Eng.,
U. S. Geological Survey, Salt Lake City, Utah

Ronald Boyce, Deputy Attorney General, Salt Lake City, Utah

WILLIAM J. STAVA 300 NORTH SUNRISE WAY, PALM SPRINGS, CALIFORNIA 92262

October 28, 1966.

Mr. Paul W. Burchell
Utah Oil & Gas Conservation Commission
Federal Building
Salt Lake City, Utah

Dear Paul:


Several months ago Raph Pumpelly and I were in your office discussing well No. U T I #4 in the SE SE SE of Section 30, T20 S, R 24 E.

Raph and I have taken over this lease on section 30 and the well responsibilities. We both feel that something can be done with this old hole, but I need some additional information, as follows:

1. Can you give me a sketch of the exact location of the well as surveyed.
2. Can you send me a copy of the Gamma log which was used for the notching operation. I seem to feel this well was notched in the wrong place.
3. Also, do you have any information about the second frac job and perforating that was done about a year ago on this well by a person named Lang. I understand Lang and Joe Shelton re-worked this well, but I can't seem to get any information from them.

It looks like Raph and I will drill at least one well this fall in Utah, so look for us in a few weeks.

Sincerely yours,

A large, stylized handwritten signature in black ink, appearing to read 'Wm. J. Stava', written over the typed name below.

Wm. J. Stava

November 4, 1966

Mr. William J. Stava
300 North Sunrise Way
Palm Springs, California 92262

Re: UTI #4, SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah

Dear Bill:

Received your letter of October 28, 1966, requesting information regarding the above mentioned well. Enclosed please find a copy of the well's surveyor's plat and Gamma Ray Log. The log was run in April, 1964, and it indicated the hole was notched at 896'. However, subsequent reports of operation show that on May 11, 1964, the well was perforated between the intervals 701'-706'. The well was then swabbed and treated with chemicals at various intervals from May up to June 22, 1964. Copies of these reports are also enclosed for your convenience.

No information was found in the file pertaining to Mr. Lang and Joe Shelton subsequently re-working the hole. It might be recommended that you contact Mr. Rodney A. Smith, District Engineer, U. S. Geological Survey, 8416 Federal Building, Salt Lake City, Utah, for further data.

I hope that this information is of some value to you and I am looking forward to your visit in the near future.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

PAUL W. BURCHELL
CHIEF PETROLEUM ENGINEER

PWB: np

OIL & GAS CONSERVATION COMMISSION

| |
|--|
| 5. LEASE DESIGNATION AND SERIAL NO. U-027403 |
| 6. IF INDIAN, ALLOTTEE OR TRIBE NAME -- |
| 7. UNIT AGREEMENT NAME -- |
| 8. FARM OR LEASE NAME -- |
| 9. WELL NO. U T I #4 |
| 10. FIELD AND POOL, OR WILDCAT Gravel Pile |
| 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec 30, T20S., R24E |
| 12. COUNTY OR PARISH Grand |
| 13. STATE Utah |

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
PUMPELLY-STAVA OPERATOR

3. ADDRESS OF OPERATOR
300 N. Sunrise Way., Palm Springs, Calif. 92262

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
300' N of S line, 300' west of east line of section 30,

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4521 ~~ft~~ Ground level

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

| | | | |
|--|---|--|--|
| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> | WATER SHUT-OFF <input type="checkbox"/> | REPAIRING WELL <input type="checkbox"/> |
| FRACTURE TREAT <input type="checkbox"/> | MULTIPLE COMPLETE <input type="checkbox"/> | FRACTURE TREATMENT <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| SHOOT SHOOT <input checked="" type="checkbox"/> | ABANDON* <input type="checkbox"/> | SHOOTING OR ACIDIZING <input type="checkbox"/> | ABANDONMENT* <input type="checkbox"/> |
| REPAIR WELL <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | (Other) <input type="checkbox"/> | |

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Shoot with 5# dynamite at 706' measured from ground level and with casing filled to top with salt water.

Shoot with 5# dynamite at 701' measured from ground level and with casing filled to top with salt water.

Test by swabing.

NOTE: Inasmuch as the records are incomplete with regards to work done by other operators, we plan the above work provided we can reach the indicated depth. If the above work fails to stimulate this well, we will plug and abandon it and file the necessary Notices with you at the proper time.

APPROVED BY UTAH OIL AND GAS CONSERVATION COMMISSION

DATE 12-27-66 *Paul W. Benchell*
Chief Petroleum Engineer

18. I hereby certify that the foregoing is true and correct

SIGNED *[Signature]* TITLE **Partenr** DATE **12-12-66**

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

STAVA OIL COMPANY

P. O. BOX 1743

GRAND JUNCTION, COLORADO

Call Reed

July 28, 1967.

Mr. Rodney Smith
U.S. Geological Survey
8416 Federal Building
Salt Lake City, Utah.

Re: Well No. U. T. I. Fed-Shelton #4


Dear Mr. Smith:

The identification sign for the subject well is missing and I would like to replay it, however, before doing so, I would like to change the name of the well to "PUMPELLY-STAVA #30-88".

Would you please advise me the procedure for effecting this name change.

By copy of this letter to Mr. Paul Burchell, I am asking him also to advise me of the Utah State requirement for changing well names.

Very truly yours,


Wm. J. Stava

July 31, 1967

Pumpelly-Stava Operator
300 North Sunrise Way
Palm Springs, California 92262

Re: Well No. UTI Shelton-Federal #4
and Well No. Federal #30-75,
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah.

Gentlemen:

This letter is to advise you that the Subsequent Report of Shooting for the UTI Shelton-Federal #4 Well and the Subsequent Report of Shooting and Acidizing for the Federal #30-75 Well are due and have not been filed with this office.

Please submit to this office the above named reports.

Thank you for your cooperation in this matter.

Very Truly yours,

DIVISION OF OIL & GAS CONSERVATION

SHARON CAMERON
RECORDS CLERK

SC:cam

August 2, 1967

Stava Oil Company
300 N. Sunrise Way
Palm Springs, California 92262

Re: Well No. U. T. I. Shelton Federal
#1, Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah.

Dear Mr. Stava:

Your letter of July 28, 1967 is most sufficient notice for the above well's name change to Pumpelly-Stava #30-88, and our records have been revised as such.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sc

cc: P. O. Box 1743
Grand Junction, Colorado

WILLIAM J. STAVA 300 NORTH SUNRISE WAY, PALM SPRINGS, CALIFORNIA 92262

August 7, 1967

Sharon Cameron
Utah Oil & gas Conservation Board
348 East South Temple
Salt Lake City, Utah

Dear Mrs. Cameron:

Pumpelly-Stava # 30-88
Re: ~~U.T.I. Shelton Federal #4~~
~~Federal #30-75~~, Grand
County, Utah.


This will acknowledge receipt of your letter dated July 31, 1967 with regards to the subject wells.

We did not acidize Federal #30-75 after it was drilled and I suggest that you cancel the approval to do so. We may acidize this well when it is placed on a line.

The shooting operation on well U.T.I.Federal-Shelton has been postponed until later in the summer. We are still not certain this would be a good plan and may change our engineering to an acid injection instead. If we do change our plans, I will file for approval of any new operation.

Very truly yours,

PUMPELLY-STAVA OPERATOR


Wm. J. Stava

cc: R. Pumpelly

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT TO STATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
U-027403

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

30-88

10. FIELD AND POOL, OR WILDCAT

GRAVEL PILE

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 30, T20S:R24E

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
PUMPELLY-STAVA OPERATOR

3. ADDRESS OF OPERATOR
300 N. Sunrise Way, Palm Springs, Calif. 92262

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
300' NSL and 300' WEL section 30, T20S: R24E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4521' Gr

12. COUNTY OR PARISH
Grand

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other) **Install sign**

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Sign has been installed on well which reads as follows;

**Well, Pumpelly-Stava #30-88
SE SE SE Sec. 30, T20S:R24E
Grand County, Lease U-027403
Pumpelly-Stava Operators-Owners**

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Joint operator

DATE

8/16/67

(This space for Federal (or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

348 East South Temple
Suite 301
Salt Lake City, Utah 84111

Pumpelly-Stava
300 N. Sunrise Way
Palm Springs, California 92262

Re: Well No. Pumpelly-Stava #30-88
Sec. 30, T. 20 S., R. 24 E.,
Grand County, Utah

September, October, 1967

Dear Sirs,

Our records indicate that you have not filed a Monthly Report of Operations for the months mentioned above for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Division of Oil & Gas Conservation requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b, (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

KATHY H. DUGDALE
SECRETARY

:khd


Enclosures: Forms

Well # 30-88

3/17/71

sec 30 T 2 S R 24 E

Bill Stara - Pompally



① dump
4 qt cement
slurry over
Perfor.

hole will be filled mid.

(2) cut 2 7/8" bit in ~ 600' 720' 2 7/8"
and set 10 sq mesh in 7" upper pipe & shoe.

(3) 2-5 sq of upper work

above program approved - RMB

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.
Utah 027403

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.
30-88

10. FIELD AND POOL, OR WILDCAT
GRAVEL PILE

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 30 T.20S., R.24E.

12. COUNTY OR PARISH

13. STATE

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
PUMPELLO - STAVA OPERATOR

3. ADDRESS OF OPERATOR
300 N. SUNRISE WAY PALM SPRINGS, CALIF 92262

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface
300' NSL & 300' WEL Section 30. T20S R24E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4521 GR.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING


ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

PROPOSED PLUGGING PROGRAM.
2 x T.D. up.
10 x 388 up
2 x SURFACE

WORK TO BE PERFORMED BY WALTER BROADHEAD



18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Carit Loren DATE 3/18/71

(This space for Federal or State office use)

APPROVED BY [Signature] TITLE DISTRICT ENGINEER DATE MAR 18 1971

CONDITIONS OF APPROVAL, IF ANY:

Branch of Oil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

July 1, 1971

Mr. William Stava
Pumpelly - Stava
300 North Sunrise Way
Palm Springs, California 92262

Re: Well 30-88, Gravel Pile
SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 30, T. 20., R.24 E., S.L.M.
Grand County, Utah
Lease Utah 027403

Dear Mr. Stava:

The location of the referenced well was inspected on June 16, 1971, by the Chief Petroleum Engineer of the State of Utah, who advised this office that the well has been abandoned and the location properly restored.

Please send us a Subsequent Report of Abandonment, form 9-331, in triplicate.
Thanks.

Sincerely,

(ORIG. SGD) G. R. DANIELS

Gerald R. Daniels
District Engineer

c.c. Div. of Oil and Gas Cons. Utah ✓

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN THIS MANNER*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-027403

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

30-88

10. FIELD AND POOL, OR WILDCAT

GRAVEL PILE

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 30 T20S: R24E

12. COUNTY OR PARISH

Grand

13. STATE

Utah

1.

OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

PUMPELLY STAVA OPERATOR

3. ADDRESS OF OPERATOR

300 N. Sunrise Way, Palm Springs Calif 92262

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)

At surface
300' NSL & 300 WEL Section 30 T20S: R24E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4521 GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


Well was plugged as follows:

**Swabbed tubing dry to bottom
Pumped 2 sax to bottom, followed with water
Shot off tubing, recovered 16 lengths
Mixed and filled hole with drilling mud, 4 barrels
With tubing hung at 390', pumped in 10 sax neat.
With tubing hung at 10', pumped in 2 sax neat.
Sht marker.**

Work performed by Walter Broadhead.

18. I hereby certify that the foregoing is true and correct

SIGNED



TITLE

Joint owner

DATE

7-7-71

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: