

# FILE NOTATIONS

Entered in NID File \_\_\_\_\_  
Entered On S R Sheet \_\_\_\_\_  
Location Map Fined \_\_\_\_\_  
Card Indexed \_\_\_\_\_  
I W R for State or Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_  
Copy NID to Field Office \_\_\_\_\_  
Approval Letter \_\_\_\_\_  
Disapproval Letter \_\_\_\_\_

## COMPLETION DATA:

Date Well Completed 10-16-59

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA X

*Finished Drilling*

Location Inspected \_\_\_\_\_

Bond released \_\_\_\_\_  
State of Fee Land \_\_\_\_\_

## LOGS FILED

Driller's Log ✓ \_\_\_\_\_

Electric Logs (No. ) 2

E 1(2) I \_\_\_\_\_ E-I \_\_\_\_\_ GR \_\_\_\_\_ GR-N \_\_\_\_\_

Lat. \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others \_\_\_\_\_

**NICHOLAS G. MORGAN, SR.**

ATTORNEY AT LAW  
SUITE 507 WALKER BANK BUILDING  
SALT LAKE CITY 1, UTAH

May 28, 1957

Utah State Land Department  
Oil and Gas Conservation Commission  
State Capitol Building  
Salt Lake City, Utah

Attention: Cleon D. Feight


Gentlemen:

The undersigned, Nicholas G. Morgan, Sr. Foundation, by N. G. Morgan, Sr., President, hereby approves location made and surveyed for the Sierra Madre Oil Company in the SW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of Section 11, Township 21 South, Range 21 East, SLM as the owner of the offset Section 10, same Township and Range.

Yours respectfully,

Nicholas G. Morgan, Sr. Charitable Foundation

BY *N. G. Morgan Sr.*  
N. G. Morgan, Sr., President



SCALE 1"=2000'

NOTES ON SURVEY

True bearings by solar observation

Distances measured by stadia

Well location 876' N. & 10,243' W  
from the S.W. Cor. 7, T21S, R22E. S.L.B.M.

Surveyed land shown in heavy

Unsurveyed land shown in light or broken

PROPOSED WELL SITE

SIERRA MADRE OIL Co.

No. 1 Morgan

N. E. Thompson

Survey & map by  
L.V. Beckman

May 25, 57

P.E. & L.S. Cert. No. 1109



**SIERRA MADRE OIL Co.**

*Oil Producers*

SUITE 205, 8421 WILSHIRE BOULEYARD, BEVERLY HILLS, CALIFORNIA • OLIVE 3-1553

28 May 1957

Utah State Land Department  
State Capitol Building  
Salt Lake City, Utah

Gentlemen:

In order that the full facts relative to the attached filing of "Notice of Intention to Drill" may be available to you, the following statements relative to the geological and tectonic aspect of the surveyed well site location are set forth for your review.

- 1) The well site is located 317' east of the west line of Section 11, Township 21 South, Range 21 East, SLM, Utah in the SW/4SW/4.

This distance is in full compliance with the Federal regulation governing the location of a well 200' from any sub-division line. However, it has been suggested that there is some variance between the State and Federal regulations relative thereto.

- 2) The subject well site has been surveyed and located within a fault block that constitutes a structural trap that through full geological and tectonic correlation is indicated to contain a potential reservoir for the accumulation of oil or gas in substantial volume.

This fault block and structural trap are controlled by two faults of major proportions, -(a)- a primary fault immediately south of the proposed well site trending northwest-southeast dipping  $92^{\circ}$  southwest with the upthrow block to the northeast; and -(b)- a dinolic fault immediately east of the proposed well site trending northeast-southwest dipping  $78^{\circ}$  northwest with the upthrow block to the northwest. This fault has a vertical displacement of 600'.



**SIERRA MADRE OIL Co.**

*Oil Producers*

SUITE 205, 8421 WILSHIRE BOULEVARD, BEVERLY HILLS, CALIFORNIA • OLIVE 3-1553

28 May 1957

Utah State Land Department

Page -2-

In the event that the applicant Corporation should be required to relocate further to the east of the surveyed well site, the potential for production of gas or oil would be totally destroyed as such a relocation further eastward would bottom the proposed well at its projected depth of 4600' within the breccia zone of the dinolic (east) fault or within the down throw (eastward) block, resulting in either case in a non-productive well.

- 3) The applicant has entered into an escrow to acquire Section 10, directly offsetting Section 11, and such acquisition removes any controversy or conflict.

Therefore, the applicant Corporation respectfully requests your approval of the proposed location of the well site as surveyed.

Respectfully submitted,

SIERRA MADRE OIL CO

By *Louise M. ...*  
President

May 28, 1957

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Blvd.  
Beverly Hills, California

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. 1 - Morgan, which is to be located 317 feet from the west line and 876 feet from the south line of Section 11, Township 21 South, Range 21 East, S1EM, Grand County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well at said unorthodox location is hereby granted under Rule C-3(e), General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FRIGHT  
SECRETARY

CBF:en

cc: Don Russell, Dist. Eng.  
U.S.G.S. Federal Bldg.  
Salt Lake City, Utah



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. U-07100  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 1, 19 57

Well No. 1-Morgan is located 876 ft. from N line and 317 ft. from W line of sec. 11  
NW 1/4 SW 1/4 Sec 11 21 S 21 E SLEB  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
N. E. Thompson Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4905 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Stratigraphic test 4600' Cocconino formation  
 Tight hole - Contractor Stava Drilling Co  
Arcadia, California

Rotary Tool:

12-1/2" Bore -- Surface Casing 10-3/4"  
 400' w/175 sax  
 9-5/8" Bore -- 7-5/8 casing to 2500' w/100 sax  
 6-1/4" Bore -- 5-5/8 casing to 4600' w/250 sax

Estimated Tops:  
Mancos Shale - Surface  
Ferron SS 380'  
Dakota SS 2045'  
Morrison FM 2480'  
Entrada SS 3380'  
Cocconino SS 4420'  
T. D. 4600'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sierra Madre Oil Co  
 Address Suite 205  
8421 Wilshire Blvd  
Beverly Hills, California

By Looney Mac Donald  
 Title President

# MA KENZIE AND BARRE T

CONSULTANT SERVICES

PROVO, UTAH

GEOLOGICAL REPORTS  
ENGINEERING REPORTS  
SURVEYS AND MAPS

ROBERT BARRETT  
2286 WEST CENTER  
FRANKLIN 3-4223

JAY MACKENZIE  
901 SOUTH 11 WEST  
FRANKLIN 3-1726

June 5, 1957

Mr. Fieght  
Utah Oil & Gas Conservation Commission  
State Capitol Building  
Salt Lake City, Utah

Dear Mister Fieght:

I am sorry to inform you that; after all the trouble we caused you to get our previous drill location oked, we find that we are unable to drill at that location. The original location was atop a ridge containing many large boulders, and it is our opinion that the cost of drilling through these boulders would be prohibitive.

A on the spot recheck of the Geological conditions indicates that we will be safe in moving the location to the East, the thing we were originally appossed to. We there for request permission to move the location 730 feet North 85% East from the last location submitted.


The move will place us 290 feet from the East line of the SW $\frac{1}{4}$ , SW $\frac{1}{4}$  of sec. 11, we however, own all of section 11 and will not protest our own location. We sincerly hope this new location meets with your approval.

I am looking forward to a visit from your office in the near future. The water here in Cisco is terrible so we will have to drive to Grand Junction to drink, water that is?

Very Truly Yours

*Jay P. Mackenzie*

Jay P. Mackenzie  
field Geologist  
Sierra Marde Oil Comapny



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office S.L.C.  
Lease No. U-07100  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. #1 is located 930 ft. from S line and 1,030 ft. from West line of sec. 11  
SW 1/4 of sec. 11 T. 21 S. R. 21 E. S. 1. B. & M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
North East Thompson Grand County Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4967.25 ft. GR. 4955.55  
 Kelly B. 4963.55

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved location 730 feet North 85 East, Original location was on a ridge of undrillable boulders.  
 Drilling 13 inch surface hole, Surface casing: I.D. 10.192  
 O.D. 10.75  
 32.75 lbs.  
 New Casing  
 150 sax of cement, using  
 Haliburton equipment

400 feet with

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sierra Mardo Oil Company

Address Suite 205

3421 Wilshire Blvd.

Beverly Hills, California

By Jay P. Mackenzie  
 Title Field Geologist

June 10, 1957

Sierra Madre Oil Company  
/ Jay P. Mackenzie, Field Geologist  
901 South 11 West  
Provo, Utah

Gentlemen:

This is to acknowledge receipt of your amended notice of intention to drill Well No. Morgan 1, 930 feet from the south line and 1030 feet from the west line of Section 11, Township 21 South, Range 21 East, S1EM, Grand County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well on said unorthodox location is hereby granted under Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure, Oil and Gas Conservation Commission, State of Utah.

Yours very truly,


OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT  
SECRETARY

GBF:en

cc: Don Russell, Dist. Eng.  
U.S.G.S. Federal Bldg.  
Salt Lake City, Utah

Sierra Madre Oil Company  
Suite 205, 8421 Wilshire Blvd.  
Beverly Hills, California



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah

Lease No. U-07100

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 12, 1957

Well No. Morgan 1 is located 930 ft. from S line and 1030 ft. from W line of sec. 11

SW $\frac{1}{4}$ , SW $\frac{1}{4}$ , of 11  
( $\frac{1}{4}$  Sec. and Sec. No.)

T. 11 S.  
(Twp.)

R. 21 E.  
(Range)

S.L.E.M.  
(Meridian)

Northeast Thompson  
(Field)

Grand County  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4967.25 ft.

*Noted  
copy  
6-17-57*

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 398' of 10 $\frac{5}{8}$  casing with 150 sax of no. 1 ideal cement, full returns, left 50' of cement in drill pipe. Cement job completed 12:30 pm 6/7/57, waited on cement 5 $\frac{1}{2}$  hrs. Commenced drilling ahead at 7:00 pm 6/9/57, shoe drilled out at 11:00 pm 6/9/57. Put 300 lb pressure against B.O.P. FOR 30 minutes ( no drop in pressure ) Cement very hard.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company SIERRA MARCA OIL COMPANY

Address SUITE 205

8421 WILSHIRE BLVD.

BEVERLY HILLS, CALIFORNIA

By Jay P. Mackenzie  
Title FIELD GEOLOGIST

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER W- 07100  
UNIT \_\_\_\_\_

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County ~~Salt Lake~~ Grand Field North East Thompson

The following is a correct report of operations and production (including drilling and producing wells) for the month of June, 1957.

Agent's address % General Delivery Cosco, Utah Company Sierra Madre Oil Company

Phone Cosco # 3 Signed Jay P. Muehlenberg Agent's title Field Geologist

*Noted  
7-12-57  
CAH*

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sw, Sw, 11	21	21	1	00	00	00	00	00	None	2238 - 2298 cored (core blue shale hard and tight) 2358 - 2378 cored (upper portion of the core was fractured gas cut and oil stained) Run H.O.W. formation tester packer set @ 2350 tool open @ 4:15 closed @ 4:45 very light blow first 7 min. very light heading next 4 min. dead bal. of test 5 ft. fluid rise in dc Hydrostatic press 1155 & 1135, closed in pres. 0 (zero) recovered fluid was slightly gas cut, with light oil rain* bow.  Drilling ahead depth 2535  Mowery Shale

NOTE.—There were None runs or sales of oil; None M cu. ft. of gas sold; None runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

W

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER U-07100  
UNIT \_\_\_\_\_

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Grand Field N.E. Thompson

The following is a correct report of operations and production (including drilling and producing wells) for the month of July, 1957.

Agent's address general delivery Company Sierra Madre Oil Company  
Cisco, Utah Signed G. Mackenzie

Phone Cisco # 3 Agent's title Field Geologist

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sw Sw 11	21	21	1	00	00	00	00	00	none	7-24-57 D.S.T. # 2 Morrison formation Salt Wash member T.D. 3115 packer set at 3095 Tested from 3095 to 3115. Tester opened with a weak blow thru 1/2" hose, #1/4 choke at bottom, blow diminished and was dead in 25 min. Left tester open for one hour closed in for 30 min. recovered 40' of drilling mud, No gas shows no oil shows. I.H.P. 1505 I.F.P. 25 F.F.P. 25 Shut in press. 390 F.H.P. 1465 tested by Halliburton
										7-9-57 Moved Stava drilling company off the hole and moving Hawkins drilling company on the hole with a unit 15 rig.
										7-17-57 Commenced drilling with new rig.
										8-2-57 Drilling ahead in the Kayenta formation. 3971

NOTE.—There were None runs or sales of oil; None M cu. ft. of gas sold;

None runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER **U - 07100**  
UNIT \_\_\_\_\_

*Noted  
CMT  
9-16-57*

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County Grand Field N. E. Thompson  
The following is a correct report of operations and production (including drilling and producing wells) for the month of August, 1957.  
Agent's address General Delivery Company Sierra Madre Oil Company  
Cisco, Utah Signed \_\_\_\_\_  
Phone Cisco # 3 Agent's title Field Geologist

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
Sw Sw 11	21	21	1	DD	00	00	00	00	None	September 1, 1957
			D.S.T. # 3	4147 To 4200			Open 1 1/2 hours Shut in 1/2 hour Moderately strong blow thru 1/4" choke the test recovered 2340' of gas cut, salty water. Initial hydrostatic pressure 2105 Initial flowing pressure 160 Final flowing pressure 915 Shut in pressure 1270 Final hydrostatic 2085 Tested by Halliburton			
							9 - 1-57 @ 5591	Drilling ahead in the		Outler formation

NOTE.—There were None runs or sales of oil; None M cu. ft. of gas sold;  
None runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

LAND OFFICE \_\_\_\_\_  
LEASE NUMBER U - 07100  
UNIT \_\_\_\_\_

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

*Noted  
cost  
10-5-57*

State Utah County Grand Field N.E. Thompson

The following is a correct report of operations and production (including drilling and producing wells) for the month of September, 1957,

Agent's address General Delibery Company Sierra Madre Oil Company  
Cisco, Utah

Signed *Jay S. MacKenzie*  
Agent's title Field Geologist


Phone Cisco # 3

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<b>SW SW 11</b>	<b>Z1S</b>	<b>Z1E</b>	<b>1</b>	<b>00</b>	<b>00</b>	<b>00</b>	<b>00</b>	<b>00</b>	<b>None</b>	
				<b>September 28, 1957</b>						<b>Dropped three cones from the Bit in the hole, Recovered cones with a Carrol magnet, on September 30, 1957. Run Schlumberger logs to T.D. 7406. Drilling ahead in the Hermosa at 7406.</b>

NOTE.—There were None runs or sales of oil; None M cu. ft. of gas sold; None runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

*W*



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah

Lease No. U - 07100

Unit \_\_\_\_\_

*Noted  
Calk  
10-28-57*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	*	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 15, 1957

Well No. Morgan 1 is located 930 ft. from {N} line and 1030 ft. from {E} line of sec. 11

Ne, SW, SW Of 11 T. 21 S. R. 21 S. S.L.B.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Northwest Thompson Grand County Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4967.2ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plug back to the bottom of the first wingate.

Depth	Formation	Sax
4314	Bottom of wingate One	25
4716	Bottom of wingate Two	25
5316	Top of the Cutler	25
7886	Top of The Granite wash	25

Run 4260 feet of 5 1/2" OD # 8 mound thread j - 55 range (2) 14 lb. new pipe.  
with Cement to 2600 with 650 sax. hold for production tests.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Sierra Marda Oil Company

Address Suite 205

8412 Silshire Blvd.

Beverly Hills, California

By Jay C. Mackenzie  
Title Field Geologist



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah

Lease No. U-07180

Unit \_\_\_\_\_

*7/10/57  
C.C.K.  
10-24-57*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 16, 1957

Well No. Morgan 1 is located 930 ft. from [N] line and 1,030 ft. from [E] line of sec. 11

NE, NW, SE of Sec. 11 (1/4 Sec. and Sec. No.)    T. 21 S. (Twp.)    R. 21 E (Range)    S. 1, R. 11 (Meridian)

Northeast Thompson (Field)    Grand County (County or Subdivision)    Utah (State or Territory)

The elevation of the derrick floor above sea level is 4967.25 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Shutting down operations due to adverse weather conditions, will return in the spring to resume operations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sierra Nevada Oil Company

Address Site 205

8421 Wilshire Blvd.

Beverly Hills, California

By Jay S. Mackenzie  
Title Field Geologist

*W/*

February 18, 1958

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Boulevard  
Beverly Hills, California

Attention: J. C. MacKenzie, Field Geologist

Re: Well No. Morgan 1,  
Sec. 11, T. 21 S, R. 21 E,  
SEEM, Grand County, Utah

Gentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as required by our rules and regulations.

Please complete the enclosed Forms OCGC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

GLENN B. FREIGHT  
SECRETARY

GBF:en

Encl.

May 16, 1958

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Boulevard  
Beverly Hills, California

Attention: J. C. McKenzie, Field Geologist

Re: Well No. Morgan 1, Sec. 11,  
Twp. 21 S, R. 21 E, SIEM,  
Grand County, Utah

GentleGentlemen:

This letter is to advise you that the well log for the above mentioned well has not as yet been filed with this office as requested in our letter of February 18, 1958.

This well log is now four months past due.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FRIGHT  
SECRETARY


CBF:en

Encls.

*Not In  
05 10-10-57*

*\* unco-operative  
Note: 9-11-58  
log not in -  
No future Requests written*

12



LOCATE WELL CORRECTLY

21S

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

U. S. LAND OFFICE Utah  
SERIAL NUMBER U - 07100  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOG OF OIL OR GAS WELL

Company Sierra Mar Oil Company Address 3421 Wilshire Blvd. Beverly Hills, Cal.  
Lessor or Tract \_\_\_\_\_ Field \_\_\_\_\_ State Utah  
Well No. Morgan Sec. 11 T. 21 S. 21 E Meridian Salt Lake Base County Grand  
Location 930 ft. {N. / S.} of South Line and 1030 ft. {E. / W.} of West Line of Section 11 Elevation 4967.26  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed \_\_\_\_\_

Date November 24, 1958

Title Field Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling June 5, 1957 Finished drilling October 16, 1957

OIL OR GAS SANDS OR ZONES  
(Denote gas by G)

No. 1, from 2750 to 2770 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Kind of shoe	Cut and pulled from	Ran from		Purpose
						From-	To-	
10 5/8				Baker	none			Surface

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 5/8	0-398	150	Pump & pressure		

PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

FOLD MARK





AFTER TEN DAYS RETURN TO  
**U.S. GAS CONSERVATION COMMISSION**

310 Newhouse Building  
10 Exchange Place  
Salt Lake City 11, Utah



**AIR MAIL**

*Approved Me Ender*

An illustration of a hand holding a pen, positioned as if writing. A rectangular stamp with the text "Do not use" is partially visible over the hand and the address area.

Attn: J. C. McKenzie, Field Geologist

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Boulevard  
Beverly Hills, California

BEVERLY HILLS  
JAN 5  
5-PM  
1950  
CALIF.





THE STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

310 NEWHOUSE BUILDING  
10 EXCHANGE PLACE  
SALT LAKE CITY 11

COMMISSIONERS  
C. R. HENDERSON  
CHAIRMAN  
M. V. HATCH  
C. S. THOMSON  
E. W. CLYDE  
W. G. MANN

C. A. HAUPTMAN  
PETROLEUM ENGINEER  
C. B. FEIGHT  
SECRETARY

January 13, 1959

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Boulevard  
Beverly Hills, California

Attention: J. C. McKenzie, Field Geologist

Re: Well No. Morgan 1, Sec. 11,  
T. 21 S, R. 21 E, SLBM,  
Grand County, Utah

Gentlemen:

You have chosen to ignore our repeated requests for the driller's log and electric logs, if run, for the above mentioned well.

This letter is to advise you that you will be prohibited from drilling any future wells in the state of Utah until such time as you have complied with the rules and regulations of this Commission.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

*Cleon B. Feight*  
CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co

cc: Don Russell, Dist. Eng.  
U.S.G.S. Federal Bldg.  
Salt Lake City, Utah

January 13, 1959

Sierra Madre Oil Company  
Suite 205  
8421 Wilshire Boulevard  
Beverly Hills, California

Attention: J. C. McKenzie, Field Geologist

Re: Well No. Morgan 1, Sec. 11,  
T. 21 S, R. 21 E, S1EM,  
Grand County, Utah

Gentlemen:

You have chosen to ignore our repeated requests for the driller's log and electric logs, if run, for the above mentioned well.

This letter is to advise you that you will be prohibited from drilling any future wells in the state of Utah until such time as you have complied with the rules and regulations of this Commission.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co

cc: Don Russell, Dist. Eng.  
U.S.G.S. Federal Bldg.  
Salt Lake City, Utah

PETROLEUM GEOLOGIST

F. M. TULLY  
500 DAHLIA STREET  
DENVER 20, COLORADO

FREMONT 7-1808

November 22, 1965

Oil & Gas Conservation Commission  
State of Utah  
348 East South Temple, Suite 301  
Salt Lake City, Utah

Gentlemen:


I am trying to find information concerning the following well drilled about June, 1957:

Sierra Madre Oil #1 Morgan  
NW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$  11-21S-21E, Grand County, Utah

My Petroleum Information well card gives a TD of 7830' with a note, "WORT; will deepen to Mississippian."

Any information you can furnish me concerning this well will be much appreciated, such as, was the well actually deepened, or furnish me electric or other logs, formation tops, etc. I shall be glad to pay for the copies.

Thank you,

  
F. M. Tully

FMT:js

November 24, 1965

F. M. Tully  
500 Dahlia Street  
Denver 20, Colorado

Gentlemen:

Reference is made to your letter of November 22, 1965.  
Enclosed please find the well information you requested, however,  
we do not have extra copies of the Electric and Micrologs.

If you would like copies of said logs you could contact  
Knight-Condley, 256 East 2nd South, Salt Lake City, Utah. They  
could pick up the logs from us and have them reproduced at a cost  
of about \$6.00.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN  
RECORDS CLERK

arh

Enclosures