

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

W R for State or Fee Land

*Rework*

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW

WW

TA

GW

OS

PA

Location Inspected

Bond released

State of Fee Land

*11-17*

*(letter)*

*2-20-59*

LOGS FILED

Driller's Log

Electric Logs (No. )

*Well Log not available - see letter in file*

E

L

FI

GR

GRN

Misc

Lat

M-L

Senic

Others

*Radiation Log*


(SUBMIT IN TRIPLICATE)

Land Office \_\_\_\_\_

Lease No. U06748


Unit \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



ORIGINAL FORWARDED TO CNSPER

SUNDRY NOTICES AND REPORTS ON WELLS



NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Western States Oil & Metals-Federal

March 24th, 1955

Well No. 1 is located 465 ft. from [N] line and 2040 ft. from [E] line of sec. 10

NE NW Sec. 10 18 So. 24 E. S. L. M.  
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Westwater Creek Grand Utah  
Barley Dome Ext. (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5070 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to start well 1 1/2 inch pipe set 13 3/8 casing, 48 pounds a foot, to 100 or 150 foot depth and cement the surface. Then drill a 12 1/2 inch hole to 2000 foot, unless we encounter water. If water is encountered, will set 10 1/2 casing, 36 pounds to foot. Will drill 10 inch hole until Dakota is encountered. This is to be drilled with cable tools.

The amount of cement to be used is 100 to 150 sacks on surface casing with a 6 foot celler.

Dakota sand expected to be reached at approximately 2800 feet.

(APPROVAL IS CONDITIONAL UPON COMPLIANCE WITH THE TERMS ATTACHED HERETO)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Western States Oil & Metals Co. et al.

Address 409 Ness Bldg. Salt Lake City, 1, Utah.

H. Goodman  
Grand Deposit Mining Company  
By [Signature]  
President

By [Signature]  
Title \_\_\_\_\_  
President

T. 18S  
R. 24E

3 1/4 Cor.  
10

3 2  
10 11

↑ 465'  
↓  
○ Elev. 5065 ft.  
← 600' →



SEC. 10

SEC. 11

10 11  
15 14

Location of Western States Oil & Metals -  
Laral #1 Well. Grand County, Utah.

10-18S-24E

WESTWATER CREEK (Wildcat) - Grand County

NE NE NE NW 1/4

Western States Oil & Metals Co., et al. #1 (Utah 06748), Ref. #2

Attorney J. E. ...

...

Objective:

WESTWATER CREEK (Wildcat) - Grand County  
10-18S-24E NE NE NE NW 1/4, Western States Oil & Metals Co., et al. #1  
(Utah 06748), Ref. #2

STATUS: Drg 120' (Co. 5-6-55)

MAY - - 1955 REMARKS: NEW DRILLING WELL. Spud 5-16-55. 13-3/8"  
cc. 75' - circulated.

JUN - - 1955 STATUS: Drg 1240' (Goodman 6-30-55)  
REMARKS: S.S.G. 115-155', S.G. 700-720', S.F. 1405-30'.

STATUS: Testg., TD 3865' (Linney 8-3-55)  
REMARKS: At TD of 1700' (Manco's shale), swabbed 8 BOPD.

JUL 1955 Test of interval 2600-2776' produced gas at rate of  
750 MCF/D. Top Dakota 2600'.

STATUS: DSI TD 3265', PB 2937' (Co. 9-1-55)

REMARKS: Well shut down because of injured perforation.

STATUS: Testg. TD 3265', PB 2937'.

OCT - 1955 STATUS: Testg. TD 3865', PB 2937' (Co. 10-19-55)

STATUS: DSI TD 3265', PB 2937'

DEC - 1955 STATUS: DSI TD 3265' (visited 12-31-55)

JAN - 1956 STATUS: DSI TD 3265'

MAR 1956 STATUS: DSI TD 3265' (visited 3-23-56)

JUN - 1956 STATUS: Testg. TD (corrected) 3864'.  
REMARKS: Resumed operations 6-7-56. 7" cc 2964' w/250 ax.

JUL - 1956 STATUS: Testg. TD 3864'.  
REMARKS: 7" cc 2800-3000'. One col. 50 to 75  
BOPD.

AUG - 1956 STATUS: DSI TD 3264'.  
REMARKS: Operated uncontrolled to shut or drill deeper.

NOV - 1956

JAN - 1957

POOR COPY

371 ... (now)

Vertical handwritten notes on the left margin.

*Handwritten notes at the top of the page, including a date that appears to be 2-7-57.*

STATUS: Drg. 2900'  
REMARKS: Resumed operations 2-7-57. Pulling 7" cog.

MAR - 1957 STATUS: Res. to 2900'  
REMARKS: REMOVAL OF PILEHEAD. Attempted to pull 7" cog. but parted at 2909'. Occasionally undesirable to drill by. Connected top Dakota 2900'. Acc. 3-10-57.

*Extensive handwritten notes in the middle section of the page, including the words "Kore" and "Walter".*

POST OFFICE

**Halliburton**  
OIL WELL CEMENTING COMPANY  
DUNCAN, OKLAHOMA  
**CEMENTING SERVICE TICKET**

WTS: 2555 PLACE Wiley Dome #1 sh ORDER NO. \_\_\_\_\_  
 Well No. 1 Farm Wadewater County Grand State Utah Sec. \_\_\_\_\_ T. \_\_\_\_\_ R. \_\_\_\_\_  
 Owner D. M. Lowrey & Western States Oil Contractor F. D. + B. Dole  
 Mailing Address 105 East Fourth South City & State Salt Lake City Utah  
 City & State Salt Lake City Utah Truck Called Out \_\_\_\_\_ AM PM On Location \_\_\_\_\_ AM PM Job Began \_\_\_\_\_ AM PM Job Completed \_\_\_\_\_ AM PM

OWNER, OPERATOR OR HIS AGENT STATES THE WELL IS IN CONDITION FOR THE SERVICE JOB TO BE PERFORMED AND SUBMITS THE FOLLOWING DATA:

TYPE OF JOB (V) ONE	CASING		HOLE DATA		TUBING OR DRILL PIPE		CEMENTING PACKER		MAKE FLOAT EQUIPMENT	
	NEW	USED	BORE SIZE	TOTAL DEPTH	SIZE	TYPE	SIZE	TYPE	SIZE	TYPE
<input checked="" type="checkbox"/> SURFACE		<input checked="" type="checkbox"/>	15 1/2"	76'						
<input type="checkbox"/> INTERMEDIATE										
<input type="checkbox"/> PRODUCTION										
<input type="checkbox"/> SQUEEZE										
<input type="checkbox"/> LUMPING										
<input type="checkbox"/> LUG BACK										
<input type="checkbox"/> ROUTING										
<input type="checkbox"/> OTHER (Write In)										

SQUEEZE OR PLUG BACK DATA				CEMENT DATA			
PURPOSE	DEPTH FROM	TO APPROX.	IN SIZE CASING HOLE	BULK? SACKS	SACKED? TYPE	MIXED WT. PER GAL. BRAND	% GEL. OTHER ADMIX
WATER				75	Ballard	Best	
GAS							
Abandon							

**OTHER DATA ON SERVICE OPERATION**

PLUGS AND HEADS		PRESSURE		CEMENT LEFT IN CASING	
FROM PLUG	TYPE	CIRCULATING		BY REQUEST?	
TO PLUG	TYPE	MINIMUM		NECESSITY?	
HEAD		MAXIMUM		MEASURED WITH LINE?	

SERVICE AND RENTAL CHARGES			TRUCK	TITLE	NAME	LOCATION	STATE
DEPTH OF JOB	_____ FT.		3983	CEMENTER	K. H. Homan	Grand Junction	Colo
CE REF.				DRIVER	Miller		
BASE CHARGE	\$ 75			CEMENTER			
ADD'N. CHARGE	\$			DRIVER			
EXTRA TRUCK	\$			CEMENTER			
STAND BY TRUCK	\$			DRIVER			
MILEAGE @	\$			CEMENTER			
	\$			DRIVER			
	\$			CEMENTER			
	\$			DRIVER			
TOTAL CHARGE	\$			CEMENTER			
				DRIVER			

The above job was done and equipment used under the exclusive control, direction and supervision of the owner, operator or his agent whose signature appears below and who certifies the above data furnished by him is correct.


*[Signature]*  
OWNER, OPERATOR OR HIS AGENT

The following information is urgently requested in order that we may be fully advised and to enable us to keep our standard of service up to the highest point.

5. OPERATION OF THE CEMENTING EQUIPMENT SATISFACTORY? \_\_\_\_\_ WAS THE WORK OF THE CEMENTING CREW PERFORMED IN A SATISFACTORY MANNER? \_\_\_\_\_  
 5. THE CEMENTING JOB SATISFACTORYLY COMPLETED? \_\_\_\_\_ SUGGESTIONS: \_\_\_\_\_

*[Signature]*  
OWNER, OPERATOR OR HIS AGENT

**No. 44063 J**



(SUBMIT IN TRIPLICATE)

Land Office Salt Lake

Utah  
Lease No. 06748

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Unit \_\_\_\_\_

ORIGINAL FORWARDED TO CASPER

JUN 7 - 1955

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 7th, 1955

W.S.O & M.

Well No. Fed. #1 is located 465 ft. from N line and 2040 ft. from E line of sec. 10

C. NEW, Sec. 10 T 18S R. 24E, 51M

(Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

West Water Creek

(Field)

Grand

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 5065 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 75 feet 13 5/8" casing, range 3, weight 48 lbs. per foot; eight round thread set on bottom and cemented to surface with 75 sacks Ideal Cement with 2% calcium chloride. Casing set 72 hours before drilling plug. Plug drilled, hole dry; drilling with 12 1/2" hole. Will set 10 3/4" casing at any interval encountering water or to total depth of 900' or 1000'. If water is not encountered at this depth will set and cement with 100 sacks of cement or more, if requested.

Surface casing set on 5-25-55

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Western States Oil and Metals Company, Grand Deposit Mining Company,  
H. C. Goodman

Address 409 Ness Building, Salt Lake City, Utah

Approved JUN 7 - 1955

D. F. Russell

By H. C. Goodman

Title Partner

0		
	10	

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Utah  
Lease No. 08748  
Unit 1

JUN 20 1955

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	<input type="checkbox"/>
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	<input type="checkbox"/>
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<input type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	<input type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL.....		<input type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Western States Oil & Metals June 17, 1955  
Federal

Well No. 1 is located 465 ft. from N line and 2040 ft. from E line of sec. 10

N.E. of N.W. sec. 10 18 S. 24 E. S. L. M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

N.W. Harley Dome Grand Utah  
(Field) (County or Subdivision) (State or Territory)

Westwater Creek

The elevation of the derrick floor above sea level is 5,070 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 780 feet 10 3/4 inch pipe (seamless), 38 lbs. per foot, Range 3. Cemented from bottom to top with 2% calcium chloride, 140 sacks. Drilled plug. Hole dry. Drilling ahead.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Western States Oils & Metals Company, Grand Deposit Mining Company,  
H. C. Goodman

Address 409 Ness Building, Salt Lake City, Utah

JUN 20 1955

D. F. Russell  
District Engineer

By H. C. Goodman  
Title Partner

THE STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION  
Salt Lake City 14, Utah  
March 29, 1956

Western States Oil & Metals Corp  
409 Ness Bldg  
Salt Lake City, Utah

Gentlemen:

It has come to the attention of this office that Well No. Gov't 1, which was drilled by you on Section 10, Twp. 18S, Range 24E, Grand County, has been completed, plugged and abandoned, or shut down as of about 12/10/55, 1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

If our information is correct, will you please forward the well log or logs to this office as required by the above mentioned rule. If our information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

  
CLEON B. FEIGHT

CBF:ro

Note:

This well not completed, but expect to complete soon. The well is not abandoned. Delay due to change of operator difficulties.

*Western States Oil and Metals Co*

THE STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION  
Salt Lake City 14, Utah

March 29, 1956

Western States Oil & Metals Corp  
409 Ness Bldg  
Salt Lake City, Utah

Gentlemen:

It has come to the attention of this office that well No. Gov't 1  
, which was drilled by you on Section 10  
Twp. 18S, Range 24E, Grand County, has been  
completed, plugged and abandoned, or shut down as of about 12/10/55  
1956.

Rule C-5 (a), General Rules and Regulations and Rules of Practice and  
Procedure, Utah Oil and Gas Conservation Commission, provides that with-  
in 90 days after the suspension of operations, abandonment of, or the  
completion of any well drilled for the production of oil or gas and  
within 90 days after the completion of any further operations on it,  
if such operations involved drilling deeper or drilling or re-drilling  
any formation, the well log shall be filed with the Commission, as well  
as a copy of the electric and radioactivity logs, if run.


If our information is correct, will you please forward the well log or  
logs to this office as required by the above mentioned rule. If our  
information is not correct, will you so notify us.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FINCH

CBE:ro




(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah

Lease No. 06748

Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... June 7, ....., 1966

Western States Oil & Metals

Federal Well No. 1 is located 465 ft. from N line and 600 ft. from E of NW 1/4 line of sec. 10

NE 1/4 Sec. 10      18 South 24 East      Salt Lake  
(Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

.....  
(Field)      Grand County      Utah  
(County or Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 5,070 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Will endeavor to ream hole to 3,165 feet, then drill to approximately 3,175 feet. Will set 7 inch casing at approximately 3,175 feet, Bottom 1,225 feet to be H-40 20 lb. casing and Remainder H-40 17 lb. Will then drill to 3,565 feet unless water is encountered at lesser depth or Oil or Gas. Top of Salt Wash member of Morrison expected at approximately 3,365 feet. Top of Entrada at approximately 3,530 feet. If production is found will run and cement 5 inch casing 11.5 lbs. J-55 short threads and collars and pull 7 inch.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Western States Oil & Metals

Address 402 Ness Building

Salt Lake City

Utah


Approved [Signature] By H. S. Goodman  
District Engineer Title Partner



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Salt Lake  
Lease No. 06748  
Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 6th, 1966

Western States Oil & Metals  
Well No. 1 is located \_\_\_\_\_ ft. from  $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$  line and \_\_\_\_\_ ft. from  $\left\{ \begin{matrix} E \\ W \end{matrix} \right\}$  line of sec. \_\_\_\_\_

NENE Sec. 10 (Section No.)      18S (Twp.)      24E (Range)      SLM (Meridian)  
\_\_\_\_\_  
(Field)      (County of Subdivision)      (State or Territory)

The elevation of the derrick floor above sea level is 5070 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 7" casing. Lower 800' 20 lb. J. 55. Upper 2164' 17 lb. H 40.  
Cemented at 2964'. Underreaming unsuccessful. Perforated from 2924' to 2935½', unsuccessful. Perforated from 2773' to 2793', unsuccessful.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Western States Oil & Metals Co.

Address 409 Ness Bldg. Salt Lake City, Utah

Approved JUL 7 1966  
J. F. Russell  
District Engineer

By H. E. Goodman  
Title Partner

November 28, 1956

Roswell Miller III  
Western States Oil & Metals Corp.  
Ness Building  
Salt Lake City, Utah

Dear Sir:

It has come to the attention of this office that you are re-working Well No. 1 Government, in Grand County.

You are requested to file a Notice of Intention to Rework, on Federal Form 9-331A with this Commission as soon as possible.

Also, a copy of all subsequent reports filed with the U. S. Geological Survey must be filed with this Commission as well as a copy of the well log, which should be filed within three months after completion or suspension of operations.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:en

cc: Don Quigley  
615 Newhouse Bldg.  
Salt Lake City, Utah

0		
	10	

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. \_\_\_\_\_  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	X	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 29, 1955

Western States

Well No. **Fed. #1** is located \_\_\_\_\_ ft. from **N** line and \_\_\_\_\_ ft. from **W** line of sec. \_\_\_\_\_

**NE, NW, Sec. 10**      **18 S.**      **24 E.**      **Salt Lake City, Utah**  
(¼ Sec. and Sec. No.)      (Twp.)      (Range)      (Meridian)

**East Canyon**      **Grand**      **Utah**  
(Field)      (County or Subdivision)      (State or Territory)

Ground

The elevation of the ~~water~~ floor above sea level is **5023** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Clean out old well. Make an attempt to pull 7" casing. If unsuccessful drill out bottom hole plug with 6½ inch bit. Test for salt water leak in 7" casing and cement. If salt water present, squeeze off with new cementing job. If production is obtained lower, 4½" lines will be run thru new production zone. Liner will be cemented solid and selectively perforated. Electric & Gamma neutron logs will be run.

If 7" casing can be pulled, hole will be deepened using a 9" bit.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Helen H. Miller**

Address **Felt Building**

**Salt Lake City, Utah**

By **W. Don Quigley**

Title **Consulting Geologist**

December 3, 1956

Helen H. Miller  
Felt Building  
Salt Lake City, Utah

Dear Madam:

This is to acknowledge receipt of your Notice of Intention to Re-drill Well No. Western States Federal 1, which is located in Section 10, Township 18 South, Range 24 East, Grand County.

Thank you for your prompt action in this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT  
SECRETARY

CBF:en

February 5, 1957

2-7-56  
Note: Western States  
called and stated  
that drilling on this  
well isn't completed  
yet. Don Russell is  
receiving reports.  
"Hawkins Drilling Co." are  
the operators.

Western States Oil & Metals Corporation  
409 Hess Building  
Salt Lake City, Utah

Gentlemen:

On March 29, 1956, the following letter was sent to your company:

"It has come to the attention of this office that Well No. Gov't 1, which was drilled by you on Section 10, Twp. 18 South, Range 24 East, Grand County, has been completed, plugged and abandoned, or shut down as of about 12/10/55,

Rule C-5 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah Oil and Gas Conservation Commission, provides that within 90 days after the suspension of operations, abandonment of, or the completion of any well drilled for the production of oil or gas and within 90 days after the completion of any further operations on it, if such operations involved drilling deeper or drilling or re-drilling any formation, the well log shall be filed with the Commission, as well as a copy of the electric and radioactivity logs, if run.

If our information is correct, will you please forward the well log or logs to this office as required by the above mentioned rule. If our information is not correct, will you so notify us."

In reply you stated that said well would be completed in the near future. To our knowledge, there has been no activity on this well for over a year.

Therefore, you are required to complete the enclosed Form OGCC-3, Log of Oil or Gas Well, in duplicate and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT

CBF:en


cc: Don Russell, Dist. Eng.  
USGS, Federal Bldg.  
Salt Lake City, Utah

0	
10	

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah  
Lease No. 06748  
Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 5

19 57

Western States  
Well No. Fed.#1 is located 465 ft. from N line and 14 ft. from W line of sec. 10  
NE NW Sec. 10 18 S 24 E S.L.M.  
East Canyon (Field) Grand (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5052 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)  
Made an extensive attempt to pull 7" casing without complete success. Pulled 2369 feet of casing and are unable to pull the rest. Plan to set plug 2375 to 2275 feet with 50 sacks cement, allow to set, whipstock and drill to Entrada with 8-3/4 hole.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Helen H. Miller  
Address Rm 114  
State Exchange Bldg.  
Salt Lake City, Utah


By H. D. ...  
Title Consulting Geologist

0		
10		

(SUBMIT IN TRIPPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Utah  
Lease No. 06748  
Unit \_\_\_\_\_



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 12, 19 57

Western States

Well No. Fed. #1 is located 465 ft. from N line and 2040 ft. from W line of sec. 10

NE NW Sec. 10 T. 18 S. R. 24 E. S. L. M.  
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

East Canyon Wildcat Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5052 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

2369 feet of 7" casing in the old well has been pulled. Can't pull anymore without large expense. Have decided to plug well. Plan to set lower plug at top of old casing, 2410 feet to 2306 feet with 75 sacks of cement. Second plug will be set at the bottom of the surface casing, extending below and above the bottom end, from 810 to 744 feet with 40 sacks cement. Another 10 sacks will be placed in top of the surface casing to hold well marker with name and location of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Helen H. Miller

Address 114 State Exchange Bldg.

Salt Lake City, Utah

By H. Ross Gregory

Title Consulting Geologist

*H. F. Russell*



FOLD

PLUGS AND ADAPTERS

Heaving plug—Material **Cement** Length **100'** Depth set **2406'-2306'**  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from **surface** feet to **completion** feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

DATES

\_\_\_\_\_, 19\_\_\_\_ Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was **24** barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

EMPLOYEES

**Tony McAlvain** \_\_\_\_\_, Driller \_\_\_\_\_, Driller  
**Dean Eortles** \_\_\_\_\_, Driller \_\_\_\_\_, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0 2900'	2900' 2980' TD	2900' 80'	Mancos Dakota

FROM

TO

TOTAL FEET

FORMATION

FORMATION

18-48004-6

State of Utah  
OIL & GAS CONSERVATION COMMISSION  
Room 140, State Capitol Building  
Salt Lake City 14, Utah

October 15, 1957

Western States Oil & Metals Corporation  
409 Ness Building  
Salt Lake City, Utah

Re: REQUEST FOR "REPORT OF  
OPERATIONS & WELL STATUS REPORT"

Dear Sir:

Your attention is directed to Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, which was adopted by the Commission on July 9, 1957.

Said rule provides for the submitting of a report of operations and well status report to the Oil and Gas Conservation Commission.

Your compliance with said rule is hereby requested.

We are enclosing some copies of Form OGCC-4, "Report of Operations and Well Status Report", for completion and return. For your convenience, Rule C-22, has been printed on the back of said form.

Federal Form 9-329, Lessee's Monthly Report of Operations may be used in lieu of Form OGCC-4.

Please note that if two legible copies, carbon or otherwise, of the report filed monthly with the United States Geological Survey on Form 9-329, are also filed each month with this Commission, it will be deemed compliance with Rule C-22, Paragraphs 1, 2, 3, and 4.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

*Cleon B. Feight*  
CLEON B. FEIGHT  
SECRETARY

CBF:cn

November 12, 1957

EM 32623

Western States Oil & Metals Corporation  
409 Ness Building  
Salt Lake City, Utah

Re: REQUEST FOR "REPORT OF OPERATIONS & WELL STATUS REPORT".

Gentlemen:

On October 15, 1957, the following letter was sent to you by this office:

"Your attention is directed to Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, which was adopted by the Commission on July 9, 1957.

Said rule provides for the submitting of a report of operations and well status report to the Oil and Gas Conservation Commission.

Your compliance with said rule is hereby requested.

We are enclosing some copies of Form OGCC-4, "Report of Operations and Well Status Report", for completion and return. For your convenience, Rule C-22, has been printed on the back of said form.

Federal Form 9-329, "Lessee's Monthly Report of Operations" may be used in lieu of Form OGCC-4.

Please note that if two legible copies, carbon or otherwise, of the report filed monthly with the United States Geological Survey on Form 9-329, are also filed each month with this Commission, it will be deemed compliance with Rule C-22, Paragraphs 1, 2, 3, and 4."

Your immediate attention to this matter will be greatly appreciated.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

OLEON B. FEIGHT  
SECRETARY

CBF:cn

**STATE OF UTAH**  
**OIL & GAS CONSERVATION COMMISSION**

State Capitol Building  
Salt Lake City 14, Utah

**REPORT OF OPERATIONS AND WELL STATUS REPORT**

State Utah County Grand Field or Lease Northwest Harley Dome

The following is a correct report of operations and production (including drilling and producing wells) for November, 1957.

Agent's address 409 Ness Bldg. Company Western States Oil & Metals Co.  
Salt Lake City 1, Utah Signed Paul C. Lyon, Pres.

Phone \_\_\_\_\_ Agent's title Owner


State Lease No. \_\_\_\_\_ Federal Lease No. 06748 Indian Lease No. \_\_\_\_\_ Fee & Pat.

Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
NE NW 10	18S	24E	1	SI	-	-	-	<p>T.D. 3165</p> <p>Well tested by Western States Refining Co.. Est. 30 bbls 40gr oil and 1,250,000 cfd gas before any treatment.</p> <p>The last operator under completion contract was Rowwell Miller II, using his wife's name, Helen Miller. We cancelled the contract for violation because he started to pull casing before they had drilled to the Entrada formation as called for. They intended to treat the well and produce it without doing the required deepening to test the Salt Wash and Entrada.</p> <p>We are now negotiating for the completion of the well and for the drilling of an additional one.</p>

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

\*STATUS: F-Flowing P-Pumping GL-Gas Lift  
SI-Shut In D-Dead  
GI-Gas Injection TA-Temp. Aban.  
WI-Water Injection



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office VT24

Lease No. 06748

Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 20, 1957

Western States

Well No. Fed. #1 is located 465 ft. from N line and 200 ft. from W line of sec. 10

NE NW, Sec. 10 T. 18 S., R. 24 E., S. 1. M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

East Canyon Grand Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5052 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well has been abandoned according to plan outlined in March 12, 1957 notice of abandonment. Well marker has been cemented in top of surface casing, mud pits and cellar have been filled in, and the well site cleaned up and levelled.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Helen H. Miller

Address 114 State Exchange Bldg.

Salt Lake City, Utah

By H. A. G. Gentry

Title Consulting Geologist

Approved DEC 20 1957  
H. F. Russell

December 3, 1958

Western States Oil & Metals Company  
409 Ness Building  
Salt Lake City, Utah

Attention: Paul C. Lyons, Jr., President

Re: Well No. Federal 1, NE NW  
Sec. 10, T. 18 S, R. 24 E,  
SLBM, Grand County

Gentlemen:

The last report that we have received from you relative to the above mentioned well was on December 9, 1957.

You are hereby requested to complete the enclosed Forms OGCC-3, and OGCC-4, and return them to this office as soon as possible.

In order to complete our records, we must ascertain the status and condition of this well.

Thank you very much for your cooperation in this matter.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:co

Encis. (3 & 4)

**STATE OF UTAH**  
**OIL & GAS CONSERVATION COMMISSION**  
 State Capitol Building  
 Salt Lake City 14, Utah

**REPORT OF OPERATIONS AND WELL STATUS REPORT**

State Utah County Grand Field or Lease Northwest Harley Dome

The following is a correct report of operations and production (including drilling and producing wells) for  
December 4, 1958.

Agent's address ..... Company Western States Oil & Metals Co.\*  
 ..... 409 Ness Bldg., Salt Lake City, Ut.  
 Signed Paul E. Lynde  
 ..... President

Phone ..... Agent's title .....

State Lease No. .... Federal Lease No. 06748 Indian Lease No. .... Fee & Pat.

Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
NE NW 10	18S	24E	1	SI	-	-	-	T.D. 3165  No water in hole.  We have just signed an agreement with Western States Refining Company (North Salt Lake, Utah), which is the operator now.  Western States Refining Co. plans to drill a new well in the NW 1/4 NW 1/4 Sec. 10 right away, after which the old well will be re-worked and an attempt made to complete it; if it cannot be completed, it will be salvaged and plugged.  Log not available to us at this time. Believe W.S. Ref. Co. has same.
* part owner in lease.								

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

\*STATUS: F-Flowing P-Pumping GL-Gas Lift  
 SI-Shut In D-Dead  
 GI-Gas Injection TA-Temp. Aban.  
 WI-Water Injection

December 19, 1958

Western States Refining Company  
P. O. Box 200  
North Salt Lake, Utah

Re: Well No. Federal 1, NE NW Sec. 10,  
T. 18 S, R. 24 E, Grand County, Utah

Gentlemen:

This office has been advised by Western States Oil & Metals Company that your company has taken over the operation of the above mentioned well.

As drilling operations have been suspended as of approximately November, 1957, a well log for this well is long past due.

Please complete the enclosed Forms OGCC-3, Log of Oil or Gas Well, in duplicate, and forward them to this office as soon as possible.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
EXECUTIVE SECRETARY

CBF:co

Encls. (Forms 3)

# Western States Refining Co.



**PRODUCERS OF QUALITY PETROLEUM PRODUCTS**

W. S. WAGSTAFF  
PRESIDENT

P. O. BOX 200  
NORTH SALT LAKE, UTAH  
TELEPHONE DAVIS 2-5893

December 24, 1958

Mr. Cleon B. Feight, Executive Secretary  
Oil and Gas Conservation Commission  
State Capitol Building  
Salt Lake City, Utah

Dear Mr. Feight:


Your letter of December 19, 1958, has been this day referred to Western States Oils and Metals Co. We are not in possession of the information requested in your letter and I have, therefore, forwarded to Mr. Paul C. Lyons. We are not taking over this well at the present time, but we are drilling a well on the same acreage for one-half interest and when that is done, then we have the option to attempt to complete the well which is the subject of your letter.

If there is anything further we should do to satisfy your records, will you kindly let us know.

Yours very truly,

  
W. S. Wagstaff

WSW:mg



January 2, 1959

Mr. J. G. Crawford  
Chemical & Geological Laboratories  
Box 279  
Casper, Wyoming

Re: Old Well, NENW Sec. 10,  
T. 18S. R24E. Grand Co., Utah

Dear Mr. Crawford:

We are in receipt of a letter from Mr. Feight of the State of Utah Oil & Gas Conservation Commission requesting a copy of the well log of the well drilled by Western States Oil & Metals Company and suspended in November of 1957.

Mr. Owen Bunker advises this office that the log is probably in yours or Mr. Wheeler's possession and today I called Mr. Feight and he requested that I please write you a letter and request that you please furnish him with a copy of this log at your earliest convenience.

Thanking you, I am,

Very truly yours,

WESTERN STATES REFINING CO.

By Clare Spurr  
Land Department

cc: Mr. Cleon B. Feight  
Executive Secretary  
The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Bldg.  
Salt Lake City 11

# CHEMICAL & GEOLOGICAL LABORATORIES



CHEMISTS      CORE ANALYSTS      ENGINEERS

P. O. BOX 279  
CASPER, WYOMING

January 5, 1959

Mr. Cleon B. Feight  
Executive Secretary  
The State of Utah  
Oil & Gas Conservation Commission  
310 Newhouse Building  
Salt Lake City 11, Utah

Re: Old Well, NE NW Sec. 10  
T. 18S, R. 24E, Grand County  
Utah

Dear Sir:

As requested by Western States Refining Company on January 2, 1959, we are sending you a copy of the log of the well drilled by Western States Oil and Metals Company and suspended in November of 1957.

Yours very truly,

CHEMICAL & GEOLOGICAL LABORATORIES

*J. G. Crawford*

J. G. Crawford  
President

JGC:sb  
Enc.  
cc: Western States Refining Co.

*radiation  
log  
sent.*

January 7, 1959

Mr. J. G. Crawford, President  
Chemical & Geological Laboratories  
P. O. Box 279  
Casper, Wyoming

Re: Western States - Well No. 1,  
NE NW Sec. 10, T. 18 S,  
R. 24 E, S1EM, Grand County

Dear Sir:

We are in receipt of the radio-activity log for the above mentioned well.

Thank you very much.

We will be able to complete our file on this well if we can obtain a copy of the driller's log.

If a driller's log is available, it would be greatly appreciated if you could furnish the same to us.

We are enclosing copies of our Form OGCC-3, Log of Oil or Gas Well, for your convenience.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT  
EXECUTIVE SECRETARY

CBF:co

cc: Western States Refining Co.  
P. O. Box 200  
North Salt Lake, Utah  
Attn: Claire Spurr

# CHEMICAL & GEOLOGICAL LABORATORIES



CHEMISTS

CORE ANALYSTS

ENGINEERS

P. O. BOX 279  
CASPER, WYOMING

January 9, 1959

The State of Utah  
Oil & Gas Conservation Commission  
Mr. Cleon B. Feight  
310 Newhouse Building  
Salt Lake City 11, Utah

Dear Sir:

Referring to your letter of January 7th, we do not have a driller's log on Western States Well No. 1, Grand County, Utah. We were given by letter (which was lost in our fire) a copy of a partial log covering a few feet but the complete driller's log was never furnished us.

Yours very truly,

CHEMICAL & GEOLOGICAL LABORATORIES

J. G. Crawford  
President

JGC:sb