

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.
U-02139

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal

9. WELL NO.
#14-3

10. FIELD AND POOL, OR WILDCAT
Cisco Dome

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
NE. SE. Sec. 14-20S-21E S.L.M.

12. COUNTY OR PARISH | 13. STATE
Grand | Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
N. P. Energy Corp.

3. ADDRESS OF OPERATOR
1399 South 7th East, Salt Lake City, Utah 84105

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface **NE. SE. Sec. 14, T 20S, R 21E, S.L.M.**
 At proposed prod. zone **648' fr. E-line and 1832' fr. S-line**

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approx. 13 miles from Cisco, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) **648'**

16. NO. OF ACRES IN LEASE **2040 Ac.**

17. NO. OF ACRES ASSIGNED TO THIS WELL **160 Ac.**

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. **3000'**

19. PROPOSED DEPTH **3170'**

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
5300 grd; 5310' K.B.

22. APPROX. DATE WORK WILL START*
Jan. 20, 1979

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
9 3/4"	7 5/8"	24.00#	200 ft.	100 sks cement
6 1/2"	4 1/2"	10.50#	thru pay zone and cemented to 200' above Kd.	

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mt., Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (7 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A prognosis of the well is attached.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED John B. Jensen TITLE President DATE December 22, 1978
(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____
 (Orig. Sgd.) R. A. Henricks
 APPROVED BY _____ TITLE ACTING DISTRICT ENGINEER DATE JUN 19 1979
 CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY


NOTICE OF APPROVAL

*See Instructions On Reverse Side

NECESSARY FLARING OF GAS DURING DRILLING OPERATIONS APPROVED SUBJECT TO ROYALTY (NTL-4)

State of G

LOCATION PLAT FOR
 N. P. ENERGY CORPORATION
 FEDERAL #14-3 WELL
 NE. SE. SEC. 14-20S-21E
 (648' fr. E-line & 1832' fr. S-line)
 GRAND COUNTY, UTAH
 Elev: 5300' grd.



SE 1/4 SECTION 14

Ref. pts. are 150' N-S-W-E

Scale: 1 in. = 400 ft.

Date: December 18, 1978

I, Sherman D. Gardner, do hereby certify that this plat was plotted from notes of a field survey made under my direct supervision, responsibility and checking on December 16, 1978.

Sherman D. Gardner
 Registered Land Surveyor
 State of Utah #1556

PLAT NO. 1

U. S. GEOLOGICAL SURVEY - CONSERVATION DIVISION

FROM: DISTRICT GEOLOGIST, SALT LAKE CITY, UTAH

TO : DISTRICT ENGINEER, O&G, SALT LAKE CITY, UTAH

SUBJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-02139

OPERATOR: N. P. Energy Corp.

WELL NO. 14-3

LOCATION: $\frac{1}{2}$ NE $\frac{1}{2}$ SE $\frac{1}{2}$ sec. 14, T. 20 S., R. 21 E., SIM

Grand County, Utah

1. Stratigraphy: Operator projected tops are reasonable.

2. Fresh Water: Fresh water could be encountered in sands in the upper Mancos.

3. Leasable Minerals: Prospectively valuable for coal and geothermal resources. Coal beds in the Mancos and/or Dakota are probably thin, discontinuous, and uneconomic. The geothermal potential of the area is unknown, but not likely to be significant.

4. Additional Logs Needed: A temperature profile of the well should be run from the surface to the T.D. to aid in identification of any potential geothermal resource.

5. Potential Geologic Hazards: None anticipated.

6. References and Remarks: Because of the possibility of geothermal resources, the district Geothermal Supervisor should probably be consulted. The well is within 1/2 mile of the Bull Canyon and Cisco Dome KGS.

Signature: James B. Lobb

Date: 01 - 04 - 79

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 N. P. Energy Corp.

3. ADDRESS OF OPERATOR
 1399 South 7th East, Salt Lake City, Utah 84105

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)
 At surface NE. SE. Sec. 14, T 20S, R 21E, S.L.M.
 At proposed prod. zone 648' fr. E-line and 1832' fr. S-line

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approx. 13 miles from Cisco, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
 648'

16. NO. OF ACRES IN LEASE
 2040 Ac.

17. NO. OF ACRES ASSIGNED TO THIS WELL
 160 Ac.

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
 3000'

19. PROPOSED DEPTH
 3170'

20. ROTARY OR CABLE TOOLS
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5300 grd; 5310' K.B.

22. APPROX. DATE WORK WILL START*
 Jan. 20, 1979

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
9 3/4"	7 5/8"	24.00#	200 ft.	100 sks cement
6 1/2"	4 1/2"	10.50#	thru pay zone and cemented to 200' above Kd.	

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mt., Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (7 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A prognosis of the well is attached.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. Don Gingles TITLE Consulting Geologist DATE December 22, 1978

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

United States Department of the Interior
Geological Survey
8440 Federal Building
Salt Lake City, Utah 84138

Usual Environmental Analysis

Lease No. U-02139
Operator N. P. Energy Co. Well No. 14-3
Location 648' FEL 1832' FSL Sec. 14 T. 20S R. 21E
County Grand State Utah Field Cisco Dome
Status: Surface Ownership Public Minerals Federal
Joint Field Inspection Date April 11, 1979

Participants and Organizations:

<u>Rocky Curnutt</u>	<u>Bureau of Land Management</u>
<u>Don Quigley</u>	<u>Operator's Representative</u>
<u>John T. Evans</u>	<u>U. S. Geological Survey</u>
<u> </u>	<u> </u>

Related Environmental Analyses and References:

- (1) Book Mountain Unit Resource Analysis, Bureau of Land Management, Utah
- (2)

Analysis Prepared by:

Date May 14, 1979

NOTED JOHN T. EVANS, JR.

*Pad 175 x 250'
Pit 20 x 100'
Flow line not in it
Stockpile top soil
zac*

Proposed Action:

On January 15, 1979, N. P. Energy Corp. filed an Application for Permit to Drill the No. 14-3 development well, a 3170' gas test of the Dakota, Cedar Mountain and Morrison Formations; located at an elevation of 5300' in the NE SE, Sec. 14, T20S, R21E on Federal mineral lands and Public surface; lease No. U-02139. There was no objection raised to the wellsite nor to the access road.

A rotary rig would be used for the drilling. An adequate casing and cementing program is proposed. Freshwater sands and other mineral-bearing formations would be protected. A Blowout Preventor would be used during the drilling of the well. The proposed pressure rating should be adequate. Details of the operator's NTL-6 10-Point Subsurface and 13-Point Surface Protection Plans are on file in the U.S.G.S. District Office in Salt Lake City, Utah, and the U.S.G.S. Northern Rocky Mountain Area Office in Casper, Wyoming.

A working agreement has been reached with the Bureau of Land Management, the controlling surface agency. Rehabilitation plans would be decided upon as the well neared completion; the Surface Management Agency would be consulted for technical expertise on those arrangements.

The operator proposes to construct a drill pad 175' wide x 250' long and a reserve pit 20' x 100'. An existing truck trail would be upgraded to provide access. No new road construction required. The operator proposes to construct production facilities on disturbed area of the proposed drill pad. If production is established, plans for a gas flowline would be submitted to the appropriate agencies for approval. The anticipated starting date is June 1979 and duration of drilling activities would be about seven days.

Location and Natural Setting:

The proposed drillsite is approximately 13 miles NW of Cisco, Utah, the nearest town. A poor road runs to within 0.25 mile of the location. This well is in the Cisco Dome Field.

Topography:

The surface of the site is nearly level, bordered by a small wash to the East. A vegetation study enclosure is to the North.

Geology:

The surface geology is Mancos. The soil is silty clays and gravels. No geologic hazards are known near the drillsite. Seismic risk for the area is minor. Anticipated geologic tops are filed with the 10-Point Subsurface Protection Plan.

Approval of the proposed action would be conditioned that adequate and sufficient electric/radioactive/density logging surveys would be made to locate and identify any potential mineral resources. Production casing and cementing would be adjusted to assure no influence of the hydrocarbon zones through the well bore on these minerals. In the event the well is abandoned, cement plugs would be placed with drilling fluid in the hole to assure protection of any mineral resources.

The potential for loss of circulation would exist but would be minimized by air drilling. Loss of circulation may result in the lowering of the mud levels, which might permit exposed upper formations to blow out or to cause formation to slough and stick to drill pipe. A loss of circulation would result in contamination due to the introduction of drilling muds, mud chemicals, filler materials, and water deep into the permeable zone, fissures, fractures, and caverns within the formation in which fluid loss is occurring. The use of special drilling techniques, drilling muds, and lost circulation materials may be effective in controlling lost circulation.

A geologic review of the proposed action has been furnished by the Area Geologist, U. S. Geological Survey, Salt Lake City, Utah.

The operator's drilling, cementing, casing and blowout prevention programs have been reviewed by the Geological Survey engineers and determined to be adequate.

Soils:

No detailed soil survey has been made of the project area. The topsoils in the area range from a sandy clay to a clay type soil. The soil is subject to runoff from rainfall and has a high runoff potential and sediment production would be high. The soils are mildly to moderately alkaline and support the salt-desert shrub community. The pinyon-juniper association is also present but sparse.

Topsoil would be removed from the surface and stockpiled. The soil would be spread over the surface of disturbed areas when abandoned to aid in rehabilitation of the surface. Rehabilitation is necessary to prevent erosion and encroachment of undesired species on the disturbed areas. The operator proposes to rehabilitate the location and access roads per the recommendations of the Bureau of Land Management.

Approximately two acres of land would be stripped of vegetation. This would increase the erosional potential. Proper construction practice, construction of water bars, reseeding of slope-cut area would minimize this impact.

Air:

No specific data on air quality is available at the proposed location. There would be a minor increase in air pollution due to emissions from

rig and support traffic engines. Particulate matter would increase due to dust from travel over unpaved dirt roads. The potential for increased air pollution due to leaks, spills, and fire would be possible.

Relatively heavy traffic would be anticipated during the drilling-operations phase, increasing dust levels and exhaust pollutants in the area. If the well was to be completed for production, traffic would be reduced substantially to a maintenance schedule with a corresponding decrease of dust levels and exhaust pollutants to minor levels. If the project results in a dry hole, all operations and impact from vehicular traffic would cease after abandonment. Due to the limited number of service vehicles and limited time span of their operation, the air quality would not be substantially reduced.

Toxic or noxious gases would not be anticipated. Dust from blooie line would be controlled by misting or by other acceptable means.

Precipitation:

Annual rainfall should range from about 8 to 11" at the proposed location. The majority of the numerous drainages in the surrounding area are of a non-perennial nature flowing only during early spring runoff and during extremely heavy rainstorms. This type of storm is rather uncommon as the annual precipitation is around 8".

Winds are medium and gusty, occurring predominantly from West to East. Air mass inversions are rare. The climate is semiarid with abundant sunshine, hot summers and cold winters with temperature variations on a daily and seasonal basis.

Surface Water Hydrology:

Drainage is to Nash Wash.

Some additional erosion would be expected in the area since surface vegetation would be removed. If erosion became serious, drainage systems such as water bars and dikes would be installed to minimize the problem. The proposed project should have minor impact on the surface water systems. The potentials for pollution would be present from leaks or spills. The operator is required to report and clean up all spills or leaks.

Groundwater Hydrology:

Some minor pollution of groundwater systems would occur with the introduction of drilling fluids (filtrate) into the aquifer. This is normal and unavoidable during rotary drilling operations. The potential for communication, contamination, and commingling of formations via the well bore would be possible. The drilling program is designed to prevent this. There is need for more data on hydrologic systems in the area and the drilling of this well may provide some basic information as all shows of fresh water would be reported. Water production with the

gas would require disposal of produced water per the requirements of NTL-2B. The depths of freshwater formations are listed in the 10-Point Subsurface Protection Plan. The pits would be unlined. If fresh water should be available from the well, the owner or surface agency may request completion as a water well if given approval.

Vegetation:

Plants in the area are of the salt-desert shrub types grading to the pinyon-juniper association.

Proposed action would remove about two acres of vegetation. Removal of vegetation would increase the erosional potential and there would be a minor decrease in the amount of vegetation available for grazing.

The operator proposes to rehabilitate the surface upon completion of operations.

The proposed location is in a deer winter range.- activity restricted during winter per lease terms.

Wildlife:

Animal and plant inventory has been made by the BLM. No endangered plants or animals are known to inhabit the project area. The fauna of the area consists predominantly of mule deer, coyotes, rabbits, foxes, and varieties of small ground squirrels and other types of rodents and various types of reptiles. The area is used by man for the primary purpose of grazing domestic livestock and sheep. The birds of the area are raptors, finches, ground sparrows, magpies, crows, and jays.

Social-Economic Effect:

An on the ground surface archaeological reconnaissance would be required prior to approval of the proposed action. Appropriate clearances would then be obtained from the surface managing agency. If a historic artifact, an archaeological feature or site is discovered during construction operations, activity would cease until the extent, the scientific importance, and the method of mitigating the adverse effects could be determined by a qualified cultural resource specialist.

There are no occupied dwellings or other facilities of this nature in the general area. Minor distractions from aesthetics would occur over the lifetime of the project and are judged to be minor. All permanent facilities placed on the location would be painted a color to blend in with the natural environment. Present use of the area is grazing, recreation, and oil and gas activities.

Noise from the drilling operation may temporarily disturb wildlife and people in the area. Noise levels would be moderately high during drilling and completion operations. Upon completion, noise levels

would be infrequent and significantly less. If the area is abandoned, noise levels should return to pre-drilling levels.

The site is not visible from any major roads.

The overall effect of oil and gas drilling and production activity is significant in Grand County but it is difficult to assess the environmental impact of a single well on state and/or national levels. However, if said well was to produce in sufficient quantity, additional development wells might be anticipated. This additional development, in turn, would lead to greater environmental and socioeconomic consequences.

Should the wellsite be abandoned, surface rehabilitation would be done according to the surface agency's requirements and to USGS's satisfaction. This would involve leveling, contouring, reseeding, etc., of the location and possibly the access road. If the well should produce hydrocarbons, measures would be undertaken to protect wildlife and domestic stock from the production equipment.

There are no national, state, or local parks, forests, wildlife refuges or ~~ranges~~, grasslands, monuments, trails or other formally designated recreational facilities near the proposed location.

The proposed location is within the Book Mountain Planning Unit. This Environmental Assessment Record was compiled by the Bureau of Land Management, the surface managing agency of the Federal surface in the area. The study includes additional information on the environmental impact of oil and gas operations in this area and gives land use recommendations. The E.A.R. is on file in the agency's State offices and is incorporated herein by reference.

Waste Disposal:

The mud and reserves pits would contain all fluids used during the drilling operations. A trash pit would be utilized for any solid wastes generated at the site and would be buried at the completion of the operations. Sewage would be handled according to State sanitary codes. For further information, see the 13-Point Surface Plan.

Alternatives to the Proposed Action:

1) Not Approving the Proposed Permit--The Oil and Gas Lease grants the lessee exclusive right to drill for, mine, extract, remove and dispose of all oil and gas deposits. Under leasing provisions, the Geological Survey has an obligation to allow mineral development if the environmental consequences are not too severe or irreversible. Upon rehabilitation of the site, the environmental effects of this action would be substantially mitigated, if not totally annulled. Permanent damage to the surface and subsurface would be prevented as much as possible under U.S.G.S. and other controlling agencies' supervision with rehabilitation planning reversing almost all effects. Additionally, the growing scarcity of oil and gas should be taken into consideration.

2) Minor relocation of the wellsite and access road would not significantly reduce the environmental impact. There are no severe vegetative, animal or archaeological-historical-cultural conflicts at the site. Since only a minor impact on the environment would be expected, the alternative of moving the location is rejected. At abandonment, normal rehabilitation of the area such as contouring, reseeding, etc., would be undertaken with an eventual return to the present status as outlined in the 13-Point Surface Plan.

Adverse Environmental Effects Which Cannot Be Avoided:

Surface disturbance and removal of vegetation from approximately two acres of land surface for the lifetime of the project which would result in increased and accelerated erosional potential. Grazing would be eliminated in the disturbed areas and there would be a minor and temporary disturbance of wildlife and livestock. Minor induced air pollution due to exhaust emissions from rig engines of support traffic engines would occur. Minor increase in dust pollution would occur due to vehicular traffic associated with the operation. If the well is a gas producer, additional surface disturbance would be required to install production pipelines. The potential for fires, leaks, spills of gas, oil or water would exist. During the construction and drilling phases of the project, noise levels would increase. Potential for subsurface damage to freshwater aquifers and other geologic formations exists. Minor distractions from aesthetics during the lifetime of the project would exist. If the well is a producer, an irreplaceable and irretrievable commitment of resources would be made. Erosion from the site would eventually be carried as sediment in the Colorado River. The potential for pollution to Nash Wash would exist through leaks and spills.


If well is a producer, other development wells would be anticipated with substantially greater environmental and economic impacts.

Determination:

This requested action does not constitute a major Federal action significantly affecting the environment in the sense of NEPA, Sec. 102(2)(C).

5/15/79
Date

E. S. ...
District Engineer
U. S. Geological Survey
Conservation Division
Oil and Gas Operations
Salt Lake City District



RECEIVED BY ENVIRONMENTAL

M. P.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

** FILE NOTATIONS **

Date: Dec. 27-

Operator: N.P. Energy Corp.

Well No: Sec. 14-3

Location: Sec. 14 T. 20S R. 21E County: Grand

File Prepared:
Card Indexed:

Entered on N.I.D.:
Completion Sheet:

API NUMBER: 13-019-30488

CHECKED BY:

Administrative Assistant [Signature]

Remarks: OK - fits Order - proper distance from
Petroleum Engineer [Signature]

Remarks:
Director 7

Remarks:

INCLUDE WITHIN APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. 102-12

Surface Casing Change
to _____

Rule C-3(c), Topographic exception/company owns or controls acreage
within a 660' radius of proposed site

O.K. Rule C-3

O.K. In _____ Unit

Other:

Letter Written/Approved



SCOTT M. MATHESON
Governor

OIL, GAS, AND MINING BOARD

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON
JOHN L. BELL
THADIS W. BOX
C. RAY JUVELIN

CLEON B. FEIGHT
Director

(801) 533-5771
December 27, 1978

N.P. Energy Corporation
1399 South 7th East
Salt Lake City, Utah

Re: Federal 14-2 and 14-3
Sec. 14, T. 20 S, R. 21 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-12.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Consultant
HOME: 582-7247
OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is: #14-2: 43-019-30487
and #14-3: 43-019-30488.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT
Director

cc: U.S. Geological Survey

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.6

9

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESER. Other _____

2. NAME OF OPERATOR
N. P. Energy Corporation

3. ADDRESS OF OPERATOR
Suite 320, 57 West So. Temple, S.L.C., Utah 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface NE. SE. Sec. 14, T 20S, R 21E, S.L.M.,
At top prod. interval reported below 648' fr. E-line and 1832' fr. S-line
At total depth _____

5. LEASE DESIGNATION AND SERIAL NO.
U-02139

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal

9. WELL NO.
#14-3

10. FIELD AND POOL, OR WILDCAT
Cisco Dome

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
NE. SE. Sec. 14-20S-21E, S.L.M.

14. PERMIT NO. _____ **DATE ISSUED** _____

12. COUNTY OR PARISH Grand **13. STATE** Utah

15. DATE SPUNDED Aug. 11, 79 **16. DATE T.D. REACHED** Aug. 16, 1979 **17. DATE COMPL. (Ready to prod.)** Oct. 11, 1979 **18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*** 5300' grd; 5310' K.B. **19. ELEV. CASINGHEAD** 5302'

20. TOTAL DEPTH, MD & TVD 2698' **21. PLUG, BACK T.D., MD & TVD** 2692' **22. IF MULTIPLE COMPL., HOW MANY* →** 4 zones **23. INTERVALS DRILLED BY** → 10-2698' **ROTARY TOOLS** _____ **CABLE TOOLS** _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
2230-2260'; 2500-2510'; 2586-2605'; 2648-2658'

25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN
Dual Induction Laterolog; Gamma-Density-CNL

27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24.00#	164'	12 1/2"	100 sks	None
5 1/2"	14.00#	2692'	7 7/8"	160 sks	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
	None			

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2 3/8" O.D.		

31. PERFORATION RECORD (Interval, size and number)
2240-52' w/2 shs/ft.
2500-12' w/2 shs/ft.
2586-2601' w/2 shs/ft.
2650-56' w/2 shs/ft.

32. ACID, SHOT, FRACTURE CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
	NONE

DIVISION OF OIL, GAS & MINING
JAN 11 1980

33.* PRODUCTION

DATE FIRST PRODUCTION Oct. 11, 1979 **PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)** Flowing **WELL STATUS (Producing or shut-in)** Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
Oct. 11	2 min.	3/8"	→	10-15/D	3000 MCF	None	

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
760#	720#	→	10-15 bbl.	3000 MCF	None	38

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Producing into NW. Pipeline **TEST WITNESSED BY** W. Don Quigley

35. LIST OF ATTACHMENTS
Drilling and Completion History and Geologic Report

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED W. Don Quigley TITLE Vice-President DATE Jan. 10, 1980

*See Instructions and Spaces for Additional Data on Reverse Side)

DRILLING HISTORY,
COMPLETION WORK,
AND
GEOLOGIC REPORT
ON
N. P. ENERGY FED. #14-3 WELL
GRAND COUNTY, UTAH

By
W. Don Quigley
Consultant
Salt Lake City, Utah

January 10, 1980

DRILLING HISTORY
OF
N. P. ENERGY CORP.
FED. #14-3 WELL

Operator: N. P. Energy Corp., Suite 320, 57 W. South Temple,
Salt Lake City, Utah 84101

Contractor: Jacobs Drilling Co., 2467 Commerce St.,
Grand Junction, Colo. 81501

Location: NE. SE. Sec. 14, T 20S, R 21E, S.L.M., Grand County,
Utah (648' fr. E-line and 1832' fr. S-line)

Elevation: 5300' grd; 5310' K.B.

Spudded-in: Aug. 11, 1979

Surface Casing: 4 jts. (154') of 8 5/8", 24.00#, K-55, R-3
casing. Landed at 164' K.B. Cemented with 100 sks
of reg. cement w/3% CaCl. Had returns to surface.

Finished Drilling: Aug. 16, 1979

Total Depth: 2698'

Production Casing: 5½", 14.00#, K-55, R-3 casing (2692') set
at 2692' and cemented w/160 sks RFC cement.

Production Formation: Dakota and Morrison

Production Zones: 2230-2260'; 2500-2510'; 2586-2605'; 2648-2658'.

Perforations: 2240-2252'; 2500-2512'; 2586-2601'; 2650-2656'.

Completion Date: October 11, 1979

Initial Production Rate: Est. 3000-5000 MCFG/D; 10-15 Bbl/D.

Drilling History

- Aug. 10: Moving rig and rigging up.
- Aug. 11: Finished rigging up. Drilled rat hole. Drilled surface hole (12½") to 102'.
- Aug. 12: Drilled 102' to 167' K.B. (65'). Ran 4 jts (154') of 8 5/8", 24.00#, K-55, R-3 casing and landed at 164' K.B. Cemented w/100 sks reg. cement w/2% CaCl. Had returns to surface. Waiting on cement. Nippled-up to drill ahead with air and 7 7/8" bit. Drilled mouse hole.
- Aug. 13: Drilled 167' to 429' (312'). Finished nipping-up. Drilled out cement to casing shoe (65' of cement). Tested hy-drill to 2000#. Had a leak in casing flange. Welded leak and retested. Survey at 155' was 3/4°. Began drilling ahead at 3:30 P.M.
- Aug. 14: Drilled 429' to 1777' (1298'). Survey at 650' was 1½°; at 1150' was 1°; at 1650' was 1°. Drilling at avg. rate of 50 ft/hr. and dusting good.
- Aug. 15: Drilled 1777' to 2626' (849'). Made rd-trip at 2010' for button bit. Bit #2 (Reed Y21J) made 1855' (155' to 2010') in 35½ hrs. Drilled at avg. rate of 53 ft/hr. Encountered gas at 2235 ft. - good 25' continuous flare. Est. top of Dakota at 2230'; top of Cedar Mt. at 2285' and top of Morrison at 2380'. Encountered large gas flare (40' continuous) at 2510'. Est. total of 5000 MCF/day rate. This sand 20' thick (2500-2520') is probably in the Brushy Basin section. Encountered free oil at 2585' - good flow out blewie line. Began mist drilling at 2590'.
- Aug. 16: Drilled 2626' to 2696' (70'). Had to mud-up at 2670' to kill flow and relieve pressure build up. (High risk of down hole fire.) Drilled ahead to 2696' and circulated for ½ hr. and came out of hole for logging. Began logging at 11:00 A.M. Finished logging at

2:00 P.M. Went in hole with collars and laid down collars. Went in hole with drill pipe and began laying down drill pipe. Had lots of delays.

Aug. 17: Finished laying down drill pipe at 0530 A.M. Ran 69 jts. (2692') of 5½", 14.00#, K-55, R-3 casing and landed at 2690' K.B. Had guide and float shoe on bottom, cement basket at 2210 feet and 4 centralizers. Cemented casing with 160 sks of RFC cement. Displaced cement with mud. Plug down at 0945 A.M. Waiting on cement.

Aug. 18: Cut off casing and rigged down cellar. Rigged down rig and moving off. Well will be completed in the next two weeks or so.

COMPLETION WORK
ON
FED. #14-3 WELL
GRAND COUNTY, UTAH

- Oct. 8: Crew didn't move from the #24-2 to #14-3 as they were supposed to. They rigged down and waited for $\frac{1}{2}$ day. The tubing was delivered to the #24-2 instead of the #14-3, because the rig hadn't been moved. (Allowed only 4 hrs. rig time on this day.)
- Oct. 9: Crew arrived at 0800 hrs. and moved rig to #14-3.
0900-1200: Rigged up and installed tubing head. Waited on truck to move tubing, flat tank and pump from #24-2 to #14-3.
1200-1530: Truck (Delgarno) arrived and moved equipment to #14-3 well. Picked-up tubing (2 3/8") and went in hole to 2690' (K.B.) and tagged bottom (88 jts in hole and 2 extra - 90 jts.). Total tubing on location is 90 jts.- 2764'. Came back out of hole with tubing.
1530-1830: Rigged up Go Wireline Service to run gamma-bond log. Finished logging at 1830 hrs.
1830-1930: Perforated zone: 2650-56' w/12 shots (2 shs/ft) using casing gun; perforated zone: 2586-2601' with 30 shots (2 shs/ft).
1930: Shut well in for night and sent crew home.
- Oct. 10: 0830 - Crew arrived.
0830-1030: Went in hole with tubing to 2560' and rigged up to swab.
1030-1130: Swabbing mud down.
1130: Well kicked off and flowed gas, mud and fine spray of oil. Left flow for 1 hr. Mud decreased to a fine spray mixed with oil. No water.
1230-1400: Killed well by pumping in mud. Very hard to kill. Lots of pressure.
1400-1500: Came out of hole with tubing. Laid down 10 jts. of tubing.
1500-1530: Perforated zones: 2500-2512'; 2240-2252' with 2 sh/ft.
1530-1630: Went in hole with tubing and landed seating nipple

at 2200'. (78 jts. of tubing in hole.)

1630-1700: Swabbing well in. Made 3 runs and well kicked-off flowing gas and oil cut mud.

1700-1900: Flowing well thru 1½" choke. T.P. steady at 120# and C.P. at 525#. Well cleaned up and flowing gas with spray of oil. Sent crew home at 1800.

Oct. 11: 1500 hrs. - T.P. is 760#; C.P. is 720#. Opened well. Started flowing 2" stream of oil in 2 minutes. Shut well in and installed a 3/8" choke nipple. Opened well and had oil immediately. Couldn't run test. Must get oil-gas separator.

Estimate well has an open flow rate of 3 to 5 million cubic ft/day of gas and 5 to 10 bbl of oil per day.

H. Don Gingley

GEOLOGIC REPORT
ON
N. P. ENERGY FED. #14-3 WELL
GRAND COUNTY, UTAH

1. The N. P. Energy Corp. Fed. #14-3 well was near the axis of the Cisco Dome Anticline and straight south $\frac{1}{2}$ mile of the #14-2 well. It was also about $\frac{1}{2}$ mile east of former Dakota gas wells, which were drilled in the late 1920's and early 1930's, and used to supply gas to a carbon black plant. These wells were plugged in the late 1930's by order of the state. Some concern was given to the possibility of partial depletion of the reservoir in the Dakota formation; but it was felt that the Cedar Mountain and Morrison formations would have a number of sand reservoirs which would not have been topped or depleted by prior production.

2. The subject well was drilled during the period of Aug. 11 to 16, 1979 and completed between Oct. 8 to 11, 1979. The well was drilled to a depth of 2698' which was over 100 feet below the top of the Salt Wash member of the Morrison formation, and should be deep enough to have penetrated all of the potential producing sand lenses normally found in the Salt Wash section. Gas was first encountered while drilling with air at 2235', which was at the top of the Dakota formation. This was a continuous flow of gas and produced a 25-ft. flare. A marked increase in the amount of gas was obtained at 2500 ft. This provided a continuous 40-ft. flare and the combined total flow rate of gas at this point was estimated at approximately 5,000 MCF per day. This sand is in the Brushy Basin member of the Morrison formation. Free oil flowing out the blowie line was encountered at 2585'. This oil flow was from the upper sand, 2584'-2605', at the top of the Salt Wash member of the Morrison. Because of the oil flow, it was necessary to convert to air-mist drilling at 2590'. The air pressure continued to build-up and there was a high risk for a down hole fire; so it was decided to mud-up at 2670' and cease drilling and get casing set as soon as possible to minimize the possible damage to the producing zones. Casing (5 $\frac{1}{2}$ ") was set at 2690' and cemented with 160 sks of RFC cement. The 5 $\frac{1}{2}$ " casing was used rather than 4 $\frac{1}{2}$ " , in the event it was decided to drill the well deeper at some later date.

3. The Dakota formation contained only one thick sand, 2234' to 2260', which had a good flow of gas. The formation was only 46 feet thick which was very thin in the subject well when compared to the Fed. #14-2 well to the north where it was about 80 feet thick. Both wells produced gas in the Dakota but the amount of gas was much greater in the #14-3 well.
4. The Cedar Mountain formation in the subject well contained no sands of consequence and no gas, as compared to the 15-ft. thick sand found in this formation in the #14-2 well and which provided a large continuous flow of gas while drilling. The formation was about 100 ft. thick in the #14-3 well and 75 ft. thick in the #14-2 well.
5. The Morrison formation was topped at 2385' in the subject well, and as noted above, contained important gas and oil producing sands. The first good sand was encountered in the Brushy Basin member at 2498' to 2510'. This sand produced gas which had an estimated flow rate of 4000 MCF/D. This approximate same sand contained water in the #14-2 well, and the sand was about 20 feet thick in the latter well. The Brushy Basin was about 200 feet thick in the subject well as compared to 230 feet thick in the #14-2 well.
6. The Salt Wash member was topped at 2584' in the subject well, and the top sand at 2584' to 2605' contained oil which flowed from the blowie line while drilling. This sand was very similar to the top Salt Wash sand found in the #14-2 well; but the sand contained water in the latter well. Three additional sands were encountered in the upper part of the Salt Wash in the subject well which were not found in the #14-2 well. One of these sands contained gas and was perforated in the completion work.
7. Four sand zones were perforated and completed in the subject well. Three of these zones are in the Morrison formation and included the sands at 2500' to 2510'; at 2586' to 2605'; and 2648' to 2658'. The fourth sand was in the Dakota at 2230' to 2260'. The lower sand, 2648-58' had gas; the sand at 2586' to 2605' contained oil; and the upper two sands contained gas. Because of the appreciable quantity of oil with the gas, it

was not possible to test the flow rate of gas and oil without a tank and separator. A rough estimate would be approximately 3 to 5 million cubic feet of gas per day and 10-15 bbls of oil on an open flow rate.

8. The formations with their tops, thicknesses, and datum points which were encountered in the Fed. #14-3 well as determined from the electric logs are as follows:

<u>Formation</u>	<u>Depth to Top</u>	<u>Thickness</u>	<u>Datum</u>
Mancos	Surface	2234'	5310' K.B.
Dakota *	2234'	46'	3076'
Cedar Mountain	2280'	105'	3030'
Morrison (Brushy Basin)*	2385'	199'	2925'
(Salt Wash)*	2584'	—	2726'
Total Depth	2698'		

*Formations with hydrocarbon shows.

Comparison of the above data with similar data on the #14-2 well indicates that the subject well is about 30 feet higher structurally. The thicknesses of the formations are also quite different in the two wells, with the subject well having the thinner sections. This indicates a higher position during deposition of the sediments for the #14-3 well.

9. A detailed descriptive log of the samples from 1700 ft. to total depth from the subject well is attached.
10. The N. P. Energy Fed. #14-3 well was a highly successful well and contained four good productive sand reservoirs. Three of these sands produced gas and one produced oil. Whereas, the flow rate could not be accurately gauged because of the oil content until tanks and a separator were installed, the open flow rate was estimated at 3 to 5 million cubic feet of gas and 10-15 bbl of oil per day. The higher structural position of the well and the thinner sections in the stratigraphic column indicate a position which is higher on the Cisco Dome structure now and also during deposition of the sediments. The variation in the sand bodies in thickness, position, and occurrence between the #14-3 well and the #14-2 well is further evidence of the erratic nature of sand lenses in the area.

11. Reserves of the Fed. #14-3 well, as is always the case with lenticular sand reservoirs, are difficult to determine with accuracy. However, based on the shut-in pressure of the well, which is approximately 800#, and the number of sands completed, there should be approximately 500,000 MCF of gas reserves and about 25,000 bbl. of oil.




W. Don Quigley
Consultant
Suite 440
57 West South Temple
Salt Lake City, Utah 84101

Daily Time N. P. Energy Corp. - Well #14 - 2 Well 1700' - 2600'
 Min. / ft. NE. SE. Sec. 14 - 20S - 21E - S. L. M.
 Elev: 5310 K.B.


46 0860

5 X 5 TO 1/2 INCH * 7 X 16 INCHES
 KEUFFEL & ESSER CO. MADE IN U.S.A.



Subj Time
2600 0 5 10

Med # 14-3 Cont



*** C. & BAN TO C. in oil sat. ss. of Ad. gray of blk. silt & sh.
 Blk. sh. Pm. sh. Ad. gray sh. silt. & BAN MS.
 As above + T. gray carb. sh.
 Vanic. s. calc. and silt.
 Mostly ad. calc. sh. w/ calc. c.
 Vanic. calc. sh. & silt + BAN MS + blk. sdy sh

lt. gray bent. calc. mica sh. & Vanic. sh. & silt.
 T.D. 2696'

46 0860

5 X 5 TO 1 1/2 INCH * 7 X 10 INCHES
 KEUFFEL & ESSER CO. MADE IN U.S.A.

PROGNOSIS FOR
N. P. ENERGY CORP.
FEDERAL #14-3 WELL

Location: NE. SE. Section 14, T 20S, R 21E, S.L.M., Grand County, Utah (648' fr. E-line and 1832' fr. S-line)

Elevations: 5300' grd; 5310' K.B.

Surface Casing: 200 ft. of 7 5/8 inch, 24.00#, K-55, R-3 casing set and cemented with 100 sks of reg. cement w/3% CaCl₂; with returns to the surface. The surface hole, 9 3/4", will be drilled to 200 ft. K.B. and will be less than 1 1/2° deviation.

Expected Formation Tops:

<u>Formation</u>	<u>Depth to Top</u>	<u>Thickness</u>	<u>Datum</u>
Mancos	Surface	2310'	5310' K.B.
Dakota *	2310'	80'	3000'
Cedar Mountain *	2390'	90'	2920'
Morrison (Brushy B.) *	2480'	250'	2830'
(Salt Wash) *	2730'	275'	2580'
Curtis-Summerville	3005'	65'	2305'
Entrada *	3070'	—	2240'
Total Depth	3170'		

* Formations with potential productive zones.

1. It is planned to drill a 9 3/4" surface hole for the surface casing down to a depth of about 200 ft. and set 7 5/8 inch casing with approx. 100 sks of cement with returns to the surface. A casing head or flange will be mounted on top of the surface casing and a blowout preventer with blind and pipe rams (hydraulic) will be mounted on the casing head. A rotating head will then be mounted on top of the blowout preventer. A blewie line, at least 100 ft. long, will then be attached to the rotating head and extended into the reserve pit.
2. A 6 1/2" hole will then be drilled below the surface casing, using air for circulation. A flare will be maintained at the end of the blewie line at all times while drilling below 1500'. This will insure that no gas will be missed. The air drilling will also minimize the damage to the hydrocarbon reservoir.

3. Samples of the cuttings will begin at 1850'. 30-ft. samples will be taken from 1850' to 2250', and then 10-ft. samples will be taken from 2250' to total depth.
4. It is planned to drill the well to a depth which is approximately 100 feet below the top of the Entrada formation unless good commercial flow of gas is obtained above this depth.
5. If a high gas flow (several million cubic feet) and/or when the total depth of the well is reached, electric logs will be run. Prior to running logs, high viscosity mud (not less than 100 vis.) will be pumped into the hole to provide control of the gas and to provide a conductive medium for the logs. A dual-induction-laterolog will be run from bottom to the top of the hole, and a gamma-density and compensated neutron porosity log will be run from the bottom to a point which is 150' above the top of the Dakota formation.
6. If good production (over 750 MCF) is obtained, 4½" O.D., 10.50#, K-55, R-3 new casing will be run and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will then be perforated, 2 3/8" O.D. tubing run, and completed conventionally.
7. It is anticipated that the drilling of the well will require less than one week.

W. Don Quigley
W. Don Quigley
Consulting Geologist
Salt Lake City, Utah

SURFACE USE & OPERATIONS PLAN
FOR
N. P. ENERGY CORP.
FEDERAL #14-3 WELL
NE. SE. SEC. 14-20S-21E
GRAND COUNTY, UTAH

1. Location: A survey plat showing the location of the proposed well site is attached. (See Plat No. 1) Map No. 1 shows the location of the well on Cisco Dome and the roads in the area. The west Cisco Exit from I-70 is used to gain access to the secondary roads to the well site. The well site is about 13 miles from the Exit. The secondary roads are in good shape and will require no work.
2. Planned Access Road: The proposed well site is about 650' west of a present well used secondary road, and at the end of a present road or trail which is about 1320' long and which takes off from the well used road above. (See Map No. 1) The present roads are adequate and will require no further work.
3. Location of Existing Wells: Map No. 2, attached hereto, shows the location of existing wells and planned locations in the future.
4. Location of Production Equipment: A plan for the anticipated production equipment, if the well is successful, is submitted on Plat No. 2. When production ceases, this equipment will be removed and the land surface graded, levelled, and reseeded.
5. Water Supply: Since the proposed well is to be drilled with air for circulation, very little water will be required. The water needed will be hauled to the location by truck from Nash Wash. A water hole near the Cunningham Ranch will be used after permission from Mr. Bill Cunningham has been obtained.
6. Road Material: No additional road material, gravel, sand, or culverts will be required.
7. Waste Disposal: A reserve and burn pit will be constructed at the well site as shown on Plat No. 3. All excess water, mud, and drill cuttings will be deposited into the reserve pit. Burnable material and garbage will be put into the burn pit, which will be fenced to prevent the spreading of debris by the wind. A toilet will be furnished for the human waste.

All pits will be folded-in and covered as soon as feasible after cessation of drilling operations. The approximate dimensions of the reserve pit are shown on Plat No. 3.

8. Camp Facilities and Airstrips: No camp facilities other than two or three house trailers at the well site will be needed. No airstrips will be required.
9. Well Site Layout: A plan for the drilling equipment layout required for the drilling of the proposed well is shown on Plat No. 3. The approximate dimensions of the site, direction of drill rig setting, reserve pit location with dimensions, and equipment arrangement are shown on this plat. Since the site is close to the road and nearly level, no big cuts or fills will be required. A spot for the drill rig and mud tanks will be levelled. The reserve pit will be long and narrow (parallel to the direction of the blewie line). It will be a trench (20 to 25' wide and 100 ft. long) cut down about 4-ft. deep with the ends sloping. The dirt from the trench will be piled at the far end (west end) of the trench.
10. Restoration: After drilling operations have been concluded, and the equipment removed, the well site will be cleaned, rat hole and mouse hole filled-in; the cellar filled in around well marker or well head; the location levelled or restored to normal; the top soil spread back over the location and reseeded if the well is unsuccessful. If the well is completed for production, the location will be cleaned and levelled for the production equipment; the pits will be folded-in and levelled. This work will be conducted as soon as feasible, hopefully within 30 days after the drilling equipment has been removed.
11. Land Description: The proposed well site is on a plateau or mesa and close to an existing road. The site is quite level; is covered with sage brush, and some grass. There is sandy top-soil over the location; and this soil (about 12" deep) will be removed and piled at one side (probably the south side) of the location. The sage brush will also be removed.
12. Representative: The operator's representative at the well site will probably be W. Don Quigley, Suite 440, 57 West South Temple Bldg., Salt Lake City, Utah. The location and

restoration work will be accomplished by contractors working for the operator.

13. Certification: I hereby certify that I, or persons under my direct supervision, have inspected the drill site and access route; that I am familiar with the conditions which presently exist; that statements made in this plan are, to the best of my knowledge, true and correct; and that work associated with the operations proposed herein will be performed by N. P. Energy Corp. and its contractors in conformity with this plan and terms and conditions under which it is approved.


Date:

Dec. 22, 1978

W. Don Quigley


W. Don Quigley
Consulting Geologist
Salt Lake City, Utah

PLAN FOR PRODUCTION EQUIPMENT
N. P. ENERGY CORP.
FEDERAL #14-3 WELL
NW. NW. SEC. 14 -20S-21E



To main gas line

LOCATION PLAN FOR
 N. P. ENERGY CORP.
 FEDERAL #14-3 WELL
 NW. NW. SEC. 14.-20S-21E



Scale: 1 in. = approx. 30 ft.

WELL CONTROL EQUIPMENT FOR
N. P. ENERGY CORP.
FEDERAL #14-3 WELL
NE. SE. SEC. 14-20S-21E
GRAND COUNTY, UTAH

The following control equipment is planned for the above designated well: (See attached diagram)

1. Surface Casing:

- A. Hole size for surface casing is 9 3/4"
- B. Setting depth for surface casing is approx. 200 ft.
- C. Casing specs. are: 7 5/8 in. O.D., K-55, 24.00#^{ir}, 3 rd. thread, R-3 new or used.
- D. Anticipated pressure at setting depth is approx. 20 lbs.
- E. Casing will be run using three centralizers and a guide shoe, and will be cemented with 100 sks of cement with returns to the surface.
- F. Top of the casing will be near ground level.

2. Casing Head:

Flange size: 10", A.P.I. Pressure rating: 2000#^{ir} W.P., Series 600; Cameron, OCT, or equivalent; new or used; equipped w/two 2" ports with nipples and 2", 2000#^{ir} W.P. ball or plug valves. Casing head and valves set above ground level. (A flange only may be used on top of the casing, if the B.O.P. is equipped with 2" outlets below the blind rams.)

3. Intermediate Casing:

None

4. Blowout Preventors:

- A. Double rams; hydraulic; one set of blind rams; one set of rams for 3 1/2" or 4" drill pipe; 10" flange; 2000#^{ir} or greater W.P.; Series 900; equipped with mechanical wheels and rod for back-up; set on top of casing head flange and securely bolted down, and pressure tested for leaks up to 2000#^{ir} p.s.i. A hydraulically operated hy-drill may be used in place of the above B.O.P., if equipped with 2" outlets below the rams.
- B. Rotating Head: Shaffer, Grants or equivalent; set on top of blowout preventor and bolted securely; complete with kelly drive, pressure lubricator; 3 1/2" or 4" rubber for

2000# W.P.; need not have hydril assembly on bottom, if a separate hydril or B.O.P. is used.

C. **Fill and Kill Lines:** The fill and kill lines (2" tubing or heavy duty line pipe) are to be connected thru the 2" valves on the casing head and thru a manifold to permit ready switching from the fill to kill lines.

5. Auxillary Equipment:

A float valve is to be used in the bottom drill collar at all times. A safety valve that can be used in the drill pipe will be kept within easy reach on the rig floor at all times.

6. Anticipated Pressures:

The shut-in pressures of the Dakota, Cedar Mountain, and Morrison formations at depths of 2000' to 3000' in the area have been measured at about 600# to 800# maximum.

7. Drilling Fluids:

Air will be used to drill the subject well until water is encountered, then air-soap-water mist will be used to drill the well deeper. In case of excessive caving problems, it may be necessary to convert to mud.


8. Production Casing:

- A. Hole size for production casing will be 6½".
- B. Approx. setting depth will be about 3500'.
- C. Casing Specs. are: 4½" O.D.; K-55; 10.50#; 8-rd thread; R-3, new.
- D. If good production is obtained, the casing will be run with a guide shoe at the bottom and about six centralizers and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will be perforated, 2 3/8" O.D. tubing will be run, and the well completed conventionally. In the event the production is small, it may be desirable to minimize the damage to the formation by keeping all mud and cement off the formation. In this case the procedure outlined below will be used.
- E. Casing will be run with about six centralizers and a cement basket with DV tool set above the production zone.

There will be sufficient casing to extend thru the production zone below the basket with a blind guide shoe on the bottom. The casing will be cemented above the packer with about 85 sks of cement (sufficient to cement thru the Dakota formation). The cement will be allowed to cure at least 48 hrs. The plug can then be drilled out and the casing perforated below the DV tool. Two inch tubing will be run and secured in the tubing head prior to perforating.

SCHEMATIC DIAGRAM OF
CONTROL EQUIPMENT FOR THE

N.P. ENERGY CORP.
FEDERAL #14-3 WELL
NE. SE. SEC. 14-20S-21E



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. U-02139																				
2. NAME OF OPERATOR NP Energy Corporation		6. IF INDIAN, ALLOTTEE OR TRIBE NAME																				
3. ADDRESS OF OPERATOR 11340 West Olympic Blvd. #175 Los Angeles, CA 90064		7. UNIT AGREEMENT NAME																				
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface NE/SE Sec. 14. T20S, R21E, SLM: 648' FEL, 1832 FSL		8. FARM OR LEASE NAME Federal																				
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5300' GRD, 5310 K. B.	9. WELL NO. 14-3																				
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		10. FIELD AND POOL, OR WILDCAT CISCO DOME																				
<table border="0"> <tr> <th colspan="2">NOTICE OF INTENTION TO:</th> <th colspan="2">SUBSEQUENT REPORT OF:</th> </tr> <tr> <td>TEST WATER SHUT-OFF <input type="checkbox"/></td> <td>PULL OR ALTER CASING <input type="checkbox"/></td> <td>WATER SHUT-OFF <input type="checkbox"/></td> <td>REPAIRING WELL <input type="checkbox"/></td> </tr> <tr> <td>FRACTURE TREAT <input type="checkbox"/></td> <td>MULTIPLE COMPLETE <input type="checkbox"/></td> <td>FRACTURE TREATMENT <input type="checkbox"/></td> <td>ALTERING CASING <input type="checkbox"/></td> </tr> <tr> <td>SHOOT OR ACIDIZE <input type="checkbox"/></td> <td>ABANDON* <input type="checkbox"/></td> <td>SHOOTING OR ACIDIZING <input type="checkbox"/></td> <td>ABANDONMENT* <input type="checkbox"/></td> </tr> <tr> <td>REPAIR WELL <input type="checkbox"/></td> <td>CHANGE PLANS <input type="checkbox"/></td> <td>(Other) <input type="checkbox"/></td> <td></td> </tr> </table>		NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:		TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>	FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>	SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>	REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>		11. SEC., T., R., M., OR BLM. AND SUBVST OR AREA NE SE Sec. 14 20S 21E SLM
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:																				
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>																			
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>																			
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>																			
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>																				
		12. COUNTY OR PARISH Grand																				
		13. STATE Utah																				

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This is to change the status of well from a gas well to an oil well. The well producer casing head gas and produces oil through a plunger lift system. Well production 35-38° API Gravity oil.

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 3/4/85
BY: John R. Day

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE PRESIDENT DATE 2/20/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side



RECEIVED

FEB 22 1985

DIVISION OF OIL
GAS & MINING

February 20, 1985

Mr. Ron Firth
Department of Oil, Gas & Minerals
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Dear Mr. Firth:

Enclosed please find the Sundry Notices for wells Federal 14-3 and Federal 23-1. We are submitting these notices requesting that you consider changing the status of these wells from gas wells to oil wells.

If you need additional information, please contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Tariq Ahmad', is written over a horizontal line.

Tariq Ahmad
President

Enclosure

TA:cag



EPS Resources Corporation

5655 South Yosemite
Suite 460
Englewood, CO 80111
(303) 721-7920

April 11, 1989

Bureau of Land Management
Moab District Office
P. O. Box 970
Moab, Utah 84532

RE: Self-Certification Letter

Gentlemen:

Please be advised that EPS Resources Corporation is considered to be the operator of the wells in the Cisco Dome Field (see attachment Exhibit "B") in Grand County, Utah and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for the listed wells is provided by LC #244.

The BLM office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibilities are met.

Sincerely,

A handwritten signature in black ink, appearing to read 'Edward Neibauer', written over a horizontal line.

Edward Neibauer
President and Chief Operating Officer

EN/dak

Enclosure

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

UTU02139A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

see attached

10. FIELD AND POOL, OR WILDCAT

Cisco Dome Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

see attached

12. COUNTY OR PARISH 13. STATE

Grand

UT


SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
EPS RESOURCES CORPORATION

3. ADDRESS OF OPERATOR
5655 South Yosemite, Suite 460, Englewood, CO

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface



see attached

14. PERMIT NO.

15. ELEVATIONS (Show whether OIL, GAS & MINING)

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF PULL OR ALTER CASING
 FRACTURE TREAT MULTIPLE COMPLETE
 SHOOT OR ACIDIZE ABANDON*
 REPAIR WELL CHANGE PLANS
 (Other) Change of Operator

WATER SHUT-OFF REPAIRING WELL
 FRACTURE TREATMENT ALTERING CASING
 SHOOTING OR ACIDIZING ABANDONMENT*
 (Other) _____

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

EPS Resources Corporation has acquired the interests of NP Energy and is Operator of the wells on the attached sheet effective December 1, 1988. (see attached Self-Certification letter.)

18. I hereby certify that the foregoing is true and correct

SIGNED Edward Neibauer

TITLE President

DATE 4-11-89

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE District Mgr.

DATE 4/28/89

CONDITIONS OF APPROVAL ATTACHED

*See Instructions on Reverse Side

Operator

EXHIBIT "B"
 ATTACHMENT TO SELF-CERTIFICATION LETTER
 CISCO DOME FIELD
 GRAND COUNTY, UTAH

LEASE #UTUO2139A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
23-1	23SWNE	20S	21E
25-1	25SWNE	20S	21E
24-3	24SWSE	20S	21E
14-3	14NESE	20S	21E
24-2	24NWNW	20S	21E
25-3	25SESE	20S	21E
23-2	23NWNW	20S	21E
25-2	25SWSW	20S	21E
23-3	23NESW	20S	21E
25-4	25NENW	20S	21E
23-4	23NWSE	20S	21E
14-4	14SWSW	20S	21E
24-4	24NWNE	20S	21E

LEASE #UTU02140A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
13-1	13SWSW	20S	21E
14-1	14NWNW	20S	21E
14-1A	14NWNW	20S	21E
1-10	10NWSW	20S	21E
11-1	11NWSW	20S	21E
14-2	14NENE	20S	21E
15-1	15NESE	20S	21E
22-1	22SENE	20S	21E
15-2	15NWNW	20S	21E
15-3	15NENE	20S	21E
13-2	13SENE	20S	21E
12-1	12SWSW	20S	21E
11-2	11SESE	20S	21E
13-3	13NWNE	20S	21E
11-3	11SWSW	20S	21E
13-4	13NWSE	20S	21E
15-4	15SWSW	20S	21E
10-2	10NESW	20S	21E

LEASE #UTU12702A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
√ 31-1A	31NENW	20S	22E
√ 19-3	19SWSW	20S	22E
√ 19-1A	19SWNW	20S	22E

32-1

32

20S

22E

DON

Sed 14-3

perfs

2240-52

DKTA

2500-12

MRSN

2586-2601

SLTW

2650-56

MRSN

} MRSN

We have CM-MR in computers
shdn't it be DK-MR?

per
DAN

7

11-17-89

perfs

2240-52

2500-12

2586-2601

2650-56

tops

Dakota 2230

~~Cedar Mtn 2285~~

Morrison 2380

~~Brush Basin 2484~~ (Brush Basin)

~~Salt Wash 2584~~ (Salt Wash)

Looks like Dakota and Morrison to me.

Ask a ^(Dan) geologist ~~to be sure~~ to be sure.
Do we report as Salt Wash or Morrison?

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Budget Bureau
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.
UT1102139A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.
See Attached

10. FIELD AND POOL, OR WILDCAT
Cisco Dome Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
See Attached

12. COUNTY OR PARISH | 13. STATE
Grand | UT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Valley Operating, Inc.

3. ADDRESS OF OPERATOR
745 Gilpin Street, Denver, CO 80218

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
See Attached

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) Change of Operator <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Valley Operating, Inc. is Operator of the wells on the attached sheet effective March 8, 1991. (See attached Self-Certification Letter).

RECEIVED

AUG 28 1992

DIVISION OF
OIL GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED F. Lee Robinson TITLE Vice President DATE 4-8-91
(This space for Federal or State office use)
 APPROVED BY William C. Hays TITLE _____ DATE 5/6/91
 CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

EXHIBIT "A" FOR CHANGE OF OPERATOR
ATTACHMENT TO SUNDRY NOTICE
CISCO DOME FIELD
GRAND COUNTY, UTAH

LEASE #UTUO2139A

WELL NUMBER	SECTION 1/4 OF 1/4	TWP	RNG
23-1 ✓ 43-019-30355	23SWNE	20S	21E
25-1 ✓ 43-019-30359	25SWNE	20S	21E
24-3 ✓ 43-019-30432	24SWSE	20S	21E
14-3 ✓ 43-019-30488	14NESE	20S	21E
24-2 ✓ 43-019-30530	24NWNW	20S	21E
25-3 ✓ 43-019-30575	25SESE	20S	21E
23-2 ✓ 43-019-30586	23NWNW	20S	21E
25-2 ✓ 43-019-30587	25SWSW	20S	21E
23-3 ✓ 43-019-30588	23NESW	20S	21E
25-4 ✓ 43-019-30743	25NENW	20S	21E
23-4 ✓ 43-019-30760	23NWSE	20S	21E
14-4 ✓ 43-019-30878	14SWSW	20S	21E
24-4 ✓ 43-019-30900	24NWNE	20S	21E

RECEIVED

AUG 28 1992

DIVISION OF
OIL GAS & MINING

Valley Operating, Inc.
Various Wells
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02139A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Valley Operating, Inc., is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0832 (Principal - Valley Operating, Inc.) via surety consent as provided for in 43 CFR 3104.3.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Routing: *Jef*

1- LCR	7- LCR
2- DTS	75
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- ADA	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 3-8-91)

TO (new operator)	<u>VALLEY OPERATING INC</u>	FROM (former operator)	<u>EPS RESOURCES CORP</u>
(address)	<u>745 GILPIN ST</u>	(address)	<u>5655 S YOSEMITE #460</u>
	<u>DENVER, CO 80218-3633</u>		<u>ENGLEWOOD, CO 80111</u>
	<u>LEE ROBINSON</u>		<u>DALE ANNE KESLER</u>
	phone <u>(303) 355-3242</u>		phone <u>(303) 721-7920</u>
	account no. <u>N 8270</u>		account no. <u>N2025</u>

Well(s) (attach additional page if needed):

Name: <u>FEDERAL 15-1/DKTA</u>	API: <u>43-019-30585</u>	Entity: <u>8140</u>	Sec <u>15</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 25-2/ENRD</u>	API: <u>43-019-30587</u>	Entity: <u>8140</u>	Sec <u>25</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 14-3/DK-MR</u>	API: <u>43-019-30488</u>	Entity: <u>8152</u>	Sec <u>14</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 14-4/MRSN</u>	API: <u>43-019-30878</u>	Entity: <u>8153</u>	Sec <u>14</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 23-3/CM-MR</u>	API: <u>43-019-30588</u>	Entity: <u>8157</u>	Sec <u>23</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 23-4/CDMTN & MR</u>	API: <u>43-019-30760</u>	Entity: <u>8158</u>	Sec <u>23</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>
Name: <u>FEDERAL 24-2/DK-MR</u>	API: <u>43-019-30530</u>	Entity: <u>8159</u>	Sec <u>24</u> Twp <u>20S</u> Rng <u>21E</u>	Lease Type: <u>U-02139A</u>

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(see O&G Approval)*
- Jef 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 8-28-92)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- Jef 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Jef 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(8-31-92)*
- Jef 6. Cardex file has been updated for each well listed above. *(8-31-92)*
- Jef 7. Well file labels have been updated for each well listed above. *(8-31-92)*
- Jef 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(8-31-92)*
- Jef 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- 2. A copy of this form has been placed in the new and former operators' bond files.
- 3. The former operator has requested a release of liability from their bond (yes/no) _____. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

- 1. All attachments to this form have been microfilmed. Date: Sept 9, 1992 19____.

FILING

- 1. Copies of all attachments to this form have been filed in each well file.
- 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

420831 Btm/maab Approved 5-6-91 eff. 3-8-91.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number

UTU-02139A

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

9. Well Name and Number

Federal 14-3

10. API Well Number

4301930488

11. Field and Pool, or Wildcat

Cisco Dome

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals.

1. Type of Well

- Oil Well
- Gas Well
- Other (specify)

2. Name of Operator

Valley Operating Inc.

3. Address of Operator

745 Gilpin Street, Denver, CO 80218

4. Telephone Number

303-355-3242

5. Location of Well

Footage :
QQ, Sec, T., R., M. : NESE, Section 14, T20S, R21E

County : Grand
State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other Return to production
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
* Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Return well to production.

RECEIVED

NOV 09 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Name & Signature

[Handwritten Signature]

Title Vice President Date 11/2/92

(State Use Only)

Valley Operating, Inc.
Work Summary
Federal 14-3

September 5, 1992: Rig up Fowler well service unit; remove horse's head; test tbg to 50 psig, bled off to 30 psig in approximately 2 minutes; unseat pump and pump 20 bbls of hot oil down annulus with no returns; pump 10 bbls down tubing with returns; pull 104 x 3/4" rods, 1 x 3/4" pony rod, and pump; deliver pump to Energy Equipment for repairs.

September 7, 1992: (Energy Equipment reported pump plunger stuck in barrel and they replaced three valves) Ran pump and rod assembly as pulled from well; placed well back on pump with no pump action.

September 8, 1992: Checked well status; pumping with no pump action.

September 9, 1992: Loaded tbg with approx 2-3 bbls oil; pump into tubing with pumping unit running; able to see stroke of pump; shut down with well on strong vacuum.

September 11, 1992: Move rig from the Federal 25-2, unbridled and remove head, remove wellhead; pull out with rods and pump; pull out of hole with 86 jts 2 3/8" tbg, SN, perforated sub, and mud anchor; found evidence of corrosion in bottom 16 jts with bottom 6 jts badly scaled and corroded; joint just above SN had numerous small pencil sized holes.

September 12, 1992: Run in hole with mud anchor, 2' perforated sub, std hydraulic seating nipple, and 2 3/8" tbg; tag PBTB at 2692' and land tbg at 2672'; swab 40 bbls to tank, initial fluid level at 800', and final level 100' above seating nipple.

September 13, 1992: Make 1 swab run; initial fluid level at 2200'; check pump for pump action; run rod pump (2" x 1 1/4" x 12') and 104 x 3/4" rods, 3-4' x 3/4" pony rods, 2-2' x 3/4" pony rods; space out pump and space out same; install head on unit and start engine; good pump action.

September 14, 1992: Found unit down; well had not pumped up; unit seems to be very out of balance or pump is stuck in down stroke.

September 17, 1992: Move weights to rear of walking beam to balance unit.

September 20, 1992: Add weights to unit; change out engine with Lister two cylinder diesel from the Federal 31-3; started well pumping with 1/2 gal of diesel.

September 23, 1992: Set 55 gal diesel tank and started unit.

September 24, 1992: Shut unit down for engine repairs; found diesel in the oil.

Fowler \$ 3500

Total Cost \$5000

L&L Roustabouts \$200

Energy Equipment \$600

Rainbow Mtn \$700

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

LEE ROBINSON
 VALLEY OPERATING INC
 745 GILPIN ST
 DENVER CO 80218-3633

UTAH ACCOUNT NUMBER: N8270

REPORT PERIOD (MONTH/YEAR): 7 / 95

AMENDED REPORT **(Highlight Changes)**

Well Name API Number	Entity	Location	Producing Zone	Well Status	Days Oper	Production Volumes		
						OIL(BBL)	GAS(MCF)	WATER(BBL)
FEDERAL 14-1A 4301930436	08150	20S 21E 14	CM-MR					
FEDERAL 14-2 4301930487	08151	20S 21E 14	DK-CM					
FEDERAL 14-3 4301930488	08152	20S 21E 14	DK-MR					
FEDERAL 14-4 4301930878	08153	20S 21E 14	MRSN					
FEDERAL 15-2 4301930636	08154	20S 21E 15	DKTA					
FEDERAL 15-3 4301930637	08155	20S 21E 15	MRSN					
FEDERAL 22-1 4301930625	08156	20S 21E 22	CDMTN					
FEDERAL 23-3 4301930588	08157	20S 21E 23	CM-MR					
FEDERAL 23-4 4301930760	08158	20S 21E 23	CDMTN					
FEDERAL 24-2 4301930530	08159	20S 21E 24	DK-MR					
FEDERAL 14-1 f 4301930430	08169	20S 21E 14	DKTA					
FEDERAL 25-3 4301930575	08170	20S 21E 25	MRSN					
FEDERAL 25-4 4301930743	08181	20S 21E 25	MRSN					
TOTALS								

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____



August 18, 1995

Lisha Cordova
Utah Natural Resources
Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

AUG 21 1995

Re: Sundry Notices for Change of Operator
Cisco Dome Field, Grand County, Utah

Dear Lisha:

Enclosed are Sundry Notices affecting wells located on U-2139A, U-2140A, U-12702, U-12702A, U-12702B, U37730 and ML-24295.

Sincerely,

A handwritten signature in cursive script, appearing to read "Beverly Gabbay".

Beverly Gabbay
Production Department

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-2139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator Pease Operating Company, a wholly owned subsidiary of Pease Oil and Gas Company

3. Address and Telephone No.
P. O. Box 1874, Grand Junction, CO 81502 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached.

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.

See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective January 1, 1995, Pease Operating Company became the operator of the wells listed on Exhibit "A" attached. Federal Bond No. 400 DX 0202.

AUG 21 1995

14. I hereby certify that the foregoing is true and correct

Signed William Pease Title President Date 7-31-95

(This space for Federal or State office use)

Approved by William H. [Signature] Title Associate District Manager Date 8/10/95

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Pease Oil and Gas Company
Wells: SEE ATTACHED LIST
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02139A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Pease Oil and Gas Company is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by BLM bond No. UT0073 (Principal - Pease Oil and Gas Company) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
U-2139A

<u>WELL NAME</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
Fed 14-3	430193048800S1	NESE	14	20S	21E
Fed 14-4	430193087800S1	SWSW	14	20S	21E
Fed 23-1	430193035500S1	SWNE	23	20S	21E
Fed 23-2	430193058600S1	NWNW	23	20S	21E
Fed 23-3	430193058800S1	NESW	23	20S	21E
Fed 23-4	430193076000S1	NWSE	23	20S	21E
Fed 24-2	430193053000S1	NWNW	24	20S	21E
Fed 24-3	430193043200S1	SWSE	24	20S	21E
Fed 24-4	430193090000S1	NWNE	24	20S	21E
Fed 25-1	430193035900S1	SWNE	25	20S	21E
Fed 25-2	430193058700S1	SWSW	25	20S	21E
Fed 25-3	430193057500S1	SESE	25	20S	21E
Fed 25-4	430193074300S1	NENW	25	20S	21E


-END-

Valley Operating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

August 31, 1995



Re: Change of Operator Notices
- Acknowledgements -

State of Utah
Utah Division of Oil, Gas & Mining
3 Triad Center, Suite #350
Salt Lake City, Utah 84180-1204


Attn: Lisha

Dear Lisha:

Enclosed are the acknowledgements of the Change of Operator Notices for wells located in Grand County. Also included is the acknowledgement by the BLM of the Change of Operator status for the Antelope Unit in Uintah County.

Gerrity Oil & Gas is preparing State Sundry's for the two Antelope Unit wells. These will be signed by both Gerrity and Valley the week of September 4th and will be forwarded shortly thereafter. Thank you for your guidance in preparing these documents.

Very Truly Yours

 8/31
F. Lee Robinson
Vice President

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.

U-2139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.

See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Pease Operating Company, a wholly owned subsidiary of
Pease Oil and Gas Company

3. Address and Telephone No.
P. O. Box 1874, Grand Junction, CO 81502 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached.


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective January 1, 1995, Pease Operating Company became the operator of the wells listed on Exhibit "A" attached. Federal Bond No. 400 DX 0202.



14. I hereby certify that the foregoing is true and correct

Signed

F. Lee Robinson

Title

President

Date

7-31-95

(This space for Federal or State office use)

Valley Operating Inc. acknowledges and agrees with this Change of Operator notice

For Valley Operating, Inc.

BY:

F. Lee Robinson

F. Lee Robinson
Vice President

Date:

8/31/95

EXHIBIT "A" TO SUNDRY NOTICE
U-2139A

<u>WELL NAME</u>	<u>APL NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
Fed 14-3	430193048800S1	NESE	14	20S	21E
Fed 14-4	430193087800S1	SWSW	14	20S	21E
Fed 23-1	430193035500S1	SWNE	23	20S	21E
Fed 23-2	430193058600S1	NWNW	23	20S	21E
Fed 23-3	430193058800S1	NESW	23	20S	21E
Fed 23-4	430193076000S1	NWSE	23	20S	21E
Fed 24-2	430193053000S1	NWNW	24	20S	21E
Fed 24-3	430193043200S1	SWSE	24	20S	21E
Fed 24-4	430193090000S1	NWNE	24	20S	21E
Fed 25-1	430193035900S1	SWNE	25	20S	21E
Fed 25-2	430193058700S1	SWSW	25	20S	21E
Fed 25-3	430193057500S1	SESE	25	20S	21E
Fed 25-4	430193074300S1	NENW	25	20S	21E

-END-

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing	
1-TEC 7-PL	<input checked="" type="checkbox"/>
2-LWP 8-SJ	<input checked="" type="checkbox"/>
3-PT/9-FILE	<input checked="" type="checkbox"/>
4-VLC	<input checked="" type="checkbox"/>
5-RJF	<input checked="" type="checkbox"/>
6-LWP	<input checked="" type="checkbox"/>

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-95)

TO (new operator) PEASE OIL & GAS COMPANY
 (address) PO BOX 1874
GRAND JUNCTION CO 81502
WILLARD PEASE
 phone (303) 245-5917
 account no. N 1080

FROM (former operator) VALLEY OPERATING INC
 (address) 745 GILPIN ST
DENVER CO 80218-3633
LEE ROBINSON
 phone (303) 289-7720
 account no. N8270

Well(s) (attach additional page if needed):

Name: **SEE ATTACHED**	API: <u>019-30488</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-5-95)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 8-21-95)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(8-30-95)*
6. Cardex file has been updated for each well listed above. *9-6-95*
7. Well file labels have been updated for each well listed above. *9-7-95*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(8-30-95)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ___ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ___. Today's date _____ 19___. If yes, division response was made by letter dated _____ 19__.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19__, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: September 12 1995.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U2139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation


8. Well Name and No.
See Exhibit "A" Attached

9. API Well No.
See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State
Grand County, Utah

SUBMIT IN TRIPLICATE



1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Burkhalter Engineering, Inc.

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent <input type="checkbox"/> Subsequent Report <input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Abandonment <input type="checkbox"/> Recompletion <input type="checkbox"/> Plugging Back <input type="checkbox"/> Casing Repair <input type="checkbox"/> Altering Casing <input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans <input type="checkbox"/> New Construction <input type="checkbox"/> Non-Routine Fracturing <input type="checkbox"/> Water Shut-Off <input type="checkbox"/> Conversion to Injection <input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Willard Pease Jr.
Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct

Signed

J. M. Burkhalter

Title

PPS

Date May 4, 1998

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

EXHIBIT "A" TO SUNDRY NOTICE
U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NESW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWSE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

-END-

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PEASE OIL & GAS COMPANY
PO BOX 60219
GRAND JUNCTION, CO 81506

UTAH ACCOUNT NUMBER: N1080

REPORT PERIOD (MONTH/YEAR): 7 / 1999

AMENDED REPORT (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes		
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)
FEDERAL 13-2									
4301930673	08147	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-3									
4301930883	08148	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-4									
4301930885	08149	20S 21E 13	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-1A									
4301930436	08150	20S 21E 14	CM-MR		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-2									
4301930487	08151	20S 21E 14	DK-CM		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-3									
4301930488	08152	20S 21E 14	DK-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-4									
4301930878	08153	20S 21E 14	MRSN		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-2									
4301930636	08154	20S 21E 15	DKTA		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-3									
4301930637	08155	20S 21E 15	MRSN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 22-1									
4301930625	08156	20S 21E 22	CDMTN		GW		U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-3									
4301930588	08157	20S 21E 23	CM-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-4									
4301930760	08158	20S 21E 23	CDMTN		GW		U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 24-2									
4301930530	08159	20S 21E 24	DK-MR		GW		U-2139A	apprv 12.16.99	eff 4.1.98

TOTALS

--	--	--

COMMENTS :

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

RECEIVED
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
DEC 22 1999
DIVISION OF OIL, GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

~~U2139A~~ U2139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.

See Exhibit "A" Attached

2. Name of Operator

Burkhalter Engineering, Inc.

9. API Well No.

See Exhibit "A" Attached

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

10. Field and Pool, or Exploratory Area

Cisco Dome

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Change of Operator

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit A attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Willard Pease Jr.
Pease Oil and Gas Company

RECEIVED
NO. 1 FIELD OFFICE
1998 MAY -5 PM 12:36
DEPT. OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

14. I hereby certify that the foregoing is true and correct

Signed

J. M. Burkhalter

Title

PM

Date May 4, 1998

(This space for Federal or State office use)

Approved by

William St...

Title

Assistant Field Manager,
Division of Resources

Date

12/16/99

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

ic: UDSM 12/16/99

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

EXHIBIT "A" TO SUNDRY NOTICE
U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NESW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWSE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

-END-

Burkhalter Engineering, Inc.
All Wells on Lease UTU02139A
(14-3, 14-4, 23-1, 23-2, 23-3, 23-4, 24-2, 24-3, 24-4, 25-1, 25-2, 25-3, 25-4)
Sections 14, 23, 24 and 25 T. 20 S., R. 21 E.
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Burkhalter Engineering, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1097 (Principal - Burkhalter Engineering, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR CHANGE WORKSHEET

Routing:	
1 KDR ✓	6
2 GLH ✓	7-KAS ✓
3 FRB ✓	8-SI
4 CDW ✓	9-FILE
5 KDR ✓	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed, effective: 4-1-98

TO: (new operator)	<u>BURKHALTER ENGINEERING INC</u>	FROM: (old operator)	<u>PEASE OIL & GAS COMPANY</u>
(address)	<u>PO BOX 60095</u>	(address)	<u>PO BOX 60219</u>
	<u>GRAND JUNCTION CO 81506</u>		<u>GRAND JUNCTION CO 81506</u>
Phone:	<u>(970)245-5917</u>	Phone:	<u>(970)245-5917</u>
Account no.	<u>N6820</u>	Account no.	<u>N1080</u>

WELL(S) attach additional page if needed: * CALF CANYON UNIT

Name: **SEE ATTACHED**	API: <u>4301930988</u>	Entity: _____	S <u>M</u>	T <u>205</u>	R <u>2K</u>	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- Lee 1. (r649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form). *(rec'd 5-18-98)*
- Lee 2. (r649-8-10) Sundry or other legal documentation has been received from the **NEW** operator (Attach to this form). *(rec'd 5-18-98)*
- N/A 3. The **Department of Commerce** has been contacted if the new operator above is not currently operating any wells in Utah. Is the company **registered with the state?** (yes/no) _____ If yes, show company file number: _____
- KDR 4. **FOR INDIAN AND FEDERAL WELLS ONLY.** The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of **Federal** and **Indian** well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below. *(rec'd 8.9.99) (rec'd 12.22.99)*
- DR 5. Changes have been entered in the **Oil and Gas Information System (3270)** for each well listed above. *(11.19.99) (12.30.99)*
- DR 6. **Cardex** file has been updated for each well listed above. *(12.30.99)*
- N/A 7. Well **file labels** have been updated for each well listed above.
- DR 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(10.29.99) (12.30.99)*
- KDR 9. A folder has been set up for the **Operator Change file**, and a copy of this page has been placed there for reference during routing and processing of the original documents.

OPERATOR CHANGE WORKSHEET

Routing:	
1-KDR ✓	
2-GLH ✓	7-KAS ✓
3-FRB ✓	8-SI
4-CDW ✓	9-FILE
5-KDR ✓	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed, effective: 4-1-98

TO: (new operator)	<u>BURKHALTER ENGINEERING INC</u>	FROM: (old operator)	<u>PEASE OIL & GAS COMPANY</u>
(address)	<u>PO BOX 60095</u>	(address)	<u>PO BOX 60219</u>
	<u>GRAND JUNCTION CO 81506</u>		<u>GRAND JUNCTION CO 81506</u>
	Phone: <u>(970)245-5917</u>		Phone: <u>(970)245-5917</u>
	Account no. <u>N6820</u>		Account no. <u>N1080</u>

WELL(S) attach additional page if needed: *** CALF CANYON UNIT**

Name: **SEE ATTACHED**	API: <u>4301930988</u>	Entity: _____	S <u>14</u>	T <u>205</u>	R <u>2K</u>	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- Yes 1. (r649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form). *(Rec'd 5-18-98)*
- Yes 2. (r649-8-10) Sundry or other legal documentation has been received from the **NEW** operator (Attach to this form). *(Rec'd 5-18-98)*
- N/A 3. The **Department of Commerce** has been contacted if the new operator above is not currently operating any wells in Utah. Is the company registered with the state? (yes/no) ____ If yes, show company file number: _____
- KDR 4. **FOR INDIAN AND FEDERAL WELLS ONLY.** The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of **Federal** and **Indian** well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below. *(Rec'd 8.9.99) (Rec'd 12.22.99)*
- KDR 5. Changes have been entered in the **Oil and Gas Information System** (3270) for each well listed above. *(11.19.99) (12.30.99)*
- KDR 6. **Cardex** file has been updated for each well listed above.
- N/A 7. Well **file labels** have been updated for each well listed above.
- KDR 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(10.29.99) (12.30.99)*
- KDR 9. A folder has been set up for the **Operator Change file**, and a copy of this page has been placed there for reference during routing and processing of the original documents.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U02139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
Twin Arrow, Inc.

3. Address and Telephone No.
P.o. Box 948, Rangely, CO 81648 970-675-8226

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See Exhibit "A" attached

8. Well Name and No.
See Exhibit "A" attached

9. API Well No.
See Exhibit "A" attached

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Sept. 1, 2000
Effective ~~July 1, 2000~~ ^{MB} Twin Arrow, Inc. became the operator of the wells listed on Exhibit "A" attached. Twin Arrow, Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this lease (wells) will be provided by BLM Bond No. UT1185

J. N. Burkhalter
J. N. Burkhalter/President
Burkhalter Engineering Inc.

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Office Manager Date 8/18/2000

(This space for Federal or State office use)
Assistant Field Manager,
Division of Resources

Approved by [Signature] Title _____ Date 9/26/2000
Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

Twin Arrow Incorporated
Well Nos. 14-3, 14-4, 23-1, 23-2, 23-3, 23-4,
24-2, 24-3, 24-4, 25-1, 25-2, 25-3, 25-4
Sections 14, 23, 24 and 25 T. 20 S., R. 21 E.
Lease UTU02139A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Twin Arrow Incorporated is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal -Twin Arrow Incorporated) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NESW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWSE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/02/2000
4. Is the new operator registered in the State of Utah: YES Business Number: _____
***APPLICATION HAS BEEN SUBMITTED TO DIV OF CORP.**
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 09/26/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Pro;** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/10/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/10/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: _____

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: YES
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
 The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 09/28/2000

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 2.26.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

RECEIVED
MOAB FIELD OFFICE
MAY 24 P 3:12

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Jelco Energy Inc.

3. Address and Telephone No.
 P.O. Box 948, Rangely, CO 81648 970-675-8226

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 See Exhibit "A" attached

5. Lease Designation and Serial No.
 U-12702A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
 See Exhibit "A" attached

9. API Well No.
 See Exhibit "A" attached

10. Field and Pool, or Exploratory Area
 Cisco Dome

11. County or Parish, State
 Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Name
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective May 23, 2001, Jelco Energy Inc. became the operator of the wells listed on Exhibit "A" attached. Jelco Energy Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond N6. UT1185

14. I hereby certify that the foregoing is true and correct

Signed Andrew Jacob Title Office Manager Date 5/23/2001

(This space for Federal or State office use)

Approved by William Stinger Title Assistant Field Manager, Division of Resources Date 5/25/01

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Jelco Energy, Inc.
Well Nos. 19-1A, 19-3 and 31-1A
Sections 19 and 31 T. 20 S., R. 22 E.
Lease UTU12702A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jelco Energy, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal - Jelco Energy, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NESW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWSE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

EXHIBIT "A" TO SUNDRY NOTICE
U-12702A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 19-1A	43-019-30896	SWNW	19	20S	22E
Federal 19-3	43-019-30302	SWSW	19	20S	22E
Federal 31-1A	43-019-30308	NENW	31	20S	22E

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 10-2 ✓	43-019-31210	NESW	10	20S	21E
Federal 11-1 ✓	43-019-30485	NWSW	11	20S	21E
Federal 11-2 ✓	43-019-30882	SESE	11	20S	21E
Federal 11-3 ✓	43-019-30384	SWSW	11	20S	21E
Federal 12-1 ✓	43-019-30881	SWSW	12	20S	21E
Federal 13-1 ✓	43-019-30348	SWSW	13	20S	21E
Federal 13-2 ✓	43-019-30673	SENW	13	20S	21E
Federal 13-3 ✓	43-019-30883	NWNE	13	20S	21E
Federal 13-4 ✓	43-019-30885	NWSE	13	20S	21E
Federal 14-1 ✓	43-019-30430	NWNW	14	20S	21E
Federal 14-1A ✓	43-019-30436	NWNW	14	20S	21E
Federal 14-2 ✓	43-019-30487	NENE	14	20S	21E
Federal 15-1 ✓	43-019-30585	NESE	15	20S	21E
Federal 15-2 ✓	43-019-30636	NWNW	15	20S	21E
Federal 15-3 ✓	43-019-30637	NENE	15	20S	21E
Federal 15-4 ✓	43-019-30887	SWSW	15	20S	21E
Federal 1-10 ✓	43-019-30484	NWSW	10	20S	21E
Federal 22-1 ✓	43-019-30625	SENE	22	20S	21E

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR: Jelco Energy, Inc.

3. ADDRESS OF OPERATOR: P.O. Box 948 CITY Rangely STATE CO ZIP 81648 PHONE NUMBER: 9706758226

4. LOCATION OF WELL
FOOTAGES AT SURFACE: _____
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____

5. LEASE DESIGNATION AND SERIAL NUMBER:
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT or CA AGREEMENT NAME:
8. WELL NAME and NUMBER: see attached list
9. API NUMBER:
10. FIELD AND POOL, OR WILDCAT: COUNTY: Grand STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

see attached list

Until May 1, 2001 Twin Arrow, Inc. and Jelco Energy Inc. were the same company. We split Twin Arrow, Inc. and Jelco Energy apart so Jelco Energy could operate all the Utah wells and Twin Arrow will operate all the Colorado Wells.

NAME (PLEASE PRINT) Linda C. Gordon TITLE Office Manager
SIGNATURE *Linda Gordon* DATE 6/1/2001

(This space for State use only)

RECEIVED

JUN 15 2001

DIVISION OF
OIL, GAS AND MINING

(See Instructions on Reverse Side)

FED. LEASE #	API #	WELL NAME	SEC	QT ⁿ	TWP	RNG
UTU5675	430193039200	CALF CANYON #4	11	NWNW	20S	21E
UTU72600	430193039300	CALF CANYON #5	11	SENE	20S	21E
UTU72600	430193109400	FEDERAL #675-3	10	SWNW	20S	21E
UTU11620	430193119700	CALF CANYON #8	3	SESW	20S	21E
UTU70813A	430193029800	CALF CANYON #1	3	SWSE	20S	21E
UTU70813A	430193037600	FEDERAL 675-1	10	NENW	20S	21E
UTU70813A	430193116800	CALF CANYON #7	2	SESW	20S	21E
UTU70813A	430193118700	FEDERAL 675-4	10	NENW	20S	21E
UTU70813A	430193119900	FEDERAL 675-5	10	NWNW	20S	21E
UTU70813A	430193120300	CALF CANYON #10	3	SESE	20S	21E
UTU70813A	430193120800	FEDERAL 675-6	9	NENE	20S	21E
UTU70813A	430193120900	CALF CANYON #11	3	SWSW	20S	21E
UTU02139A	430193035500	FEDERAL 23-1	23	SWNE	20S	21E
UTU02139A	430193035900	FEDERAL 25-1	25	SWNE	20S	21E
UTU02139A	430193043200	FEDERAL 24-3	24	SWSE	20S	21E
UTU02139A	430193048800	FEDERAL 14-3	14	NESE	20S	21E
UTU02139A	430193053000	FEDERAL 24-2	24	NWNW	20S	21E
UTU02139A	430193057500	FEDERAL 25-3	25	SESE	20S	21E
UTU02139A	430193058600	FEDERAL 23-2	23	NWNW	20S	21E
UTU02139A	430193058700	FEDERAL 25-2	25	SWSW	20S	21E
UTU02139A	430193058800	FEDERAL 23-3	23	NESW	20S	21E
UTU02139A	430193074300	FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	20S	21E
UTU02139A	430193087800	FEDERAL 14-4	14	SWSW	20S	21E
UTU02139A	430193090000	FEDERAL 24-4	24	NWNE	20S	21E
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20S	21E
UTU02140A	430193043000	FEDERAL 14-1	14	NWNW	20S	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	20S	21E
UTU02140A	430193048500	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	430193048700	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	20S	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	20S	21E
UTU02140A	430193063600	FEDERAL 15-2	15	NWNW	20S	21E
UTU02140A	430193063700	FEDERAL 15-3	15	NENE	20S	21E
UTU02140A	430193067300	FEDERAL 13-2	13	SENW	20S	21E
UTU02140A	430193088100	FEDERAL 12-1	12	SWSW	20S	21E
UTU02140A	430193088200	FEDERAL 11-2	11	SESE	20S	21E
UTU02140A	430193088300	FEDERAL 13-3	13	NWNE	20S	21E
UTU02140A	430193088400	FEDERAL 11-3	11	SWSW	20S	21E
UTU02140A	430193088500	FEDERAL 13-4	13	NWSE	20S	21E
UTU02140A	430193088700	FEDERAL 15-4	15	SWSW	20S	21E
UTU02140A	430193121000	FEDERAL 10-2	10	NESW	20S	21E
UTU12702	430193042900	FEDERAL 30-1	30	SWNW	20S	22E
UTU12702A	430193030200	FEDERAL 19-3	19	SWSW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193089600	FEDERAL 19-1A	19	SWNW	20S	22E
UTU37730	430193087500	FEDERAL 18-1	18	NESW	20S	22E
STATE WELL ML-24295	430193034700	STATE 32-1	32	W 1/2	20S	22E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-LP ✓ <i>6/15</i>
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective: **05-23-2001**

FROM: (Old Operator):
TWIN ARROW INC
Address: P. O BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1415

TO: (New Operator):
JELCO ENERGY INC
Address: P. O . BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1825

CA No.

Unit:

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 1-10	43-019-30484	8141	10-20S-21E	FEDERAL	GW	S
FEDERAL 11-1	43-019-30485	8142	11-20S-21E	FEDERAL	GW	P
FEDERAL 13-1	43-019-30348	8146	13-20S-21E	FEDERAL	GW	TA
FEDERAL 14-1	43-019-30430	8169	14-20S-21E	FEDERAL	GW	P
FEDERAL 14-1A	43-019-30436	8150	14-20S-21E	FEDERAL	GW	TA
FEDERAL 14-2	43-019-30487	8151	14-20S-21E	FEDERAL	GW	P
FEDERAL 14-3	43-019-30488	8152	14-20S-21E	FEDERAL	GW	P
FEDERAL 14-4	43-019-30878	8153	14-20S-21E	FEDERAL	GW	S
FEDERAL 15-1	43-019-30585	11391	15-20S-21E	FEDERAL	GW	TA
FEDERAL 23-1	43-019-30355	11393	23-20S-21E	FEDERAL	GW	P
FEDERAL 23-2	43-019-30586	8140	23-20S-21E	FEDERAL	GW	P
FEDERAL 23-3	43-019-30588	8157	23-20S-21E	FEDERAL	GW	P
FEDERAL 23-4	43-019-30760	8158	23-20S-21E	FEDERAL	GW	P
FEDERAL 24-2	43-019-30530	8159	24-20S-21E	FEDERAL	GW	P
FEDERAL 24-3	43-019-30432	11395	24-20S-21E	FEDERAL	GW	P
FEDERAL 24-4	43-019-30900	8208	24-20S-21E	FEDERAL	GW	TA
FEDERAL 25-1	43-019-30359	11394	25-20S-21E	FEDERAL	GW	S
FEDERAL 25-2	43-019-30587	11392	25-20S-21E	FEDERAL	OW	S
FEDERAL 25-3	43-019-30575	8170	25-20S-21E	FEDERAL	GW	P
FEDERAL 25-4	43-019-30743	8181	25-20S-21E	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/15/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/15/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/18/2001
4. Is the new operator registered in the State of Utah: YES Business Number: 4825833-0143

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMH No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

RECEIVED
FIELD OFFICE

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
ABS Energy LLC

3a. Address
P.O. Box 736, Rangely, CO 81648

3b. Phone No. (include area code)
970-675-5212

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached list

2003 JUN -9 P 1:16

DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

5. Lease Serial No.
UTU02139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
See attached list

9. API Well No.
See attached list

10. Field and Pool, or Exploratory Area
Greater Cisco

11. County or Parish, State
Grand County, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Effective January 1, 2003, ABS Energy LLC is the new operator. ABS Energy LLC is responsible under the terms and conditions of the lease for operations conducted on the lease lands or portions thereof.

Bond Coverage for these wells will be provided by BLM Bond No. UTB000034

Linda Gordon
Selco Energy/Linda C. Gordon

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Linda C. Gordon Title Office Manager/ABS Energy LLC

Signature *Linda Gordon* Date June 4, 2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by **ACCEPTED** Title Division of Resources Date JUN 9 2003

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease, which would entitle the applicant to conduct operations thereon. Office Moab Field Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

cc: *UNOGM 6/10/03*

Conditions Attached
RECEIVED
JUN 30 2003
DIV. OF OIL, GAS & MIN...

FED. LEASE #	API #	WELL NAME	SEC	QTR	TWP	RNG
UTU02139A	430193035500	FEDERAL 23-1	23	SWNE	20S	21E
UTU02139A	430193035900	FEDERAL 25-1	25	SWNE	20S	21E
UTU02139A	430193043200	FEDERAL 24-3	24	SWSE	20S	21E
UTU02139A	430193048800	FEDERAL 14-3	14	NESE	20S	21E
UTU02139A	430193053000	FEDERAL 24-2	24	NWNW	20S	21E
UTU02139A	430193057500	FEDERAL 25-3	25	SESE	20S	21E
UTU02139A	430193058600	FEDERAL 23-2	23	NWNW	20S	21E
UTU02139A	430193058700	FEDERAL 25-2	25	SWSW	20S	21E
UTU02139A	430193058800	FEDERAL 23-3	23	NESW	20S	21E
UTU02139A	430193074300	FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	20S	21E
UTU02139A	430193087800	FEDERAL 14-4	14	SWSW	20S	21E
UTU02139A	430193090000	FEDERAL 24-4	24	NWNE	20S	21E

ABS Energy, LLC
All Wells on Lease
Sections 14, 23, 24 and 25, T. 20 S., R. 21 E.
Lease UTU02139A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that ABS Energy, LLC is considered to be the operator of the above wells effective January 1, 2003, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000034 (Principal – ABS Energy, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Jelco Energy (formerly Twin Arrow Inc.)		8. WELL NAME and NUMBER: see attached list
3. ADDRESS OF OPERATOR: P.O. Box 948, Rangely, CO 81648		9. API NUMBER:
4. LOCATION OF WELL FOOTAGES AT SURFACE: see attached list		10. FIELD AND POOL, OR WILDCAT:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		COUNTY: Grand
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2003, Jelco Energy sold all its interest and ownership in the wells listed of the attached list. The new owner and operator is ABS Energy LLC, P.O. Box 736, Rangely, CO 81648. Jelco Energy relinquishes ownership of all operating rights to ABS Energy LLC.

Linda C. Gordon
New Operator/ABS Energy LLC.
P.O. Box 736
Rangely, CO 81648
Fax 970-675-8558
Office 970-629-1116
ABS Energy LLC BLM Bond UTB000034

NAME (PLEASE PRINT) <u>Linda C. Gordon</u>	TITLE <u>Office Mgr</u>
SIGNATURE <i>Linda C. Gordon</i>	DATE <u>7/2/03</u>

(This space for State use only)

RECEIVED

JUL 08 2003

DIV. OF OIL, GAS & MINING

WELL NAMES, ENTITY #'S AND WELL ID

WELL NAME	ENTITY #	API #	WELL TYPE	LEGAL DESCRIPTION	LEASE TYPE	STATUS
FEDERAL 14-1A	08150	4301930436	GAS	T20S,R21E, SEC 14	FEDERAL	TA
FEDERAL 1-10	08141	4301930484	GAS	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 10-2	08207	4301931210	GAS	T20S,R21E, SEC 10	FEDERAL	TA
FEDERAL 11-1	08142	4301930485	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 11-2	08143	4301930882	GAS	T20S,R21E, SEC 11	FEDERAL	S
FEDERAL 11-3	08144	4301930884	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 12-1	08145	4301930881	GAS	T20S,R21E, SEC 12	FEDERAL	TA
FEDERAL 13-1	08146	4301930348	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-2	08147	4301930673	GAS	T20S,R21E, SEC 13	FEDERAL	P
FEDERAL 13-3	08148	4301930883	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-4	08149	4301930885	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 14-1	08169	4301930430	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-2	08151	4301930487	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-3	08152	4301930488	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-4	08153	4301930878	GAS	T20S,R21E, SEC 14	FEDERAL	S
FEDERAL 15-1	11391	4301930585	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 15-2	08154	4301930636	GAS	T20S,R21E, SEC 15	FEDERAL	S
FEDERAL 15-3	08155	4301930637	GAS	T20S,R21E, SEC 15	FEDERAL	P
FEDERAL 15-4	10140	4301930887	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 18-1	08200	4301930875	GAS	T20S,R22E, SEC 18	FEDERAL	S
FEDERAL 19-1A	08201	4301930896	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 19-3	08201	4301930302	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 22-1	08156	4301930625	GAS	T20S,R21E, SEC 22	FEDERAL	P
FEDERAL 23-1	11393	4301930355	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-2	08140	4301930586	GAS	T20S,R21E, SEC 23	FEDERAL	S
FEDERAL 23-3	08157	4301930588	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-4	08158	4301930760	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 24-2	08159	4301930530	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-3	11395	4301930432	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-4	08208	4301930900	GAS	T20S,R21E, SEC 24	FEDERAL	TA
FEDERAL 25-1	11394	4301930359	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-2	11392	4301930587	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-3	08171	4301930575	GAS	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-4	08181	4301930743	GAS	T20S,R21E, SEC 25	FEDERAL	P
FEDERAL 30-1	08203	4301930429	GAS	T20S,R22E, SEC 30	FEDERAL	S
FEDERAL 31-1A	08204	4301930308	GAS	T20S,R22E, SEC 31	FEDERAL	P
STATE 32-1	08206	4301930347 c	GAS	T20S,R22E, SEC 32	STATE	P
CC #1	11666	4301930298	OIL	T20S,R21E, SEC 3	FEDERAL	P
CC #4	02515	4301930392	OIL	T20S,R21E, SEC 11	FEDERAL	S
CC #5	02490	4301930393	OIL	T20S,R21E, SEC 11	FEDERAL	TA
CC #8	09820	4301931197	OIL	T20S,R21E, SEC 3	FEDERAL	S
CC #10	11666	4301931203	OIL	T20S,R21E, SEC 3	FEDERAL	S
FEDERAL 675-1	11666	4301930376	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-3	00303	4301931094	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-4	11666	4301931187	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-5	11666	4301931199	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-6	11666	4301931208	OIL	T20S,R21E, SEC 9	FEDERAL	S

Sanjour

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:		1/1/2003
FROM: (Old Operator):	TO: (New Operator):	
N1825-Jelco Energy, Inc. PO Box 948 Rangely, CO 81648 Phone: (970) 629-1116	N2475-ABS Energy, LLC PO Box 736 Rangely, CO 81648 Phone: (970) 629-1116	

CA No.

Unit:

WELL(S)								
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 14-3	14	200S	210E	4301930488	8152	FEDERAL	GW	P
FEDERAL 14-4	14	200S	210E	4301930878	8153	FEDERAL	GW	S
FEDERAL 23-1	23	200S	210E	4301930355	11393	FEDERAL	GW	P
FEDERAL 23-2	23	200S	210E	4301930586	8140	FEDERAL	GW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	FEDERAL	GW	P
FEDERAL 23-4	23	200S	210E	4301930760	8158	FEDERAL	GW	P
FEDERAL 24-3	24	200S	210E	4301930432	11395	FEDERAL	GW	P
FEDERAL 24-2	24	200S	210E	4301930530	8159	FEDERAL	GW	P
FEDERAL 24-4	24	200S	210E	4301930900	8208	FEDERAL	GW	TA
FEDERAL 25-1	25	200S	210E	4301930359	11394	FEDERAL	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8171	FEDERAL	GW	S
FEDERAL 25-2	25	200S	210E	4301930587	11392	FEDERAL	OW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/8/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 7/8/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/7/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5333071-0161
- If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 6/9/2003

8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- 1. Changes entered in the Oil and Gas Database on: 8/7/2003
- 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/7/2003
- 3. Bond information entered in RBDMS on: n/a
- 4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000034

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

- 1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- 2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR: Elk Production, LLC N2650		9. API NUMBER:
3. ADDRESS OF OPERATOR: 770 S. Post Oak Lane #320 CITY Houston STATE TX ZIP 77056		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached list		COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Change of operator from ABS Energy, LLC to Elk Production LLC.

Old Operator: ABS Energy, LLC N2475

By: 
Andy Saied, Managing Member
PO Box 307
Farmington, NM 87499

New Operator: ELK PRODUCTION, LLC

NAME (PLEASE PRINT) <u>Richard P. Crist</u>	TITLE <u>Executive Vice President</u>
SIGNATURE <u>Richard P. Crist</u>	DATE <u>8/12/04</u>

(This space for State use only)

RECEIVED
AUG 17 2004
DIV. OF OIL, GAS & MINING

ATTACHMENT TO SUNDRY NOTICE

**Transfer from ABS Energy, LLC to Elk Production, LLC
Effective July 22, 2004**

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
State 32-1	43-019-30347	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T 20 S, R 22 E
Federal 31-1A	43-019-30308	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 31, T 20 S, R 22 E
Federal 30-1	43-019-30429	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 30, T 20 S, R 22 E
Federal 25-1	43-019-30359	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-2	43-019-30587	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-3	43-019-30575	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-4	43-019-30743	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 24-4	43-019-30900	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-2	43-019-30530	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-3	43-019-30432	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 23-1	43-019-30355	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-3	43-019-30588	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-4	43-019-30760	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-2	43-019-30586	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 22-1	43-019-30625	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T 20 S, R 21 E
Federal 19-3	43-019-30302	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 19-1A	43-019-30896	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 18-1	43-019-30875	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T 20 S, R 22 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 15-2	43-019-30636	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-1	43-019-30585	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-3	43-019-30637	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-4	43-019-30887	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 14-3	43-019-30488	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-1A	43-019-30436	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T 20 S, R 12 E
Federal 14-2	43-019-30487	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-1	43-019-30430	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-4	43-019-30878	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 13-2	43-019-30673	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-4	43-019-30885	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-1	43-019-30348	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-3	43-019-30883	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 12-1	43-019-30881	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T 20 S, R 21 E
Calf Canyon 4	43-019-30392	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-3	43-019-30884	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Calf Canyon 5	43-019-30393	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-1	43-019-30485	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-2	43-019-30882	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 675 5	43-019-31199	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Federal 1-10	43-019-30484	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 675 4	43-019-31187	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Fed 3-675	43-019-31094	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Federal 675-1	43-019-30376	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Federal 10-2	43-019-31210	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Federal 675-6	43-019-31208	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, T 20 S, R 21 E
Calf Canyon 1	43-019-30298	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, T 20 S, R 21 E
Calf Canyon 8	43-019-31197	SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T 20 S, R 21 E
Calf Canyon Fed 10	43-019-31203	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, T 20 S, R 21 E
Calf Cyn 7	43-019-31168	SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, T 20 S, R 21 E
Calf Canyon 11	43-019-31209	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 2, T 20 S, R 21 E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

7/22/2004

FROM: (Old Operator): N2475-ABS Energy, LLC PO Box 307 Farmington, NM 87499 Phone: 1-(TO: (New Operator): N2650-Elk Production, LLC 770 S Post Oak Lane, Suite 320 Houston, TX 77056 Phone: 1-(713) 751-9500
---	---

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
STATE 32-1	32	200S	220E	4301930347	8206	state	GW	P
FEDERAL 1-10	10	200S	210E	4301930484	8141	Fed	GW	S
CALF CANYON 5	11	200S	210E	4301930393	2490	Fed	OW	TA
FEDERAL 11-1	11	200S	210E	4301930485	8142	Fed	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	Fed	GW	TA
FEDERAL 14-1	14	200S	210E	4301930430	8169	Fed	GW	P
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Fed	GW	TA
FEDERAL 14-2	14	200S	210E	4301930487	8151	Fed	GW	P
FEDERAL 14-3	14	200S	210E	4301930488	8152	Fed	GW	P
FEDERAL 15-1	15	200S	210E	4301930585	11391	Fed	GW	TA
FEDERAL 23-1	23	200S	210E	4301930355	11393	Fed	GW	P
FEDERAL 23-2	23	200S	210E	4301930586	8140	Fed	GW	P
FEDERAL 23-3	23	200S	210E	4301930588	8157	Fed	GW	P
FEDERAL 24-3	24	200S	210E	4301930432	11395	Fed	GW	P
FEDERAL 24-2	24	200S	210E	4301930530	8159	Fed	GW	P
FEDERAL 25-1	25	200S	210E	4301930359	11394	Fed	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	Fed	GW	S
FEDERAL 25-2	25	200S	210E	4301930587	11392	Fed	OW	S
FEDERAL 19-3	19	200S	220E	4301930302	8201	Fed	GW	TA
FEDERAL 30-1	30	200S	220E	4301930429	8203	Fed	GW	S
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Fed	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/17/2004
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/17/2004
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/27/2004
- Is the new operator registered in the State of Utah: YES Business Number: 5693065-0161
- If **NO**, the operator was contacted on: _____
- (R649-9-2)Waste Management Plan has been received on: to follow
- Inspections of LA PA state/fee well sites requested on: 8/31/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM applied for BIA

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 8/31/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/31/2004
3. Bond information entered in RBDMS on: 8/31/2004
4. Fee/State wells attached to bond in RBDMS on: 8/31/2004
5. Injection Projects to new operator in RBDMS on: n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000963

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B000969

2. The **FORMER** operator has requested a release of liability from their bond on: TLA held
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 9/1/2004

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator **Elk Production, LLC**

3a. Address
770 S. Post Oak Lane #320, Houston, TX 77056

3b. Phone No. (include area code)
(713)751-950

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached

5. Lease Serial No.
UTU-02139A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Multiple

9. API Well No.
See attached

10. Field and Pool, or Exploratory Area

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change of Operator
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator from ABS Energy, LLC to Elk Production, LLC effective July 22, 2004

Elk's BLM Bond # is UT0000135

RECEIVED
 MOAB FIELD OFFICE
 2004 AUG 16 P 4: 41
 DEPT OF THE INTERIOR
 BUREAU OF LAND MGMT

14. I hereby certify that the foregoing is true and correct
 Name (Printed/Typed)

Richard P. Crist

Title **Executive Vice President**

Signature

Richard P. Crist

Date

8/12/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Title **Division of Resources** Date **AUG 25 2004**

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Moab Field Office

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

CC: U006M

Conditions Attached

RECEIVED

SEP 07 2004

ATTACHMENT TO SUNDRY NOTICE

Wells Located on UTU-02139A

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 14-4 ✓	43-019-30878	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14, T20S, R21E
Federal 14-3 ✓	43-019-30488	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, T20S, R21E
Federal 23-1 ✓	43-019-30355	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, T20S, R21E
Federal 23-3 ✓	43-019-30588	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23 T20S, R21E
Federal 23-4 ✓	43-019-30760	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T20S, R21E
Federal 23-2 ✓	43-019-30586	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T20S, R21E
Federal 24-3 ✓	43-019-30432	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T20S, R21E
Federal 24-2 ✓	43-019-30530	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T20S, R21E
Federal 24-4 ✓	43-019-30900	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T20S, R21E
Federal 25-4 ✓	43-019-30743	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 25, T20S, R21E
Federal 25-3 ✓	43-019-30575	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T20S, R21E
Federal 25-2 ✓	43-019-30587	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T20S, R21E
Federal 25-1 ✓	43-019-30359	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T20S, R21E

Elk Production, LLC
All Wells on Lease
Sections 14, 23, 24 and 25, T20S, R21E
Lease UTU02139A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject leases which would entitle the applicant to conduct operations thereon.

Be advised that Elk Production, LLC is considered to be the operator of all wells on lease UTU02139A effective July 22, 2004, and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for these well is provided by UTB000135 (Principal – Elk Production, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator): N2650-Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202 Phone: 1 (303) 296-4505	TO: (New Operator): N3785-SEP - Cisco Dome LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106 Phone: 1 (435) 940-9001
---	--

WELL NAME		CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 54 WELLS										

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2)Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 1481053, 1481056 and 1481054
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: See attached list
2. NAME OF OPERATOR: SEP - CISCO DOME, LLC		9. API NUMBER:
3. ADDRESS OF OPERATOR: 1245 Brickyard Rd., Ste 210 CITY Salt Lake City STATE UT ZIP 84106		10. FIELD AND POOL, OR WILDCAT:
PHONE NUMBER: (435) 940-9001		

4. LOCATION OF WELL

FOOTAGES AT SURFACE: _____ COUNTY: **Grand County**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Previous Operator: Elk Production, LLC 1401 7th Street, Suite 700 Denver, Colorado 80202 303-296-4505	New Operator: SEP - CISCO DOME, LLC 1245 Brickyard Rd., Ste. 210 Salt Lake City, UT 435-940-9001
--	---

Utah DOGM Bond # Thunderbird 2: 1481053-1481056; State 32-1; 1481054
BLM Bond # 4TB000465

effective 8/1/2011

SEP - CISCO DOME, LLC representative:

Name (Please Print): <u>David Lillywhite</u>	Title: <u>President</u>
Signature:	Date: <u>7/28/11</u>

NAME (PLEASE PRINT) <u>John Whisler</u>	TITLE <u>Chief Executive Officer</u>
SIGNATURE	DATE <u>7/28/11</u>

(This space for State use only)

APPROVED 9/13/2011
Earlene Russell
Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

RECEIVED
SEP 06 2011
DIV. OF OIL, GAS & MINING

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
effective 8/1/2011

well name	sec	twp	rng	api	entity	well	stat
THUNDERBIRD 1	32	200S	240E	4301930058	10339	OW	P
FEDERAL 19-3	19	200S	220E	4301930302	8201	GW	TA
FEDERAL 31-1A	31	200S	220E	4301930308	8204	GW	P
STATE 32-1	32	200S	220E	4301930347	8206	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	GW	TA
FEDERAL 23-1	23	200S	210E	4301930355	11393	GW	P
FEDERAL 25-1	25	200S	210E	4301930359	11394	GW	S
CALF CANYON 5	11	200S	210E	4301930393	2490	OW	TA
FEDERAL 30-1	30	200S	220E	4301930429	8203	GW	S
FEDERAL 14-1	14	200S	210E	4301930430	8169	GW	P
FEDERAL 24-3	24	200S	210E	4301930432	11395	GW	S
FEDERAL 14-1A	14	200S	210E	4301930436	8150	GW	TA
FEDERAL 1-10	10	200S	210E	4301930484	8141	GW	S
FEDERAL 11-1	11	200S	210E	4301930485	8142	GW	P
FEDERAL 14-2	14	200S	210E	4301930487	8151	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	GW	S
FEDERAL 15-1	15	200S	210E	4301930585	11391	GW	TA
FEDERAL 23-2	23	200S	210E	4301930586	8140	GW	P
FEDERAL 25-2	25	200S	210E	4301930587	11392	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	GW	P
FEDERAL 15-2	15	200S	210E	4301930636	8154	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	GW	P
FEDERAL 18-1	18	200S	220E	4301930875	8200	GW	S
FEDERAL 14-4	14	200S	210E	4301930878	8153	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	GW	S
FEDERAL 13-3	13	200S	210E	4301930883	8148	GW	TA
FEDERAL 11-3	11	200S	210E	4301930884	8144	GW	S
FEDERAL 13-4	13	200S	210E	4301930885	8149	GW	TA
FEDERAL 15-4	15	200S	210E	4301930887	10140	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	GW	TA
FED 3-675	10	200S	210E	4301931094	303	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	GW	TA
FEDERAL 14-6	14	200S	210E	4301931421	14803	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	GW	P
FEDERAL 24-6	24	200S	210E	4301931423	14779	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	GW	S
FEDERAL 15-8	15	200S	210E	4301931434	15006	GW	P
FEDERAL 15-7	15	200S	210E	4301931435	14868	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	GW	P
FEDERAL 25-5	25	200S	210E	4301931444	14849	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU-02139A
2. Name of Operator SEP - CISCO DOME, LLC		6. If Indian, Allottee or Tribe Name
3a. Address	3b. Phone No. (include area code)	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) T20S-R21E Sec 14- NESE		8. Well Name and No. Federal 14-3
		9. API Well No. 4301930488
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by UTB 0004105.

RECEIVED

OCT 03 2011

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

David Lillywhite

Title President

Signature

Date 7/28/10

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Division of Resources

Date

9/19/11

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Mwab Field Office
Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

cc: UJOGM

Conditions Attached

SEP-Cisco Dome, LLC

Lease UTU02139A

Wells 14-3, 14-4, 14-8, 23-1, 23-2, 23-3, 23-4, 23-5, 23-6, 24-2,
24-3, 24-4, 24-5, 24-6, 25-3

Sections 14, 23, 24 and 25, T20S, R21E

Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator): N2650-Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202 Phone: 1 (303) 296-4505	TO: (New Operator): N3785-SEP - Cisco Dome LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106 Phone: 1 (435) 940-9001
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 10 WELLS									

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2)Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
 effective 8/1/2011

well_name	sec	twp	rng	api	entity	well	stat
CALF CANYON 1	03	200S	210E	4301930298	11666	OW	S
FEDERAL 675-1	10	200S	210E	4301930376	11666	OW	S
CALF CANYON 4	11	200S	210E	4301930392	2515	OW	S
CALF CYN 7	03	200S	210E	4301931168	11666	GW	S
FEDERAL 675 4	10	200S	210E	4301931187	11666	OW	P
CALF CANYON 8	03	200S	210E	4301931197	16780	GW	S
FEDERAL 675 5	10	200S	210E	4301931199	11666	OW	S
CALF CANYON FED 10	03	200S	210E	4301931203	11666	OW	S
FEDERAL 675-6	09	200S	210E	4301931208	11666	OW	S
CALF CANYON 11	03	200S	210E	4301931209	15278	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.		5. Lease Serial No. UTU-02139A
1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
2. Name of Operator SEP - CISCO DOME, LLC		7. If Unit or CA/Agreement, Name and/or No.
3a. Address	3b. Phone No. (include area code)	8. Well Name and No. Federal 14-3
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) T20S-R21E Sec 14- NESE		9. API Well No. 4301930488
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by UTB 0004105.

RECEIVED
OCT 03 2011
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

David Lillywhite

Title President

Signature

Date 7/28/10

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Division of Resources

Date

9/19/11

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Mwab Field Office
Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

cc: UJ06M

Conditions Attached

SEP-Cisco Dome, LLC
Lease UTU02139A
Wells 14-3, 14-4, 14-8, 23-1, 23-2, 23-3, 23-4, 23-5, 23-6, 24-2,
24-3, 24-4, 24-5, 24-6, 25-3
Sections 14, 23, 24 and 25, T20S, R21E
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Effective Date: 9/1/2014

FORMER OPERATOR:	NEW OPERATOR:
SEP CISCO DOME, LLC N3785 10447 SOUTH JORDAN GATEWAY SOUTH JORDAN UT 84095 801-657-5780	ROSE PETROLEUM (UTAH), LLC N4095 383 INVERNESS PARKWAY SUITE 330 ENGLEWOOD CO 80112 720-390-3860
CA Number(s):	Unit(s):

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 1/26/2015
- Sundry or legal documentation was received from the **NEW** operator on: 1/26/2015
- New operator Division of Corporations Business Number: 9009626-0161

REVIEW:

- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: N/A
- Reports current for Production/Disposition & Sundries: 1/23/2015
- OPS/SI/TA well(s) reviewed for full cost bonding: N/A
- UIC5 on all disposal/injection/storage well(s) approved on: N/A
- Surface Facility(s) included in operator change: NONE
- Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 1001696855
- Indian well(s) covered by Bond Number: N/A
- State/fee well(s) covered by Bond Number(s): N/A

DATA ENTRY:

- Well(s) update in the **OGIS** on: 1/27/2015
- Entity Number(s) updated in **OGIS** on: 1/27/2015
- Unit(s) operator number update in **OGIS** on: N/A
- Surface Facilities update in **OGIS** on: N/A
- State/Fee well(s) attached to bond(s) in **RBDMS** on: N/A
- Surface Facilities update in **RBDMS** on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

SEP Cisco Dome, LLC N3785
to Rose Petroleum (Utah), LLC N4095
Effective 9/1/2014

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	P
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	P
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	P
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	P
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	P
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	P
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	P
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	P
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	P
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	TA
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	TA
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	TA
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	TA

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

8. WELL NAME and NUMBER:
SEE ATTACHED LIST

9. API NUMBER:
SEE LIST

10. FIELD AND POOL, OR WILDCAT:
GREATER CISCO

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depths, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
ROSE PETROLEUM (UTAH) LLC

3. ADDRESS OF OPERATOR:
383 INVERNESS PARKWAY CITY ENGLEWOOD STATE CO ZIP 80112 PHONE NUMBER: (720) 390-3860

4. LOCATION OF WELL
FOOTAGES AT SURFACE COUNTY: GRAND
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN. STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR- Effective as of September 1, 2014

PREVIOUS OPERATOR:

NEW OPERATOR:

SEP - CISCO DOME N3785
10447 SOUTH JORDAN GATEWAY
SOUTH JORDAN, UT 84095
(801) 657-5780

ROSE PETROLEUM (UTAH), LLC DIV. OF OIL, GAS & MINING
383 INVERNESS PARKWAY, SUITE 330
ENGLEWOOD, CO 80112
(720) 390-3860 N4095

Name: ~~Doris D. White~~ Larry R. Williams
Title: Resident Land Manager & Corporate Counsel

Be advised that Rose Petroleum (Utah), LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is provided by Bond No. 1001696855.

NAME (PLEASE PRINT) John M. Blair TITLE CEO
SIGNATURE [Signature] DATE 1-23-15

APPROVED

JAN 27 2015

DIV. OIL GAS & MINING
BY: Rachel Medina

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30898-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SWNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SWNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

Division of Oil, Gas and Mining
 Operator Change/Name Change Worksheet-for State use only

Effective Date: 7/1/2016

FORMER OPERATOR: Rose Petroleum (Utah), LLC N4095 383 Inverness Parkway, Suite 330 Englewood, CO 80112	NEW OPERATOR: Rockies Standard Oil Company, LLC N3735 1411 East 840 North Orem, UT 84097
CA Number(s):	Unit(s): Gunnison Valley

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 7/27/2016
- Sundry or legal documentation was received from the **NEW** operator on: 7/27/2016
- New operator Division of Corporations Business Number: 7698560-0161

REVIEW:

- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
- Receipt of Acceptance of Drilling Procedures for APD on: N/A
- Reports current for Production/Disposition & Sundries: 9/14/2016
- OPS/SI/TA well(s) reviewed for full cost bonding: 8/24/2016
- UIC5 on all disposal/injection/storage well(s) approved on: N/A
- Surface Facility(s) included in operator change: N/A
- Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 1001696855
- Indian well(s) covered by Bond Number: 1001696855
- State/fee well(s) covered by Bond Number(s): 1001696885a,b,c,d,e

DATA ENTRY:

- Well(s) update in the **OGIS** on: 9/14/2016
- Entity Number(s) updated in **OGIS** on: 9/14/2016
- Unit(s) operator number update in **OGIS** on: 9/14/2016
- Surface Facilities update in **OGIS** on: N/A
- State/Fee well(s) attached to bond(s) in **RBDMS** on: 9/14/2016
- Surface Facilities update in **RBDMS** on: N/A

COMMENTS:

From Rose Petroleum (Utah), LLC
 To Rockies Standard Oil Company, LLC
 Effective July 1, 2016

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral	Surface	Type	Status	Unit
THUNDERBIRD 1	32	200S	240E	4301930058	10339	State	State	OW	P	
CPSKY PHLPS FEE 8-1	8	200S	240E	4301915100	2800	Fee	Fee	GW	S	
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	S	
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	S	
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	S	
STATE 32-1	32	200S	220E	4301930347	8206	State	State	GW	S	
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S	
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	S	
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S	
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S	
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	S	
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S	
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	S	
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	S	
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S	
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S	
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S	
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S	
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	S	
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	S	
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S	
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S	
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S	
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S	
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S	
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S	
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S	
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S	
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	S	
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S	
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S	
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	S	
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	S	
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	S	
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	S	
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S	
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	S	
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S	
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	S	
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	S	
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S	
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S	
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	S	
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S	
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S	
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	S	
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	S	
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	S	
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S	
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S	
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	S	
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S	
STATE 16-42	16	220S	170E	4301931605	17278	State	State	GW	S	GUNNISON VALLEY
State 1-34	34	210S	230E	4301950067	19876	State	State	OW	S	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS			5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
			7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC			9. API NUMBER: SEE LIST
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		PHONE NUMBER: (801) 224-4771	10. FIELD AND POOL, OR WILDCAT: Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED LIST			COUNTY: Grand County
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

Jy Wilson

NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related leases for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

RECEIVED

JUL 27 2016

SEP 14 2016

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING
BY: Rachel Medina

DIV. OF OIL, GAS & MINING

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30896-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30586-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SWNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SWNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-15100-00-00	CPSKY PHLPS FEE 8-1	20S-24E, SEC 08:NWNW, GRAND CO., UT
43-019-30347-00-00	STATE 32-1	20S-22E, SEC 32:SEW, GRAND CO., UT
43-019-30058-00-00	THUNDERBIRD 1	20S-24E, SEC 32:NWNW, GRAND CO., UT

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 48144
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: Gunnison Valley Unit
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		8. WELL NAME and NUMBER: State 16-42
3. ADDRESS OF OPERATOR: 1411 E 840 N <small>CITY</small> Orem <small>STATE</small> UT <small>ZIP</small> 84097	PHONE NUMBER: (801) 224-4771	9. API NUMBER: 4301931605
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2108' FNL, 0559' FEL		10. FIELD AND POOL, OR WILDCAT: Wildcat
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 16 22S 17E S		COUNTY: Grand County
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

J. Watson

NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE <u><i>Kimball Hodges</i></u>	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

SEP 14 2016

DIV OIL GAS & MINING
(See Instructions on Reverse Side)
BY: Rachael Medina

RECEIVED
JUL 27 2016

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 49496
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		8. WELL NAME and NUMBER: State 1-34
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		9. API NUMBER: 4301950067
		10. FIELD AND POOL, OR WILDCAT: Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0521' FNL, 0712' FEL		COUNTY: Grand County
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENE 34 21S 23E S		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388



NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771



Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE 	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

SEP 14 2016

(See Instructions on Reverse Side)

DIV OIL GAS & MINING
BY: *Derek Medina*

RECEIVED
JUL 27 2016

DIV. OF OIL, GAS & MINING

ASSIGNMENT AND BILL OF SALE OF BONDS

THIS ASSIGNMENT AND BILL OF SALE (this "Assignment") executed by **ROSE PETROLEUM (UTAH) LLC**, a Delaware limited liability company (hereinafter called "Assignor"), with an office at 383 Inverness Parkway, Suite 330, Englewood, CO 80112, to **ROCKIES STANDARD OIL COMPANY, LLC**, a Delaware limited liability company (hereinafter called "Assignee"), with an office at 1411 East 840 North, Orem, Utah, 84097, dated effective April 1, 2016 (said day being hereinafter called the "Effective Time").

All capitalized terms not defined herein shall have the meanings ascribed to them in that certain Purchase and Sale Agreement dated March 13, 2014, executed by and between Assignor and Assignee and/or that certain Side Agreement to Purchase and Sale Agreement between Assignor and Assignee dated effective April 1, 2016.

ARTICLE I **Assignment of Bonds**

Assignor, for Ten and No/100 Dollars (\$10.00) and other good and valuable consideration in hand paid by Assignee, the receipt and sufficiency of which consideration are hereby acknowledged and confessed, by these presents does hereby ASSIGN, TRANSFER, SET OVER, RELEASE and DELIVER unto Assignee ALL (100.0%) of Assignor's right, title, and interest in and to the following described bonds and/or bonding instruments:

- (a) State of Utah School and Institutional Trust Lands Administration Bond # 5605 in the amount of \$15,000.00;
- (b) Utah Division of Oil Gas and Mining statewide blanket bond #1001696855 in the amount of \$120,000.00; and
- (c) United States Department of the Interior Bureau of Land Management bond #UTB000645 in the amount of \$280,000.00;

as well as, without limitation, any and all proceeds and/or refunds of the same. All of the bonds and/or bonding instruments (a) through (c) above are hereinafter collectively called the "Bonds".

TO HAVE AND TO HOLD the Bonds unto Assignee, its respective successors and assigns forever, subject, however, to the matters set forth herein. The Bonds are assigned by Assignor and accepted by Assignee expressly subject to the terms and conditions of that Side Agreement to Purchase and Sale Agreement dated effective April 1, 2016 executed by and between Assignor and Assignee.

ARTICLE III
Miscellaneous

Section 3.1 Further Assurances. Assignor covenants and agrees to execute and deliver to Assignee all such other and additional instruments and other documents and will do all such other acts and things as may be necessary more fully to assure to Assignee or its successors or assigns, all of the respective rights and interests herein and hereby assigned or intended to be assigned, including without limitation, executing separate assignments of individual bonds or bonding instruments, which are included in the Bonds and which are necessary to facilitate the recognition of Assignee's ownership of the Bonds.


Section 3.2 Successors and Assigns. All of the provisions hereof shall inure to the benefit of and be binding upon the respective successors and assigns of Assignor and Assignee. All references herein to either Assignor or Assignee shall include their respective successors and assigns.

Section 3.3 Counterparts. This Assignment is being executed in several original counterparts, no fewer than four (4), all of which are identical, and each such counterpart hereof shall be deemed to be an original instrument, but all such counterparts shall constitute but one and the same assignment.

IN WITNESS WHEREOF, the parties hereto have caused this Assignment to be executed on the dates of their respective acknowledgments set forth below, to be effective, however, as of the Effective Time.

Assignor

ROSE Petroleum (UTAH) LLC

By: 
Ty Watson, its President

Assignee

ROCKIES STANDARD OIL COMPANY, LLC

By: 
Name: Kimball Hodges
Title: Manager of Petro Fuego, LLC; Petro Fuego, LLC as Manager of Rockies Standard Oil Company, LLC.



Rachel Medina <rachelmedina@utah.gov>

Bonding

1 message

Rachel Medina <rachelmedina@utah.gov>
To: Kimball Hodges <khodges@rockiesstandard.com>

Wed, Aug 24, 2016 at 3:37 PM

Hi Kimball,

We will be able to move forward with moving the statewide blanket bond from Rose to individual bonds with Rockies. Below is the break down of what Dustin is going to require for each well.

CPSKY PHLPS FEE 8-1 \$15,000

Thunderbird 1 \$1,500

State 32-1 \$15,000.00

State 16-42 \$30,000

State 1-34 \$30,000.00-Once you have final inspection on this well you can submit a letter requesting a bond release on the funds.

Bring a total of \$91,500.00. What I need from Rockies now is a Form 4B.2 on each well. The bond number is going to be the check number (1001696885), then if you could add an alpha character to the end (e.g 1001696885a, 1001696885b) this help to keep the records clear in our system.

Rockies currently has two cash bonds with the Division, but as a precaution if you could also submit a current IRS W-9 form for the bank that holds our bonds that would be greatly appreciated.

Also, to have a clear account, if you would submit a letter with the above forms stating that you're using the blanket bond as individual bond. Follow that up with a request to release the remaining \$28,500 that per the submitted agreement needs to be sent to Rockies Standard and the address we should mail the check to.

To answer Brad's question the two years audited financials would need to be reviewed by an independent certified public accountant.

If you have any question please let me know. In regards to this matter...because I am handling multiple task that take me away from my desk recently, if you try to call or email me and I'm not available you may call my cell phone [REDACTED]

Thanks!

—
Rachel Medina
Division of Oil, Gas & Mining
Bonding Technician
801-538-5260



1411 East 840 North, Orem, Utah 84097

RECEIVED
AUG 31 2016
DIV. OF OIL, GAS & MINING

August 30, 2016

To: Utah Department of Oil, Gas, and Mining – Department of Natural Resources
ATTN: Rachel Medina
1594 W North Temple, Suite 1210
Salt Lake City, UT 84116

RE: Moving Rose Blanket Bond to Rockies Individual Bonds 1001696885a, 1001696885b, 1001696885c, 1001696885d, and 1001696885e and Releasing Balance to Rockies

Enclosed is a completed Form 4B.2 for each of five wells recently acquired from Rose Petroleum (Utah), LLC (“Rose”) for which Rockies Standard Oil Company, LLC (“RSOC”) will assume operations. Rose assigned its blanket DOGM bond (1001696855) to Rockies, but Rockies requests that Rose’s statewide bond instead be used to bond these wells on an individual basis rather than blanket.

Rockies further requests that the balance of the Rose blanket bond (such balance in the amount of \$28,500.00) be released to Rockies at:

Rockies Standard Oil Company, LLC
Attn: Operations
1411 East 840 North
Orem, UT 84097

Your help and prompt attention to this matter is greatly appreciated.

Sincerely,

Kimball Hodges
Manager of PetroFuego, LLC
Manager for Rockies Standard Oil Company, LLC