



March 25, 1980

Mr. Ed Guynn
U. S. Geological Survey
2000 Administrative Bldg.
1745 West 1700 South
Salt Lake City, Utah 84104

Mr. Jack Feight
Dept. of Natural Resources
1588 West North Temple
Salt Lake City, Utah 84116

Dear Sirs:

The enclosed well permit application for N. P. Energy Corp. Federal #15-2 well calls for a site which is 1192' from the W-line and 1240' from the N-line. This location is not the required 200 ft. from the $\frac{1}{2}$ - $\frac{1}{2}$ line according to the new spacing rule.

The topography in the area is rugged with many cliffs and canyons, as can be noted on the attached topographic map; so favorable, accessible sites are scarce and usually do not fall within the prescribed spacing allowances. Therefore a topographic exception is requested for this location.

The spacing between wells and distance from lease lines are well within the limits.

Sincerely yours,

A handwritten signature in cursive script that reads "W. Don Quigley".

W. Don Quigley
Vice-President

A rectangular stamp with the word "RECEIVED" in a bold, blocky, sans-serif font, slanted slightly to the right.

MAR 26 1980

WDQ:sb

Enclosure

DIVISION OF
OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
 DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 N. P. Energy Corp.

3. ADDRESS OF OPERATOR
 Suite 320, 57 W. So. Temple, S.L.C., Utah 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
 At surface NW. NW. Sec. 10, T 20S, R 21E, S.L.M.
 At proposed prod. zone 1192' fr. W-line and 1240' fr. N-line

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 Approximately 16 miles NW of Cisco, Utah

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1192'

16. NO. OF ACRES IN LEASE 2400 Acres

17. NO. OF ACRES ASSIGNED TO THIS WELL 40 Acres

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1800'

19. PROPOSED DEPTH 3250' *Entrada*

20. ROTARY OR CABLE TOOLS Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 5360' Grd; 5370' K.B.

22. APPROX. DATE WORK WILL START*
 April 30, 1980

5. LEASE DESIGNATION AND SERIAL NO.
 U-02140

6. IF INDIAN ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
 Federal

9. WELL NO.
 Federal #15-2

10. FIELD AND POOL, OR WILDCAT
 Gtr Cisco Area

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
~~Cisco Area~~
 NW. NW. Sec. 15-20S-21E S.L.M.

12. COUNTY OR PARISH
 Grand

13. STATE
 Utah

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	8 5/8"	24.00	200'	110 sks
7 7/8"	4 1/2"	10.50	Thru pay zone	Cemented to 200' above top of Kd.

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mountain, Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (8 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A prognosis of the well is attached.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED H. Don Quigley TITLE Vice-President DATE March 24, 1980


(This space for Federal or State office use)
 PERMIT NO. 43-019-30636 APPROVAL DATE **RECEIVED** 4/29/80
 APPROVED BY _____ TITLE _____

APPROVED BY THE DIVISION OF OIL, GAS, AND MINING
 DATE: _____
 BY: _____

MAR 26 1980
 APPROVED BY THE DIVISION OF OIL, GAS, AND MINING
 DIVISION OF OIL, GAS & MINING
 DATE: 4-29-80
 BY: M. J. Minder

*See Instructions On Reverse Side

LOCATION PLAT
FOR
N. P. ENERGY CORPORATION
FEDERAL #15-2 WELL
NW. NW. SEC. 15-20S-21E.
GRAND COUNTY, UTAH
ELEVATION: 5360' Grd.
(1192' fr. W-line and 1240' fr. N-line)



I, Sherman D. Gardner, do hereby certify that this plat was plotted from notes of a field survey made under my direct supervision, responsibility, and checking on Mar. 18, 1980.

Scale: 1" = 400'
Date: Mar. 26, 1980

Sherman D. Gardner
Registered Land Surveyor
State of Utah #1556

Tract #22-1 NP ENERGY CISC DOME PROSPECT


R 22 E

R 21 E

T 19 S

T 20 S

T 21 S



RECEIVED

APR 03 1980


DIVISION OF OIL, GAS & MINING


Map # 3

BRGD CANYON

NP ENERGY CISCO DOM PROSPECT


- COMMERCIAL GAS WELLS
- DRY HOLES
- + DRILL LOCATIONS





P. 21

MAP NO. 1



UNCOMPAHGRE FAULT

2

PROGNOSIS FOR
N. P. ENERGY CORPORATION
FEDERAL #15-2 WELL
GRAND COUNTY, UTAH

Location: NW. NW. Section 15, T 20S, R 21E, S.L.M., Grand County, Utah (1192' from W-line and 1240' from N-line)

Elevation: 5360' grd; 5370' K.B.

Surface Casing: 200 ft. of 8 5/8", 24.00#, K-55, R-3 casing set and cemented with 110 sks of reg. cement w/3% CaCl; with returns to the surface. The surface hole, 12 1/2", will be drilled to 200 ft. K.B. and will be less than 1 1/2° deviation.

Expected Formation Tops:

<u>Formation</u>	<u>Depth to Top</u>	<u>Thickness</u>	<u>Datum</u>
Mancos	Surface	2470'	5370' K.B.
Dakota *	2470'	70'	2900'
Cedar Mountain *	2540'	65'	2830'
Morrison (Brushy B.) *	2605'	270'	2765'
(Salt Wash) *	2875'	250'	2495'
Curtis-Summerville	3125'	80'	2245'
Entrada *	3205'	---	2165'
TOTAL DEPTH	3250'		

*Formations which may contain hydrocarbons

1. It is planned to drill a 12 1/2" surface hole for the surface casing down to a depth of about 200 ft. and set 8 5/8-inch casing with approximately 110 sks of cement with returns to the surface. A casing head or flange will be mounted on top of the surface casing and a blowout preventer with blind and pipe rams (hydraulic) will be mounted on the casing head. A rotating head will then be mounted on top of the blowout preventer. A blewie line, at least 100 ft. long, will then be attached to the rotating head and extended into the reserve pit.
2. A 7 7/8" hole will then be drilled below the surface casing, using air for circulation. A flare will be maintained at the

end of the blewie line at all times while drilling below 2000'. This will insure that no gas will be missed. The air drilling will also minimize the damage to the hydrocarbon reservoir.

3. Samples of the cuttings will begin at 2000'. 30-ft. samples will be taken from 2000' to 2400', and then 10-ft. samples will be taken from 2400' to total depth.
4. It is planned to drill the well to a depth which is approximately 100 feet below the top of the Entrada formation unless good commercial flow of gas is obtained above this depth.
5. If a high gas flow (several million cubic feet) and/or when the total depth of the well is reached, electric logs will be run. Prior to running logs, high viscosity mud (not less than 100 vis.) will be pumped into the hole to provide control of the gas and to provide a conductive medium for the logs. A dual-induction-laterolog will be run from bottom to the top of the hole, and a gamma-density and compensated neutron porosity log will be run from the bottom to a point which is 150' above the top of the Dakota formation. No toxic gases or high pressure zones are anticipated in this well.
6. If good production (over 750 MCF) is obtained, 4½" O.D., 10.50#, K-55, R-3 new casing will be run and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will then be perforated, 2 3/8" O.D. tubing run, and completed conventionally.
7. It is anticipated that the drilling of the well will require less than one week.

W. Don Quigley
W. Don Quigley
Consultant
Salt Lake City, Utah

N T L - 6 P L A N R E P O R T

For

Well Name: Federal #15-2

Location: NW, NW, Sec. 15-20S-21E, S.L.M., Grand County, Utah

1. Existing Roads: (See attached Maps)

A. Well Location: (See Plat #1)

Reference Stakes: 150' N-S-E-W

Perimeter Stakes: Above stakes outline perimeter of well pad.

B. Route and Distance to Well Site From Reference Point: (See att. maps)
Approximately 16 miles from W-Cisco Exit on I-70 along Windy Mesa road and Cunningham Ranch road.

C. Access Roads (Identify secondary roads to be used): (See att. maps)
The Windy Mesa-Cunningham Ranch road is used for 15½ miles and the last ½ mile to the well site is north along a small wash. No new road will be constructed for access to the well site, since the site is beside an existing road.

D. Roads Within 3 mile Radius: (See att. maps) Roads have natural surface of shale, sand, silt, and gravel but are graded, and well used. The roads used are improved but are on Mancos soil of shale, clay, and gravel. No new road will be required and the present roads are crowned and ditched.

Surface type and conditions: The surface of the roads is silt, sand, and gravel with good ditches on the sides and crowned in the middle.

E. Roads Within 1 mile Radius: (See att. maps) See 1-D Above.
The location is beside a well used road which is in good condition. The roads not used are mostly trails of inferior quality and are unimproved. They are shale, clay, sand, and gravel, and are about 14' wide. The road to the well are about 22' wide, and will need no improvement.

F. Plans for Road Improvement & Maintenance: The roads to the well are graded and ditched and should require no further maintenance

F.

2. Planned Access Roads: (See att. maps) No new road.

(1) Width: Present roads are about 22 ft. wide.

(2) Maximum Grades: Less than 2%

(3) Turnouts: None

(4) Drainage Design: No new drainage required

(5) Location and Size of Culverts, Cuts, and Fills: No culverts are required.

(6) Surfacing Material: Natural surface of silt, sand and shale w/some gravel.

(7) Gates, Cattleguards, or Fence Cuts: No additional gates, cattleguards, etc. required.

(8) All new roads have been flagged as required.

3. Location of Existing Wells: (See Map No. 3)

(1) Water Wells: None

(2) Abandoned Wells: See Map

(3) Temporarily Abandoned Wells: None

(4) Disposal Wells: None

(5) Drilling Wells: None at present time

(6) Producing Wells: See Map #3 (Approx. 8)

(7) Shut-in Wells: Several - waiting for pipeline permits

(8) Injection Wells: None

(9) Monitoring or Observation Wells: None

4. Location of Existing and/or Proposed Facilities:

A. Within 1-mile radius of location show the following existing facilities owned or controlled by lessee/operator:

(1): Tank Batteries: (Size) None

(2) Production Facilities: N. P. Energy has several producing gas wells in the area which are equipped with dehydrators, meter houses, and pipe

lines. The #1-10 well is $\frac{1}{2}$ mile away (approx.)

(3) Oil gathering lines: None

(4) Gas gathering lines: 3" lines are laid to some of the producing wells.

(5) Injection lines: None

(6) Disposal lines: None

(7) Are lines buried? All lines on well site will be buried

B. If new facilities are contemplated, in the event of production, show: (These facilities depend on the outcome of the proposed well and are really unknown at this time.) Show a general proposed plan. (See Plat No. 2)

(1) Are any facilities planned off well pad? None at the present time, until the well is completed. If gas, some flow lines will be required and will be applied for at a later date. If oil, the facilities outlined on Plat #2 should be adequate.

(2) Give dimensions of facilities: See Plat #2

(3) Construction methods and materials: Location will be levelled for production equipment. Tank batteries will be placed on a 3" gravel pad and surrounded with a 36" dike (15' from tanks). Separators and heater-treaters will be placed on gravel pads or cement bases. Pump jacks will be on cement platforms or on raised dirt and gravel mounds. All pipe lines on the pad will be buried. Any proposed gas pipeline will be laid on the surface. No grading will be required and disturbance will be kept to a minimum.

(4) Protective measures for livestock and wildlife: All open pits will be fenced with woven wire (sheep) fence (40") and pump jacks or rotating machinery will have guards to prevent danger by moving parts.

C. Plan for rehabilitation of disturbed areas no longer needed after drilling operations are completed: Well site will be cleaned, levelled and graded for production equipment; pits folded-in or fenced with

C. woven wire if they contain any amount of fluid before the rig is removed. While production ensues, previous areas of well pad not needed for production operations will be restored as in Item 10 below. Cleaning the site and pit work will be done within 30 days after the well is completed, if possible.

5. Location & Type of Water Supply: (See att. maps)

A. Type of Water Supply: From Nash Wash at a point marked on Map #1 in Section 15, T 20S, R 21E. This is about 1 mile from the location.

B. Method of Transporting Water: The water will be hauled from Nash Wash to the well site by truck along the main road. This will be approximately 1 mile from the wash to the well site.

C. Is Water Well Planned? No
If so, describe location, depth and formation: _____

6. Source of Construction Materials:

A. See attached map and describe: None will probably be required, since the well will be drilled during the good weather season.

B. Identify if Federal, Indian, or Fee Land: _____

C. Describe Material: (Where from and how used) _____

D. See item 1-C and 2 above.

7. Waste Disposal:

- The cuttings will be blown into the reserve pit, and the
- (1) Cuttings: blewie line will be directed into the cut portion of the pit.
 - (2) Drilling Fluids: In mud tanks; excess put into reserve pit.
 - (3) Producing Fluids (oil or water) Oil in tanks; water in reserve pit.
 - (4) Human Waste: Toilet with pit (4' deep) with lime for odor and sanitation control. Will be covered with soil (3' deep) at end of operation.

(prior to commencement
of drilling)

(5) Garbage & Other Waste: (Burn pit will be adequately fenced with chicken wire to prevent scattering of debris by wind) Into burn pit, 4'X6'X6' deep, and burned periodically. The burn pit will be approx. 125' from well head.

(6) Clean-up: (See item 10 below) All garbage and unburned debris will be buried by at least 3' of cover after the drilling and completion operations are finished. The unused material and all equipment will be removed from the site and taken to supply yards or to the next drill site, as soon as the well is completed.

8. Airstrips and/or Camp Sites (Describe): None needed.

9. Well Site Layout: (See Plat No. 3)

(1) Describe cuts or fills: The location is on a fairly flat surface which will be levelled after the top soil (12" deep) has been removed. No large cuts or fills will be required. The access road is on the west side of the location and a wash parallels to road on the west side.

(2) Describe pits, living facilities, soil stockpiles: Reserve pit is long and narrow as shown and will be placed on the east side. The reserve

pit will be fenced on 3 sides prior to commencement of drilling operations

Excavated material will be piled at the east end of pit, with top soil piled separately at far end. Top soil (12" deep) will be piled at N. and S ends of site. 2 or 3 trailer houses will be provided for supervisory personnel.

(3) Rig Orientation, Pipe rack, Access Road Entrance, etc.: (See Plat No. 3)

(4) Are Pits Lined? Unlined with 4' banks on sides and a 10 to 12' bank at the far end of the pit.

10. Plans For Restoration:

A. If Well is completed: Site will be cleaned, debris removed, pits folded-in or fenced with woven wire if full of fluid, and site levelled for production equipment. All unused portions will be contoured, grade scarred, and seeded with wheat grass, or acceptable seed mix authorized by BLM.

B. If Well is abandoned:

(1) Clean-up, levelling, folding pits-in, contouring: These items will be done as soon as possible. Clean-up will be accomplished at

- B. (1) time rig is removed. The rest of the work should be done within 60 days after well is completed.
- (2) Seeding location and access road: Site will be seeded with crested wheat grass, or with a seed mix suggested by BLM by drilling after being graded and prepared with a dozer. The access road, since it is a used road will be left in tact, and will not be altered.
- (3) Will pits be fenced or covered? If there is any amount of fluid in the reserve pit, it will be fenced with woven wire before rig is released and remain fenced until the fluid dries up and pit reclaimed.
- (4) Is there any oil in reserve pit? If so, describe disposal: Should not be any great amount. If there is any amount, it will be removed prior to covering pit.
- (5) When will restoration work be done? As soon as possible. Within 60 days after equipment is removed if weather and availability of clean-up equipment permit and will be completed within 10 days thereafter.

11. Description of Land Surface:

- (1) Topography & Surface Vegetation: Location is on flat ground near a wash and beside a present road. It is on typical Mancos soil of silt and gravel. Sage brush, shad scale, grass and tumble weed are the present vegetation.
- (2) Other Surface Activities & Ownership: The land around drill site is federal land with minerals and surface owned by public. N.P. Energy has an oil and gas lease on the area. The area does have some grazing by cattle. There are no powerlines or sites, irrigation ditches or cultivation in the immediate area. Cunningham Ranch headquarters is about ½ mile S. of well site.
- (3) Describe other dwellings, archaeological, historical, or cultural sites: There are no known archaeological, historical or cultural sites in the area. An archaeological report on the location and access road will be filed as soon as possible. The fields, buildings, and headquarters of the Cunningham Ranch are located ½ mile to the south and the ranch is engaged in the cattle business.

12. Operators Representative: (Address & Phone number)

W. Don Quigley, Suite 440, 57 W. So. Temple, Salt Lake City, Utah 84101
801-359-3575

13. Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the drill site and access route; that I am familiar with the conditions which presently exist; that statements made in this plan are, to the best of my knowledge, true and correct; and that work associated with the operations proposed herein will be performed by N. P. ENERGY CORPORATION and its contractors in conformity with this plan and terms and conditions under which it is approved.

Date: March 24, 1980

Name: *W. Ron Gingley*

Title: Vice-President
Consultant

PLAN FOR PRODUCTION EQUIPMENT
N. P. ENERGY CORPORATION
FEDERAL #15-2 WELL
NW. NW. SEC. 15-20S-21E.




Scale: 1 in. = 30 ft.

Plat No. 2

LOCATION PLAN FOR
 N. P. ENERGY CORP.
 FEDERAL 15-2 WELL
 NW. NW. SEC. 15-20S-21E.

Hillsdale



Scale: 1 in. = approx. 30 ft.

Plat No. 3

WELL CONTROL EQUIPMENT FOR
N. P. ENERGY CORP.
FEDERAL 15-2 WELL
NW. NW. SEC. 15-20S-21E
GRAND COUNTY, UTAH

The following control equipment is planned for the above designated well: (See attached diagram)

1. Surface Casing:

- A. Hole size for surface casing is 12½".
- B. Setting depth for surface casing is approx. 200 ft.
- C. Casing specs. are: 8 5/8" O.D., K-55, 24.00#, 8 rd. thread, R-3 new or used.
- D. Anticipated pressure at setting depth is approx. 20 lbs.
- E. Casing will be run using three centralizers and a guide shoe, and will be cemented with 110 sks of cement with returns to the surface.
- F. Top of the casing will be near ground level.

2. Casing Head:

Flange size: 10", A.P.I. Pressure rating: 2000# W.P., Series 600; Cameron, OCT, or equivalent; new or used; equipped w/two 2" ports with nipples and 2", 2000# W.P. ball or plug valves. Casing head and valves set above ground level. (A flange only may be used on top of the casing, if the B.O.P. is equipped with 2" outlets below the blind rams.)

3. Intermediate Casing:

None

4. Blowout Preventors:

- A. Double rams; hydraulic; one set of blind rams; one set of rams for 3½" or 4" drill pipe; 10" flange; 2000# or greater W.P.; Series 900; equipped with mechanical wheels and rod for back-up; set on top of casing head flange and securely bolted down, and pressure tested for leaks up to 2000# p.s.i. A hydraulically operated hy-drill may be used in place of the above B.O.P., if equipped with 2" outlets below the rams.
- B. Rotating Head: Shaffer, Grants or equivalent; set on top of blowout preventor and bolted securely; complete with kelly drive, pressure lubricator; 3½" or 4" rubber for

2000# W.P.; need not have hydril assembly on bottom, if a separate hydril or B.O.P. is used.

- C. **Fill and Kill Lines:** The fill and kill lines (2" tubing or heavy duty line pipe) are to be connected thru the 2" valves on the casing head and thru a manifold to permit ready switching from the fill to kill lines.

5. Auxillary Equipment:

A float valve is to be used in the bottom drill collar at all times. A safety valve that can be used in the drill pipe will be kept within easy reach on the rig floor at all times.

6. Anticipated Pressures:

The shut-in pressures of the Dakota, Cedar Mountain, and Morrison formations at depths of 2000' to 3000' in the area have been measured at about 600# to 800# maximum. No toxic gases or high pressures are anticipated.


7. Drilling Fluids:

Air will be used to drill the subject well until water is encountered, then air-soap-water mist will be used to drill the well deeper. In case of excessive caving problems, it may be necessary to convert to mud.

8. Production Casing:


- A. Hole size for production casing will be 7 7/8".
- B. Approx. setting depth will be about 3300'.
- C. Casing Specs. are: 4 1/2" O.D.; K-55; 10.50#; 8-rd thread; R-3, new.
- D. If good production is obtained, the casing will be run with a guide shoe at the bottom and about six centralizers and cemented conventionally with sufficient R.F.C. cement to cover 200 ft. above the top of the Dakota formation. The production zone will be perforated, 2 3/8" O.D. tubing will be run, and the well completed conventionally. In the event the production is small, it may be desirable to minimize the damage to the formation by keeping all mud and cement off the formation. In this case the procedure outlined below will be used.
- E. Casing will be run with about six centralizers and a cement basket with DV tool set above the production zone.

There will be sufficient casing to extend thru the production zone below the basket with a blind guide shoe on the bottom. The casing will be cemented above the packer with about 85 sks of cement (sufficient to cement thru the Dakota formation). The cement will be allowed to cure at least 48 hrs. The plug can then be drilled out and the casing perforated below the DV tool. Two inch tubing will be run and secured in the tubing head prior to perforating.



W. Don Quigley
Consultant
Salt Lake City, Utah

SCHEMATIC DAIGRAM OF
CONTROL EQUIPMENT FOR THE
N. P. ENERGY CORPORATION
FEDERAL #15-2 WELL
NW. NW. SEC. 15-20S-21E.



** FILE NOTATIONS **

DATE: March 26, 1980

Operator: N. P. Energy

Well No: Federal #15-2

Location: Sec. 15 T. 20S R. 21E County: Grand

File Prepared:

Entered on N.I.D.:

Card Indexed:

Completion Sheet:

API Number 43-019-30636

CHECKED BY:

Geological Engineer: _____

Petroleum Engineer: M. J. Minder 4-29-80

Must furnish a complete lease plat showing sections & and appear before Board for exception location. phone call B.D. Wright 4-2-80

Director: _____

too close to qtr-qtr line (both) requesting topo exception holding for Bd hearing on 4/23/80

APPROVAL LETTER:

Bond Required:

Survey Plat Required:

Order No. 102-25 4/23/80
~~102-16B 11/15/79~~

O.K. Rule C-3

Rule C-3(c), Topographic Exception/company owns or controls acreage within a 660' radius of proposed site

Lease Designation Ed

Plotted on Map


Approval Letter Written

utm

#3

Handwritten marks:
M
PI

NP ENERGY CISC DOME PROSPECT
 How Fed # 15-2
 R 21 E
 R 22 E



RECEIVED

APR 03 1980

DIVISION OF
 OIL, GAS & MINING

Map # 3

April 30, 1980

N.P. Energy Corporation
57 West South Temple, Suite 320
Salt Lake City, Utah 84101

Re: Well No. Federal #15-2, Sec. 15, T. 20S, R. 21 E., Grand County, Utah
Well No. Federal #15-3, Sec. 15, T. 20S, R. 21E., Grand County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil/gas wells is hereby granted in accordance with the Order issued in Cause No. 102-25 dated April 23, 1980.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

MICHAEL T. MINDER - Petroleum Engineer
Office: 533-5771
Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API numbers assigned to these wells are #15-2: 43-019-30636;
#15-3: 43-019-30637.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder
Petroleum Engineer

/b:tm

cc: USGS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

DUPLICATE

5. LEASE DESIGNATION AND SERIAL NO.

U-02140

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

Federal #15-2

10. FIELD AND POOL, OR WILDCAT

Cisco Dome

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

NW.NW. Sec. 15-20S-21E. S.L.M.

12. COUNTY OR PARISH

Grand

13. STATE

Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

b. TYPE OF WELL

OIL WELL

GAS WELL

OTHER

SINGLE ZONE

MULTIPLE ZONE

2. NAME OF OPERATOR

N. P. Energy Corp.

3. ADDRESS OF OPERATOR

Suite 320, 57 W. So. Temple, S.L.C., Utah 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface NW. NW. Sec. 15, T 20S, R 21E, S.L.M.
At proposed prod. zone 1192' fr. W-line and 1240' fr. N-line

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 16 miles NW of Cisco, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

1192'

16. NO. OF ACRES IN LEASE

2400 Acres

17. NO. OF ACRES ASSIGNED TO THIS WELL

40 Acres

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

1800'

19. PROPOSED DEPTH

3250'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5360' Grd; 5370' K.B.

22. APPROX. DATE WORK WILL START*

April 30, 1980

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2"	8 5/8"	24.00	200'	110 sks
7 7/8"	4 1/2"	10.50	Thru pay zone	e-Cemented to 200' above top of Kd.

It is planned to drill a well at the above location to test the gas and/or oil production possibilities of the sands in the Dakota, Cedar Mountain, Morrison, and Entrada formations. The well will be drilled to approximately 50 to 100 ft. below the top of the Entrada formation, if conditions permit. The well will be drilled with rotary tools, using air for circulation. The surface casing (8 5/8") will be set at about 200' K.B. and cemented with returns to the surface. A blowout preventer and rotating head will be installed on top of the surface casing. Fill and kill lines will be connected to the well head below the blind rams on the blowout preventer. Any gas encountered will be flared at the end of the blowout line, and roughly checked for volume thru a 2" line after the pipe rams have been closed. A float valve will be used in the bottom drill collar at all times. A prognosis of the well is as follows:

State of Utah, Department of Natural Resources

Division of Oil, Gas, and Mining

1538 West North Temple

Salt Lake City, Utah 84116

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen existing well, describe well, location, present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED *H. Don Quigley*

TITLE Vice-President

DATE March 2, 1980

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY (Orig. Sgd.) R. A. Henricks

FOR E. W. GUYNN DISTRICT ENGINEER

DATE JUN 19 1980

CONDITIONS OF APPROVAL, IF ANY:

CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80

NOTICE OF APPROVAL

*See Instructions On Reverse Side

Production Facilities and Flowline NOT Approved

Utah O & G

Oil and Gas Drilling

EA No. 333-80

United States Department of the Interior
Geological Survey
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

USUAL ENVIRONMENTAL ASSESSMENT

Date May 13, 1980

Operator N. P. Energy Corporation Well No. 15-2
Location 1192' FWL 1240' FNL Section 15 Township 20S Range 21E
County Grand State Utah Field/Unit Cisco Dome
Lease No. U-02140 Permit No. _____

Prepared by: Greg Darlington
Environmental Scientist
Grand Junction, Colorado

Joint Field Inspection Date: April 14, 1980

Field Inspection Participants, Titles, and Organizations:

<u>Don Quigley</u>	<u>N. P. Energy Corporation</u>
<u>Leonard Lewis</u>	<u>Galley Construction</u>
<u>Jeff Robbins</u>	<u>Bureau of Land Management, Moab</u>
<u>Greg Darlington</u>	<u>U. S. Geological Survey, Vernal</u>
_____	_____
_____	_____
_____	_____

Related Environmental Documents:

BLM-Moab, Book Mountain Unit Resource Analysis.

EA 333-80

Handwritten notes:
 25X100
 No new access
 12/10 ac
 Coal & Gas potential?
 Wtr to 50' (2' Sur (200
 200')
 → Coal of 1/2" 1/2" 1/2"
 1

DESCRIPTION OF PROPOSED ACTION

Proposed Action:

1. Location State: Utah
 County: Grand

 1192 ' F W L, 1240 ' F N L, NW ¼ NW ¼

 Section 15, T20S, R21E, SLM
2. Surface Ownership Location: Public
 Access Road: Public

Status of Reclamation Agreements: Rehabilitation plan judged as adequate. Problems hampering restoration: a) Area subject to short growing season; b) limited precipitation during growing season; and c) generally, very little topsoil which has limited organic matter and is low in fertility.

3. Dates APD Filed: 3/26/80
 APD Technically Complete: 4/02/80
 APD Administratively Complete: 6/9/80
4. Project Time Frame Starting Date: Upon Approval
 Duration of drilling activities: 7 days.

A period of 30 to 60 days is normally necessary to complete a well for production if hydrocarbons are discovered. If a dry hole is drilled, recontouring and reseeding would normally occur within one year; revegetation or restoration may take several years. If the well is a producer, an indefinite period of time would occur between completion and rehabilitation.

5. Related actions of other federal or state agencies and Indian tribes:

None known
6. Nearby pending actions which may affect or be affected by the proposed action:

None known
7. Status of variance requests:

None known

The following elements of the proposed action would/could result in environmental impacts:

1. A drill pad 200' wide x 250' long and a reserve pit 25' x 100', included on the pad, would be constructed. This location is adjacent to a maintained road. 1.2 acres of disturbed surface would be associated with the project.

Don Quigley, the operator's representative, requests permission for a 300' x 300' area of operations in which the above-mentioned estimated 200' x 250' pad is to be built. He would assume responsibility for the entire area of operations (300' x 300').

2. Drilling would be to a proposed depth of 3250'.
3. Waste disposal
4. Traffic
5. Water requirements
6. Completion
7. Production
8. Transportation of hydrocarbons
9. Other

Details of the proposed action are described in the Application for Permit to Drill.

Environmental Considerations of the Proposed Action:

Regional Setting/Topography - The location is surrounded by hills on all sides. The east side of the proposed pad is adjacent to a hillside and the west side is adjacent to an existing maintained road.

PARAMETER

A. Geology -

1. Other Local Mineral Resources to be Protected: Prospective coal and geothermal resources. Coal probably subeconomic. Geothermal resources unproven. ←

Information Source: ME, District Geologist.

2. Hazards:

- a. Land Stability: Location and access built on Mancos Surface Formation. Material is stable, provided the slopes are moderate and moisture content is low.

Information Source: Application to Drill.

- b. Subsidence: Subsidence ^{may} occur with the withdrawal of oil, gas, and/or water.

Information Source: Keller, Edward A., 1976, Environmental geology, Charles E. Merrill, 488 pp.

c. Seismicity: The location is in an area of minor seismic risk.

Information Source: Geologic Atlas of the Rocky Mountain Region, 1972, "Earthquakes of Record and Interpreted Seismicity 1852-1969," Rocky Mountain Association of Geologists.

d. High Pressure Zones/Blowout Prevention: No high pressure zones expected. Blowout prevention systems detailed in APD.

Information Source: Application to Drill.

B. Soils

1. Soil Character: No detailed soil surveys done in area. Changes in soil fertility, horizons, slope stability, etc., cannot be predicted. Soils are considered nitrogen-poor, alkaline soils that support the salt-desert community.

Information Source: Field observation.

2. Erosion/Sedimentation: Erosion/sedimentation would increase as would runoff potential. Extent of increases unpredictable without site-specific studies being done.

Information Source: Field observation.

C. Air Quality - Well site lies in Class II attainment area. No Class I attainment areas are near, or adjacent to, proposed location.

Information Source: Field observation.

D. Noise Levels - Ambient noise levels temporarily elevated. Personnel safety could be jeopardized. Wildlife would avoid area.

Information Source: Field observation.

E. Water Resources

1. Hydrologic Character

a. Surface Waters: Drainage is to the south of the location and proceeds through nonperennial drainages and small streams to the Colorado River.

Information Source: Field observation, Application to Drill.

b. Groundwaters: Usable water may be encountered in lenticular sands of the Mancos to a depth of 500'.

Information Source: ME, District Geologist.

2. Water Quality

a. Surface Waters: Nearby drainages are nonperennial and the location is in a relatively flat area adjacent to a hillside. Proper construction of the location as outlined in the APD layout diagram will also tend to minimize any hazards to surface water quality.

Information Source: Field observation.

b. Groundwaters: Contamination to groundwaters through commingling with drilling fluids is possible. Operator proposes 200' of surface casing. Commingling of drilling fluids with potentially usable water could render groundwater unusable. Pits would be unlined.

Information Source: Application to Drill, Field observation.

F. Flora and Fauna

1. Endangered and Threatened Species Determination

Based on the comments received from Moab District Bureau of Land Management on May 8, 1980, we determine that there would be no effect on endangered and threatened species and/or their critical habitat.

2. Flora: Vegetation is predominantly sagebrush and native grasses.

Information Source: Field observation.

3. Fauna: Mule deer, antelope, small rodents, small reptiles, and various birds.

Information Source: BLM-Moab, Book Mountain Unit Resource Analysis.

G. Land Uses

1. General: Oil and gas operations, recreation, and grazing are major land uses. Amount and quality of land available to livestock, wildlife, and recreationists would be reduced during well life.

Information Source: G. Darlington, Environmental Scientist, USGS.

2. Affected Floodplains and/or Wetlands: None

Information Source: Field observation.

3. Roadless/Wilderness Area: The location is near a proposed roadless/wilderness area, but not in one.

Information Source: BLM-Utah, 1979, Final initial wilderness inventory, USDI, August, 50 pp.

H. Aesthetics: Operation would not blend with natural surroundings. Most likely unappealing to recreationists. Impact duration: life of well.

Information Source: Field observation.

I. Socioeconomics: The effect of one well on local and regional population and economy would be considered minor. If major discovery, then consider: Population increase, community services taxed, resources depleted, cumulative impacts multiply, pipelines and transportation routes expand.

Information Source: G. Darlington, Environmental Scientist, USGS.

J. Cultural Resources Determination: Based on the comments received from the Moab District Bureau of Land Management on May 8, 1980, we determine that there would be no effect on cultural resources subject to their statement that "the archaeological requirement has been fulfilled on this location." Information Source: Bureau of Land Management stipulations letter.

K. Adequacy of Restoration Plans: Rehabilitation plan judged as adequate. Problems hampering restoration: a) Area subject to short growing season; b) limited precipitation during growing season; and c) generally, very little topsoil which has limited organic matter and is low in fertility.

Information Source: Field observation.

Alternatives to the Proposed Action:

1. Disapproving the proposed action or no action - If the proposed action is denied, no action would occur, the existing environment would remain in its present state, the lessee/operator would not realize any return on investments and the public would be denied a potential energy source.
2. Approving the project with the recommended stipulations - Under federal oil and gas leasing provisions, the Geological Survey has a responsibility to approve mineral development if the environmental consequences are not too severe or irreversible. Permanent damage to the surface and subsurface would be prevented as much as possible under USGS and Surface Management Agency supervision. Environmental impacts would be significantly mitigated.

Adverse Environmental Effects:

1. If approved as proposed:
 - a. About 1.2 acres of vegetation would be removed, increasing and accelerating erosion potential.
 - b. Pollution of groundwater systems ^{could} would occur with the introduction of drilling fluids into the aquifer(s). The potential for interaquifer leakage and lost circulation is ever-present, depending on the casing program.
 - c. Minor air pollution would be induced on a temporary basis due to exhaust emissions from rig engines and support traffic.

- d. The potential for fires, leaks, spills of gas and oil or water exists.
- e. During construction and drilling phases of the operation, noise and dust levels would increase.
- f. Distractions from aesthetics during the lifetime of the project would exist.
- g. Erosion from the site would eventually be carried as sediment in the Colorado River. The potential for pollution would exist through leaks and spills.
- h. If hydrocarbons would be discovered and produced, further development of the area could be expected to occur, which would result in the extraction of an irreplaceable resource, and further negative environmental impacts. These impacts include the cumulative loss of wildlife habitat due to the areas necessary for roads, pipelines, drillsites, and transmission lines. These actions may disrupt wildlife social behavior and force habitat relocation over an extended period of time. In addition, the cumulative effects of non-point erosion become substantial in a developing field, primarily those located near perennial streams where siltation and sedimentation are critical to aquatic life cycles.

2. Conditional approval

- a. All adverse impacts described in section one above would occur.

Recommended Approval Conditions:

Drilling should be allowed, provided the following mitigative measures are incorporated into the proposed APD and adhered to by the operator:


- 1. See attached BLM Stipulations.

Controversial Issues and Conservation Division Response: None are involved at the present time.

We have considered the proposed action in the preceding pages of this EA and find, based on the analysis of environmental considerations provided therein, no evidence to indicate that it will significantly (40 CFR 1508.27) impact the quality of the human environment.

Determination

I determine that the proposed action (as modified by the recommended approval conditions) does not constitute a major Federal action significantly affecting the quality of the human environment in the sense of NEPA, Section 102(2)(C).



DISTRICT ENGINEER.

MAY 14 1980

Date

District Engineer
U. S. Geological Survey
Conservation Division
Oil & Gas Operations
Salt Lake City District



NP Energy 15-2
Section 15, T20S, R21E



United States Department of the Interior

IN REPLY REFER TO

3100
(U-603)

BUREAU OF LAND MANAGEMENT

Moab District
Grand Resource Area
P. O. Box M
Moab, Utah 84532

May 5, 1980

Memorandum

To: Oil & Gas Office, USGS Conservation Division,
P.O. Box 1037, Vernal, Utah 84078

From: Area Manager, Grand

Subject: NP Energy Corporation
Federal No. 15-2, Lease U-02140
Section 15, T. 20 S., R. 21 E.
Grand County, Utah

On April 14, 1980, a representative from this office met with Greg Darlington, USGS, and Don Quigley agent of NP Energy Corporation for an inspection of the above referenced location. Subject to the attached conditions, I am approving the surface management portion of the Application for Permit to Drill.

The archaeological requirement has been fulfilled on this location. No threatened or endangered flora or fauna are indicated in the area.

Please forward the enclosed information to NP Energy Corporation.

C. Delano Bachus

Enclosures (3)
1-Reclamation Procedures
2-Seed Sources
3-Seed Mixture



Save Energy and You Serve America!

STANDARD STIPULATIONS FOR OIL & GAS EXPLORATION

1. Contact this office at least 24 hours prior to beginning construction of access road and pad.
2. Stockpile the surface 12 inches of topsoil in a wind-row as set forth in 9-2 + Plat No. 3 of the NTL-6 report.
3. The upper banks (uphill side) of all cuts will be rounded during construction of the access road and pad.
4. Notify the BLM District Archaeologist if cultural material from subsurface deposits is exposed during the operation.
5. The trash pit will be at least six feet deep and fenced with fine mesh wire during drilling operations.
6. The "blooey" line will be centered and directed into the pit.
7. If production is obtained additional surface disturbing activities are not approved at this time.
8. The access road will enter onto the pad from the Southern corner.
9. A Three-wire barbed wire fence (18"x12"x12") will be satisfactory for the reserve pit on this site.
10. Rehabilitation of the site and access road will be accomplished in accordance with the enclosed restoration procedures.

RECLAMATION PROCEDURES IN GRAND RESOURCE AREA

1. Disk or rip pads and access roads.
 - a. Overlap passes in order to insure complete treatment.
2. Contour pads and access roads.
 - a. Lay berms into centers.
 - b. Use cut material for fill areas.
 - c. Lay stockpiled surface soil over top of pads and spread evenly.
 - d. On highly erosive soils, it may be more beneficial to grade slopes to reduce steepness.
 - e. Do not smooth pads out, leave a roughened surface. On steeper slopes and slopes with clayey soils scarify or serrate the ground in order to increase water infiltration and reduce erosion.
3. Water bar roads where required by this office.

* 2%	Grade	-	200 ft. intervals
2-4%	Grade	-	100 ft. intervals
4-5%	Grade	-	75 ft. intervals
5%	Grade	-	50 ft. intervals

* Actual spacing may vary according to soil stability. Lighter textured soils will require more frequent water bars. When natural drainage ways are present, water bars are to be constructed to make maximum use of them. Plan operations so that natural drainage ways do not become blocked.
4. Seed roads and pads in the fall (Oct. through mid-Dec.).

SEED MIXTURE

Grasses

Hilaria Jamesii
 Sporobolus cryptandrus
 Oryzopsis hymenoides
 Elymus salinus

Galleta
 Sand dropseed
 Indian Ricegrass
 Wild rye

lbs/acre
broadcast drilled

1½ 1
 1½ 1
 1½ 1

Forbs

Sphaeralcea
 Hedysarum boreali
 Medicago sativa

Globemallow
 Sweet vitch
 Alfalfa

1½ 1
 1½ 1
 1½ 1

Shrub

Ceratoides lanata

Winterfat

1½ 1
 12 8

DISTRICT ENGINEER, C. O., SALT LAKE CITY, UTAH

PROJECT: APD MINERAL EVALUATION REPORT

LEASE NO. U-02140

OPERATOR: N. P. Energy Corp.

WELL NO. Federal 15-2

LOCATION: SE 1/4 NW 1/4 sec. 15, T. 20 S., R. 21 E., S.L.M.

Grand County, Utah

Stratigraphy: Operator logs appear reasonable

Mancos	Surface
Dakota	2470
Cedar mtn.	2540.
Morrison	2600
Curtis-Sumerville	3125.
Entrada	3205

Fresh Water:

Useable water may be encountered in lenticular sands of the Mancos ~~is~~ to a depth of ~ 500 ft.

Leasable Minerals:

Prospectively valuable land for coal

The coal beds are in the Dakota Fm., are lenticular, and are currently not commercial.

Prospectively valuable for Geothermal
(within Cisco Dome Geothermal)

Additional Logs Needed: Adequate

Potential Geologic Hazards: None anticipated

References and Remarks: Thompson KRCA is less than 1/2 mile west

07 APR RECD

Signature: Gregory W Wood

Date: 3-27-80

Memorandum

Allen

15-205-51 E
Well # 15-2

To: District Oil and Gas Engineer, Mr. Edward Guynn
From: Mining, Supervisor, Mr. Jackson W. Moffitt
Subject: Application for Permit to Drill (form 9-331c) Federal oil and gas lease No. _____

1. The location appears potentially valuable for:

- strip mining*
- underground mining**
- has no known potential.

2. The proposed area is

- under a Federal lease for _____ under the jurisdiction of this office.
- not under a Federal lease under the jurisdiction of this office.
- Please request the operator to furnish resistivity, density, Gamma-Ray, or other appropriate electric logs covering all formations containing potentially valuable minerals subject to the Mineral Leasing Act of 1920.

*If location has strip mining potential:

Surface casing should be set to at least 50 feet below the lowest strip minable zone at _____ and cemented to surface. Upon abandonment, a 300-foot cement plug should be set immediately below the base of the minable zone.

**If location has underground mining potential:

The minable zones should be isolated with cement from a point 100 feet below the formation to 100 feet above the formation. Water-bearing horizons should be cemented in like manner. Except for salines or water-bearing horizons with potential for mixing aquifers, a depth of 4,000 feet has been deemed the lowest limit for cementing.

Signed

Allen J. Hansen

10 APR RECD

November 24, 1980

N. P. Energy Corp.
57 W. South Temple, Suite #320
Salt Lake City, Utah 84101

RE: Well No. Federal #15-2
Sec. 15, T. 20S, R. 21E,
Grand County, Utah

Gentlemen:

In reference to above mentioned well(s), considerable time has gone by since approval was obtained from this office.

This office has not received any notification of spudding. If you do not intend to drill this well (these wells), please notify this Division. If spudding or any other activity has taken place, please send necessary forms. If you plan on drilling this location at a later date, please notify as such.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Debbie Beauregard
DEBBIE BEAUREGARD
CLERK TYPIST



RECEIVED

DEC 04 1980

DIVISION OF
OIL, GAS & MINING

December 2, 1980

Dept. of Natural Resources
Division of Oil, Gas, & Mining
1588 West North Temple
Salt Lake City, Utah 84116

Att: Debbie Beauregard

Re: Federal #15-2 Well

Dear Ms. Beauregard:

N P Energy Corporation is still planning to drill the above referenced well located in Section 15, T 20S, R 21E, Grand County, Utah in the very near future.

The availability of drilling rigs has been a problem, and presently, we are waiting on a drilling rig.

If you have any questions, please advise.

Sincerely yours,

A handwritten signature in cursive script that reads "Sherrill L. Bateman".

Sherrill L. Bateman

A handwritten signature in cursive script that reads "W. Don Quigley".

W. Don Quigley
Vice-President



April 10, 1981

STATE OF UTAH
Department of Natural Resources
Division of Oil, Gas and Mining
1588 West North Temple
Salt Lake City, Utah 84116

RE: NP Energy Federal #15-2
Well Completion Report
Utah Lease U-02140
Grand County, Utah

Gentlemen:

Enclosed please find a copy of the Well Completion Report filed by this office with the U.S.G.S. for the above referenced well located in Grand County, Utah.

If there are any questions or problems concerning this report, please contact this office.

Sincerely,

NP ENERGY CORPORATION

A handwritten signature in cursive script that reads "Lena Puro".

Lena Puro
Administrative Assistant

/lp

A rectangular stamp with the word "RECEIVED" in a bold, sans-serif font, oriented vertically.

APR 13 1981

DIVISION OF
OIL, GAS & MINING

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN DUPLICATE

(See instructions on reverse side)

Form approved,
Budget Bureau No. 12-RMUA

4

LEASE DESIGNATION AND SERIAL NO.

U-02140

INDIAN, ALIEN, OR TRIBE NAME

UNIT AGREEMENT NAME

FARM OR LEASE NAME

Federal

WELL NO.

Federal #15-2

FIELD AND POOL, OR WILDCAT

Cisco Dome

SEC., T., R., W., OR BLOCK AND SURVEY OR AREA

**Section 15: T20S, R21E
NW/NW SLM**

COUNTY OR PARISH

Grand

STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

5. TYPE OF COMPLETION: NEW WELL WORK OVER REENTRANT PLUG BACK DIFF. SERV. Other _____

2. NAME OF OPERATOR

NP ENERGY CORPORATION

3. ADDRESS OF OPERATOR

57 West South Temple, 320, SLC, UT 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface NW/NW Section 10: T20S, R21E, SLM

At top prod. interval reported below
1192' FWL; 1240' FNL

At total depth

14. PERMIT NO. **43-019-30636** DATE ISSUED **4/30/80**

15. DATE SPUNDED **12/17/80** 16. DATE T.G. REACHED **12/21/80** 17. DATE COMPL. (Ready to prod.) **B-3-81** 18. ELEVATIONS (DP, RHB, RT, GR, ETC.)* **5360' GL; 5367' KB** 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD **2727'** 21. PLUG BACK T.D., MD & TVD _____ 22. IF MULTIPLE COMPL., HOW MANY* **One** 23. INTERVALS DRILLED BY _____ ROTARY TOOLS _____ CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* **2430' - 2460'** 25. WAS DIRECTIONAL SURVEY MADE _____

26. TYPE ELECTRIC AND OTHER LOGS RUN **CBL, CNL, Dual Induction, Cement Bond** 27. WAS WELL CORED _____

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8 Surf.	24.00	200'		135 sks	NONE
4 1/2"	10.5	2725'		110 sks - D 10-2 RFC	NONE

29. LINER RECORD					30. TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
	NONE				2 3/8"	2380' K.B.	

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
INTERVAL	SIZE	DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2477' - 2487'	w/2 OG jets/ft.		NONE

33.* **PRODUCTION**
DATE FIRST PRODUCTION _____ PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) _____ WELL STATUS (Producing or shut-in) **SI-W.O.P.L.**

DATE OF TEST	HOURS TESTED	CHOKER SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3/18/81	2	3/4"					
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
42#	400#		Ran critical	flow prover	674 MCF/Day		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) **Vented** TEST WITNESSED BY **Dave Meehan**

35. LIST OF ATTACHMENTS **Drilling / Casing Chronological; Completion Chronological History**

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
SIGNED [Signature] TITLE **Secretary/Treasurer** DATE **3/31/81**

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the preceding interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURE, AND RECOVERY

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGIC MARKERS

NAME	SEAL. DEPTH	TOP	TIME VERT. DEPTH
Graneros Market	2380'		
Dakota	2405'		
Cedar Mtn.	2500'		
Morrison	2615'		



Telephone (303) 242-8271

RECEIVED MAR 30 1981

GLEASON ENGINEERING
Petroleum & Energy Consultants

HART C. GLEASON
Registered Professional Engineer
~~2222 Lakeside Drive #101~~
Grand Junction, Colorado 81501

711 Daniel Dr.

NP Energy Corporation

Fed. # 15-2

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15, T20S, R21E

Grand County, Utah

Elevations: 5360' GL; 5368' K.B.

Completion Chronological History

March 2 and March 3, 1981

APR 13 1981

DIVISION OF
OIL, GAS & MINING

Gleason Engineering

H.C. Gleason

P.E.

3/2/81 Monday

- 1330 Monument Well Service moved rig on location and rigging up.
- 1430 Welder welding plate to 4 1/2" casing and 8 5/8" surface pipe. McCullough wireline truck on location.
- 1530 Finish welding on 4 1/2" bell nipple.
- 1600 Install tubing head & found threads bad on one of the 2" outlets. Called Bookcliff to send out a new head. Rigging up to run bond log.
- 1900 Finished running CBL log. Bond log looks good. Rigged down wireline in order to run tubing in morning. McCullough found PBTD 2708' with top of cement at 1904'. Bookcliff Supply arrived with new tubing head.

3/3/81 Tuesday

- 1000 - Changed out tubing head and started running tubing. Ran 73 jts. of 2 3/8", 4.7#, ERW, 7000# test tubing with a 1 25/32" seating nipple on bottom for a total of 2375'. Landed tubing at 2380' K.B. Rigged up to swab.
- 1100 Swabbed well down 800'. Rigged up to perforate casing.
- 1200 Had problem getting perforating gun to go down tubing due to decentralizing spring. All the tubing had been rabbited and the swab had been run twice so tubing was OK.
- 1230 Perforated 2477' to 2487' with 2 Omega Glass Jets per foot. Checked collars at 2679', 2637', 2595', 2552', 2512' and 2472'. Rigged up to swab.
- 1300 Well swabbed in and making fluid by heads.
- 1400 Well still making a lot of mist; not flowing very strong. Shut well in to pressure up and surge it.
- 1430 Casing pressure 400 psig. Opened well up and it flowed briskly for 5 minutes, then decreased markedly in volume. Still making too much mist to gage.
- 1500 Dropped soap stick down tubing and shut well in.
- 1545 Putt Haddox called from Salt Lake and he agreed we should get rig off the payroll and flow well for awhile before taking further action.

3/3/81 Tuesday (con't)

- 1600 Decided to leave well shut-in overnight instead of flowing it in order to allow soap-stick more time to dissolve and act. Rigged down Monument Well Service rig and nipped up flow-tree and test line.
- 1730 SITP 750 psig. Monument Well service rigged down and ready to leave location.



Telephone (303) 242-8271

GLEASON ENGINEERING

Petroleum & Energy Consultants

HART C. GLEASON
Registered Professional Engineer
3233 Lakeside Drive, #101
Grand Junction, Colorado 81501

NP Energy Corporation

Fed. #15-2

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15, T20S, R21E

Grand County, Utah

Elevations: 5360' GL; 5367' K.B.

Drilling and Casing Chronological

December 19, thru December 22, 1980

Gleason Engineering
Hart C. Gleason, P.E.

N.P. Energy Corporation
Federal #15-2
Location: NW/1NW Sec. 15, T20S, R21E
Elevation: 5360" GL; 5367' K.B.

12/19/80 Friday

- 1800 Arrive on location. Rig making a connection at 1825'. According to the driller, they hit a fracture at 1240' and have had connection flares since then. The hole also became wet at this point and they had to start mist drilling. They made a bit trip at 1570' and went back in with a 6-5/8" rerun button bit.
- 2400 Drilling at 2160'.

12/20/80 Saturday

- 0600 Trip for plugged bit at 2366'.
- 0800 Out of hole with bit. Jets in bit were plugged with gravel.
- 0900 Trip in hole with a new 6-1/2" button bit.
- 1100 One joint of fill on bottom. Washed back to bottom.
- 1130 Drilling at 2371'. Down with broken cap on mist pump. Repairing same.
- 1300 Hit continuous flare at 2430'. Estimate about 2,000 MCF/D.
- 1400 Had an increase in flare at about 2460'. Estimate flow at about 4,000-5,000 MCF/D. Standpipe pressure 800 psig.
- 1500 Connection at 2496' and working on mist pump.
- 1600 Drilled to 2506' with air and soap. Pulled 2 stands of drill pipe and started mudding up to kill the well.
- 1730 Got circulation of surface OK. Conditioned hole and mixed another pit of mud before drilling ahead.
- 1845 Ran the two stands of drill pipe back in hole and started drilling.
- 2400 Drilling at 2600'.

12/21/80 Sunday

- 0800 Drilling at 2653'. Last 20' joint took about 2 1/4 hrs. to make down.
- 1030 Drilled to 2668' and shut down to clean pits. Mud weight 9.5#/gal.; viscosity too high to measure. Cuttings have been just recirculating.

12/21/80 Sunday (con't)

- 1100 Schlumberger called and said they wouldn't have a truck free for 6 hours.
- 1230 Went over to our casing stock pile to see if the Bookcliff supply truck showed up.
- 1300 Bookcliff truck arrived. Loading casing with Hasting's gin truck.
- 1530 Bookcliff brought 13 new joints (423.24'), loaded 56 joints used pipe (2359.21') from stock pile and 4 joints from the N.P. Fed. #15-1 (168.62') for a total of 2782.75' of 4-1/2" csg. Hauled pipe to location. Set off trailer and released truck. Unable to contact Schlumberger logging crews to determine when they would be on location.
- 1700 Schlumberger called and said they would arrive in about 2 hrs.
- 1730 Drilled to a T.D. of 2706'. Raising viscosity of mud to 100 and will circulate hole until Schlumberger arrives.
- 2000 Check with driller on mud and was informed that vis. was about 90 & weight was 6.3#/g. Told driller that the mud wt. wasn't right and found they had lost the cap for the mud balance. Checked vis. and found vis. 82 sec in pit & 60 sec out of flow line. Told them to add a couple sacks of gel.
- 2100 Schlumberger arrived on location. Checked on mud and crew had added 5 sacks of gel. Now it won't run thru the funnel. It would sure be nice if they had a pusher on this rig.
- 2130 Starting out of hole with drill pipe.

12/22/80 Monday

- 0030 Out of hole. Rigged up Schlumberger.
- 0500 Schlumberger finished running Induction and Compensated Neutron Density logs. Schlumberger T.D. 2727'. Schlumberger logs indicated the following formation tops: Graneros Marker at 2380'; Dakota 2405'; Cedar Mountain 2500' and Monison at 2615'.
- 0600 Start in hole with drill pipe.
- 0900 Back on bottom. Conditioning hole to run casing. Rechecked drill pipe tally and found that driller had to pick up a single to tag bottom; therefore, corrected drillers T.D. is 2726' instead of 2706".
- 1000 Prepare to trip out of hole laying down drill pipe.
- 1040 T & M Casing Service arrived on location.

12/22/80 Monday (con't)

- 1100 Bookcliff Supply called and said the 13 new joints of casing they delivered was 11.6# pipe. They will bring out 10.5# pipe to exchange for it. Markings on pipe are unreadable.
- 1230 Crews having difficulty trying to rig up a lay down line for collars because catline is too short.
- 1330 Out of hole with drill pipe and collars. T & M Casing Service rigging up tongs.
- 1430 Running casing. Bookcliff Supply arrived with 11 replacement joints of casing.
- 1645 Changing out pipe trailers for 11 joints of replacement pipe.
- 1730 Ran 70 joints of 4-1/2", 10.5#, 8 rd. thd., 4700# test new & used casing for a total of 2750.07'. Set shoe at 2725' K.B. with float at 2724'. Centralizers installed on middle of first joint and on the tops of joints number 3, 5, 7 and 9. Cement basket installed at bottom of joint #9. Tagged bottom at 2727' K.B. Dropped ball for differential fill up collar and rigging up Dowell.
- 1820 Dowell hooked up. Circulating hole with rig pump.
- 1900 Finish circulating hole. Dowell preparing to cement.
- 1930 Pumped 110 sks. of Dowell's 10-2 RFC cement preceded by a bottom plug and 5 bbls. of mud wash. Displaced cement with 43 bbls. of 2% KCL water. Bumped plug with 1500 psi. Released pressure and differential fill up Float would not hold. Pressured up on plug and repeated same operation. Float still would not hold. Pressured up to 1500 psi again and shut in cementing head. CIP 1930 hrs. W.O.C. a minimum of 8 hrs. Good circulation throughout job.

MAY 8, 1981

NP Energy Corporation
57 West South Temple #320
Salt Lake City, Utah 84101

RE: WELL NO. FEDERAL #15-2
Sec. 15, T. 20S, R. 21E,
Grand County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office 3-31-81, from above referred to well indicates the following electric logs were run: CEL, CNL, DIL, Cement Bond. As of today's date this office has not received these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,
DIVISION OF OIL, GAS, AND MINING

Debbie Beauregard
DEBBIE BEAUREGARD
WELL RECORDS CLERK

THE FOLLOWING METERS WILL HAVE CALIBRATION / SETTLEMENT TESTS RUN ON THE DATES INDICATED. STARTING TIME WILL BE 0800 OR AS SPECIFIED BELOW AND AT THE OFFICE OF THE NORTHWEST PIPELINE GRAND JUNCTION DISTRICT YOU WILL BE NOTIFIED SHOULD ANY CHANGES OCCUR IN THIS SCHEDULE. IF YOU HAVE ANY QUESTIONS ABOUT THE SCHEDULE, CONTACT OR WRITE THE DISTRICT OFFICE.

METER CODE	WELL NAME	LCC	RUN	DAY	MO/YR	STARTING TIME
92278018	FEDERAL #14-4 20S. 21E. 14	06	13	<u>3</u>	10/85	<u>1300</u>
94066018	NP PURCHASE #3	06	13	<u>4</u>	10/85	<u>0900</u>
92081010	FEDERAL #25-1 20S. 21E. 25	06	13	<u>5</u>	11/85	<u>1100</u>
94020018	NP PURCHASE #2	06	13	<u>5</u>	11/85	<u>1300</u>
92104010	FEDERAL #1-11 20S. 21E. 11	06	13	<u>4</u>	12/85	<u>0900</u>
92193012	FEDERAL #15-2 20S. 21E. 15	06	13	<u>4</u>	12/85	<u>1100</u>
92241017	FEDERAL #10-1 20S. 21E. 10	06	13	<u>4</u>	12/85	<u>1300</u>
94018013	NP PURCHASE #1	06	13	<u>5</u>	12/85	<u>0900</u>



EPS Resources Corporation

5655 South Yosemite
Suite 460
Englewood, CO 80111
(303) 721-7920

April 11, 1989

Bureau of Land Management
Moab District Office
P. O. Box 970
Moab, Utah 84532

RE: Self-Certification Letter

Gentlemen:

Please be advised that EPS Resources Corporation is considered to be the operator of the wells in the Cisco Dome Field (see attachment Exhibit "B") in Grand County, Utah and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for the listed wells is provided by LC #244.

The BLM office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibilities are met.

Sincerely,

A handwritten signature in black ink, appearing to read 'Edward Neibauer', written over a horizontal line.

Edward Neibauer
President and Chief Operating Officer

EN/dak

Enclosure

EXHIBIT "B"
 ATTACHMENT TO SELF-CERTIFICATION LETTER
 CISCO DOME FIELD
 GRAND COUNTY, UTAH

LEASE #UTUO2139A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
23-1	23SWNE	20S	21E
25-1	25SWNE	20S	21E
24-3	24SWSE	20S	21E
14-3	14NESE	20S	21E
24-2	24NWNW	20S	21E
25-3	25SESE	20S	21E
23-2	23NWNW	20S	21E
25-2	25SWSW	20S	21E
23-3	23NESW	20S	21E
25-4	25NENW	20S	21E
23-4	23NWSE	20S	21E
14-4	14SWSW	20S	21E
24-4	24NWNE	20S	21E

LEASE #UTUO2140A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
13-1	13SWSW	20S	21E
14-1	14NWNW	20S	21E
14-1A	14NWNW	20S	21E
1-10	10NWSW	20S	21E
11-1	11NWSW	20S	21E
14-2	14NENE	20S	21E
15-1	15NESE	20S	21E
22-1	22SENE	20S	21E
15-2	15NWNW	20S	21E
15-3	15NENE	20S	21E
13-2	13SENW	20S	21E
12-1	12SWSW	20S	21E
11-2	11SESE	20S	21E
13-3	13NWNE	20S	21E
11-3	11SWSW	20S	21E
13-4	13NWSE	20S	21E
15-4	15SWSW	20S	21E
10-2	10NESW	20S	21E

LEASE #UTU12702A

<u>WELL NUMBER</u>	<u>SECTION 1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
√ 31-1A	31NENW	20S	22E
√ 19-3	19SWSW	20S	22E
√ 19-1A	19SWNW	20S	22E

32-1

32

20S

22E

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

UTU02139A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

see attached

10. FIELD AND POOL, OR WILDCAT

Cisco Dome Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

see attached

12. COUNTY OR PARISH 13. STATE

Grand

UT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)


1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
EPS RESOURCES CORPORATION

3. ADDRESS OF OPERATOR
5655 South Yosemite, Suite 460, Englewood, CO

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

see attached



14. PERMIT NO.

15. ELEVATIONS (Show whether for OIL, GAS & MINING)

18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other) Change of Operator

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

EPS Resources Corporation has acquired the interests of NP Energy and is Operator of the wells on the attached sheet effective December 1, 1988. (see attached Self-Certification letter.)

18. I hereby certify that the foregoing is true and correct

SIGNED Edward Neibauer

TITLE President

DATE 4-11-89

(This space for Federal or State office use)

APPROVED BY *Dennis Rodine*
CONDITIONS OF APPROVAL, IF ANY:

TITLE District Mgr.

DATE 4/28/89

CONDITIONS OF APPROVAL ATTACHED

*See Instructions on Reverse Side

Operator

Valley Operating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

April 8, 1991

Bureau of Land Management
Moab District Office
Mr. Dale Manchester
P.O. Box 970
Moab, Utah 84532

RE: Self-Certification Letter

Dear Mr. Manchester:

Please be advised that Valley Operating, Inc. is considered to be the operator of the wells in the Cisco Dome Field (see attachment Exhibit "B") in Grand County, Utah and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for the leased wells is provided by BLM Bond Number UTO 832.

The BLM office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibilities are met.

Sincerely,

Handwritten signature of F. Lee Robinson in cursive, with the date "4/8" written to the right of the signature.

F. Lee Robinson
Vice-President

cs
Enclosures

cc: Diane Wright, BLM

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number
08154

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT for such proposals.

1. Type of Well
 Oil Well Gas Well Other (specify)

9. Well Name and Number
Federal 15-2

2. Name of Operator
Valley Operating Inc.

10. API Well Number
4301930636

3. Address of Operator
745 Gilpin Street, Denver, CO 80218

4. Telephone Number
303-355-3242

11. Field and Pool, or Wildcat
Cisco Dome

5. Location of Well
Footage : NWNW Sec 15, T20S, R21E County : Grand
QQ, Sec, T., R., M. : State : UTAH

12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

Abandonment New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Recompletion
 Conversion to Injection Shoot or Acidize
 Fracture Treat Vent or Flare
 Multiple Completion Water Shut-Off
 Other _____

Approximate Date Work Will Start _____

SUBSEQUENT REPORT
(Submit Original Form Only)

Abandonment * New Construction
 Casing Repair Pull or Alter Casing
 Change of Plans Shoot or Acidize
 Conversion to Injection Vent or Flare
 Fracture Treat Water Shut-Off
 Other _____

Date of Work Completion _____

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
 * Must be accompanied by a cement verification report.

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This well was recompleted in a shallower zone within the Dakota Section. The result was a completion as an oil producer. See attached diagram with Facility Diagram.

RECEIVED
AUG 06 1992
DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name & Signature F. Lee Robinson Title Vice President Date 8/3/92
(State Use Only)

Valley Operating, Inc.
Cisco Dome Field
Grand County, Utah

Federal 15-2
Recompletion Report

June 2, 1992

0800-1200: Move in and rig up Grand Junction Well Service Unit #1; transport BOP's and rig pump.
1200-1230: Nipple up 7 1/16" 3M psig BOP's and function test same.
1230-1400: SLM out of hole with 75jts 2 3/8" tubing (2437') and SN.
1400-1630: Make trip in hole to 2505' with 4 1/2" 10.50# casing scraper.
1630-1730: Make up 4 1/2" Full-bore tension packer and trip in hole to 2467'.
1730-1830: Set packer and load annulus with 25 bbls 4% KCL water; close pipe rams and test to 350 psig.
1830-1930: Lower packer to 2505'; set packer and test below packer to 500 psig. Release packer and pull above perms at 2477-87'; SDFN.

June 3, 1992

0730-0830: CP 20 psig; pull out with tubing and packer.
0830-0930: Run GR-collar correlation strip across Dakota.
0930-1030: Set 4 1/2" 10.5# EZ-Drill cast iron bridge plug at 2467' per FDC-CNL.
1030-1230: Trip in with 76 jts of tubing and tag plug at 2467'; load casing with 4% KCL water and test same to 500 psig for 15 min.
1230-1400: Swab fluid level down to 2350'+/-.
1400-1600: Pull out and make up 3 3/8" expendable casing gun loaded 4 jspf as follows:

2 3/8" x 2' pup jt. w/RA tag.....	2.08
1 jt 2 3/8" tbg.....	31.40
1 jt 2 3/8" tbg.....	32.58
Std SN.....	.76
Perforated nipple w/disk.....	.70
1 jt 2 3/8" tbg.....	32.61
2 3/8" x 4' pup jt guide.....	4.43
Firing Head.....	.50
3 3/8" OD expendable gun.....	10.57
Bull plug.....	.75

1600-1800: Trip in with perforating assembly; run GR correlation to locate RA tag; space out guns; nipple down BOP's; land tubing with top shot at 2449'(2449-2457'); make up tree.
1800-1830: Drop bar and detonate gun; gas to surface in less than 1 min; cp 25 psig; open tbg to pit.
1830-2000: Swab remaining fluid from well; cp 50 psig; shut in for pressure build up.

June 4, 1992

0930-1000: SICP 170 psig; blew down tbg pressure; rig up to swab.
1000-1100: FL at 1700'; swabbed dry, CP fell to 60 psig.
1100-1400: Wait 30 min for fluid entry, FL at 2100, swabbed dry;
repeated same procedure; recovered approx 15 bbls water total.
1400-1600: Nipple down tree, and nipple up BOP's; tag CIBP at 2467';
pull out of hole with tbg and perforating assembly; SDFN.

June 5, 1992

0730-00900: Run in hole with 2 3/8" SSN and 75 jts 2 3/8" tbg; land
tbg at 2440'KB; remove BOP's and install tree.
0900-0930: Wait on Halliburton.
0930-1100: Acidize Dakota perfs 2449'-2457' with 500 gal 7 1/2% HCL,
flush with 3% KCL, treatment contained 15,000 scf N2, pumped at total
rate of 2.5 bpm @ 1500 psi, pressure broke to 750 psi with acid on
perfs, 22 BLTR.
1100-1200: Open well to pit on 12/64" choke with 350 psi TP; pressure
decreased to zero, unloaded estimated 5 bbls fluid.
1200-1800: Swabbing; FL 1500' to SN; casing pressure increased to max
of 150 psig; gas blow between runs made at 15 min intervals; 200-300'
of fill-up between runs; casing pressure decreases 30-50 psig just
after run, rec total approx 25 bbl fluid, -3 BLTR.

June 6, 1992

SICP 350 psig, SITP 220 psig; open tubing to pit, left well open with
weak blow, returned approx 1 hr later to find well had unloaded
approx 3 bbls water, CP 80 psig; shut in.

June 7, 1992

SICP 240 psig, SITP 120 psig; open tubing to pit for approx 15 min,
well did not unload, shut in.

June 8, 1992

0730: SICP 260 psig, SITP 0 psig; Remove tree and install BOP's, pull
tbg; make up 4 1/2" RBP (cup type) and packer, run in hole and set
RBP at 2435' and pkr at 2353'; attempt to pressure test down tbg,
check pkr and RBP settings with electric line, move RBP 5' up hole to
2428'WLM, attempt to test again; release pkr and attempt to test RBP,
set pkr and test annulus to 500 psig, move pkr and set 3' above RBP,
test annulus to 500 psig; pull out with pkr and RBP, go in and set 4
1/2" (pkr type) RBP at 2435', test casing to 500 psig, set pkr at
2353'SLM and test annulus to 500 psig; swab fluid level in tbg down
to 2075' WLM; perforate Dakota with 1 9/16" expendable hollow carrier
loaded 2jspf (20 holes), no change after perforating; SDFN at 1930
hrs.

June 9, 1992

0830: No pressure; made two runs with swab, FL at 2075', swabbed dry.
Load tubing with 3% KCL and attempt to bread down with 2500 psig;
release pkr and lower to 2430', spot acid to end of tubing, attempt
to break down perfs (2412-2422') with 500 psig, set pkr at 2353' and
bread down perfs with 1200 psig, acidize Dakota with 500 gal 7 1/2%
HCL at 4 bpm and 1800 psig, ISIP 1200, 10 min SIP 50, BLTR 20.
Swabbed FL from surface to SN, wait 30 min for fluid entry after
swabbing down, oil cut increased to 50%, BLTR 8, SDFN at 1700 hrs.

June 10, 1992

0730: Released 4 1/2" pkr and trip out, trip in with retrieving tool and release RBP, pull out and lay down tools; make up 1 jt 2 3/8" mud anchor, perforated sub, SSN, 74 jts 2 3/8" tubing and 4-pup jts to land tubing with seating nipple at 2423' RKB and EOT at 2454; swab load water, recovered 25 bbls water with show of oil, SDFN.

June 17, 1992

0730: Move 100-3/4 rods and polished rod from the Federal 23-2 location. 1200: Run 20-125-RHAC-10-3-1(2x1 1/2x10x11 RHAC) rod pump, clean and tap 96-3/4" rods and run same, run 1-6' x 2-4' 3/4" pup jts.; seat pump, install polished rod and stuffing box, SDFN at 1900 hrs.

June 18-20, 1992

Set International Derrick, 1938, 62D pumping unit, SN764, moved from Federal 23-2; set 300 bbl tank, SN 1147-13, moved from Federal 10-2. Install 2-cylinder Wisconsin engine (rebuilt Jan, 1992 for the Federal 22-1). Stroke pump with good pump action, lubricate unit, build pits and fences, clean location.


July 1, 1992

Grand Junction Well Service crew repaired pumping unit---brake lining had wrapped around the main shaft, thus causing the PTO on the Wisconsin Engine to break. Changed out engine, build guard around unit, repaired leaking plate on pump jack.

July 2-3, 1992

Move in and rig up Grand Junction Well Service; remove head from unit, pull out with rods and pump (considerable paraffin build up on rods and in gas anchor), pull tubing; set CIBP at 2440' rkb; run tubing and rods, space out and return well to pumping status.

PRODUCTION EQUIPMENT SCHEMATIC



FEDERAL 15-2
CLISO DOME FIELD
GRAND COUNTY, UTAH



MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:

• DALE ANNE KESLER
 EPS RESOURCES CORP
 5655 S YOSEMITE #460
 ENGLEWOOD CO 80111

RECEIVED

SEP 21 1992

DIVISION OF
 OIL GAS & MINING

Utah Account No. N2025
 Report Period (Month/Year) 8 / 92
 Amended Report

Well Name API Number Entity Location	Producing Zone	Days Oper	Production Volume		
			Oil (BBL)	Gas (MSCF)	Water (BBL)
FEDERAL 23-2 4301930586 08140 20S 21E 23	DKTA		U-02139A		
FEDERAL 1-10 4301930484 08141 20S 21E 10	DKTA		U-02140 A		
FEDERAL 11-1 4301930485 08142 20S 21E 11	CDMTN		" A		
FEDERAL 11-2 4301930882 08143 20S 21E 11	CDMTN		" A		
FEDERAL 11-3 4301930884 08144 20S 21E 11	CDMTN		" A		
FEDERAL 12-1 4301930881 08145 20S 21E 12	MRSN		" A		
FEDERAL 13-1 4301930348 08146 20S 21E 13	MRSN		UTU 02140A		
FEDERAL 13-2 4301930673 08147 20S 21E 13	MRSN		" A		
FEDERAL 13-3 4301930883 08148 20S 21E 13	MRSN		" A		
FEDERAL 13-4 4301930885 08149 20S 21E 13	MRSN		" A		
FEDERAL 14-1A 4301930436 08150 20S 21E 14	CM-MR		UTU 02140A		
FEDERAL 14-2 4301930487 08151 20S 21E 14	DK-CM		" A		
FEDERAL 15-2 4301930636 08154 20S 21E 15	DKTA	✓	" A		
TOTAL					

Comments (attach separate sheet if necessary) _____

I have reviewed this report and certify the information to be accurate and complete. Date _____

Authorized signature _____ Telephone _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

UTU02140A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

See Attached

10. FIELD AND POOL, OR WILDCAT

Cisco Dome Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR ALMA

See Attached

12. COUNTY OR PARISH

Grand

13. STATE

UT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Valley Operating, Inc.

3. ADDRESS OF OPERATOR

745 Gilpin Street, Denver, CO 80218

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

See Attached

14. PERMIT NO.

15. ELEVATIONS (Show whether DP, RT, GR, etc.)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other) Change of Operator

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Valley Operating, Inc. is Operator of the wells on the attached sheet effective March 8, 1991 (See attached Self-Certification Letter)

RECEIVED

SEP 21 1992

DIVISION OF
OIL GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED

F. Lee Robinson
F. Lee Robinson

TITLE

Vice President

DATE 4-8-91

(This space for Federal or State office use)

APPROVED BY

William C. Stange
William C. Stange

TITLE

District Manager

DATE 5/6/91

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

APPROVED: 2/11/91

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

EXHIBIT "A" FOR CHANGE OF OPERATOR
ATTACHMENT TO SUNDRY NOTICE
CISCO DOME FIELD
GRAND COUNTY, UTAH

LEASE #UTU02140A

<u>WELL NUMBER</u>	<u>SECTION</u> <u>1/4 OF 1/4</u>	<u>TWP</u>	<u>RNG</u>
13-1	13SWSW	20S	21E
14-1	14NWNW	20S	21E
14-1A	14NWNW	20S	21E
1-10	10NWSW	20S	21E
11-1	11NWSW	20S	21E
14-2	14NENE	20S	21E
15-1	15NESE	20S	21E
22-1	22SENE	20S	21E
15-2	15NWNW	20S	21E
15-3	15NENE	20S	21E
13-2	13SENE	20S	21E
12-1	12SWSW	20S	21E
11-2	11SESE	20S	21E
13-3	13NWNE	20S	21E
11-3	11SWSW	20S	21E
13-4	13NWSE	20S	21E
15-4	15SWSW	20S	21E
10-2	10NESW	20S	21E

RECEIVED

SEP 21 1992

DIVISION OF
OIL GAS & MINING

Valley Operating, Inc.
Various Wells
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02140A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Valley Operating, Inc., is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0832 (Principal - Valley Operating, Inc.) via surety consent as provided for in 43 CFR 3104.3.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:	
1- VLC	7- LZR
2- DTS	
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- ADA	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 3-8-91)

TO (new operator)	<u>VALLEY OPERATING INC</u>	FROM (former operator)	<u>EPS RESOURCES CORP</u>
(address)	<u>745 GILPIN ST</u>	(address)	<u>5655 S YOSEMITE #460</u>
	<u>DENVER, CO 80218-3633</u>		<u>ENGLEWOOD, CO 80111</u>
	<u>LEE ROBINSON</u>		
	phone (303) <u>355-3242</u>		phone (303) <u>721-7920</u>
	account no. <u>N 8270</u>		account no. <u>N 2025</u>

Well(s) (attach additional page if needed):

Name: <u>*SEE ATTACHED*</u>	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec ___ Twp ___ Rng ___	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(see Btm Approval)*
- See 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 9-21-92)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(9-23-92)*
- See 6. Cardex file has been updated for each well listed above. *(9-23-92)*
- See 7. Well file labels have been updated for each well listed above. *(9-23-92)*
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(9-23-92)*
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

JA 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ____ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).

NA 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

NA 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.

NA 2. A copy of this form has been placed in the new and former operators' bond files.

JA 3. The former operator has requested a release of liability from their bond (yes/no) ____.
Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

JA 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.

NA 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

JA 1. All attachments to this form have been microfilmed. Date: Oct 7 19 92.

FILING

JA 1. Copies of all attachments to this form have been filed in each well file.

JA 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

920923 Bfm/moeb Approved operator change on 5-6-91.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
 355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

LEE ROBINSON
 VALLEY OPERATING INC
 745 GILPIN ST
 DENVER CO 80218-3633

UTAH ACCOUNT NUMBER: N8270

REPORT PERIOD (MONTH/YEAR): 7 / 95

AMENDED REPORT **(Highlight Changes)**

Well Name			Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location				OIL(BBL)	GAS(MCF)	WATER(BBL)
FEDERAL 14-1A								
4301930436	08150	20S 21E 14	CM-MR					
FEDERAL 14-2								
4301930487	08151	20S 21E 14	DK-CM					
FEDERAL 14-3								
4301930488	08152	20S 21E 14	DK-MR					
FEDERAL 14-4								
4301930878	08153	20S 21E 14	MRSN					
FEDERAL 15-2								
4301930636	08154	20S 21E 15	DKTA					
FEDERAL 15-3								
4301930637	08155	20S 21E 15	MRSN					
FEDERAL 22-1								
4301930625	08156	20S 21E 22	CDMTN					
FEDERAL 23-3								
4301930588	08157	20S 21E 23	CM-MR					
FEDERAL 23-4								
4301930760	08158	20S 21E 23	CDMTN					
FEDERAL 24-2								
4301930530	08159	20S 21E 24	DK-MR					
FEDERAL 14-1								
4301930430	08169	20S 21E 14	DKTA					
FEDERAL 25-3								
4301930575	08170	20S 21E 25	MRSN					
FEDERAL 25-4								
4301930743	08181	20S 21E 25	MRSN					
TOTALS								

COMMENTS: _____

I hereby certify that this report is true and complete to the best of my knowledge. Date: _____

Name and Signature: _____ Telephone Number: _____



August 18, 1995

Lisha Cordova
Utah Natural Resources
Oil, Gas & Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180

AUG 21 1995

Re: Sundry Notices for Change of Operator
Cisco Dome Field, Grand County, Utah

Dear Lisha:

Enclosed are Sundry Notices affecting wells located on U-2139A, U-2140A, U-12702, U-12702A, U-12702B, U37730 and ML-24295.

Sincerely,

A handwritten signature in black ink, appearing to read "Beverly Gabbay", written in a cursive style.

Beverly Gabbay
Production Department

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

95 AUG - 2

5. Lease Designation and Serial No.
U-2140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Pease Operating Company, a wholly owned subsidiary of Pease Oil and Gas Company

3. Address and Telephone No.

P. O. Box 1874, Grand Junction, CO 81502 (970) 245-5917

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" attached.

8. Well Name and No.

See Exhibit "A" Attached

9. API Well No.

See Exhibit "A" Attached

10. Field and Pool, or Exploratory Area

Cisco Dome

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective January 1, 1995, Pease Operating Company became the operator of the wells listed on Exhibit "A" attached. Federal Bond No. 400 DX 0202.

AUG 21 1995

14. I hereby certify that the foregoing is true and correct

Signed William H. Pease

Title President

Date 7-31-95

(This space for Federal or State office use)

Associate District Manager

Approved by William H. Pease

Title

Date 8/10/95

Conditions of approval, if any:

CONDITION OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Pease Oil and Gas Company
Wells: SEE ATTACHED LIST
T. 20 S., R. 21 E.
Grand County, Utah
Lease U-02140A

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Pease Oil and Gas Company is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by BLM bond No. UT0073 (Principal - Pease Oil and Gas Company) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
✓ Fed 10-2	430193121000S1	NESW	10	20S	21E
✓ Fed 11-1	430193048500S1	NWSW	11	20S	21E
✓ Fed 11-2	430193088200S1	SESE	11	20S	22E
✓ Fed 11-3	430193088400S1	SWSW	11	20S	21E
✓ Fed 12-1	430193088100S1	SWSW	12	20S	21E
✓ Fed 13-1	430193034800S1	SWSW	13	20S	21E
✓ Fed 13-2	430193067300S1	SENW	13	20S	21E
✓ Fed 13-3	430193088300S1	NWNE	13	20S	21E
✓ Fed 13-4	430193088500S1	NWSE	13	20S	21E
✓ Fed 14-1	430193043000S1	NWNW	14	20S	21E
✓ Fed 14-1A	430193043600S1	NWNW	14	20S	21E
✓ Fed 14-2	430193048700S1	NENE	14	20S	21E
✓ Fed 15-1	430193058500S1	NESE	15	20S	21E
✓ Fed 51-2 (15-2)	430193063600S1	NWNW	15	20S	21E
✓ Fed 15-3	430193063700S1	NENE	15	20S	21E
✓ Fed 15-4	430193088700S1	SWSW	15	20S	21E
✓ Fed 1-10	430193048400S1	NWSW	10	20S	21E
✓ Fed 22-1	430193062500S1	SENE	22	20S	21E


-END-

Valley Operating, Inc.

Office: (303) 355-3242 Fax: (303) 377-9798

745 Gilpin Street
Denver, Colorado 80218-3633

August 31, 1995



Re: Change of Operator Notices
- Acknowledgements -

State of Utah
Utah Division of Oil, Gas & Mining
3 Triad Center, Suite #350
Salt Lake City, Utah 84180-1204

Attn: Lisha

Dear Lisha:

Enclosed are the acknowledgements of the Change of Operator Notices for wells located in Grand County. Also included is the acknowledgement by the BLM of the Change of Operator status for the Antelope Unit in Uintah County.

Gerrity Oil & Gas is preparing State Sundry's for the two Antelope Unit wells. These will be signed by both Gerrity and Valley the week of September 4th and will be forwarded shortly thereafter. Thank you for your guidance in preparing these documents.

Very Truly Yours

F. Lee Robinson 8/31
F. Lee Robinson
Vice President

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
U-2140A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No:

2. Name of Operator
Pease Operating Company, a wholly owned subsidiary of Pease Oil and Gas Company

See Exhibit "A" Attached

3. Address and Telephone No.
P. O. Box 1874, Grand Junction, CO 81502 (970) 245-5917

9. API Well No.
See Exhibit "A" Attached

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See Exhibit "A" attached.

10. Field and Pool, or Exploratory Area
Cisco Dome

11. County or Parish, State
Grand County, Utah


12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective January 1, 1995, Pease Operating Company became the operator of the wells listed on Exhibit "A" attached. Federal Bond No. 400 DX 0202.



14. I hereby certify that the foregoing is true and correct
Signed: F. Lee Robinson Title: President Date: 7-31-95
(This space for Federal or State office use)

Valley Operating Inc. acknowledges and agrees with this Change of Operator notice

For Valley Operating, Inc.

BY: F. Lee Robinson
F. Lee Robinson
Vice President

Date: 8/21/95

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG</u>
Fed 10-2	430193121000S1	NESW	10	20S	21E
Fed 11-1	430193048500S1	NWSW	11	20S	21E
Fed 11-2	430193088200S1	SESE	11	20S	22E
Fed 11-3	430193088400S1	SWSW	11	20S	21E
Fed 12-1	430193088100S1	SWSW	12	20S	21E
Fed 13-1	430193034800S1	SWSW	13	20S	21E
Fed 13-2	430193067300S1	SENE	13	20S	21E
Fed 13-3	430193088300S1	NWNE	13	20S	21E
Fed 13-4	430193088500S1	NWSE	13	20S	21E
Fed 14-1	430193043000S1	NWNW	14	20S	21E
Fed 14-1A	430193043600S1	NWNW	14	20S	21E
Fed 14-2	430193048700S1	NENE	14	20S	21E
Fed 15-1	430193058500S1	NESE	15	20S	21E
Fed 51-2	430193063600S1	NWNW	15	20S	21E
Fed 15-3	430193063700S1	NENE	15	20S	21E
Fed 15-4	430193088700S1	SWSW	15	20S	21E
Fed 1-10	430193048400S1	NWSW	10	20S	21E
Fed 22-1	430193062500S1	SENE	22	20S	21E

-END-

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

1-DEC 7-PL	✓
2-LWP 8-SJ	✓
3-PTS 9-FILE	✓
4-VLC	✓
5-RJE	✓
6-LWP	✓

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-95)

TO (new operator) <u>PEASE OIL & GAS COMPANY</u>	FROM (former operator) <u>VALLEY OPERATING INC</u>
(address) <u>PO BOX 1874</u>	(address) <u>745 GILPIN ST</u>
<u>GRAND JUNCTION CO 81502</u>	<u>DENVER CO 80218-3633</u>
<u>WILLARD PEASE</u>	<u>LEE ROBINSON</u>
phone (<u>303</u>) <u>245-5917</u>	phone (<u>303</u>) <u>289-7720</u>
account no. <u>N 1080</u>	account no. <u>N8270</u>

Well(s) (attach additional page if needed):

Name: <u>**SEE ATTACHED**</u>	API: <u>019-30636</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(Rec'd 9-5-95)*
2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(Rec'd 8-21-95)*
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(8-30-95)*
6. Cardex file has been updated for each well listed above. *9-6-95*
7. Well file labels have been updated for each well listed above. *9-7-95*
8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(8-30-95)*
9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) ___ (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ___. Today's date _____ 19___. If yes, division response was made by letter dated _____ 19__.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19__, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: September 12 19 95.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.
U-2140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE



1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.

See Exhibit "A" Attached

2. Name of Operator

Burkhalter Engineering, Inc.

DIV. OF OIL, GAS & MINING

9. API Well No.

See Exhibit "A" Attached

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

10. Field and Pool, or Exploratory Area

Cisco Dome

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other Change of Operator
- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion or well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Willard Pease Jr.
Pease Oil and Gas Company

14. I hereby certify that the foregoing is true and correct

Signed

J. V. Burkhalter

Title

Pres

Date

May 4, 1998

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENW	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

-END-

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS

PEASE OIL & GAS COMPANY
PO BOX 60219
GRAND JUNCTION, CO 81506

UTAH ACCOUNT NUMBER: N1080

REPORT PERIOD (MONTH/YEAR): 7 / 1999

AMENDED REPORT (Highlight Changes)

WELL NAME			Producing Zone	Well Status	Well Type	Days Oper	Production Volumes		
API Number	Entity	Location					OIL (BBL)	GAS (MCF)	WATER (BBL)
FEDERAL 13-2									
4301930673	08147	20S 21E 13	MRSN				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-3									
4301930883	08148	20S 21E 13	MRSN				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 13-4									
4301930885	08149	20S 21E 13	MRSN				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-1A									
4301930436	08150	20S 21E 14	CM-MR				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-2									
4301930487	08151	20S 21E 14	DK-CM				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-3									
4301930488	08152	20S 21E 14	DK-MR				U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 14-4									
4301930878	08153	20S 21E 14	MRSN				U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-2									
4301930636	08154	20S 21E 15	DKTA				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 15-3									
4301930637	08155	20S 21E 15	MRSN				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 22-1									
4301930625	08156	20S 21E 22	CDMTN				U-2140A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-3									
4301930588	08157	20S 21E 23	CM-MR				U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 23-4									
4301930760	08158	20S 21E 23	CDMTN				U-2139A	apprv 12.16.99	eff 4.1.98
FEDERAL 24-2									
4301930530	08159	20S 21E 24	DK-MR				U-2139A	apprv 12.16.99	eff 4.1.98

TOTALS

--	--	--

COMMENTS :

I hereby certify that this report is true and complete to the best of my knowledge.

Date: _____

Name and Signature: _____

Telephone Number: _____

RECEIVED
DEC 22 1999
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT DIVISION OF OIL, GAS & MINING

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter a different reservoir.
Use "APPLICATION FOR PERMIT -" for such proposals

5. Lease Designation and Serial No.

~~U-2140A~~ 002140A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.

See Exhibit "A" Attached

2. Name of Operator

Burkhalter Engineering, Inc.

9. API Well No.

See Exhibit "A" Attached

3. Address and Telephone No.

P.O. Box 60095 Grand Junction, CO 81506 (970) 245-5917

10. Field and Pool, or Exploratory Area

Cisco Dome

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" Attached

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

TYPE OF ACTION

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other Change of Operator
 Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Effective April 1, 1998, Burkhalter Engineering became the operator of the wells listed on Exhibit "A" attached. Burkhalter Engineering is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond coverage for this well will be provided by BLM Bond No. UT1097

Willard Pease Jr.
Willard Pease Jr.
Pease Oil and Gas Company

RECEIVED
FIELD OFFICE
DEC 25 PM 12:36
BUREAU OF LAND MGMT
DEPT OF THE INTERIOR

14. I hereby certify that the foregoing is true and correct

Signed

J.V. Burkhalter

Title

PMCS

Date May 4, 1998

(This space for Federal or State office use)

Approved by

William H.

Title

Assistant Field Manager
Division of Resources

Date

12/16/99

Conditions of approval, if any:

cc: UDGM 12/16/99

CONDITIONS OF APPROVAL

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions on Reverse Side

EXHIBIT "A" TO SUNDRY NOTICE
U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENW	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

-END-

Burkhalter Engineering, Inc.
All Wells on Lease UTU02140A
(1-10, 10-2, 11-1, 11-2, 11-3, 12-1, 13-1, 13-2, 13-3, 13-4,
14-1, 14-1A, 14-2, 15-1, 15-2, 15-3, 15-4 and 22-1)
Sections 10, 11, 12, 13, 14, 15 and 22, T. 20 S., R. 21 E.
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Burkhalter Engineering, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1097 (Principal - Burkhalter Engineering, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR CHANGE WORKSHEET

Routing:	
1. <u>KDR</u> ✓	
2. <u>GLH</u> ✓	7. <u>KAS</u> ✓
3. <u>FRB</u> ✓	8. <u>SI</u>
4. <u>CDW</u> ✓	9. <u>FILE</u>
5. <u>KDR</u> ✓	

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed, effective: 4-1-98

TO: (new operator)	<u>BURKHALTER ENGINEERING INC</u>	FROM: (old operator)	<u>PEASE OIL & GAS COMPANY</u>
(address)	<u>PO BOX 60095</u>	(address)	<u>PO BOX 60219</u>
	<u>GRAND JUNCTION CO 81506</u>		<u>GRAND JUNCTION CO 81506</u>
	Phone: <u>(970)245-5917</u>		Phone: <u>(970)245-5917</u>
	Account no. <u>N6820</u>		Account no. <u>N1080</u>

* CALF CANYON UNIT

WELL(S) attach additional page if needed:

Name: **SEE ATTACHED**	API: <u>4361930636</u>	Entity: _____	S <u>15</u>	T <u>205</u>	R <u>21E</u>	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____
Name: _____	API: _____	Entity: _____	S _____	T _____	R _____	Lease: _____

OPERATOR CHANGE DOCUMENTATION

- Lee 1. (r649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator (attach to this form). *(Rec'd 5-18-98)*
- Lee 2. (r649-8-10) Sundry or other legal documentation has been received from the **NEW** operator (Attach to this form). *(Rec'd 5-18-98)*
- N/A 3. The **Department of Commerce** has been contacted if the new operator above is not currently operating any wells in Utah. Is the company **registered with the state?** (yes/no) _____ If yes, show company file number: _____
- KDR 4. **FOR INDIAN AND FEDERAL WELLS ONLY.** The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of **Federal** and **Indian** well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below. *(Rec'd 8.9.99) (Rec'd 12.22.99)*
- KDR 5. Changes have been entered in the **Oil and Gas Information System (3270)** for each well listed above. *(11.19.99) Canyon U. (12.30.99)*
- KDR 6. **Cardex** file has been updated for each well listed above.
- N/A 7. Well **file labels** have been updated for each well listed above.
- DR 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. *(10.29.99) Canyon U. (12.30.99)*
- DR 9. A folder has been set up for the **Operator Change file**, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- VDP 1. (r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
- VDP 2. Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entity changes.

BOND VERIFICATION - (FEE WELLS ONLY)

- N/A/fe 1. (r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
- N/A/fe 2. A copy of this form has been placed in the new and former operator's bond files.
- N/A/fe 3. The FORMER operator has requested a release of liability from their bond (yes/no) _____, as of today's date _____. If yes, division response was made to this request by letter dated _____.

LEASE INTEREST OWNER NOTIFICATION OF RESPONSIBILITY

- N/A/fe 1. Copies of documents have been sent on _____ to _____ at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
- N/A/fe 2. (r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated _____ 19 __, of their responsibility to notify all interest owners of this change.

FILMING

1. All attachments to this form have been microfilmed. Today's date: 4.24.01.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form, and the original attachments are now being filed in the Operator Change file.

COMMENTS

990621 per Teresa Thompson w/ BLM, there hasn't been any paperwork filed on Cliff Canyon unit. No approval as of yet.
990809 rec'd cliff canyon unit approval.
990902 left message for Marie McManis (BLM) for Fed. wells
990902 Marie (BLM) called me back. Cliff Canyon unit wells have been approved, but not the federal ones yet. There is a problem, per Marie those approvals will take another week. She will send me a copy as soon as it is approved.
991119 called Marie McManis (BLM; 435.259.2135) to find out if Fed. wells apply. She told me not yet, there is a bonding problem. Only cliff canyon u wells have been approved.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.

5. Lease Designation and Serial No.

1102140A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

1. Type of Well

Oil Well Gas Well Other

8. Well Name and No.

See Exhibit "A" attached

2. Name of Operator

Twin Arrow, Inc.

9. API Well No.

See Exhibit "A" attached

3. Address and Telephone No.

P.O. Box 948, Rangely, CO 81648 970-675-8226

10. Field and Pool, or Exploratory Area

Cisco Dome

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

See Exhibit "A" attached

11. County or Parish, State

Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

Notice of Intent
 Subsequent Report
 Final Abandonment Notice

Abandonment
 Recompletion
 Plugging Back
 Casing Repair
 Altering Casing
 Other CHANGE OF OPERATOR

Change of Plans
 New Construction
 Non-Routine Fracturing
 Water Shut-Off
 Conversion to Injection
 Dispose Water

(Note: Report results of multiple completion or Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Sept. 1, 2000 *MB*
Effective July 1, 2000, Twin Arrow, Inc. became the operator of the wells listed on Exhibit "A" attached. Twin Arrow, Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. UT1185

J. N. Burkhalter
J. N. Burkhalter/President
Burkhalter Engineering Inc.

14. I hereby certify that the foregoing is true and correct

Signed *Shonda Guder* Title Office Manager Date 8/18/2000

(This space for Federal or State office use)

Approved by *William Stinger* Title Assistant Field Manager,
Division of Resources Date 9/26/2000

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statement or representations as to any matter within its jurisdiction.

cc: SOGm 9/27/00

*See Instruction on Reverse Side

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 10-2	43-019-31210	NESW	10	20S	21E
Federal 11-1	43-019-30485	NWSW	11	20S	21E
Federal 11-2	43-019-30882	SESE	11	20S	21E
Federal 11-3	43-019-30884	SWSW	11	20S	21E
Federal 12-1	43-019-30881	SWSW	12	20S	21E
Federal 13-1	43-019-30348	SWSW	13	20S	21E
Federal 13-2	43-019-30673	SENE	13	20S	21E
Federal 13-3	43-019-30883	NWNE	13	20S	21E
Federal 13-4	43-019-30885	NWSE	13	20S	21E
Federal 14-1	43-019-30430	NWNW	14	20S	21E
Federal 14-1A	43-019-30436	NWNW	14	20S	21E
Federal 14-2	43-019-30487	NENE	14	20S	21E
Federal 15-1	43-019-30585	NESE	15	20S	21E
Federal 15-2	43-019-30636	NWNW	15	20S	21E
Federal 15-3	43-019-30637	NENE	15	20S	21E
Federal 15-4	43-019-30887	SWSW	15	20S	21E
Federal 1-10	43-019-30484	NWSW	10	20S	21E
Federal 22-1	43-019-30625	SENE	22	20S	21E

Twin Arrow Incorporated
Well Nos. 10-2, 11-1, 11-2, 11-3, 12-1, 13-1, 13-2, 13-14,
14-1, 14-1A, 14-2, 15-1, 15-2, 15-3, 15-4, 1-10, 22-1
Sections 10, 11, 12, 13, 14, 15 and 22 T. 20 S., R. 21 E.
Lease UTU02140A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Twin Arrow Incorporated is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal - Twin Arrow Incorporated) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-SJP ✓
3. JLT		6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

09-01-2000

FROM: (Old Operator):

BURKHALTER ENGINEERING INC.

Address: P. O. BOX 60095

GRAND JUNCTION, CO 81506

Phone: 1-(970)-243-6060

Account No. N6820

TO: (New Operator):

TWIN ARROW INC.

Address: P. O. BOX 948

RANGELY, CO 91648

Phone: 1-(970)-675-8226

Account N1415

CA No.

Unit:

WELL(S)

NAME	API NO.	ENTITY NO.	SEC. TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 10-2	43-019-31210	8207	10-20S-21E	FEDERAL	GW	TA
FEDERAL 1-10	43-019-30484	8141	10-20S-21E	FEDERAL	GW	S
FEDERAL 11-1	43-019-30485	8142	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-2	43-019-30882	8143	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-3	43-019-30884	8144	11-20S-21E	FEDERAL	GW	S
FEDERAL 12-1	43-019-30881	8145	12-20S-21E	FEDERAL	GW	TA
FEDERAL 13-1	43-019-30348	8146	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-2	43-019-30673	8147	13-20S-21E	FEDERAL	GW	S
FEDERAL 13-3	43-019-30883	8148	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-4	43-019-30885	8149	13-20S-21E	FEDERAL	GW	TA
FEDERAL 14-1	43-019-30430	8169	14-20S-21E	FEDERAL	GW	S
FEDERAL 14-1A	43-019-30436	8150	14-20S-21E	FEDERAL	GW	TA
FEDERAL 14-2	43-019-30487	8151	14-20S-21E	FEDERAL	GW	S
FEDERAL 15-1	43-019-30585	11391	15-20S-21E	FEDERAL	GW	TA
FEDERAL 15-2	43-019-30636	8154	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-3	43-019-30637	8155	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-4	43-019-30887	10140	15-20S-21E	FEDERAL	GW	TA
FEDERAL 22-1	43-019-30625	8156	22-20S-21E	FEDERAL	GW	S

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 10/02/2000
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 10/02/2000

3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/02/2000
4. Is the new operator registered in the State of Utah: YES Business Number: _____
***APPLICATION HAS BEEN SUBMITTED TO DIV OF CORP.**
5. If **NO**, the operator was contacted on: _____
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 09/26/2000
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC") Proj:** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/10/2000
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/10/2000
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: _____

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: YES
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
 The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 09/28/2000

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 2-26-01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filed in each well file on: _____

COMMENTS:

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

RECEIVED
MOAB FIELD OFFICE
MAY 24 P 3:12

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reenter to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
 Jelco Energy Inc.

3. Address and Telephone No.
 P.O. Box 948, Rangely, CO 81648 970-675-8226

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
 See Exhibit "A" attached

5. Lease Designation and Serial No.
 U-12702A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
 See Exhibit "A" attached

9. API Well No.
 See Exhibit "A" attached

10. Field and Pool, or Exploratory Area
 Cisco Dome

11. County or Parish, State
 Grand County, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change of Title
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Effective May 23, 2001, Jelco Energy Inc. became the operator of the wells listed on Exhibit "A" attached. Jelco Energy Inc. is responsible under the terms and conditions of the lease for operations conducted on the leased lands or portions thereof.

Bond Coverage for this lease (wells) will be provided by BLM Bond No. UT1185

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Office Manager Date 5/23/2001

(This space for Federal or State office use)

Approved by [Signature] Title Assistant Field Manager, Division of Resources Date 5/25/01

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Jelco Energy, Inc.
Well Nos. 19-1A, 19-3 and 31-1A
Sections 19 and 31 T. 20 S., R. 22 E.
Lease UTU12702A
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jelco Energy, Inc. is considered to be the operator of the above wells and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UT1185 (Principal - Jelco Energy, Inc.) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2139A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 14-3	43-019-30488	NESE	14	20S	21E
Federal 14-4	43-019-30878	SWSW	14	20S	21E
Federal 23-1	43-019-30355	SWNE	23	20S	21E
Federal 23-2	43-019-30586	NWNW	23	20S	21E
Federal 23-3	43-019-30588	NEGW	23	20S	21E
Federal 23-4	43-019-30760	NWSE	23	20S	21E
Federal 24-2	43-019-30530	NWNW	24	20S	21E
Federal 24-3	43-019-30432	SWGE	24	20S	21E
Federal 24-4	43-019-30900	NWNE	24	20S	21E
Federal 25-1	43-019-30359	SWNE	25	20S	21E
Federal 25-2	43-019-30587	SWSW	25	20S	21E
Federal 25-3	43-019-30575	SESE	25	20S	21E
Federal 25-4	43-019-30743	NENW	25	20S	21E

EXHIBIT "A" TO SUNDRY NOTICE
U-12702A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC.</u>	<u>TWP.</u>	<u>RNG.</u>
Federal 19-1A	43-019-30896	SWNW	19	20S	22E
Federal 19-3	43-019-30302	SWSW	19	20S	22E
Federal 31-1A	43-019-30308	NENW	31	20S	22E

EXHIBIT "A" TO SUNDRY NOTICE
WELL LIST U-2140A

<u>WELL NAME & NO.</u>	<u>API NO.</u>	<u>1/4 1/4</u>	<u>SEC</u>	<u>TWP</u>	<u>RNG.</u>
Federal 10-2 ✓	43-019-31210	NESW	10	20S	21E
Federal 11-1 ✓	43-019-30485	NWSW	11	20S	21E
Federal 11-2 ✓	43-019-30882	SESE	11	20S	21E
Federal 11-3 ✓	43-019-30884	SWSW	11	20S	21E
Federal 12-1 ✓	43-019-30881	SWSW	12	20S	21E
Federal 13-1 ✓	43-019-30348	SWSW	13	20S	21E
Federal 13-2 ✓	43-019-30673	SENW	13	20S	21E
Federal 13-3 ✓	43-019-30883	NWNE	13	20S	21E
Federal 13-4 ✓	43-019-30885	NWSE	13	20S	21E
Federal 14-1 ✓	43-019-30430	NWNW	14	20S	21E
Federal 14-1A ✓	43-019-30436	NWNW	14	20S	21E
Federal 14-2 ✓	43-019-30487	NENE	14	20S	21E
Federal 15-1 ✓	43-019-30585	NESE	15	20S	21E
Federal 15-2 ✓	43-019-30636	NWNW	15	20S	21E
Federal 15-3 ✓	43-019-30637	NENE	15	20S	21E
Federal 15-4 ✓	43-019-30887	SWSW	15	20S	21E
Federal 1-10 ✓	43-019-30484	NWSW	10	20S	21E
Federal 22-1 ✓	43-019-30625	SENE	22	20S	21E

STATE UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR: Jelco Energy, Inc.

3. ADDRESS OF OPERATOR: P.O. Box 948 CITY Rangely STATE CO ZIP 81648 PHONE NUMBER: 9706758226

5. LEASE DESIGNATION AND SERIAL NUMBER: _____

6. IF INDIAN, ALLOTTEE OR TRIBE NAME: _____

7. UNIT or CA AGREEMENT NAME: _____

8. WELL NAME and NUMBER: see attached list

9. API NUMBER: _____

10. FIELD AND POOL, OR WILDCAT: _____

4. LOCATION OF WELL

FOOTAGES AT SURFACE: _____

COUNTY: Grand

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

see attached list

Until May 1, 2001 Twin Arrow, Inc. and Jelco Energy Inc. were the same company. We split Twin Arrow, Inc. and Jelco Energy apart so Jelco Energy could operate all the Utah wells and Twin Arrow will operate all the Colorado Wells.

NAME (PLEASE PRINT) Linda C. Gordon TITLE Office Manager

SIGNATURE *Linda Gordon* DATE 6/1/2001

(This space for State use only)

RECEIVED

JUN 15 2001

DIVISION OF
OIL, GAS AND MINING

(See Instructions on Reverse Side)

FED. LEASE #	API #	WELL NAME	SEC	QTR	TWP	RNG
UTU5675	430193039200	CALF CANYON #4	11	NWNW	20S	21E
UTU72600	430193039300	CALF CANYON #5	11	SENE	20S	21E
UTU72600	430193109400	FEDERAL #675-3	10	SWNW	20S	21E
UTU11620	430193119700	CALF CANYON #8	3	SESW	20S	21E
UTU70813A	430193029800	CALF CANYON #1	3	SWSE	20S	21E
UTU70813A	430193037600	FEDERAL 675-1	10	NENW	20S	21E
UTU70813A	430193116800	CALF CANYON #7	2	SESW	20S	21E
UTU70813A	430193118700	FEDERAL 675-4	10	NENW	20S	21E
UTU70813A	430193119900	FEDERAL 675-5	10	NWNW	20S	21E
UTU70813A	430193120300	CALF CANYON #10	3	SESE	20S	21E
UTU70813A	430193120800	FEDERAL 675-6	9	NENE	20S	21E
UTU70813A	430193120900	CALF CANYON #11	3	SWSW	20S	21E
UTU02139A	430193035500	FEDERAL 23-1	23	SWNE	20S	21E
UTU02139A	430193035900	FEDERAL 25-1	25	SWNE	20S	21E
UTU02139A	430193043200	FEDERAL 24-3	24	SWSE	20S	21E
UTU02139A	430193048800	FEDERAL 14-3	14	NESE	20S	21E
UTU02139A	430193053000	FEDERAL 24-2	24	NWNW	20S	21E
UTU02139A	430193057500	FEDERAL 25-3	25	SESE	20S	21E
UTU02139A	430193058600	FEDERAL 23-2	23	NWNW	20S	21E
UTU02139A	430193058700	FEDERAL 25-2	25	SWSW	20S	21E
UTU02139A	430193058800	FEDERAL 23-3	23	NESW	20S	21E
UTU02139A	430193074300	FEDERAL 25-4	25	NENW	20S	21E
UTU02139A	430193076000	FEDERAL 23-4	23	NWSE	20S	21E
UTU02139A	430193087800	FEDERAL 14-4	14	SWSW	20S	21E
UTU02139A	430193090000	FEDERAL 24-4	24	NWNE	20S	21E
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20S	21E
UTU02140A	430193043000	FEDERAL 14-1	14	NWNW	20S	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	20S	21E
UTU02140A	430193048500	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	430193048700	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	20S	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	20S	21E
UTU02140A	430193063600	FEDERAL 15-2	15	NWNW	20S	21E
UTU02140A	430193063700	FEDERAL 15-3	15	NENE	20S	21E
UTU02140A	430193067300	FEDERAL 13-2	13	SENW	20S	21E
UTU02140A	430193088100	FEDERAL 12-1	12	SWSW	20S	21E
UTU02140A	430193088200	FEDERAL 11-2	11	SESE	20S	21E
UTU02140A	430193088300	FEDERAL 13-3	13	NWNE	20S	21E
UTU02140A	430193088400	FEDERAL 11-3	11	SWSW	20S	21E
UTU02140A	430193088500	FEDERAL 13-4	13	NWSE	20S	21E
UTU02140A	430193088700	FEDERAL 15-4	15	SWSW	20S	21E
UTU02140A	430193121000	FEDERAL 10-2	10	NESW	20S	21E
UTU12702	430193042900	FEDERAL 30-1	30	SWNW	20S	22E
UTU12702A	430193030200	FEDERAL 19-3	19	SWSW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193030800	FEDERAL 31-1A	31	NENW	20S	22E
UTU12702A	430193089600	FEDERAL 19-1A	19	SWNW	20S	22E
UTU37730	430193087500	FEDERAL 18-1	18	NESW	20S	22E
STATE WELL ML-24295	430193034700	STATE 32-1	32	W 1/2	20S	22E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH		4-KAS
2. CDW	✓	5-LP <i>b/p</i>
3. JLT		6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective: **05-23-2001**

FROM: (Old Operator):
TWIN ARROW INC
Address: P. O BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1415

TO: (New Operator):
JELCO ENERGY INC
Address: P. O . BOX 948
RANGELY, CO 81648
Phone: 1-(970)-675-8226
Account N1825

CA No.

Unit:

WELL(S)

NAME	API NO	ENTITY NO	SEC TWN RNG	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 10-2	43-019-31210	8207	10-20S-21E	FEDERAL	GW	TA
FEDERAL 11-2	43-019-30882	8143	11-20S-21E	FEDERAL	GW	S
FEDERAL 11-3	43-019-30884	8144	11-20S-21E	FEDERAL	GW	P
FEDERAL 12-1	43-019-30881	8145	12-20S-21E	FEDERAL	GW	TA
FEDERAL 13-2	43-019-30673	8147	13-20S-21E	FEDERAL	GW	P
FEDERAL 13-3	43-019-30883	8148	13-20S-21E	FEDERAL	GW	TA
FEDERAL 13-4	43-019-30885	8149	13-20S-21E	FEDERAL	GW	TA
FEDERAL 15-2	43-019-30636	8154	15-20S-21E	FEDERAL	GW	S
FEDERAL 15-3	43-019-30637	8155	15-20S-21E	FEDERAL	GW	P
FEDERAL 15-4	43-019-30887	10140	15-20S-21E	FEDERAL	GW	TA
FEDERAL 22-1	43-019-30625	8156	22-20S-21E	FEDERAL	GW	P
FEDERAL 19-1A	43-019-30896	8201	19-20S-22E	FEDERAL	GW	TA
FEDERAL 19-3	43-019-30302	8201	19-20S-22E	FEDERAL	GW	TA
FEDERAL 31-1A	43-019-30308	8204	31-20S-22E	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/15/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/15/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 06/18/2001

4. Is the new operator registered in the State of Utah: YES Business Number: 4825833-0143
5. If NO, the operator was contacted contacted on: N/A
6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 05/24/2001
7. **Federal and Indian Units:** The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
8. **Federal and Indian Communization Agreements ("CA"):** The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: N/A
9. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 06/19/2001
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 06/19/2001
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE BOND VERIFICATION:

1. State well(s) covered by Bond No.: N/A

FEE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed has furnished a bond: N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A
3. (R649-2-10) The **FORMER** operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

FILMING:

1. All attachments to this form have been **MICROFILMED** on: 7.12.01

FILING:

1. **ORIGINALS/COPIES** of all attachments pertaining to each individual well have been filled in each well file on: _____

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-
abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMI No. 1004-0135
Expires November 30, 2000

5. Lease Serial No. UTU 02140A

6. If Indian, Allottee or Tribe Name _____

7. If Unit or CA/Agreement, Name and/or No. _____

8. Well Name and No. See attached list

9. API Well No. See attached list

10. Field and Pool, or Exploratory Area Greater Cisco

11. County or Parish, State Grand County, UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator ABS Energy LLC N2475

3a. Address P.O. Box 736, Rangely, CO 81648

3b. Phone No. (include area code) 970-675-5212

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached list

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/DIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Effective January 1, 2003, ABS Energy LLC is the new operator. ABS Energy LLC is responsible under the terms and conditions of the lease for operations conducted on the lease lands or portions thereof.

Bond Coverage for these wells will be provided by BLM Bond No. UTB 000034

Linda Gordon
Jelco Energy/Linda C. Gordon N1825

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) Linda C. Gordon Title Office Manager/ABS Energy LLC

Signature *Linda Gordon* Date June 4, 2003

THIS SPACE FOR FEDERAL OR STATE OFFICE USE
ACCEPTED

Approved by _____ Title Division of Resources Date JUN 9 2003
Moab Field Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

cc udocm

Conditions Attached
RECEIVED
JUN 30 2003

FED. LEASE #	API #	WELL NAME	SEC	QTR	TWP	RNG
UTU02140A	430193034800	FEDERAL 13-1	13	SWSW	20S	21E
UTU02140A	430193043000	FEDERAL 14-1	14	NWNW	20S	21E
UTU02140A	430193043600	FEDERAL 14-1A	14	NWNW	20S	21E
UTU02140A	430193048400	FEDERAL 10-1	10	NWSW	20S	21E
UTU02140A	430193048500	FEDERAL 11-1	11	NWSW	20S	21E
UTU02140A	430193048700	FEDERAL 14-2	14	NENE	20S	21E
UTU02140A	430193058500	FEDERAL 15-1	15	NESE	20S	21E
UTU02140A	430193062500	FEDERAL 22-1	22	SENE	20S	21E
UTU02140A	430193063600	FEDERAL 15-2	15	NWNW	20S	21E
UTU02140A	430193063700	FEDERAL 15-3	15	NENE	20S	21E
UTU02140A	430193067300	FEDERAL 13-2	13	SENE	20S	21E
UTU02140A	430193088100	FEDERAL 12-1	12	SWSW	20S	21E
UTU02140A	430193088200	FEDERAL 11-2	11	SESE	20S	21E
UTU02140A	430193088300	FEDERAL 13-3	13	NWNE	20S	21E
UTU02140A	430193088400	FEDERAL 11-3	11	SWSW	20S	21E
UTU02140A	430193088500	FEDERAL 13-4	13	NWSE	20S	21E
UTU02140A	430193088700	FEDERAL 15-4	15	SWSW	20S	21E
UTU02140A	430193121000	FEDERAL 10-2	10	NESW	20S	21E

RECEIVED

JUN 30 2003

DIV. OF OIL, GAS & MINING

ABS Energy, LLC
All Wells on Lease
Sections 10 - 15, 22, T. 20 S., R. 21 E.
Lease UTU02140A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that ABS Energy, LLC is considered to be the operator of the above wells effective January 1, 2003, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000034 (Principal – ABS Energy, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Jelco Energy (formerly Twin Arrow Inc.)		8. WELL NAME and NUMBER: see attached list
3. ADDRESS OF OPERATOR: P.O. Box 948, Rangely, CO 81648		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: see attached list		COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH


11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2003, Jelco Energy sold all its interest and ownership in the wells listed of the attached list. The new owner and operator is ABS Energy LLC, P.O. Box 736, Rangely, CO 81648. Jelco Energy relinquishes ownership of all operating rights to ABS Energy LLC.



 New Operator/ABS Energy LLC.
 P.O. Box 736
 Rangely, CO 81648
 Fax 970-675-8558
 Office 970-629-1116
 ABS Energy LLC BLM Bond UTB000034

NAME (PLEASE PRINT) <u>Linda C. Gordon</u>	TITLE <u>Office Mgr</u>
SIGNATURE 	DATE <u>7/2/03</u>

(This space for State use only)

RECEIVED

JUL 08 2003

DIV. OF OIL, GAS & MINING

WELL NAMES, ENTITY #'S AND WELL ID

WELL NAME	ENTITY #	API #	WELL TYPE	LEGAL DESCRIPTION	LEASE TYPE	STATUS
FEDERAL 14-1A	08150	4301930436	GAS	T20S,R21E, SEC 14	FEDERAL	TA
FEDERAL 1-10	08141	4301930484	GAS	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 10-2	08207	4301931210	GAS	T20S,R21E, SEC 10	FEDERAL	TA
FEDERAL 11-1	08142	4301930485	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 11-2	08143	4301930882	GAS	T20S,R21E, SEC 11	FEDERAL	S
FEDERAL 11-3	08144	4301930884	GAS	T20S,R21E, SEC 11	FEDERAL	P
FEDERAL 12-1	08145	4301930881	GAS	T20S,R21E, SEC 12	FEDERAL	TA
FEDERAL 13-1	08146	4301930348	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-2	08147	4301930673	GAS	T20S,R21E, SEC 13	FEDERAL	P
FEDERAL 13-3	08148	4301930883	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 13-4	08149	4301930885	GAS	T20S,R21E, SEC 13	FEDERAL	TA
FEDERAL 14-1	08169	4301930430	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-2	08151	4301930487	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-3	08152	4301930488	GAS	T20S,R21E, SEC 14	FEDERAL	P
FEDERAL 14-4	08153	4301930878	GAS	T20S,R21E, SEC 14	FEDERAL	S
FEDERAL 15-1	11391	4301930585	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 15-2	08154	4301930636	GAS	T20S,R21E, SEC 15	FEDERAL	S
FEDERAL 15-3	08155	4301930637	GAS	T20S,R21E, SEC 15	FEDERAL	P
FEDERAL 15-4	10140	4301930887	GAS	T20S,R21E, SEC 15	FEDERAL	TA
FEDERAL 18-1	08200	4301930875	GAS	T20S,R22E, SEC 18	FEDERAL	S
FEDERAL 19-1A	08201	4301930896	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 19-3	08201	4301930302	GAS	T20S,R22E, SEC 19	FEDERAL	TA
FEDERAL 22-1	08156	4301930625	GAS	T20S,R21E, SEC 22	FEDERAL	P
FEDERAL 23-1	11393	4301930355	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-2	08140	4301930586	GAS	T20S,R21E, SEC 23	FEDERAL	S
FEDERAL 23-3	08157	4301930588	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 23-4	08158	4301930760	GAS	T20S,R21E, SEC 23	FEDERAL	P
FEDERAL 24-2	08159	4301930530	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-3	11395	4301930432	GAS	T20S,R21E, SEC 24	FEDERAL	P
FEDERAL 24-4	08208	4301930900	GAS	T20S,R21E, SEC 24	FEDERAL	TA
FEDERAL 25-1	11394	4301930359	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-2	11392	4301930587	OIL	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-3	08171	4301930575	GAS	T20S,R21E, SEC 25	FEDERAL	S
FEDERAL 25-4	08181	4301930743	GAS	T20S,R21E, SEC 25	FEDERAL	P
FEDERAL 30-1	08203	4301930429	GAS	T20S,R22E, SEC 30	FEDERAL	S
FEDERAL 31-1A	08204	4301930308	GAS	T20S,R22E, SEC 31	FEDERAL	P
STATE 32-1	08206	4301930347	GAS	T20S,R22E, SEC 32	STATE	P
CC #1	11666	4301930298	OIL	T20S,R21E, SEC 3	FEDERAL	P
CC #4	02515	4301930392	OIL	T20S,R21E, SEC 11	FEDERAL	S
CC #5	02490	4301930393	OIL	T20S,R21E, SEC 11	FEDERAL	TA
CC #8	09820	4301931197	OIL	T20S,R21E, SEC 3	FEDERAL	S
QC #10	11666	4301931203	OIL	T20S,R21E, SEC 3	FEDERAL	S
FEDERAL 675-1	11666	4301930376	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-3	00303	4301931094	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-4	11666	4301931187	OIL	T20S,R21E, SEC 10	FEDERAL	P
FEDERAL 675-5	11666	4301931199	OIL	T20S,R21E, SEC 10	FEDERAL	S
FEDERAL 675-6	11666	4301931208	OIL	T20S,R21E, SEC 9	FEDERAL	S

lease in unit

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

1/1/2003

FROM: (Old Operator):
 N1825-Jelco Energy, Inc.
 PO Box 948
 Rangely, CO 81648
 Phone: (970) 629-1116

TO: (New Operator):
 N2475-ABS Energy, LLC
 PO Box 736
 Rangely, CO 81648
 Phone: (970) 629-1116

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FEDERAL 1-10	10	200S	210E	4301930484	8141	FEDERAL	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	FEDERAL	GW	TA
FEDERAL 11-1	11	200S	210E	4301930485	8142	FEDERAL	GW	P
FEDERAL 11-2	11	200S	210E	4301930882	8143	FEDERAL	GW	S
FEDERAL 11-3	11	200S	210E	4301930884	8144	FEDERAL	GW	P
FEDERAL 12-1	12	200S	210E	4301930881	8145	FEDERAL	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	FEDERAL	GW	TA
FEDERAL 13-2	13	200S	210E	4301930673	8147	FEDERAL	GW	P
FEDERAL 13-3	13	200S	210E	4301930883	8148	FEDERAL	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	FEDERAL	GW	TA
FEDERAL 14-1	14	200S	210E	4301930430	8169	FEDERAL	GW	P
FEDERAL 14-1A	14	200S	210E	4301930436	8150	FEDERAL	GW	TA
FEDERAL 14-2	14	200S	210E	4301930487	8151	FEDERAL	GW	P
FEDERAL 15-1	15	200S	210E	4301930585	11391	FEDERAL	GW	TA
FEDERAL 15-2	15	200S	210E	4301930636	8154	FEDERAL	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	FEDERAL	GW	P
FEDERAL 15-4	15	200S	210E	4301930887	10140	FEDERAL	GW	TA
FEDERAL 22-1	22	200S	210E	4301930625	8156	FEDERAL	GW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/8/2003
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 7/8/2003
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/7/2003
- Is the new operator registered in the State of Utah: YES Business Number: 5333071-0161
- If **NO**, the operator was contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 6/9/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/7/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/7/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000034

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a

2. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR: Elk Production, LLC		9. API NUMBER:
3. ADDRESS OF OPERATOR: 770 S. Post Oak Lane #320 CITY Houston STATE TX ZIP 77056		10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See attached list		COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Change of operator from ABS Energy, LLC to Elk Production LLC.

Old Operator: ABS Energy, LLC *N 2475*

By: 
Andy Saied, Managing Member
PO Box 307
Farmington, NM 87499

New Operator: ELK PRODUCTION, LLC

NAME (PLEASE PRINT) <u>Richard P. Crist</u>	TITLE <u>Executive Vice President</u>
SIGNATURE <u>Richard P. Crist</u>	DATE <u>8/12/04</u>

(This space for State use only)

RECEIVED
AUG 17 2004
DIV. OF OIL, GAS & MINING

ATTACHMENT TO SUNDRY NOTICE

**Transfer from ABS Energy, LLC to Elk Production, LLC
Effective July 22, 2004**

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
State 32-1	43-019-30347	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, T 20 S, R 22 E
Federal 31-1A	43-019-30308	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 31, T 20 S, R 22 E
Federal 30-1	43-019-30429	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 30, T 20 S, R 22 E
Federal 25-1	43-019-30359	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-2	43-019-30587	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-3	43-019-30575	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 25-4	43-019-30743	NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 25, T 20 S, R 21 E
Federal 24-4	43-019-30900	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-2	43-019-30530	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 24-3	43-019-30432	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T 20 S, R 21 E
Federal 23-1	43-019-30355	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-3	43-019-30588	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-4	43-019-30760	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 23-2	43-019-30586	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T 20 S, R 21 E
Federal 22-1	43-019-30625	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T 20 S, R 21 E
Federal 19-3	43-019-30302	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 19-1A	43-019-30896	SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 19, T 20 S, R 22 E
Federal 18-1	43-019-30875	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T 20 S, R 22 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 15-2	43-019-30636	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-1	43-019-30585	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-3	43-019-30637	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 15-4	43-019-30887	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T 20 S, R 21 E
Federal 14-3	43-019-30488	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-1A	43-019-30436	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T 20 S, R 12 E
Federal 14-2	43-019-30487	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-1	43-019-30430	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 14-4	43-019-30878	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 14, T 20 S, R 21 E
Federal 13-2	43-019-30673	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-4	43-019-30885	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-1	43-019-30348	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 13-3	43-019-30883	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T 20 S, R 21 E
Federal 12-1	43-019-30881	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T 20 S, R 21 E
Calf Canyon 4	43-019-30392	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-3	43-019-30884	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Calf Canyon 5	43-019-30393	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-1	43-019-30485	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 11-2	43-019-30882	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 11, T 20 S, R 21 E
Federal 675 5	43-019-31199	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E
Federal 1-10	43-019-30484	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T 20 S, R 21 E

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 675 4	43-019-31187	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Fed 3-675	43-019-31094	SW ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-1	43-019-30376	NE ¹ / ₄ NW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 10-2	43-019-31210	NE ¹ / ₄ SW ¹ / ₄ , Sec. 10, T 20 S, R 21 E
Federal 675-6	43-019-31208	NE ¹ / ₄ NE ¹ / ₄ , Sec. 9, T 20 S, R 21 E
Calf Canyon 1	43-019-30298	SW ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 8	43-019-31197	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon Fed 10	43-019-31203	SE ¹ / ₄ SE ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Cyn 7	43-019-31168	SE ¹ / ₄ SW ¹ / ₄ , Sec. 3, T 20 S, R 21 E
Calf Canyon 11	43-019-31209	SW ¹ / ₄ SW ¹ / ₄ , Sec. 2, T 20 S, R 21 E

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

7/22/2004

FROM: (Old Operator): N2475-ABS Energy, LLC PO Box 307 Farmington, NM 87499 Phone: 1-(TO: (New Operator): N2650-Elk Production, LLC 770 S Post Oak Lane, Suite 320 Houston, TX 77056 Phone: 1-(713) 751-9500
---	--

CA No.

Unit:

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
FED 3-675	10	200S	210E	4301931094	303	Fed	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	Fed	GW	TA
FEDERAL 11-2	11	200S	210E	4301930882	8143	Fed	GW	S
FEDERAL 11-3	11	200S	210E	4301930884	8144	Fed	GW	P
FEDERAL 12-1	12	200S	210E	4301930881	8145	Fed	GW	P
FEDERAL 13-2	13	200S	210E	4301930673	8147	Fed	GW	P
FEDERAL 13-3	13	200S	210E	4301930883	8148	Fed	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	Fed	GW	TA
FEDERAL 14-4	14	200S	210E	4301930878	8153	Fed	GW	S
FEDERAL 15-2	15	200S	210E	4301930636	8154	Fed	GW	P
FEDERAL 15-3	15	200S	210E	4301930637	8155	Fed	GW	S
FEDERAL 15-4	15	200S	210E	4301930887	10140	Fed	GW	TA
FEDERAL 22-1	22	200S	210E	4301930625	8156	Fed	GW	P
FEDERAL 23-4	23	200S	210E	4301930760	8158	Fed	GW	P
FEDERAL 24-4	24	200S	210E	4301930900	8208	Fed	GW	TA
FEDERAL 25-4	25	200S	210E	4301930743	8181	Fed	GW	P
FEDERAL 18-1	18	200S	220E	4301930875	8200	Fed	GW	S
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Fed	GW	TA

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/17/2004

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/17/2004

3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/27/2004

4. Is the new operator registered in the State of Utah: YES Business Number: 5693065-0161

5. If **NO**, the operator was contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: to follow

6b. Inspections of LA PA state/fee well sites requested on: 8/31/2004



7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM applied for BIA

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 8/31/2004

2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 8/31/2004

3. Bond information entered in RBDMS on: 8/31/2004

4. Fee/State wells attached to bond in RBDMS on: 8/31/2004

5. Injection Projects to new operator in RBDMS on: n/a

6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B000963

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number B000969

2. The **FORMER** operator has requested a release of liability from their bond on: TLA held
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 9/1/2004

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OM B No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
~~UTB-2140A~~ **LITUD2140A**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
Multiple

2. Name of Operator **Elk Production, LLC**

9. API Well No.
See attached

3a. Address
770 S. Post Oak Lane #320, Houston, TX 77056

3b. Phone No. (include area code)
(713)751-950

10. Field and Pool, or Exploratory Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See attached

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change of Operator	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator from ABS Energy, LLC to Elk Production, LLC effective July 22, 2004

Elk's BLM Bond # is UTB000135

RECEIVED
 MOAB FIELD OFFICE
 2004 AUG 16 P 4: 41
 DEPT OF THE INTERIOR
 BUREAU OF LAND MGMT

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Richard P. Crist

Title **Executive Vice President**

Signature

Richard P. Crist

Date

8/12/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Title

**Division of Resources
Moab Field Office**

Date

AUG 25 2004

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Conditions Attached

cc: UDDGM

RECEIVED

SEP 07 2004

ATTACHMENT TO SUNDRY NOTICE

Wells Located on UTU-02140A

<u>Well Name</u>	<u>API #</u>	<u>Location</u>
Federal 1-10 ✓	43-019-30484	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T20S, R21E
Federal 10-2 ✓	43-019-31210	NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 10, T20R, R21E
Federal 11-1 ✓	43-019-30485	NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T20S, R21E
Federal 11-2 ✓	43-019-30882	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 11, T20S, R21E
Federal 11-3 ✓	43-019-30884	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 11, T20S, R21E
Federal 12-1 ✓	43-019-30881	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 12, T20S, R21E
Federal 13-1 ✓	43-019-30348	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, T20S, R21E
Federal 13-2 ✓	43-019-30673	SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T20S, R21E
Federal 13-3 ✓	43-019-30883	NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, T20S, R21E
Federal 13-4 ✓	43-019-30885	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, T20S, R21E
Federal 14-1 ✓	43-019-30430	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T20S, R21E
Federal 14-1A ✓	43-019-30436	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T20S, R21E
Federal 14-2 ✓	43-019-30487	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T20S, R21E
Federal 15-1 ✓	43-019-30585	NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 15, T20S, R21E
Federal 15-2 ✓	43-019-30636	NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T20S, R21E
Federal 15-3 ✓	43-019-30637	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, T20S, R21E
Federal 15-4 ✓	43-019-30887	SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 15, T20S, R21E
Federal 22-1 ✓	43-019-30625	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T20S, R21E

Elk Production, LLC
All Wells on Lease
Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E
Lease UTU02140A
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject leases which would entitle the applicant to conduct operations thereon.

Be advised that Elk Production, LLC is considered to be the operator of all wells on lease UTU02140A effective July 22, 2004, and is responsible under the terms and conditions of the leases for the operations conducted on the leased lands.

Bond coverage for these well is provided by UTB000135 (Principal – Elk Production, LLC) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator): N2650-Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202 Phone: 1 (303) 296-4505	TO: (New Operator): N3785-SEP - Cisco Dome LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106 Phone: 1 (435) 940-9001
---	--

CA No.		Unit:						
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 54 WELLS								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2)Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 1481053, 1481056 and 1481054
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

		5. LEASE DESIGNATION AND SERIAL NUMBER:
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		8. WELL NAME and NUMBER: See attached list
2. NAME OF OPERATOR: SEP - CISCO DOME, LLC		9. API NUMBER:
3. ADDRESS OF OPERATOR: 1245 Brickyard Rd., Ste 210 CITY Salt Lake City STATE UT ZIP 84106		PHONE NUMBER: (435) 940-9001
		10. FIELD AND POOL, OR WILDCAT:

4. LOCATION OF WELL

FOOTAGES AT SURFACE: _____ COUNTY: **Grand County**

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: **UTAH**

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Previous Operator: Elk Production, LLC 1401 7th Street, Suite 700 Denver, Colorado 80202 303-296-4505	New Operator: SEP - CISCO DOME, LLC 1245 Brickyard Rd., Ste. 210 Salt Lake City, UT 435-940-9001
--	---

Utah DOGM Bond # *Thunderbird 2: 1481053-1481056; State 32-1; 1481054*
BLM Bond # *4TB000465*

effective 8/1/2011

SEP - CISCO DOME, LLC representative:

Name (Please Print): *David Lillywhite*

Title: **President**

Signature _____

Date: *7/28/11*

NAME (PLEASE PRINT) John Whisler	TITLE Chief Executive Officer
SIGNATURE <i>John Whisler</i>	DATE 7/28/11

(This space for State use only)

APPROVED 9/13/2011
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(5/2000)

(See Instructions on Reverse Side)

RECEIVED
SEP 06 2011
DIV. OF OIL, GAS & MINING

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
effective 8/1/2011

well name	sec	twp	rng	api	entity	well	stat
THUNDERBIRD 1	32	200S	240E	4301930058	10339	OW	P
FEDERAL 19-3	19	200S	220E	4301930302	8201	GW	TA
FEDERAL 31-1A	31	200S	220E	4301930308	8204	GW	P
STATE 32-1	32	200S	220E	4301930347	8206	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	GW	TA
FEDERAL 23-1	23	200S	210E	4301930355	11393	GW	P
FEDERAL 25-1	25	200S	210E	4301930359	11394	GW	S
CALF CANYON 5	11	200S	210E	4301930393	2490	OW	TA
FEDERAL 30-1	30	200S	220E	4301930429	8203	GW	S
FEDERAL 14-1	14	200S	210E	4301930430	8169	GW	P
FEDERAL 24-3	24	200S	210E	4301930432	11395	GW	S
FEDERAL 14-1A	14	200S	210E	4301930436	8150	GW	TA
FEDERAL 1-10	10	200S	210E	4301930484	8141	GW	S
FEDERAL 11-1	11	200S	210E	4301930485	8142	GW	P
FEDERAL 14-2	14	200S	210E	4301930487	8151	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	GW	S
FEDERAL 15-1	15	200S	210E	4301930585	11391	GW	TA
FEDERAL 23-2	23	200S	210E	4301930586	8140	GW	P
FEDERAL 25-2	25	200S	210E	4301930587	11392	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	GW	P
FEDERAL 15-2	15	200S	210E	4301930636	8154	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	GW	P
FEDERAL 18-1	18	200S	220E	4301930875	8200	GW	S
FEDERAL 14-4	14	200S	210E	4301930878	8153	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	GW	S
FEDERAL 13-3	13	200S	210E	4301930883	8148	GW	TA
FEDERAL 11-3	11	200S	210E	4301930884	8144	GW	S
FEDERAL 13-4	13	200S	210E	4301930885	8149	GW	TA
FEDERAL 15-4	15	200S	210E	4301930887	10140	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	GW	TA
FED 3-675	10	200S	210E	4301931094	303	GW	S
FEDERAL 10-2	10	200S	210E	4301931210	8207	GW	TA
FEDERAL 14-6	14	200S	210E	4301931421	14803	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	GW	P
FEDERAL 24-6	24	200S	210E	4301931423	14779	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	GW	S
FEDERAL 15-8	15	200S	210E	4301931434	15006	GW	P
FEDERAL 15-7	15	200S	210E	4301931435	14868	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	GW	P
FEDERAL 25-5	25	200S	210E	4301931444	14849	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU-02140A
2. Name of Operator SEP - CISCO DOME, LLC		6. If Indian, Allottee or Tribe Name
3a. Address	3b. Phone No. (include area code)	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) T20S-R21E Sec 15- NWNW		8. Well Name and No. Federal 15-2
		9. API Well No. 4301930636
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

RECEIVED
OCT 03 2011
DIV. OF OIL, GAS & MINING

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by U7B 0004165.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) David Lillywhite	Title President
Signature 	Date 7/28/11

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by ACCEPTED	Title Division of Resources	Date 9/19/11
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office Mead Field Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Conditions Attached

SEP-Cisco Dome, LLC

Lease UTU02140A

Wells 1-10, 10-2, 11-1, 11-2, 11-3, 11-6, 12-1, 13-1, 13-2, 13-3, 13-4, 14-1, 14-1A, 14-2, 14-5, 14-6, 14-7, 15-1, 15-2, 15-3, 15-4, 15-5, 15-7, 15-8, 22-1 and 22-2

Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E

Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

8/1/2011

FROM: (Old Operator): N2650-Elk Production, LLC 1401 17th Street, Suite 700 Denver, CO 80202 Phone: 1 (303) 296-4505	TO: (New Operator): N3785-SEP - Cisco Dome LLC 1245 Brickyard Rd, Suite 210 Salt Lake City, UT 84106 Phone: 1 (435) 940-9001
---	--

WELL NAME	CA No.	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 10 WELLS									

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 9/6/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 9/6/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/18/2011
- Is the new operator registered in the State of Utah: Business Number: 7934251-0160
- (R649-9-2)Waste Management Plan has been received on: Requested 9/21/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA n/a
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 9/20/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 9/20/2011
- Bond information entered in RBDMS on: 9/6/2011
- Fee/State wells attached to bond in RBDMS on: 9/21/2011
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000465
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number
- The **FORMER** operator has requested a release of liability from their bond on: not yet

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

ELK PRODUCTION, LLC (N2650) to SEP-Cisco Dome, LLC (N3785)
 effective 8/1/2011

well_name	sec	twp	rng	api	entity	well	stat
CALF CANYON 1	03	200S	210E	4301930298	11666	OW	S
FEDERAL 675-1	10	200S	210E	4301930376	11666	OW	S
CALF CANYON 4	11	200S	210E	4301930392	2515	OW	S
CALF CYN 7	03	200S	210E	4301931168	11666	GW	S
FEDERAL 675 4	10	200S	210E	4301931187	11666	OW	P
CALF CANYON 8	03	200S	210E	4301931197	16780	GW	S
FEDERAL 675 5	10	200S	210E	4301931199	11666	OW	S
CALF CANYON FED 10	03	200S	210E	4301931203	11666	OW	S
FEDERAL 675-6	09	200S	210E	4301931208	11666	OW	S
CALF CANYON 11	03	200S	210E	4301931209	15278	GW	S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU-02140A
2. Name of Operator SEP - CISCO DOME, LLC		6. If Indian, Allottee or Tribe Name
3a. Address	3b. Phone No. (include area code)	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) T20S-R21E Sec 15- NWNW		8. Well Name and No. Federal 15-2
		9. API Well No. 4301930636
		10. Field and Pool, or Exploratory Area
		11. County or Parish, State Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Change of Operator

Previous Operator:
Elk Production, LLC
1401 17th Street, Ste 700
Denver, Colorado 80202
303-296-4505

New Operator:
SEP - CISCO DOME, LLC
1245 Brickyard Rd., Ste. 210
Salk Lake City, Utah 84106
435-940-9001

RECEIVED
OCT 03 2011
DIV. OF OIL, GAS & MINING

Please be advised that SEP-CISCO DOME, LLC is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by U7B 0004165.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed) David Lillywhite	Title President
Signature 	Date 7/28/11

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by <u>ACCEPTED</u>	Title Division of Resources	Date 9/19/11
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office Mead Field Office	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

Conditions Attached

SEP-Cisco Dome, LLC

Lease UTU02140A

Wells 1-10, 10-2, 11-1, 11-2, 11-3, 11-6, 12-1, 13-1, 13-2, 13-3, 13-4, 14-1, 14-1A, 14-2, 14-5, 14-6, 14-7, 15-1, 15-2, 15-3, 15-4, 15-5, 15-7, 15-8, 22-1 and 22-2

Sections 10, 11, 12, 13, 14, 15 and 22, T20S, R21E

Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that SEP-Cisco Dome, LLC is considered to be the operator of the above wells effective September 1, 2011, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000465 (Principal – SEP-Cisco Dome, LLC) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Effective Date: 9/1/2014

FORMER OPERATOR:	NEW OPERATOR:
SEP CISCO DOME, LLC N3785 10447 SOUTH JORDAN GATEWAY SOUTH JORDAN UT 84095 801-657-5780	ROSE PETROLEUM (UTAH), LLC N4095 383 INVERNESS PARKWAY SUITE 330 ENGLEWOOD CO 80112 720-390-3860
CA Number(s):	Unit(s):

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

1. Sundry or legal documentation was received from the **FORMER** operator on: 1/26/2015
2. Sundry or legal documentation was received from the **NEW** operator on: 1/26/2015
3. New operator Division of Corporations Business Number: 9009626-0161

REVIEW:

1. Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
2. Receipt of Acceptance of Drilling Procedures for APD/New on: N/A
3. Reports current for Production/Disposition & Sundries: 1/23/2015
4. OPS/SI/TA well(s) reviewed for full cost bonding: N/A
5. UIC5 on all disposal/injection/storage well(s) approved on: N/A
6. Surface Facility(s) included in operator change: NONE
7. Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 1001696855
2. Indian well(s) covered by Bond Number: N/A
3. State/fee well(s) covered by Bond Number(s): N/A

DATA ENTRY:

1. Well(s) update in the **OGIS** on: 1/27/2015
2. Entity Number(s) updated in **OGIS** on: 1/27/2015
3. Unit(s) operator number update in **OGIS** on: N/A
4. Surface Facilities update in **OGIS** on: N/A
5. State/Fee well(s) attached to bond(s) in **RBDMS** on: N/A
6. Surface Facilities update in **RBDMS** on: N/A

LEASE INTEREST OWNER NOTIFICATION:

1. The **NEW** operator of the Fee (Mineral) wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

SEP Cisco Dome, LLC N3785
to Rose Petroleum (Utah), LLC N4095
Effective 9/1/2014

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	P
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	P
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	P
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	P
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	P
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	P
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	P
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	P
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	P
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	P
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	P
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	P
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	P
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	P
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	P
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	TA
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	TA
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	TA
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	TA
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	TA
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	TA
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	TA

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

5. LEASE DESIGNATION AND SERIAL NUMBER:

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depths, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

8. WELL NAME and NUMBER:
SEE ATTACHED LIST

9. API NUMBER:
SEE LIST

10. FIELD AND POOL, OR WILDCAT:
GREATER CISCO

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

2. NAME OF OPERATOR:
ROSE PETROLEUM (UTAH) LLC

3. ADDRESS OF OPERATOR:
383 INVERNESS PARKWAY CITY ENGLEWOOD STATE CO ZIP 80112 PHONE NUMBER: (720) 390-3860

4. LOCATION OF WELL
FOOTAGES AT SURFACE COUNTY: GRAND
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN. STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR- Effective as of September 1, 2014

PREVIOUS OPERATOR:

NEW OPERATOR:

SEP - CISCO DOME N3785
10447 SOUTH JORDAN GATEWAY
SOUTH JORDAN, UT 84095
(801) 657-5780

ROSE PETROLEUM (UTAH), LLC DIV. OF OIL, GAS & MINING
383 INVERNESS PARKWAY, SUITE 330
ENGLEWOOD, CO 80112
(720) 390-3860 N4095

Name: ~~Doris D. White~~ Larry R. Williams
Title: Resident Land Manager & Corporate Counsel

Be advised that Rose Petroleum (Utah), LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is provided by Bond No. 1001696855.

NAME (PLEASE PRINT) John M. Blair TITLE CEO
SIGNATURE *JMB* DATE 1-23-15

APPROVED

JAN 27 2015

DIV. OIL GAS & MINING
BY: Rachel Medina

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30898-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SWNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SWNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

Division of Oil, Gas and Mining
 Operator Change/Name Change Worksheet-for State use only

Effective Date: 7/1/2016

FORMER OPERATOR: Rose Petroleum (Utah), LLC N4095 383 Inverness Parkway, Suite 330 Englewood, CO 80112	NEW OPERATOR: Rockies Standard Oil Company, LLC N3735 1411 East 840 North Orem, UT 84097
CA Number(s):	Unit(s): Gunnison Valley

WELL INFORMATION:

Well Name	Sec	TWN	RNG	API	Entity	Mineral	Surface	Type	Status
See Attached List									

OPERATOR CHANGES DOCUMENTATION:

- Sundry or legal documentation was received from the **FORMER** operator on: 7/27/2016
- Sundry or legal documentation was received from the **NEW** operator on: 7/27/2016
- New operator Division of Corporations Business Number: 7698560-0161

REVIEW:

- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: N/A
- Receipt of Acceptance of Drilling Procedures for APD on: N/A
- Reports current for Production/Disposition & Sundries: 9/14/2016
- OPS/SI/TA well(s) reviewed for full cost bonding: 8/24/2016
- UIC5 on all disposal/injection/storage well(s) approved on: N/A
- Surface Facility(s) included in operator change: N/A
- Inspections of PA state/fee well sites complete on (only upon operators request): N/A

NEW OPERATOR BOND VERIFICATION:

- Federal well(s) covered by Bond Number: 1001696855
- Indian well(s) covered by Bond Number: 1001696855
- State/fee well(s) covered by Bond Number(s): 1001696885a,b,c,d,e

DATA ENTRY:

- Well(s) update in the **OGIS** on: 9/14/2016
- Entity Number(s) updated in **OGIS** on: 9/14/2016
- Unit(s) operator number update in **OGIS** on: 9/14/2016
- Surface Facilities update in **OGIS** on: N/A
- State/Fee well(s) attached to bond(s) in **RBDMS** on: 9/14/2016
- Surface Facilities update in **RBDMS** on: N/A

COMMENTS:

From Rose Petroleum (Utah), LLC
 To Rockies Standard Oil Company, LLC
 Effective July 1, 2016

Well Name	Sec	TWN	RNG	API Number	Entity	Mineral	Surface	Type	Status	Unit
THUNDERBIRD 1	32	200S	240E	4301930058	10339	State	State	OW	P	
CPSKY PHLPS FEE 8-1	8	200S	240E	4301915100	2800	Fee	Fee	GW	S	
UNION GOVT II-1	24	200S	210E	4301915107	680	Federal	State	GW	S	
FEDERAL 19-3	19	200S	220E	4301930302	8201	Federal	Federal	GW	S	
FEDERAL 31-1A	31	200S	220E	4301930308	8204	Federal	Federal	GW	S	
STATE 32-1	32	200S	220E	4301930347	8206	State	State	GW	S	
FEDERAL 13-1	13	200S	210E	4301930348	8146	Federal	Federal	GW	S	
FEDERAL 23-1	23	200S	210E	4301930355	11393	Federal	Federal	GW	S	
FEDERAL 25-1	25	200S	210E	4301930359	11394	Federal	State	GW	S	
FEDERAL 30-1	30	200S	220E	4301930429	8203	Federal	Federal	GW	S	
FEDERAL 14-1	14	200S	210E	4301930430	8169	Federal	Federal	GW	S	
FEDERAL 24-3	24	200S	210E	4301930432	11395	Federal	Federal	GW	S	
FEDERAL 14-1A	14	200S	210E	4301930436	8150	Federal	Federal	GW	S	
FEDERAL 11-1	11	200S	210E	4301930485	8142	Federal	Federal	GW	S	
FEDERAL 14-2	14	200S	210E	4301930487	8151	Federal	Federal	GW	S	
FEDERAL 14-3	14	200S	210E	4301930488	8152	Federal	Federal	GW	S	
FEDERAL 24-2	24	200S	210E	4301930530	8159	Federal	Federal	GW	S	
FEDERAL 25-3	25	200S	210E	4301930575	8170	Federal	Federal	GW	S	
FEDERAL 15-1	15	200S	210E	4301930585	11391	Federal	Federal	GW	S	
FEDERAL 23-2	23	200S	210E	4301930586	8140	Federal	Federal	GW	S	
FEDERAL 25-2	25	200S	210E	4301930587	11392	Federal	Federal	OW	S	
FEDERAL 23-3	23	200S	210E	4301930588	8157	Federal	Federal	GW	S	
FEDERAL 22-1	22	200S	210E	4301930625	8156	Federal	Federal	GW	S	
FEDERAL 15-2	15	200S	210E	4301930636	8154	Federal	Federal	GW	S	
FEDERAL 15-3	15	200S	210E	4301930637	8155	Federal	Federal	GW	S	
FEDERAL 13-2	13	200S	210E	4301930673	8147	Federal	Federal	GW	S	
FEDERAL 25-4	25	200S	210E	4301930743	8181	Federal	State	GW	S	
FEDERAL 23-4	23	200S	210E	4301930760	8158	Federal	Federal	GW	S	
FEDERAL 14-4	14	200S	210E	4301930878	8153	Federal	Federal	GW	S	
FEDERAL 12-1	12	200S	210E	4301930881	8145	Federal	Federal	GW	S	
FEDERAL 11-2	11	200S	210E	4301930882	8143	Federal	Federal	GW	S	
FEDERAL 11-3	11	200S	210E	4301930884	8144	Federal	Federal	GW	S	
FEDERAL 13-4	13	200S	210E	4301930885	8149	Federal	Federal	GW	S	
FEDERAL 19-1A	19	200S	220E	4301930896	8201	Federal	Federal	GW	S	
FEDERAL 24-4	24	200S	210E	4301930900	8208	Federal	Federal	GW	S	
FEDERAL 24-1	24	200S	210E	4301931010	11189	Federal	Federal	GW	S	
FEDERAL 10-2	10	200S	210E	4301931210	8207	Federal	Federal	GW	S	
FEDERAL 10-2A	10	200S	210E	4301931400	14043	Federal	Federal	GW	S	
FEDERAL 14-6	14	200S	210E	4301931421	14803	Federal	Federal	GW	S	
FEDERAL 14-7	14	200S	210E	4301931422	14780	Federal	Federal	GW	S	
FEDERAL 24-6	24	200S	210E	4301931423	14779	Federal	Federal	GW	S	
FEDERAL 23-6	23	200S	210E	4301931424	14848	Federal	Federal	GW	S	
FEDERAL 15-8	15	200S	210E	4301931434	15006	Federal	Federal	GW	S	
FEDERAL 15-7	15	200S	210E	4301931435	14868	Federal	Federal	GW	S	
FEDERAL 14-5	14	200S	210E	4301931436	14805	Federal	Federal	GW	S	
FEDERAL 11-6	11	200S	210E	4301931437	14869	Federal	Federal	GW	S	
FEDERAL 14-8	14	200S	210E	4301931439	14804	Federal	Federal	GW	S	
FEDERAL 22-2	22	200S	210E	4301931440	14847	Federal	Federal	GW	S	
FEDERAL 15-5	15	200S	210E	4301931441	14952	Federal	Federal	GW	S	
FEDERAL 23-5	23	200S	210E	4301931442	15007	Federal	Federal	GW	S	
FEDERAL 24-5	24	200S	210E	4301931443	14960	Federal	Federal	GW	S	
FEDERAL 25-5	25	200S	210E	4301931444	14849	Federal	Federal	GW	S	
STATE 16-42	16	220S	170E	4301931605	17278	State	State	GW	S	GUNNISON VALLEY
State 1-34	34	210S	230E	4301950067	19876	State	State	OW	S	

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS			5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
			7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____			8. WELL NAME and NUMBER: SEE ATTACHED LIST
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC			9. API NUMBER: SEE LIST
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		PHONE NUMBER: (801) 224-4771	10. FIELD AND POOL, OR WILDCAT: Greater Cisco
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE ATTACHED LIST			COUNTY: Grand County
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:			STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388

Jy Wilson

NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related leases for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

RECEIVED

JUL 27 2016

SEP 14 2016

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING
BY: Rachel Medina

DIV. OF OIL, GAS & MINING

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31210-00-00	FEDERAL 10-2	20S-21E, SEC 10:NESW, GRAND CO., UT
43-019-31400-00-00	FEDERAL 10-2A	20S-21E, SEC 10:NWSE, GRAND CO., UT
43-019-30485-00-00	FEDERAL 11-1	20S-21E, SEC 11:NWSW, GRAND CO., UT
43-019-30882-00-00	FEDERAL 11-2	20S-21E, SEC 11:SESE, GRAND CO., UT
43-019-30884-00-00	FEDERAL 11-3	20S-21E, SEC 11:SWSW, GRAND CO., UT
43-019-31437-00-00	FEDERAL 11-6	20S-21E, SEC 11:SESW, GRAND CO., UT
43-019-30881-00-00	FEDERAL 12-1	20S-21E, SEC 12:SWSW, GRAND CO., UT
43-019-30348-00-00	FEDERAL 13-1	20S-21E, SEC 13:SWSW, GRAND CO., UT
43-019-30673-00-00	FEDERAL 13-2	20S-21E, SEC 13:SESW, GRAND CO., UT
43-019-30885-00-00	FEDERAL 13-4	20S-21E, SEC 13:NWSE, GRAND CO., UT
43-019-30430-00-00	FEDERAL 14-1	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30436-00-00	FEDERAL 14-1A	20S-21E, SEC 14:NWNW, GRAND CO., UT
43-019-30487-00-00	FEDERAL 14-2	20S-21E, SEC 14:NENE, GRAND CO., UT
43-019-30488-00-00	FEDERAL 14-3	20S-21E, SEC 14:NESE, GRAND CO., UT
43-019-30878-00-00	FEDERAL 14-4	20S-21E, SEC 14:SWSW, GRAND CO., UT
43-019-31436-00-00	FEDERAL 14-5	20S-21E, SEC 14:NENW, GRAND CO., UT
43-019-31421-00-00	FEDERAL 14-6	20S-21E, SEC 14:SWNW, GRAND CO., UT
43-019-31422-00-00	FEDERAL 14-7	20S-21E, SEC 14:SWNE, GRAND CO., UT
43-019-31439-00-00	FEDERAL 14-8	20S-21E, SEC 14:SWSE, GRAND CO., UT
43-019-30585-00-00	FEDERAL 15-1	20S-21E, SEC 15:NESE, GRAND CO., UT
43-019-30636-00-00	FEDERAL 15-2	20S-21E, SEC 15:NWNW, GRAND CO., UT
43-019-30637-00-00	FEDERAL 15-3	20S-21E, SEC 15:NENE, GRAND CO., UT
43-019-31441-00-00	FEDERAL 15-5	20S-21E, SEC 15:NWSE, GRAND CO., UT
43-019-31435-00-00	FEDERAL 15-7	20S-21E, SEC 15:SESW, GRAND CO., UT
43-019-31434-00-00	FEDERAL 15-8	20S-21E, SEC 15:SWSE, GRAND CO., UT
43-019-30896-00-00	FEDERAL 19-1A	20S-21E, SEC 19:SWNW, GRAND CO., UT
43-019-30302-00-00	FEDERAL 19-3	20S-21E, SEC 19:SWSW, GRAND CO., UT
43-019-30625-00-00	FEDERAL 22-1	20S-21E, SEC 22:SENE, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-31440-00-00	FEDERAL 22-2	20S-21E, SEC 22:NWNE, GRAND CO., UT
43-019-30355-00-00	FEDERAL 23-1	20S-21E, SEC 23:SWNE, GRAND CO., UT
43-019-30586-00-00	FEDERAL 23-2	20S-21E, SEC 23:NWNW, GRAND CO., UT
43-019-30588-00-00	FEDERAL 23-3	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-30760-00-00	FEDERAL 23-4	20S-21E, SEC 23:NWSE, GRAND CO., UT
43-019-31442-00-00	FEDERAL 23-5	20S-21E, SEC 23:NENE, GRAND CO., UT
43-019-31424-00-00	FEDERAL 23-6	20S-21E, SEC 23:SESW, GRAND CO., UT
43-019-31010-00-00	FEDERAL 24-1	20S-21E, SEC 24:SWSW, GRAND CO., UT
43-019-30530-00-00	FEDERAL 24-2	20S-21E, SEC 24:NWNW, GRAND CO., UT
43-019-30432-00-00	FEDERAL 24-3	20S-21E, SEC 24:SWSE, GRAND CO., UT
43-019-30900-00-00	FEDERAL 24-4	20S-21E, SEC 24:NWNE, GRAND CO., UT
43-019-31443-00-00	FEDERAL 24-5	20S-21E, SEC 24:SWNW, GRAND CO., UT
43-019-31423-00-00	FEDERAL 24-6	20S-21E, SEC 24:NWSE, GRAND CO., UT
43-019-30359-00-00	FEDERAL 25-1	20S-21E, SEC 25:SWNE, GRAND CO., UT
43-019-30587-00-00	FEDERAL 25-2	20S-21E, SEC 25:SWSW, GRAND CO., UT
43-019-30575-00-00	FEDERAL 25-3	20S-21E, SEC 25:SESE, GRAND CO., UT
43-019-30743-00-00	FEDERAL 25-4	20S-21E, SEC 25:NENW, GRAND CO., UT
43-019-31444-00-00	FEDERAL 25-5	20S-21E, SEC 25:SESW, GRAND CO., UT
43-019-30429-00-00	FEDERAL 30-1	20S-22E, SEC 30:SWNW, GRAND CO., UT
43-019-30308-00-00	FEDERAL 31-1A	20S-22E, SEC 31:NENW, GRAND CO., UT
43-019-15107-00-00	UNION GOVT II-1	20S-21E, SEC 24:NWSW, GRAND CO., UT

WELLS

API NUMBER	WELL NAME	LOCATION
43-019-15100-00-00	CPSKY PHLPS FEE 8-1	20S-24E, SEC 08:NWNW, GRAND CO., UT
43-019-30347-00-00	STATE 32-1	20S-22E, SEC 32:SEW, GRAND CO., UT
43-019-30058-00-00	THUNDERBIRD 1	20S-24E, SEC 32:NWNW, GRAND CO., UT

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: ML 48144
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME: Gunnison Valley Unit
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC		8. WELL NAME and NUMBER: State 16-42
3. ADDRESS OF OPERATOR: 1411 E 840 N <small>CITY</small> Orem <small>STATE</small> UT <small>ZIP</small> 84097	PHONE NUMBER: (801) 224-4771	9. API NUMBER: 4301931605
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2108' FNL, 0559' FEL		10. FIELD AND POOL, OR WILDCAT: Wildcat
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SENE 16 22S 17E S		COUNTY: Grand County
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388
[Signature]

NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771

Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE <i>[Signature]</i>	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

SEP 14 2016

DIV OIL GAS & MINING (See Instructions on Reverse Side)
Rachel Medina

RECEIVED

JUL 27 2016

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS			5. LEASE DESIGNATION AND SERIAL NUMBER: ML 49496
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____			7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: Rockies Standard Oil Company, LLC			8. WELL NAME and NUMBER: State 1-34
3. ADDRESS OF OPERATOR: 1411 E 840 N CITY Orem STATE UT ZIP 84097		PHONE NUMBER: (801) 224-4771	9. API NUMBER: 4301950067
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0521' FNL, 0712' FEL			10. FIELD AND POOL, OR WILDCAT: Greater Cisco
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NENE 34 21S 23E S			COUNTY: Grand County
			STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

CHANGE OF OPERATOR

PREVIOUS OPERATOR:
Rose Petroleum (Utah), LLC
383 Inverness Parkway, Ste 330
Englewood, CO 80112
(303) 814-0388



NEW OPERATOR:
Rockies Standard Oil Company, LLC
1411 East 840 North
Orem, UT 84097
(801) 224-4771



Be advised that Rockies Standard Oil Company, LLC is responsible under the terms and conditions of the related lease for the operations conducted upon the leased lands. Bond coverage is covered by Bond No. 1001696855.A

NAME (PLEASE PRINT) <u>Kimball Hodges</u>	TITLE <u>Manager</u>
SIGNATURE 	DATE <u>7/20/16</u>

(This space for State use only)

APPROVED

SEP 14 2016

(See Instructions on Reverse Side)

DIV OIL GAS & MINING
BY: Derek Medina

RECEIVED
JUL 27 2016

DIV. OF OIL, GAS & MINING

ASSIGNMENT AND BILL OF SALE OF BONDS

THIS ASSIGNMENT AND BILL OF SALE (this "Assignment") executed by **ROSE PETROLEUM (UTAH) LLC**, a Delaware limited liability company (hereinafter called "Assignor"), with an office at 383 Inverness Parkway, Suite 330, Englewood, CO 80112, to **ROCKIES STANDARD OIL COMPANY, LLC**, a Delaware limited liability company (hereinafter called "Assignee"), with an office at 1411 East 840 North, Orem, Utah, 84097, dated effective April 1, 2016 (said day being hereinafter called the "Effective Time").

All capitalized terms not defined herein shall have the meanings ascribed to them in that certain Purchase and Sale Agreement dated March 13, 2014, executed by and between Assignor and Assignee and/or that certain Side Agreement to Purchase and Sale Agreement between Assignor and Assignee dated effective April 1, 2016.

ARTICLE I **Assignment of Bonds**

Assignor, for Ten and No/100 Dollars (\$10.00) and other good and valuable consideration in hand paid by Assignee, the receipt and sufficiency of which consideration are hereby acknowledged and confessed, by these presents does hereby ASSIGN, TRANSFER, SET OVER, RELEASE and DELIVER unto Assignee ALL (100.0%) of Assignor's right, title, and interest in and to the following described bonds and/or bonding instruments:

- (a) State of Utah School and Institutional Trust Lands Administration Bond # 5605 in the amount of \$15,000.00;
- (b) Utah Division of Oil Gas and Mining statewide blanket bond #1001696855 in the amount of \$120,000.00; and
- (c) United States Department of the Interior Bureau of Land Management bond #UTB000645 in the amount of \$280,000.00;

as well as, without limitation, any and all proceeds and/or refunds of the same. All of the bonds and/or bonding instruments (a) through (c) above are hereinafter collectively called the "Bonds".

TO HAVE AND TO HOLD the Bonds unto Assignee, its respective successors and assigns forever, subject, however, to the matters set forth herein. The Bonds are assigned by Assignor and accepted by Assignee expressly subject to the terms and conditions of that Side Agreement to Purchase and Sale Agreement dated effective April 1, 2016 executed by and between Assignor and Assignee.

ARTICLE III
Miscellaneous

Section 3.1 Further Assurances. Assignor covenants and agrees to execute and deliver to Assignee all such other and additional instruments and other documents and will do all such other acts and things as may be necessary more fully to assure to Assignee or its successors or assigns, all of the respective rights and interests herein and hereby assigned or intended to be assigned, including without limitation, executing separate assignments of individual bonds or bonding instruments, which are included in the Bonds and which are necessary to facilitate the recognition of Assignee's ownership of the Bonds.

Section 3.2 Successors and Assigns. All of the provisions hereof shall inure to the benefit of and be binding upon the respective successors and assigns of Assignor and Assignee. All references herein to either Assignor or Assignee shall include their respective successors and assigns.

Section 3.3 Counterparts. This Assignment is being executed in several original counterparts, no fewer than four (4), all of which are identical, and each such counterpart hereof shall be deemed to be an original instrument, but all such counterparts shall constitute but one and the same assignment.

IN WITNESS WHEREOF, the parties hereto have caused this Assignment to be executed on the dates of their respective acknowledgments set forth below, to be effective, however, as of the Effective Time.

Assignor

ROSE Petroleum (UTAH) LLC


By: _____


Ty Watson, its President

Assignee

ROCKIES STANDARD OIL COMPANY, LLC

By: _____


Name: Kimball Hodges

Title: Manager of Petro Fuego, LLC; Petro Fuego, LLC as Manager of Rockies Standard Oil Company, LLC.



Rachel Medina <rachelmedina@utah.gov>

Bonding

1 message

Rachel Medina <rachelmedina@utah.gov>
To: Kimball Hodges <khodges@rockiesstandard.com>

Wed, Aug 24, 2016 at 3:37 PM

Hi Kimball,

We will be able to move forward with moving the statewide blanket bond from Rose to individual bonds with Rockies. Below is the break down of what Dustin is going to require for each well.

CPSKY PHLPS FEE 8-1 \$15,000

Thunderbird 1 \$1,500

State 32-1 \$15,000.00

State 16-42 \$30,000

State 1-34 \$30,000.00-Once you have final inspection on this well you can submit a letter requesting a bond release on the funds.

Bring a total of \$91,500.00. What I need from Rockies now is a Form 4B.2 on each well. The bond number is going to be the check number (1001696885), then if you could add an alpha character to the end (e.g 1001696885a, 1001696885b) this help to keep the records clear in our system.

Rockies currently has two cash bonds with the Division, but as a precaution if you could also submit a current IRS W-9 form for the bank that holds our bonds that would be greatly appreciated.

Also, to have a clear account, if you would submit a letter with the above forms stating that you're using the blanket bond as individual bond. Follow that up with a request to release the remaining \$28,500 that per the submitted agreement needs to be sent to Rockies Standard and the address we should mail the check to.

To answer Brad's question the two years audited financials would need to be reviewed by an independent certified public accountant.

If you have any question please let me know. In regards to this matter...because I am handling multiple task that take me away from my desk recently, if you try to call or email me and I'm not available you may call my cell phone [REDACTED]

Thanks!

—
Rachel Medina
Division of Oil, Gas & Mining
Bonding Technician
801-538-5260



1411 East 840 North, Orem, Utah 84097

RECEIVED
AUG 31 2016
DIV. OF OIL, GAS & MINING

August 30, 2016

To: Utah Department of Oil, Gas, and Mining – Department of Natural Resources
ATTN: Rachel Medina
1594 W North Temple, Suite 1210
Salt Lake City, UT 84116

RE: Moving Rose Blanket Bond to Rockies Individual Bonds 1001696885a, 1001696885b, 1001696885c, 1001696885d, and 1001696885e and Releasing Balance to Rockies

Enclosed is a completed Form 4B.2 for each of five wells recently acquired from Rose Petroleum (Utah), LLC (“Rose”) for which Rockies Standard Oil Company, LLC (“RSOC”) will assume operations. Rose assigned its blanket DOGM bond (1001696855) to Rockies, but Rockies requests that Rose’s statewide bond instead be used to bond these wells on an individual basis rather than blanket.

Rockies further requests that the balance of the Rose blanket bond (such balance in the amount of \$28,500.00) be released to Rockies at:

Rockies Standard Oil Company, LLC
Attn: Operations
1411 East 840 North
Orem, UT 84097

Your help and prompt attention to this matter is greatly appreciated.

Sincerely,

Kimball Hodges
Manager of PetroFuego, LLC
Manager for Rockies Standard Oil Company, LLC