

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

M-046557

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1A. TYPE OF WORK

DRILL

DEEPEN

PLUG BACK

B. TYPE OF WELL

OIL WELL

GAS WELL

OTHER

SINGLE ZONE

MULTIPLE ZONE

2. NAME OF OPERATOR

Ambra Oil & Gas Company

3. ADDRESS OF OPERATOR

47 W. 200 S., Suite 510 Salt Lake City, UT 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)* *GREATER*

At surface

1840' FEL 2080' FNL SW $\frac{1}{2}$ NE $\frac{1}{2}$

At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

8 miles northeast of Cisco, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)

1840'

16. NO. OF ACRES IN LEASE

1840

17. NO. OF ACRES ASSIGNED TO THIS WELL

10

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

600'

19. PROPOSED DEPTH

1950'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4684'

22. APPROX. DATE WORK WILL START*

April 18, 1983

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8-5/8"	28	160'	35 sacks (cement to surface)
6-3/4"	4 1/2"	10.5	1950'	135 sacks

Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.

Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 3-24-83
[Signature]

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Wesley Pittingill

TITLE

Exploration Vice-President

DATE

March 9, 1983

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

U.S. GEOLOGICAL SURVEY
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 23-10
NTL-6 Supplementary Information for
APD, 9-331-C

Application for Ambra Oil & Gas Company, a Utah corporation, to drill in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 23, T20S R23E, Grand County, Utah is set forth on Form 9-331-C. The purpose of this letter is to present the additional information as required by the NTL-6 regulation.

1. Geologic Name of Surface Formation: Cretaceous Mancos Shale

2. Geological Formation Tops:

&

3. Cretaceous	Mancos Shale	Surface
	Dakota	1340'
	Cedar Mountain	1440'
Jurassic	Morrison (Brushy Basin)	1550'
	Morrison (Salt Wash)	1850'
	Total Depth	1950'

4. Casing Program: See Form 9-331-C.

5. Pressure Control Equipment: BOP and manifold to be tested 1000 psi prior to drilling out shoe joint. Pipe rams will be operational and tested daily. Blind rams will be operational and tested on trips. BOP and manifold will be visually inspected daily. All tests will be recorded on daily tour sheets. See BOP schematic.

6. Drilling and Circulating Medium: Operator plans to drill with air and air mist as far as possible. Water base drilling fluid will be used in the event formation water is encountered, to control or kill oil or gas flows, and when running long string (4 $\frac{1}{2}$ " 10.5 lb casing). It will consist of invert polymer type bio-degradable mud at 8.2 lb per gallon. Weight and mud to 10 lb per gallon will be provided if required. Potassium chloride (KCl) D.G. chemical will be added as required.

7. Auxiliary Equipment: (1) Kelly Cock - Demco; (2) Floats at the bit sub and string; (3) No monitoring equipment on mud system; and (4) Sub on floor with a full-opening valve. The fill, kill, and choke lines will be attached to the wellhead below the BOP. The following auxiliary equipment will also be used:

- a. 6000# shut-off valve on stand pipe.
- b. One float at bit and two string floats.
- c. Sub 3 $\frac{1}{2}$ " IF to 2" valve for controlling blowouts when making round trips.

8. Testing, Logging, & Coring: Schlumberger or Gearhart. No DST's programmed. Electric logs will consist of dual induction laterlog (DIL), compensated neutron and formation density (CNFD), caliber log (CL), and sonic BHC. If casing is set, a cement bond log (CBL) and gamma ray log (GRL) will be run. Drilling samples will be taken every 10 feet starting 100 feet above the Dakota formation. Microscope analysis will be done by a geologist.

9. The maximum bottom hole pressure expected is 1500 psi. Flexibility provisions are the BOP and high-pressure fittings and couplings. No hydrogen sulfide problems are expected.

10. The approximate starting date is April 18, 1983, and drilling should take from five to ten days.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil & Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

March 10, 1983
Date

Wesley Pettingill
WESLEY PETTINGILL
Exploration Vice-President

March 9, 1983

U.S. GEOLOGICAL SURVEY
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

RE: AMBRA IF CISCO SS 23-10
Multipoint Requirements

1. Existing Roads

a. Proposed well site is staked.

b. Route and distance from nearest town. Well site is located approximately 8 miles northeast of Cisco, Utah. Exit at the east Cisco Bookcliff exit on I-70. Go north about 150' and turn left at the first intersection of the county road. Proceed northwest on the Cisco Springs County Road approximately 3 miles. Turn left (south) onto the Clayton Energy Jane, Mary, and Alice wells access road. Proceed approximately 4500 feet to the first intersection and turn right (northwest). Go approximately 2850 feet along the Inland Fuels 23-1A access road until the flagged well location is encountered on the right side. The IF 23-1A access road is adjacent to the proposed well site. No new access road will have to be constructed. The 23-10 well is approximately 1500 feet south of the Inland Fuels 23-1A well.

c. No new access road is needed. The existing roads are solid in blue.

d. Does not apply.

e. If a development well, list all the existing roads within a one-mile radius of well site. This radius includes the Cisco Springs County Road. Also included is the TXO 14-1, TXO 23-1, Inland Fuels 23-1A, and Willard Pease #4 combined access road.

f. Plans for improvement and/or maintenance of existing roads. In the event of production, the operator will work to maintain a graded and improved road year-round. This will require cooperation with the other operators in the area to maintain this road.

2. Planned Access Road

No access road is needed. An existing road crosses the location, and no obstruction of normal traffic will occur.

3. Location of Existing Wells

a. See USGS topographic map.

b. Producing wells in a one-mile radius:

1. Sec. 13 Petrovest 13-1; gas
2. Sec. 13 Jacobs 1; gas
3. Sec. 13 Jacobs 2; gas
4. Sec. 14 Browndirt #1; gas
5. Sec. 14 Browndirt #2; gas
6. Sec. 14 Willard Pease No. 12; oil & gas
7. Sec. 14 TXO 14-1; oil
8. Sec. 14 Willard Pease No. 4; oil
9. Sec. 15 TXO 15-4; shut-in oil
10. Sec. 23 Inland Fuels 23-3; oil
11. Sec. 23 Inland Fuels 23-8; shut-in gas
12. Sec. 23 TXO Mesa 23-1; oil
13. Sec. 23 Inland Fuels 23-4; gas
14. Sec. 23 Inland Fuels 23-1A; oil
15. Sec. 24 Jacobs 24-2; gas
16. Sec. 24 Clayton Cathy; gas
17. Sec. 24 Jacobs 24-1; gas

c. Producing wells in a two-mile radius:

1. Sec. 13 Isabelle Thomas No. 8; gas
2. Sec. 13 Isabelle Thomas No. 2; gas
3. Sec. 14 Willard Pease No. 9; gas
4. Sec. 15 TXO 15-2; oil & gas
5. Sec. 15 Willard Pease 1; oil & gas
6. Sec. 24 Thriftway No. 1; gas
7. Sec. 24 Clayton Nicole; gas
8. Sec. 25 Jacobs 1-25; oil
9. Sec. 27 Cisco Dev No. 1; gas
10. Sec. 27 Cisco Dev No. 3; gas

d. No water, disposal, or injection wells are in a one-mile radius.

4. Location of Existing and/or Proposed Facilities

a. 1. Tank batteries. Operator maintains various production storage tanks in T20S R23E. If production is established, new tank batteries will be installed in the southwest corner of the proposed location and will be 125 feet from the wellhead.

2. Production facilities. Operator maintains various pumpjacks, dehydrators, and separators in T20S R23E. If production is established, new production facilities will be installed in the southwest corner of the proposed location. All above-ground production equipment will be painted using one of the attached list of colors.

3. Oil gathering lines. None - only to tank at location if oil production is established.

4. Gas gathering lines. If the well qualifies for hook-up, Northwest Pipeline will run a 4" lateral from their Trunk A (6") to the well. If the well does not qualify for hook-up by Northwest Pipeline, a line (pending right-of-way) operated by Grand Valley Gas Transmission Company will be run from the Inland Fuels 23-4 well to the 23-10 well. Gas lines will follow existing roads as much as possible.

5. Injection lines. None.

6. Disposal lines. None.

b. Any new facilities required in the event of production will be located in the southwest corner of the proposed location. See the enclosed sketch of the area showing planned production facilities. All open and exposed pits will be fenced to protect livestock and wildlife, and an earthen fire bunker will be built around any tanks to hold 110% of the tank volume. Gas lines will be laid on the surface to the lateral 4" line from the Trunk A line (pending right-of-way) operated by Northwest Pipeline or to the Inland Fuels 23-4 well (pending right-of-way) operated by Grand Valley Gas. A time schedule for this will be within a 60-day period upon completion of the well.

c. The reserve pit and any portion of the location and access road not needed for production or production facilities will be reclaimed as described in the rehabilitation section. All stockpiled/windrowed topsoil will be used in reclaiming unused areas.

5. Location and Type of Water Supply

a. Cisco Springs in the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 4, T20S R23E. We have a state water permit.

b. State method of transporting water. Water tank truck.

c. No water well is planned or needed.

6. Source of Construction Materials

The location will be on Federal land so if any sand or gravel is needed, it will be brought into the area from a private source in Thompson, Utah, 21 miles west. Until production is established, the road will be a surface-scraped dirt road from the existing road to the proposed well location. No construction materials are planned or needed. This is flat desert land on a Mancos Shale formation. Bladed roads that are watered and packed down are the best roads for this area.

7. Method for Handling Waste Disposal

Cutting and drilling fluids will be discharged via air into the reserve pit. A portable chemical toilet will be on location for sewage. Garbage and waste

materials will be placed in a trash cage and hauled out when work is completed. The location will be cleaned, and all materials will be hauled away. Produced fluids (oil and water) will go into tanks and pits, respectively. The blowey line will be 125 feet long, centered, and angled down into a trench pit. It will be anchored. The blowey line will be misted while drilling with air. The area will be free of trash and debris when the rig is moved out. If any waste material is to be burned, a burning permit will be obtained from the State Land Forestry and Fire Control office in Moab, Utah prior to burning.

8. Auxiliary Facilities

None other than a trailer and dog house. No camp or air strip is required.

9. Well Site Layout

1. Cross section of 150' x 150' drill pad with cuts and fills. The well location is relatively flat and requires minimum cuts and fills. Vegetation and 6-8 inches of topsoil will be stockpiled/windrowed on the east side of the location.

2. Mud tank, reserve pit, and trash cages. See well pad schematic. The reserve/blowey pit will be located on the north side of the location. The pit will be fenced on 3 sides prior to drilling, and the fourth side will be fenced when drilling is completed. The fence will be 36" high of woven wire plus one strand of barbed wire for support.

3. See drawing.

4. Pits are to be unlined.

10. Restoration Plans

1. Immediately upon completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be disposed of in the portable trash cage and will be hauled to a local town dumpsite. No trash will be left in the pits.

2. The operator or his contractor will notify the Grand Resource Area BLM Office in Moab, Utah (801-259-8193) four to eight hours prior to starting rehabilitation work that involves earthmoving equipment. The Grand Resource Area BLM Office in Moab will again be notified upon completion of restoration.

3. Prior to any dirtwork restoration of disturbed areas, the reserve/blowey pit will be dry and completely free of any trash or debris. Any such trash or debris will be removed from the pit and public lands.

4. All disturbed areas to be restored will be recontoured to blend with the surrounding area. The stockpiled/windrowed topsoil will be evenly distributed over the rehabilitated area. All rehabilitated areas will be scarified to a depth of 12 inches.

5. The rehabilitated area will be seeded from October 15 to November 15 or any other time that the Grand Resource Area Office approves. See attachment for seed mixture. The seed mixture will either be broadcast or drilled. If the seed is broadcast, the seeded area will be harrowed or dragged to assure seed cover. After seeding is completed, any stockpiled vegetation will be scattered evenly over the reclaimed area and walked down with a dozer. Any reclaimed access roads will be blocked to prevent use.

6. If the proposed well is completed as a producer, any unused areas will be reclaimed as previously described.

7. After the rig is moved.

8. If there is oil in the pit, we will either remove it or install overhead flagging.

9. Rehabilitation of the well site area will be completed within 60 days after abandonment with the exception of reseeded following BLM instructions (October 15 to November 15). In the event the well is completed as a dry hole, rehabilitation will take place within 60 days after release of the drilling rig. In the event the well is completed as a commercial producer of oil and/or gas, unused portions of the well pad will be rehabilitated within 60 days after completion. All restoration will be as per BLM instructions.

11. Other Information

1. The location is part of the Green River desert area. Vegetation consists of scrub sagebrush, rabbitbrush, and shadscale. Cattle and sheep graze the area in the fall and spring seasons. Cisco Springs is approximately 3½ miles to the northwest with practically no dwellings and no evidence of historical, cultural, or archaeological value.

2. The Grand Resource Area office in Moab, Utah (801-259-8193) will be contacted 48 hours prior to commencing any work on public lands.

3. The operator's dirtwork contractor will be furnished with an approved surface-use plan and with BLM stipulations prior to any work.

4. An archaeological survey is not required as the area has been previously cleared.

5. If any subsurface cultural material is exposed during construction, work will stop immediately, and the Grand Resource Area Office will be notified. All persons in the area will be informed of possible prosecution if they are caught disturbing archaeological sites or removing artifacts.

12. Operator

Ambra Oil and Gas Company
American Plaza III
47 West 200 South, Suite 510
Salt Lake City, Utah 84101

Telephone: (801) 532-6640

Attention: Wesley Pettingill

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Ambra Oil and Gas Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.



March 21, 1983
Date

Wesley Pettingill
WESLEY PETTINGILL
Exploration Vice-President

CUT & FILL DIAGRAM

CISCO SS #23-10


VERT SCALE 1" = 20 FE.
 HORIZ SCALE 1" = 50 FE.



S

WELL PAD SCHEMATIC

Ambra IF Cisco SS 23-10



ACME TOOL
ROTATING DRILL
HEAD


8" FLOWLINE

EQUIP OUTLET WITH
FLANGED TYPE VALVE

MIN
L LEE


DECK VALVE

SURFACE OR
INTERMEDIATE STRING




TANK BATTERY
OIL SALES

FENCED
AND
FIRE
BERMED



PIT 15
4' X 8' X
4" DEEP



OIL AND/OR GAS

SCALE 1" = 40'



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

SEEKING REFERENCE TO

SUGGESTED COLORS TO PAINT OIL & GAS PRODUCTION FACILITIES

Cisco Desert and Flats below the Bookcliffs:

Dynasty Green	(Sears)
Tumbleweed	(Pratt & Lambert)
Sea Life	
Sage Gray	(Pratt & Lambert)


Bookcliffs Region:

Sage Gray	(Pratt & Lambert)
Sea Life	(Pratt & Lambert)
Dynasty Green	(Sears)

Similar hues other than the ones mentioned above must be approved by the Grand Resource Area Manager.


SEED MIXTURE

<u>Species</u>		<u>Rate</u> <u>lbs/acre</u>
<u>Grasses</u>		
Hilaria jamesii	Galleta (Curlygrass)	1
Oryzopsis hymenoides	Indian ricegrass	1
<u>Forbs</u>		
Aster chilensis	Pacific aster	.5
Helianthus annuus	Common sunflower (Kansas sunflower)	.5
Sphaeralcea coccinea	Scarlet globemallow	1
<u>Shrubs</u>		
Artemisia spinescens	Bud sagebrush	1
Atriplex corrugata	Mat saltbush (Castle Valley clover)	<u>1</u>
	Total	6



U56056 23-10
SW 1/4 NE 1/4
Sec 23, T20S R23E
Grand Co., Utah
U-42223

American Plaza III
47 West 200 South, Suite 510
Salt Lake City, Utah 84101
(801) 532-6640



February 23, 1983

U.S. DEPARTMENT OF THE INTERIOR
Minerals Management Service
2000 Administration Building
1745 West 1700 South
Salt Lake City, Utah 84104

Gentlemen:

In accordance with P.E.R. requirements for an NTL-6, we ask permission to stake the following location:

Cisco SS 23-10
Lease # U-42223
1840' FEL 2080' FNL
Section 23, T20S R23E

Our operating bond number is M-046557.


Very truly yours,

AMBRA OIL & GAS COMPANY

A handwritten signature in cursive script that reads "Linda Conde".

Linda Conde
Production Manager

/lc
encs.



Cisco 55 23-10
SW 1/4 NE 1/4
Sec. 23, T20S R23E
Grand Co., Utah
U-42223

Existing road in blue, solid.
Proposed road in red, dotted.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MINERAL SERVICE
M-0465 OPERATIONS
RECEIVED
MAR 23 1983

5. LEASE IDENTIFICATION AND SERIAL NO.
U-42223

6. IF NEGAN, ALIEN OR TRIBE NAME
NA

7. AGREEMENT NAME
NA

8. FARM OR LEASE NAME
Ambra Inland Fuels

9. WELL NO.
Cisco SS 23-10

10. FIELD AND POOL, OR WILDCAT
Cisco Springs

11. SEC., T., R., M., OR BLK.
AND SURVEY OR AREA
Sec 23, T20S R23E

12. COUNTY OR PARISH
Grand

13. STATE
Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL DEEPEN PLUG BACK

b. TYPE OF WELL
OIL WELL GAS WELL OTHER
SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
Ambra Oil & Gas Company

3. ADDRESS OF OPERATOR
47 W. 200 S., Suite 510 Salt Lake City, UT 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*
At surface
1840' FEL 2080' FNL SW $\frac{1}{2}$ NE $\frac{1}{2}$
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
8 miles northeast of Cisco, Utah

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)
1840'

16. NO. OF ACRES IN LEASE
1840

17. NO. OF ACRES ASSIGNED TO THIS WELL
10

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.
600'

19. PROPOSED DEPTH
1950'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4684'

22. APPROX. DATE WORK WILL START*
April 18, 1983

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
11"	8-5/8"	28	160'	35 sacks (cement to surface)
6-3/4"	4 1/2"	10.5	1950'	135 sacks

Well will be drilled to test the Morrison Salt Wash Formation. All shows encountered will be tested.


Blowout equipment to be used: 8" 900 series double gate shaffer hydraulic type LWS

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Wesley Pettingill TITLE Exploration Vice-President DATE March 9, 1983

PERMIT NO. _____ APPROVAL DATE _____
APPROVED BY W. J. Mouton FOR E. W. GUYNN
DISTRICT OIL & GAS SUPERVISOR DATE APR 20 1983

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED TO OPERATOR'S COPY
STATE OF UTAH
FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A DATED 1/1/80




SCALE: 1" = 1000'

AMBRA #23-10

Located South 2080 feet from the North boundary and West 1840 feet from the East boundary of Section 23, T20S, R23E, SLB&M.

RP North 200' = 4681.4 Elev. 4684
 RP South 200' = 4690.1
 RP East 200' = 4681.8 Grand County, Utah
 RP West 200' = 4686.9



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

Udell S. Williams
 UTAH R.L.S. NO. 2573



UDELL S. WILLIAMS
 751 Rood Avenue
 GRAND JUNCTION, COLORADO 81501

PLAT OF
 PROPOSED LOCATION

AMBRA #23-10
 SW 1/4 NE 1/4 SECTION 23
 T20S, R23E, SLB&M

SURVEYED BY: USW DATE: 3/4/83
 DRAWN BY: USW DATE: 3/5/83

March 23, 1983

Ambra Oil & Gas Company
47 West 200 South, Suite 510
Salt Lake City, Utah 84101

RE: Well No. Cisco SS 23-10
SWNE Sec. 23, T.20S, R.23E
2080' FNL, 1840' FEL
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with the Order issued in Cause No. 102-16B dated November 15, 1979.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:


RONALD J. FIRTH - Chief Petroleum Engineer
Office: 533-5771
Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-019-31050.

Sincerely,



Norman C. Stout
Administrative Assistant

NCS/as
cc: Oil & Gas Operations
Enclosure

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.

AUTHENTICATE LEASE AND OPERATOR INFORMATION

VERIFY ADEQUATE AND PROPER BONDING

AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.

APPLY SPACING CONSIDERATION

ORDER _____

UNIT _____

c-3-b

c-3-c

OUTSTANDING OR OVERDUE REPORTS FOR OTHER WELLS OF THE OPERATOR.

IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF COMPANY: ABBRA OIL & GAS

WELL NAME: Cisco SS 23-10

SECTION SWNE 23 TOWNSHIP 20S RANGE 23E COUNTY Grand

DRILLING CONTRACTOR Straner Drilling

RIG # 9

SPUDDED: DATE 4-25-83

TIME 8:00 PM

HOW Rotary

DRILLING WILL COMMENCE _____

REPORTED BY Linda Conde

TELEPHONE # 532-6640


DATE 4-28-83 SIGNED AS

NOTICE OF SPUD

Company: Amber O&G

Caller: Linda Conde

Phone: 532-6640



Well Number: 23-10

DIVISION OF OIL, GAS & MINES

Location: Sec. 23-205-23E

County: Grand

State: Utah

Lease Number: U-42223

Lease Expiration Date: _____

Unit Name (If Applicable): _____

Date & Time Spudded: 4/25 8:00 PM

Dry Hole Spudder/Rotary: _____

Details of Spud (Hole, Casing, Cement, etc.) _____

Rotary Rig Name & Number: Starnes Riley

Approximate Date Rotary Moves In: 4-25

FOLLOW WITH SUNDRY NOTICE

Call Received By: DeLis

Date: 4-28-83

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

7

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL GAS WELL DRY Other _____

b. TYPE OF COMPLETION:

NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR

Ambra Oil & Gas Company

3. ADDRESS OF OPERATOR

47 W. 200 S., Suite 510 Salt Lake City, UT 84101

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

1840' FEL 2080' FNL, SW 1/4 NE 1/4

At top prod. interval reported below

At total depth

14. PERMIT NO. DATE ISSUED

43-019-31050 | 4/20/83

5. LEASE DESIGNATION AND SERIAL NO.

U-42223

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NA

7. UNIT AGREEMENT NAME

NA

8. FARM OR LEASE NAME

Inland Fuels

9. WELL NO.

Cisco SS 23-10

10. FIELD AND POOL, OR WILDCAT

Greater Cisco Area

11. SEC. T. R. M., OR BLOCK AND SURVEY OR AREA

Sec. 23, T20S R23E

12. COUNTY OR PARISH

Grand

13. STATE

Utah

15. DATE SPUDDED

4/25/83

16. DATE T.D. REACHED

4/29/83

17. DATE COMPL. (Ready to prod.)

5/23/83

18. ELEVATIONS (DF, REB, RT, OR, ETC.)*

4684' GR

19. ELEV. CASINGHEAD

--

20. TOTAL DEPTH, MD & TVD

1920'

21. PLUG, BACK T.D., MD & TVD

--

22. IF MULTIPLE COMPL., HOW MANY*

NA

23. INTERVALS DRILLED BY

→

ROTARY TOOLS

0-1920'

CABLE TOOLS

1

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Morrison

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DIGL/CDL/DSN/GR

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24	160'	11"	60 sx	--
4 1/2"	10 1/2	1750'	6-3/4"	125 sx RFC 10.2	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)
NA				

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	1643'	None

31. PERFORATION RECORD (Interval, size and number)

1638-1643' 2-JSPF

32. ACID, SHOT, FRACTURE, CEMENT RECORD

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
NA	

RECEIVED
MAY 25 1983
DIV. OF OIL, GAS & MINING

33. PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)					
NA	Flowing	Shut-in					
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
5/23/83	6	20/64	→		600		
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
NA	285	→		2400			

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

TEST WITNESSED BY

J. Kirksey

35. LIST OF ATTACHMENTS

2 sets of electric logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Verley Pittenger

TITLE

Exploration Vice-President

DATE

May 24, 1983

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

57. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF, CORED INTERVALS, AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Mancos Shale	Surface		
Dakota	1184'		
Morrison	1398'		
TD	1920'		

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well gas well other

2. NAME OF OPERATOR
Ambra Oil & Gas Company

3. ADDRESS OF OPERATOR 84101
47 W. 200 S., Suite 510 Salt Lake City, UT

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1840' FEL 2080' FNL, SW $\frac{1}{4}$ NE $\frac{1}{4}$
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

5. LEASE
U-42223

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NA

7. UNIT AGREEMENT NAME
NA

8. FARM OR LEASE NAME
Inland Fuels

9. WELL NO.
Cisco SS 23-10 ✓

10. FIELD OR WILDCAT NAME
Greater Cisco Area

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 23, T20S R23E

12. COUNTY OR PARISH | 13. STATE
Grand | Utah

14. API NO.
43-019-31050

15. ELEVATIONS (SHOW DF, KDB, AND WD)
4684' GR


16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) Initial Production	<input type="checkbox"/>	<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This well was placed into production on August 16, 1983 with an initial 24-hour rate of 147 Mcf. ✓



Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Juda Conde TITLE Production Mgr. DATE September 16, 1983

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Lease Designation and Serial Number

U-42223

7. Indian Allottee or Tribe Name

8. Unit or Communitization Agreement

9. Well Name and Number

23-10

10. API Well Number

43-0931050

11. Field and Pool, or Wildcat

GREATER CASCO

Type of Well

Oil Well Gas Well Other (specify)

Name of Operator

AMBRA OIL & GAS CO.
40 WEST 300 SOUTH, #807 N.

Address of Operator

SALT LAKE CITY, UTAH 84101

4. Telephone Number

532-6640

Location of Well

Footage

QQ, Sec. T., R., M. : SW 1/4 NE 1/4 of Sec. 23, T. 20S., R. 23E.

County : GLAD

State : UTAH

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- Other
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Approximate Date Work Will Start

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment *
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other SHUT IN
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of Work Completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

WELL IS SHUT IN PENDING COMPANY RESTORATION.

RECEIVED

JAN 13 1992

DIVISION OF
OIL GAS & MINING

I hereby certify that the foregoing is true and correct

Name & Signature

(Use Only)

Title ADMINISTRATOR

Date 1/13/92

<u>Well Name</u>	<u>Status Changes</u>	<u>to Status</u>
43-019-30690	→	POW
-30691	→	SGW
-31143	→	SGW
-30229	→	SGW
-31089	→	SGW
-31287	→	LA
-31286	→	LA
-15411	→	SGW ✓
-30713	→	SGW ✓
-31048	→	SGW ✓
-30125	→	SGW ✓
-30992	→	SGW ✓
-30514	→	SGW ✓

* Note - this well is carried on books as a SGW. However the GOR is erroneously calculated as 200:1, but in truth is actually 0.2:1, hardly a gas well.

-30378	→	SGW ✓
-31217	→	POW ✓
-30188	→	SGW ✓
-31050	→	SGW ✓
-31220	→	SGW ✓
-31135	→	SGW ✓
-31052	→	SGW ✓
-30499	→	SGW ✓

From
Chris Kierst
5-6-91

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 8/23/2006
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 8/23/2006

3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 8/14/2006
4. Is the new operator registered in the State of Utah: YES Business Number: 6281625-0111
5. If **NO**, the operator was contacted on:

- 6a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 6b. Inspections of LA PA state/fee well sites complete on: n/a
- 6c. Reports current for Production/Disposition & Sundries on: ok

-
7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/8/2006 BIA

8. Federal and Indian Units:

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. Federal and Indian Communization Agreements ("CA"):

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

-
10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/28/2006
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2006
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: UTB000220
2. Indian well(s) covered by Bond Number: n/a
3. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on:

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

5. LEASE DESIGNATION AND SERIAL NUMBER:

UTU 42223

SUNDRY NOTICES AND REPORTS ON WELLS

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:

SEE ATTACHED LIST

2. NAME OF OPERATOR:
JURASSIC OIL & GAS CO.

9. API NUMBER:

3. ADDRESS OF OPERATOR:
1070 RAYMOND CITY FRUIT HEIGHTS STATE UT ZIP 84037

PHONE NUMBER:
(303) 887-8122

10. FIELD AND POOL, OR WILDCAT:
GREATER CISCO

4. LOCATION OF WELL
FOOTAGES AT SURFACE:

COUNTY: GRAND

QTR/QR, SECTION, TOWNSHIP, RANGE, MERIDIAN:


STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit In Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective Aug. 1, 2006, Ambra Oil and Gas Company sold all its interest and ownership in the wells listed on the attached list. The new owner and operator is Jurassic Oil & Gas Co., 1070 Raymond Road, Fruit Heights, UT 84037. Ambra Oil and Gas Company relinquishes ownership of all operating rights to Jurassic Oil & Gas Co.



Old Operator/Ambra Oil and Gas Company
Dr. Henry Mazarow


New Operator/Jurassic Oil & Gas Co.


Date: 7/24/06

Date: 8-03-06

This lease will be covered by BLM Bond No. UTB 000220

NAME (PLEASE PRINT) Linda C. Gordon TITLE Office Mgr
SIGNATURE  DATE 7/31/06

(This space for State use only)

APPROVED 8/28/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
AUG 23

DIV. OF OIL, GAS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well Oil Well Gas Well Other

2. Name of Operator **JURASSIC OIL & GAS CO.**

3a. Address
1070 RAYMOND ROAD

3b. Phone No. (include area code)
303-887-8122

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED LIST

5. Lease Serial No.
UTU 42223

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED

9. API Well No.

10. Field and Pool, or Exploratory Area
GREATER CISCO

11. County or Parish, State
Grand County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal
			<input type="checkbox"/> Water Shut-Off
			<input type="checkbox"/> Well Integrity
			<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Effective on Aug. 1, 2006, Ambra Oil and Gas Company sold all its interest and ownership in the well listed on the attached list. The new owner and operator is Jurassic Oil & Gas Co., 1070 Raymond Road, Fruit Heights, UT 84037. Ambra Oil and Gas Company relinquishes ownership of all operating rights to Jurassic Oil & Gas Co. Jurassic Oil & Gas Co. is responsible under the terms and conditions of the lease for operations conducted on the lease lands or portions thereof.

Bond Coverage for these wells will be provided by BLM Bond No. UTB 000220

Dr. Henry Masarow
Old Operator/Ambra Oil and Gas Company
Dr. Henry Masarow
Date 7/24/06

J.R.B.
New Operator/Jurassic Oil & Gas Co.
Date 8-03-06

2006 AUG -3 P 3:21
RECEIVED
OFFICE

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Linda C. Gordon

Title **Office Mgr**

Signature

Linda Gordon

Date 7/31/06

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

ACCEPTED

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title **Division of Resources**
Moab Field Office
Office

Date

8/8/06

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

CONDITIONS OF APPROVAL ATTACHED

cc: DOGM

EXHIBIT "A"
UTU 42223

WELL NAME	WELL #	API #	QTR	SEC	TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4 ✓	43-019-30950 00 S01	NWNE		23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-8 ✓	43-019-30998 00 S01	NESE		23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10 ✓	43-019-31050 00 S01	SWNE		23 20S	23E	GRAND	UTAH
CISCO SS	11-5 ✓	43-019-31056 00 S01	SWNE		11 20S	23E	GRAND	UTAH
FEDERAL	23-15 ✓	43-019-31073 00 S01	SWNE		23 20S	23E	GRAND	UTAH
FEDERAL	10-2	43-019-31049 00 S01	NENE		10 20S	23E	GRAND	UTAH
FEDERAL	23-14	43-019-31053 00 S01	NWSE		23 20S	23E	GRAND	UTAH
CISCO SS	11-8B	43-019-31147 00 S01	NWNE		11 20S	23E	GRAND	UTAH

Jurassic Oil and Gas Company
Well Nos. 23-4, 23-8, 23-10, 11-5, 23-15, 10-2, 23-14 and 11-8B
Sections 10, 11 and 23, T20S, R23E
Lease UTU42223
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Jurassic Oil and Gas Company is considered to be the operator of the above wells effective August 1, 2006, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000220 (Principal – Jurassic Oil and Gas Company) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

10/27/2007

FROM: (Old Operator):

N3110-Jurassic Oil
 215 Hillcrest Ave
 Rangeley, CO 81648
 Phone: 1 (970) 629-1116

TO: (New Operator):

N3345-Schuster Homes, Inc.
 3746 Keefer Rd
 Chico, CA 95973
 Phone: 1 (530) 894-0894

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST some wells changed names								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 1/4/2008
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 1/4/2008
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/16/2008
- Is the new operator registered in the State of Utah: YES Business Number: 6833582-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2) Waste Management Plan has been received on: 12/14/2007
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: -----
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 10/26/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: n/a
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 1/16/2008
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 1/16/2008
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB000238
 - Indian well(s) covered by Bond Number: n/a
 - (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
 - The **FORMER** operator has requested a release of liability from their bond on: n/a
- The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

Wells formerly operated by Ambra Oil before Jurassic. Mr. Schuster was partners in both and has taken over duties of other partners and gotten BLM's approval.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		7. UNIT or CA AGREEMENT NAME:
2. NAME OF OPERATOR: SCHUSTER HOMES INC. N3345		8. WELL NAME and NUMBER: SEE ATTACHED LIST
3. ADDRESS OF OPERATOR: 3746 KEEFER ROAD CITY CHICO STATE CA ZIP 95973		9. API NUMBER: LINFDD
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: GRAND		10. FIELD AND POOL, OR WILDCAT: GREATER CISCO
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 Effective October 27, 2007, Schuster Homes Inc. took over as operator of all wells previously operated by Jurassic Oil and Gas Company. The new operator is Schuster Homes Inc., 3746 Keefer Road, Chico, CA 95973. Jurassic Oil and Gas relinquishes ownership of all operating rights to Schuster Homes Inc.

Linda C. Gordon
 New Operator/Schuster Homes Inc.
 Date: 1/2/08

These wells are covered by BLM Bond No. UTB000238

Jurassic Oil + Gas Co N3110

NAME (PLEASE PRINT) <u>Linda C. Gordon</u>	TITLE <u>Production/Royalty Report Manager</u>
SIGNATURE <i>Linda C. Gordon</i>	DATE <u>1/2/2008</u>

(This space for State use only) 215 Hillcrest Ave
Ranney Co 81648 (970) 629-1116

APPROVED 1/16/2008

(5/2000) *Earlene Russell*
 Division of Oil, Gas and Mining
 Earlene Russell, Engineering Technician

RECEIVED
JAN 04 2008

DIV. OF OIL, GAS & MINING

SCHUSTER HOMES INC ATTACHMENT TO FORM 9
LEASE UTU32574

WELL NAME	WELL #	API #	QTR	SEC TWP	RANGE	COUNTY	STATE
BROWNDIRT	1	43-019-30395 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	1	43-019-30402 00 S01	SENE	11 20S	23E	GRAND	UTAH
BROWNDIRT	2	43-019-30691 00 S01	SENE	14 20S	23E	GRAND	UTAH
BROWNDIRT	5	43-019-31143 00 S01	SWNE	14 20S	23E	GRAND	UTAH
LEVON	3	43-019-31234 00 S01	SENE	11 20S	23E	GRAND	UTAH

LEASE UTU 42223

WELL NAME	WELL #	API #	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4 *	43-019-30950 00 S01	NWNE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-8 *	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10 *	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15 *	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-2 *	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL	23-14 *	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B *	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5 *	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6 *	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENE	9 20S	23E	GRAND	UTAH

LEASE UTU 44440

WELL NAME	WELL #	API #	QTR	SEC TWP	RANGE	COUNTY	STATE
TXO	14-1	43-019-30610 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	15-2	43-019-30690 00 S01	NENW	15 20S	23E	GRAND	UTAH
TXO MESA	23-1 *	43-019-30693 00 S01	NENW	23 20S	23E	GRAND	UTAH
TXO	14-2	43-019-31089 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	14-3	43-019-31144 00 S01	SWSW	14 20S	23E	GRAND	UTAH
TXO	15-4 *	43-019-30832 00 S01	SESE	15 20S	23E	GRAND	UTAH
TXO	23-1C	43-019-31220 00 S01	NENW	23 20S	23E	GRAND	UTAH

LEASE UTU 24606

WELL NAME	WELL #	API #	QTR	SEC TWP	RANGE	COUNTY	STATE
FLORIDA EX	25-3 *	43-019-3117 00 S01	NENE	25 20S	23E	GRAND	UTAH

31107

* changed well names on OGIS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
UTU 42223

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
SEE ATTACHED LIST

9. API Well No.
SEE ATTACHED

10. Field and Pool, or Exploratory Area
GREATER CISCO

11. County or Parish, State
GRAND COUNTY, UTAH

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
SCHUSTER HOMES INC.

3a. Address
3746 KEEFER ROAD, CHICO, CA 95973

3b. Phone No. (include area code)
530-894-0894

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SEE ATTACHED LIST

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EFFECTIVE OCT. 22, 2007, SCHUSTER HOMES INC. WILL TAKE OVER AS OPERATOR OF THE ABOVE LISTED WELL. SCHUSTER HOMES INC. IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF.

BOND COVERAGE FOR THIS WELL WILL BE PROVIDED BY BLM BOND NO. UTB000238

Stephen J. Schuster
NEW OPERATOR/SCHUSTER HOMES INC.

10/22/07
DATE

RECEIVED
MOAB FIELD OFFICE
2008 OCT 22 AM 11:25

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Stephen J. Schuster, Schuster Homes Inc Title President

Signature *Stephen J. Schuster* Date 10/22/07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by ACCEPTED Title Division of Resources Date 10/23/07

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Moab Field Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

cc: UDOEM

Conditions Attached

RECEIVED
OCT 26 2007

DIV. OF OIL, GAS & MINING

Schuster Homes Inc.
All Wells on Lease (Well Nos. 9-3, 9-5, 9-6, 10-2, 11-5, 11-8B, 23-4, 23-8, 23-10, 23-14, and 23-15)
Lease UTU42223
Grand County, Utah

CONDITIONS OF ACCEPTANCE

Acceptance of these applications does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Schuster Homes Inc. is considered to be the operator of the above wells effective October 22, 2007, and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for these wells is provided by UTB000238 (Principal – Schuster Homes Inc.) as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43CFR 3106.7-2 continuing responsibility are met.

EXHIBIT "A"
UTU 42223

WELL NAME	WELL #	API #	QTR	SEC TWP	RANGE	COUNTY	STATE
ISLAND FUEL	23-4	43-019-30950 00 S01	NWNE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-8	43-019-30998 00 S01	NESE	23 20S	23E	GRAND	UTAH
ISLAND FUEL	23-10	43-019-31050 00 S01	SWNE	23 20S	23E	GRAND	UTAH
CISCO SS	11-5	43-019-31056 00 S01	SWNE	11 20S	23E	GRAND	UTAH
FEDERAL	23-15	43-019-31073 00 S01	SWNE	23 20S	23E	GRAND	UTAH
FEDERAL	10-2	43-019-31049 00 S01	NENE	10 20S	23E	GRAND	UTAH
FEDERAL	23-14	43-019-31053 00 S01	NWSE	23 20S	23E	GRAND	UTAH
CISCO SS	11-8B	43-019-31147 00 S01	NWNE	11 20S	23E	GRAND	UTAH
ISLAND FUEL	9-5	43-019-31085 00 S01	SWNW	9 20S	23E	GRAND	UTAH
ISLAND FUEL	9-6	43-019-31142 00 S01	NESW	9 20S	23E	GRAND	UTAH
CISCO SS	9-3	43-019-31048 00 S01	SENW	9 20S	23E	GRAND	UTAH

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
 CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

3/31/2013

FROM: (Old Operator): N3345- Schuster Homes Inc. 3746 Keefer Rd Chico, CA 95973 Phone: 1 (TO: (New Operator): N2195- Running Foxes Petroluem Inc. 6855 S. Havana St, Suite #400 Centennial, CO 80112 Phone: 1 (720) -889-0510
---	---

CA No.			Unit:					
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
See ATTACHED List						All Federal		

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 7/15/2013
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/26/2013
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 7/16/2013
- Is the new operator registered in the State of Utah: Y Business Number: 6097088-0143
- (R649-9-2)Waste Management Plan has been received on: Not Yet
- Inspections of LA PA state/fee well sites complete on: N/A
- Reports current for Production/Disposition & Sundries on: 6/17/2013
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA N/A
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: N/A
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 7/17/2013
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 7/17/2013
- Bond information entered in RBDMS on: N/A
- Fee/State wells attached to bond in RBDMS on: N/A- no State/fee wells
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: N/A

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: UTB 000207
- Indian well(s) covered by Bond Number: N/A
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number N/A
- The **FORMER** operator has requested a release of liability from their bond on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Schuster Homes Inc (N3345) to Running Foxes Petroleum Inc (N2195)
Effective 31-March-2013

Well Name	Sec.	Twtnshp	Range	API No.	Utah Entity No.	Lease Type	Well Type	Well Status
BROWNDIRT 1	14	200S	230E	4301930395	2230	Federal	Gas Well	Shut-in
BROWNDIRT 2	14	200S	230E	4301930691	2230	Federal	Gas Well	Shut-in
BROWNDIRT 5	14	200S	230E	4301931143	9292	Federal	Gas Well	Shut-in
LEVON 1	11	200S	230E	4301930402	2230	Federal	Oil Well	Shut-in
LEVON 3	11	200S	230E	4301931234	10802	Federal	Oil Well	Shut-in
FEDERAL 10-2	10	200S	230E	4301931049	9465	Federal	Gas Well	Shut-in
CISCO SS 11-5	11	200S	230E	4301931056	2275	Federal	Oil Well	Shut-in
CISCO SS 9-3	09	200S	230E	4301931048	11809	Federal	Gas Well	Shut-in
FEDERAL 23-14	23	200S	230E	4301931053	10225	Federal	Gas Well	Shut-in
FEDERAL 23-15	23	200S	230E	4301931073	2280	Federal	Oil Well	Shut-in
ISLAND FUEL 23-4	23	200S	230E	4301930950	2265	Federal	Gas Well	Shut-in
CISCO SS 11-8B	11	200S	230E	4301931147	10881	Federal	Oil Well	Shut-in
ISLAND FUEL 23-10	23	200S	230E	4301931050	2275	Federal	Gas Well	Shut-in
ISLAND FUEL 23-8	23	200S	230E	4301930998	2270	Federal	Gas Well	Shut-in
ISLAND FUEL 9-5	09	200S	230E	4301931085	8218	Federal	Gas Well	Shut-in
ISLAND FUEL 9-6	09	200S	230E	4301931142	8218	Federal	Gas Well	Shut-in
TXO 14-1	14	200S	230E	4301930610	2240	Federal	Oil Well	Shut-in
TXO 14-2	14	200S	230E	4301931089	2290	Federal	Oil Well	Shut-in
TXO 14-3	14	200S	230E	4301931144	2290	Federal	Oil Well	Shut-in
TXO 15-2	15	200S	230E	4301930690	2245	Federal	Oil Well	Shut-in
TXO 15-4	15	200S	230E	4301930832	8221	Federal	Oil Well	Shut-in
TXO 23-1C	23	200S	230E	4301931220	10678	Federal	Oil Well	Shut-in
TXO MESA 23-1	23	200S	230E	4301930693	2250	Federal	Oil Well	Shut-in

RECEIVED

JUN 26 2013

FORM 9

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

DIV. OF OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NUMBER:

SEE ATTACHED LIST

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

7. UNIT or CA AGREEMENT NAME:

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL GAS WELL OTHER _____

8. WELL NAME and NUMBER:
SEE ATTACHED LIST

2. NAME OF OPERATOR:
RUNNING FOXES PETROLEUM, INC. N2195

9. API NUMBER:
attached

3. ADDRESS OF OPERATOR:
6855 S. Havana St., #400 CITY Centennial STATE CO ZIP 80112 PHONE NUMBER: (720) 889-0510

10. FIELD AND POOL, OR WLD/CAT:
GREATER CISCO

4. LOCATION OF WELL
FOOTAGES AT SURFACE: _____

COUNTY: GRAND

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.


Effective March 31, 2013, Running Foxes Petroleum, Inc. took over as operator for these leases and attached list of wells previously operated by Schuster Homes, Inc.

N3345

BLM #
UTB 000207

NAME (PLEASE PRINT) Steven A. Tedesco

TITLE President

SIGNATURE 

DATE 6-24-2013

(This space for State use only)

APPROVED

JUL 17 2013

(5/2000)

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING
BY: Zeke Clement for Rachel Medina

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER: SEE ATTACHED LIST
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____	8. WELL NAME and NUMBER: SEE ATTACHED LIST	
2. NAME OF OPERATOR SCHUSTER HOMES, INC.		9. API NUMBER: ATTACHED
3. ADDRESS OF OPERATOR: 3746 KEEFER ROAD CITY CHICO STATE CA ZIP 95973		PHONE NUMBER
4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY:		10. FIELD AND POOL, OR W/LDCAT: GREATER CISCO
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE		UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective March 31, 2013, Running Foxes Petroleum, Inc. of 6855 S. Havana St., #400 Centennial, CO 80112 took over as operator of all wells previously operated by Schuster Homes, Inc. Schuster Homes, Inc. transfers ownership of all operating rights to Running Foxes Petroleum, Inc.

RECEIVED
JUL 15 2013
Div. of Oil, Gas & Mining

NAME (PLEASE PRINT) Stephen J. Schuster	TITLE President
SIGNATURE <i>Stephen J. Schuster</i>	DATE 7/8/13

(This space for State use only)

APPROVED

(5/2000)

JUL 17 2013

(See Instructions on Reverse Side)

DIV. OIL GAS & MINING
BY: Zelce Clemente For Rachel Medina

