

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS: WELL LOG ELECTRIC LOGS FILE **X** WATER SANDS LOCATION INSP SUB. REPORT/abd.
 Well name change eff 7-5-94
 9-29-94 fr PETRO-X to AUSTIN eff 9-1-94

DATE FILED **MAY 12, 1993**

LAND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO. **UTU-69952** INDIAN

DRILLING APPROVED: **SEPTEMBER 3, 1993** CAUSE NO. **102-16B**

SPUDED IN:

COMPLETED: PUT TO PRODUCING:

INITIAL PRODUCTION:

GRAVITY A.P.I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION:

DATE ABANDONED: **LOCATION ABANDONED PER BLM EFF. JANUARY 29, 1996**

FIELD: **GREATER CISCO**

UNIT:

COUNTY: **GRAND**

WELL NO. **PETRO-X 29-2 HANK 29-2** API NO. **43-019-31342**

LOCATION **1980' FNL** FT. FROM (N) (S) LINE. **1980' FWL** FT. FROM (E) (W) LINE. **SE NW** 1/4 - 1/4 SEC. **29**

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
18S	25E	29	AUSTIN GAS GATHERING Corp				

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
 DRILL DEEPEN

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER
 SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 PETRO-X CORPORATION

3. ADDRESS AND TELEPHONE NO.
 P. O. BOX 520205, SLC, UT 84152-0205

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface: 1980 FNL', 1980' FWL
 At proposed prod. zone: SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 26 MILES CISCO, UT 84515

12. COUNTY OR PARISH: GRAND 13. STATE: UT

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 1980'
 16. NO. OF ACRES IN LEASE: 1,675.0
 17. NO. OF ACRES ASSIGNED TO THIS WELL: 40.0 ACRES

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1700'
 19. PROPOSED DEPTH: 1250'
 20. ROTARY OR CABLE TOOLS: ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4811 FT GR
 22. APPROX. DATE WORK WILL START* JUN 1993

5. LEASE DESIGNATION AND SERIAL NO.
 UTU-69952

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.

9. ~~PETRO-X 29-2~~

10. ~~WILDCAT~~
 GREATER CISCO

11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA
 29, T18S, R25E

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 5/8"	7 5/8	24#	160'	CEMENTED BACK TO SUR.
6 3/4"	4 1/2	9.5	T.D.	CEMENTED 400' ABOVE HIGHEST WATER OR PROD ZONE ENCOUNTERED.

IN THE EVENT THAT COMMERCIAL QUANTITIES OF GAS ARE ENCOUNTERED, THE OPERATOR INTENDS TO INSTALL A WELDED 3 1/2" GATHERING LINE, ON LEASE DIRECTLY TO AN EXISTING GATHERING LINE THAT IS 900' NORTH. A CONNECTION VALVE IS PRESENT ON THE GATHERING SYSTEM TO RECEIVE GAS FROM THIS WELL. A SEPERATE PURCHASE METER WILL BE INSTALLED TO MEASURE ALL SALES FROM THIS LOCATION.

RECEIVED

MAY 12 1993

DIVISION OF
OIL, GAS & MINING

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED: Dean Christ TITLE: PRESIDENT DATE: 10 MAY 93

(This space for Federal or State office use)

PERMIT NO. 43-019-31342 APPROVAL DATE: _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject land. You are to be held responsible for operations thereon.


CONDITIONS OF APPROVAL, IF ANY:

DATE: _____ BY: _____

APPROVED BY: _____ TITLE: _____

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

*See Instructions On Reverse Side




PETRO-X 29-2

Located 1980 feet from North line and 1980 feet from West line of Section 29, T18S, R25E, SLM.

Elev. 4811

Grand County, Utah



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

Udell S. Williams
Utah LS No. 2573



UEL S. WILLIAMS
Professional Land Surveyor
751 Rood Avenue (303) 243-4594
Grand Junction, Colorado 81501

**PLAT OF
PROPOSED LOCATION**

PETRO-X 29-2
SE⁴NW⁴ SEC. 29
T18S, R25E, SLM

SURVEYED BY: USW DATE: 4/16/93
DRAWN BY: USW DATE: 4/17/93

D R I L L I N G A P P L I C A T I O N

PETRO-X 29-2
SE/4 NW/4, SECTION 29, T18S, R25E

1. GEOLOGICAL NAME AND FORMATION:

MANCOS SHALE

2. & 3. GEOLOGICAL TOPS AND FORMATION DEPTHS:

MANCOS SHALE: SURFACE TO 650'
CRETACEOUS DAKOTA: 650' TO 750'
JURASSIC MORRISON: 750' TO 1000'
JURASSIC SALT WASH: 1000' TO 1250'

4. CASING PROGRAM:

7 5/8" SURFACE CASING 120', CEMENTED BACK TO THE SURFACE. J-55 CASING OR HIGHER GRADE TO BE UTILIZED. THE PRODUCTION CASING WILL BE 9.5 LBS 4 1/2" SET TO TOTAL DEPTH. THE PRODUCTION CASING WILL BE CEMENTED TO A MINIMUM OF 400 FT ABOVE THE HIGHEST WATER OR HYDROCARBON ZONE ENCOUNTERED.

5. PRESSURE CONTROL EQUIPMENT:

OPERATOR INTENDS TO UTILIZE AN EIGHT INCH BORE HYDRIL BOP, OR ITS EQUIVALENT, CAPABLE OF WITHSTANDING 3000 PSI. NO WELL IN THIS AREA HAS EXPERIENCED PRESSURE IN EXCESS OF 500 PSI.

6. DRILLING AND CIRCULATING MEDIUM:

OPERATOR INTENDS TO DRILL WITH COMPRESSED AIR TO A POINT DESIGNATED AS THE "A" ZONE MARKER, OR JUST ABOVE THE ANTICIPATED DAKOTA FORMATION. AT THAT LEVEL, THE WELL BORE WILL BE DRILLED UTILIZING A SALT BASED POLYMER MUD. THE MUD WILL BE WEIGHTED AS NECESSARY TO MAINTAIN WELL CONTROL. ANY DRILLING FLUIDS UTILIZED WILL BE REMOVED FROM THE SITE FOR DISPOSAL.

WHILE THE INITIAL AIR DRILLING IS TAKING PLACE, THE OPERATOR WILL BE MISTING TO ELIMINATE THE DUST.

7. AUXILIARY EQUIPMENT:

A. KELLY COCK -- DEMLO. B. FLOATS AT THE BIT -- YES, AND ON THE DRILL STRING. C. NO MONITORING EQUIPMENT WILL BE USED ON ANY MUD UTILIZED. THE DRILLER ON TOWER WILL BE RESPONSIBLE TO MONITOR THE MUD BY CHECKING THE VISCOSITY AND WEIGHT DURING HIS TOWER UNDER THE SUPERVISION OF THE SITE SUPERVISOR. D. A SUB WITH A FULL OPENING VALVE WILL BE AVAILABLE ON THE FLOOR. FILL AND KILL LINES

PAGE 2
DRILLING APPLICATION
PETRO-X 29-2 WELL

7. AUXILIARY EQUIPMENT: (CONTINUED)

D. WILL BE INSTALLED ON TOP OF THE SURFACE CASING, JUST BELOW THE BOP. A VALVE WILL BE PLACED ON EACH OF THE FILL AND KILL LINES. E. A MANIFOLD CHOKE WILL BE INSTALLED ON ONE OF THE FILL AND KILL LINES.

8. TESTING, LOGGING AND CORING:

THE WELL WILL BE LOGGED UPON REACHING TOTAL DEPTH. AN IES LOG WILL BE RUN. THE OPERATOR DOES NOT INTEND TO CORE THE WELL. IN THE EVENT THE WELL IS CASED AS A POTENTIAL PRODUCER, A BOND LOG WILL BE RUN PRIOR TO PERFORATION. SAMPLES WILL BE COLLECTED EVERY TEN (10') COMMENCING APPROXIMATELY 100' ABOVE THE FIRST ANTICIPATED HYDROCARBON ZONE.

9. BOTTOM HOLE PRESSURES:

THE MAXIMUM BOTTOM HOLE PRESSURE IS ANTICIPATED TO BE LESS THAN 500 PSI. THE OPERATOR IS PREPARED TO CONTROL IN EXCESS OF 3,000 PSI.


10. STARTING DATE:

THE OPERATOR INTENDS TO COMMENCE DRILLING APPROXIMATELY 7 DAYS AFTER THE COMPLETION OF THE PETERSEN 30-2. IT IS ANTICIPATED THAT A TOTAL OF FIVE DAYS TO MOBILIZE AND TO COMPLETE DRILLING. AN ADDITIONAL TWO DAYS IS ANTICIPATED FOR COMPLETION OF THIS WELL, OR SUBSEQUENT PLUGGING AND ABANDONMENT.

DATED THIS THE 10TH DAY OF MAY, 1993

PETRO-X CORPORATION

BY:



DEAN H. CHRISTENSEN
PRESIDENT

MULTIPOINT AND SURFACE USE PLAN
PETRO-X 29-2 WELL

1. EXISTING ROADS AND PLANNED ACCESS:

A ROAD CURRENTLY EXISTS TO THE NORTH OF THIS PROPOSED WELL LOCATION. AN ACCESS ROAD APPROXIMATELY 812' IN LENGTH WILL BE NECESSARY TO BE BUILT FOR ACCESS. THE NEW ACCESS ROAD WILL ALL BE ON LEASE, BUT AN AMENDMENT TO RIGHT OF WAY UTU-67327 HAS BEEN APPLIED FOR WHICH WILL COVER THIS NEW ACCESS ROAD. THE CURRENT ROAD LOCATED IMMEDIATELY TO THE NORTH IS THE ACCESS ROAD TO THE WESTWATER COMPRESSOR SITE.

2. LOCATION OF EXISTING WELLS:

APPROXIMATELY 2640 PLUS FEET TO THE WEST IS THE BELCO (ENRON) 30-1 WELL. THIS WELL WAS DRILLED IN THE LATE 1950's AND IS CURRENTLY TIED INTO THE WESTWATER GATHERING FACILITY OWNED BY PETRO-X CORPORATION. AN ADDITIONAL WELL EXISTS IN SECTION 21, KNOWN AS THE AMBRA 21-1 AND A FINAL WELL IN THE IMMEDIATE AREA IS KNOWN AS THE LANSDALE #8, AND IS LOCATED IN SECTION 27.

3. LOCATION OF EXISTING OR PROPOSED FACILITIES:

IN THE EVENT THAT THIS IS COMPLETED AS A GAS WELL, A NATURAL GAS GATHERING LINE IS LOCATED APPROXIMATELY 800 TO THE NORTH. THIS FACILITY IS NOT ON LEASE. THE OPERATOR WILL SUBMIT AN AMENDMENT TO RIGHT OF WAY UTU-67327 FOR APPROVAL OF THIS EXTENSION OF THE GATHERING LINE.

IF AN OIL COMPLETION IS SUCCESSFUL, THE TANK BATTERIES AND EQUIPMENT WILL ALL BE ON LEASE. A SUNDRY NOTICE WILL BE SUBMITTED AS NECESSARY.

4. LOCATION AND TYPE OF WATER SUPPLY:

ALL WATER NECESSARY FOR THE DRILLING OF THIS WELL WILL BE PURCHASED FROM A COMMERCIAL WATER HAULER, AABLE TRUCKING OF MOAB, UTAH.

5. SOURCE OF CONSTRUCTION MATERIALS:

SOURCE MATERIALS WILL BE TAKEN FROM THE SITE. ANY GRAVEL NECESSARY TO USE AS BASE MATERIAL FOR TANKS, ETC. WILL BE PURCHASED FROM COMMERCIAL SOURCES AND TRUCKED TO THE SITE.

6. METHODS OF HANDLING WASTE DISPOSAL:

A. CUTTINGS: BURIED IN THE RESERVE PIT

B. DRILLING FLUIDS: HAULED TO A COMMERCIAL DISPOSAL FACILITY AFTER THE COMPLETION OF ALL DRILLING ACTIVITIES.

MULTIPOINT AND SURFACE USE PLAN
PAGE 3
PETERSEN 30-2 WELL

12. CERTIFICATION:

I HEREBY VERIFY THAT I, OR PERSONS UNDER MY DIRECT SUPERVISION AND CONTROL HAVE INSPECTED THE PROPOSED DRILL SITE AND ACCESS ROUTES. THAT STATEMENTS MADE IN THIS USE PLAN ARE, TO THE BEST OF MY KNOWLEDGE, ARE CORRECT. THAT THE WORK WILL BE PERFORMED BY THE CONTRACTOR AND HIS SUBCONTRACTORS IN FULL CONFORMITY WITH THIS PLAN AND THE TERMS AND CONDITIONS UNDER WHICH IT IS APPROVED.

DATE: MAY 10, 1993

PETRO-X CORPORATION

BY:

DEAN H. CHRISTENSEN
PRESIDENT

PAGE 2
MULTIPOINT AND SURFACE USE PLAN
PETRO-X 29-2 WELL

C. PRODUCED FLUIDS: ANY OIL WILL BE SOLD IS SALVAGED, OR BURNED IN THE PIT AND COVERED IF NOT SALEABLE. ANY WATER THAT DOES NOT EVAPORATE WILL BE HAULED FROM THE SITE TO A COMMERCIAL DISPOSAL POND.

D. SEWAGE: A PORTA POTTY WILL BE PLACED ON THE SITE.

E. GARBAGE: BURNED AND BURIED IN THE RESERVE PIT. PAPERS AND SACKS WILL BE COLLECTED AND BURNED.

F. UPON THE COMPLETION OF THE PROPOSED WELL AS EITHER A DRY HOLE OR AS A COMMERCIAL WELL, THE ENTIRE SITE WILL BE CLEANED UP, SOIL WILL CONTOURED, SEEDS DRILLED INTO THE SITE AS DIRECTED. THE WELL HEAD WILL BE FENCED IF A COMMERCIAL WELL, OR A DRY HOLE MARKER WILL BE FABRICATED AND ERECTED TO MARK THE LOCATION.

7. AUXILIARY EQUIPMENT/FACILITIES:

DEPENDENT UPON THE DRILLING RESULTS, A SEPARATE APPLICATION FOR AN ON LEASE GATHERING SYSTEM, STORAGE TANKS, ETC., WILL BE COMPLETED VIA A SUNDRY NOTICE.

8. WELL LAYOUT AND DIAGRAM:

SEE ATTACHED SITE PLAN.

9. PLANS FOR RESTORATION OF THE SURFACE:

THE SURFACE IMPACT WILL BE MITIGATED AS MUCH AS POSSIBLE BY THE OPERATOR. THE TOPSOIL WILL BE STACKED ON THE EDGE OF THE PAD TO BE REDISTRIBUTED AS SOON AS THE WORK IS COMPLETED AND ALL NECESSARY CONSTRUCTION IS FINISHED. THE SOIL WILL BE GROOVED, ETC., AT THE DIRECTION OF THE GRAND RESOURCE AREA, AND THE DIRECTED SEED MIX WILL BE PLANTED. THE SEEDS WILL BE PLANTED IN THE LATE FALL OR EARLY SPRING TO INSURE THE BEST CHANCE FOR GERMINATION AND GROWTH.

10. N/A

11. LESSEE'S OR OPERATORS REPRESENTATIVE:

DONALD M. WIEGAND
P. O. BOX 150306
CISCO, UTAH 84515
801-564-3543 (H)

DEAN H. CHRISTENSEN
P. O. BOX 520205
SALT LAKE CITY, UTAH 84152-0205
801-467-7171, 467-7193 (FAX)
801-278-3118 (H)

MULTIPOINT AND SURFACE USE PLAN
PAGE 3
PETRO-X 29-2 WELL


12. CERTIFICATION:

I HEREBY VERIFY THAT I, OR PERSONS UNDER MY DIRECT SUPERVISION AND CONTROL HAVE INSPECTED THE PROPOSED DRILL SITE AND ACCESS ROUTES. THAT STATEMENTS MADE IN THIS USE PLAN ARE, TO THE BEST OF MY KNOWLEDGE, ARE CORRECT. THAT THE WORK WILL BE PERFORMED BY THE CONTRACTOR AND HIS SUBCONTRACTORS IN FULL CONFORMITY WITH THIS PLAN AND THE TERMS AND CONDITIONS UNDER WHICH IT IS APPROVED.


DATE: MAY 10, 1993

PETRO-X CORPORATION

BY:



DEAN H. CHRISTENSEN
PRESIDENT

PETROX 29-2 Site Diagram



- ① MINIMAL site Preparation NECESSARY
- ② DRILLING MUD STORED IN METAL TANKS OR LINE PITS. UPON COMPLETION OF DRILLING ALL MUD REMOVED FOR DISPOSAL IN A COMMERCIAL DISPOSAL FACILITY
- ③ ONE CULVERT to be INSTALLED ON ACCESS ROAD.

✖ GAS WELL ➔ DIRECTION OF FLOW
 ○ LOCATION



WORKSHEET
APPLICATION FOR PERMIT TO DRILL

DATE RECEIVED: 05/12/93

OPERATOR: PETRO-X CORPORATION
WELL NAME: PETRO-X 29-2

OPERATOR ACCT NO: N- 0715

API NO. ASSIGNED: 43 - 019 - 31342

LEASE TYPE: FED LEASE NO: UTU-69952
LOCATION: SENW 29 - T18S - R25E GRAND COUNTY
FIELD: GREATER CISCO (205) FIELD CODE: 205

<p>RECEIVED AND/OR REVIEWED:</p> <p><u>Y</u> Plat <u>Y</u> Bond (Number <u>FEDERAL</u>) <u>N</u> Potash (Y/N) <u>N</u> Oil shale (Y/N) Water permit (Number _____) <u>N</u> RDCC Review (Y/N) (Date: _____)</p>	<p>LOCATION AND SITING:</p> <p>____ R649-2-3. Unit: _____ ____ R649-3-2. General. ____ R649-3-3. Exception. <input checked="" type="checkbox"/> Drilling Unit. Board Cause no: <u>102-16B</u> Date: <u>9-26-79</u></p>
---	--

COMMENTS: MAY WANT TO HAVE SUMMARY FILED FOR WATER PERMIT.

STIPULATIONS: _____

cc: Grand County Assessor
BKM moab
J.L. Thompson, Field Inspection Supervisor

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK
 DRILL DEEPEN

b. TYPE OF WELL
 OIL WELL GAS WELL OTHER SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR
 PETRO-X CORPORATION

3. ADDRESS AND TELEPHONE NO.
 P. O. BOX 520205, SLC, UT 84152-0205

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
 At surface: 1980 FNL', 1980' FWL
 At proposed prod. zone: SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
 26 MILES CISCO, UT 84515

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any) 1980'

16. NO. OF ACRES IN LEASE
 1,675.0

17. NO. OF ACRES ASSIGNED TO THIS WELL
 40.0 ACRES

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1700'

19. PROPOSED DEPTH
 1250'

20. ROTARY OR CABLE TOOLS
 ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
 4811 FT GR

22. APPROX. DATE WORK WILL START*
 JUN 1993

5. LEASE DESIGNATION AND SERIAL NO.
 UTU-69952

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.

9. ~~PETRO-X 29-2~~

10. ~~GREATER CISCO~~ WILDCAT
 GREATER CISCO

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
 29, T18S, R25E

12. COUNTY OR PARISH
 GRAND

13. STATE
 UT

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT

RECEIVED
 SEP 02 1993
 DIVISION OF
 OIL, GAS & MINING

FLARING OR VENTING OF
 GAS IS SUBJECT TO NTL 4-A
 1/1/80

CONDITIONS OF APPROVAL ATTACHED

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Dean H. Christ TITLE PRESIDENT

(This space for Federal or State office use)
 PERMIT NO. 43-019-31342 APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
 CONDITIONS OF APPROVAL, IF ANY:
187 WILLIAM C. STRINGER
 Associate District Manager

APPROVED BY _____ TITLE _____ DATE _____

RECEIVED
 8. DISTRICT OFFICE
 MAY 13 AM 8:33
 DEPARTMENT OF THE INTERIOR
 BUREAU OF LAND MANAGEMENT

APPROVED BY THE STATE
 DIVISION OF
 OIL, GAS & MINING

AUG 31 1993

*See Instructions On Reverse Side SUBJECT TO RIGHT OF WAY APPROVAL

BLM BC

S. 89° 56' W. (BLM)

N. 0° 03' W. (BLM)

1980'

1980'

SE⁴NW⁴

PETRO-X 29-2

SEC. 29
T18S R25E
SLM



RECEIVED

SEP 02 1993



SCALE: 1" = 1000'


DIVISION OF
OIL, GAS & MINING

PETRO-X 29-2

Located 1980 feet from North line and 1980 feet from West
line of Section 29, T18S, R25E, SLM.

Elev. 4811

Grand County, Utah



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED
FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR
UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE
AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF


Utah LS No. 2573



UDELL S. WILLIAMS
Professional Land Surveyor
751 Rood Avenue (303) 243-4594
Grand Junction, Colorado 81501

PLAT OF
PROPOSED LOCATION

PETRO-X 29-2
SE⁴NW⁴ SEC. 29
T18S, R25E, SLM

SURVEYED BY: USW DATE: 4/16/93
DRAWN BY: USW DATE: 4/17/93

SELF-CERTIFICATION STATEMENT

BE ADVISED THAT PETRO-X CORPORATION IS CONSIDERED TO BE THE OPERATOR OF WELL NUMBER PETRO-X 29-2, SECTION 29, TOWNSHIP 18 SOUTH, RANGE 25 EAST, LEASE U-69952, GRAND COUNTY, UTAH AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS.

BOND COVERAGE IS PROVIDED BY BOND NUMBER UTAH 0823.
(PRINCIPAL PETROX CORPORATION, VIA SURETY CONSENT AS PROVIDED FOR IN 43 CFR 3104.2

THIS OFFICE WILL HOLD THE AFOREMENTIONED OPERATOR AND BOND LIABLE UNTIL THE PROVISIONS OF 43 CFR 3160.7-2 CONTINUING RESPONSIBILITY ARE MET.

PETRO-X CORPORATION

BY:


DEAN H. CHRISTENSEN
PRESIDENT

RECEIVED

SEP 02 1993

DIVISION OF
OIL, GAS & MINING



FILED: PETROX\SELFCERT.292

Petro-X Corporation
Petro-X 29-2
Lease U-69952
SENW Section 29, T18S, R25E
Grand County, Utah

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Petro-X Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0823 (Principal - Petro-X Corporation) via surety consent as provided for in 43 CFR § 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR § 3106.7-2 continuing responsibility are met.

This permit will be valid for a term of one year. After permit termination, a new application must be filed for approval.

All lease operations will be conducted in full compliance with applicable regulations (43 CFR § 3100), Onshore Oil and Gas Orders, lease terms, notices to lessees, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to field representatives to insure compliance.

A. DRILLING PROGRAM

1. The BOP system must be designed for 2000 psi (2M) or greater and must be consistent with API RP 53 and Onshore Oil and Gas Order No. 2. Although a 3M system was proposed in the APD, appropriate testing for a 2M system is acceptable. Pressure tests of the surface casing and all BOP equipment potentially subject to pressure will be conducted before drilling the surface casing shoe. Blowout preventer controls will be installed prior to drilling the surface casing shoe and will remain in use until the well is completed or abandoned. Ram preventers shall be inspected and operated each trip (no more than once a day is necessary). These inspections shall be recorded on the daily drilling report.
2. Each casing string shall be equipped with a centralizer on each of the bottom three joints.
3. The production casing shall be cemented to a level above the top of the Dakota Sandstone, or to 400 feet above the highest fluid producing zone encountered, whichever is higher.
4. No trivalent or hexavalent chromate additives shall be used in the mud system. Due to Potential for contamination of usable quality water aquifers, chromates are banned from Federal leases.
5. If a gas meter run is constructed, it will be located on lease within 500 feet of the wellhead. The gas flowline will be buried from the wellhead to the meter and will be buried downstream of the meter until it leaves the pad. Meter runs will be housed and/or fenced. The gas meter shall be calibrated prior to first sales and shall be calibrated quarterly thereafter. All gas production and measurement shall comply with the provisions of 43 CFR § 3162.7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
6. Sufficient drilling mud materials will be on location to control lost circulation and combat well control problems that might reasonably be expected.

B. SURFACE USE PLAN

1. As specified in the lease stipulation for U-69950, no drilling will be allowed from May 15 through June 15 to protect antelope fawning. The limitation does not apply to maintenance and operation of producing wells. Exceptions to this limitation may be specified in writing by the authorized officer.
2. No construction or drilling operations will be authorized between February 1 and July 15, unless additional raptor surveys are completed prior to conducting operations to identify and avoid raptor nesting sites within 1/2 mile of the proposed action. Any peregrine falcon nesting areas identified within the project area will be avoided by 1 mile. These limitations does not apply to maintenance and operation of existing wells.
3. The rangeland trend plot will be avoided during construction and maintenance activities on the road in T.18 S., R.25 S., Section 30, SW $\frac{1}{4}$ NE $\frac{1}{4}$.
4. The operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer. Within five working days the authorized officer will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and,
 - a timeframe for the authorized officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the authorized officer are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the authorized officer will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible for mitigation costs. The authorized officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the authorized officer that the required mitigation has been completed, the operator will then be allowed to resume construction.

5. Surface disturbance and vehicular travel will be limited to the approved location and access route. Any additional area needed will be approved in advance.
6. The operator will adhere to conditions of approval in the Surface Use Program of the approved APD, relevant to any right-of-way facilities.
7. New roads will be constructed with a flat-bladed travel surface of 12-15 feet wide. Drainage control (waterbars, ditches, crowning) will be provided and maintained to prevent erosion of the travel surface.
8. The access road will be rehabilitated or brought to Resource (Class III) Road Standards within sixty (60) days of dismantling the drilling rig. If upgraded, the road must be maintained at these standards until the well is properly abandoned. If this time frame cannot be met, the Area Manager will be notified so that temporary drainage control can be installed along the access road.
9. In the event that portions of the road right-of-way are no longer needed (the wells are not drilled or do not produce), the roads that parallel the pipelines will remain for access to the pipelines and compressor.
10. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.6. When the well is abandoned, the abandonment marker must be at least four feet above restored ground level and must be inscribed with the following: operator name, lease number, well name and surveyed description (township, range, section and either quarter-quarter or footages).
11. Trash must be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than the completion of drilling operations.
12. The blooie line will be directed into a sloped bank or other form of backstop to help reduce the amount of fugitive dust and spray escaping from the blooie pit.
13. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced and the top of the pit will be covered with netting of one inch or less as soon as drilling is completed, and shall remain until the pit is dry. As soon as the reserve pit has dried, all areas not needed for production will be rehabilitated.
14. Pipeline crossings along roads will be covered with soil and maintained to ensure there is adequate soil covering the pipeline for protection from vehicular traffic.
15. No vehicular traffic will be authorized cross-country pipeline construction during wet weather when soils are saturated and subject to compaction or rutting.
16. Production facilities on location may include a lined or unlined produced water pit as specified in NTL-2B. If water is produced from the well, an NTL-2B application must be submitted.

17. All permanent (on-site for six (6) months or longer) structures constructed or installed (including oil well pumping units) shall be painted a flat, nonreflective, earth tone color to blend with the local environment, as determined by the Rocky Mountain Five-State Interagency Committee. All facilities shall be painted within six (6) months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded. Colors shall be desert brown or a flat tan as specified by the authorized officer at the time of installation.

18. In the event the well pad or road is graveled or surfaced, the material will be removed prior to recontouring the surface for rehabilitation.

C. REQUIRED APPROVALS, REPORTS AND NOTIFICATIONS

Required verbal notifications are summarized in Table 1, attached.

Building Location- Contact the Resource Area, Natural Resource Protection Specialist at least 48 hours prior to commencing construction of location.

Spud- The spud date will be reported to the Resource Area Office 24 hours prior to spudding. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the District Office within 24 hours after spudding, regardless of whether spud was made with a dry hole digger or big rig.

Daily Drilling Reports- Daily drilling reports shall detail the progress and status of the well and shall be submitted to the District Office on a weekly basis.

Monthly Reports of Operations- In accordance with Onshore Oil and Gas Order No. 1, this well shall be reported on Minerals Management Service (MMS) Form 3160, "Monthly Report of Operations," starting the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with MMS.

Sundry Notices- There will be no deviation from the proposed drilling and/or workover program without prior approval. "Sundry Notices and Reports on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR § 3162.3-2. Safe drilling and operating practices must be observed.

Drilling Suspensions- Operations authorized by this permit shall not be suspended for more than 30-days without prior approval from the District Office. All conditions of this approval shall be applicable during any operations conducted with a replacement rig.

Undesirable Events- Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be immediately reported to the Resource Area in accordance with requirements of NTL-3A.

Cultural Resources- If cultural resources are discovered during construction, work that might disturb the resources is to stop, and the Area Manager is to be notified.

First Production- Should the well be successfully completed for production, the District Office will be notified when the well is placed in producing status. Such notification may be made by phone, but must be followed by a sundry notice or letter not later than five (5) business days following the date on which the well is placed into production.

A first production conference will be scheduled as soon as the productivity of the well is apparent. This conference should be coordinated through the Resource Area Office. The Resource Area Office shall be notified prior to the first sale.

Well Completion Report- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted to the District Office not later than thirty (30) days after completion of the well or after completion of operations being performed, in accordance with 43 CFR § 3162.4-1. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. When requested, samples (cuttings and/or samples) will be submitted to the District Office.

Venting/Flaring of Gas- Gas produced from this well may not be vented/flared beyond an initial, authorized test period of 30 days or 50 Mmcf, whichever first occurs, without the prior, written approval of the authorized officer. Should gas be vented or flared without approval beyond the authorized test period, the well may be ordered shut-in until the gas can be captured or approval to continue the venting/flaring as uneconomic is granted. In such case, compensation to the lessor shall be required for that portion of the gas that is vented/flared without approval and which is determined to have been avoidably lost.

Produced Water- Produced waste water may be confined to an unlined pit for a period not to exceed 90 days after initial production. During the 90 day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted to the District Office for approval pursuant to NTL-2B.

Off-Lease Measurement, Storage, Commingling- Prior approval must be obtained from the District Office for off-lease measurement, off-lease storage and/or commingling (either down-hole or at the surface).

Plugging and Abandonment- If the well is completed as a dry hole, plugging instructions must be obtained from the District Office prior to initiating plugging operations.

A "Subsequent Report of Abandonment" (Form 3160-5) will be filed with the District Office within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR § 3162.6. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Area Manager or his representative, or the appropriate surface managing agency.

TABLE 1

NOTIFICATIONS

Notify Jack Johnson, Rich McClure or Lynn Jackson of the Grand Resource Area in Moab, Utah, at (801) 259-8193 for the following:

2 days prior to commencement of dirt work, construction and reclamation;

1 day prior to spudding;

50 feet prior to reaching surface casing depth;

3 hours prior to testing BOPE

If the person at the above number cannot be reached, notify the Moab District Office at (801) 259-6111. If unsuccessful, please contact the person listed below.

Well abandonment operations require 24 hour advance notice and prior approval. In the case of newly drilled dry holes, verbal approval can be obtained by calling the Moab District Office, Branch of Fluid Minerals at (801) 259-6111. If approval is needed after work hours, you may contact the following:

Eric Jones, Petroleum Engineer Office: (801) 259-6111
Home: (801) 259-2214



United States Department of the Interior

BUREAU OF LAND MANAGEMENT



IN REPLY REFER TO:

Moab District
Grand Resource Area
885 South Sand Flats Road
Moab, Utah 84532

3150/1790
(UT-068)

September 2, 1993

Dear Sir/Madam:

Attached is the proposed action for environmental assessment (EA) UT-068-93-136. The EA will address AMPOL Exploration's Notice of Intent to Conduct Oil and Gas Geophysical Exploration Operations (NOI) for shothole operations utilizing truck mounted drills and buggy drills on public lands near Salt Wash. Please review the proposal and comment on potential environmental impacts and mitigation that could occur during geophysical operations.

The 15-day public review period begins today. To be considered, comments must be received in the Grand Resource Area office by 4:30 p.m. on September 16, 1993. Thank you for your participation.

Sincerely,

Area Manager

Enclosure: (1)

Proposed Action UT-068-93-136

AMPOL Exploration
NOI for Geophysical Operations
Salt Wash Project
EA #UT-068-93-136

PROPOSED ACTION

The Notice of Intent to Conduct Oil and Gas Exploration Operations (NOI) submitted by AMPOL Exploration on August 10, 1993, outlined the proposed action for the geophysical operations. The NOI was for one line (93-SW-1) approximately 3 miles long.

Surveyors would locate the proposed shotpoints and geophone stations, and archaeologists would locate and record cultural resources that would be avoided during geophysical operations.

The proposed geophysical operations would utilize the shothole technique. The shotholes would be drilled with conventional truck mounted drills without using equipment to clear or level the ground surface. Buggy drills with large, wide rubber tires would transport drills in steep areas that can not be accessed with conventional drilling trucks. Approximately 12-15 holes per mile would be drilled along the line. The drill trucks would travel cross country along flagged lines to reach the locations for the shotholes. In order to reduce traffic along the lines, only one drill truck would be used on the line. A pickup truck would be utilized to transport fuel and the drilling crew to the drill truck. A rubber-tired vehicle, such as a log skidder, may be needed to pull the drill truck through sandy areas.


All drilling would be with compressed air and no water tanks or pits would be needed. The shotholes would be drilled 60 to 90 feet deep and loaded with 10-20 pounds of explosives. After placing the explosive charge in the hole, the hole would be properly plugged as specified by the State of Utah regulations for Seismic Exploration. Providing no water is encountered while drilling, the hole would be backfilled with the drill cuttings to within 3 feet of the surface and a nonmetallic plug would be installed in the hole. The remaining 3 feet of the hole would be covered with more drill cuttings and soil. Excess drill cuttings would be mixed with the soil and spread over the surrounding area. In the event that water is encountered during drilling, the appropriate State of Utah procedures would be utilized.

Trucks would be driven cross country along the flagged line to transport crews and cables. In areas with rough terrain, a small 4 wheel drive (4WD) military surplus vehicle with a flat bed would be used to transport equipment. The crews would connect geophones to the cables, and cables would be spread along the line. The geophones used for the recording operations would be placed in the ground in between the shotholes. The intervals for geophone stations would be approximately 88 feet. The cables would be connected to the recording instruments mounted on a truck, and the charges in the shot holes would be detonated. After the recording operations are completed, trucks would be used to transport the equipment to the next location. Pin-flags, geophones, flagging, and cables would be removed from the ground surface.

The standard Terms and Conditions for Notice of Intent to Conduct Geophysical Exploration (Form 3150-4a) would be followed. Included in these Terms and Conditions are provisions for avoiding impacts to archaeological sites, maintaining any fences that are crossed, staying 1/4 mile away from springs and wells, handling explosives according to U.S. Bureau of Alcohol, Tobacco, and Firearms (ATF) standards, and following State guidelines for plugging holes.

The shothole operations would begin as soon as the necessary authorizations have been processed. The drilling operations would take an estimated one week, and approximately one week would be needed for the recording operations.

AMPOL Exploration
NOI - One Line



T23S

93-SW-1

4162T

4395T

4400

4408

4523T

4591

RIGE

24

RITE

19

20

21

OW Tank

5-98

4342T

OW Tanks

Oil Well

OW Tank

OW

OW Tanks

4494

OW

OW

4395T

Oil Well

Quarry

8

18

17

16

7

8

9



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

September 3, 1993

PETRO-X Corporation
P.O. Box 520205
Salt Lake City, Utah 84152-0205

Gentlemen:

Re: PETRO-X 29-2 Well, 1980' FNL, 1980' FWL, SE NW, Sec. 29, T. 18 S., R. 25 E.,
Grand County, Utah

Pursuant to Utah Code Ann. § 40-6-6, (1953, as amended) and the order issued by the Board of Oil, Gas and Mining in Cause No. 102-16B dated September 26, 1979, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

1. Compliance with the requirements of Utah Admin. R. 649-1 et seq., Oil and Gas Conservation General Rules.
2. Notification within 24 hours after commencing drilling operations.
3. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
4. Submittal of the Report of Water Encountered During Drilling, Form 7.
5. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.
6. Compliance with the requirements of Utah Admin. R. 649-3-20, Gas Flaring or Venting, if the well is completed for production.



Page 2
PETRO-X Corporation
PETRO-X 29-2 Well
September 3, 1993

Trash and sanitary waste should be properly contained and transported to approved disposal locations, not retained in or disposed of in pits on location or downhole. Prior to the commencement of drilling operations, the operator should consult the local/county sanitarian and/or the Department of Environmental Quality, Division of Drinking Water/Sanitation, regarding appropriate disposal of sanitary waste.

This approval shall expire one year after date of issuance unless substantial and continuous operation is underway or a request for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-019-31342.

Sincerely,



R.J. Firth
Associate Director, Oil and Gas

ldc
Enclosures
cc: Grand County Assessor
Bureau of Land Management, Moab
J.L. Thompson, Field Inspection Supervisor
WO11

RECEIVED

SEP 07 1993

September 2, 1993

Mr. Frank Matthews
Utah Division of Oil, Gas, and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

DIVISION OF
OIL, GAS & MINING

Re: Proposed Seismograph Operations on BLM
Grand Resource Area of Moab, Utah

The attached information is for the only Notice that we have received for geophysical operations since last field season.

Re: APDs

13-019-31342 Sec 29 T185 R25E

1. APDs for Petro-X 29-1, 29-2, 29-3, and 30-2 wells were approved 8/31/93.
2. We received 3 Notices of Staking from Petro-X for the Bookcliff 6, 7, and 8 wells. Petro-X never got the wells staked and no onsites were scheduled. The Notices were returned unprocessed to Petro-X on 8/27/93.
3. We did onsites with Saturn Resources for 2 wells on BLM in Danish Flat area on August 5, 1993, and I forgot to notify you or Glenn. There were 2 other wells on private surface and federal minerals that we did not complete any paper work on for surface use plans. I do not know if Saturn will follow up with APDs or not. Attached are Notices for the 4 wells - Bison 1, 2, 3, and M6-130. *Also attached copy of letter from BLM to Saturn on Land Use Agreements & Rights-of-way.*

Rich McClure

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.
UTU-69952

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

SUBMIT IN TRIPLICATE

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
PETRO-X 29-2

2. Name of Operator
PETRO-X CORPORATION

9. API Well No.
43-019-31342

3. Address and Telephone No.
1095 EAST 2100 SOUTH, S-255, SLC, UT 84106

10. Field and Pool, or Exploratory Area
Greater Cisco Area

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1980' FNL 1980' FWL, SEC 29, T 18S, R 25E

11. County or Parish, State
Grand Co., UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <i>NAME CHANGE of LOCATION</i>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*



This Approved Location to be RE-NAMED AS follows:

HANK 29-2



14. I hereby certify that the foregoing is true and correct.
Signed *Donald Christ* Title *PRESIDENT* Date *6/30/94*
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any.




PETRO-X 29-2

Located 1980 feet from North line and 1980 feet from West line of Section 29, T18S, R25E, SLM.

Elev. 4811

Grand County, Utah



SURVEYOR'S CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

Utah LS No. 2573



UDELL S. WILLIAMS
Professional Land Surveyor
751 Rood Avenue (303) 743-4594
Grand Junction, Colorado 81501

PLAT OF
PROPOSED LOCATION

PETRO-X 29-2
SE⁴NW⁴ SEC. 29
T18S, R25E, SLM

SURVEYED BY: USW DATE: 4/16/93

DRAWN BY: USW DATE: 4/17/93



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Ted Stewart
Executive Director

James W. Carter
Division Director

355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
801-538-5340
801-359-3940 (Fax)
801-538-5319 (TDD)

September 28, 1994

Alice Robledo
Austin Gas Gathering Corporation
1520 Tram Way Blvd NE, Suite F
Albuquerque, New Mexico 87112-6193

Re: Petro-X Corporation to Austin Gas Gathering Corporation

Dear Ms. Robledo:

In reviewing the operator change for the referenced companies, it was determined that your company is not currently registered with the Utah Department of Commerce. This letter is written to advise you of your responsibility to register your company with the state prior to conducting business within Utah. This can be accomplished by contacting:

Department of Commerce
Division of Corporations
160 East 300 South
Salt Lake City, Utah 84111
(801) 530-4849

Sincerely,

A handwritten signature in cursive script that reads "Lisha Cordova".

Lisha Cordova
Admin. Analyst

cc: Dept. of Commerce
D.T. Staley
R.J. Firth
Operator File(s)
Correspondence File/ldc

Division of Oil, Gas and Mining
PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

Well File _____

(Location) Sec ___ Twp ___ Rng ___
(API No.) _____

Suspense
(Return Date) _____
(To - Initials) _____

Other
Open Chg.

1. Date of Phone Call: 9-22-94 Time: 4:45

2. DOGM Employee (name) L. Cordova (Initiated Call
Talked to:

Name Charlie (Initiated Call - Phone No. (801) 530-4849
of (Company/Organization) Dept. of Commerce

3. Topic of Conversation: Austin Gas Gathering Corporation

4. Highlights of Conversation: _____

Not registered.

Information - No Listing

Btm/Noab:

Austin Gas Gathering Corp.

1520 Tram Way Blvd NE Ste F

Albuquerque, Nm 87112-6193

(505) 375-3117

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SEP 22 1994

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Well Gas Well Other

2. Name of Operator

Austin Gas Gathering Corporation

3. Address and Telephone No.

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FNL 1980' FWL, Sec. 29, T18S R25E

5. Lease Designation and Serial No.

UTU - 69952

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Hank 29-2

9. API Well No.

43019-31342

10. Field and Pool, or Exploratory Area

Harley Dome

11. County or Parish, State

Grand County

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- Notice of Intent
- Subsequent Report
- Final Abandonment Notice

TYPE OF ACTION

- Abandonment
- Recompletion
- Plugging Back
- Casing Repair
- Altering Casing
- Other


- Change of Plans
- New Construction
- Non-Routine Fracturing
- Water Shut-Off
- Conversion to Injection
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Change of Operator to Austin Gas Gathering Corporation.

The approval for this APD has been extended through 11/31/94.



14. I hereby certify that the foregoing is true and correct

Signed Alan Kohlenstein

Title President

Date 9-15-94

(This space for Federal or State office use)

Approved by C. Delano Backus

ACTING Associate District Manager

Date 9-19-94

Conditions of approval, if any:

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

Austin Gas Gathering Corporation
Well No. Hank 29-2
Sec. 29, T. 18 S., R. 25 E.
Grand County, Utah
Lease U-69952

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Austin Gas Gathering Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by BLM bond No. UT0983 (Principal - Austin Gas Gathering Corporation) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

SELF-CERTIFICATION STATEMENT

BE ADVISED THAT AUSTIN GAS GATHERING CORPORATION IS CONSIDERED TO BE THE OPERATOR OF LEASE NUMBER UTU-69952, TOWNSHIP 18 SOUTH, RANGE 25 EAST, GRAND COUNTY, UTAH AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS.

BOND COVERAGE IS PROVIDED BY BOND NUMBER UTAH 587352. (PRINCIPAL AGGC) VIA SURETY CONSENT AS PROVIDED FOR IN 43 CFR 3104.2.

THIS OFFICE WILL HOLD THE AFOREMENTIONED OPERATOR AND BOND LIABLE UNTIL THE PROVISIONS OF 43 CFR 3160.7-2 CONTINUING RESPONSIBILITY ARE MET.

AGGC

BY: Alice Robledo

ALICE B. ROBLEDO
PRESIDENT

PETRO-X CORPORATION
3990 SOUTH 300 WEST
UNIT #51
MURRAY, UTAH 84107

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
355 WEST NORTH TEMPLE
3 TRIAD CENTER, SUITE 350
SALT LAKE CITY, UTAH 84180-1203

ATTN: LISHA CORDOVA

SEPTEMBER 28, 1994

RE: OPERATOR CHANGE

HARLEY DOME 21-1, API# 43-019-31072
ROBLEDO 29-1, API# 43-019-31345
HANK 29-2, API# 43-019-31342
ALICE 29-3, API# 43-019-31343
TBR DOME 30-2, API# 43-019-31344

GENTLEMEN:

PURSUANT TO AN OPERATING AGREEMENT DATED 1 JUNE, 1994, BY AND BETWEEN CERTAIN PARTIES OF INTEREST IN THE ABOVE REFERENCED WELLS, AUSTIN GAS GATHERING CORPORATION, A TEXAS CORPORATION, WITH A BUSINESS ADDRESS OF 1520 TRAMWAY BLVD. N.E., SUITE "F", ALBUQUERQUE, NEW MEXICO 87112, HAS TAKEN OVER THE POSITION AS THE OPERATOR OF RECORD AND WILL BE RESPONSIBLE FOR ALL FILINGS WITH THE STATE OF UTAH CONCERNING THOSE WELLS AND LOCATIONS.

ATTACHED ALSO FIND A STATE SUNDRY NOTICE AND REPORT ON WELLS.

SINCERELY,


DEAN H. CHRISTENSEN
PRESIDENT

FORM 9

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

5. Lease Designation and Serial Number

SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Altona or Tribe Name:

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals.

7. Unit Agreement Name:

1. Type of Well: OIL GAS OTHER:

8. Well Name and Number:

2. Name of Operator:
Petrox Corporation

9. API Well Number:

3. Address and Telephone Number:
3994 So 300 WEST, UNIT 51, SLC, UT 84107

10. Field and Pool, or Wildcat:
GREATER CISCO

4. Location of Well
Footage:
OO, Sec. T, R, M:

County: *BRAND*
State: *UTAH*

CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

NOTICE OF INTENT
(Submit in Duplicate)

SUBSEQUENT REPORT
(Submit Original Form Only)

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Multiple Completion
- New Construction
- Pull or Alter Casing
- Recompletion
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Other: *CHANGE OF OPERATOR*

EFFECTIVE DATE: *SEPT 94*
Approximate date work will start

- Abandonment
- Casing Repair
- Change of Plans
- Conversion to Injection
- Fracture Treat
- Other
- New Construction
- Pull or Alter Casing
- Shoot or Acidize
- Vent or Flare
- Water Shut-Off

Date of work completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

* Must be accompanied by a cement verification report.

DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

AUSTIN GAS GATHERING Corporation has ASSUMED FEDERAL BONDING AND Position AS OPERATOR ON THE FOLLOWING WELLS:

- HARLEY DOME 21-1, API 43-019-31072*
- ROBLETS 29-1, API 43-019-31345*
- HANK 29-2, API 43-019-31342*
- ALICE 29-3, API 43-019-31343*
- TBR DOME 30-2, API 43-019-31344*

Name & Signature: *Dean H Christensen*

Title: *President*

Date: *9/28/94*

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

1- LEC
2- LWP 7-PL
3- D/S 8-SJ
4- VLC 9-FILE
5- R.J.F
6- LWP

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- Change of Operator (well sold) Designation of Agent
 Designation of Operator Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 9-1-94)

TO (new operator) <u>AUSTIN GAS GATHERING CORP.</u>	FROM (former operator) <u>PETRO-X CORPORATION</u>
(address) <u>1520 TRAM WY BLVD NE STE F</u>	(address) <u>2160 PANORAMA WAY</u>
<u>ALBUQUERQUE NM 87112-6193</u>	<u>HOLLADAY UT 84124</u>
<u>ALICE ROBLEDO, PRES.</u>	<u>DEAN CHRISTENSEN</u>
phone <u>(505) 275-3117</u>	phone <u>(801) 261-9519</u>
account no. <u>N 2640 (9-23-94)</u>	account no. <u>N 0715</u>

Well(s) (attach additional page if needed):

Name: <u>HARLEY DOM 21-1/DKTA</u>	API: <u>43-019-31072</u>	Entity: <u>8213</u>	Sec <u>21</u> Twp <u>18S</u> Rng <u>25E</u>	Lease Type: <u>U49684</u>
Name: <u>ROBLEDO 29-1/DRL</u>	API: <u>43-019-31345</u>	Entity: <u>99999</u>	Sec <u>29</u> Twp <u>18S</u> Rng <u>25E</u>	Lease Type: <u>UTU6995</u>
Name: <u>HANK 29-2/DRL</u>	API: <u>43-019-31342</u>	Entity: <u>99999</u>	Sec <u>29</u> Twp <u>18S</u> Rng <u>25E</u>	Lease Type: <u>UTU6995</u>
Name: <u>A 29-3/DRL</u>	API: <u>43-019-31343</u>	Entity: <u>99999</u>	Sec <u>29</u> Twp <u>18S</u> Rng <u>25E</u>	Lease Type: <u>UTU6995</u>
Name: <u>TBR DOME 30-2/DRL</u>	API: <u>43-019-31344</u>	Entity: <u>99999</u>	Sec <u>30</u> Twp <u>18S</u> Rng <u>25E</u>	Lease Type: <u>UTU6995</u>
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____ Twp _____ Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Lee 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). *(req. 9-23-94) (rec'd 9-28-94)*
- Lee 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). *(rec'd 9-22-94)*
- Lee 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) no If yes, show company file number: . *(9-28-94 Letter mailed)*
- Lee 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Lee 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. *(9-28-94)*
- Lutz 6. Cardex file has been updated for each well listed above. *9-29-94*
- Lutz 7. Well file labels have been updated for each well listed above. *9-29-94*
- Lee 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. *(9-28-94)*
- Lee 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Lee 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- N/A 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- Lee
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- OTS
5/22/94
- N/A 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

FILMING

1. All attachments to this form have been microfilmed. Date: 19 .

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

940923 Btm/Moeb Aprv. 9-19-94.

PHONE CONVERSATION DOCUMENTATION FORM

This is the original form or a copy

Route this form to:

WELL FILE See Below

SUSPENSE

OTHER

Return date _____

To: initials _____

Section _____ Township _____ Range _____

API number _____

Date of phone call: 1-6-95 Time: _____

DOGM employee (name) Don Staley Initiated call?

Spoke with:

Name Verlene Butts Initiated call?

of (company/organization) BLM - MOAB Phone no. 801-259-2100

Topic of conversation: Status of APDs

Highlights of conversation: _____

The BLM has extended APD Approval dates
as follows (all 'AUSTIN GAS GATHERING' wells)

Well Name	API	S-T-R	EXTENDED TO:
HANK 29-2	43-019-31342	29-185-25E	8/31/95
TBR DOME 30-2	43-019-31344	30-185-25E	8/31/95
ROBLEDO 29-1	43-019-31345	29-185-25E	8/31/95

1/30/96

DOGM LA
DATE

Moab District
82 East Dogwood, Suite M
Moab, Utah 84532

JAN 29 1996

DIV OF OIL, GAS & MINING 3162
(UTU69952)
(UT-065)

JAN 26 1996

Austin Gas Gathering Corporation
1520 Tramway Blvd, N.E. Suite F
Albuquerque, New Mexico 87112

Re: Rescinding Application for Permit to Drill
Well No. Petro-X 29-2 (Hank 29-2)
SENW Sec. 29, T. 18 S., R. 25 E.
Grand County, Utah
Lease UTU69952

43-019-31342

Gentlemen:

The Application for Permit to Drill the referenced well was approved on August 31, 1993.

Applications for permit to drill are effective for a period of one year. In view of the foregoing, this office is rescinding the approval of the referenced application.

Should you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

If you have any questions, please contact Verlene Butts, Branch of Fluid Minerals at (801) 259-6111.

Sincerely,

/S/ WILLIAM C. STRINGER

Associate District Manager

Enclosure

Application for Permit to Drill (13pp)

cc: State of Utah
Division of Oil, Gas, and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203 (wo/Enclosure) ✓

VButts:vb:1/24/96