

Subsequent Report of Abandonment

FILE NOTATIONS

Entered in NID File

✓.....

Location Map Pinned

.....✓

Card Indexed

.....✓

Checked by Chief

BMB

Approval Letter

7-2-68

Disapproval Letter

.....

COMPLETION DATA:

Date Well Completed

11-19-68

Location Inspected

7-23-69

OW..... WW..... TA.....

Bond released

Federal

GW..... OS..... PA.✓.....

~~State or Fee Land~~

LOGS FILED

Driller's Log

11-21-68

Electric Logs (No.)

2.....

E..... I.....

Dual I Lat.....

GR-N.✓.....

Micro.....

BHC Sonic GR.....

Lat.....

Mi-L.....

Sonic.....

CBLog.....

ULLog.....

ULLog.....

Continuous Dipmeter

*CPW
7-16-91*

500' FNL & 1208' FEL see 5 T 25 S R 19 W

FILE IN QUADRUPLICATE

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION
1588 West North Temple

SALT LAKE CITY, UTAH 84111

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number Wilburn J. Gould -- FEDERAL No. 1 WELL

Operator Wilburn J. Gould Address 452 Manzanita Ave., Chico, California Phone 916-343-6526

Contractor O'Donnell & Ewing, Inc. Address Phoenix, Arizona Phone 602-289-3128

Location Ne 1/4 NE 1/4 Sec. 5 T.25 S. R. 19 W E Millard County, Utah

Water Sands:

Depth		Volume	Quality
From	To	Flow Rate or Head	Fresh or Salty
1.	" NEGATIVE REPORT OF WATER ENCOUNTERED "		
3.	The well was drilled with mud and water to a depth of 982'. At this depth, a lost circulation zone was encountered. The well was then drilled with air to a depth of 3146' without returns, and could not determine whether water was encountered or not. 7 5/8" casing was set at 3146', and circulation was maintained to T.D. of 5567', with no shows of water.		

(Continued on reverse side if necessary)

Formation Tops: The well spudded in the Mississippian Chairman Shale. At depth, the beds were found to be dipping at 70° angles, and no reliable tops could be determined.

Remarks:

- NOTE:
- (a) Upon diminishing supply forms, please inform this office,
 - (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form)
 - (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

Shaw
Wilburn J. Gould

FEDERAL #1

SEC. 5. T. 25 S., R. 19 W.

T. D. 5561'

16" casing to 96' with cement to surface.

Ran 1405' of 10 3/4" casing cemented with 350 sf.

Ran 3146' of 7 5/8" casing with 300 sf.

All water zones are below the 10 3/4" casing.

Lost circulation zone behind the 7 5/8" - Below 7 5/8" no water

Shale and tight limestone

Very steep dips - Ran skip meter at 4200' - 4500' with 71° dips

If possible will recover as much of the 10 3/4" & 7 5/8" casing as possible.

100' cement plug at base of the 16" cut and recover.

100' plug across stub of 7 5/8" below 1400' also put

50' plug at base of 10 3/4" cut

recover.

50' plug across stub.

35 sq across 16"

5 sq at surface with marker

If not possible to cut and recover $10\frac{3}{4}$ " will then set 10 sq at surface and 10 sq in the $10\frac{3}{4}$ " + 16" annulus

BR. OF OIL & GAS OPERATIONS

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MAY 10 1968

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

U. S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

b. TYPE OF WELL

OIL WELL GAS WELL OTHER **WILDCAT** SINGLE ZONE MULTIPLE ZONE

2. NAME OF OPERATOR

Wilburn J. Gould

3. ADDRESS OF OPERATOR

2344 Cohasset Road, Chico, California 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

NE 1/4 of NE 1/4, Section 5, T. 25 S., R. 19 W., SLEM.

At proposed prod. zone

Devonian Guilmette Limestone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 20 miles south of Garrison, Utah.

10. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any)

16. NO. OF ACRES IN LEASE

2559 acres

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

19. PROPOSED DEPTH

4500'

17. NO. OF ACRES ASSIGNED TO THIS WELL

20. ROTARY OR CABLE TOOLS

rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

6448.5' ground

22. APPROX. DATE WORK WILL START*

May 30, 1968

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
19 1/2"	16" ✓		100' ✓	to surface ✓
13 3/4"	10 3/4" ✓		1500' ✓	300 sacks ✓
9 7/8"	7 5/8" ✓		3200' ✓	200 sacks ✓
6 3/4"	5 1/2" ✓		T.D.	

Rig up with rotary to drill approximately 4500', or sufficient in depth to test the Devonian Guilmette Limestone. Run casing as shown above, unless hole conditions prevent, and casing program will be modified to the conditions. Completion details will be determined after logging, if well is productive. ✓

Approval Notice to: Manager, BLM, Salt Lake City ✓
Dist. Mgr., BLM, Fillmore, Utah

43-027-30003

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED _____ TITLE **Operator** DATE **May 9, 1968**


(This space for Federal or State office use)

PERMIT NO. **Wilburn J. Gould** APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

COR FOUND ~ IRON PIPE WITH
PROPERLY STAMPED, J.S.G.L.O.
BRASS CAP (1923)



CERTIFICATE

I, WALLACE T. BONDY, DO
HEREBY CERTIFY THAT THIS PLAT
IS A TRUE AND ACCURATE MAP
OF THE SURVEY MADE UNDER MY
SUPERVISION AND DIRECTION
BETWEEN THE 29TH DAY OF APRIL
1968 AND THE 1ST DAY OF MAY, 1968.

Wallace T. Bondy

WALLACE T. BONDY
LICENSED LAND SURVEYOR
NEW MEXICO

MAP SHOWING
WILBURN J. GOULD'S
"FEDERAL No. 1"
OIL WELL LOCATION ON
MILLARD COUNTY UTAH

SCALE = 1" = 1000'
PREPARED BY MILLARD COUNTY ASSOC. INC.
MAY 1968 ELY SHERBORN
(RAB)

MAY 10 1968

UTAH
GEOLOGICAL SURVEY

May 9, 1968

State of Utah
Department of Natural Resources
Division of Oil and Gas Conservation
348 East South Temple
Salt Lake City, Utah

Re: Well No. Federal #1
NE ~~NE~~ of Section 5, T.25S., R.19W.
Millard County, Utah


Dear Mr. Feight:

The above mentioned well location does not satisfy the spacing requirements due to geological and topographic conditions. Inasmuch as I have all the lands within 2 miles of the proposed location under oil and gas lease, I hereby apply for an exception under Rule C-3, of the general rules and regulations. ✓ OK

Very truly yours,

Wilburn J. Gould

Wilburn J. Gould



July 12, 1968

Wilburn J. Gould
2344 Cohasset Road
Chico, California 95926

Re: Well No. Federal #1, Sec. 5,
T. 25 S., R. 19 W., Millard
County, Utah.

Dear Mr. Gould:

Insofar as this office is concerned, approval to drill the above mentioned well on said unorthodox location is hereby granted in accordance with Rule C-3(c).

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify Paul W. Burchell, Chief Petroleum Engineer, Home: 277-2890, Office: 328-5771 - Salt Lake City, Utah.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered while drilling. Your cooperation with respect to completing this form will be greatly appreciated.

The API number assigned to this well is 43-027-30003.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

CBF:sc

cc: U. S. Geological Survey
Rodney Smith, District Engineer
8416 Federal Building
Salt Lake City, Utah

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Utah
LEASE NUMBER 0149910
UNIT _____

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Millard Field Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of July, 1968,

Agent's address 452 Manzanita Ave., Chico, Calif. Company Wilburn J. Gould

Signed Wilburn J. Gould

Phone 916 343-6526 Agent's title Operator

SEC. AND ¼ OF ¼	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
NE, NE, 5	25S.	19W	1							Drilling ahead at 2500'. July 29, 1968

NOTE.—There were NO runs or sales of oil; No M cu. ft. of gas sold;
No runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

G-011,9910

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.

10. FIELD, NE, ROOM, OR WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

12. COUNTY OR PARISH

13. STATE

1. OIL WELL GAS WELL OTHER WILDCAT

2. NAME OF OPERATOR Wilburn J. Gould

3. ADDRESS OF OPERATOR 452 Mansanita Ave., Chico, California 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface

NE 1/4, NE 1/4, Section 5, T. 25 S., R. 19 W., S1E1M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6455' DF.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)
PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other)
REPAIRING WELL
ALTERING CASING
ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Commenced Drilling Operations June 27, 1968
Drilled 109' of 19 1/4" hole and ran 108' of 16" casing, cemented with 250 sacks.
Drilled 15" hole from 109' to 686', reduced hole to 13 3/4".
Drilled 13 3/4" hole from 686' to 1518' and ran 1405' of 10 3/4" casing; cemented with 350 sacks.
Drilling 9 7/8" hole from 1518'.

Drilling ahead @ 2500' , July 29, 1968.

18. I hereby certify that the foregoing is true and correct

SIGNED Wilburn J. Gould TITLE Operator DATE July 29, 1968

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-0119910

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

Federal # 1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 5, T. 25S., R. 19W.

12. COUNTY OR PARISH

Millard

13. STATE

Utah

1. OIL WELL GAS WELL OTHER Wildcat

2. NAME OF OPERATOR
Wilburn J. Gould

3. ADDRESS OF OPERATOR
452 Manzanita Ave., Chico, California 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

NE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 5, T. 25 S., R. 19 W., S1B1M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6455' DF.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilling ahead to 2500', July 29, 1968.

Drilled 9 7/8" hole from 1518' to 3146', ran 3146' of 7 5/8" casing and cemented with 300 sacks of cement.

Drilled 6 3/4" hole from 3146' to 5567'.

Total Depth 5567'..completed drilling August 19, 1968.

Ran Schlumberger Gamma-Ray-Neutron and Dip-Meter Logs for evaluation.

Well is to be plugged and abandoned in compliance with plugging order from the USGS.

18. I hereby certify that the foregoing is true and correct

SIGNED

Wilburn J. Gould

TITLE Operator

DATE August 31, 1968

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL GAS WELL DRY Other Wildcat

b. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. RESVR. Other _____

2. NAME OF OPERATOR
Wilburn J. Gould

3. ADDRESS OF OPERATOR
452 Manzanita Ave., Chico, Calif. 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface NE¹₄, NE¹₄, Section 5, T. 25 S., R. 19 W., SLBM
At top prod. interval reported below
At total depth

5. LEASE DESIGNATION AND SERIAL NO.
U-0149910

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Federal

9. WELL NO.
Federal #1

10. FIELD AND POOL, OR WILDCAT
Wildcat

11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA
Sec. 5, T. 25 S., R. 19 W.

14. PERMIT NO. _____ DATE ISSUED _____

12. COUNTY OR PARISH
Millard

13. STATE
Utah

15. DATE SPUDDED 6-27-68 16. DATE T.D. REACHED 8-19-68 17. DATE COMPL. (Ready to prod.) Plugged 11-19-68 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 6455' D.F. 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 5567' 21. PLUG, BACK T.D., MD & TVD _____ 22. IF MULTIPLE COMPL., HOW MANY* _____ 23. INTERVALS DRILLED BY _____ ROTARY TOOLS X CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
None

25. WAS DIRECTIONAL SURVEY MADE
Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN
Gamma-Ray-Neutron and Dip-Meter Logs

27. WAS WELL CORED
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
16"		108'	19 1/4"	250 sacks	None
10 3/4"		1405'	13 3/4"	350 sacks	None
7 5/8"		3146'	9 7/8"	300 sacks	1808'

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED

33.* PRODUCTION

DATE FIRST PRODUCTION _____ PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) _____ WELL STATUS (Producing or shut-in) _____

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) _____ TEST WITNESSED BY _____

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Wilburn J. Gould TITLE Operator DATE Nov. 20, 1968

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Chairman Shale	Surface	??	Black Shales and Lime
<p>Because of the complex nature of the rocks encountered, the operator is reluctant to try and pick formation tops at this time, in order not to misnomer the formations.</p> <p>SAMPLES ARE AVAILABLE TO THE GEOLOGICAL SURVEY.</p>			

NOV 21 1959

NOV 21 1959

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-0119910

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

Federal # 1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 5, T. 25 S., R. 19 W.

12. COUNTY OR PARISH

Millard

13. STATE

Utah

1. OIL WELL GAS WELL OTHER **Wildcat**

2. NAME OF OPERATOR

Wilburn J. Gould

3. ADDRESS OF OPERATOR

452 Manzanita Ave., Chico, Calif. 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

NE 1/4, NE 1/4, Section 5, T. 25 S., R. 19 W., S1E1M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

6455' DF.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

XXIX

November 19, 1968

Pulled 1808' of 7 5/8" casing.

Placed 40 sacks of cement plug at base of 7 5/8" csg. @ 3150'.

Placed 40 sacks of cement plug at stub of 7 5/8" csg. @ 1608'.

Left the entire 1405' of 10 3/4" casing in the hole.

A marker will be set to properly identify the well location.

18. I hereby certify that the foregoing is true and correct

SIGNED

Wilburn J. Gould

TITLE

Operator

DATE

Nov. 20, 1968

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Nov. 20, 1968

DEAR MR. FEIGHT,

WE ARE MOVING THE RIG
TO THE STATE NO. 3 LOCATION.
HOPE TO BE SPOUDED BY
THE 21ST.

REGARDS,


William J. Gould

NOV 21 1968

43-227-30003

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
CONSERVATION DIVISION

Sec. 5
T. 25 S.
R. 19 W.
S. LMer.
Ref. No. 1



INDIVIDUAL WELL RECORD

PUBLIC LAND: Date December 5, 1968

Land office Utah State Utah
 Serial No. 0149910 County Millard
 Lessee Wilburn J. Gould Field Wildcat
 Operator Wilburn J. Gould District Salt Lake City
 Well No. 1 Subdivision NW 1/4 NE 1/4
 Location 500' from N. line and 1208' from E. line of sec. 5
 Drilling approved May 28, 19 68 Well elevation 6455 DF feet
 Drilling commenced June 26, 19 68 Total depth 5567 feet
 Drilling ceased September 18, 19 68 Initial production Dry
 Completed for production _____, 19 ____ Gravity A. P. I. _____
 Abandonment approved Sept. 23, 19 69 Initial R. P. _____

Geologic Formations
 Surface Chairman Lowest tested Joanna (?)
 Productive Horizons
 Name _____ Depths _____ Contents _____

WELL STATUS

YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1968									* Abd			
1969									P&A			

REMARKS * Well reentered and plugged on 11-19-68.

W

June 10, 1974

PE
PAB

MEMO FOR FILING

Re: WILBURN J. GOULD - Wells No.
Federal 1, S5-T25S-R19W;
State 1, State 2, and State 3,
S32-T24S-R19W;
State 1-16, S16-T24S-R19W,
Millard County, Utah

At 5:58 P.M. on June 6, 1974, at St. George, Utah, after an informal hearing in the office of Harlin Burns, Judge of the Fifth District Court, a temporary restraining order and order to show cause was obtained against Wilburn J. Gould, Needle Exploration Company, Inc., Larry Newman, and John Doe I to XXX inclusive. The purpose of the hearing was to temporarily restrain and enjoin the above named individuals from removing any of the casing which was installed and subsequently pulled, and to prevent them from selling same, from the well or well sites located in Section 16 and 32, of Township 24 South, Range 19 West, in Millard County. (See memos dated May 28, 1974).

The full hearing on this matter has been scheduled for the hour of 10:00 A.M. on June 17, 1974, in the Millard County District Court in Fillmore, Utah.

CLEON B. FEIGHT
DIRECTOR

CBF:lp

cc: U. S. Geological Survey
Utah State Land Board

June 24, 1974

MEMO FOR FILING

Re: WILBURN J. GOULD
Wells No. Federal 1 (5-25S-19W)
State 1 and 2 and 3 (32-24S-19W)
State 1-16 (16-24S-19W)
Millard County, Utah

On June 17, 1974, at Fillmore, Millard County, Utah, a hearing was held with Judge Harlin Burns, presiding. A permanent restraining order and order to show cause was obtained against Wilburn J. Gould, etc. See memos of June 10, 1974.

PAUL W. BURCHELL
CHIEF PETROLEUM ENGINEER

PWB:lp

cc: State Land Board