

9-28-71

Confidential Released as per letter of 1-1-72. S.D.

5/24/74

Subbed w/ Larry Newman relation to casing pulled from state wells section 32816 T246 R19W 62Bm, Millard County, Wyo. He stated that no casing had been moved out of state but that 57m trucking of elly had transported some tubing pipe in haul had stacked behind Rowley's store.

*OB/Temp*

Note: originally set 162' of 10<sup>3</sup>/<sub>4</sub> that have worked over and then set 1600' - ?

PMB - Feb 1, 1972

**FILE NOTATIONS**

Entered in NID File .....  
Location Map Pinned .....  
Card Indexed .....

*[Handwritten marks]*

Checked by Chief .....  
Approval Letter .....  
Disapproval Letter .....

*PMB*  
*11-24-69*

**COMPLETION DATA:**

Date Well Completed .....  
OW..... WW..... TA.....  
GW..... OS..... PA.....

Location Inspected .....  
Bond released .....  
State or Fee Land .....

**LOGS FILED**

Driller's Log.....  
Electric Logs (No.) .....  
E..... I..... Dual I Lat..... GR-N..... Micro.....  
BHC Sonic GR..... Lat..... Mi-L..... Sonic.....  
CBLog..... CCLog..... Others.....

*CDW*  
*2-11-91*

P0632

INFORMATION NEEDED TO INPUT A NEW WELL INTO THE INSPECTION SYSTEM

Could State 1-16

- 1. API#: 43-027-30005
- 2. ENTITY#: 99998
- 3. OPERATOR#: Wilburn J. Gould P0632
- 4. COUNTY: Millard
- 5. FIELD#: 001
- 6. QUARTER/QUARTERS: NE/NW/SW
- 7. LEASE: \_\_\_\_\_
- 8. FOOTAGE: Well has P-A marked L
- 9. ZONE: Rat hole and mouse hole
- 10. TD: still open last insp
- 11. SPUD DATE: 5/15/85 2-28-77
- 12. APD APP: \_\_\_\_\_
- 13. P-A DATE: \_\_\_\_\_
- 14. COMPLETE: \_\_\_\_\_
- 15. STATUS: \_\_\_\_\_
- 16. INSPEC: \_\_\_\_\_

STATUS CODES

- POW----
- PGW----
- SOW----
- SGW----
- PA----
- PPA----
- DRL----
- LA----
- PLA----
- OPS----
- GSW----

ER APRIL 1984  
 ORE APRIL 1984  
 APRIL 1984  
 TO APRIL 1984

P0632

INFORMATION NEEDED TO INPUT A NEW WELL INTO THE INSPECTION SYSTEM

Goold State 1-16

- 1. API#: 43-027-30005
- 2. ENTITY#: 99998
- 3. OPERATOR#: Wilburn J. Goold P0632
- 4. COUNTY: Millard
- 5. FIELD#: 001
- 6. QUARTER/QUARTER: NE/NW/SW
- 7. LEASE: 23526
- 8. FOOTAGES: 2325 FNL 909 FNL
- 9. ZONE:
- 10. TD: 9239
- 11. SPUD DATE: 11-24-69 ~~Comp 9-28-71~~
- 12. APD APPROVED: 11-24-69
- 13. SP-A DATE IF ANY: 9-28-71
- 14. COMPLETION DATE: 9-28-71
- 15. STATUS: PPA
- 16. INSPECTION DATE: 850515

STATUS CODES

- POW-----PRODUCING OIL WELL
- PGW-----PRODUCING GAS WELL
- SOW-----SHUT-IN OIL WELL
- SGW-----SHUT-IN GAS WELLS WELL
- PA-----PLUGGED AND ABANDON AFTER APRIL 1984
- PPA-----PLUGGED AND ABANDON BEFORE APRIL 1984
- DRL-----DRILLING LI
- LA-----LOCATION ABANDON AFTER APRIL 1984
- PLA-----LOCATION ABANDON PRIOR TO APRIL 1984
- OPS-----OPERATIONS SUSPENDED
- GSW-----GAS STORAGE WELL

P0632

INFORMATION NEEDED TO INPUT A NEW WELL INTO THE INSPECTION SYSTEM

- 1. API#: 43-027-30005
- 2. ENTITY#: 99998
- 3. OPERATOR#: William J. Gould ? P0632
- 4. COUNTY: Millard.
- 5. FIELD#: 001
- 6. QUARTER/QUARTER: NE NW SW
- 7. LEASE: State lease # 23526
- 8. FOOTAGES: 2325 FNL 909 FWL
- 9. ZONE: Chainman Shale
- 10. TD: 9239'
- 11. SPUD DATE: 11/24/69
- 12. APD APPROVED: 11/24/69
- 13. MP-A DATE IF ANY: 9/28/71
- 14. COMPLETION DATE: 9/28/71
- 15. STATUS: PPA
- 16. INSPECTION DATE: 860911

STATUS CODES

- POW-----PRODUCING OIL WELL
- PGW-----PRODUCING GAS WELL
- SOW-----SHUT-IN OIL WELL
- SGW-----SHUT-IN GAS WELLS WELL
- PA-----PLUGGED AND ABANDON AFTER APRIL 1984
- PPA-----PLUGGED AND ABANDON BEFORE APRIL 1984
- DRL-----DRILLING LI
- LA-----LOCATION ABANDON AFTER APRIL 1984
- PLA-----LOCATION ABANDON PRIOR TO APRIL 1984
- OPS-----OPERATIONS SUSPENDED
- GSW-----GAS STORAGE WELL

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

5. LEASE DESIGNATION AND SERIAL NO.  
ML 23526

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.  
State 1-16

10. FIELD AND POOL, OR WILDCAT  
Needle Anticline

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 16, T.24S., R.19W.

12. COUNTY OR PARISH | 13. STATE  
Millard | Utah

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
Wilburn J. Gould

3. ADDRESS OF OPERATOR  
452 Manzanita Ave., Chico, California 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
At surface NE NW $\frac{1}{4}$  of SW $\frac{1}{4}$  of Sec. 16, T. 24 S., R. 19 W., SLEB  
At proposed prod. zone Devonian Guilmette 2325' FSL + 909 FWL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
Approximately 20 miles south of Garrison, Utah

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. line, if any)  
315'

16. NO. OF ACRES IN LEASE  
640 acres

17. NO. OF ACRES ASSIGNED TO THIS WELL  
~~640~~

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
None

19. PROPOSED DEPTH  
5500'

20. ROTARY OR CABLE TOOLS  
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
To be obtained

22. APPROX. DATE WORK WILL START\*  
Nov. 25, 1969

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
15 3/4"	10 3/4" ✓		200' ✓	to surface ✓
9 7/8"	7 5/8" ✓		3500' ✓	200 sacks ✓
6 3/4"	5 1/2"		? T.D.	200 sacks ✓

Rig up with rotary to drill approximately 5500' to test the Devonian Guilmette Formation. Run casing as shown above, unless hole conditions prevent the program then casing program will be modified to the conditions. Completion details will be determined after logging, if well is productive.

Verbal approval - 11-21-69 Jack

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Wilburn J. Gould TITLE Operator DATE Nov. 15, 1969

(This space for Federal or State office use)

PERMIT NO. 43-027-30005 APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:


\*See Instructions On Reverse Side

bound on file w/ State Land

**CERTIFICATION**

I, ROBERT W. MILLARD, DO HEREBY CERTIFY THAT THIS PLAT IS A TRUE AND ACCURATE MAP OF THE SURVEY MADE UNDER MY SUPERVISION AND DIRECTION BETWEEN THE 8th AND 10th DAYS OF OCTOBER, 1968.

*Robert W. Millard*  
 ROBERT W. MILLARD  
 LICENSED LAND SURVEYOR  
 UTAH No. 1284



MAP SHOWING  
 WILBURN J. GOULD'S  
 "STATE No. 1-16"  
 OIL WELL LOCATION  
 MILLARD COUNTY, UTAH

SCALE = 1" = 1000'  
 PREPARED BY MILLARD-SPINK ASSOC., INC.  
 RLY, NEVADA 10-13-68  
 FIELD: R.W.F.  
 DRAFT: IAK

T. 24 S., R. 19 W., S. L.B. & M.

NW $\frac{1}{4}$  SW $\frac{1}{4}$  Sec 16 Twp 24 S 19 N  
909 FEL 7 315 FNL  
500

Well ~~State~~ #1-16

Mindy 11/22/69 Sup-in

November 15, 1969

State of Utah  
Department of Natural Resources  
Division of Oil and Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah 84116

Re: Well No. State 1-16  
NW, SW, Sec. 16, T.24S., R.19W.  
Millard County, Utah

Dear Mr. Feight,

The above mentioned well location does not satisfy the spacing requirements due to geological conditions. Inasmuch as I have all of the lands within 2 miles of the proposed location under oil and gas leases, I hereby apply for an exception under Rule C-3, of the general rules and regulations. ✓

Very Truly Yours,



Wilburn J. Gould

November 24, 1969

Wilburn J. Gould  
452 Manzanita Avenue  
Chico, California 95926

Re: Well No. State #1-16  
Sec. 16, T. 24 S, R. 19 W,  
Millard County, Utah

Dear Sir:

Insofar as this office is concerned, approval to drill the above mentioned well on said unorthodox location is hereby granted in accordance with Rule C-3 (c); and with verbal approval granted by Mr. Cleon Feight on November 21, 1969.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer  
HOME: 277-2890  
OFFICE: 328-5771

This approval terminates within 90 days if the well has not been spudded-in within said period.

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your co-operation with respect to completing this form will be greatly appreciated.

Wilburn J. Gould  
November 24, 1969  
Page 2

The API number assigned to this well is 43-027-30005 (see Bulletin D-12 published by the American Petroleum Institute).

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT  
DIRECTOR

CBF:sd  
Enclosure

cc: Division of State Lands

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPPLICATE\*  
(Other instructions on reverse side)

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		5. LEASE DESIGNATION AND SERIAL NO. <b>ML 23526</b>
1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <b>Wildcat</b>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
2. NAME OF OPERATOR <b>Wilburn J. Gould</b>		7. UNIT AGREEMENT NAME
3. ADDRESS OF OPERATOR <b>452 Manzanita Ave., Chico, Calif. 95926</b>		8. FARM OR LEASE NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Sec. 16, T.24S., R.19W., S16M</b>		9. WELL NO. <b>STATE 1-16</b>
14. PERMIT NO.		10. FIELD AND POOL, OR WILDCAT <b>Needle Anticline</b>
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>Ground 5695'</b>		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 16, T.24S., R.19W.</b>
		12. COUNTY OR PARISH    13. STATE <b>Millard                      Utah</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO :		SUBSEQUENT REPORT OF :	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(Other) **Drilling**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Commenced Drilling Operations: November 24, 1969

Drilled 163' of 15 3/4" hole and ran 162' of 10 3/4" casing; cemented with 150 sacks of cement.

Presently drilling 9 7/8" hole at 1200'; December 4, 1969.

WOULD YOU PLEASE HOLD ALL INFORMATION CONFIDENTIAL.

18. I hereby certify that the foregoing is true and correct

SIGNED Wilburn J. Gould TITLE Operator DATE Dec. 4, 1969

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

Wilburn Gould - State 1-16

1-27-70 -

T.D. 7406'

Johanna at 700'

Burbank ~~Exel~~ at 600'

Operations  
Suspended

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPPLICATE\*  
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.  
**ML 23526**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.  
**State 1-16**

10. FIELD AND POOL, OR WILDCAT  
**Wildcat**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
**Sec. 16, T.24S., R.19W.**

12. COUNTY OR PARISH  
**Millard**

13. STATE  
**Utah**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER **Wildcat**

2. NAME OF OPERATOR  
**Wilburn J. Gould**

3. ADDRESS OF OPERATOR  
**452 Mansanita Ave., Chico, California 95926**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Sec. 16, T. 24 S., R. 19 W., SLBM**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**Ground 5695'**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(Other) **Drilling Report**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Summary of Drilling Operations**

Commenced Drilling : November 24, 1969  
 Drilled 163' of 15 3/4" hole and cemented 162' of 10 3/4" casing with 150 sacks.  
 Drilled 9 7/8" hole from 163' to 3019', then reduced hole to 7 7/8".  
 Drilled 7 7/8" hole from 3019' to 7406', present total depth.

Temporarily suspended drilling operations : January 26, 1970.

Plan to resume operations within 3 weeks, or will call to keep the Commission advised to future plans.

WOULD YOU PLEASE HOLD ALL INFORMATION CONFIDENTIAL.

18. I hereby certify that the foregoing is true and correct

SIGNED *Wilburn J. Gould* TITLE Operator DATE Jan. 27, 1970

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
 CONDITIONS OF APPROVAL, IF ANY:

H/24170

Wilburn Gould

Conf

back in Garrison

1-16

entered Drill Pipe / Cleaning / well

T.P. 7406 - (3') in Ref beds (Denver)

Drilling ahead tonight

PMB

Accepted Collect Call

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

<p>1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> <b>Wildcat</b></p> <p>2. NAME OF OPERATOR <b>Wilburn J. Gould</b></p> <p>3. ADDRESS OF OPERATOR <b>452 Manzanita Ave., Chico, Calif. 95926</b></p> <p>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>NW<math>\frac{1}{4}</math>, SW<math>\frac{1}{4}</math>, Sec. 16, T.24 S., R.19 W., SLBM</b></p> <p>14. PERMIT NO. _____</p>	<p>5. LEASE DESIGNATION AND SERIAL NO. <b>ML 23526</b></p> <p>6. IF INDIAN, ALLOTTEE OR TRIBE NAME</p> <p>7. UNIT AGREEMENT NAME</p> <p>8. FARM OR LEASE NAME</p> <p>9. WELL NO. <b>State 1-16</b></p> <p>10. FIELD AND POOL, OR WILDCAT <b>Wildcat</b></p> <p>11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA <b>Sec. 16, T.24S., R.19W.</b></p> <p>12. COUNTY OR PARISH <b>Millard</b></p> <p>13. STATE <b>Utah</b></p>
<p>15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>Ground 5695'</b></p>	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) _____	
(Other) <b>Drilling Report</b>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Temporarily suspended drilling operations on January 26, 1970.

Resumed drilling February 23, 1970. Drilled 7 7/8" hole to a total depth of 8425' on March 7, 1970.

Ran Schlumberger Gamma-Ray-Neutron Logs for evaluation on March 8, 1970.

Suspended operations until all available data has been evaluated.

**WOULD YOU PLEASE HOLD ALL INFORMATION CONFIDENTIAL.**

18. I hereby certify that the foregoing is true and correct

SIGNED *Wilburn J. Gould* TITLE Operator DATE March 12, 1970

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

~~"Wess"~~ #1-14 State # 3 (Corelets)  
~~Marine Pet.~~ → 4700 <sup>no</sup> fault

Crossed fault

2100

~~6000~~  
Jona - 4200

7400 Richard B. Wil  
6450 → in shales  
" ↓ " Pirelet "shale/lim"  
7400 Dolomite  
↓ shale to 8200  
↓

sand stringers  
↓  
Gillnetto

Does not want to plug → will get began rig  
no ~~RT~~ <sup>RT</sup> ~~transistals~~ <sup>transistals</sup>  
about 1 month

no water migration (real to hard)  
400' at surface in where water is  
250 → all hard rock.  
surface pipe @ 160 -

Wilhelm J. Gould - slab # 5 - PWB  
March 16, 1970

J. A. Smith Omaha H.B. - Natural Gas

"Eaton" →

455  
90

Joel Mize

#5 -

8/31

Wilbur Gould (Harrison)  
#21

Rig = 10 days to 2 weeks  
Sept-10 to

Clean up 1-16 - Can't find marker  
10-3 = original cap still welded  
Will find another marker

Wants to erect 5 1/2" casing on location  
Advised to get approval from Attorney  
General - Div. Can't give approval


PMB

43-027-30005

UNITED STATES

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
CONSERVATION DIVISION

Section 16  
T. 24 S.  
R. 19 W.  
S. L. Mer.



INDIVIDUAL WELL RECORD

~~STATE LAND~~  
STATE LAND

Date September 8, 1970

Reference No. 4

State Utah

Lessee or owner \_\_\_\_\_

County Millard

Field Wildcat

Operator Wilburn J. Gould

District Salt Lake City

Well No. 1-16

Subdivision NE1/4SW1/4

Location 2325' from S. line and 909' from W. line of sec. 16

Drilling approved \_\_\_\_\_, 19\_\_\_\_

Well elevation 5695 Gr.  
~~Not reported~~ feet.

Drilling commenced November 24, 1969

Total depth 6000 feet.

Drilling ceased February 10, 1970

Initial production Dry

Completed for production \_\_\_\_\_, 19\_\_\_\_

Gravity A. P. I. \_\_\_\_\_

Abandonment approved \_\_\_\_\_, 19\_\_\_\_

Initial R. P. \_\_\_\_\_

Geologic Formations		Productive Horizons		
Surface	Lowest tested	Name	Depths	Contents
<u>Paleozoics</u>	<u>Not reported</u>			

WELL STATUS

YEAR	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1970		Abd										

REMARKS Casing Record; 10 3/4" cs 165' w/120 ax  
No logs run; no tops picked

(ORIGINAL & REPLACEMENT)

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> <small>(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</small>		5. LEASE DESIGNATION AND SERIAL NO. <b>ML 23526</b>
		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <b>Wildcat</b>		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR <b>Wilburn J. Gould</b>		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR <b>452 Manzanita Ave., Chico, Calif. 95926</b>		9. WELL NO. <b>State 1-16</b>
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface <b>NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Sec. 16, T. 24 S., R. 19 W., S16M</b>		10. FIELD AND POOL, OR WILDCAT <b>Wildcat</b>
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <b>Sec. 16, T. 24 S., R. 19 W.</b>
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>Ground 5695'</b>	12. COUNTY OR PARISH   13. STATE <b>Millard   Utah</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	FULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <b>Resume drilling operations</b>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Temporarily suspended drilling operations on March 8, 1970. Ran logs for evaluation. Total Depth at 8425'.

Plan to resume drilling operations around October 20, 1970.

Move in National 50-A drilling rig, McComack Drlg. Inc., contractor. Continue drilling 7 7/8" hole from present depth of 8425' to approximately 10,000' if necessary to adequately test the Devonian Guilmette Formation.

WOULD YOU PLEASE HOLD ALL INFORMATION CONFIDENTIAL.

18. I hereby certify that the foregoing is true and correct

SIGNED *Wilburn J. Gould* TITLE Operator DATE October 9, 1970

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

October 14, 1970

Wilburn J. Gould  
452 Manzanita Avenue  
Chico, California 95926

Re: Well No. State #1-16  
Sec. 16, T. 24 S, R. 19 W,  
Millard County, Utah

Dear Mr. Gould:

This letter is to advise you that the "Well Completion or Recompletion Report and Log", and any electric and/or radioactivity logs run on the above referred to well were required to be filed with this office in July, 1970. Also, as per Rule C-5 of the General Rules and Regulations and Rules of Practice and Procedure, all information pertaining to this well will be put in open file on October 17, 1970.

It would be appreciated if the well log, together with any electric logs run on the well, could be forwarded to this office at your earliest convenience.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE DeROSE  
SUPERVISING STENOGRAPHER

:sd

*Confidential*

November 16, 1970

MEMO FOR FILING

Re: November 13, 1970

Wilburn J. Gould  
State 1-16  
Sec. 16, T. 24 S., R. 19 W.  
Millard County, Utah

Met with Mr. Les Hickman, toolpusher for the Mc Comack Drilling Company and an inspection was made of their rig #1. The overall check was considered only fair and a couple of discrepancies were pointed out to the contractor. Conferred with Mr. Wilburn J. Gould and he indicated that an attempt was made to re-enter the old hole and drill out below the old total depth of 8,425. However, after washing down to 3,262' the pipe became stuck and they are presently fishing at 2,752'. To date they have set 162' of 10 3/4" surface casing and propose to set an additional 3,000' of intermediate string. The operator is in sandstone of the Guilmette Formation which is Devonian in age and hopes to drill an additional 200 or 300' to get into the reef environment to test for the potential of hydrocarbons.

PAUL W. BURCHELL  
CHIEF PETROLEUM ENGINEER

PWB:cs

cc: State Land Division

12-1-20

McCormack Drilling  
Wilbur Gould  
State 1-16

Clarence McCormack -

Operations Temporarily  
Suspended.

T.D. 8425'

Scheu  
Delore

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPPLICATE\*  
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.  
**ML 23526**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.  
**State 1-16**

10. FIELD AND POOL, OR WILDCAT  
**Wildcat**

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA  
**Sec. 16, T.24S., R.19W.**

12. COUNTY OR PARISH  
**Millard**

13. STATE  
**Utah**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER **Wildcat**

2. NAME OF OPERATOR  
**Wilburn J. Gould**

3. ADDRESS OF OPERATOR  
**452 Manzanita Ave., Chico, Calif. 95926**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Sec. 16, T. 24 S., R. 19 W., SLBM**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**Ground 5695'**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(Other) **Suspend Operations**

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

October 27, 1970: Moved in National 50-A Drilling Rig, McComack Drlg., Inc.

November 2, 1970: Started going in well to deepen. Drill pipe stuck at 3262'. Backed-off at 2752' and left 15 drill collars and one joint of drill pipe for a fish.

November 14, 1970: Suspend operations. Could not recover fish because of faulty surface casing. Air and water circulation around 10 3/4" casing, causing cavern and fissures to form under rig sub-structure.

May possibly attempt remedial work on surface casing and continue project at a later date. I will keep the Commission informed as to any future plans.

18. I hereby certify that the foregoing is true and correct

SIGNED *Wilburn J. Gould* TITLE Operator DATE Dec. 17, 1970

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

322-3461

Clarence

- Mr. Conack

9235 ft. Deep.



2/16/71

told me that well  
is stuck - will let me  
know when operator P & A

PMB

Brent Fratto

4195 Stadford Dr.  
Boise, Idaho 83704

Delusion

holding



2007 2 20 1

THE STATE OF UTAH  
DIVISION OF OIL AND GAS CONSERVATION

SUBMIT IN TRIPLICATE\*  
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.  
**ML 23526**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

9. WELL NO.  
**State 1-16**

10. FIELD AND POOL, OR WILDCAT  
**Needle Anticline**

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
**Sec. 16, T.24S., R.19W.**

12. COUNTY OR PARISH  
**Millard**

13. STATE  
**Utah**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER **Wildcat**

2. NAME OF OPERATOR  
**Wilburn J. Gould**

3. ADDRESS OF OPERATOR  
**452 Manzanita Ave., Chico, Calif. 95926**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 16, T.24S., R.19W., SLBM**

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**5695' Ground**

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>	<b>Drilling Report</b>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

**Resumed operations on January 4, 1971, and performed the following work:**

1. Pumped 1062 sacks of cement into the surface cracks and fissures.
2. Washed-over and removed 162' of 10 3/4" surface casing.
3. Reamed hole from 9 7/8" to 15", down to a depth of 1611'.
4. Set 1600' of 10 3/4" casing and cemented with 259 sacks.
5. Recovered 2 fish, consisting of 15 drill collars and 1 joint of drill pipe.
6. Drilled 7 7/8" hole from 8425' to 9239', present total depth.

On February 16, drill pipe was stuck in hole at 5000'. While trying to pull loose, the pipe parted at 2787'. We now have a fish in the hole consisting of 66 joints of drill pipe and 6 drill collars.

Plans are to try and recover the fish and resume drilling as soon as possible.

18. I hereby certify that the foregoing is true and correct

SIGNED Wilburn J. Gould TITLE Operator DATE Feb. 24, 1971

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

July 21, 1971

MEMO FOR FILING

Re: Wilburn J. Gould  
State #1  
Sec. 16, T. 24 S., R. 19 W.,  
Millard County, Utah

On July 20, 1971, the above referred to well site was visited.

At the time of the visit, the McComack Drilling Company's rig was still over the hole and no drilling activity had taken place since the last inspection.

Inquiries were made at the Rawley store in Garrison and it was learned that Wilburn Gould had not been in town for approximately four months.

Therefore, it is recommended that liability under the bond be retained until the well is plugged and abandoned and left in a satisfactory condition.

CLEON B. FEIGHT  
DIRECTOR

CBF: jw

cc: Division of State Lands  
Attn: D.G. Prince  
105 State Capital Bldg.  
Salt Lake City, Utah

August 5, 1971

REGISTERED LETTER

Mr. Wilburn J. Gould  
452 Manzanita Avenue  
Chico, California 95926

Dear Mr. Gould:

This is to advise you that according to our records, Oil and Gas Lease ML 23526 covering All Sec. 16, T24S, R19W, SLM, expired at midnight June 30, 1971..

If you will recall, this lease was issued for a primary term of five years from and after July 1, 1966 with the right of a five year extension should you make application for such an extension.

The Division of Oil and Gas Conservation has advised this office that your drilling rig with which you have attempted to drill the State No. 1 Well on this land is still over the hole and that no drilling activity has taken place for several months.

This is to advise you that you should immediately take whatever action is necessary to plug this hole, and, if this action is not taken within 30 days, we will proceed to foreclose on your drilling bond and require the bonding company to plug this hole.

Please advise this office as to when plugging operations will be conducted so that either a representative from this office or from the Division of Oil and Gas Conservation can be present.

Your early reply will be appreciated.

Yours very truly,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DGP:lw

cc: U. S. Fidelity & Guaranty Co.  
Box 8141  
Sacramento, California 95818

Division of Oil and Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah

Wilbur Gould - 8/7/67/PMB

T.P. 9239 Dily/mud - lost air.

5000 Base of pipe studs

top of 2787 - 66 joints of dily pipe + collars. - fast from 5000' to 2787'

10 3/4" casing to 1600' - cement to surface. - Cased surface fresh cement.  
↳ 1300' up

hole labeled/mud.

Clear top - 4150 top of Johara. - down to 9239 unknown

Vally well - 800'

Chessin sh section - 800 to 4150 - dily/mud.

lost air. - 1450' - cased off.

sig. hole at  
Play 1 1/2 = 75 to  
80 ft

① 200' cement plug top above top of fish  
from 2500' to 2700' - 2% slurry / 10 to stream

② 100' cement plug. 75 to in face of 10 3/4" inside casing  
75 to. only ~~blended~~

③ 10 ft / marker / got mud in hole.

④ Depending on Bank McComick - writing on Contract (Off to get first chance to  
re-open fresh)  
Call Joel to hold off for 1 to 2 months. + deepen

~~~~~



UNITED STATES FIDELITY AND GUARANTY COMPANY

SACRAMENTO OFFICE

2125 19TH STREET, P. O. BOX 8141

SACRAMENTO, CALIFORNIA 95818

JOHN D. WALKER, C.P.C.U., MANAGER

August 18, 1971

TELEPHONE: 916/447-3201

Division of Oil & Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah

Name: WILBURN J. GOULD  
Address: 452 Manzanita Ave.  
Chico, California  
Bond No.: 42021-13-810-69  
Bond Amount: \$5,000.00  
Bond Type: Oil & Gas Lease Bond  
Bond Inception Date: 10-29-69

Dear Sir:

Please accept this letter as a formal request for the cancellation of the captioned bond. Cancellation is to become effective in accordance with the bond terms.

We would appreciate your returning the carbon of this letter in the attached envelope indicating your receipt of this notice.

Yours sincerely,

Stephen E. Highley  
Bond Superintendent

SEH/kn  
cc: Riley & Sweeney - Chico, Calif.

CANCELLATION RECEIVED: \_\_\_\_\_ DATE

EFFECTIVE DATE OF CANCELLATION: \_\_\_\_\_

\_\_\_\_\_  
AUTHORIZED SIGNATURE / TITLE

August 23, 1971

United States Fidelity and Guaranty Company  
2125 19th Street  
Box 8141  
Sacramento, California 95818

ATTENTION: Stephen E. Highley, Bond Superintendent

Re: Wilburn J. Gould  
Bond No: 42921-13-810-69  
Amount: \$5,000.00  
Type: Oil & Gas Lease  
Date: 10-29-69

Dear Mr. Highley:

With reference to your letter of August 18, 1971, please be advised that the above referenced bond cannot be released until such time as the State #1-16 well has been properly plugged and abandoned as per the requirements of this Division.

VERY TRULY YOURS,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT  
DIRECTOR

CBF:sd  
cc: Wilburn J. Gould  
Division of State Lands

August 27, 1971

Mr. Wilburn J. Gould  
452 Manzanita Avenue  
Chico, California 95926

Dear Mr. Gould:

Reference is made to my letter of August 5, 1971, in which you were advised that Oil and Gas Lease ML 23526 covering All Sec. 16, T24S, R19W, SLM, expired June 30, 1971. In this letter you were advised that the well which you had drilled under this lease should be plugged within 30 days or this office would take action under your bond to have this well properly plugged.

After discussions with the Petroleum Engineer at the Division of Oil and Gas Conservation and with your drilling controller, it has been determined that no damage will be done to the land if this hole is left unplugged until the lands in question are offered for lease under our Simultaneous Filing procedures. So long as the existing bond of lessee is maintained in force, these lands will be offered for Simultaneous Filing on September 3, and the bids will be opened on September 27.

You are advised, therefore, that it will not be necessary for you to plug this hole at least until the results of this simultaneous offering are determined at which time, if you are the successful applicant for a new lease on this land, you will be able to continue your operations on this well by simply transferring the bond from the expired lease to the new lease. If you are not the successful applicant, then a determination will be made at that time as to the status of this well.

I trust this information will be sufficient for your needs.

Yours very truly,

DONALD G. PRINCE  
ECONOMIC GEOGRAPHER

DDG: lw

cc: Division of Oil and Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah

cc: U. S. Fidelity & Guaranty Co.  
Box 8141  
Sacramento, California 95818

MB

SEPT. 9, 1971

DEAR PAUL,

JUST A NOTE TO LET YOU KNOW  
THAT BERT McCOMACK CHECKED  
THE FLUID LEVEL IN THE STATE 1-16  
WELL, AND FROM A VISUAL OBSERVATION,  
FOUND IT TO BE APPROXIMATELY 20 FEET  
DOWN THE HOLE.

REGARDS,

Wilbur J. Gould

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN 7  
(Other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

ML 23526

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL  GAS WELL  OTHER  **Wildcat**

2. NAME OF OPERATOR **Wilburn J. Gould**

3. ADDRESS OF OPERATOR **452 Manzanita Ave., Chico, Calif. 95926**

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)  
At surface  
**NW<sup>1</sup>/<sub>4</sub>, SW<sup>1</sup>/<sub>4</sub>, Section 16, T. 24 S., R. 19 W., SLBM**

14. PERMIT NO. \_\_\_\_\_ 15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
**5695' Ground**

16. COUNTY **Miller** STATE **Utah**

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT ON:

|                                              |                                               |                                                |
|----------------------------------------------|-----------------------------------------------|------------------------------------------------|
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> | WATER SHUT-OFF <input type="checkbox"/>        |
| FRACTURE TREAT <input type="checkbox"/>      | MULTIPLE COMPLETE <input type="checkbox"/>    | FRACTURE TREATMENT <input type="checkbox"/>    |
| SHOOT OR ACIDIZE <input type="checkbox"/>    | ABANDON* <input checked="" type="checkbox"/>  | SHOOTING OR ACIDIZING <input type="checkbox"/> |
| REPAIR WELL <input type="checkbox"/>         | CHANGE PLANS <input type="checkbox"/>         | (Other) _____ <input type="checkbox"/>         |
| (Other) _____                                |                                               |                                                |

(NOTE: Report results of multiple completions from Well Completion or Recompletion Report and Log Form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

PLUGGING REPORT

On September 28, 1971, the State 1-16 Well was plugged in the following manner;

- #1 plug set at 2604' to 2400', with 90 sacks of cement.
- #2 plug set at 1643' to 1543', with 45 sacks of cement.
- #3 plug set at surface in the 10 3/4" casing, with 5 sacks of cement.

A cap and permanent marker were welded on the 10 3/4" casing.

Mr. Donald G. Prince, Economic Geographer for the State Land Board, was witness to the above described plugging.

18. I hereby certify that the foregoing is true and correct

SIGNED Wilburn J. Gould

TITLE Operator

DATE October 4, 1971


(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

# STATE I-16 WELL



*FWB*



# THE STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF STATE LANDS  
105 STATE CAPITOL BUILDING  
SALT LAKE CITY, UTAH 84114

BOARD MEMBERS  
C.S. Thomson, Chairman  
Dr. Walter D. Talbot  
Phillip V. Christensen  
J. Whitney Floyd  
M. V. Hatch  
J. Harold Reese  
Don Showalter

CHARLES R. HANSEN  
Director

October 4, 1971

Department of Natural Resources  
Division of Oil and Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah 84116

ATTENTION: PAUL BURCHELL

Dear Paul:

On September 28, 1971, I visited the location of Wilburn J. Gould State No. 1-16 Well to witness the plugging operations by McComack Drilling Company. I arrived at the location at about 10:00 a.m. and at that time, there was a Haleburton Truck with a two-man crew on the location and the operator was lowering pipe into the Well in preparation to placing the cement plugs in accordance with the drilling program which you outlined.

The first plug was, according to Mr. McComack, bottomed at 2,604 feet at which time 92 sacks of cement were pumped into the hole. The operator then pulled 31 ~~sacks~~ <sup>feet</sup> of drill pipe from the hole and then placed another plug of 42 sacks of cement, the bottom of which we calculated to be 1,642 feet. Mr. McComack indicated that this would place the plug 54 feet inside the 10 3/4' pipe and 46 feet above the top of the 10 3/4' pipe. All of the remaining drill pipe was then removed from the hole, and Mr. McComack indicated that after his blowout prevention equipment was removed from the hole, a top plug of 5 sacks of cement would be placed at the top of the hole and the marker which had been prepared would then be welded to the top of the drill pipe.

As far as I could tell, the plugging operation was done in a satisfactory manner, however, we will not release the drilling bond on this particular lease until the rig is removed and the location leveled and cleaned up to our satisfaction. I indicated to Mr. McComack what measures should be taken to clear up this location, and I also gave him permission to store his rig on the State land until he knows where his next drilling job will be to save him the cost of moving the rig twice.

*Place in Well file*

*also check history change re: G. R. N.*



# RILEY & SWEENEY

*Complete Insurance Service*

P.O. BOX 909

CHICO, CALIFORNIA 95926

PHONE 343-1411

October 13, 1971

Mr. Wilburn J. Gould  
452 Manzanita Avenue  
Chico, California

U S F & G Bond No. 42021-13-810-69  
Oil and Gas Lease No. 23526

Dear Mr. Gould:

~~The enclosed invoice is for the anniversary~~  
premium on the subject bond effective October 29, 1971 for  
the coming year.

\* ?  
The Division of Oil & Gas Conservation advised  
the bonding company that the bond cannot be released until  
such time as the State #1-16 well has been properly plugged  
and abandoned as per the requirements of this Division.

When the release has been obtained, the company  
will allow a return of any unearned premium.

Yours very truly,

RILEY & SWEENEY INSURANCE

  
Edward P. Riley

/mk  
enc

Oct. 15, 1971

DEAR PAUL,

IS THERE ANY PARTICULAR REASON WHY MY  
BOND HASN'T BEEN RELEASED YET?

McCOMACK DRUG, INC., INFORMED ME THAT THE  
WELL HAD BEEN PROPERLY PLUGGED, IN COMPLIANCE  
WITH YOUR PLUGGING ORDER, AND THAT THE  
NECESSARY CAT WORK HAD ALSO BEEN ACCOMPLISHED;  
THE PITS HAVE BEEN FILLED AND LOCATION CLEANED-  
UP.

I WOULD APPRECIATE YOUR HELP IN CLEARING-UP  
THIS MATTER AS SOON AS POSSIBLE.

REGARDS,

William J. Gould

LEBT 1015

January 28, 1972

Wilburn J. Gould  
452 Mansanita Ave.  
Chico, Calif. 95926

Division of Oil & Gas Conservation  
1588 West North Temple  
Salt Lake City, Utah

Dear Sirs,

This letter is to advise you that it will no longer be necessary to hold confidential, data pertaining to the State 1-16 Well, located in Millard County, Utah.

Thank you for your cooperation in this matter.

Sincerely,



Wilburn J. Gould

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

ME 23526

5. LEASE DESIGNATION AND SERIAL NO.

8. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

6. FARM OR LEASE NAME

9. WELL NO.

State 1-16

10. FIELD AND POOL, OR WILDCAT

Needle Anticline

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 16, T.24S., R.19W.

12. COUNTY OR PARISH

Millard

13. STATE

Utah

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL  GAS WELL  DRY  Other Wildcat

b. TYPE OF COMPLETION: NEW WELL  WORK OVER  DEEP-EN  PLUG BACK  DIFF. RESVR.  Other Plug

2. NAME OF OPERATOR  
Wilburn J. Gould

3. ADDRESS OF OPERATOR  
452 Manzanita Ave., Chico, California 95926

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*  
At surface NW $\frac{1}{4}$ , SW $\frac{1}{4}$ , Section 16, T. 24 S., R. 19 W., SLEM  
At top prod. interval reported below  
At total depth

14. PERMIT NO. DATE ISSUED

15. DATE SPUNDED 11-24-69 16. DATE T.D. REACHED 2-16-71 17. DATE COMPL. (Ready to prod.) P&A 9-28-71 18. ELEVATIONS (DF, REB, RT, OR, ETC.)\* 5695' Ground 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 9239' 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY\* 23. INTERVALS DRILLED BY 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\* 25. WAS DIRECTIONAL SURVEY MADE

Plugged & Abandoned

No

26. TYPE ELECTRIC AND OTHER LOGS RUN  
Schlumberger Gamma Ray-Neutron from 0' to 8425'

27. WAS WELL CORED  
No

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD      | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|-----------------------|---------------|
| 10 3/4"     | 45.5            | 1600'          | 15"       | 250 sacks, to surface | none          |

29. LINER RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) |
|------|----------|-------------|---------------|-------------|
|      |          |             |               |             |

30. TUBING RECORD

| SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|------|----------------|-----------------|
|      |                |                 |

31. PREPARATION RECORD (Interval, size and number)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED |
|---------------------|----------------------------------|
|                     |                                  |

33.\* PRODUCTION

| DATE FIRST PRODUCTION | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) | WELL STATUS (Producing or shut-in) |
|-----------------------|----------------------------------------------------------------------|------------------------------------|
|                       |                                                                      |                                    |

| DATE OF TEST | HOURS TESTED | CHOKE SIZE | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF. | WATER—BBL. | GAS-OIL RATIO |
|--------------|--------------|------------|-------------------------|----------|----------|------------|---------------|
|              |              |            |                         |          |          |            |               |

| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL—BBL. | GAS—MCF. | WATER—BBL. | OIL GRAVITY-API (CORR.) |
|---------------------|-----------------|-------------------------|----------|----------|------------|-------------------------|
|                     |                 |                         |          |          |            |                         |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Wilburn J. Gould TITLE Operator DATE Jan. 28, 1972

\*(See Instructions and Spaces for Additional Data on Reverse Side)

ATG 25 YAM

Conservation Division  
8426 Federal Building  
Salt Lake City, Utah 84138

May 23, 1974

Memorandum

To: District Manager, Bureau of Land Management, Fillmore, Utah

From: District Engineer, Geological Survey, Salt Lake City, Utah

Subject: Oil and gas test well, NE $\frac{1}{4}$ NE $\frac{1}{4}$  sec. 5, T. 25 S., R. 19 W.,  
S.L.M., Millard County, Utah. Terminated lease U 0149910

We were advised by the Phony Phantom from the oil fields, i.e. it is rumored, that person or persons unknown have re-entered the subject well, extracted the casing and left it open. Other wells on State land located in the NW $\frac{1}{4}$ SW $\frac{1}{4}$  sec. 16, T. 24 S., R. 19 W., SE $\frac{1}{4}$ NE $\frac{1}{4}$  and SE $\frac{1}{4}$ SE $\frac{1}{4}$  and NW $\frac{1}{4}$ SE $\frac{1}{4}$  sec. 32, T. 24 S., R. 19 W., were also rumored to have been vandalized in the same manner.

We would appreciate your arranging to have the wells checked, particularly the Federal well to confirm or deny the rumor. Perhaps the next time one of your field men is in the area he could check them. I would suggest that the field man use extreme caution in approaching anyone found at the well sites.

(JWG: RCD) G. R. DANIELS

Gerald R. Daniels

cc: Casper  
Div. O&G Cons.

June 24, 1974

MEMO FOR FILING

Re: WILBURN J. GOULD  
Wells No. Federal 1 (5-25S-190)  
State 1 and 2 and 3 (32-24S-190)  
State 1-16 (16-24S-190)  
Millard County, Utah

On June 17, 1974, at Fillmore, Millard County, Utah, a hearing was held with Judge Harlin Burns, presiding. A permanent restraining order and order to show cause was obtained against Wilburn J. Gould, etc. See memos of June 10, 1974.

PAUL W. BURCHELL  
CHIEF PETROLEUM ENGINEER

PWB:lp

cc: State Land Board

STATE OF UTAH  
OIL & GAS CONSERVATION COMMISSION

SUBMIT IN TRIPPLICATE\*  
(Other instructions on reverse side)

5. LEASE DESIGNATION AND SERIAL NO.

ML 29648

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL  GAS WELL  OTHER **XX**

7. UNIT AGREEMENT NAME

2. NAME OF OPERATOR

Wilburn J. Gould

8. FARM OR LEASE NAME

3. ADDRESS OF OPERATOR

581 East Avenue, Chico, California 95926

9. WELL NO.

State 1-16

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

10. FIELD AND POOL, OR WILDCAT

Wildcat

NW $\frac{1}{4}$  of SW $\frac{1}{4}$  of Section 16, T. 24 S., R. 19 W., SLEB

11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA

Sec. 16, T.24S.,R.19W.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

5695' ground

12. COUNTY OR PARISH

Millard

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON\*

SHOOTING OR ACIDIZING

ABANDONMENT\*

REPAIR WELL

CHANGE PLANS

(Other) \_\_\_\_\_

(Other) Clean Location

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

To assist the State of Utah in cleaning 1-16 Well site and setting a regulation dry hole marker.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Wilburn J. Gould*

TITLE

Geologist

DATE

Sept. 4, 1974

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: