

FILE NOTATIONS

Entered in NID File

_____ ✓

Checked by Chief

JMB

Entered On S R Sheet

_____ ✓

Copy NID to Field Office

_____ ✓

Location Map Pinned

_____ ✓

Approval Letter

Card Indexed

_____ ✓

Disapproval Letter

IWR for State or Fee Land

COMPLETION DATA:

Date Well Completed

5-25-63

Location Inspected

OW

WW

TA

Bond released

GW

OS

PA

_____ ✓

State of Fee Land

LOGS FILED

Driller's Log

6-3-63

Electric Logs (No.)

2

E

I

E-I

_____ ✓

GR

GR-N

Micro

Lat

Mi-L

Sonic

Others

GR

Subsequent Report of Standdown

ANADARKO PRODUCTION COMPANY

April 3, 1963

Mr. Phillip T. McGrath
District Engineer
United States Geological Survey
P. O. Box 959
Farmington, New Mexico

Dear Mr. McGrath:

Enclosed are four (4) copies each of the following listed forms covering the drilling of our Navajo "A" No. 1 well, located in the SW NE of Section 1, Township 42 South, Range 22 East, San Juan County, Utah: (1) Notice of Intent to Drill; (2) Certified Location Plats; and (3) Designation of Operator executed by Humble Oil and Refining Company, the lessee of the tract upon which the well is to be located.

Anadarko Production Company is a Delaware Corporation having its principal office at the above listed address and is registered and qualified to do business in the State of Utah. Anadarko's designated agent for the State of Utah is D. Howe Moffet, Esquire, 1311 Walker Bank Building, Salt Lake City, Utah.

DA 9 - 1137

Very truly yours,

Original signed by:
R. L. O'Shields

R. L. O'Shields
Vice President

RLO:mp

Enclosures


cc: State of Utah (2)
Bureau of Indian Affairs (1)
Petroleum, Incorporated (1)
Humble Oil & Refining Company (1)

C
O
P
Y

H. L. C.

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Tribal _____

Allottee _____

Lease No. 14-20-603-281

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April _____, 19 63

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of sec. 1

SW/NE Section 1 42S 22E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 1.) Set 13-3/8" csg. (48# H-40 & 54.5# J-55) @ 200'. Cement to surface with 200 sacks cement 2% CaCl.
- 2.) Set 8-5/8" csg. (24# J-55) @ 1200'. Cement to surface with 200 sacks pozmix 4% gel 1 lb./sx. Tuf Plug, 1 lb./sx. Flo Seal, and 200 sacks common 2% CaCl.
- 3.) Set 4-1/2" (9.5# J-55) or 5-1/2" (14 & 15.5# J-55) @ 5800'. Cement with 175 sacks 50-50 pozmix.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company

Address P. O. Box 351

Liberal, Kansas

By R. L. O'Shields

R. L. O'Shields

Title Vice President

Copy H. L. E.

COMPANY Anadarko Production Company

Well Name & No. Navajo "A" No. 1


Lease No. 14-20-603-281

Location 1980 feet from the North line and 1980 feet from the East line.

Being in SW 1/4

Sec. 1, T42 S., R22 E., N.M.P.M., Salt Lake Meridian, San Juan County, Utah.

Ground Elevation 4964, ungraded ground.




Scale, 4 inches = 1 mile

Surveyed March 26

19 63

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Ernest V. Echolaw

Ernest V. Echolaw
Registered Land Surveyor
N.M. Reg. #1545
Utah Reg. No. 2611

Farmington, New Mexico

OIL & GAS CONSERVATION COMMISSION
OF THE STATE OF UTAH

DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Oil and Gas Conservation Commission of the State of Utah, hereby appoint, D. Ezra Moffet, whose address is 1311 Walker Bank Bldg. Salt Lake City, Utah, ~~his~~ ~~her~~ ~~or~~ ~~its~~ designated agent to accept and to be served with notices from said Commission, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation April 3, 1963

Company Anadarko Production Company Address 117 East 11th St., Liberal, Kansas

By  Title President
(Signature)

NOTE: Agent must be a resident of Utah.

DESIGNATION OF OPERATOR

Indian Affairs

The undersigned is, on the records of the Bureau of ~~XXXXXXXXXX~~ holder of lease

Realty

~~XXXXXXXXXX~~ OFFICE: **Window Rock, Arizona**

~~XXXXX~~ No.: **14-20-603-281**

Lease

and hereby designates

NAME: **ANADARKO Production Company**

ADDRESS: **P. O. Box 351, Liberal, Kansas**

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 42 South, Range 22 East, S.L.M.

Section 1: W $\frac{1}{2}$ NE $\frac{1}{4}$

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the supervisor of any change in the designated operator.

HUMBLE OIL & REFINING COMPANY

By: *Ronald D. Sloan*

(Signature of lessee)

Attorney-in-Fact

P. O. Box 120, Denver 1, Colorado

(Address)

March 29, 1963

(Date)

O. K. as to
transaction
O. K. as to
form: *[Signature]*

April 4, 1963

Mr. D. Howe Moffet
1311 Walker Bank Building
Salt Lake City, Utah

Dear Mr. Moffet:

We are in receipt of a notice of intention to drill from the Anadarko Production Company of Kansas designating you as their agent.

Would you please fill out the enclosed Designation of Agent Form and return them to our office. Thank you for your cooperation in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK
RECORDS CLERK

cnp

April 4, 1963

Anadarko Production Company
P. O. Box 351
Liberal, Kansas

Attention: R. L. O'Shields, Vice President

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo 'A' #1, which is to be located 1980 feet from the north line and 1980 feet from the east line of Section 1, Township 42 South, Range 22 East, SLEH, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

PAUL W. BUECHELL, Chief Petroleum Engineer
Office: DA 8-5771 or DA 8-5772
Home: CR 7-2890
Salt Lake City, Utah

This approval terminates within 90 days if the above well has not been spudded in within said period.

Enclosed please find Form OGCC-8-X which is to be completed if water sands (aquifers) are encountered while drilling, particularly assessable for near surface water sands. Your cooperation with

Anadarko Production Company
Well No. Navajo 'A' #1

April 4, 1963

Page Two

respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:cmp

cc: P. T. McGrath, Dist. Eng.,
USGS, Farmington, New Mexico

H. L. Coonts, Petroleum Eng.,
OGCC, Moab, Utah

Copy H.L.E.
(SUBMIT IN TRIPLICATE)

Indian Agency Navajo
Tribal

OK P.M.B.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee
Lease No. 14-28-603-281

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 16, 19 63

Well No. 1 is located 1900 ft. from (N) line and 1900 ft. from (E) line of sec. 1
SW/NE Section 1 42S 22E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 1.) Set 13-3/8" csg. (40' H-40 & 34.5' J-55) @ 1200'. Cement to surface with 200 sacks cement / 21 CaCl.
- 2.) Set 8-5/8" csg. (24' J-55) @ 1200' if water flow is encountered from Navajo formation. Bottom 250' of 8-5/8" will be cemented with 200 sacks Class C cement / 21 CaCl. After completion of well the 8-5/8" will be cemented down annulus of 13-3/8" and 8-5/8".
- a.) If water flow from Navajo is not encountered 8-5/8" csg. will be omitted, and the Navajo, if water bearing, will be protected by cementing through a BV Tool in the 4-1/2" production csg. Placement of the BV Tool and amount of cement will be determined by the U. S. G. S. Office.
- 3.) Set 4-1/2" (9.5' J-55) or 5-1/2" (14' & 15.5' J-55) @ 1000'. Cement with 175 sacks 50-50 pozzin.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company
 Address P. O. Box 351
Liberal, Kansas
 By R. L. Shields
E. L. Shields
 Title Vice President

ANADARKO PRODUCTION COMPANY

April 17, 1963

Mr. Phillip T. McGrath
District Engineer
United States Geological Survey
P. O. Box 959
Farmington, New Mexico

Dear Mr. McGrath:

Enclosed are four (4) copies of the Notice of Intention to Change Plans, Form 9-331 b, for the Navajo "A" No. 1 well, located in Section 1, Township 42 South, Range 22 East, San Juan County, Utah.

Very truly yours,


R. L. O'Shields
Vice President

RPG:mp

Enclosures

cc: State of Utah (2)
Bureau of Indian Affairs (1)
Petroleum, Incorporated (1)
Humble Oil & Refining Company (1)

C
O
P
Y

LN®

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

Tribal _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-281

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 7, 1963

Well No. 1 is located 1900 ft. from N line and 1900 ft. from E line of sec. 1

SW/NE Section 1
(1/4 Sec. and Sec. No.)

42E
(Twp.)

22E
(Range)

Salt Lake
(Meridian)

Wildcat
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4976 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- 1.) Set 151' of 13-3/8" (400 H-40) casing.
- 2.) Circulate cement to surface with 200 sacks 50-50 pozzin / 2% CaCl. Job complete at 12:43 p.m., April 23, 1963.
- 3.) WOC 12 hours.
- 4.) Pressure tested 13-3/8" casing to 500 psig for 10 minutes. Held O.K.
- 5.) Drilled out of 13-3/8" casing with 11" bit.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company

Address P. O. Box 351
Liberal, Kansas

By R. L. O'Shields
R. L. O'Shields

Title Vice President

ANADARKO PRODUCTION COMPANY

May 10, 1963

Mr. Phillip T. McGrath
District Engineer
United States Geological Survey
P. O. Box 959
Farmington, New Mexico

Dear Mr. McGrath:

Enclosed are three (3) copies of the Subsequent Report of Altering Casing, Form 9-331 b, for the Navajo "A" No. 1 well, located in the SW NE of Section 1, Township 42 South, Range 22 East, San Juan County, Utah.

Very truly yours,


R. L. O'Shields
Vice President

HPG:mp

Enclosure

cc: State of Utah (2)
The Navajo Tribe (1)
Petroleum, Incorporated (1)
Humble Oil & Refining Company (1)

C
O
P
Y

Copy H. Y. L.

*2013
2 Dec*

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo
Tribal _____
Allottee _____
Lease No. 14-20-603-281

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	X
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo A- 3/4

May 22, 1963

Well No. 1 is located 1980 ft. from NS line and 1980 ft. from EW line of sec. 1

SW/NE Sec. 1 42-S 22-E Salt Lake
(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Set 4½" (9.5#J-55) casing @ 5715:
2. Cemented 4½" casing with 140 sacks 50-50 Pozmix class c cement. Displaced cement with water. Pressure tested float to 1500 psig held o.k.
3. Temperature survey indicates cement top @ 5175'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company

Address P. O. Box 351
Liberal, Kansas

Original signed by:
By R. L. O'Shields
R. L. O'Shields
Title Vice-President

Lynn H. L. E.

PLB
AV

(SUBMIT IN TRIPLICATE)

Indian Agency NavaJo

Tribal _____

Allottee _____

Lease No. 14-20-603-281

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	X	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 22, 1963

Well No. 1 is located 1980 ft. from (N) line and 1980 ft. from (E) line of sec. 1

SW/ NE Sec. 1 425 22E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Perforate lower Ismay 5535-5546 with 4 shots per foot.
2. Acidize with 1,000 gallons 15% mud acid.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company

Address P. O. Box 351
Liberal, Kansas

Original signed by:
R. L. O'Shields
By R. L. O'Shields
Title Vice- President

U. S. LAND OFFICE Navajo Tribal
SERIAL NUMBER 14-20-603-281
LEASE OR PERMIT TO PROSPECT _____



LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company Anadarko Production Co. Address Box 351
Lessor or Tract Navajo Tribal Field Wildcat State Utah
Well No. A-1 Sec. 1 T. 42SR. 22E Meridian Salt Lake County San Juan
Location 1980 ft. $\begin{matrix} N. \\ \text{---} \\ S. \end{matrix}$ of N. Line and 1980 ft. $\begin{matrix} E. \\ \text{---} \\ W. \end{matrix}$ of E. Line of Sec. 1-42S-22E Elevation 4964
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date May 29, 1963 Title _____

The summary on this page is for the condition of the well at above date.

Commenced drilling 8:00 P.M. April 22, 1963 Finished drilling May 16, 1963

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8	48	8	Youngstown	151	Texas	None			To protect surface
4 1/2	9.5	8	CP&L	5715	Hartburton Guide	4923 to surface	5535	5545	Water Production

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
13 3/8	151	200	Displacement	-----	-----
4 1/2	5715	140	Displacement	9.8 16/gal	-----

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

FOLD MARK

13 3/8	151	200	Displacement	-----	-----
4 1/2	5715	140	Displacement	9.8.16/gal	-----

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
3 1/2"		No plug shaped Chg	2 per ft.	5-23-63	5535-5546	5684
3 1/2"		CRAC Jet shaped Charge	2 per ft.	5-23-63	5535-5546	5684

TOOLS USED

Rotary tools were used from Surface feet to 5780 feet, and from --- feet to --- feet
 Cable tools were used from --- feet to --- feet, and from --- feet to --- feet

DATES

-----, 19----- Put to producing Q. & S. 5-25-63, 19-----
 The production for the first 24 hours was ----- barrels of fluid of which -----% was oil; -----%
 emulsion; -----% water; and -----% sediment. Gravity, °Bé. -----
 If gas well, cu. ft. per 24 hours ----- Gallons gasoline per 1,000 cu. ft. of gas -----
 Rock pressure, lbs. per sq. in. -----

EMPLOYEES

R. T. Morris _____, Driller Fred Hope _____, Driller
 Earnie Penrod _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	555	555	Sandstone and shale
555	845	290	Sandstone (Navajo)
845	900	55	Sandstone and shale
900	1 325	425	Sandstone (Wingate)
1 325	2 435	1 120	Sandstone and shale (Chinle Top @ 1325)
2 435	2 590	155	Sandstone
2 590	3 495	905	Shale and sandstone
3 495	4 436	941	Anhydrite and shale
4 436	5 417	1 081	Lime and shale
5 417	5 572	155	Limestone (Ismay)
5 572	5 592	20	Shale
5 592	5 743	151	Limestone (Desert Creek)
5 743	5 780	37	Limestone, shale and Anhydrite

JUN 3 1963

Copy H. L. C.

*PHB
R
Z*

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo
Tribal _____
Allottee _____
Lease No. 14-20-603-281

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 29, 19 63

Navajo A-

Well No. 1 is located 1980 ft. from S line and 1980 ft. from W line of sec. 1

SW/NE Sec. 1 42S 22E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- Cut and pull 4½" 9.5# casing from 4523' to surface.
- Spot 15 sack cmt. plug @ 5475' to 5600'
Spot 35 sack cmt. plug @ 4400' to 4552'
Spot 35 sack cmt. plug @ 2550' to 2650'
Spot 40 sack cmt. plug @ 780' to 910'

Install 10 sack cmt. plug @ surface with permanent abandoned well marker.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Anadarko Production Company

Address P. O. Box 351
Liberal, Kansas

Original signed by:
By R. L. O'Shields
R. L. O'Shields
Title Vice-President

Copy 4-2-63
(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
SALT LAKE CITY, UTAH

Fee and Patented.....
State.....
Lease No.
Public Domain.....
Lease No.
Indian Navajo.....
Tribal.....
Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	Subsequent Report of Abandonment.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 29, 1963

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of Sec. 1

SW/NE Sec. 1 42S 22E Salt Lake
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 feet.

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

- 1. Cut and pull 4½" 9.5# casing from 4523' to surface.
- 2. Spot 15 sacks cmt. plug @ 5475' to 5600'
- Spot 35 sack cmt. plug @ 4400' to 4552'
- Spot 35 sack cmt. plug @ 2550' to 2650'
- Spot 40 sack cmt. plug @ 780' to 910'

Install 10 sack cmt. plug @ surface with permanent abandoned well marker.
This well was plugged 5-25-63.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company.....Anadarko Production Company.....

Address.....P. O. Box 351.....
.....Liberal, Kansas.....

By.....R. L. Shields.....
.....R. L. Shields.....
Title.....Vice-President.....

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN TRIPLICATE)


Indian Agency Navajo

Tribal _____

Allottee _____

Lease No. 14-20-603-281

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Final Inspection of location	x

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 3, 19 63

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of sec. 1

SW/NE Sec. 1 42S 22E Salt Lake
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4974 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- The Navajo "A" No. 1 location has been plugged and abandoned and is ready for final inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Anadarko Production Company

Address P. O. Box 351

Liberal, Kansas

Original signed by:
By R. L. O'Shields
R. L. O'Shields
Title Vice-President

June 4, 1963

Anadarko Production Company
P. O. Box 351
Liberal, Kansas

Attention: R. L. O'Shields, Vice-President

Re: Well No. Navajo A-1
Sec. 1, T. 42 S, R. 22 E.,
San Juan County, Utah

Gentlemen:

We are in receipt of your "Log of Oil or Gas Well", U. S. Geological Survey Form 9-330, for the above mentioned well. However, in checking we find that the date of plugging and abandoning this well was omitted from said log.

Would you please furnish us with this date so that we may complete our file on this well. Thank you for your consideration in this request.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK
RECORDS CLERK

cnp