

cm
NID
Pur
2/11/62

Form 9-331 b
(April 1952)

0		

Copy H.R.C.
(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R359.4
Approval expires 12-31-60.

Indian Agency _____
NAVAJO
Allottee _____
Lease No. _____
14-20-603-242

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 5, 1962

Navajo

Well No. 67-3 is located 1820 ft. from N line and 1940 ft. from W line of sec. 9

1/4 Section 9
(1/4 Sec. and Sec. No.)

T-415
(Twp.)

1-2 1/2
(Range)

S.L.P.M.
(Meridian)

Wildcat Paradox
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 4626 ft. S.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well was plugged and abandoned as follows:

Cement plugs spotted from-

5665-5400 with 24 sacks, 4480-4380 with 28 sacks, 2520-2420 with 28 sacks,
1475-1375 with 30 sacks, 50 to surface with 30 sacks.

Well location marker located above ground level embedded in surface cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Astec Oil & Gas Company

Address Drawer # 275
Farrington, New Mexico

By Joe C. Salmon

Title District Superintendent

V-

Copy H-L-E
(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

0		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-242

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 14, 1962

Navajo

Well No. 67-3 is located 660 ft. from N line and 660 ft. from Eck line of sec. 9

CNW NW 1/4, Section 9 41S 23E S.L.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Without Paradox San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4652 ft. (Ungraded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TO:

Set 300 feet of 13 3/8" surface casing and cement to surface. Run 8 5/8" intermediate casing to approximately 1475 feet and cement with 500 sx., if water flow is encountered. Drill 7 7/8" hole to approximate total depth of 5675 feet or through the Desert Creek formation. Run 4 1/2" production casing to total depth and cement with 200 sx. Perforate Imay and Desert Creek formations. Acidize perforations and run 2 3/8" tubing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Aztec Oil and Gas Company

Address P. O. Drawer 570

Farmington, New Mexico

By Joe C. Salmon
Joe C. Salmon
Title District Superintendent


Company AZTEC OIL AND GAS COMPANY

Lease NAVAJO LT Well No. 3

Sec. 9, T. 41 SOUTH, R. 23 EAST, S.L.M.

Location 660' FROM THE NORTH LINE AND 660' FROM THE WEST LINE

Elevation 4652.0 UNGRADED




Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Loran
Registered Land Surveyor.

James P. Loran
Utah Reg. No. 1472



Surveyed 20 JULY, 1962

SAN JUAN ENGINEERING COMPANY, FARMINGTON, N. M.

September 17, 1962

Aztec Oil and Gas Company
P. O. Drawer 570
Farmington, New Mexico

Attention: Joe C. Salmon

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo 67-#3, which is to be located 660 feet from the north line and 660 feet from the west line of Section 9, Township 41 South, Range 23 East, SLEB, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:cnp


cc: P. T. McGrath, Dist. Eng.
USGS, Farmington, New Mexico

H. L. Coonts, Petroleum Eng.
OGCC, Moab, Utah

Copy H. L. C.

(SUBMIT IN TRIPLICATE)

Indian Agency NAVAJO



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-242

SUNDRY NOTICES AND REPORTS ON WELLS

PMB

NOTICE OF INTENTION TO DRILL <u>Amended</u>	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 13, 1962

Well No. NAVAJO 67-3 is located 1820 ft. from N line and 1940 ft. from W line of sec. 9

NW SE NW 1/4 Section 9 41S 23E S.L.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
WILDCAT PARADOX SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4626 ft. (Ungraded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TO:

Set 300 feet of 13 3/8" surface casing and cement to surface. Run 8 5/8" intermediate casing to approximately 1475 feet and cement with 500 sx., if water flow is encountered. Drill 7 7/8" hole to approximate total depth of 5650 feet or through the Desert Creek formation. Run 4 1/2" production casing to total depth and cement with 200 sx. Perforate Ismay and Desert Creek formations. Acidize perforations and run 2 3/8" tubing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company AZTEC OIL & GAS COMPANY

Address P. O. DRAWER 570

FARMINGTON, NEW MEXICO

By Joe C. Salmon
JOE C. SALMON
Title DISTRICT SUPERINTENDENT

(305) 325-1241

COMPANY Aztec Oil & Gas Company

Well Name & No. Navajo 67-~~4~~ 3


Lease No. _____

Location 1820 feet from the North line and 1940 feet from the West line.

Being in SE1/4

Sec. 9, T41 S., R23 E., ~~Range~~, Salt Lake Meridian, San Juan County, Utah


Ground Elevation 4626



Scale, 4 inches = 1 mile

Surveyed November 10, 1962

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.



Ernest V. Echohawk

Ernest V. Echohawk
Registered Land Surveyor
N. M. Reg. #1545-
Utah Reg. No. 2611

AZTEC OIL & GAS COMPANY

920 MERCANTILE SECURITIES BLDG.

DALLAS 1, TEXAS

November 13, 1962

LAND DEPARTMENT

H. L. SNIDER, JR., MANAGER
KENNETH A. SWANSON, ATTORNEY
GORDON E. COE, ATTORNEY

Mr. Cleon B. Feight
Executive Secretary
Oil and Gas Conservation Commission
310 Newhouse Building
Salt Lake City, Utah

Re: Variance of Well Locations in
Sections 7, 8 and 9, T-41-S,
R-23-E, San Juan County, Utah

Dear Sir:

Aztec is part owner, along with Petroleum, Inc. and Zoller and Danneberg of the oil and gas leasehold estate covering, among others, the subject lands located in the Mole Hill area. Eleven wells have been drilled in the area, including one dry hole and one in the process of being completed.

It has recently been discovered that four of the producing wells and one undrilled location are not conformable to the requirement of Rule C-3(b) of the Commission's Regulations in that each is located less than 500 feet from what will probably be the boundary of a governmental quarter-quarter section when surveyed. The discrepancies between the actual locations and those ordered staked by Aztec and furnished to the Commission on the respective well report forms resulted from a surveying error. The surveyor who staked the locations took his measurement from the north line of the township overlooking the fact that the north row of sections in the township were short sections. In each instance, therefore, his locations were approximately 600 feet too far south. Another surveyor made the locations which are not in error.

Attached is a plat showing the discrepancies between the actual and authorized locations, a copy of a letter from San Juan Engineering Company to Aztec explaining how the errors occurred and a plat showing the area covered by the leases held by Aztec, Petroleum, Inc. and Zoller and Danneberg.

The wells, the locations Aztec ordered San Juan Engineering Company to stake and the actual locations are as follows:

Mr. Cleon B. Feight

-2-

November 13, 1962

<u>Well</u>	<u>Authorized and Reported Location</u>	<u>Actual Location</u>
Navajo #58-1	625'/N, 710'/E Sec. 7	1225'/N, 782'/E Sec. 7
Navajo #58B-2	1912'/N, 555'/E Sec. 8	2512'/N, 575'/E Sec. 8
Navajo #58B-4	1980'/S, 1980'/E Sec. 8	1410'/S, 2021'/E Sec. 8
Navajo #67-2	2140'/S, 600'/W Sec. 9	1607'/S, 545'/W Sec. 9
Navajo #67-3	660'/N, 660'/W Sec. 9	1193'/N, 605'/W Sec. 9

The location listed above for the Navajo #67-3 has not been drilled; however, the location has been built at a cost of approximately \$3,916.60.


Accordingly, it is respectfully requested that the Commission approve the actual locations listed above and shown on the attached plat and substitute such actual locations for those previously reported by Aztec which were in error.

Yours very truly,

Kenneth A. Swanson

KAS/et
Enclosures


cc: U.S.G.S. - Roswell
Petroleum, Inc.
Zoller and Danneberg
Aztec Oil & Gas Company - Farmington



R 23 E

PLAT OF AZTEC OIL & GAS COMPANY'S
 LEASES, SAN JUAN COUNTY, UTAH,
 SHOWING DISCREPANCY BETWEEN ACTUAL
 AND AUTHORIZED WELL LOCATIONS
 RESULTING FROM SURVEY ERRORS.

- Actual Proposed
- Actual Well Location
- Authorized Well Location



T
4
S

R 23 E

*PLAT OF AZTEC OIL & GAS COMPANY'S
LEASE IN SAN JUAN COUNTY, UTAH,
SHOWING DISCREPANCY BETWEEN ACTUAL
AND AUTHORIZED WELL LOCATIONS
RESULTING FROM SURVEY ERRORS.*

- Actual Proposed Well Location
- Actual Well Location
- ⊖ Authorized Well Location

November 15, 1962

Aztec Oil and Gas Company
P. O. Drawer 570
Farmington, New Mexico

Attention: Joe C. Salson

Gentlemen:

This is to acknowledge receipt of your amended notice of intention to drill Well No. Navajo 67-#3, which will now be located 1820 feet from the north line and 1940 feet from the west line of Section 9, Township 41 South, Range 23 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE DIRECTOR

CBF:cp

cc: P. T. McGrath, Dist. Eng.
USGS - Farmington, New Mexico

H. L. Coonts, Pet. Eng.
OSGC - Moab, Utah

Copy H. L. C.
(SUBMIT IN TRIPPLICATE)

Indian Agency NAVAJO

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Lease No. 14-20-603-242

0		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 10, 1962

NAVAJO
Well No. 67-3 is located 1880 ft. from N line and 1940 ft. from W line of sec. 9

SW 1/4, section 9 41E 2E S. 1. P. M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
WILDCAT PARADOX SAN JUAN UTAH
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4626 ft. (Ungraded)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well was spudded 12/6/62

Ran 10 joints of 13 3/8" casing.
Landed at 293' w/RT5 sacks of cement.
Tested casing w/500# pressure,
for 30 minutes. No leaks.
Drilled cement 12/9/62.
Tested w/500# pressure for 30 minutes.
No drop in pressure.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company AZTEC OIL AND GAS COMPANY

Address P. O. DRAWER 570

FARMINGTON, NEW MEXICO

By ORIGINAL SIGNED BY JOE C. SALMON
JOE C. SALMON
Title DISTRICT SUPERINTENDENT

Copy H.R.C.
(SUBMIT IN TRIPLICATE)

Indian Agency NAVAJO
Allottee _____
Lease No. 14-20-603-242

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 3, 1963

NAVAJO Well No. 67-3 is located 1800 ft. from N line and 1940 ft. from W line of sec. 9

SW 1/4 Section 9 T-41S R-2E S.L.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Paradox San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4626 ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

PROPOSE TO:

Plug and abandon as follows:
Spot plugs from 5665-5400 with 85 sacks cement TD 5665'
4480-4300 with 28 sacks cement
2520-2420 with 28 sacks cement
1475-1375 with 30 sacks cement
and from 50- surface with 30 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company AETEC OIL & GAS COMPANY
Address Drawer # 570
Farmington, New Mexico
By Joe C. Salmon
Title District Superintendent

15 pms 7

U. S. LAND OFFICE NAVAJO
SERIAL NUMBER 14-20-603-242
LEASE OR PERMIT TO PROSPECT _____

4									
		X							

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company AZTEC OIL AND GAS COMPANY Address P. O. DRAWER 570 - PARMINGTON, N.M.
Lessor or Tract NAVAJO 67 Field WILDCAT PARADISE State UTAH
Well No. 3 Sec. 9 T. 41S R. 23E Meridian S.L.P.M. County SAN JUAN
Location 1320 ft. North of N Line and 1940 ft. West of W Line of SECTION 9 Elevation 4626 Un-graded
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed ORIGINAL SIGNED BY JOE C. SALMON

Date JANUARY 9, 1963 JOE C. SALMON Title DISTRICT SUPERINTENDENT

The summary on this page is for the condition of the well at above date.

Commenced drilling DECEMBER 6, 1962 Finished drilling JANUARY 2, 1963

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
8 5/8	1450	2 3/8	150	Displacement					
13 3/8	299	2 7/8	275	---					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
8 5/8	1450	275	150	Displacement	
13 3/8	299	275	---		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

FOLD MARK

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

~~PLUGGED AND ABANDONED - JANUARY 4, 1953~~

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____

Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment.

Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____

Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller

_____, Driller

_____, Driller

_____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION	LOG TOPS
0	40	40	Surface	
40	126	86	Sand	Moenkopi 2247
126	310	184	Sand & Shale	Organ Rock 2570
310	471	161	Sand & Shale	Cutler 3327
471	685	214	Sand & Shale	Hermosa 4417
685	942	257	Sand & Shale	Lassy 5322
942	1062	120	Sand & Shale	Paradox Shale 5492
1062	1450	388	Sand & Shale	Desert Creek 5539
1450	1600	150	Sand & Shale	B. Desert Creek 5629
1600	1890	290	Sand & Shale	
1890	2115	225	Sand & Shale	
2115	2341	226	Sand & Shale	
2341	2383	42	Sand & Shale	
2383	2422	39	Sand & Shale	
2422	2635	213	Sand & Shale	
2635	2736	101	Sand & Shale	
2736	3044	308	Sand & Shale	
3044	3216	172	Shale	
3216	3310	94	Shale	
3310	3389	79	Shale	
3389	3462	73	Shale	
3462	3542	80	Shale	
3542	3686	144	Shale	
3686	3711	25	Shale	
3711	3838	127	Shale	

FORMATION RECORD - CONTINUED

OFFICE

REGISTERED



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P. O. Box 959
Farmington, New Mexico

March 29, 1963

Mr. Harvey Coonts
Utah Oil and Gas Conservation Comm.
Moab, Utah

Dear Harvey:

The following abandoned wells in San Juan County, Utah, were inspected and approved by this office during March:

Eldorado Oil and Gas Co.	No. 1 Navajo Tract 3	NW 15-43S-22E
Monsanto Chemical Co.	No. 1 Akeah	NW 4-42S-21E
Humble Oil & Refg.	No. 1 Navajo Tract 40	SW 9-41S-22E
Gulf Oil Co.	No. 1 Gulf-Aztec	
	Desert Creek	NE 1-41S-22E
Gulf Oil Co.	No. 2 " "	NE 1-41S-22E
Aztec Oil & Gas	A-3 Navajo 58	SW 5-41S-23E
Tenneco Oil Co.	No. 1 Navajo 404	NW 19-42S-23E
Zoller & Danneberg	No. 80-1 Navajo	NE 2-42S-23E
Zoller & Danneberg	No. 92-1 Navajo	NE 5-43S-24E
Humble Oil & Refg.	No. 3 Navajo Tr. 125	SW 21-41S-25E

The following wells were inspected but not approved:

Aztec Oil & Gas	No. 67-3 Navajo	NW 9-41S-23E
Pan American Petroleum	No. 2 Navajo M	SW 6-41S-26E

Very truly yours,

P. T. McGrath
District Engineer

ENO

PMB
7

July 25, 1963

MEMO FOR FILING:

Re: Aztec Oil & Gas Company
Navajo 67-#3
Sec. 9, T. 41 S, R. 23 E.,
San Juan County, Utah

On July 23, 1963, I visited the above abandoned location. This well has been converted to a water well through the casing. A small Christmas Tree is on the well.

A check should be made to see if approval has been given by the State Engineer's Office for water use.

HARVEY L. COONTS
PETROLEUM ENGINEER

HLC;kgw

4.

SUPERIOR OIL

RECEIVED
FEB 14 1984

DIVISION OF
OIL, GAS & MINING

February 9, 1984

Hal Balthrop
State of Utah
Oil, Gas & Mining
4241 State Office Bldg
Salt Lake City, Utah 84114

Re: Well Names
White Mesa/Gothic Mesa Units
San Juan County, Utah


Dear Sir:

Superior Oil Company has recently purchased Southland Royalty's interest in the White Mesa and Gothic Mesa Units and as of February 1, 1984 has taken over as operator. As operator we are in the process of establishing a standard for naming future wells to be drilled. In order for this system to be consistent existing well names will need to be changed. It is proposed that a system be implemented where by a well is named according to the section and 1/4-1/4 section in which the well lies.

Unless additional information is required Superior Oil will begin using the well names as cross referenced on the following attachments one week from the above date.

Sincerely,

SUPERIOR OIL COMPANY



James S. Andres
Engineer

JSA/1h
Attach.

PROPOSED WELL NAMES GOTHIC MESA

GOTHIC

Navajo 58A-1	7-41
Navajo 58A-2	6-34
Navajo 58A-3	5-14
Navajo 58A-4	7-21
Navajo 58B-2	8-42
Navajo 58B-3	8-12
Navajo 58B-4	8-33
Navajo 58B-5	8-44
Navajo 58B-6	6-23
Navajo 58B-7	7-32
Navajo 58C-1	5-22
Navajo 59-1	17-31
Navajo 59-2	17-42
Navajo 67-1	9-44
Navajo 67-2	9-13
Navajo 67-3	9-22
Navajo 67-4	9-24
Navajo 68-1	16-11
Navajo 68-2	16-22
Navajo 68-3	16-33
Navajo 68-4	16-44
Navajo 68-5	16-13
Navajo 68-6	16-24
Navajo 78-1	23-13
Navajo 117-1A	8-41