

Scout Report sent

Noted in the NID

Location map

Approval

Date C

opera

Pin char

Affidavit and & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File
Entered on S R Sheet
Location Map Pinned
Card Indexed
IWR for State or Fee Land _____

Checked by Chief
Copy NID to Field Office
Approval Letter
Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 1-10-58
OW _____ WW _____ TA _____
GW _____ OS _____ PA

Location Inspected _____
Bond released _____
State of Fee Land _____

LOGS FILED

Driller's Log 1-31-58
Electric Logs (No.) 3

E I-E E-I _____ GR _____ GR-N Micro
Lat _____ Mi-L _____ Sonic _____ Others _____

Subsequent Report of Abandonment

(SUBMIT IN TRIPLICATE)

Indian Agency **NAVAJO**

E			

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee **70350**
Lease No. **14-28-603-407**

Sec. 32 SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo **November 26**, 19**57**
Well No. **B-6** is located **1875** ft. from **N** line and **606** ft. from **E** line of sec. **32**
NE/4 Sec. 32 **T18** **R1E** **31PM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
White Mesa **San Juan County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~land surface~~ **ground** above sea level is **4991** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well with rotary tools to an estimated depth of 5000' to test the Paradox Formation. Approximately 300' of 13-3/8" pipe will be run and cemented as a surface string. If water flows or unconsolidated sands are encountered approximately 1500' of 8-5/8" casing will be run and cemented for an intermediate string. If commercial production is found a string of 5-1/2" casing will be run and cemented and the well completed.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **CONTINENTAL OIL COMPANY**

Address **BOX 694**
DURANGO, COLORADO

ORIGINAL SIGNED BY:
By **BURTON HALL**
Title **District Superintendent**

Certificate of Survey
for
CONTINENTAL OIL CO.



Scale: 1" = 1000'

Well Location: Continental White Mesa Navajo B-6

Located 1856 feet south of the north line and 686 feet east of the west line of Section 32, T. 41 S., R. 24 E., Salt Lake P.M. Ground elevation based upon existing grade at the Navajo B-1 well site is 4991 feet.

I hereby certify the above plat is an accurate representation of a survey made by me November 24, 1957.

Elmer M. Clark
Elmer M. Clark
Registered Land Surveyor No. 2279
State of Colorado

PLANET ENGINEERS, INC.
Durango, Colorado
Nov. 26, 1957

November 29, 1957

Continental Oil Company
P. O. Box 698
Durango, Colorado

Attention: Burton Hall, District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo B-6, which is to be located 1856 feet from the north line and 686 feet from the west line of Section 32, Township 41 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:en

cc: Phil McGrath
USGS, Farmington
New Mexico

DR-USGS

(SUBMIT IN TRIPLICATE)

Indian Agency **NAVAJO**

X			

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

~~XXXX~~ **70350**

Lease No. **14-20-603-407**

Noted H
2/17

Sec. 32 SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 21, 19**58**

Well No. **B-6** is located **1856** ft. from **N** line and **666** ft. from **W** line of sec. **32**

NW/4 Sec. 32
(1/4 Sec. and Sec. No.)

T1S 24E
(Twp.) (Range)

SLPM
(Meridian)

White Mesa
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is **5002** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 12-13-57. Drilled w/rotary tools to 5960 TD, Paradox. Ran and set 8 Jts. 13-3/8" @ 312', cemented w/300 skx. reg. Cored 5830-5935. DST 5873-5935, rec. 4150' salt water. DST #2 5885-5907, rec. 3650' salt water. Rig released 1-10-58.

P&A. Cement plugs: 5750-5960; 2600-2900; 850-950; 360-460, and surface to 30'. Supplemental report of monument erection, filled pits and cleaned location will follow.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Co.**

Address **Box 698**

Durango, Colorado

ORIGINAL SIGNED BY:

BURTON HALL

By

Title **District Supt.**

FOLD MARK

13-3/8" 312	300 regular	Displacement

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____ 1-10, 19-58 Put to producing _____ DRY 1-10, 19-58
 The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ %
 emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller Contractor - Mountain States Driller
 _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
2506	2565	59	Shinarump
2565	2669	104	Moenkopi
2669	3023	354	Cutler
3023	4742	1719	Organ Rock
4742	5578	836	Hermosa
5578	5790	212	Paradox
5790	5960 TD	170	Aneth

(SUBMIT IN TRIPLICATE)

Indian Agency NAVAJO

x	32	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee 70350
Lease No. 14-20-603-407

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 28, 1958

Well No. Navajo B-6 is located 1856 ft. from N line and 686 ft. from W line of sec. 32

NW/4 Sec. 32 (1/4 Sec. and Sec. No.) 41S (Twp.) 24E (Range) SLPTI (Meridian)
White Mesa (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5002 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well plugged and abandoned 1-10-58. Monument is erected, pits filled, and location has been cleaned.

Refer to our notice of intention to abandon dated 1-21-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 3312

Durango, Colorado

ORIGINAL SIGNED BY:
BURTON HALL

By _____

Title District Superintendent

(SUBMIT IN TRIPLICATE)

Indian Agency **NAVAJO**

x	32		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee **70350**
Lease No. **14-20-603-407**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 28, 1958

Well No. **Navajo B-6** is located **1656** ft. from **[N]** line and **686** ft. from **[W]** line of sec. **32**

Nw/4 Sec. 32 (1/4 Sec. and Sec. No.) **413** (Twp.) **24E** (Range) **SLPM** (Meridian)
White Mesa (Field) **San Juan** (County or Subdivision) **Utah** (State or Territory)

The elevation of the derrick floor above sea level is **5002** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well plugged and abandoned 1-10-58. Monument is erected, pits filled, and location has been cleaned.

Refer to our notice of intention to abandon dated 1-21-58.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**

Address **Box 3312**

Durango, Colorado

ORIGINAL SIGNED BY:
BURTON HALL

By _____

Title **District Superintendent**