

FILE NOTATIONS

Entered in NID File ✓

Entered On S R Sheet _____

Location Map Pinned ✓

Card Indexed ✓

IWR for State or Fee Land _____

Checked by Chief [Signature]

Copy NID to Field Office ✓

Approval Letter ✓

Disapproval Letter _____

COMPLETION DATA:

Date Well Completed 7-22-61

Location Inspected 4-25-69

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA ✓

State of Fee Land _____

LOGS FILED

Driller's Log 10-27-61

Electric Logs (No.) 2

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____

Lat ✓ _____ Mi-L _____ Sonic ✓ _____ Others _____

	x		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. 070449
Unit C

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 18, 19 61

Liston Valley
Well No. 1-22C is located 500 ft. from N line and 2140 ft. from E line of sec. 22
~~S~~ ~~W~~
22 308 24E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Liston San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the ^{Ground} derrick floor above sea level is 6118 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

11" hole will be drilled to approximately 1150' where 8 5/8" 24 lb. casing will be cemented with sufficient cement to circulate back to the surface. 7 7/8" hole will be drilled beneath the surface casing to sufficient depth to test the Mississippian formation expected to be encountered at approximately 8500'. If productive formations are encountered an oil string of 5 1/2" O.D. casing will be run and cemented in such a manner as to isolate the oil and gas bearing formations, as well as any water bearing formations. All casing jobs will be tested according to regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ELLIOTT, INC.
Address Box 1355
Roswell, New Mexico

By [Signature]
Title Vice President

COMPANY Elliott, Inc.


LEASE Lisbon Valley WELL NO. 1-22C

SEC. 22, T. 30 S., R. 24 E.

LOCATION 2140' W. Line - 500' N. Line

ELEVATION 6118 Ungraded Ground

COUNTY San Juan STATE Utah



4" = 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

C. L. Whiteman
C. L. WHITEMAN - CORTEZ, COLO.
REGISTERED LAND SURVEYOR
Utah No. 2260

SURVEYED May 16, 1961



May 23, 1961

Elliott, Inc.
Box 1355
Roswell, New Mexico

Attn: F. O. Elliott, Vice President

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Lisbon Valley 1-22C, which is to be located 500 feet from the north line and 2140 feet from the west line of Section 22, Township 30 South, Range 24 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted; however, this approval is subject to the following conditions:

1. That the deviation of the hole from vertical be controlled so the Mississippian Formation is encountered at a horizontal distance no less than 500' from the north line and 500' from the east line of the NW $\frac{1}{4}$ of the Section.
2. That a directional survey showing hole deviation be taken and a copy of said survey be furnished this Commission.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Elliott, Inc.
Attn: F. O. Elliott, Vice President

May 23, 1961
Page -2-

All future notices and/or reports for this Commission should be addressed directly to 310 Newhouse Building, Salt Lake City, Utah.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

**GLEON B. FREIGHT,
EXECUTIVE SECRETARY**


CBF:awg

cc: Jerry W. Long, Dist. Eng.
U. S. Geological Survey
Durango, Colorado

H. L. Coonts - OGCC, Moab

Copy to US

RJS



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. 070449
Unit C

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 25, 19 61

Lisbon Valley
Well No. 1-22C is located ⁵⁰⁰~~550~~ ft. from ^[N]~~[S]~~ line and 2140 ft. from ^[E]~~[W]~~ line of sec. 22
22 (1/4 Sec. and Sec. No.) 308 (Twp.) 24E (Range) 51M (Meridian)
Lisbon (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the ~~surface~~^{ground} above sea level is 6118 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12 1/2" hole will be drilled to approximately 1200' where 9 5/8" 36 lb. casing will be cemented with sufficient cement to circulate back to the surface. The balance of our Notice of Intention to Drill remains unchanged.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ELLIOTT, INC.
Address Box 1355
Roswell, New Mexico

By 
Title Vice President

May 29, 1961

Elliott, Inc.
P. O. Box 1355
Roswell, New Mexico

Attn: F. O. Elliott, Vice President

Gentlemen:

In accordance with our telephone conversation of May 25, 1961, condition #1 of our approval letter concerning your well Lisbon Valley #1-22 C, is revised and replaced by the following condition.

1. That the deviation of the hole from vertical be maintained at a practical minimum.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ROBERT L. SCHMIDT
CHIEF PETROLEUM ENGINEER

RLS:kp

cc: Jerry Long
U. S. Geological Survey

H. L. Coonts - OGCC, Moab

Elliott, Inc.

~~1955~~
Box 785 Phone MAin 2-5840

Roswell, New Mexico
May 31, 1961

W. E. Elliott
President

Edna M. Elliott
Sec'y - Treas.

C

U. S. Geological Survey
Box 1809
Durango, Colorado

Attention: Jerry W. Long

Re: Federal Oil & Gas Lease
SL-070449

O

Dear Mr. Long:

With reference to the above lease and our Notice of Intention to Change Plans, approved by your office May 29, 1961, please be advised that the location for our Lisbon Valley 1-22C as shown on the Notice of Intention to Change Plans was incorrect and should have read 500 feet from the north line as was stated in the original Notice of Intention.

P

Thank you for calling this error to our attention.

Very truly yours,


ELLIOTT, INC.

By original signed by Frank O. Elliott
Vice President

Y

FOE/nc

(SUBMIT IN TRIPPLICATE)



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake
Lease No. 070449
Unit C

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 12, 19 61

Lisbon Valley

Well No. 1-22C is located 500 ft. from N line and 2140 ft. from W line of sec. 22

22
(¼ Sec. and Sec. No.)

308 24E
(Twp.) (Range)

51N
(Meridian)

Lisbon
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 6185 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12 1/4" hole was drilled to 1218', 1200' of 9 5/8" 36 lb. N-40 casing was cemented at 1210' with 300 sax of 50% Pozmix, 1/2 Jel and 100 sax of neat cement. This cement job was completed at 2:45 A.M. on June 7, 1961 and the cement was allowed to set 36 hrs. The job was tested with 500 p.s.i. with no pressure drop.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company ELLIOTT, INC.
Address Box 1355
Roswell, New Mexico

By [Signature]
Title Vice President

PUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from surface feet to T.D. feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

July 27, 1961 Put to producing Plugged and Abandoned July 26, 1961

The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Gary Moore _____, Driller G. C. Clarke _____, Driller

Garland M. Taylor _____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	48	48	Boulders & Shale
48	677	629	Sand & Shale
677	1400	723	Shale
1400	2937	1537	Shale & Sand
2937	3023	86	Shale
3023	3186	163	Shale & Sand
3186	4072	886	Shale & Lime
4072	4098	26	Lime
4098	4258	160	Shale & Lime
4258	4337	79	Lime
4337	4439	102	Shale & Lime
4439	4535	96	Lime
4535	4717	182	Shale & Lime
4717	4930	213	Lime & Anhydrite
4930	4961	31	Shale & Lime
4961	5018	57	Shale
5018	5021	3	Salt
5021	5044	65	Shale
5044	8416	3372	Salt & Anhydrite
8416	8523	107	Anhydrite & Lime
8523	8558	35	Anhydrite & Lime & Chert
8558	8665	107	Lime, Dolomite & Chert

Elliott, Inc.

¹³⁵⁵
Box 3889 - Phone MAin 2-5840

Roswell, New Mexico

October 25, 1961

L. E. Elliott
President

Edna M. Elliott
Sec'y-Treas.

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Attention: Records Clerk

Re: Lisbon Valley 1-22C
Sec. 22, T. 30S., R. 24E.,
San Juan County, Utah

Gentlemen:

Thank you for your letter of October 23, 1961, calling to our attention that your office had not as yet received "Log of Oil or Gas Well". In checking our records it appears that your copies of the Log on this well was inadvertently sent to the U.S.G.S.

We enclose herewith two copies of Geological Survey Form 9-330 and copies of Schlumberger Well Surveying Corporation Logs that were run on this well.

Very truly yours,

ELLIOTT, INC.

By 

Vice President

FOE/nc
enc.