

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A, or operations suspended _____

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File	<u> ✓ </u>	Checked by Chief	<u> ✓ </u>
Entered On S R Sheet	<u> ✓ </u>	Copy NID to Field Office	<u> ✓ </u>
Location Map Pinned	<u> ✓ </u>	Approval Letter	<u> ✓ </u>
Card Indexed	<u> ✓ </u>	Disapproval Letter	<u> </u>
I W R for State or Fee Land	<u> </u>		

COMPLETION DATA:

Date Well Completed 1-20-59 Location Inspected _____

OW _____ WW _____ TA _____ Bond released _____

GW _____ OS _____ PA X State of Fee Land _____

LOGS FILED


Driller's Log 2-17-59

Electric Logs (No.) 3

E _____ I _____ E-I GR _____ GR-N Micro

Lat _____ Mi-L _____ Sonic _____ Others _____

Sub. Report of Abel



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo
Allottee _____
Lease No. 14-20-603-264

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 13, 1958, 19__

Navajo Tract 115

Well No. 5 is located 660 ft. from North line and 760 ft. from West line of sec. 30

SE SE Section 30 41S 25E SLM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
White Mesa W.C. San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. Not run yet

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Rotary drilling equipment will be used to drill to approximately 5700' to test the Paradox "B" Zone. Surface casing: Approximately 400' of 8-5/8" OD casing cemented to the surface. Oil String: Required amount of 5 1/2" OD or 4 1/2" OD smls casing as available, cemented with required amount of cement. Drill Stem Tests: All oil and gas shows will be tested. Mud Program: Convention gel mud will be used, may convert to oil emulsion to drill pay. Electric logs etc will be run before setting casing or abandonment. Stimulation treatments such as acidizing or hydraulic fracturing may be used in completion.

Location moved west 100' due to high bluff.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company
Production Department
Address Box 3082
Durango, Colorado

COPY (ORIGINAL SIGNED) B. M. BRADLEY
By B M Bradley
Title District Superintendent

LEASE PLAT & PIPE LINE DATA

DIV. NO. _____ BLOCK NAME _____ LEASE NO. _____

LESSOR _____

TOTAL ACCUMULATED INTEREST _____


STATE UTAH COUNTY SAN JUAN SEC 30 T. 41S R. 25E ACRES _____

DESCRIPTION AND INTEREST: _____

PROPOSED Navajo Tract 115 # 5

IF USED FOR PIPE LINE DIAGRAM — PLEASE SUPPLY THE FOLLOWING INFORMATION

Total Length and Size of Pipe Laid _____ Pipe Transferred From _____
Total Length and Size of Pipe Taken Up _____ Pipe Transferred to _____
Depth Buried _____ Painted _____ Screw, Welded or Coupled _____ List Fittings (on back of this sheet if necessary)
Date _____ District _____ Farm or Plant _____
Signed _____
(Mail to Engineering Department - Tulsa)



When used as 1/4" Section Scale, 1" = 400'
When used as Section Scale, 1" = 800'
When used as 4 Sections Scale, 1" = 1600'
Place check mark after scale used.

Plat made by _____ Date _____
1/2" Base Map _____ Date _____
Plat Book (Pend.) _____ Date _____ (Comp.) _____ Date _____
Block Map (Pend.) _____ Date _____ (Comp.) _____ Date _____
Block Map Tr. (Pend.) _____ Date _____ (Comp.) _____ Date _____


Company THE CARTER OIL COMPANY

Lease NAVAJO TRACT # 115 Well No. 5

Sec. 30, T. 41 S., R. 25 E., S.L.M.

Location 660' FROM THE SOUTH LINE & 760' FEET FROM THE EAST LINE

Elevation 626.4' ungraded ground



Scale - 4 inches equal 1 mile

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Leese

Seal

Registered Land Surveyor

James P. Leese

Utah Reg. No. 1472

Surveyed 12 December

19 58

December 15, 1958

The Carter Oil Company
Production Department
P. O. Box 3082
Durango, Colorado

Attention: B. M. Bradley, District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tract 115-5, which is to be located 660 feet from the south line and 760 feet from the east line of Section 30, Township 41 South, Range 25 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.


Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:co

cc: Phil McGrath
USGS, Farmington,
New Mexico



(SUBMIT IN TRIPPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Allottee _____
Lease No. 21-20-503-02

SUNDRY NOTICES AND REPORTS ON WELLS

71-4
2-11

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Casing Record</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 19 59

Navajo Tract 115
Well No. 5 is located 660 ft. from 31N line and 760 ft. from E line of sec. 30
SE SE Section 30 41S 25E 31N
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4628 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 2-jts. 13-3/8" OD 4 1/2 H-40 Casing @ 78', cemented with 150 sz. cement
Set 11-jts. 8-5/8" OD 2 1/2 8-R J-55 Casing @ 1298', cemented with 950 sz. cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company
Address P. O. Box 3082
Durango, Colorado
By COPY (ORIGINAL SIGNED) H. L. FARRIS
Title Dist. Foreman

W



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo
Allottee _____
Lease No. 11-20-603-04

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 1959

Navajo Tract 115
Well No. 5 is located 660 ft. from SW line and 760 ft. from E line of sec. 30
SE SE Section 30 41S 25E S1M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4628 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Notice of intention to abandon well as follows: Cement plugs at 4390' to 4290', 1350' to 1250' and 30' to 0', total of 79 sacks cement. Drilling mud between cement plugs. A 1/4" dry hole marker will be erected, extending 4' above ground level, pipe will be filled and location cleaned.

Permission granted on 1-19-59 by Jerry Long, U.S.G.S.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company The Carter Oil Company
Address P. O. Box 3062
Durango, Colorado
By COPY (ORIGINAL SIGNED) H. L. FARRIS
Title Dist. Foreman

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____
Lease No. 14-20-603-264



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 19 59

Navajo Tract 115
Well No. 5 is located 660 ft. from S line and 760 ft. from E line of sec. 30
SE SE Section 30 41S 25E S1M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcoats San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4628 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 5540' D&A. Abandoned well as follows: cement plugs @ 4390' to 4290' with 31 sacks; 1350' to 1250' with 37 sacks; 30' to 0' with 11 sacks. Drilling mud between plugs. A 4" dry hole marker erected, extending 4' above ground level, pits filled and location cleaned. Ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 3082

Durango, Colorado

By **COPY (ORIGINAL SIGNED) B. M. BRADLEY**

Title Dist. Supt.

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
 Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from Surface feet to 5540' feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

February 16, 19 59 ~~But not producing~~ D&A January 20, 19 59

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
 Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller , Driller
 , Driller , Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
1295'	2350'	1055'	Chinle
2350	?	?	Cutler
2415	2635	220	DeChelly
2635	?	?	Organ Rock
4340	?	?	Hermosa
5183	5346	157	A ₂ Carbonate
5346	5376	30	Paradox Shale
5376	5496	120	B Zone Carbonate
5496	?	?	C Zone
TD 5540'			(All tops from Gamma-Ray Neutron Log)

[OVER]

At the end of complete Driller's Log, add Geologic Tops. State whether from Electric Logs or samples.

--	--	--	--

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of re-drilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hauling.

NAVAJO TRACT 115 #5

TD 5540'. Dry and abandoned. Cement plugs at 4390' to 4290' with 31 sx. cement, 1350-1250' with 37 sx. cement, and 30-0' with 11 sx. cement. Total of 79 sacks cement used. Plugged January 20, 1959