

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or  
operations suspended \_\_\_\_\_

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

W/R for State or Fee Land \_\_\_\_\_

Checked by Chief \_\_\_\_\_

Copy NID to Field Office \_\_\_\_\_

Approval Letter

Disapproval Letter \_\_\_\_\_

COMPLETION DATA:

Date Well Completed 2-20-59 Location Inspected \_\_\_\_\_

OW \_\_\_\_\_ WW \_\_\_\_\_ TA \_\_\_\_\_ Bond released \_\_\_\_\_

GW \_\_\_\_\_ OS \_\_\_\_\_ PA  State of Fee Land \_\_\_\_\_

LOGS FILED

Driller's Log 2-20-59

Electric Logs (No. ) 23

E \_\_\_\_\_ I \_\_\_\_\_ E-I  GR \_\_\_\_\_ GR-N \_\_\_\_\_ Micro \_\_\_\_\_

Lat \_\_\_\_\_ Mi-L \_\_\_\_\_ Sonic \_\_\_\_\_ Others Reductive

Contact Calypso (2)

(SUBMIT IN TRIPLICATE)

Indian Agency \_\_\_\_\_

		0
7		

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Navajo

Allottee \_\_\_\_\_

Lease No. 14-20-603-265

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 13, 1958, 19\_\_\_\_

Navajo Tract 117

Well No. 2 is located 500 ft. from <sup>[N]</sup>~~xs~~ line and 520 ft. from <sup>[E]</sup>~~xy~~ line of sec. 7

NE NE Section 7  
(¼ Sec. and Sec. No.)

43S  
(Twp.)

25E  
(Range)

SLM  
(Meridian)

White Mesa W. C.  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft. Not run yet.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Rotary drilling equipment will be used to drill to approximately 5700' to test the Paradox "B" Zone. Surface Casing: Approximately 400' of 8-5/8" OD casing cemented to the surface. Oil String: Required amount of 5 1/2" OD or 4 1/2" OD annular casing as available, cemented with required amount of cement. Drill Stem Tests: All oil and gas shows will be tested. Mud Program: Conventional gel mud will be used, may convert to oil emulsion to drill pay. Electric logs etc will be run before setting casing or abandonment. Stimulation treatments such as acidizing or hydraulic fracturing may be used in completion.

Location moved North and East due to very difficult terrain.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company  
Production Department  
Address Box 3082  
Durango, Colorado

COPY (ORIGINAL SIGNED) B. M. BRADLEY

By B M Bradley  
Title District Superintendent

LEASE PLAT & PIPE LINE DATA

TIV NO \_\_\_\_\_ BLOCK NAME \_\_\_\_\_ LEASE NO \_\_\_\_\_


LESSOR \_\_\_\_\_

TOTAL ACCUMULATED INTEREST \_\_\_\_\_

STATE UTAH COUNTY SAN JUAN SEC 7 T 42S R 25E ACRES \_\_\_\_\_

DESCRIPTION AND INTEREST \_\_\_\_\_

*PROPOSED NAVAJO TRACT 117 WELL # 2*



This plat was prepared by the undersigned on this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_, at \_\_\_\_\_, Utah, and is a true and correct copy of the original as the same appears in the records of the County Clerk of San Juan County, Utah.

No.	Name	Date	No.	Name	Date


Company THE CARTER OIL COMPANY

Loc. NAVAJO TRACT # 117 Well No. 2

Sec. 7, T. 42 N., R. 25 E., S. 1. N.

Location 500' FROM THE NORTH LINE & 300' FROM THE EAST LINE

Remarks \_\_\_\_\_



Scale—4 inches equal 1 mile.

This is to certify that the above plot was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*James P. Looze*

Deed: Registered Land Surveyor.  
James P. Looze  
Utah Reg. No. 1472

Surveyed 12 December, 1958

December 15, 1958

The Carter Oil Company  
Production Department  
P. O. Box 3082  
Durango, Colorado

Attention: B. M. Bradley, District Supt.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tract 117-2, which is to be located 500 feet from the north line and 520 feet from the east line of Section 7, Township 42 South, Range 25 East, S1EM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT  
SECRETARY

CBF:co

cc: Phil McGrath  
USGS, Farmington,  
New Mexico

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ALLOTTEE -----  
TRIBE Navajo  
LEASE NO. 11-20-603-265

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

71-4  
1-12

State Utah County San Juan Field White Mesa Wildcat

The following is a correct report of operations and production (including drilling and producing wells) for the month of December, 1958,

Agent's address Box 3082 Company The Carter Oil Company

Durango, Colorado

Signed COPY (ORIGINAL SIGNED) CHAS. C. JOHNSON

Phone Cherry 7-0210 Agent's title Dist. Acct'g. Supr.

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DATE PRODUCED	BARRELS OF OIL	CRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<u>NAVAJO TRACT 117</u> <u>Sec. 7</u> <u>NE NE</u>	<u>12S</u>	<u>25E</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Spudded 12-30-58, drilling @ 1200'.</u>

NOTE.—There were \_\_\_\_\_ runs or sales of oil; \_\_\_\_\_ M. cu. ft. of gas sold;

\_\_\_\_\_ runs or sales of gasoline (during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ALLOTTEE Navajo  
TRIBE 14-20-603-265  
LEASE NO. \_\_\_\_\_

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

State Utah County San Juan Field White Mesa Wildcat  
The following is a correct report of operations and production (including drilling and producing wells) for the month of January, 1959,  
Agent's address Box 3082 Durango, Colorado Company The Carter Oil Company  
Cherry 7-0211 Signed COPY (ORIGINAL SIGNED) H. L. FARRIS  
Phone \_\_\_\_\_ Agent's title Dist. Foreman

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	(HEAVY)	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<u>NAVAJO TRACT 117</u> <u>Sec. 7</u> <u>NE NE</u>	<u>42S</u>	<u>25E</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Spudded 12-30-58, TD 5599', logging.</u>

NOTE.—There were 0 runs or sales of oil; 0 M. cu. ft. of gas sold; \_\_\_\_\_ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.



FOLD HERE

**PLUGS AND ADAPTERS**

Heaving plug—Material ..... Length ..... Depth set .....

Adapters—Material ..... Size .....

**SHOOTING RECORD**

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

**TOOLS USED**

Rotary tools were used from Surface feet to 5599' feet, and from - feet to - feet

Cable tools were used from - feet to - feet, and from - feet to - feet

**DATES**

February 17, 1959 ~~Electric production~~ D&A 2-6- 1959

The production for the first 24 hours was ..... barrels of fluid of which .....% was oil; .....% emulsion; .....% water; and .....% sediment. Gravity, °Bé. ....

If gas well, cu. ft. per 24 hours ..... Gallons gasoline per 1,000 cu. ft. of gas .....

Rock pressure, lbs. per sq. in. ....

**EMPLOYEES**

....., Driller ..... Driller

....., Driller ..... Driller

**FORMATION RECORD**

FROM—	TO—	TOTAL FEET	FORMATION
1353'	2330'	977'	Chinle
2330	2440	110	Cutler
2440	2700	260	DeChelly
2700	?	-	Organ Rock
4400	5599	1199	Hermosa
TD 5599'			Tops picked on Gamma Ray Neutron Log

EB 2 0 1959

[OVER]

At the end of complete Driller's log, add Geologic Tops. State whether from Electric Logs or samples.

--	--	--	--

---

**HISTORY OF OIL OR GAS WELL**

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hailing.

NAVAJO TRACT 117 #2

TD 5599', dry and abandoned, plugged as follows: 31 sacks cement from 5599-5499', 31 sacks from 4450-4350', 31 sacks from 2400-2300', 16 sacks from 1225-1175. Top plug 100 sacks cement in top of 8-5/8" casing.

(SUBMIT IN TRIPLICATE)

Indian Agency \_\_\_\_\_


UNITED STATES

Navajo

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 14-20-603-265



71-H  
3-10

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____	<u>Casing Record</u> _____	<input checked="" type="checkbox"/>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 17, 19 59

Navajo Tract 117

Well No. 2 is located 500 ft. from N line and 520 ft. from E line of sec. 7

NE NE Section 7  
(¼ Sec. and Sec. No.)

42S  
(Twp.)

25E  
(Range)

SDM  
(Meridian)

White Mesa NC  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 471.7 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

13-3/8" 48# 8-R casing set @ 42', cemented with 75 sacks cement.

8-5/8" 21# 8-R casing set @ 1206', cemented with 900 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

Title Dist. Supt.

		<input checked="" type="checkbox"/>
7		

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Indian Agency Navajo  
Allottee \_\_\_\_\_  
Lease No. 14-20-603-265

21 - H  
3 - 10

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February 17, 1959

Navajo Tract 117

Well No. 2 is located 500 ft. from N line and 520 ft. from E line of sec. 7

NE NE Section 7  
(¼ Sec. and Sec. No.)

42S  
(Twp.)

25E  
(Range)

S1M  
(Meridian)

White Mesa WC  
(Field)

San Juan  
(County or Subdivision)

Utah  
(State or Territory)

The elevation of the derrick floor above sea level is 4747 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is the intention to abandon well as follows: 31 sacks cement from TD 5599' to 5499', 31 sacks from 4450' to 4350', 31 sacks from 2400' to 2300' 16 sacks from 1225' to 1175' and 10 sacks from 30' to surface. A 4" dry hole marker extending 4' above ground level will be erected and all pits filled and location cleaned.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

Title Dist. Supt.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ALLOTTEE Navajo  
TRIBE 11-20-603-265  
LEASE NO. \_\_\_\_\_

**LESSEE'S MONTHLY REPORT OF OPERATIONS**

71-K  
3-10

State Utah County San Juan Field White Mesa WC

The following is a correct report of operations and production (including drilling and producing wells) for the month of February, 1959

Agent's address Box 3082 Durango, Colorado Cherry 7-0210 Company The Carter Oil Company  
COPY (ORIGINAL SIGNED) CHAS. E. JOHNSON  
Signed Dist. Acct'g. Supr.  
Agent's title \_\_\_\_\_  
Phone \_\_\_\_\_

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<u>NAVAJO TRACT</u>		<u>117</u>								
<u>Sec. 7</u>										
<u>NE NE</u>	<u>42S</u>	<u>25E</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>Spudded 12-30-58, TD 5599' D&amp;A, 2-6-59.</u>

NOTE.—There were 0 runs or sales of oil; 0 M. cu. ft. of gas sold; 0 runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

		<input checked="" type="checkbox"/>
7		

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

Lease No. 14-20-607-265

*7/1/65*  
*5/25*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 17, 1959

Navajo Tract 117  
Well No. 2 is located 500 ft. from [N] line and 520 ft. from [E] line of sec. 7  
NE NE Section 7 42S 25E S1M  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
White Mesa WC San Juan Utah  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4747 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 5599'. Well plugged and abandoned as follows: 31 sz. cement from 5599-5199', 31 sz. from 4450-4350', 31 sz. from 2400-2300', 16 sz. from 1225-1175' and 10 sz. from 30' to surface. A 4" dry hole marker extending 4' above ground level was erected and all pits filled and location cleaned. Ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company

Address Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) H. L. FARRIS

Title Dist. Foreman