

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended

2- -60

Matter to be hand.

Pin changed on location map

Affidavit and record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File

Checked by Chief _____

Entered On S R Sheet

Copy NID to Field Office _____

Location Map Pinned

Approval Letter

Card Indexed

Disapproval Letter _____

I W R for State or Fee Land _____

COMPLETION DATA:

Date Well Completed 2-25-60

Location Inspected _____

OW _____ WW _____ TA _____

Bond released _____

GW _____ OS _____ PA

State of Fee Land _____


LOGS FILED

Driller's Log 3-11-60

Electric Logs (No.) 2

E I E-I _____ GR _____ GR-N _____ Micro _____

Lat _____ Mi-L _____ Sonic Others _____



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo
Allottee _____
Lease No. 14-20-603-259

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 28, 1959, 19__

Navajo Tract 107

Well No. 5 is located 1980 ft. from NS line and 1980 ft. from EW line of sec. 2

NESW Section 2

(1/4 Sec. and Sec. No.)

White Mesa

(Field)

42S

(Twp.)

24E

(Range)

S1M

(Meridian)

San Juan

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft. 5120' Ungraded ground

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Rotary drilling equipment will be used to drill to approximately 5950' to the Paradox C Zone. Surface Casing: Approximately 200' of 8-5/8" OD casing cemented to the surface. Oil String: Required amount of 4 1/2" OD casing cemented with required amount of cement. Mud Program: Conventional gel mud, may convert to oil emulsion to drill pay. Drill Stem Tests: All oil and gas shows will be tested. Electric logs etc will be run before setting casing or abandonment. Stimulation treatments such as acidizing or hydraulic fracturing may be employed in completion.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Carter Oil Company
Production Department

Address Box 3082
Durango, Colorado

By B M Bradley
B M Bradley
Title District Superintendent

LEASE PLAT & PIPE LINE DATA

DIV NO _____ BLOCK NAME _____ LEASE NO _____

LESSOR _____


TOTAL ACCUMULATED INTEREST _____

STATE UTAH COUNTY SAN JUAN SEC 2 T 42S R 24E ACRES _____

DESCRIPTION AND INTEREST _____

THE CARTER Oil Co.
NAVAJO TRACT 107 #5

IF USED FOR PIPE LINE DIAGRAM — PLEASE SUPPLY THE FOLLOWING INFORMATION
Total Length and Size of Pipe Laid _____ Pipe Transferred From _____
Total Length and Size of Pipe Taken Up _____ Pipe Transferred to _____
Depth Buried _____ Painted _____ Screw, Welded or Coupled _____ List Fittings (on back of this sheet if necessary)
Date _____ District _____ Farm or Plant _____
Signed _____
(Mail to Engineering Department - Tulsa)



When used as 1/4" Section Scale, 1" = 400'
When used as Section Scale, 1" = 800'
When used as 4 Sections Scale, 1" = 1600'
Place check mark after scale used.

Plat made by _____ Date _____
1/2" Base Map _____ Date _____
Plat Book (Per.d.) _____ Date _____ (Comp.) _____ Date _____
Block Map (Per.d.) _____ Date _____ (Comp.) _____ Date _____
Block Map Tr. (Per.d.) _____ Date _____ (Comp.) _____ Date _____

COMPANY THE CARTER OIL COMPANY

Well Name & No. NAVAJO TRACT 107, Well # 5


Lease No.

Location 1980' FROM THE SOUTH LINE & 1980' FROM THE WEST LINE

Being in Center NE SW

Sec. 2, T 42 S, R 24E, S.L.M., San Juan County, Utah

Ground Elevation 5120' ungraded ground



Scale - 4 inches equals 1 mile

Surveyed 24 December

19 59

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

James P. Leese
Registered Land Surveyor.
James P. Leese
Utah Reg. No. 1472

December 29, 1959

The Carter Oil Company
Production Department
P. O. Box 3082
Durango, Colorado

Attention: B. M. Bradley
District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill well No. Navajo Tract 107-5, which is to be located 1980 feet from the south line and 1980 feet from the west line of section 2, Township 42 South, Range 24 East, S1E4, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE SECRETARY

CBF:cp

cc: P. T. McGrath, Dist. Eng.
U. S. Geological Survey
Farmington, New Mexico

Form 9-331 b
(April 1952)

(SUBMIT IN TRIPLICATE)

Indian Agency _____

	2	
	1	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Navajo

Allottee _____

Lease No. 14-20-603-259

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____		SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____		SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____		SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____		SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____		SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____	XX		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 3, 19 60

Navajo Tract 107

Well No. 5 is located 1980 ft. from S line and 1980 ft. from W line of sec. 2

NE SW Section 2
(1/4 Sec. and Sec. No.)

125
(Twp.)

24E
(Range)

SLM
(Meridian)

White Mesa
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5131 ft.

DETAILS OF WORK:

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 6015'. It is intended to plug and abandon well as follows:

To place cement plugs:

5475-5375' with 22 sacks.

2800-2700' with 22 sacks.

1750-1650' with 22 sacks.

400- 300' with 33 sacks.

30' to surface with 12 sacks.

To erect 4" dry hole marker extending at least 1' above ground level and cement in top of casing. To fill pits and clean location.

Verbal approval for above from Mr. P. T. McGrath to Mr. H. L. Farris on 2-24-60.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company - Carter Division

Address P. O. Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

B. M. Bradley

Title Dist. Supt.

(SUBMIT IN TRIPLICATES)

Indian Agency _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Navajo

Allottee _____

Lease No. 14-20-603-258

	2	
X		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____	<u>Casing Report</u>	<u>XX</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 3, 19 60

Navajo Tract 107

Well No. 5 is located 1980 ft. from S line and 1980 ft. from W line of sec. 2

NE SW Section 2
(1/4 Sec. and Sec. No.)

12S
(Twp.)

21E
(Range)

SLM
(Meridian)

White Mesa
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 5131 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 30' of 13-3/8" OD 48# H-40 casing, set at 35' and cemented with 50 sacks cement.

Ran 11 jts., 345' of 8-5/8" OD 24# H-40 casing, set at 357' and cemented with 200 sacks cement. Cement circulated to surface.

Spudded 1-15-60.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company - Carter Division

Address P. O. Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

B. M. Bradley

Title Dist. Supt.

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set

Adapters—Material Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from Surface feet to 6015 feet, and from feet to feet

Cable tools were used from None feet to feet, and from feet to feet

DATES

March 7, 19 60 Put to producing **D & A:** February 25, 19 60

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

....., Driller Driller

....., Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	960	960	Not logged.
960	1260	300	Navajo
1260	1310	50	Kayenta
1310	1685	375	Wingate
1685	2730	1045	Chinle - Moenkopi
2730	4790	2060	Cutler
4790	5812	1022	Hermosa
5812	6015	203	Paradox.
ELECTRIC LOG			TOPS

[OVER]

TV

--	--	--	--

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

NO CORES DUT.

NO DRILL STEM TESTS TAKEN.

TD 6015'. Well plugged and abandoned on 2-25-60 as follows:

Cement plugs: 5475 - 5375' with 22 sacks.

2800 - 2700' with 22 sacks.

1750' - 1650' with 22 sacks.

400 - 300' with 33 sacks.

30' to surface with 12 sacks.

Intervals between cement plugs filled with mud, dry hole marker cemented in top of casing.

(SUBMIT IN TRIPLICATE)

Indian Agency _____

	2		
	X		

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Navajo

Allottee _____

Lease No. 14-20-603-259

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 19 60

Navajo Tract 107

Well No. 5 is located 1980 ft. from NE line and 1980 ft. from W line of sec. 2

NE SW Section 2 42S 24E SLM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

White Mesa San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5131 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 6015'. Well has been plugged and abandoned as follows:

- Cement plugs:
- 5475-5375 with 22 sacks.
 - 2800-2700 with 22 sacks.
 - 1750-1650 with 22 sacks.
 - 400- 300 with 33 sacks.
 - 30' to surface with 12 sacks.

Intervals between cement plugs filled with mud. A 4" dry hole marker extending 4' above ground level cemented into top of casing, pits filled, location cleaned and ready for inspection.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company - Carter Division

Address P. O. Box 3082

Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

B. M. Bradley

Title Dist. Supt.

SUPERIOR OIL

RECEIVED
FEB 14 1984

February 9, 1984

**DIVISION OF
OIL, GAS & MINING**

Hal Balthrop
State of Utah
Oil, Gas & Mining
4241 State Office Bldg
Salt Lake City, Utah 84114

Re: Well Names
White Mesa/Gothic Mesa Units
San Juan County, Utah


Dear Sir:

Superior Oil Company has recently purchased Southland Royalty's interest in the White Mesa and Gothic Mesa Units and as of February 1, 1984 has taken over as operator. As operator we are in the process of establishing a standard for naming future wells to be drilled. In order for this system to be consistent existing well names will need to be changed. It is proposed that a system be implemented where by a well is named according to the section and 1/4-1/4 section in which the well lies.

Unless additional information is required Superior Oil will begin using the well names as cross referenced on the following attachments one week from the above date.

Sincerely,

SUPERIOR OIL COMPANY



James S. Andres
Engineer

JSA/1h
Attach.

PROPOSED WELL NAMES WHITE MESA UNIT

WMU#	T R	Sec.	API	WMU#	T R	Sec.	API	WMU#	T R	Sec.	API
1	41S 24E	23-21	16000	39	41S 24E	33-21	15352(78)	42S 24E	4-14	16448	
2	"	23-41	16001	40	"	33-32	15352(79)	"	4-34	16449	
3	"	22-42	16437	41	"	34-12	15353(80)	"	3-14	10254	
4	"	22-32	15759	42	"	34-32	15354(81)	"	3-34	10253	
5	"	23-12	16002	43	"	35-12	15529(82)	"	2-14	15537	
6	"	23-32	16003	44	"	36-12	15530(83)	"	10-41	16450	
7	"	23-33	16004	45	"	35-23	15331(84)	"	9-21	10256	
8	"	23-23	16005	46	"	34-43	15355(85)	"	8-41	15371	
9	"	22-43	15760	(47)	"	34-23	16444(86)	"	10-32	15374	
10	"	22-23	16438	(48)	"	33-43	15356(87)	"	11-11	10569	
11	"	22-34	15761	(49)	"	33-23	16445(88)	"	11-14	10510	
12	"	23-14	16006	50	41S 24E	32-23	15357(89)	"	"	Water Sply Well	
13	"	23-34	11208	51	"	32-14	10249(90)	"	"	"	
14	"	27-41	16439	52	"	32-34	15358(91)	"	"	"	
15	"	27-21	16254	53	"	33-14	10245(92)	"	"	"	
16	"	28-41	16440	54	"	33-34	15359(93)	"	"	"	
17	"	27-12	15345	55	"	34-14	15360(94)	"	"	"	
18	"	27-32	15346	56	"	34-34	15361(95)	"	"	"	
19	"	26-12	10563	57	"	35-14	15532(96)	"	"	"	
20	"	25-23	10564	58	"	35-34	15533(97)	"	"	"	
21	"	27-43	15347	59	42S 24E	1-41	No API(98)	"	"	"	
22	"	27-23	15348	(60)	42S 24E	2-21	15534(99)	"	"	"	
23	"	27-13	10284	61	"	3-41	15362(100)	"	"	"	
24	"	28-43	15349	(62)	"	3-21	15363(101)	"	"	"	
25	"	28-23	10244	(63)	"	4-41	16446(102)	"	"	"	
26	"	28-34	16441	64	"	4-21	15364(103)	"	"	"	
27	"	27-14	10285	65	"	6-32	10257(104)	"	"	"	
28	"	27-14A	11343	66	"	4-12	10255(105)	"	"	"	
29	"	27-34	16255	(67)	"	4-32	15365(106)	42S 24E	4-42	30078	
30	"	26-14	10565	(68)	"	3-12	15366(107)	41S 24E	34-24	30098	
31	"	25-14	15525	69	"	3-32	15367(108)	"	34-42	30102	
32	"	25-34	10566	70	42S 24E	2-12	15535(109)	42S 24E	4-33	30292	
33	"	36-21	15526	71	"	2-32	15536(110)	42S 24E	3-11	30293	
34	"	35-41	15527	72	"	2-23	10568(111)	"	3-22	30294	
35	"	35-21	15528	73	"	3-43	15368(112)	41S 24E	34-22	30295	
36	"	34-41	16442	(74)	"	3-23	16447(113)	"	34-33	30296	
37	"	34-21	15350	(75)	"	4-43	15369(114)	"	"	Proposed not drld. 30329	
38	"	33-41	16443	76	"	4-23	15370(115)	"	4-31	30330	
39	"	33-21	15351	77	"	5-13	16223(116)	41S 24E	35-13	30331	

T425 R24E Sec 1
43-037-10568

WHITE MESA UNIT
WELLS BY TRACTS AND
STATUS

TRACT # 1 LEASE # 14-20-603-258
WELL # ✓26-12 P&AD ✓35-22 P&AD
✓26-14 P&AD ✓35-12 WIW
✓25-23 P&AD ✓35-13 POW
✓25-14 POW ✓35-14 POW
✓25-34 P&AD ✓35-23 P&AD
✓35-21 P&AD ✓35-34 POW
✓35-41 P&AD

TRACT # 2 LEASE # 14-20-603-258
WELL # ✓36-21 POW
✓36-12 POW
✓36-22 P&AD

TRACT # 3 LEASE # 14-20-603-259
WELL # ✓2-11 POW ✓2-23 P&AD
✓2-21 WIW ✓2-14 P&AD
✓2-12 POW ✓11-11 D&AD
✓2-23 P&AD

TRACT # 5 LEASE # 14-20-603-355
WELL # ✓22-32 P&AD ✓22-43 POW
✓22-42 P&AD ✓22-34 POW
✓22-23 P&AD

TRACT # 6 LEASE # 14-20-603-370
WELL # ✓23-21 POW ✓23-23 P&AD
✓23-41 POW ✓23-33 P&AD
✓23-12 POW ✓23-14 POW
✓23-32 P&AD ✓23-34 P&AD
✓23-42 POW

TRACT # 7 LEASE # 14-20-603-407
WELL # ✓32-23 POW
✓32-14 P&AD
✓32-34 POW

TRACT # 8 LEASE # 14-20-603-408
WELL # ✓5-43 P&AD
✓8-41 P&AD

TRACT # 10 LEASE # 14-20-603-409 A
WELL # ✓27-41 P&AD ✓27-13 P&AD
✓27-32 P&AD ✓27-23 POW
✓27-14 P&AD ✓27-14A P&AD

TRACT # 9 LEASE # 14-20-603-409
WELL # ✓27-21 POW ✓34-22 POW ✓34-21 WIW
✓27-22 POW ✓34-42 POW ✓34-41 P&AD
✓28-43 P&AD ✓34-44 POW ✓34-12 WIW
✓27-34 P&AD ✓27-12 POW ✓34-32 WIW
✓33-21 P&AD ✓28-41 P&AD ✓34-24 POWSI
✓34-31 POW ✓28-23 P&AD ✓34-43 WIW
✓33-32 P&AD ✓27-43 POW ✓33-14 P&AD
✓33-23 POW ✓33-41 P&AD ✓34-13 POW
✓33-34 WIW ✓33-43 P&AD ✓34-14 WIW
✓34-23 WIW ✓33-44 POW ✓34-33 POW
✓28-34 P&AD ✓34-34 WIW

TRACT # 11 LEASE # 14-20-603-410
WELL # ✓4-21 WIW ✓4-32 T&AD ✓3-21 WIW (10-31) POW
✓4-31 POW ✓4-23 P&AD ✓3-41 POW ✓10-41 P&AD
✓4-41 WIW ✓4-33 POW ✓3-12 WIW
✓4-42 POW ✓4-43 P&AD (34-32) POW
✓4-12 P&AD ✓4-14 P&AD 3-22 PROPOSED
✓4-22 P&AD ✓4-24 POW ✓3-23 P&AD
✓4-34 P&AD ✓3-11 T&AD ✓3-43 P&AD
✓3-14 P&AD ✓3-34 P&AD 9-21 P&AD



US OIL & GAS, INC.

February 13, 2001

Utah Division of Oil, Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, UT 84114-5801

RE: Annual Status Report

Dear Mr. Staley:

Please accept the enclosed document as the Annual Status Report as required by UT Admin. R 649-8-10 for the White Mesa Unit which is located in the Greater Aneth Area, Southeastern, UT.

In 1999 US OIL & GAS, INC. reported 3 Wells that were shut-in for an extended period of time.

Well # 4-32	Lease # 14-20-603-410	API # 430371536500S1
Well # 34-24	Lease # 14-20 603-409	API # 430373009800S1
Well # 3-11	Lease # 14-20-603-410	API # 430373029300S1

US OIL & GAS, INC. returned these 3 wells to production in 2000 and now have every well on the White Mesa Unit on production. The attached document shows all the wells by their respective tracts and the wells that were returned to production are in blue. Please accept this as the annual status report for 2000.

If you have any questions or comments, please feel free to call me either at the phone listed below or I can also be reached at cellular (970) 560-2404.

Sincerely,

Patrick B. Woosley, Vice President

PB/pw

Enclosures

RECEIVED

FEB 21 2001

DIVISION OF
OIL, GAS AND MINING

T425 R39E S-2
43-037-10568

WHITE MESA UNIT
WELLS BY TRACTS AND
STATUS

TRACT # 1 LEASE # 14-01-00-0258
WELL # 26-12 P&AD 35-22 P&AD
26-14 P&AD 35-12 WIW
25-23 P&AD 35-13 POW
25-14 POW 35-14 POW
25-34 P&AD 35-23 P&AD
35-21 P&AD 35-34 POW
35-41 P&AD

TRACT # 2 LEASE # 14-01-00-0258
WELL # 36-21 POW
36-12 POW
36-22 P&AD

TRACT # 3 LEASE # 14-01-00-0258
WELL # 2-11 POW 2-23 P&AD
2-21 WIW 2-14 P&AD
2-12 POW 11-11 D&AD
2-23 P&AD

TRACT # 4 LEASE # 14-01-00-0258
WELL # 22-32 P&AD 22-43 POW
22-42 P&AD 22-34 POW
22-23 P&AD

TRACT # 5 LEASE # 14-01-00-0258
WELL # 23-21 POW 23-23 P&AD
23-41 POW 23-33 P&AD
23-12 POW 23-14 POW
23-32 P&AD 23-34 P&AD
23-42 POW

TRACT # 6 LEASE # 14-01-00-0258
WELL # 32-23 POW
32-14 P&AD
32-34 POW

TRACT # 8 LEASE # 14-01-00-0258
WELL # 5-43 P&AD
8-41 P&AD

TRACT # 10 LEASE # 14-01-00-0258
WELL # 27-41 P&AD 27-13 P&AD
27-32 P&AD 27-23 POW
27-14 P&AD 27-14A P&AD

TRACT # 9 LEASE # 14-01-00-0258
WELL # 27-21 POW 34-22 POW 34-21 WIW
27-22 POW 34-42 POW 34-41 P&AD
28-43 P&AD 34-44 POW 34-12 WIW
27-34 P&AD 27-12 POW 34-32 WIW
33-21 P&AD 28-41 P&AD 34-24 POW
34-31 POW 28-23 P&AD 34-43 WIW
33-32 P&AD 27-43 POW 33-14 P&AD
33-23 POW 33-41 P&AD 34-13 POW
33-34 WIW 33-43 P&AD 34-14 WIW
34-23 WIW 33-44 POW 34-33 POW
28-34 P&AD 34-34 WIW

TRACT # 11 LEASE # 14-20-003-410
WELL # 4-21 WIW 4-32 POW 3-21 WIW 10-31 POW
4-31 POW 4-23 P&AD 3-41 POW 10-41 P&AD
4-41 WIW 4-33 POW 3-12 WIW
4-42 POW 4-43 P&AD 34-32 POW
4-12 P&AD 4-14 P&AD 3-22 PROPOSED
4-22 P&AD 4-24 POW 3-23 P&AD
4-34 P&AD 3-11 POW 3-43 P&AD
3-14 P&AD 3-34 P&AD 9-21 P&AD

WHITE MESA UNIT
WELLS BY TRACTS AND
STATUS

TRACT # 1 LEASE # 14-20-603-258
WELL # 26-12 P&AD 35-22 P&AD
26-14 P&AD 35-12 WIW
25-23 P&AD 35-13 POW
25-14 POW 35-14 POW
25-34 P&AD 35-23 P&AD
35-21 P&AD 35-34 POW
35-41 P&AD

TRACT # 2 LEASE # 14-20-603-258
WELL # 36-21 POW
36-12 POW
36-22 P&AD

TRACT # 3 LEASE # 14-20-603-259
WELL # 2-11 POW 2-23 P&AD
T 425 R 34E 2-21 WIW 2-14 P&AD
SFC-02 2-12 POW 11-11 D&AD
43-037-10568 2-23 P&AD

TRACT # 5 LEASE # 14-20-603-355
WELL # 22-32 P&AD 22-43 POW
22-42 P&AD 22-34 POW
22-23 P&AD

TRACT # 6 LEASE # 14-20-603-370
WELL # 23-21 POW 23-23 P&AD
23-41 POW 23-33 P&AD
23-12 POW 23-14 POW
23-32 P&AD 23-34 P&AD
23-42 POW

TRACT # 7 LEASE # 14-20-603-407
WELL # 32-23 POW
32-14 P&AD
32-34 POW

TRACT # 8 LEASE # 14-20-603-408
WELL # 5-43 P&AD
8-41 P&AD

TRACT # 10 LEASE # 14-20-603-409 A
WELL # 27-41 P&AD 27-13 P&AD
27-32 P&AD 27-23 POW
27-14 P&AD 27-14A P&AD

TRACT #9 LEASE # 14-20-603-409
WELL # 27-21 POW 34-22 POW
27-22 POW 34-42 POW
28-43 P&AD 34-44 POW
27-34 P&AD 27-12 POW
33-21 P&AD 28-41 P&AD
34-31 POW 28-23 P&AD
33-32 P&AD 27-43 POW
33-23 POW 33-41 P&AD
33-34 WIW 33-43 P&AD
34-23 WIW 33-44 POW
28-34 P&AD 34-34 WIW

34-21 WIW
34-41 P&AD
34-12 WIW
34-32 WIW
34-24 POW
34-43 WIW
33-14 P&AD
34-13 POW
34-14 WIW
34-33 POW

TRACT # 11 LEASE # 14-20-603-410
WELL # 4-21 WIW 4-32 POW
4-31 POW 4-23 P&AD
4-41 WIW 4-33 POW
4-42 POW 4-43 P&AD
4-12 P&AD 4-14 P&AD
4-22 P&AD 4-24 POW
4-34 P&AD 3-11 POW
3-14 P&AD 3-34 P&AD

3-21 WIW 10- 31POW
3-41 POW 10-41 P&AD
3-12 WIW
34-32 POW
3-22 PROPOSED
3-23 P&AD
3-43 P&AD
9-21 P&AD

RECEIVED

MAR 11 2002

DIVISION OF
OIL, GAS AND MINING



US OIL & GAS, INC.

February 28, 2002

Utah Division of Oil, Gas & Mining
1594 West North Temple, Suite 1210
Salt Lake City, UT 84114-5801

RE: Annual Status Report

Dear Mr. Staley:

Please accept the enclosed White Mesa Unit report of Wells by tracts and status as a part of US Oil & Gas, Inc. annual status report for 2001. The attached document shows all the wells by their respective tracts and the wells status for the year 2001.

Sincerely,

Patrick B. Woosley,
Vice President

Enclosures

RECEIVED

MAR 11 2002

DIVISION OF
OIL, GAS AND MINING