

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or operations suspended 5-14-59

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

FILE NOTATIONS

Entered in NID File	<u>✓</u>	Checked by Chief	<u>✓</u>
Entered On S R Sheet	<u>✓</u>	Copy NID to Field Office	<u>✓</u>
Location Map Pinned	<u>✓</u>	Approval Letter	<u>✓</u>
Card Indexed	<u>✓</u>	Disapproval Letter	_____
IWR for State or Fee Land	_____		

COMPLETION DATA:

Date Well Completed 5-14-59 Location Inspected _____

OW _____ WW _____ TA _____ Bond released _____

GW _____ OS _____ PA X State of Fee Land _____

LOGS FILED

Driller's Log 5-22-59

Electric Logs (No.) 2


_____ I _____ E-I ✓ GR _____ GR-N ✓ Micro _____

Lat _____ Mi-L _____ Sonic _____ Others _____

Sub. Report of Chd.

(SUBMIT IN TRIPLICATE)

Land Office 068257
Lease No. _____
Unit _____



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 20, 1959

Big Canyon

Well No. 1 is located 660 ft. from N line and 1960 ft. from E line of sec. 29

373 256 SUN

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5100 ft. (or. est)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill the above well to an approximate total depth of 6200'. The principal objective will be bluff zone expected at 5500'.

We propose to set 350' of 13-3/8" OD N-40 surface casing and circulate cement on the outside from bottom of the pipe to the cellar. In the event that commercial production (oil or gas) is encountered, 5-1/2" OD 15.57 J-55 casing will be run through the productive horizons and adequately cemented to confine all oil, gas or water bearing strata.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Consarto Chemical Company,
 Lion Oil Company Division,
Address 1510 Denver Club Building,
Denver 2, Colorado.

By J. E. Stacy (J. E. Stacy)
Title Regional Production Supt.

March 23, 1959

Monsanto Chemical Company,
Lion Oil Company Division
1310 Denver Club Building
Denver 2, Colorado

Attention: J. E. Bucy,
Regional Production Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Bug Canyon 1, which is to be located 660 feet from the north line and 1980 feet from the west line of Section 29, Township 37 South, Range 25 East, SLEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:co

cc: Phil McGrath, Dist. Eng.
U. S. Geological Survey
Farmington, New Mexico

	X	

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 068257
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 31, 1959

Bug Canyon

Well No. 1 is located 660 ft. from N line and 222 1/2 ft. from W line of sec. 29

C NE NW Sec. 29 37S 25E 51M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 527 1/2 ft. Or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill the above well to an approximate total depth of 6200'. The principal objective will be Bluff Zone expected at 5500'.

We propose to set 350' of 13-3/8" OD H-40 surface casing and circulate cement on the outside from bottom of the pipe to the cellar. In the event that commercial production (oil or gas) is encountered, 5-1/2" OD 15.5# J-55 casing will be run through the productive horizons and adequately cemented to confine all oil, gas or water bearing strata.

CORRECTED NOTICE - due to terrain location had to be moved from 660 FNL and 1980 FNL to the above.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Monsanto Chemical Company,
Lion Oil Company Division,
Address 1310 Denver Club Building,
Denver 2, Colorado

By J. E. Bucy (J. E. Bucy)
Title Regional Production Supt.

April 2, 2959

Monsanto Chemical Company,
Lion Oil Company Division
1310 Denver Club Building
Denver 2, Colorado

Attention: J. E. Bucy,
Regional Production Superintendent

Gentlemen:

RE: Well No. Bug Canyon 1,
Sec. 29, T 37 S, R. 25 E,
SLM, San Juan County

This is to acknowledge receipt of your change of location
of the above mentioned well.

Please be advised that insofar as this office is concerned
the change of location is hereby approved.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
EXECUTIVE SECRETARY

CBF:ep

cc: Phil McGrath, Dist. Eng.
U. S. Geological Survey
Farmington, New Mexico

X		

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 068257
Unit _____

7114
9/5

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 27, 1959

BUG CANYON

Well No. 1 is located 660 ft. from N line and 2224 ft. from W line of sec. 29

NE 1/4 Sec. 29 37S 25R S1M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5274 ft. Or.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well spudded 1:30 p.m. April 14, 1959
4-17-59 - set 434.77' 10-3/4" surface casing at 422.27' with 225 sx. cement, plug down 3:00 a.m. for 36 hrs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Monsanto Chemical Co., Lion Oil Co. Division

Address 1310 Denver Club Bldg.,
Denver 2, Colorado

By J. E. Busy (J. E. Busy)

Title Regional Production Supt.

X		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 068257
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ May 19 _____, 19 59

Well No. 1 is located 660 ft. from N line and 222 1/2 ft. from E line of sec. 29

NE 1/4 Sec. 29 37E 25E 51M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 527 1/2 ft. Gr.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 5709' - on May 13, 1959, our Mr. Caskill contacted the U.S.G.S. District Engineer at Farmington, New Mexico, and received his approval and instruction for the plugging and abandonment of this well. No commercial shows of oil or gas possibilities were encountered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Monsanto Chemical Company, Lion Oil Company Division

Address 1310 Denver Club Building

Denver 2, Colorado

By J. E. Dreyfus, Jr.

Title Regional Production Supt.

<input checked="" type="checkbox"/>		

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Utah
Lease No. 068257
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ May 19 _____, 19 59

Dug Canyon
Well No. 1 is located 660 ft. from N line and 2224 ft. from E line of sec. 29

NE NW Sec. 29 (1/4 Sec. and Sec. No.) 37N (Twp.) 25E (Range) S1M (Meridian)
Wilcox (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 5274 ft. Gr.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was plugged and abandoned at TD of 5709' on May 14, 1959, rig was released at 8:00 p.m. May 14, 1959. The following cement plugs were run to confine all possible oil, gas or water bearing strata.

30 sx plug	4325 - 4225	25 sx plug	475 - 370
30 sx plug	2500 - 2400	10 sx plug	top of surface
45 sx plug	1150 - 1300		

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Monsanto Chemical Company, Lion Oil Company Division

Address 1310 Denver Club Building

Denver 2, Colorado

By J. E. Bucy / J. E. Bucy

Title Regional Production Supt.

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10-3/4	433.77	225	Pump & plug		Cement circulated

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to 5709 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

P & A May, 14, 1959 Put to producing _____, 19_____
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Sage Drilling Company, Driller _____ Well P & A on May 14, 1959
P.O. Box 348, Driller _____, Driller _____
San Angelo, Texas

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
2192	4220	2028	Shinarump
4220	5370	1150	Hermosa
5370	5524	154	Bluff
5524	5594	70	Ismay
5594	5630	36	Upper Desert Creek
5630	5702	72	Lower Desert Creek
5702	TD		Top of salt

MAY 20 1959

